

COOPERATIVE CATALOGUE OF PALAEARCTIC COLEOPTERA CURCULIONOIDEA

PART 1: INTRODUCTION AND CATALOGUE

WORK VERSION 2.4

Authors (in alphabetical order): M.A. Alonso-Zarazaga, H. Barrios, R. Borovec, R. Caldara, E. Colonnelli, L. Gültekin, P. Hlaváč, B. Korotyaev, C.H.C. Lyal, A. Machado, M. Meregalli, H. Pierotti, L. Ren, M. Sánchez-Ruiz, A. Sforzi, H. Silfverberg, J. Skuhrovec, M. Trýzna, A.J. Velázquez de Castro, N.N. Yunakov

Coordinator: M.A. Alonso-Zarazaga

Introduction

This is a work copy of the CCPCC and thus it may change. For a stable copy, download version 1 from <http://sea-entomologia.org/monoelec.html>, although it will not be as updated as the present one.

The present copy will incorporate any change affecting the Palaearctic Region as soon as the authors are aware. A new working version will be uploaded every 6 months depending on time schedules. In **red**, users will find any difference from the previous version (in this case CCPCC work version 2.3, 2019).

All modifications in this work version have been previously published, thus no novelty is included here. Authors providing these modifications have been noted with the usual system of a hash (#) followed by a number used for final notes (when they have been provided by more than one author, all of them have been cited). No intent of using the same system has been followed for the new geographical data or corrections to avoid clogging the text. Deletions have been crossed out. If the modifications bear no note on authorship, it is to be assumed that the author is the Coordinator. For any further information, please read the Introduction of the CCPCC version 1.

The classification used will incorporate any major or minor change produced during the preparation of each work version as soon as possible.

The Appendix I with the geographical acronyms is kept at the bottom of the text for a quick reference.

Qualification of names

Names may be found qualified with any of these acronyms:

[DA] = doubtful assignment

[E] = emendation (justified)

[EA] = erroneous assignment

[HN] = homonym

[IOS] = incorrect original spelling (and name followed by a colon)

[ISS] = incorrect subsequent spelling (and name followed by a colon)

[NA] = not available

[NO] = *nomen oblitum* (pl. *nomina oblita*)

[NP] = *nomen protectum* (pl. *nomina protecta*)

[RN] = replacement name

[SN] = suppressed name (by an Opinion)

[UE] = unjustified emendation

[UN] = unused name

[URN] = unnecessary replacement name

New locality

Hypera pseudotenuirostris Skuhrovec & Winkelmann, 2008: Morocco (Middle Atlas Mts., Azrou 20 km S, Ain Leuh). [Skuhrovec]

Notes

Rhinusa korotyaevi Caldara & Toševski, 2019. The type locality "Wadi el Kelt" is currently not in Jordan as reported by the authors but in the State of Palestine. [Caldara]

Curculio assimilis Herrer, 1784. This is a synonym of *Cionus thapsus* (Fabricius, 1792). Recently, Košťál & Caldara (2019) designated a neotype of this taxon and declared this name as **nomen oblitum** in order to maintain the use of the name *thapsus*. However, Herrer's name must be inferred as suppressed by the Commission for the Principles of Priority & Homonymy, and placed in the Official Index of Rejected and Invalid Specific Names in Zoology, in the Opinion 1529, Bulletin of Zoological Nomenclature, 46(1): 71 (1989), where it is reported that "the specific name *Curculio assimilis* Fabricius, 1775 as published in the binomen *Curculio assimilis*, and all other uses of that name prior to the publication of *Curculio assimilis* Paykull, 1792, are hereby suppressed for the purpose of both the Principle of Priority and the Principle of Homonymy". Therefore, the designation of Košťál & Caldara's neotype is here considered as invalid. [Caldara]

ACKNOWLEDGEMENTS

Michael Košťál for pointing out mistakes in the distributions and providing literature; Leonardo Forbicioni and Eylon Orbach for providing literature; Anthony Davies for pointing out mistakes. Alessanda Sforzi for providing new data on distribution.

CATALOGUE

Superfamily **CURCULIONOIDEA** Latreille, 1802

1. Family **CIMBERIDIDAE** Gozis, 1882

1.1. Subfamily **Cimberidinae** Gozis, 1882

1.1.1. Tribe **Cimberidini** Gozis, 1882

genus *Cimberis* Gozis, 1881a: 150 type species *Rhinomacer attelaboides* Fabricius, 1787

subgenus *Cimberis* Gozis, 1881a: 150 type species *Rhinomacer attelaboides* Fabricius, 1787

attelaboides Fabricius, 1787a: 123 (*Rhinomacer*) **E:** AU BE BU CT CZ DE FI FR GB GE GR HU IT

LA LT LU NL NR NT PL SK SP ST SV SZ UK **N:** AG **A:** ES FE KZ NC NMO TR WS

canescens Semenov, 1900: 129

rhinomacer Thunberg, 1791: 115 (*Curculio*)

rhinomacer Paykull, 1792: 126 (*Curculio*) [HN]

1.1.2. Tribe **Doydirhynchini** Pierce, 1916

genus *Doydirhynchus* Dejean, 1821: 79 type species *Rhynchites austriacus* Olivier, 1807

Diodyrhynchus Schoenherr, 1833a: 240 [UE]

Doedycorrhynchus Labram & Imhoff, 1843: no. 4 [URN]

Doedycorrhynchus Bedel, 1883a: 18 [URN]

austriacus Olivier, 1807: 27 (*Rhynchites*) **E:** AU BE BH CR CT CZ FR GE GR HU IT LA LU NL

NR NT PL PT SK SP SV SZ UK **A:** TR

castaneus Germar, 1833: 242

cilicicus K. Daniel & J. Daniel, 1903b: 327

karamani Stierlin, 1886b: 229

lutescens Schilsky, 1903: 92

melas Herbst, 1786: 166 (*Curculio*) [NO]
pallidicolor Pic, 1905k: 190
bicolor Pic, 1905e: 137 N: AG MO TU

2. Family NEMONYCHIDAE Bedel, 1882

genus *Nemonyx* L. Redtenbacher, 1845: 96 type species *Rhinomacer lepturoides* Fabricius, 1801
Nematonyx Agassiz, 1846: 247 [UE]
canescens Solsky, 1881: 263 A: IN KZ TM UZ
lepturoides Fabricius, 1801: 429 (*Rhinomacer*) E: AU BU CT CZ FR GE GR HU IT KZ MD PL RO
SK ST SZ UK A: AB AR IN LE TR
grisescens Reitter, 1899d: 209
scutellatus Abeille de Perrin, 1901: 234 N: TU
semirufus Pic, 1898e: 74 N: AG
varicolor Abeille de Perrin, 1898: 258

3. Family ANTHRIBIDAE Billberg, 1820

3.1. Subfamily Anthribinae Billberg, 1820

3.1.1. Tribe Allandrini Pierce, 1930

genus *Allandrus* LeConte, 1876: 396 type species *Allandrus bifasciatus* LeConte, 1876
Tropiderinus Reitter, 1916a: 5 type species *Tropideres munieri* Bedel, 1882
fuscipennis Guillebeau, 1891: 199 (*Tropideres*) E: CZ FR PL SK UK
rufipennis Rey, 1893a: 49 (*Tropideres*) [URN]
interruptus Reitter, 1889f: 286 (*Tropideres*) A: AB AR IN IS PS TM
iriei Morimoto, 1980: 18 A: ES FE JA
munieri Bedel, 1882: 8 (*Tropideres*) E: GR SP N: AG
therondi Tempère, 1954: 48 (*Enedreytes*) E: FR
undulatus Panzer, 1795: 294 (*Anthribus*) E: AU BE CZ DE EN FI FR GE HU IT LU NL NR NT
PL SK SP SV SZ UK N: "N Africa"
cinctus Paykull, 1792: 123 (*Curculio*) [HN]
edgreni Schoenherr, 1839: 211 (*Tropideres*)

genus *Phaeochrotes* Pascoe, 1860b: 42 type species *Phaeochrotes porcellus* Pascoe, 1860
porcellus Pascoe, 1860b: 42 A: YUN ORR
pudens Gyllenhal, 1833a: 153 (*Tropideres*) E: AU BE BH BU CR CT CZ DE FR GE GR HU IT LU
PL RO SK ST SZ TR UK A: FE MG NP SY TR
inornata Bach, 1854: 168 (*Tropideres*)

genus *Plintheria* Pascoe, 1859b: 435 type species *Plintheria luctuosa* Pascoe, 1859
Alloderes Jordan, 1944: 141 type species *Alloderes vitiensis* Jordan, 1944
caliginosa Shibata, 1980b: 39 A: JA (Ogasawara)
diversa Shibata, 1979: 97 A: TAI
sparsa Boheman, 1833a: 151 (*Tropideres*) A: HAI ORR
variolosa Shibata, 1969: 26 A: JA

3.1.2. Tribe Anthribini Billberg, 1820

genus *Anthribus* Geoffroy, 1762: 306 type species *Anthribus fasciatus* Forster, 1770
Anthotribus J. J. Hoffmann, 1803: 110 [UE]
Antribus Illiger, 1801: 127 [UE]
Antriptus Illiger, 1801: 127 [UE]
Brachytarsus Schoenherr, 1823: 1135 type species *Anthribus varius* Fabricius, 1787 (= *Anthribus nebulosus* Forster, 1770)
Paropes Schoenherr, 1823: 1135 type species *Anthribus varius* Fabricius, 1787 (= *Anthribus nebulosus* Forster, 1770)
Paropus Fischer von Waldheim, 1829: 84 type species *Anthribus varius* Fabricius, 1787 (= *Anthribus nebulosus* Forster, 1770)
Pseudobrachytarsus Pierce, 1930: 29 type species *Anthribus fasciatus* Forster, 1770
fasciatus Forster, 1770: 5 E: AL AU BE BH BU CR CZ DE EN FI FR GB GE GR HU IT LA LU

NL PL PT RO SK SP SV SZ TR UK YU N: AG MO NARi
marmoratus Geoffroy, 1785: 136
rubripes Rey, 1893a: 49 (*Brachytarsus*)
rufipes Motschulsky, 1860b: 153 (*Brachytarsus*)
scabrosus Fabricius, 1775: 64 (*Bruchus*)
ventralis Rey, 1893a: 49 (*Brachytarsus*)
kuwanai Yuasa, 1931: 21 (*Brachytarsus*) A: CH ES FE JA SC
vandykei Jordan, 1933b: 383
nebulosus Forster, 1770: 5 E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GR HU IT LA LT
LU NL NR NT PL PT RO SK SP ST SV SZ UK YU A: FE NARi
capsularius Schrank, 1789: 70 (*Bruchus*)
clathratus Herbst, 1786: 158 (*Bruchus*)
gavoyi Chobaut, 1922: 88
kuesterei Chobaut, 1922: 86 [RN, HN]
kuesterei Reitter, 1916a: 9 [RN]
nebulosus Küster, 1850: 91 (*Brachytarsus*) [HN]
variegatus Geoffroy, 1785: 136
varius Fabricius, 1787a: 42 (*Bruchus*)
niveovariegatus Roelofs, 1879b: 1v (*Brachytarsus*) A: BEI FE GUI HUN JA JIA SC SCH YUN XIN
lajievorus Chao, 1976: 339 (*Brachytarsus*)
nigrovariegatus Roelofs, 1880a: 29 (*Brachytarsus*)
scapularis Gebler, 1833: 291 E: BU BY CZ DE EN FI FR GE IT LA LT MD NR NT PL SK SV TR
UK N: AG A: KZ
constrictus Stierlin, 1867: 224 (*Brachytarsus*)
gebleri Reitter, 1916a: 9 [NA]
roseus Reitter, 1916a: 9 [NA]
subroseus Reitter, 1916a: 9 E: FR GR
clopi Chobaut, 1922: 87

3.1.3. Tribe Basitropidini Lacordaire, 1865

genus *Basitropis* Jekel, 1855: 90 type species *Basitropis nitidicutis* Jekel, 1855
Baseotropis Gemminger & Harold, 1872: 2742 [UE]
affinis Jordan, 1903b: 432 A: HAI ORR
bimaculata Senoh & Matoba, 2004: 229 A: JA (Ryūkyū)
lutosa lutosa Jordan, 1895a: 194 A: HAI ORR
nitidicutis nitidicutis Jekel, 1855: 92 A: FE HAI HKG JA NP TAI UP ORR
brevis Jordan, 1897: 642
dispar Sharp, 1891: 320
orientalis Motschulsky, 1875: 231 (*Eugonus*)
persimilis Jordan, 1916: 363 A: HAI TAI ORR
seinoi Morimoto, 1978b: 43 A: JA (Ogasawara)
wernerii Frieser, 1995a: 41 A: UP

genus *Gynandrocerus* Lacordaire, 1865: 568 type species *Gynandrocerus antennalis* Lacordaire, 1865
praecox H.J. Kolbe, 1895: 390 N: MO (S. of Casablanca) AFR

3.1.4. Tribe Corrhecerini Lacordaire, 1865

genus *Aulodina* Jordan, 1903a: 128 type species *Aulodina unicolor* Jordan, 1903
alternata Frieser, 1977: 809 A: "Arabia" AFR

genus *Cylindroides* Fairmaire, 1886a: 455 type species *Cylindroides alboplagiatus* Fairmaire, 1886
Aulodes Quedenfeldt, 1887: 321 type species *Aulodes bifasciatus* Quedenfeldt, 1887
arabicus Frieser, 1981c: 437 A: SA
bifasciatus Quedenfeldt, 1887: 323 (*Aulodes*) A: IS SA

genus *Habrissus* Pascoe, 1859b: 432 type species *Habrissus pilicornis* Pascoe, 1859
Habrocerastes Lacordaire, 1865: 548 type species *Habrocerastes sellifer* Lacordaire, 1865
analisis analisis Morimoto, 1981a: 98 A: JA SC (Jeju) SCH
analisis chinensis Frieser, 1995a: 16 A: SCH
cylindricus Sharp, 1891: 311 (*Tropideres*) A: FE (Sakhalin) JA
formosanus Jordan, 1912a: 143 A: ES JA (Ryūkyū) TAI
kejvali Frieser, 1995a: 17 A: SCH

longipes Sharp, 1891: 312 (*Tropideres*) A: FE JA TAI
nigronotatus Morimoto, 1981a: 100 A: JA (Ryūkyū)
pardalis Sharp, 1891: 313 (*Tropideres*) A: FE (Kuril Is., Sakhalin) JA
unciferoides Nakane, 1963a: 31 (*Hypseus*) A: JA

genus *Penestica* Pascoe, 1859a: 332 type species *Penestica inepta* Pascoe, 1859
brevis albescens Shibata, 1963a: 47 (*Paraphloeobius*) A: JA
brevis brevis Jordan, 1912a: 145 (*Paraphloeobius*) A: TAI

3.1.5. Tribe Cratoparini LeConte, 1876

genus *Euparius* Schoenherr, 1823: 1135 type species *Anthrribus lunatus* Fabricius, 1801 (= *Macrocephalus marmoreus* Olivier, 1800)
Caccorhinus Sharp, 1891: 321 type species *Caccorhinus oculatus* Sharp, 1891
Cratoparis Dejean, 1834: 235 [URN]
boninensis Morimoto, 1978b: 38 A: JA (Ogasawara)
concolor Morimoto, 1978b: 36 A: JA (Okinawa, Amami, Ryūkyū)
koltzei Reitter, 1895b: 159 (*Cratoparis*) A: FE
koreanus Park & Morimoto, 1999: 97 A: SC
lateralis patruelis Frieser, 2001: 27 A: NP
modicus modicus Jordan, 1933b: 382 A: JA (Ryūkyū) TAI **ORR**
modicus yaeyamanus Morimoto, 1978b: 36 A: JA (Ryūkyū) TAI
oculatus formosanus Jordan, 1912a: 144 A: FUJ JA (Ryūkyū) TAI
oculatus oculatus Sharp, 1891: 321 (*Caccorhinus*) A: FE JA SC SHA TAI
niger Nakane & Uno, 1955: 39 (*Caccorhinus*) [NA]
tamui Nakane, 1963a: 31 A: JA SC (Jeju)

3.1.6. Tribe Discotenini Lacordaire, 1865

genus *Autotropis* Jordan, 1924a: 241 type species *Autotropis modesta* Jordan, 1924
basipennis Sharp, 1891: 310 (*Tropideres*) A: ES FE JA SC
distinguenda Sharp, 1891: 310 (*Tropideres*) A: ES FE JA SC TAI
fulvescens Shibata, 1984a: 33 A: TAI
modesta conspersa Jordan, 1928b: 93 A: TAI **ORR**
modesta rugulosa Jordan, 1924a: 242 A: TAI **ORR**
montana montana Wolfrum, 1948: 141 A: FE FUJ NP TAI YUN **ORR**
montana sibirica Frieser, 1981a: 54 A: FE
montana taiwanensis Frieser, 1981a: 54 A: TAI
taiwana: Frieser, 1981d: 85 [NA]
notalis Jordan, 1937a: 203 A: SD **ORR**
okinawana Morimoto, 1981a: 57 A: JA (Okinawa)

genus *Enedreytes* Schoenherr, 1839: 215 type species *Enedreytes hilaris* Fåhraeus, 1839
Enedreytes Agassiz, 1846: 138 [UE]
Enedreytes Lacordaire, 1865: 536 [HN, UE]
Enedreytes Gemminger & Harold, 1872: 2735 [HN, UE]
gotoi Shibata, 1969: 28 A: FE JA SC
hilaris Fåhraeus, 1839: 216 E: BE CR FR GE GR HU IT SP TR N: AG MO A: IN TR

genus *Pseudeuparius* Jordan, 1914: 344 type species *Cratoparis monoceros* Fåhraeus, 1839
centromaculatus centromaculatus Gyllenhal, 1833a: 143 (*Euparius*) E: FR(Corse) GR IT TR YU N:
AG MO A: IS TR
ceroderes Boheman, 1845: 352 (*Cratoparis*)
pictus Betta, 1847: 30 (*Tropideres*)
targionii Piccioli, 1877: 214 (*Cratoparis*)
sepicola Fabricius, 1792: 378 (*Anthrribus*) E: AU BE BU CR CT CZ DE FR GB GE GR HU IT LU
NL PL PT SK SP ST SV SZ TR UK YU A: GG
ephippium Boheman, 1833a: 152 (*Tropideres*)
fascirostris [Clairville], 1798: 116 (*Platyrhinus*)
combraliensis Gozis, 1882d: 69 (*Tropideres*)

3.1.7. Tribe Ecelonerini Lacordaire, 1865

genus *Dendropemon* Schoenherr, 1839: 161 type species *Anthrribus perfolicornis* Fabricius, 1801
Dendrotrogus Jekel, 1855: 82 type species *Dendrotrogus hypocrita* Jekel, 1855
Ecelonerus Schoenherr, 1839: 163 type species *Ecelonerus subfasciatus* Fähræus, 1839
Icelonirus Agassiz, 1846: 193 [URN]
Icelonirus Gemminger & Harold, 1872: 2742 [HN, UE]
Xenotropis Fairmaire, 1895: cclxxxi type species *Xenotropis rugicollis* Fairmaire, 1895 (= *Dendrotrogus colligens* Walker, 1859)
angustipennis Jordan, 1895a: 191 (*Dendrotrogus*) **A: HAI TAI ORR**
colligens Walker, 1859a: 261 (*Dendrotrogus*) **A: HAI TAI ORR**
colligendus Bovie, 1906: 290 (*Dendrotrogus*)
rugicollis Fairmaire, 1895: cclxxxii (*Xenotropis*)
japonicus Morimoto, 1979a: 15 (*Dendrotrogus*) **A: JA TAI**
nagaoi Morimoto, 1979a: 17 (*Dendrotrogus*) **A: JA**
ohkurai Shibata, 1978c: 97 (*Dendrotrogus*) **A: JA** (Ogasawara)
perfolicornis Fabricius, 1801: 407 (*Anthrribus*) **A: HAI YUN ORR**

genus *Disphaerona* Jordan, 1902: 77 type species *Disphaerona punctata* Jordan, 1902
chinensis Frieser, 1995a: 15 **A: SCH**

genus *Eucorynus* Schoenherr, 1823: 1135 type species *Anthrribus crassicornis* Fabricius, 1801
crassicornis Fabricius, 1801: 407 (*Anthrribus*) **A: ES FE FUJ GUX HAI HKG JA NC NP PA SC**
SHA TAI UP YUN AFR ORR
clavator Fairmaire, 1903: 43
colligendus Walker, 1859a: 261
setosulus Pascoe, 1859b: 434

3.1.8. Tribe Jordanthribini Morimoto, 1978

genus *Jordanthribus* Zimmerman, 1938: 236 type species *Jordanthribus planifacietus* Zimmerman, 1938
Japanthribus Shibata, 1978c: 98 type species *Japanthribus kusuii* Shibata, 1978
kusuii Shibata, 1978c: 100 (*Japanthribus*) **A: JA** (Ogasawara)

3.1.9. Tribe Mauiini Valentine, 1989

genus *Cleorisintor* Jordan, 1923a: 90 type species *Cleorisintor glaucus* Jordan, 1923
glaucus Jordan, 1923a: 91 **A: GUA HAI ORR**

genus *Mauia* Blackburn, 1885: 194 type species *Mauia satelles* Blackburn, 1885 (= *Araeocerus subnotatus* Boheman, 1859)
Contexta Jordan, 1902: 78 type species *Contexta murina* Jordan, 1902 (= *Araeocerus subnotatus* Boheman, 1859)
subnotata Boheman, 1859: 116 (*Araeocerus*) **A: CH JA NP ORR AFR AUR**
murina Jordan, 1902: 78 (*Contexta*)
satelles Blackburn, 1885: 195

genus *Protaedus* Pascoe, 1860b: 39 type species *Protaedus moerens* Pascoe, 1860
Telphes Wolfrum, 1924: 35 type species *Telphes mannulus* Wolfrum, 1924
brevicornis Senoh, 1986b: 708 **A: JA** (Ryūkyū)

3.1.10. Tribe Mecocerini Lacordaire, 1865

genus *Acanthothorax* Gaede, 1832: Classe IX, pl. 15 type species *Acanthothorax longicornis* Gaede, 1832
Mecocerus Schoenherr, 1833a: 115 type species *Mecocerus gazella* Gyllenhal, 1833 (= *Acanthothorax longicornis* Gaede, 1832)
allectus indochinensis Jordan, 1916: 360 (*Mecocerus*) **A: YUN ORR**
asmenus asmenus Jordan, 1913a: 204 (*Mecocerus*) **A: CH "NE India" ORR**
callosus Jordan, 1904b: 231 (*Mecocerus*) **A: YUN ORR**

3.1.11. Tribe Mycteini Morimoto, 1972

genus *Mycteis* Pascoe, 1860b: 44 type species *Mycteis marginicollis* Pascoe, 1860
foveolatus Wolfrum, 1948: 139 A: FUJ

genus *Sympaector* Kirsch, 1875: 52 type species *Sympaector vittifrons* Kirsch, 1875
rugirostris Sharp, 1891: 302 (*Tropideres*) A: FE JA SC
ussuriensis Egorov, 1996b: 184 A: FE

3.1.12. Tribe Ozotomerini Morimoto, 1972

genus *Ozotomerus* Perroud, 1853: 406 type species *Ozotomerus maculosus* Perroud, 1853
Dipieza Pascoe, 1859a: 331 type species *Dipieza waterhousei* Pascoe, 1859 (= *Oedecerus bipunctatus* Montrouzier, 1855)
Oedecerus Montrouzier, 1855: 46 type species *Oedecerus bipunctatus* Montrouzier, 1855
amamianus Morimoto, 1978b: 40 A: JA (Ryūkyū) TAI
deletus Frieser, 1995a: 30 A: YUN **ORR**
japonicus japonicus Sharp, 1891: 320 A: JA TAI
japonicus laferi Egorov, 1986: 15 A: ANH FE SC SHA
nigromaculatus Morimoto, 1978b: 41 A: JA TAI
patruelis Frieser, 1995a: 31 A: YUN **ORR**

3.1.13. Tribe Phloeophilini Lacordaire, 1865

genus *Bothrus* Wolfrum, 1956: 112 type species *Bothrus stirophorus* Wolfrum, 1956
aspersus Jordan, 1923a: 77 (*Physopterus*) A: YUN **ORR**
taiwanus taiwanus Shibata, 1978a: 23 (*Physopterus*) A: TAI

genus *Morimotanthribus* Senoh & Trýzna, 2006: 397 type species *Morimotanthribus chinensis* Senoh & Trýzna, 2006
chinensis Senoh & Trýzna, 2006: 399 A: ~~GUX~~HUB
[leigongshani](#) B.-Y. Li, Trýzna & Guo, 2019: 394 A: GUI GUX

genus *Phloeophilus* Schoenherr, 1833a: 156 type species *Phloeophilus agrestis* Boheman, 1833
Cappadox Alonso-Zarazaga & Lyal, 1999: 29 type species *Phloeophilus sulcifrons* Fåhraeus, 1839
Lemmatophilus Rye, 1874b: 299 [UE]
Lemmophilus Rye, 1872: 86 [URN for *Phloeophilus*]
Physopterus Lacordaire, 1865: 498 type species *Mecoceris gibbosus* Guérin-Méneville, 1843
Platynorhynchus Schoenherr, 1839: 194 type species *Phloeophilus sulcifrons* Fåhraeus, 1839
agrestis Boheman, 1833a: 157 A: NP SD UP
mirabilis Frieser, 1996c: 29 (*Physopterus*) A: JIX YUN
oculatus Jordan, 1904b: 231 (*Physopterus*) A: HUN **ORR**

3.1.14. Tribe Piesocorynini Valentine, 1960

genus *Botriessa* Jordan, 1928c: 127 type species *Botriessa sepidiopsis* Jordan, 1928
cylindricollis Frieser, 1999: 30 A: NP

genus *Phaenotherium* Ganglbauer, 1903b: 215 type species *Phaenotherion steindachneri* J. Frivaldszky, 1883
africanum Vauloger, 1901: 233 (*Phaenotherion*) N: AG
espanoli González, 1969: 47 (*Phaenotherion*) E: SP
hispidum Frieser, 1978: 296 E: TR
steindachneri J. Frivaldszky, 1883b: 36 (*Phaenotherion*) E: TR A: IS LE TR
villosum Frieser, 1978: 296 E: TR

genus *Phaenotherion* J. Frivaldszky, 1877b: 330 type species *Phaenotherion pulszkyi* J. Frivaldszky, 1877
Phaenotherium Ganglbauer, 1903b: 215 [UE]
bodemeyeri Wolfrum, 1956: 110 E: TR
fasciculatum fasciculatum Reitter, 1891e: 248 E: IT
fasciculatum kuchtae Frieser, 1955a: 451 E: CR
ganglbaueri Apfelbeck, 1919a: 100 E: AL GR MC

graecum Frieser, 1995b: 37 E: GR
knirschi Breit, 1912: 151 E: UK (Krim)
pulszkyi J. Frivaldszky, 1877b: 331 E: RO ST
innotatum Pic, 1908d: 43
strejceki Frieser, 1995b: 38 E: ST A: GG
zellichi Ganglbauer, 1903b: 217 E: CR

genus *Phaenotheriosoma* Frieser, 1978: 297 type species *Phaenotheriosoma besucheti* Frieser, 1978
adductum Frieser, 1980: 76 E: TR
besucheti Frieser, 1978: 297 A: LE
brachati Frieser, 1995b: 39 E: TR
complanatum Frieser, 1980: 76 E: TR
latifolium Frieser, 1980: 77 E: TR
loebli Frieser, 1978: 298 A: IS LE
meybohmi Frieser, 2010b: 6 A: TR
pselaphoides Frieser, 1980: 76 E: TR
simplicorne Frieser, 1995b: 40 E: TR

3.1.15. Tribe Platyrhinini Imhoff, 1856

genus *Apatenia* Pascoe, 1859b: 434 type species *Apatenia viduata* Pascoe, 1859
infans Jordan, 1912a: 141 A: TAI

genus *Aphaulimia* Morimoto, 1972: 35 type species *Tropideres debilis* Sharp, 1891
debilis Sharp, 1891: 311 (*Tropideres*) A: ES FE JA SC
grammica *grammica* Jordan, 1912a: 142 (*Phaulimia*) A: JA TAI

genus *Baseocolpus* Jordan, 1949: 6 type species *Baseocolpus clivus* Jordan, 1949
abundans Frieser, 1997: 39 (*Pantorhaenas*) A: NP SD
foveatus Frieser, 1999: 30 A: YUN

genus *Hypseus* Pascoe, 1860b: 39 type species *Hypseus fascicularis* Pascoe, 1860
angulatus Shibata, 1980a: 26 (*Phaulimia*) A: TAI
arcifer Frieser, 1985: 89 (*Apatenia*) A: TAI
tuberosus Senoh, 1995: 1 (*Phaulimia*) A: JA (Ryūkyū)

genus *Nessiara* Pascoe, 1860a: 60 type species *Nessia didyma* Pascoe, 1859
Nessia Pascoe, 1859a: 329 [HN] type species *Nessia didyma* Pascoe, 1859
Straboscopus Lacordaire, 1865: 533 type species *Straboscopus riehlii* Lacordaire, 1865
mosonica Jordan, 1904b: 234 A: TAI **ORR**

genus *Oxyderes* Jordan, 1928c: 114 type species *Hypseus frenatus* Jordan, 1897
fastigatus Jordan, 1924a: 236 (*Apatenia*) A: ES FE HUB JA SC TAI
obsolescens Wolfrum, 1948: 138 A: FUJ

genus *Phaulimia* Pascoe, 1859b: 437 type species *Phaulimia ephippiata* Pascoe, 1859
aberrans Sharp, 1891: 309 A: FE JA
angusta Morimoto, 1981a: 83 A: JA (Ryūkyū)
annulipes Morimoto, 1981a: 86 A: JA (Ogasawara)
confinis Sharp, 1891: 309 (*Tropideres*) A: ES FE JA SC
decorata Shibata, 1963b: 1 (*Hypseus*) A: JA (Izu, Ryūkyū)
incerta Shibata, 1963b: 2 (*Hypseus*) A: JA (Ryūkyū) TAI
kurosawai Senoh, 1986a: 317 A: JA (Ryūkyū)
maculithorax Senoh, 1986a: 314 A: JA (Ryūkyū)
minor Shibata, 1980b: 43 A: JA (Ogasawara)
rufobasis Morimoto, 1981a: 88 A: FE JA SC
vicina Shibata, 1980a: 27 A: TAI

genus *Platyrhinus* [Clairville], 1798: 112 type species *Platyrhinus costirostris* [Clairville], 1798 (=

Curculio resinosus Scopoli, 1763)

Anthribus Fabricius, 1790: 219 [HN] type species *Curculio latirostris* Fabricius, 1775 (= *Curculio resinosus* Scopoli, 1763)
resinosus Scopoli, 1763: 24 (*Curculio*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR
HU IT LA LS LT LU MC MD ME NL NR NT PL RO SK SL SP ST SV SZ TR UK YU
"Caucasus" N: AG MO A: AB IN IS
ater Geoffroy, 1785: 137 (*Anthribus*)
clairvillei Gistel, 1848a: 133 [URN]
costirostris [Clairville], 1798: 114
flavifrons Fuessly, 1775: 6 (*Silpha*)
latirostris Fabricius, 1775: 151 (*Curculio*)
oblongus Sulzer, 1776: 28 (*Silpha*)
striatus O.F. Müller, 1776: 85 (*Crioceris*)
striatus O.F. Müller, 1776: 86 (*Curculio*) [HN]
terlineatus Gmelin, 1790: 1803 (*Curculio*) [URN]

genus *Ulorhinus* Sharp, 1891: 300 type species *Ulorhinus funebris* Sharp, 1891

akitai Senoh, 1989: 235 A: JA (Tsushima)

bilineatus Germar, 1819: 119 (*Anthribus*) E: AU BH BU CR CZ FR GR HU IT MC PL RO SK SL
SP ST SZ TR UK YU

bisignatus Fåhraeus, 1839: 213 (*Tropideres*)

funebris Sharp, 1891: 301 A: FE (Kuril Is.) JA SC

gokani Morimoto, 1981a: 91 A: FE (Kuril Is.) JA

saitoi Senoh, 2003: 285 A: JA

3.1.16. Tribe Platystomini Pierce, 1916

genus *Caenophloeobius* Morimoto, 1979a: 5 type species *Phloeomimus inconspicuus* Wolfrum, 1948

inconspicuus Wolfrum, 1948: 146 (*Phloeomimus*) A: FUJ JA TAI

planatus Shibata, 1963a: 46 (*Phloeobius*)

genus *Phloeobius* Schoenherr, 1823: 1135 type species *Anthribus griseus* Fabricius, 1792 (= *Ptinus*

gigas Fabricius, 1775)

Branconymus A. Hoffmann, 1959c: 341 type species *Branconymus vayssierei* A. Hoffmann, 1959 (= *Phloeobius hypoxanthus* Jordan, 1911)

albescens Jordan, 1895a: 198 A: HAI TAI **ORR**

alternans Wiedemann, 1819: 172 (*Anthribus*) A: CH JA PA TAI **ORR**

apicalis Walker, 1859a: 262 (*Anthribus*)

crassicollis Jordan, 1933a: 6 A: UP **ORR**

epimeces Wolfrum, 1953b: 17 A: UP

gibbosus Roelofs, 1879b: 1v A: GAN JA SCH SHA SHX TAI **ORR**

gigas longicornis Fabricius, 1798: 160 (*Anthribus*) A: GUI GUX HKG TAI YUN **ORR**

nigroungulatus Gyllenhal, 1833a: 133 (*Anthribus*) [HN]

laetus Jordan, 1923a: 103 A: SD YUN **ORR**

lepticornis Jordan, 1912b: 141 A: AP SCH TAI XIZ **ORR**

lutosus Jordan, 1913a: 213 A: SD **ORR**

mimes Sharp, 1891: 319 A: JA SC

stenus Jordan, 1923b: 173 A: JA SHG

stenoides Shibata, 1963a: 45

triarrhenus R.-Zh. Zhang, Z.-D. Wang & Shuai, 1994: 9 A: HUN

genus *Platystomos* D.H. Schneider, 1791: 21 type species *Curculio albinus* Linnaeus, 1758

Anthribus Gistel, 1856a: 375 [HN] type species *Curculio albinus* Linnaeus, 1758

Anthrodus Schoenherr, 1826: 32 [NA]

Macrocephalus Olivier, 1789: 36 [HN] type species *Curculio albinus* Linnaeus, 1758

Platystomos Hellwig, 1792: 393 [HN] type species *Curculio albinus* Linnaeus, 1758

albinus Linnaeus, 1758: 385 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
GR HU IR IT LA LS LT LU MC NL NR NT PL RO SK SL SP ST SV SZ UK A: ES FE GG
HEB IN KZ SC WS

desertus Schilsky, 1907: 79 (*Platystomos*)

thierriati Viturat, 1895: 110 (*Anthribus*)

uniformis Reitter, 1916a: 7 (*Platystomos*)

albesignatus Senoh, 1996: 164 A: YUN **ORR**

macrocerus macrocerus Jordan, 1904b: 235 (*Anthribus*) A: SD **ORR**

sellatus asteromaculatus Oda, 1978: 27 A: JA (Ryūkyū)
sellatus longicrus Park, Hong, Woo & Kwon, 2001: 182 A: HUB SC SHA
sellatus sellatus Roelofs, 1879a: 302 (*Anthribus*) A: FE (Kurul Is.) JA TAI
daimio Sharp, 1891: 319 (*Anthribus*)

3.1.17. Tribe Ptychoderini Jekel, 1855

genus *Mecotropis* Lacordaire, 1865: 495 type species *Mecotropis bipunctata* Lacordaire, 1865
cylindrica Jordan, 1904b: 230 A: HAI **ORR**
hieroglyphica Hope, 1831: 26 (*Macrocephalus*) A: NP **ORR**
kyushuensis Nakane, 1963a: 31 (*Mecocerus*) A: HUN JA
ogasawarai Morimoto, 1979a: 9 A: JA (Ryūkyū)
punctulifera Frieser, 2005: 5 A: JIX **ORR**
reginalis Frieser, 2001: 5 A: BT
taiwana Shibata, 1982: 25 A: TAI
unoi Shibata, 1969: 10 A: JA (Ryūkyū) TAI

genus *Phloeopemon* Schoenherr, 1839: 159 type species *Anthribus acuticornis* Fabricius, 1801
continentalis Jordan, 1923b: 167 A: HAI YUN **ORR**

3.1.18. Tribe Sintorini Lacordaire, 1865

genus *Sintor* Schoenherr, 1839: 148 type species *Sintor quadrilineatus* Fåhraeus, 1839
Blabirhinus Sharp, 1891: 299 type species *Blabirhinus dorsalis* Sharp, 1891
Rhinanthribus Motschulsky, 1875: 241 type species *Rhinanthribus dispar* Motschulsky, 1875
biplaga Jordan, 1903b: 416 A: SD YUN **ORR**
bipunctatus Shibata, 1969: 14 A: JA (Yakushima, Ryūkyū)
dorsalis dorsalis Sharp, 1891: 300 (*Blabirhinus*) A: FUJ JA SC
dorsalis intermedius Shibata, 1969: 14 A: JA (Tsushima) TAI
fasciatus Jordan, 1903b: 417 A: TAI **ORR**
floridus Jordan, 1931: 296 A: "NE India" **ORR**
fukiensis fukiensis Wolfrum, 1948: 134 A: ANH FUJ GUI GUX SCH YUN ZHE
nigromaculatus XM Zhang & R Zhang, 2007: 311 (*Asemorhinus*)
melanipus Jordan, 1923a: 89 A: HAI SCH **ORR**
pustulatus Shibata, 1978a: 25 A: TAI
sulcifrons Frieser, 1996c: 31 A: NP
suturalis Jordan, 1895c: 374 A: NP YUN **ORR**
striatus XM Zhang & R Zhang, 2007: 310 (*Asemorhinus*)
yamawakii Morimoto, 1980: 13 A: JA (Ryūkyū)

3.1.19. Tribe Tophoderini Lacordaire, 1865

genus *Asemorhinus* Sharp, 1891: 298 type species *Asemorhinus nebulosus* Sharp, 1891
nebulosus indochinensis Jordan, 1923a: 91 A: HAI **ORR**
nebulosus nebulosus Sharp, 1891: 299 A: GUA HUB JA SCH TAI YUN
nebulosus nepalicus Frieser, 1989: 29 A: NP

genus *Derisemias* Jordan, 1928b: 86 type species *Derisemias picticollis* Jordan, 1928
coronatus Frieser, 1989: 30 A: UP
[kojimai Imada, 2019: 71 A: TAI](#)
taiwanus Frieser, 1981b: 208 A: TAI
[tsutsumiuchii Imada, 2019: 70 A: JA \(Kyushu\)](#)

genus *Dolichocera* Gray, 1832: 65 type species *Dolichocera childreni* Gray, 1832
Eugigas J. Thomson, 1858a: 434 [URN]
Meganthribus Jordan, 1913b: 263 [URN]
harmandi tessellata Jordan, 1895c: 369 (*Eugigas*) A: CH SD **ORR**

genus *Rawasia* Roelofs, 1880b: 203 type species *Rawasia ritsemae* Roelofs, 1880
annulipes Jordan, 1895a: 188 A: NP YUN **ORR**
propinqua Frieser, 2010c: 10 A: NP
ritsemae Roelofs, 1880b: 204 A: FUJ JA (Ryūkyū) TAI **ORR**
flavescens Nakane, 1963a: 31 (*Eucorynus*)

3.1.20. Tribe Trigonorhinini Valentine, 1999

genus *Opanthribus* Schilsky, 1907: Z type species *Anthribus tessellatus* Boheman, 1829
Kimenus Wolfrum, 1961: 319 type species *Kimenus submetallicus* Wolfrum, 1961
Paramesus Fähræus, 1871: 443 [HN] type species *Paramesus lituratus* Fähræus, 1871
tessellatus Boheman, 1829: 119 (*Anthribus*) E: AU CR CZ FR GE HU IT LU PL SK SP SZ UK N:
MO TU A: ES FE HEB JA SC SCH SHA
brunneipennis Reitter, 1916a: 8 [NA]
fallax Perris, 1874: 13 (*Brachytarsus*)

genus *Trigonorhinus* Wollaston, 1861a: 102 type species *Trigonorhinus pardalis* Wollaston, 1861
(=*Brachytarsus areolatus* Boheman, 1845)
Anthribulus LeConte, 1876: 406 type species *Anthribulus rotundatus* LeConte, 1876
Brachytarsoides Pierce, 1930: 29 type species *Brachytarsus griseus* LeConte, 1876
Trigonorhinus Gemminger & Harold, 1872: 2745 [UE]
areolatus Boheman, 1845: 344 (*Brachytarsus*) E: IT (Sicilia) PT SP N: AG TU
baguenai Cobos, 1954: 42 (*Tropideres*)
pantherinus P.H. Lucas, 1846b: pl.35 (*Brachytarsus*)
pardalis Wollaston, 1861a: 102
dolgovi Korotyaev, 1977a: 373 (*Brachytarsus*) A: ES FE MG
zeae Wolfrum, 1931: 75 (*Brachytarsus*) Ei: IT Ni: MR Ai: JA **NTR**
japonicus Morimoto, 1999: 61
lindbergi A. Hoffmann, 1963e: 128 (*Tropideres*)
trimaculatus Senoh, 1986b: 706 (*Opanthribus*)

3.1.21. Tribe Tropiderini Lacordaire, 1865

genus *Acorynus* Schoenherr, 1833a: 123 type species *Acorynus sulcirostris* Boheman, 1833
amaurus Wolfrum, 1948: 135 A: FUJ
anchis anchis Jordan, 1912a: 137 A: SCH TAI YUN
apicalis Jordan, 1894b: 623 A: SD
apicinotus Wolfrum, 1948: 136 A: FUJ SHA
asanoi asanoi Nakane, 1963a: 33 (*Tropideres*) A: JA
asanoi mikuraensis Nakane, 1978: 80 A: JA (Mikura)
latirostris Sharp, 1891: 303 (*Tropideres*) A: FE JA
luzonicus lanhsuanus Shibata, 1982: 26 A: TAI
okinawanus Morimoto, 1980: 30 A: JA (Ryūkyū)
poecilus Shibata, 1963b: 4 A: JA (Ryūkyū)
similis Jordan, 1894b: 620 A: SD
singularis Shibata, 1963b: 4 A: JA (Ryūkyū)

genus *Androceras* Jordan, 1928b: 83 type species *Mucronianus khasianus* Jordan, 1903
flabellicorne Sharp, 1891: 305 (*Tropideres*) A: FE HUB JA SC SHA
gerrhus Jordan, 1923c: 217 (*Mucronianus*) A: NP **ORR**
laticorne Jordan, 1928b: 84 A: YUN **ORR**
pulcherrimum Jordan, 1932: 310 A: SD NP

genus *Cedus* Pascoe, 1860b: 37 type species *Cedus tuberculatus* Pascoe, 1860
Byastus Pascoe, 1860b: 38 type species *Byastus cephalotes* Pascoe, 1860
Pachygenia Motschulsky, 1875: 233 type species *Pachygenia impluviata* Motschulsky, 1875
amabilis Shibata, 1979: 100 A: TAI
diversus Jordan, 1911: 111 A: TAI
insignis Shibata, 1980b: 41 A: JA (Ogasawara)
japonicus Shibata, 1963a: 43 A: JA (Ryūkyū)
prominens Shibata, 1979: 98 A: TAI

genus *Eurymycter* LeConte, 1876: 394 type species *Macrocephalus fasciatus* Olivier, 1800
lacteocaudatus Fairmaire, 1889b: 57 (*Tropideres*) A: GAN SCH SHA

genus *Gonotropis* LeConte, 1876: 393 type species *Gonotropis gibbosa* LeConte, 1876
Agonotropis Egorov, 1987: 105 type species *Agonotropis terminassianae* Egorov, 1987
Basarukinia Egorov, 1996b: 190 type species *Gonotropis insignis* Morimoto, 1980
crassicornis Sharp, 1891: 306 (*Tropideres*) A: FE JA
dorsalis Gyllenhal, 1813: 5 (*Anthribus*) E: AU BY CZ DE EN FI FR GE IT LA LT NR NT PL ST
SV UK A: "Sibirien" NAR
gibbosa LeConte, 1876: 394 E: CZ FR GE HU SK SV SZ A: SC NAR
insignis Morimoto, 1980: 36 A: FE JA
murakamii Oda, 1979: 111 A: JA
terminassianae Egorov, 1987: 107 (*Agonotropis*) A: FE SC

genus *Hucus* Pascoe, 1859b: 436 type species *Hucus melanostoma* Pascoe, 1859
loratus Jordan, 1936a: 314 A: NP ORR

genus *Litocerus* Schoenherr, 1833a: 125 type species *Litocerus histrio* Gyllenhal, 1833
adelphus Wolfrum, 1948: 137 A: FUJ
ambustus Wolfrum, 1948: 136 A: FUJ
bicuspis Jordan, 1912a: 138 A: TAI
communis amamianus Shibata, 1969: 16 A: JA (Ryūkyū)
communis communis Jordan, 1912a: 139 A: JA (Ryūkyū) TAI
dysallus Jordan, 1912a: 138 A: TAI
histrio histrio Gyllenhal, 1833a: 126 A: TAI ORR
kimurai Shibata, 1969: 19 A: JA
multiguttatus Nakane, 1963a: 33 (*Tropideres*) A: JA
propinquus Wolfrum, 1948: 138 A: FUJ
sticticus Jordan, 1904b: 233 A: TAI ORR
striatifrons Senoh, 1985a: 75 A: JA (Ogasawara)
tokarensis insensibilis Shibata, 1969: 18 A: JA (Yaku) ORR
tokarensis ogasawaranus Shibata, 1980b: 41 A: JA (Ogasawara)
tokarensis tokarensis Nakane, 1963a: 33 (*Tropideres*) A: JA (Tokara)
tokarensis yoshimii Shibata, 1982: 28 A: TAI
tuberculatus Shibata, 1982: 27 A: TAI
vallestris Frieser, 2001: 11 A: NP

genus *Merarius* Fairmaire, 1889b: 56 type species *Merarius davidis* Fairmaire, 1889
davidis Fairmaire, 1889b: 56 A: SCH XIZ YUN ORR
holzschuhi Frieser, 2001: 12 A: BT
quadrītuberculatus Hope, 1831: 27 (*Anthribus*) A: NP SD ORR
glabriceps Jordan, 1911: 106

genus *Mucronianus* Jordan, 1894: 627 type species *Mucronianus rufipes* Jordan, 1894
takemurai Nakane, 1963a: 32 (*Litocerus*) A: JA

genus *Nessiiodocus* Heller, 1925b: 106 type species *Nessiiodocus jordani* Heller, 1925
antennalis Morimoto, 1980: 23 A: JA
confluens Frieser, 2001: 12 A: NP
propinquus Shibata, 1980a: 24 A: JA (Ryūkyū) TAI
repandus repandus Jordan, 1912a: 141 (*Mucronianus*) A: FE JA TAI
latefasciatus Nakane, 1963a: 33 (*Tropideres*)
trifasciatus Shibata, 1980a: 23 A: TAI
triodes Jordan, 1912a: 140 (*Mucronianus*) A: FE HAI JA TAI

genus *Sphinctotropis* H.J. Kolbe, 1895: 379 type species *Sphinctotropis albofasciata* H.J. Kolbe, 1895
Spathorrhampus T.A. Marshall, 1902: 210 type species *Spathorrhampus corsicus* T.A. Marshall, 1902
corsica T.A. Marshall, 1902: 211 (*Spathorrhampus*) E: FR (Corse)

laxa Sharp, 1891: 304 (*Tropideres*) A: ES FE FUJ GUA GUI GUX HEB HUB JA JIX SC SHA
notabilis Jordan, 1928b: 82 (*Tropideres*) A: YUN **ORR**
paviei Lesne, 1891: xci (*Litocerus*) A: JA NP TAI UP "Korea" **ORR**
scabrosa Frieser, 1983: 51 A: YUN
verrucosa Karsch, 1882: 388 (*Tropideres*) A: BT NP SCH **ORR**

genus *Tropideres* Schoenherr, 1823: 1135 type species *Curculio albirostris* Herbst, 1784 (= *Curculio albirostris* Schaller, 1783)

Tropidoderes Gistel, 1856a: 375 type species *Curculio albirostris* Herbst, 1784 (= *Curculio albirostris* Schaller, 1783)

Tropidoderes Gemminger & Harold, 1872: 2733 [HN, UE]

Tropideres Motschulsky, 1875: 235 [NA]

albirostris Schaller, 1783: 287 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE FR GE HU IT LU
NL PL PT RO SK SP ST SV SZ UK N: MO A: KI UZ "Siberia"

albirostris Herbst, 1784: 80 (*Curculio*) [HN]

planirostris Piller & Mitterpacher, 1783: 84 (*Curculio*)

quercinus Reitter, 1916a: 5 [NA]

cyaneotergum Oda, 1979: 115 A: FE JA SC

instructus Frieser, 1983: 51 A: NP

insularis Shibata, 1963b: 7 A: JA (Ryūkyū)

japonicus japonicus Roelofs, 1879b: lv (*Litocerus*) A: FE JA TAI **ORR**

japonicus lutulentus Frieser, 1996a: 20 A: GUI JIX

japonicus odai Morimoto, 1980: 39 A: JA TAI

laevicollis Frieser, 1996a: 19 A: YUN

lateralis Motschulsky, 1875: 235 A: NP UP YUN "E India" **ORR**

laenatus Jordan, 1938: 140 (*Acorynus*)

luteago fuscatus Frieser, 1996a: 21 A: YUN **ORR**

luteago luteago Jordan, 1930: 143 A: NP "N India" **ORR**

marmoratus marmoratus Jordan, 1894b: 628 A: CH "NE India" **ORR**

naevulus Faust, 1887h: 162 A: ES FE GAN HEB JA NMO SC SHA

germanus Sharp, 1891: 304

vilis Sharp, 1891: 305

yezoensis Oda, 1979: 121

nanus Shibata, 1982: 29 A: TAI

rectirostris Frieser, 1996a: 19 A: NP

roelofsi carens Wolfrum, 1948: 140 A: FUJ GUI SHA **ORR**

roelofsi poecilus Jordan, 1912a: 139 A: TAI

roelofsi roelofsi Lewis, 1879b: 465 (*Litocerus*) A: JA

scitus Jordan, 1933b: 372 A: "NE India" **ORR**

securus Boheman, 1839b: 207 A: FE FUJ GUA HAI HEI JA JIX NP SC TAI **ORR**

anna Jordan, 1903b: 424 (*Litocerus*)

rufescens Roelofs, 1879b: lv (*Litocerus*)

signellus divisus Frieser, 2002b: 48 A: AP SHA **ORR**

signellus signellus Jordan, 1912a: 140 A: FUJ JIX TAI **ORR**

3.1.22. Tribe Xenocerini Lacordaire, 1865

genus *Peribathys* Jordan, 1937b: 333 type species *Xenocerus everetti* Jordan, 1894

beesoni Jordan, 1937b: 333 A: SD

klapperichi Wolfrum, 1948: 143 A: FUJ

okinawanus Senoh, 1984a: 33 A: JA (Okinawa)

shinonagai Senoh, 1982: 63 A: JA (Ryūkyū)

uenoi Senoh, 1982: 67 A: JA TAI

genus *Xenocerus* Schoenherr, 1833a: 117 type species *Xenocerus saperdoides* Gyllenhal, 1833

birmanicus Jordan, 1903b: 429 A: YUN **ORR**

khasianus dives Jordan, 1923a: 100 A: GUX YUN **ORR**

rectilineatus Jordan, 1894b: 638 A: PA **ORR**

3.1.23. Tribe Xylinadini Lacordaire, 1865

genus *Stiboderes* Jordan, 1925b: 243 type species *Xylinades chevrolati* Ritsema, 1883
impressus impressus Jordan, 1895b: 253 (*Xylinades*) A: SD **ORR**
impressus stibinus Jordan, 1912a: 143 A: JA TAI

genus *Xylinada* Berthold, 1827: 380 type species *Anthribus nodicornis* Weber, 1801
Dasycornus Lacordaire, 1865: 560 type species *Dasycornus riehlii* Lacordaire, 1865
Xylinades Latreille, 1828: 590 type species *Xylinades westermanni* Gyllenhal, 1833
annulipes Jordan, 1895b: 255 (*Xylinades*) A: AP JA TAI XIZ **ORR**
aspericollis Jordan, 1895b: 258 (*Xylinades*) A: YUN **ORR**
continua Wolfrum, 1948: 145 (*Xylinades*) A: FUJ SCH YUN
japonica chinensis Wolfrum, 1948: 144 (*Xylinades*) A: FUJ
japonica japonica Sharp, 1891: 317 (*Xylinades*) A: JA TAI
oshimai Morimoto, 1979a: 12 A: JA (Ryūkyū)
parumsignata Jordan, 1932: 306 (*Xylinades*) A: BT **ORR**
phycus Jordan, 1912a: 144 (*Xylinades*) A: TAI **ORR**
plagiata Jordan, 1895b: 257 (*Xylinades*) A: HAI NP YUN **ORR**
rugiceps Jordan, 1895b: 259 (*Xylinades*) A: AP YUN **ORR**
striatifrons Jordan, 1895b: 260 (*Xylinades*) A: JA TAI **ORR**

3.1.24. Tribe Zygaenodini Lacordaire, 1865

genus *Atinellia* Jordan, 1925b: 252 type species *Atinellia senex* Jordan, 1925
acuticollis Wolfrum, 1948: 142 A: FUJ HEN HUB SCH YUN
affinis Shibata, 1979: 103 A: TAI
signata Shibata, 1979: 105 A: TAI
tessellata Shibata, 1979: 104 A: TAI
variegata Shibata, 1979: 102 A: TAI

genus *Dissoleucas* Jordan, 1925b: 252 type species *Anthribus niveirostris* Fabricius, 1798
maenamii Senoh, 1986b: 710 A: JA
niveirostris Fabricius, 1798: 160 (*Anthribus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
GR HU IT LA LS LT LU NL NR NT PL RO SK SP ST SV SZ TR UK YU A: AR IN
brevirostris Panzer, 1798a: 9 (*Anthribus*)
dubius Ponza, 1805: 65 (*Curculio*) [HN]

genus *Epiplaterus* Jordan, 1949: 7 type species *Epiplaterus modicus* Jordan, 1949
contaminatus Frieser, 1999: 27 A: JIA **ORR**

genus *Eusphyrus* LeConte, 1876: 399 type species *Eusphyrus walshii* LeConte, 1876
Opisthotropis A. Hoffmann & Tempère, 1954: 66 [HN] type species *Tropideres vasconicus* Hoffmann & Tempère, 1954
vasconicus A. Hoffmann & Tempère, 1954: 66 (*Tropideres*) E: FR IT SP

genus *Exechesops* Schoenherr, 1847: 4 type species *Exechesops quadrituberculatus* Schoenherr, 1847
Zygaenodes Pascoe, 1859a: 328 type species *Zygaenodes wollastoni* Pascoe, 1859
acaulus Wolfrum, 1953a: 315 A: SCH
alces Frieser, 1995a: 22 A: NP
antiallus Jordan, 1912c: 602 (*Zygaenodes*) A: NP **ORR**
becvari Frieser, 1995a: 27 A: SCH SHA YUN
discoidalis Wolfrum, 1922: 58 (*Zygaenodes*) A: TAI
foliatus Frieser, 1995a: 28 E: CT ST UK A: CH FE NC SC
elenae Egorov, 1996b: 194
fornicatus Frieser, 1995a: 22 A: NP SD
frontalis Wolfrum, 1922: 59 (*Zygaenodes*) A: TAI
holzschuhi Frieser, 1995a: 21 A: NP **ORR**
leucopis Jordan, 1928b: 91 (*Zygaenodes*) E: ST A: CH FE JA NC SC **ORR**
signatellus Frieser, 1995a: 23 A: NP
sobrinus Frieser, 1995a: 24 A: NP **ORR**
triangularis Jordan, 1925a: 240 (*Zygaenodes*) A: UP
validus Frieser, 1998: 6 A: NP

genus *Exillis* Pascoe, 1860b: 43 type species *Exillis longicornis* Pascoe, 1860
asper Jordan, 1925c: 264 A: NP **ORR**
japonicola Nakane, 1963a: 32 A: HAI JA TAI
longicornis Pascoe, 1860b: 43 A: TAI **ORR**

genus *Gibber* Jordan, 1895a: 176 type species *Gibber tuberculatus* Jordan, 1895
bicornis Frieser, 1995a: 18 A: NP "India" **ORR**
brevirostris Sharp, 1891: 307 (*Tropideres*) A: ES FE JA
callistus Jordan, 1924a: 238 A: NP **ORR**
frenatus Jordan, 1924a: 238 A: UP **ORR**
incisus Sharp, 1891: 308 (*Tropideres*) A: FE JA TAI
invenustus Frieser, 1991: 63 A: NP **ORR**
minor Wolfrum, 1948: 139 A: FUJ TAI **ORR**
nodulosus Sharp, 1891: 308 (*Tropideres*) A: FE JA NC SC
ogasawarensis Morimoto, 1981a: 79 A: JA (Ogasawara)
tuberculatus Jordan, 1895a: 177 A: TAI **ORR**

genus *Illis* Jordan, 1936a: 319 type species *Illis rusia* Jordan, 1936
anna Shibata, 1969: 24 A: JA (Ishigaki, Izu, Tanegashima, Yakushima, Ryūkyū) TAI
elisa Shibata, 1980a: 21 A: TAI

genus *Nerthomma* Pascoe, 1860b: 42 type species *Nerthomma sticticum* Pascoe, 1860
aplotum Jordan, 1912a: 142 A: JA (Ryūkyū) TAI **ORR**

genus *Noxius* Jordan, 1936b: 328 type species *Blaberus fallax* Fåhræus, 1839
Blaberus Schoenherr, 1839: 248 [HN] type species *Blaberus fallax* Fåhræus, 1839
curtirostris Mulsant & Rey, 1861: 338 (*Tropideres*) E: AU BU CR CZ FR GE GR HU IT MA SK SP
SZ TR UK YU N: AG MO TU A: CY IN IS JO TR YE
curtirostris Mulsant & Rey, 1862: 85 (*Tropideres*) [HN]
japonicus Morimoto, 1981a: 54 A: JA
montanus Frieser, 1996b: 50 A: NP UP

genus *Rhaphitropis* Reitter, 1916a: 5 type species *Anthrribus marchicus* Herbst, 1797
angustula Frieser, 1995a: 20 A: NP UP
antennata Wolfrum, 1948: 141 A: FUJ
carbo Jordan, 1936a: 316 A: NP **ORR**
carinata Shibata, 1978b: 94 A: TAI
caroli Frieser, 1997: 46 A: NP
communis Shibata, 1978b: 93 A: JA SCH TAI YUN
cosmia Jordan, 1937a: 200 A: "N India" **ORR**
cylindrica Shibata, 1978b: 97 A: TAI
discus Jordan, 1936a: 315 A: NP UP **ORR**
elusa Jordan, 1928b: 92 A: JIX **ORR**
flavipes Morimoto, 1981a: 76 A: JA (Ryūkyū)
guttifer guttifer Sharp, 1891: 314 (*Tropideres*) A: FE SC TAI
concolor Sharp, 1891: 314 (*Tropideres*)
guttifer taiwana Shibata, 1978b: 99 A: TAI
imperfecta Sharp, 1891: 316 (*Tropideres*) A: JA
incana Jordan, 1932: 311 A: NP **ORR**
indica indica Jordan, 1925b: 248 A: HP **ORR**
japonica Shibata, 1978c: 95 A: ES FE JA
malefida Frieser, 1997: 47 A: SD **ORR**
manca Frieser, 1996c: 33 [HN]
marchica Herbst, 1797: 167 (*Anthrribus*) E: AU BE BH BU CT CZ DE FR GE HU IT LA LU NL
NR PL SK SP SZ UK YU A: AR GG
cincta Bach, 1854: 168 (*Tropideres*) [HN]
maculosa Mulsant & Rey, 1859a: 259 (*Tropideres*)
maculosa Mulsant & Rey, 1859b: 1 (*Tropideres*) [HN]
reyi Gozis, 1882d: 67 (*Tropideres*)

scripta Thunberg, 1815: 122 (*Amblycerus*)
midori Shibata, 1978c: 93 A: JA
iriei Morimoto, 1981a: 74
nigra Morimoto, 1981a: 73 A: JA
nigromaculata Morimoto, 1981a: 71 A: JA (Ryūkyū) SC
oxyacanthae C.N.F. Brisout de Barneville, 1863a: 95 (*Enedreytes*) E: AU BE BU FR GE GR HU IT
 SK SP SZ
perspicua Frieser, 1996b: 48 A: NP
pigmaea Shibata, 1978b: 96 A: TAI
satoi Senoh, 2007: 222 A: JA
stevensi Jordan, 1925b: 250 A: NP SD
truncatoides Morimoto, 1981a: 72 A: ES FE JA SC

genus *Streneoderma* Blackburn, 1900b: 157 type species *Streneoderma planatum* Blackburn, 1900
insigne Wolfrum, 1934: 6 A: NP TAI **ORR**

genus *Uncifer* Jordan, 1904a: 88 type species *Uncifer sticticus* Jordan, 1904

akashii Morimoto, 1981a: 60 A: FE (Sakhalin) JA
angulatus Park & Morimoto, 1999: 100 A: SC
bruchoides Sharp, 1891: 316 (*Tropideres*) A: JA
difficilis Sharp, 1891: 317 (*Tropideres*) A: ES FE JA SC
discrepans Shibata, 1981: 23 A: JA (Ryūkyū)
fenestratus Frieser, 2001: 17 A: NP
hispidus Shibata, 1981: 26 A: JA (Yakushima, Ryūkyū)
monticulatus Frieser, 2001: 20 A: NP
myodes Jordan, 1937a: 201 A: SD
pectoralis Sharp, 1891: 315 (*Tropideres*) A: ES FE JA
pissodes Jordan, 1933a: 3 A: "N India"
sakoi Shibata, 1981: 24 A: JA (Tsushima, Yakushima)
stigma Frieser, 2001: 16 A: NP
stimosus Jordan, 1936a: 319 A: "N India"
triangulus Park, Hong, Woo & Kwon, 2001: 193 A: SC
truncatus Sharp, 1891: 315 (*Tropideres*) A: FE (Sakhalin) JA SC

genus *Unciferina* Morimoto, 1981a: 65 type species *Unciferina japonica* Morimoto, 1981

brevifrons Morimoto, 1981a: 67 A: JA
japonica Morimoto, 1981a: 66 A: JA
nigrothoracica Park, 2012: 60 A: SC
oculimaculata Park, 2012: 60 A: SC
persimilis Morimoto, 1981a: 68 A: JA (Ryūkyū)

3.2. Subfamily **Apolectinae** Lacordaire, 1865

genus *Apolecta* Pascoe, 1859b: 431 type species *Mecocerus parvulus* J. Thomson, 1858

lewisii Sharp, 1891: 318 A: FE JA
nodicornis Frieser, 1996a: 25 A: YUN
paraplesia Jordan, 1912a: 145 A: TAI
tonkiniana Jordan, 1904b: 236 A: TAI **ORR**

3.3. Subfamily **Choraginae** Kirby, 1819

3.3.1. Tribe **Araecerini** Lacordaire, 1865

genus *Araecerus* Schoenherr, 1823: 1135 type species *Anthrribus coffeae* Fabricius, 1801 (= *Curculio*

fasciculatus DeGeer, 1775)
Araeocerus Schoenherr, 1839: 273 [HN, UE]
Arhaecerus Germar, 1829: 357 type species *Anthrribus coffeae* Fabricius, 1801 (= *Curculio fasciculatus* DeGeer, 1775)
fasciculatus DeGeer, 1775: 276 (*Curculio*) E: AU BE CT CZ DE FI FR GB GE GR HU IT LU MA
 NL NR PL SP SV SZ TR N: Ci A: ANH FUJ GAN GUA GUI GUX HEB HEN HKG HUB

HUN IN IS JA JIA JIX LIA NMO QIN SC SCH SHA SHN TAI TR YUN ZHE **COS**

alternans Germar, 1823: 175 (*Anthribus*)
cacao Fabricius, 1775: 64 (*Bruchus*)
capsincola Fabricius, 1798: 159 (*Bruchus*)
coffae Fabricius, 1801: 411 (*Anthribus*)
griseus Stephens, 1831h: 211 (*Phloeobius*)
japonicus Thunberg, 1815: 122 (*Amblycerus*)
mateui Cobos, 1954: 41 (*Tropideres*)
parvirostris J. Thomson, 1858b: 113 (*Cratoparis*) [DA]
peregrinus Herbst, 1797: 168 (*Anthribus*)
seminarius Chevrolat, 1871a: 7

ishigakiensis Morimoto, 1978b: 27 **A: JA (Ryūkyū)**
levipennis Jordan, 1924a: 248 **A: CH JA (Ogasawara, Ryūkyū) TAI ORR**
mutabilis Wolfrum, 1948: 147 (*Misthosima*) **A: FUJ ORR**
quadridens Frieser, 2001: 29 **A: NP ORR**
siliquae Frieser, 1981c: 438 **A: TAI**
suturalis Boheman, 1839b: 273 **A: NP ORR**
tarsalis Sharp, 1891: 323 **A: HUB JA SC SHA TAI ORR**
varians Jordan, 1946: 520 **A: JA (Ogasawara) NAR**

genus *Deropygus* Sharp, 1891: 326 type species *Deropygus histrio* Sharp, 1891

cavus Shibata, 1986: 49 **A: JA (Ryūkyū)**
curvatus Jordan, 1937a: 204 **A: UP**
grammicus Senoh, 1985b: 70 **A: TAI**
histrio Sharp, 1891: 326 **A: JA SC TAI**
maedai Shibata, 1986: 50 **A: JA**
morimotoi Senoh, 1984b: 27 **A: JA (Ryūkyū)**
niger Senoh, 1985b: 72 **A: TAI**
nipponicus Senoh, 1984b: 29 **A: JA**
uedai Shibata, 1986: 53 **A: JA**

genus *Doticus* Pascoe, 1882a: 27 type species *Doticus palmaris* Pascoe, 1882

alternatus Jordan, 1895c: 400 **A: YUN ORR**
alternans Jordan, 1904a: 90 (*Araecerus*)

genus *Megatermis* Jordan, 1937c: 338 type species *Megatermis mameti* Jordan, 1937

weigeli Frieser, 1998: 12 **A: NP**

genus *Misthosima* Pascoe, 1859b: 434 type species *Misthosima mera* Pascoe, 1859

brevitarsis Senoh, 1990: 261 **A: JA (Ryūkyū)**
shoi Senoh, 1990: 263 **A: JA**

genus *Valenfriesia* Alonso-Zarazaga & Lyal, 1999: 38 [RN] type species *Notioxenus bewickii*

Wollaston, 1861
Notioxenus Wollaston, 1861d: 212 [HN] type species *Notioxenus bewickii* Wollaston, 1861
deropygoides Senoh, 1984d: 576 (*Notioxenus*) **A: TAI**
nakanei Morimoto, 1978b: 19 (*Notioxenus*) **A: JA (Ogasawara)**
nitida Morimoto, 1978b: 20 (*Notioxenus*) **A: JA (Ryūkyū)**
tomicoides Sharp, 1891: 328 (*Notioxenus*) **A: JA**
wollastoni Sharp, 1891: 327 (*Notioxenus*) **A: FE (Kuril Is.) JA SC**

genus *Xanthoderopygus* Senoh, 1984b: 31 type species *Deropygus flavicollis* Morimoto, 1978

didymus Jordan, 1924a: 251 (*Deropygus*) **A: JA (Ryūkyū) TAI ORR**
flavicollis Morimoto, 1978b: 25 (*Deropygus*) **A: JA (Ryūkyū)**
jocosus Sharp, 1891: 327 (*Deropygus*) **A: JA TAI**
kasaharai Senoh & Matoba, 2002: 359 **A: JA (Honshu)**
matobai Senoh, 1984b: 37 **A: JA**
ogasawarensis Senoh, 1984b: 34 **A: JA (Ogasawara)**
watanabei Senoh, 1984b: 32 **A: JA (Tsushima) SC**

3.3.2. Tribe Choragini Kirby, 1819

genus *Choragus* Kirby, 1819: 447 type species *Choragus sheppardi* Kirby, 1819

Alticopus A. Villa & J. B. Villa, 1833: 35 type species *Alticopus galeazzii* A. Villa & J. B. Villa, 1833 (= *Choragus sheppardi* Kirby, 1819)

Halticopus Agassiz, 1846: 171 [UE]

anobioides Sharp, 1891: 325 A: FE (Kuril Is., Sakhalin) JA

aurolineatus Abeille de Perrin, 1893: 73 E: FR IT N: AG TU

brevior Frieser, 1981c: 443 A: TAI

cissoides Sharp, 1891: 325 A: FE (Kuril Is.) JA

compactus Sharp, 1891: 323 A: JA SC

cryphalooides Sharp, 1891: 325 A: FE (Kuril Is., Sakhalin) JA SC

cryptocephalus Sharp, 1891: 324 A: FE (Kuril Is., Sakhalin) JA

dentipes Frieser, 1981c: 440 A: NP SD

distendens Frieser, 1981c: 442 A: TAI

horni Wolfrum, 1930: 89 E: AU CZ DE GE HU LA NR PL SK ST SV UK A: GG

konishii Shibata, 1987: 49 A: JA

malus Johraku, 1953: 9, 12 A: JA

monticulatus Frieser, 2001: 46 A: NP

mundulus Sharp, 1891: 324 A: JA

nepalicus Frieser, 2001: 46 A: NP

persicus Frieser, 2010a: 38 A: IN

quadridens Frieser, 1981c: 441 A: BT

rogei Frieser, 2002a: 43 E: FR (Aude)

sheppardi Kirby, 1819: 448 E: AU BE BU CR CT CZ DE FI FR GB GE GR HU IR IT LU NL NT

PL RO SK SP SV SZ TR UK A: GG

bostrichooides P.W.J. Müller, 1821: 188 (*Anthribus*)

caucasicus Motschulsky, 1875: 229 (*Alticopus*)

galeazzii A. Villa & J. B. Villa, 1833: 35 (*Alticopus*)

niger Stephens, 1830: 343

nitidipennis Gerhardt, 1901: 158

pygmaeus Robert, 1832: pl. 16 (*Anthribus*)

subsulcatus Rey, 1893a: 49

subarmatus Frieser, 1981c: 442 A: SD

theryi Abeille de Perrin, 1893: 73 E: SP N: AG TU

velutinus Johraku, 1953: 7, 11 A: JA

vittatus Reitter, 1885c: 276 A: TR "S Caucasus"

genus *Citacalus* Johraku, 1953: 13 type species *Citacalus pygidialis* Johraku, 1953

pygidialis Johraku, 1953: 13 A: JA SC

genus *Melanopsacus* Jordan, 1924a: 608 type species *Melanopsacus fortis* Jordan, 1924

anthracinus Jordan, 1924b: 612 A: BT NP SD

bhutanensis Frieser, 2001: 41 A: BT

elongatus Senoh, 1984c: 82 A: JA

gagates Jordan, 1924b: 613 A: SD

grenieri CNF Brisout de Barneville, 1867: 185 (*Choragus*) E: BU FI FR HU IT SK SP N: AG MO

inaequalis Shibata, 1984b: 31 A: JA (Ryūkyū)

kinke Morimoto, 1978b: 33 A: JA (Ryūkyū) TAI

makiharai Morimoto, 1978b: 32 A: JA (Ryūkyū)

minutus Jordan, 1924b: 613 A: SD

nanellus Jordan, 1937a: 204 A: SD

punctatus Senoh, 1984c: 80 A: JA

subfasciatus Jordan, 1924b: 614 A: SD ORR

genus *Pseudochoragus* Petri, 1912a: x type species *Pseudochoragus brachycerus* Petri, 1912 (= *Choragus*

piceus Schaum, 1845)

piceus Schaum, 1845: 88 (*Choragus*) E: AU CZ DE FR GE HU PL SK SP SV SZ TR

brachycerus Petri, 1912a: x

3.3.3. Tribe Cisanthribini Zimmerman, 1994

genus *Cisanthribus* Zimmerman, 1938: 247 type species *Cisanthribus convexus* Zimmerman, 1938
nakanei Morimoto, 1986a: 273 A: JA (Ryūkyū)

3.3.4. Tribe Stenorhinini Valentine, 2011

genus *Stenorhis* Jordan, 1928a: 167 type species *Stenorhis ampedus* Jordan, 1928
bifoveolata Shibata, 1984a: 33 A: TAI
cylindrata Frieser, 1981c: 443 A: TAI
hirashimai Morimoto, 1978b: 22 A: JA (Ryūkyū)

3.3.5. Tribe Xenorchestini Lacordaire, 1865

genus *Glabrinotropis* Frieser, 1981b: 215 type species *Glabrinotropis chinensis* Frieser, 1981
chinensis Frieser, 1981b: 215 A: HKG

genus *Xenorchestes* Wollaston, 1854b: 417 type species *Xenorchestes saltitans* Wollaston, 1854
saltitans Wollaston, 1854b: 418 N: MR

3.4. Subfamily Urodontinae C.G. Thomson, 1859

genus *Bruchela* Dejean, 1821: 78 type species *Bruchus rufipes* Olivier, 1790

Arodum Gistel, 1856a: 375 type species *Bruchus rufipes* Olivier, 1790
Exurodon Schilsky, 1912: 96 type species *Urodon arisi* Schilsky, 1912
Urodon Schoenherr, 1823: 1134 type species *Bruchus rufipes* Olivier, 1790
albescens Reitter, 1897k: 245 (*Urodon*) A: TM UZ
albida Küster, 1848a: 82 (*Urodon*) E: SP PT N: MO
albosuturata Reitter, 1897k: 245 (*Urodon*) A: AB
anatolica Pic, 1904e: 40 (*Urodon*) E: AL BU GR IT RO ST UK "Yugoslavia" A: TR
angelovi Strejček & Čočev, 1994: 150 (*Urodon*) E: BU
arisi Schilsky, 1912: 97 (*Urodon*) A: KZ TM
austrina Peyerimhoff, 1949: 295 (*Urodon*) N: MO
baudii baudii Desbrochers des Loges, 1893g: 14 (*Urodon*) N: AG MO A: QA
granulata Schilsky, 1904: 78 (*Urodon*)
baudii faretiae Peyerimhoff, 1931: 117 (*Urodon*) N: AG
cana Küster, 1848a: 83 (*Urodon*) E: FR GR HU IT (Sardegna, Sicilia) MA PT SP N: MO
carpetana K. Daniel, 1906c: 181 (*Urodon*) E: SP
ciliata Schilsky, 1904: 78 (*Urodon*) A: UZ
concolor Fåhraeus, 1839: 142 (*Urodon*) E: BU CT GR ST A: TR UZ "Caucasus"
allardi Jekel, 1876: 536 (*Urodon*) [RN]
villosa Allard, 1869d: [21] (*Urodon*) [RN]
villosa Allard, 1870b: 326 (*Urodon*) [RN, HN]
conformis Gyllenhal, 1833a: 114 (*Urodon*) E: BE CZ FR GE HU NL PL SK SP ST SZ UK N: AG
MO
sericata Motschulsky, 1875: 228 (*Urodon*)
cretacea K. Daniel & J. Daniel, 1903b: 327 (*Urodon*) A: TR
demaisoni Peyerimhoff, 1926b: 195 (*Urodon*) N: AG MO
densata Reitter, 1897k: 245 (*Urodon*) A: TR
exigua Motschulsky, 1875: 228 (*Urodon*) E: ST UK
ferrantei Reitter, 1908b: 51 (*Urodon*) N: EG A: SI
testaceomarginalis Pic, 1939: 148 (*Urodon*)
flavescens Küster, 1850: 88 (*Urodon*) E: AU IT FR MC PT SP N: AG MO A: IS
armata Baudi di Selve, 1887a: 132 (*Urodon*)
armata Baudi di Selve, 1887b: 491 (*Urodon*) [HN]
fortirostris Korotyaev, 1988b: 122 A: AR IN TR
fulvipes Reitter, 1897k: 246 (*Urodon*) A: TM UZ
hesperidis Iablokoff-Khnzorian, 1957: 172 (*Urodon*) A: AR
humeralis Motschulsky, 1875: 228 (*Urodon*) N: AG
kasparyani Korotyaev, 1988b: 130 A: AB GG

kaszabi Strejček, 1973: 233 (*Urodon*) E: AU BU CT CZ GE GR HU PL RO SK ST TR UK N: AG
A: AB AR ES GG IN KZ MG SY TR UZ WS
orientalis Strejček, 1982: 135 (*Urodon*)
tchitensis Egorov, 1996a: 166 (*Urodon*)
korbi Schilsky, 1904: 78 (*Urodon*) E: BU IT RO ST A: TR
longa Allard, 1868: 101 (*Urodon*) N: AG MO TU
spincollis Perris, 1869: 32 (*Urodon*)
luteae Peyerimhoff, 1929c: 145 (*Urodon*) N: AG
maura K. Daniel, 1912: 150 (*Urodon*) N: MO
medvedevi Korotyaev, 1988b: 126 E: KZ A: KZ TM UZ
musculus K. Daniel & J. Daniel, 1903b: 328 (*Urodon*) E: AU BU RO ST UK A: TR
"Transcaucasia"
parallela Küster, 1848a: 84 (*Urodon*) E: FR SP N: AG MO
parvula Motschulsky, 1875: 228 (*Urodon*) E: ST UK
picta Motschulsky, 1875: 228 (*Urodon*) N: AG
pygmaea Gyllenhal, 1833a: 114 (*Urodon*) E: FR IT PT SP N: AG MO TU
alensis Gredler, 1866: 299 (*Urodon*)
meridionalis Jacquet, 1888c: 31 (*Urodon*)
pusilla Baudi di Selve, 1887a: 131 (*Urodon*)
pusilla Baudi di Selve, 1887b: 490 (*Urodon*) [HN]
randoniae Peyerimhoff, 1926a: 105 (*Urodon*) N: AG
reymondi A. Hoffmann, 1953c: 189 (*Urodon*) N: MO
rosinae Pic, 1904e: 40 (*Urodon*) A: TR
rufipes Olivier, 1790: 202 (*Bruchus*) E: AU BE BU CZ FR GB GE GR HU IT LS LU MC NL PL
RO SK SP ST SV SZ UK N: CI MO
argentata Küster, 1847b: 91 (*Urodon*)
nigritarsis Reitter, 1916e: 126 (*Urodon*)
prieferti A. Hoffmann, 1961b: 38 (*Urodon*)
rufipes Fabricius, 1792: 373 (*Bruchus*) [HN]
ruteri A. Hoffmann, 1950c: 193 (*Urodon*)
sericea Fabricius, 1801: 411 (*Anthrribus*)
scabra Baudi di Selve, 1890a: 213 (*Urodon*) A: SY
scabra Baudi di Selve, 1890b: 345 (*Urodon*) [HN]
schouwiae Peyerimhoff, 1929c: 146 (*Urodon*) N: AG
schusteri Schilsky, 1912: 85 (*Urodon*) E: AU BU CZ FR GR HU MC RO SK UK A: KZ TR
semisuturalis Reitter, 1908b: 50 (*Urodon*) N: EG
sinaitica K. Daniel, 1909: 327 (*Urodon*) A: SI
sugonyaevi Korotyaev, 1988b: 124 A: AR
suturalis Fabricius, 1792: 372 (*Bruchus*) E: AU BU CZ FR GE GR HU IT LU NL PL RO SK SP ST
SZ UK N: AG MO TU A: AR IN SY TR WS
angularis Allard, 1868: 101 (*Urodon*)
tibialis Baudi di Selve, 1887a: 125 (*Urodon*)
tibialis Baudi di Selve, 1887b: 483 (*Urodon*) [HN]
testaceipes Reiche, 1861b: 91 (*Urodon*) E: SP N: AG MO TU
luteipes Reitter, 1897k: 246 [NA]
verae Korotyaev, 1988b: 128 A: AB

genus *Cercomorphus* Perris & Jacquelin du Val, 1864: 293 type species *Cercomorphus duvalii* Perris, 1864

Microctilodes Reitter, 1875: 27 type species *Microctilodes ragusae* Reitter, 1875
abbreviatus Reitter, 1896d: 234 E: SP
bicolor Abeille de Perrin, 1895b: cccxxvi A: IT (Sardegna) N: AG TU
abdominalis Pic, 1896g: 30
obscurior Pic, 1896g: 30
bos Abeille de Perrin, 1895b: cccxxvi A: IS
demoflysi Normand, 1940: 52 N: TU
duvalii Perris, 1864a: 295 E: SP
pectinator Peyerimhoff, 1924a: 63 N: AG
ragusae Reitter, 1875: 30 (*Microctilodes*) E: IT (Sicilia) MA
sterilis Peyerimhoff, 1919c: 233 N: AG
syriacus Pic, 1925c: 10 A: SY
syrticus Peyerimhoff, 1925a: 17 N: TU

titschacki Uyttenboogaart, 1934: 164 N: CI (Lanzarote)

family Anthribidae, nomina dubia

Anthribus discifer Schrank, 1798: 474 E: GE

Anthribus ephippiger Gistel, 1831: 305 E: GE

Anthribus glaber O.F. Müller, 1776: 57 E: DE

Anthribus pallinosus Anonymus, 1826: 338 E: NL

Anthribus striatus Olivier, 1789: 161 "Europe"

Anthribus vittatus Geoffroy, 1785: 138 E: FR

4. Family BELIDAE Schoenherr, 1826

4.1. Subfamily **Oxycoryninae** Schoenherr, 1840

4.1.1. Tribe Aglycyderini Wollaston, 1864

genus *Aglycyderes* Westwood, 1864: 179 type species *Aglycyderes setifer* Westwood, 1864

ornatus Knížek, 2012a: 504 A: PA QA YE(Suqutra)

setifer Westwood, 1864: 179 N: CI

tavakiliani Menier, 1974: 14 N: CI MO

5. Family ATTELABIDAE Billberg, 1820

5.1. Subfamily **Attelabinae** Billberg, 1820

5.1.1. Tribe Apoderini Jekel, 1860

5.1.1.1. Subtribe Apoderina Jekel, 1860

genus *Anisonychus* Voss, 1927: 41 type species *Apoderus interstitialis* Voss, 1922

subgenus *Anisonychidius* Legalov, 2007a: 361 type species *Anisonychus mirabilis* Legalov, 2003

mirabilis Legalov, 2003b: 557 A: SCH YUN **ORR**

rugosus Voss, 1927: 42 (*Apoderus*) A: HAI

genus *Apoderus* Olivier, 1807: 12 type species *Attelabus coryli* Linnaeus, 1758

Granulapoderus Legalov, 2003b: 553 type species *Apoderus rugicollis* Schilsky, 1906

Konoapoderus Legalov, 2003b: 551 type species *Apoderus jekelii* Roelofs, 1874

coryli Linnaeus, 1758: 387 (*Attelabus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: BEI ES FE FUJ GAN HEB HEI JA JIA JIL JIX LIA MG NC NE NMO SC SCH SHA SHX TAI YUN XIN WS

avellanae Linnaeus, 1767: 619 (*Attelabus*)

collaris Scopoli, 1763: 25 (*Curculio*)

dauricus Laxmann, 1770: 595 (*Attelabus*)

denigratus Gmelin, 1790: 1809 (*Attelabus*)

excoriatoruber DeGeer, 1775: 257 (*Curculio*)

gibbicollis Faust, 1882a: 295

homalinus Voss, 1927: 28

kamtschaticus Motschulsky, 1845c: 380

morio Bonelli, 1812: 175 (*Attelabus*)

niger Gortani & Grandi, 1904: 171 (*Attelabus*) [HN]

nigricollis Faust, 1882a: 295 [HN]

nigrifrons Della Beffa, 1912: 1

nigripes Rey, 1893b: 73 [NA]

ruficeps Rey, 1893b: 73 [NA]

superans Faust, 1882a: 295

fidus Faust, 1890f: 421 A: BEI FUJ GAN HEB JIX SCH

horribilis Legalov, 2003b: 553 A: SCH

jekelii Roelofs, 1874: 132 A: BEI ES FE HEN HUB JA JIL NC SC

extensus Voss, 1927: 33

hiratai Uno, 1939: 578

okamotonis Kôno, 1930e: 58

rufithorax H.J. Kolbe, 1886a: 215
sharpi Voss, 1922b: 174 [RN]
uniformis Sharp, 1889: 51 [HN]
kresli Legalov, 2003b: 549 A: SHA
ludyi Reitter, 1890d: 174 E: IT A: SY
alni Chinaglia, 1908: 29
carnicus Gortani & Grandi, 1904: 171 (*Attelabus*)
pseudofidus Legalov, 2003b: 551 A: SCH
rugicollis Schilsky, 1906a: 76 A: BEI FUJ GUI GUX HUB SCH SD SHA YUN
kuatunanus Voss, 1949: 160
tuberculimerus Voss, 1930b: 84
volkovitshi Legalov, 2003b: 551 A: YUN

genus *Centrocorynus* Jekel, 1860: 167 type species *Apoderus scutellaris* Gyllenhal, 1833
subgenus *Centrocorynus* Jekel, 1860: 167 type species *Apoderus scutellaris* Gyllenhal, 1833
propinquus Voss, 1929b: 96 A: SHA **ORR**
rufulus Voss, 1929b: 97 A: SD **ORR**
scutellaris Gyllenhal, 1833a: 191 (*Apoderus*) A: PA SD SHA TAI YUN ZHE **ORR**

genus *Compsapoderus* Voss, 1927: 62 type species *Attelabus erythropterus* Gmelin, 1790
subgenus *Compsapoderus* Voss, 1927: 62 type species *Attelabus erythropterus* Gmelin, 1790
Compsapoderopsis Legalov, 2003b: 528 type species *Apoderus dimidiatus* Faust, 1890
continentalis Legalov, 2007a: 338 A: ANH FUJ GUI HUN JIA JIX NC SCH
dimidiatus Faust, 1890f: 421 (*Apoderus*) A: GAN HUB NO SCH
dispar Voss, 1928: 117 (*Apoderus*) A: "India"
erythrogaster Snellen van Vollenhoven, 1865: 165 (*Apoderus*) A: HUB JA NC SC YUN
nitens Kôno, 1930e: 66 (*Apoderus*) [NA]
rufiventris Roelofs, 1874: 135 (*Apoderus*)
shimauchiensis Kôno, 1930e: 67 (*Apoderus*)
erythropterus Gmelin, 1790: 1809 (*Attelabus*) E: AU BY CR CT CZ FR GE HU IT LA LT NT PL
SK SV SZ UK A: AB ANH BEI ES FE GAN HEB HEI HUB JA JIA JIL KZ LIA MG NC
NMO SC SCH SHG SHN WS ZHE
atricolor Faust, 1887b: 28 (*Apoderus*)
bicolor L. Redtenbacher, 1868: 161 (*Apoderus*)
frontalis Faust, 1882a: 294 (*Apoderus*)
intermedius Illiger, 1794: 615 (*Attelabus*)
intermedius Hellwig, 1795: 146 (*Attelabus*) [HN]
politus Gebler, 1825: 50 (*Apoderus*)
foveipennis Suffrian, 1870: 228 (*Apoderus*) A: JA
nitens Roelofs, 1874: 133 (*Apoderus*)
geminus Sharp, 1889: 50 (*Apoderus*) A: FE GUI HUB HUN JA (Hokkaido, Honshu) NC SC SCH
YUN
minus Roelofs, 1874: 136 (*Apoderus*) A: ANH FUJ GUI HUN JA JIA JIX NC SCH
mushanus Kôno, 1930e: 59 (*Apoderus*) A: TAI
subgenus *Paracompsus* Legalov, 2003b: 537 type species *Apoderus lepidulus* Voss, 1927
afghanus Legalov, 2003b: 537 (*Paracompsus*) A: AF
bistriolatus Faust, 1898c: 296 (*Apoderus*) A: AF HP NP PA SD UP **ORR**
incanus Stebbing, 1903: 189 (*Apoderus*)
nigrimaculatus Voss, 1920: 174 (*Apoderus*)
corallinoides Legalov, 2007a: 347 (*Paracompsus*) A: SD **ORR**
lepidulus Voss, 1927: 74 (*Apoderus*) A: SD XIZ
lunanfensis Legalov, 2007a: 347 (*Paracompsus*) A: SCH
luteibasis Voss, 1935d: 102 (*Apoderus*) A: NP UP **ORR**
micros Legalov, 2007a: 348 (*Paracompsus*) A: YUN
nigrofasciatus Pajni, Haq & Gandhi, 1987: 10 (*Apoderus*) A: AP SCH YUN
nigroscutellaris Legalov, 2007a: 348 (*Paracompsus*) A: NP
pygidialis Voss, 1927: 87 (*Apoderus*) A: "Himalaya"
seclusus Faust, 1898c: 296 (*Apoderus*) A: PA XIZ
varians Voss, 1928: 118 (*Apoderus*) A: HP

genus *Cycnotrachelodes* Voss, 1955c: 273 type species *Apoderus roelofsi* Harold, 1877
Pseudocynolodes Legalov, 2003b: 571 type species *Apoderus coeruleatus* Faust, 1894

camphoricola Voss, 1924b: 45 (*Cycnotrachelus*) A: ANH FUJ GUA GUX HAI HEN JIA SHX YUN
ORR

camphoricolus Legalov, 2003b: 569 [UE]

coeruleatus Faust, 1894c: 159 (*Apoderus*) A: BT FUJ YUN **ORR**

subcoeruleus Voss, 1929b: 117 (*Cycnotrachelus*)

cyanopterus Motschulsky, 1861: 22 (*Apoderus*) A: BEI ES FE FUJ HEB HEI JA JIA JIL LIA NC SC
SHX YUN ZHE

coloratus Faust, 1882a: 292 (*Apoderus*)

formosanus Voss, 1924c: 281 (*Cycnotrachelus*) A: TAI

roelofsi Harold, 1877: 358 (*Apoderus*) A: ES FE JA (Honshu, Shikoku) NC NE SC

sitchuanensis Legalov, 2003b: 571 A: SCH YUN ZHE

ussuriensis Voss, 1931c: 194 (*Cycnotrachelus*) A: FE HEI HUN LIA NC NE SC ZHE

genus *Cycnotrachelus* Jekel, 1860: 160 type species *Apoderus flavotuberosus* Jekel, 1860

flavoguttatus Voss, 1929b: 128 A: FUJ YUN **ORR**

flavonotatus Voss, 1935a: 516 A: YUN **ORR**

flavotuberosus Jekel, 1860: 163 (*Apoderus*) A: SD TAI YUN **ORR**

diversenotatus Pic, 1928c: 30 (*Apoderus*)

genus *Hamiltonius* Alonso-Zarazaga & Lyal, 1999: 46 type species *Apoderus sexguttatus* Voss, 1927

subgenus *Hamiltonius* Alonso-Zarazaga & Lyal, 1999: 46 type species *Apoderus sexguttatus* Voss, 1927

Parahamiltonius Legalov, 2007a: 349 type species *Apoderus trinotatus* Faust, 1883

sexguttatus Voss, 1927: 40 (*Apoderus*) A: FUJ GUA GUX YUN **ORR**

subgenus *Korotyaevirhinus* Legalov, 2003b: 538 type species *Attelabus notatus* Fabricius, 1792

notatus Fabricius, 1792: 385 (*Attelabus*) A: GUA GUX HKG HUN PA SCH YUN **ORR**

constans Faust, 1883i: 466 (*Apoderus*)

genus *Heterapoderus* Voss, 1927: 52 type species *Apoderus sulcicollis* Jekel, 1860

subgenus *Heterapoderopsis* Legalov, 2003b: 542 type species *Apoderus pauperulus* Voss, 1927

bicallosicollis Voss, 1932b: 74 (*Apoderus*) A: FUJ GUI HEB HEN JIX SCH YUN

cantonensis Voss, 1927: 55 (*Apoderus*) A: GUA JIA

pauperulus Voss, 1927: 54 (*Apoderus*) A: FUJ GUA GUI GUX HUN JIA SCH YUN ZHE **ORR**

subgenus *Heterapoderus* Voss, 1927: 52 type species *Apoderus sulcicollis* Jekel, 1860

Aheterapoderus Legalov, 2007a: 356 type species *Apoderus brachialis* Voss, 1924

Eoheterapoderus Legalov, 2003b: 547 type species *Apoderus geniculatus* Jekel, 1860

Neheterapoderus Legalov, 2003b: 543 type species *Apoderus macropus* Pascoe, 1883

Pseudoheterapoderus Legalov, 2003b: 546 type species *Apoderus crenatus* Jekel, 1860

ageniculatus Legalov, 2007a: 356 A: GUA SCH

brachialis Voss, 1924c: 282 (*Apoderus*) A: TAI

crenatus Jekel, 1860: 173 (*Apoderus*) A: GUX YUN **ORR**

franzi Voss, 1974: 47 (*Apoderus*) A: NP

geniculatus Jekel, 1860: 174 (*Apoderus*) A: FUJ GUA GUI GUX HEB HEN HUN JIA JIX SCH
SHG YUN ZHE **ORR**

monchadskii kathmanduensis Legalov, 2007a: 356 A: NP

monchadskii monchadskii Legalov, 2007a: 356 A: YUN

piceus Voss, 1927: 54 (*Apoderus*) A: FUJ GUA GUX HAI HKG ZHE

sulcicollis Jekel, 1860: 174 (*Apoderus*) A: FUJ GUA GUI GUX HEI HUN JIA SCH SHA SHG
YUN **ORR**

subgenus *Macroderites* Legalov, 2003b: 539 type species *Macroderites nepalensis* Legalov, 2003

Amacroderites Legalov, 2007a: 350 type species *Macroderites orchinensis* Legalov, 2007

nepalensis Legalov, 2003b: 539 (*Macroderites*) A: NP

orchinensis Legalov, 2007a: 351 (*Macroderites*) A: FUJ

subgenus *Microcorynus* Legalov, 2003b: 539 type species *Apoderus blandus* Faust, 1894

blandus blandoloides Legalov, 2007a: 351 (*Microcorynus*) A: YUN

blandus blandus Faust, 1894c: 155 (*Apoderus*) A: PA **ORR**

parunicus Legalov, 2003b: 540 (*Microcorynus*) A: YUN

genus *Heterapoderus*, species incertae sedis

theresae Pic, 1929c: 23 [DA] A: YUN

genus *Leptapoderus* Jekel, 1860: 169 type species *Apoderus quadripunctatus* Gyllenhal, 1833 (= *Apoderus pectoralis* Thunberg, 1815)
subgenus *Leptapoderidius* Legalov, 2007a: 341 type species *Apoderus rubidus* Motschulsky, 1860
bimaculatus Voss, 1929d: 372 (*Apoderus*) A: SHN
corallinus Legalov, 2007a: 342 A: YUN
frater Voss, 1927: 73 (*Apoderus*) A: FUJ HEN JIA SCH SHN ZHE
imitatus Voss, 1941a: 248 (*Apoderus*)
ganlanbebsis Legalov, 2007a: 342 A: SCH YUN
himalayensis Legalov, 2007a: 342 A: NP
hymalayensis Legalov, 2007a: 342 [NA]
kansuensis Legalov, 2007a: 343 A: GAN
nigricans Legalov, 2007a: 343 A: SCH
nigroapicatus Jekel, 1860: 175 (*Apoderus*) A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SD
SHA SHN TAI YUN ZHE **ORR**
apicalis Faust, 1890d: 257 (*Apoderus*)
papei Voss, 1927: 62 (*Apoderus*)
omeishanicus Legalov, 2007a: 343 A: SCH
pseudocrucifer Legalov, 2007a: 343 A: YUN
rubidus Motschulsky, 1860b: 172 (*Apoderus*) A: ES FE FUJ GUX HEB HEI HUB JA JIA NC SC
SCH SHN ZHE
rubidus Faust, 1882a: 294 (*Apoderus*) [HN]
rufescens Roelofs, 1874: 133 (*Apoderus*)
sejugatus Voss, 1924c: 283 (*Apoderus*) A: TAI
siaomonianensis Legalov, 2007a: 344 A: YUN
thibetanus Voss, 1927: 73 (*Apoderus*) A: SCH
tianmuensis Legalov, 2007a: 344 A: ANH ZHE
vossi Biondi, 2001: 225 (*Apoderus*) [RN] A: HUB SCH XIZ YUN ZHE
pedestris Voss, 1930b: 87 (*Apoderus*) [HN]
pedestroides Legalov, 2002c: 92 [RN]
yunlingensis Legalov, 2007a: 344 A: YUN
subgenus *Leptapoderus* Jekel, 1860: 169 type species *Apoderus quadripunctatus* Gyllenhal, 1833 (= *Apoderus pectoralis* Thunberg, 1815)
affinis Schilsky, 1906a: 77 (*Apoderus*) A: BEI FE HUB JA NC SC SCH SHA YUN
cinctipectoralis Voss, 1930b: 86 (*Apoderus*)
subgenus *Maculapoderus* Legalov, 2003b: 535 type species *Apoderus submaculatus* Voss, 1927
submaculatus Voss, 1927: 82 (*Apoderus*) A: YUN **ORR**
subgenus *Paraleptapoderus* Legalov, 2003b: 534 type species *Apoderus carbonicolor* Motschulsky, 1860
carbonicolor Motschulsky, 1860b: 171 (*Apoderus*) A: FE HEB HEI LIA NC SC
humerosus Motschulsky, 1860b: 171 (*Apoderus*)
maurus Motschulsky, 1860b: 171 (*Apoderus*)
praecellens Sharp, 1889: 46 (*Apoderus*) A: FE (Kurul Is.) HUB GUI JA (Honshu, Shikoku) NC SC
SCH
subgenus *Pseudapoderopsis* Legalov, 2003b: 530 type species *Leptapoderus tamdaoensis* Legalov, 2003
proprius Legalov, 2007a: 340 A: SCH
signatus Voss, 1928: 118 (*Apoderus*) A: SHG
subgenus *Pseudoleptapoderus* Legalov, 2003b: 535 type species *Apoderus balteatus* Roelofs, 1874
balteatus Roelofs, 1874: 135 (*Apoderus*) A: FE FUJ GUI HEB HEN HUB HUN JA NC SC SCH
ZHE
dubatulovi Legalov, 2003b: 536 A: SCH
friedrichi Voss, 1956f: 422 (*Apoderus*) A: HUB SCH TAI
inbalteatus Legalov, 2007a: 346 A: SCH YUN
nigroflavus Fairmaire, 1878a: 129 (*Apoderus*) A: SHX
sinicus Voss, 1927: 77 (*Apoderus*) A: FUJ HEN JIA
subfasciatus Voss, 1929d: 373 (*Apoderus*) A: YUN

genus *Leptapoderus*, species incertae sedis
atronitidus Pic, 1929c: 24 (*Apoderus*) A: CH JA
atrovittatus Pic, 1929c: 24 (*Apoderus*) A: CH
donckieri Pic, 1929c: 24 (*Apoderus*) A: CH
luteoplicatus Pic, 1929c: 23 (*Apoderus*) A: CH

proximus Voss, 1929b: 99 (*Centrocorynus*) A: PA SD
subcinctus Pic, 1929c: 24 (*Apoderus*) A: CH
thoracicus Voss, 1958b: 17 (*Apoderus*) A: FUJ

genus *Mordkovitshirhinus* Legalov, 2003b: 559 type species *Mordkovitshirhinus yunnanicus* Legalov, 2003
yunnanicus Legalov, 2003b: 559 A: YUN

genus *Paracynotrachelus* Voss, 1924b: 45 type species *Attelabus cygneus* Fabricius, 1801
breviusculus Voss, 1929b: 146 A: FUJ JIA SC SCH ORR
chinensis Jekel, 1860: 164 (*Apoderus*) A: ANH BEI ES FE FUJ GUA HAI HEB HEI HEN HKG
HUB JA (Honshu) JIA JIL JIX LIA NC NE QIN SC SCH SHA SHG SHN SHX TAI YUN
ZHE
longiceps Motschulsky, 1860b: 173 (*Apoderus*)
consimilis Voss, 1929b: 145 A: ANH BEI GAN HAI HEB HUB HUN JIA SHN ZHE
cygneus Fabricius, 1801: 417 (*Attelabus*) A: GAN GUA GUX JIA PA YUN ORR
siamensis Voss, 1929b: 137
montanus Jekel, 1860: 165 (*Apoderus*) A: FUJ HAI HKG HUB JIA YUN ORR

genus *Paratrachelophorus* Voss, 1924b: 44 type species *Paratrachelophorus brachmanus* Voss, 1924
Cyanotrachelophorus Legalov, 2007a: 375 type species *Cynotrachelus fukienensis* Voss, 1949
Morphotrachelophorus Legalov, 2003b: 577 type species *Paratrachelophorus marsi* Legalov, 2003
Pseudoparaphorus Legalov, 2003b: 575 type species *Apoderus potanini* Faust, 1890
belokobylskii Legalov, 2007a: 373 A: ZHE
brachmanus Voss, 1924b: 44 A: NP PA SD XIZ ORR
daliensis Legalov, 2003b: 583 A: YUN
foveostriatus Voss, 1930b: 88 (*Paracynotrachelus*) A: HAI YUN ZHE
fukienensis Voss, 1949: 161 (*Cynotrachelus*) A: FUJ
fulvus Roelofs, 1874: 130 (*Apoderus*) A: JA
gigas Legalov, 2003b: 581 A: YUN ORR
kresli Legalov, 2003b: 581 A: NP
longicornis Roelofs, 1874: 131 (*Apoderus*) A: FE GUI HEB HUB JA NC NE SC TIA
marsi Legalov, 2003b: 581 A: YUN ORR
nodicornis Voss, 1924c: 280 A: FUJ TAI YUN
katonis Kôno, 1930e: 76
vossi Kôno, 1930e: 75
nodicornoides Legalov, 2003b: 583 A: FUJ GUA JIX ORR
potanini Faust, 1890f: 423 (*Apoderus*) A: FUJ GAN SCH SHA SHX ORR
sikkimensis Legalov, 2007a: 374 A: SD

genus *Physapoderus* Jekel, 1860: 170 type species *Attelabus biguttatus* Fabricius, 1801
subgenus *Alexandricorynus* Legalov, 2003b: 561 type species *Apoderus assamensis* Boheman, 1845
assamensis Boheman, 1845: 354 (*Apoderus*) A: SCH YUN ORR

bilineatus Faust, 1883i: 464 (*Apoderus*)
subgenus *Eocentrocorynus* Legalov, 2003b: 561 type species *Apoderus aemulus* Faust, 1894
Formosusorynus Legalov, 2003b: 566 type species *Centrocorynus gracilicornis* Voss, 1929
Neocorymidius Legalov, 2003b: 567 type species *Centrocorynus ruficlavis* Voss, 1929
antennalis Legalov, 2007a: 367 (*Eocentrocorynus*) A: YUN
breviclavus Legalov, 2003b: 565 (*Eocentrocorynus*) A: YUN
fuscus fuscus Voss, 1929b: 100 (*Centrocorynus*) A: YUN ORR
fuscus yunnanicus Legalov, 2003b: 566 (*Eocentrocorynus*) A: YUN
gracilicornis Voss, 1929b: 98 (*Centrocorynus*) A: FUJ GUA GUX HUB JIA HAI YUN ZHE ORR
huangi Legalov, 2007a: 367 (*Eocentrocorynus*) A: YUN
pokharensis Legalov, 2003b: 566 (*Eocentrocorynus*) A: NP
ruficlavis Voss, 1929b: 99 (*Centrocorynus*) A: FUJ HUB HUN YUN ORR
sichuanensis Legalov, 2007a: 367 (*Eocentrocorynus*) A: SCH

subgenus *Physapoderus* Jekel, 1860: 170 type species *Attelabus biguttatus* Fabricius, 1801
Aphrysapoderus Legalov, 2007a: 365 type species *Apoderus pulchellus* Pascoe, 1883
Eophrysapoderus Legalov, 2007a: 365 type species *Apoderus crucifer* Heller, 1922
Paracentrocorynus Voss, 1929b: 97 type species *Attelabus biguttatus* Fabricius, 1801
Physapoderus: Legalov, 2003b: 561 [NA, ISS]

crucifer Heller, 1922a: 13 (*Apoderus*) A: FUJ GUA GUI GUX HAI QIN YUN ZHE **ORR**
languis Pic, 1929c: 25 (*Leptapoderus*)
maculipennis Voss, 1929b: 108 (*Centrocorynus*)

genus *Strigapoderus* Jekel, 1860: 169 type species *Apoderus tranquebaricus* Fabricius, 1798
subgenus *Helleriapoderus* Legalov, 2007a: 353 type species *Apoderus nelligrinus* Heller, 1908
subvariolaris Voss, 1935d: 100 (*Apoderus*) A: "India"
subgenus *Strigapoderus* Jekel, 1860: 169 type species *Apoderus tranquebaricus* Fabricius, 1798
scabrosus Voss, 1928: 116 (*Apoderus*) A: CH **ORR**

5.1.1.2. Subtribe Clitostylina Voss, 1929

genus *Allapoderus* Voss, 1927: 15 type species *Apoderus dentipes* Faust, 1883
subgenus *Allapoderus* Voss, 1927: 15 type species *Apoderus dentipes* Faust, 1883
dentipes Faust, 1883i: 462 (*Apoderus*) A: HAI YUN **ORR**
manaliensis Voss, 1920: 172 (*Apoderus*) A: HP NP PA
symaoensis Legalov, 2003b: 474 A: YUN

genus *Indotrachelus* Legalov, 2007a: 298 type species *Cycnotrachelus himalayensis* Pajni, Haq & Gandhi, 1989
himalayensis Pajni, Haq & Gandhi, 1989: 520 (*Cycnotrachelus*) A: NP UP

genus *Maculphrysus* Legalov, 2003b: 479 type species *Apoderus quadrimaculatus* Faldermann, 1835
Parmaculphrysus Legalov, 2003b: 480 type species *Centrocorynus inspersus* Voss, 1929
charlottae Voss, 1932b: 76 (*Paracentrocorynus*) A: YUN
inspersus Voss, 1929b: 110 (*Centrocorynus*) A: GUA **ORR**
salvazai Pic, 1932b: 58 (*Centrocorynus*)
nigrostictus Voss, 1929b: 112 (*Centrocorynus*) A: NP
quadrimaculatus Faldermann, 1835: 419 (*Apoderus*) A: BEI FE MG NC SC
yunnanicus Legalov, 2003b: 480 A: FUJ GUA GUX YUN

genus *Micrapoderus* Legalov, 2003b: 476 type species *Apoderus minutissimus* Voss, 1920
bengalensis Legalov, 2003b: 477 A: SD
minutissimus Voss, 1920: 173 (*Apoderus*) A: HP KA NP UP
staudingeri Voss, 1920: 172 (*Apoderus*) A: LIA
uttaranchalensis Legalov, 2007a: 298 A: UP
yunpinensis Legalov, 2003b: 477 A: YUN

genus *Morphocorynus* Legalov, 2003b: 479 type species *Apoderus nigricollis* Roelofs, 1874
nigricollis Roelofs, 1874: 130 (*Apoderus*) A: FE HEN HUB JA (Honshu, Shikoku) NC SC
montanus Roelofs, 1874: 134 (*Apoderus*) [HN]

genus *Pseudallapoderus* Legalov, 2003b: 477 type species *Apoderus sissu* G.A.K. Marshall, 1913
ateroides Legalov, 2002c: 92 (*Strigapoderus*) [RN] A: YUN
ater Voss, 1932b: 73 (*Apoderus*) [HN]
funbris Voss, 1930b: 85 (*Apoderus*) A: FUJ HUB ZHE **ORR**
kruegeri Voss, 1927: 61 (*Apoderus*) A: KA NP
pseudosissus Legalov, 2003b: 478 A: YUN
sikkimensis Legalov, 2007a: 299 A: SD
sissu G.A.K. Marshall, 1913a: 227 (*Apoderus*) A: AF HP NP PA UP YUN **ORR**

genus *Pseudophrysus* Legalov, 2003b: 479 type species *Cycnotrachelus parvulus* Voss, 1928
parvulus Voss, 1928: 119 (*Cycnotrachelus*) A: HUB SCH YUN

5.1.1.3. Subtribe Hoplapoderina Voss, 1926

genus *Agomadaranus* Voss, 1958b: 15 type species *Apoderus pardalis* Snellen van Vollenhoven, 1865
Pseudmadaranus Legalov, 2003b: 508 type species *Paroplapoderus fasciatus* Voss, 1929 (= *Paroplapoderus multicostratus* Pic, 1928)
armatus Voss, 1926: 55 (*Paroplapoderus*) A: SD **ORR**

bihumeratus Jekel, 1860: 180 (*Apoderus*) A: NP PA SCH SD YUN **ORR**
breviceps Voss, 1926: 53 (*Paroplapoderus*)
bistrispinosus Faust, 1894c: 157 (*Apoderus*) A: GUI SCH XIZ YUN **ORR**
coniceps Voss, 1926: 53 (*Paroplapoderus*) A: BEI FUJ SCH XIZ YUN
jekeli Legalov, 2007a: 325 A: NP SD
kresli Legalov, 2004a: 85 A: NP
kryzhanovskyi Legalov, 2003b: 506 (*Paroplapoderus*) A: YUN
melanostictoides Legalov, 2003b: 502 (*Paroplapoderus*) A: ZHE
melanostictus Fairmaire, 1878a: 129 (*Apoderus*) A: BEI FUJ HEB HEN HUB HUN SCH SHN SHX
YUN
hauseri Voss, 1930b: 83 (*Paroplapoderus*)
multicostatus Pic, 1928e: 3 (*Paroplapoderus*) A: YUN **ORR**
fasciatus Voss, 1929d: 363 (*Paroplapoderus*)
parbihumeratus Legalov, 2003b: 504 (*Paroplapoderus*) A: SCH YUN
pardalis Snellen van Vollenhoven, 1865: 164 (*Apoderus*) A: FE FUJ GUA GUI HAI HUN JA JIA
JIX SCH YUN
tigrinus Roelofs, 1874: 136 (*Apoderus*)
pardaloides Voss, 1924c: 284 (*Hoplapoderus*) A: TAI
semiannulatus Jekel, 1860: 181 (*Apoderus*) A: FUJ GUA GUI HEB HEN HUB HUN JIA SCH SHG
SHX ZHE
shirakii Kôno, 1930e: 44 (*Paroplapoderus*) A: HAI TAI **ORR**
sticticus sticticus Voss, 1926: 43 (*Paroplapoderus*) A: HAI **ORR**
sticticus yunnanicus Legalov, 2004a: 85 A: FUJ SCH YUN
yunnanicus Legalov, 2004a: 85 [NA]
xilingensis Legalov, 2007a: 327 A: SCH

genus *Architomapoderus* Legalov, 2007a: 318 type species *Parapoderus nilgiriensis* Voss, 1935
vittatus Voss, 1935d: 99 (*Parapoderus*) A: "India"

genus *Hoplapoderus* Jekel, 1860: 171 type species *Attelabus gemmatus* Thunberg, 1784
caliginosus Faust, 1894c: 157 (*Apoderus*) A: BT JA SCH TAI YUN **ORR**
echinatoides Legalov, 2003b: 511 A: BEI FE HAI HUB HUN YUN ZHE **ORR**
echinatus Gyllenhal, 1833a: 195 (*Apoderus*) A: FE GUA HEN HP NP PA SD YUN **ORR**
ceylonicus Janczyk, 1960: 49 (*Paroplapoderus*)
nepalensis Voss, 1926: 38
gemmatus Thunberg, 1784b: 68 (*Attelabus*) A: NP PA UP **ORR**
jekeli Legalov, 2007a: 330
gemmosus Jekel, 1860: 182 (*Apoderus*) A: FE GUA GUX HAI HKG HUN JA (Kyushu) JIA NC SD
SHG TAI YUN **ORR**
chevolati Faust, 1891d: 284 (*Apoderus*)
minutituberosus Haq, Pajni & Gandhi, 1988: 284 (*Hoplapoderus*)

genus *Paroplapoderus* Voss, 1926: 41 type species *Apoderus fallax* Gyllenhal, 1839
subgenus *Erycapoderus* Voss, 1926: 69 type species *Apoderus angulipennis* H.J. Kolbe, 1886
angulipennis H.J. Kolbe, 1886a: 215 (*Apoderus*) A: NC NE SC SHA SHN
shaanxinsis Legalov, 2004a: 84
validus Voss, 1926: 70 A: ANH BEI FUJ GAN HEN JIA SCH SHN TAI ZHE **ORR**
nigroguttatus Kôno, 1930e: 51
subgenus *Gomadaranus* Kôno, 1930e: 48 type species *Apoderus vitticeps* Jekel, 1860
bituberculatus Voss, 1926: 66 A: SD
kuanchenensis Legalov, 2007a: 321 A: HEB
lefroyi G.A.K. Marshall, 1913a: 228 (*Apoderus*) A: PA **ORR**
nigroflavus Legalov, 2006c: 20 A: ANH SHN
obtusus Voss, 1926: 62 A: GUA
punctatus Pic, 1928f: 247 A: XIZ
rasuwamus Legalov, 2004a: 84 A: NP
shiguensis Legalov, 2007a: 322 A: YUN
tristoides Voss, 1924c: 284 (*Hoplapoderus*) A: TAI
turbidus Voss, 1926: 63 A: BEI JIA LIA NC SC SHA SHN SHX ZHE
vanvolxemi Roelofs, 1876: cxxxix (*Hoplapoderus*) A: FE HUB HUN JA SC
japonicus Voss, 1926: 62

tuberculatus Harold, 1878: 85 (*Apoderus*)
ulmi Kôno, 1929b: 49
vitticeps Jekel, 1860: 184 (*Apoderus*) A: BEI FUJ GUI GUX HUB JIA JIX LIA SCH SHG SHN TAI
ZHE
subgenus *Paroplapoderus* Voss, 1926: 41 type species *Apoderus fallax* Gyllenhal, 1839
fallax Gyllenhal, 1839a: 287 (*Apoderus*) A: BEI ES FE HEB HEI LIA MG NP SHX ZHE
subgenus *Pseudplapoderus* Legalov, 2003b: 501 type species *Apoderus tentator* Faust, 1894
alleni Legalov, 2008c: 212 A: BT
nigriceps Legalov, 2003b: 498 A: YUN
tentator annapurnae Legalov, 2007a: 323 A: NP
tentator tentator Faust, 1894c: 157 (*Apoderus*) A: FUJ GUA XIZ YUN **ORR**
tzinpinensis Legalov, 2003b: 501 A: YUN

genus *Phymatapoderus* Voss, 1926: 71 type species *Apoderus latipennis* Jekel, 1860
elongatipes Voss, 1926: 72 A: GUI GUX HUB SCH YUN ZHE **ORR**
euflavimanus Legalov, 2003b: 494 A: SCH SHA
flavimanus Motschulsky, 1860b: 171 (*Apoderus*) A: ES FE FUJ HEI JA JIX LIA NC SC SCH YUN
ZHE
pavens Voss, 1926: 74
latipennis Jekel, 1860: 179 (*Apoderus*) A: FUJ GAN GUA GUI HUB HUN JA JIA JIX MG NC SC
SCH TAI YUN ZHE **ORR**
monticola Voss, 1926: 75
yunnanicus Voss, 1929c: 227
monstrosus Pic, 1928e: 3 A: SHG
parelongatipes Legalov, 2003b: 494 A: SCH YUN
sitchuanensis Legalov, 2003b: 495 A: SCH
subornatus Sharp, 1889: 47 (*Apoderus*) A: JA
taiwanensis Legalov, 2003b: 495 A: TAI

genus *Tomapoderus* Voss, 1926: 76 type species *Attelabus ruficollis* Fabricius, 1781
Tomapoderopsis Legalov, 2003b: 495 type species *Apoderus cyclops* Faust, 1894
coeruleipennis Schilsky, 1903: 75 (*Apoderus*) A: FUJ HKG HUB HUN YUN TAI "N China"
cyclops Faust, 1894c: 155 (*Apoderus*) A: BT YUN **ORR**
flaviceps Desbrochers des Loges, 1890a: 213 (*Apoderus*) A: HP NP SD TAI **ORR**
flavirostris Voss, 1926: 81 A: NP **ORR**
himalayensis Legalov, 2007a: 320 (*Tomapoderopsis*) A: NP
himalayensis Legalov, 2007a: 320 (*Tomapoderopsis*) [NA]
melli Voss, 1926: 82 A: GUA HUN
orientalis Legalov, 2007a: 320 (*Tomapoderopsis*) A: SCH YUN **ORR**
pici Legalov, 2007a: 321 (*Tomapoderopsis*) A: SCH
ruficollis Fabricius, 1781: 200 (*Attelabus*) A: ANH BEI ES FE GUI HEB HEI JA JIL LIA MG NC
NMO SC SHA SHN SHX TAI
testaceimembris Pic, 1928e: 3 A: FUJ GUA GUI HUB HUN SCH YUN **ORR**

tribe Apoderini, nomina dubia

Apoderus cyaneus Hope, 1831: 27 A: NP
Apoderus dauricus Motschulsky, 1860b: 173 [HN] A: ES

5.1.2. Tribe Attelabini Billberg, 1820

genus *Attelabus* Linnaeus, 1758: 387 type species *Attelabus curculionoides* Linnaeus, 1767 (= *Curculio nitens* Scopoli, 1763)
Algirolabus Legalov, 2003b: 436 type species *Attelabus variolosus* Fabricius, 1801
Chyphus Thunberg, 1815: 110 type species *Attelabus curculionoides* Linnaeus, 1767 (= *Curculio nitens* Scopoli, 1763)
Cyphus Bedel, 1883a: 23 [HN] type species *Attelabus curculionoides* Linnaeus, 1767 (= *Curculio nitens* Scopoli, 1763)
Proattelabus Legalov, 2007a: 276 type species *Cyphus sulcifrons* Argod-Vallon, 1895
Rhinomacer O.F. Müller, 1764: xiii [HN] type species *Rhinomacer coryli* sensu O.F. Müller, 1776 (= *Curculio nitens* Scopoli, 1763)
chalybaeus K. Daniel & J. Daniel, 1898: 72 A: AB IN TM
cyanellus Voss, 1925b: 258 [RN] A: CH ES FE IN MG
cyaneus Boheman, 1845: 358 [HN]

nitensiformis Kôno, 1927a: 37
subcyaneus Voss, 1931c: 192
metallicus X.-C. Zhang, 1995a: 208 **A:** NIN
nitens Scopoli, 1763: 25 (*Curculio*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MC MD ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK **A:** AB AR GG IN IS SY TM TR
atricornis Mulsant & Guillebeau, 1856a: 159
atricornis Mulsant & Guillebeau, 1856b: 89 [HN]
balcanicus K. Daniel & J. Daniel, 1898: 73
coccineus Geoffroy, 1785: 115 (*Rhinomacer*)
coryli: O.F. Müller, 1776: 91 (*Rhinomacer*) [NA]
curculioniformis Schrank, 1798: 475 (*Involvulus*) [RN]
curculionoides Linnaeus, 1767: 619 (*Attelabus*)
fascicollis Reitter, 1916a: 267
hispanicus Jekel, 1860: 199
maculipes Küster, 1845: 64
marginalis Pic, 1898c: 4
obscurior Pic, 1898c: 4
pulvinicollis Jekel, 1860: 199
rubricollis Reitter, 1916a: 267
sichuanensis Legalov & N. Liu, 2005: 126 **A:** SCH
sulcifrons Argod-Vallon, 1895: xxviii (*Cyphus*) **E:** BU GR MC **A:** AR GG IN IQ TR SY
suturalis Jekel, 1860: 200 **A:** CY SY TR
variolosus Fabricius, 1801: 420 **E:** SP **N:** AG MO
foveipennis Jekel, 1860: 201

genus *Attelabus*, species incertae sedis
bicolor Gmelin, 1790: 1809 (*Attelabus*) **E:** "Europa"
calibatus Townson, 1797: 473 (*Attelabus*) **E:** "Hungary"
effersans Townson, 1797: 473 (*Attelabus*) **E:** "Hungary"
ilicis O. G. Costa, 1839b: 10 (*Attelabus*) **E:** IT
duodecimpunctatus Scopoli, 1763: 36 (*Attelabus*) **E:** "In Austriaco Littorali" (now CR IT SL)
quattuordecimpunctatus Scopoli, 1763: 37 (*Attelabus*) **E:** "In Austriaco Littorali" (now CR IT SL)

genus *Cyrtolabus* Voss, 1925b: 241 type species *Attelabus christophi* Faust, 1884
amitinus Voss, 1932b: 72 (*Attelabus*) **A:** YUN
chinensis Legalov, 2004a: 83 **A:** JIX
christophi Faust, 1884c: 471 (*Attelabus*) **A:** ES FE HEN JIX MG NE SC
mutus Faust, 1890f: 425 (*Attelabus*) **A:** FE GAN HEB HEI HUB JIA JIX SC SCH SHA SHX YUN ZHE
nanpingensis Legalov, 2007a: 275 **A:** SCH
ouhouensis Legalov, 2007a: 275 **A:** ANH

genus *Phialodes* Roelofs, 1874: 137 type species *Phialodes rufipennis* Roelofs, 1874
subgenus *Phialodes* Roelofs, 1874: 137 type species *Phialodes rufipennis* Roelofs, 1874
rufipennis Roelofs, 1874: 138 **A:** FE JA SC
distinctus Roelofs, 1874: 138
rubripennis Chevrolat, 1878c: xxxi (*Attelabus*)
subgenus *Chinphialodes* Legalov, 2008c: 204 type species *Phialodes hubeiensis* Legalov, 2008
hubeiensis Legalov, 2008c: 204 **A:** HUB
tumidus X.-C. Zhang, 1995a: 207 (*Attelabus*) **A:** BEI GAN HEB LIA NIN SCH SHX

5.1.3. Tribe Euopini Voss, 1925

genus *Euops* Schoenherr, 1839: 318 type species *Euops australasiae* Fähræus, 1839 (= *Attelabus falcatus* Guérin-Méneville, 1833)
subgenus *Asuniops* Legalov, 2007a: 219 type species *Euops subopacus* Voss, 1924
opacus Legalov, 2007a: 219 (*Asuniops*) **A:** JA
subgenus *Chinoeuops* Legalov, 2003b: 399 type species *Sawadaeuops davidiani* Legalov, 2003
davidiani Legalov, 2003b: 399 (*Sawadaeuops*) **A:** HUB SCH
hubeiensis Legalov & N. Liu, 2005: 123 (*Sawadaeuops*) **A:** HUB
nielamus Legalov & N. Liu, 2005: 124 (*Sawadaeuops*) **A:** XIZ

nitidicollis Voss, 1942b: 101 A: FUJ GAN HUB HUN
yunnanensis Liang, 2005: 265 A: GUI YUN
australis Legalov & N. Liu, 2005: 124 (*Sawadaeuops*)
subgenus *Kobusynaptops* Kôno, 1927a: 40 type species *Euops pustulosus* Sharp, 1889
pustulosus Sharp, 1889: 56 A: JA
verrucosus Legalov & X. Zhang, 2007: 231 (*Kobusynaptops*) A: YUN
subgenus *Levoeuops* Legalov, 2007a: 233 type species *Riedeliops vietnamensis* Legalov, 2003
asiaticus asiaticus Legalov & N. Liu, 2005: 119 (*Riedeliops*) A: HUB XIZ YUN
asiaticus uttaranchalicus Legalov, 2007a: 234 (*Riedeliops*) A: UP
nepalensis Legalov, 2003b: 385 (*Riedeliops*) A: NP
yingjiangensis Liang, 2005: 265 A: YUN
terminassiana Legalov & N. Liu, 2005: 119 (*Riedeliops*)
subgenus *Macrosynaptopsis* Legalov, 2005: 115 type species *Macrosynaptopsis zhangii* Legalov & N. Liu, 2005
zhangii Legalov & N. Liu, 2005: 115 (*Macrosynaptopsis*) A: FUJ
subgenus *Parasuniops* Legalov, 2003b: 367 type species *Parasuniops fochaiensis* Legalov, 2003
fochaiensis Legalov, 2003b: 368 (*Parasuniops*) A: YUN
subgenus *Parasynaptopsis* Legalov, 2003b: 377 type species *Euops chinensis* Voss, 1922
Indoeuops Legalov, 2007a: 236 type species *Indoeuops ammattiensis* Legalov, 2007 (= *Euops andrewesi* Voss, 1935)
Macrodentipes Liang & X.Y. Li, 2005: 266 type species *Euops hefengensis* Liang, 2005 (= *Morphoeuops yunnanicus* Legalov, 2003)
Morphoeuops Legalov, 2003b: 377 type species *Morphoeuops yunnanicus* Legalov, 2003
carinatus Legalov & X. Zhang, 2007: 228 (*Morphoeuops*) A: XIZ
chinensis Voss, 1922a: 166 A: FUJ GUA GUI GUX HUB HUN JIA JIX TAI ZHE
cuprifulgens Voss, 1942b: 102 A: FUJ GUA
lespedezae koreanus Voss, 1924a: 56 A: FE JA (Tsushima) JIL NC SC
koreanus Sawada & Morimoto, 1985: 191 [HN]
lespedezae lespedezae Sharp, 1889: 55 A: HEI JA
unicoloratus Voss, 1924a: 56 [NA]
niger Kôno, 1927: 41 A: FE JA NC SC ZHE
niger Legalov, 2003b: 378 (*Parasynaptopsis*)
splendens Roelofs, 1874: 139 (*Attelabus*) [HN]
splendidus Voss, 1930a: 35 [RN]
pseudolespedezae Z.Q. Li, 2008: 69 A: JIL
pseudlespedezae Z.Q. Li, 2008: 69 [NA, IOS]
pseudostriatus Legalov, 2007a: 237 (*Parasynaptopsis*) A: GUA
striatus Voss, 1924c: 279 A: TAI
taiwanensis Legalov, 2007a: 237 (*Parasynaptopsis*) A: TAI
yunnanicus Legalov, 2003b: 377 (*Morphoeuops*) A: HUB YUN
hefengensis Liang, 2005: 266
subgenus *Parasynatops* Legalov, 2003b: 378 type species *Parasynatops politoides* Legalov, 2003 (= *Attelabus politus* Roelofs, 1874)
Neparasynatops Legalov, 2007a: 240 type species *Parasynatops moanus* Legalov, 2003
berezovskyi Legalov, 2003b: 379 (*Parasynatops*) A: SCH
championi Voss, 1929c: 217 A: FUJ GUI GUX HAI TAI UP ZHE **ORR**
kharsu Voss, 1933c: 116 A: UP
kanoi Sawada & Morimoto, 1985: 185 A: FE (Kuril Is.) JA
moanus Legalov, 2003b: 382 (*Parasynatops*) A: SCH
politus Roelofs, 1874: 140 (*Attelabus*) A: JA
politoides Legalov, 2002c: 92 (*Parasynatops*) [RN]
pseudopolitus Legalov, 2003b: 380 (*Parasynatops*) A: HUB SCH YUN
tzinpinensis Legalov & N. Liu, 2005: 116 (*Parasynatops*) A: YUN
viridicollis Voss, 1924a: 64 A: SD
subgenus *Pseudoeuops* Legalov, 2003b: 380 type species *Parasynatops bicoloroides* Legalov, 2003
bicoloroides Legalov, 2003b: 381 (*Parasynatops*) A: FUJ
clarus Sawada & Morimoto, 1985: 188 A: TAI
guizhouensis Liang, 2005: 258 A: GUI
lushuensis Legalov & N. Liu, 2005: 118 (*Parasynatops*) A: YUN
pyralis Legalov & N. Liu, 2005: 117 (*Parasynatops*) A: YUN
tibetanus Legalov & N. Liu, 2005: 117 (*Parasynatops*) A: XIZ
viridis Legalov, 2003b: 383 (*Parasynatops*) A: SCH YUN

subgenus *Riedeliops* Alonso-Zarazaga & Lyal, 2002: 10 [RN] type species *Euops paradoxus* Voss, 1935
Asynaptops Legalov, 2007a: 225 type species *Euops keiseri* Voss, 1957
Asynaptopsis Legalov, 2007a: 225 type species *Asynaptops colombensis* Legalov, 2007 (= *Euops bowringii* Jekel, 1860)
Charops Riedel, 1998: 100 [HN] type species *Euops paradoxus* Voss, 1935
Nigroeuops Legalov, 2003b: 403 type species *Sawadaeuops ovalis* Legalov, 2003
Orienteuops Legalov, 2003b: 388 type species *Euops tonkinensis* Voss, 1933
Orienteuopsidius Legalov, 2008b: 215 type species *Riedeliops rasuwanus* Legalov, 2003
Sawadaeuops Legalov, 2003b: 398 type species *Attelabus punctatostriatus* Motschulsky, 1861
beijingensis Legalov, 2003b: 379 (*Parasynatops*) A: HEB
bowringii Jekel, 1860: 221 A: UP **ORR**
armipes Voss, 1933c: 117
colombensis Legalov, 2007a: 225 (*Asynaptops*)
submetallicus Voss, 1935d: 98
centralchinensis Legalov & N. Liu, 2005: 122 (*Sawadaeuops*) A: HUB SHA
fugongensis J. Wang & Liang, 2008: 178 A: YUN
gardneri G.A.K. Marshall, 1931b: 263 A: SD
indigena Voss, 1924c: 278 A: TAI
matsumuranus Kôno, 1927a: 42
jingguensis Liang & Sakurai, 2005: 263 A: YUN
mirabilis Legalov & N. Liu, 2005: 120 (*Orienteuops*)
jiuzhaiensis Liang, 2005: 261 A: SCH YUN
subelongatus Legalov & N. Liu, 2005: 123 (*Sawadaeuops*)
meghalaicus Legalov, 2007a: 232 (*Orienteuops*) A: SD **ORR**
ovalis Legalov, 2003b: 403 (*Sawadaeuops*) A: HUN **ORR**
potanini Legalov, 2003b: 380 (*Parasynatops*) A: GAN
punctatostriatus Motschulsky, 1861: 22 (*Attelabus*) A: FE JA SC
aceri Kôno, 1926b: 223
phaedonius Sharp, 1889: 55
puncticollis Schilsky, 1906a: 92 [HN]
schilskyi Voss, 1922b: 174 [RN]
rasuwanus Legalov, 2003b: 386 (*Riedeliops*) A: NP SD XIZ
bengalensis Legalov, 2007a: 239 (*Parasynatops*)
sichuanensis Legalov & N. Liu, 2005: 121 (*Sawadaeuops*) A: SCH
sichuanensis Legalov & N. Liu, 2005: 105, 109, 121 [NA]
subgenus *Sawadaeuopsis* Legalov, 2005: 125 type species *Sawadaeuops punctatus* Legalov & N. Liu, 2005
punctatus Legalov & N. Liu, 2005: 125 (*Sawadaeuops*) A: YUN
subgenus *Suniopsidius* Legalov, 2005: 113 type species *Suniopsidius multicoloratus* Legalov & N. Liu, 2005
multicoloratus Legalov & N. Liu, 2005: 114 (*Suniopsidius*) A: YUN
subgenus *Vietsuniops* Legalov, 2007a: 223 type species *Suniops gorochovi* Legalov, 2003
menghunsis Legalov & N. Liu, 2005: 113 (*Suniops*) A: YUN

5.1.4. Tribe Euscelophilini Voss, 1925

genus *Calolabus* Voss, 1925b: 241 type species *Attelabus cupreus* Roelofs, 1874
subgenus *Calolabus* Voss, 1925b: 241 type species *Attelabus cupreus* Roelofs, 1874
cupreus Roelofs, 1874: 139 (*Attelabus*) A: JA
subg *Metocalolabus* Legalov, 2003b: 433 type species *Metocalolabus orientalis* Legalov, 2003
chujoi Kôno, 1939d: 143 (*Himatolabus*) A: TAI

genus *Euscelophilus* Voss, 1925a: 30 type species *Euscelus chinensis* Schilsky, 1906
Cupreuscelophilus Legalov, 2005: 130 type species *Cupreuscelophilus mayongi* Legalov & N. Liu, 2005
Euscelophilidius Legalov, 2003b: 463 type species *Euscelus gibbicollis* Schilsky, 1906
Euscelophiloides Legalov, 2007a: 292 type species *Euscelophilus rugulosus* X.-C. Zhang, 1995
burmanus G.A.K. Marshall, 1948a: 411 A: FUJ SCH YUN **ORR**
tianchiensis Liang, 1994: 489
camelus Voss, 1937c: 280 A: YUN
caperratus Xie & Liang, 2008: 39 A: GAN
chinensis Schilsky, 1906a: 89 (*Euscelus*) A: BEI FUJ GUA GUI GUX HAI HEN HUB NC SC SCH SHN **ORR**
denticulatus X.-C. Zhang, 1995b: 481 A: BEI FUJ GUA GUI GUX HAI HUB SCH ZHE
dimidiatus Voss, 1956f: 418 A: HEN SCH

fasciatus X.-C. Zhang, 1993: 199 (*Himatolabus*) A: XIZ
gaoligongensis Xie & Liang, 2008: 36 A: YUN
gibbicollis Schilsky, 1906a: 90 (*Euscelus*) A: BEI GUI HEB HUB NC SC SCH YUN
hidakai Liang, 1994: 493
jingpingensis Liang, 1994: 487 A: YUN
kunmingensis Liang, 1994: 490 A: YUN
longispinus Xie & Liang, 2008: 35 A: CHQ GUI GUX
mayongi Legalov & N. Liu, 2005: 131 (*Cupreuscelophilus*) A: ZHE
niger Liang, 1994: 484 A: HUB
rugulosus X.-C. Zhang, 1995b: 480 A: YUN
vitalisi Heller, 1922a: 13 (*Trachelolabus*) A: YUN ORR
yongshanensis Liang, 1994: 492 A: SCH

genus *Trachelolabus* Jekel, 1860: 217 type species *Trachelolabus whitei* Jekel, 1860
floridus X.-C. Zhang, 1993: 198 (*Himatolabus*) A: XIZ YUN
qinni Liang, 1994: 488 (*Euscelophilus*)
ghumensis Legalov, 2007a: 291 A: SD
longispinus X.-C. Zhang, 1993: 197 (*Himatolabus*) A: XIZ YUN
whitei Jekel, 1860: 218 A: XIZ ORR

5.1.5. Tribe Lamprolabini Voss, 1925

genus *Enoplolabus* Voss, 1925b: 214 type species *Attelabus gestroi* Faust, 1894
gestroi Faust, 1894c: 161 (*Attelabus*) A: YUN ORR

genus *Henicolabus* Voss, 1925b: 224 type species *Attelabus giganteus* Faust, 1882
subgenus *Allolabus* Voss, 1925b: 214 type species *Attelabus lewisii* Sharp, 1889
Eoallolabus Legalov, 2003b: 442 type species *Henicolabus simplex* Voss, 1925
Jekelilabus Legalov, 2003b: 441 type species *Attelabus octospilotus* Jekel, 1860 (= *Attelabus octomaculatus* Jekel, 1860)
kresli Legalov, 2004a: 83 A: NP
lewisii Sharp, 1889: 53 (*Attelabus*) A: FUJ HEI HUB JA NC SC ZHE
octomaculatus Jekel, 1860: 190 (*Attelabus*) A: TAI ORR
octomaculatus: Legalov, 2007a: 285 (*Allolabus*) [NA, ISS]
octospilotus Jekel, 1860: 201 (*Attelabus*)
subgenus *Chinolabus* Legalov, 2005: 129 type species *Chinolabus ningxianus* Legalov & N. Liu, 2005
bicolor Legalov & N. Liu, 2005: 129 (*Chinolabus*) A: QIN
gansuanus Legalov, 2007a: 282 (*Chinolabus*) A: GAN
ningxianus Legalov & N. Liu, 2005: 130 (*Chinolabus*) A: NIN
subgenus *Henicolaboides* Legalov, 2007a: 283 type species *Henicolabus kuitchauensis* Legalov, 2003
gigantinus Legalov & N. Liu, 2005: 127 A: BT YUN ORR
haematideus Voss, 1930b: 82 A: SCH
hypomelas Fairmaire, 1878a: 130 (*Attelabus*) A: SCH
nanlingensis Legalov, 2008c: 208 (*Henicolaboides*) A: GUA
oberthueri Legalov, 2007a: 283 (*Henicolaboides*) A: SCH
potanini Legalov, 2007a: 284 (*Henicolaboides*) A: SCH YUN
ruficeps Voss, 1949: 159 A: FUJ HUN
spinipes Schilsky, 1906a: 88 (*Attelabus*) A: BEI FUJ GUA GUI GUX HUN JIA JIX SCH TAI YUN
ZHE
nigrocapitus Legalov, 2007a: 283 (*Henicolaboides*)
yunnanicus Legalov, 2003b: 441 A: YUN
subgenus *Henicolabus* Voss, 1925b: 224 type species *Attelabus giganteus* Faust, 1882
giganteus Faust, 1882a: 291 (*Attelabus*) A: BEI FE FUJ HEB HEI JIL LIA NC SC SCH

genus *Humerilabus* Legalov, 2003b: 442 type species *Henicolabus fausti* Voss, 1925
chinensis Legalov, 2003b: 445 A: YUN
fausti Voss, 1925b: 226 (*Henicolabus*) [RN] A: NP HAI YUN ORR
humerosus Faust, 1894c: 163 (*Attelabus*) [HN]
longulus Legalov & N. Liu, 2005: 128 A: YUN
nepalensis Legalov, 2003b: 446 A: NP

genus *Isolabus* Voss, 1925b: 214 type species *Attelabus caeruleus* Jekel, 1860 (= *Isolabus jekeli* Legalov, 2002)

elongaticeps Voss, 1924c: 279 (*Attelabus*) A: TAI "mainland of China"

intrusus Voss, 1956f: 419 A: SCH

jekeli Legalov, 2002c: 92 [RN] A: FUJ JA JIA JIX HKG SHG ZHE

caeruleus Jekel, 1860: 202 (*Attelabus*) [HN]

magnus Voss, 1925b: 215 A: FUJ GUI GUX HEN HUB HUN JIA JIX SHA SCH SHN XIZ ZHE

ORR

longicollis Fairmaire, 1894: 222 (*Attelabus*) [HN]

genus *Lamprolabus* Jekel, 1860: 189 type species *Attelabus bispinosus* Gyllenhal, 1833

anjiensis Legalov, 2007a: 277 A: ZHE

bihastatus J. Frivaldszky, 1892a: 117 (*Attelabus*) A: FUJ GUA HAI HUB HUN JIX YUN

bispinosus Gyllenhal, 1833a: 204 (*Attelabus*) A: JIX TAI **ORR**

tabangensis Voss, 1961b: 244

fochaensis Legalov, 2003b: 438 A: YUN

pseudobispinosus Legalov & N. Liu, 2005: 126 A YUN

sitchuanensis Legalov, 2003b: 439 A: GUA SCH

spiculatus Boheman, 1845: 359 (*Attelabus*) A: FUJ HAI YUN **ORR**

corallipes Pascoe, 1883c: 90 (*Attelabus*)

latispinosus Voss, 1929c: 209

tibetanus Legalov & N. Liu, 2005: 127 A: XIZ

5.1.6. Tribe Paramocolabini Legalov, 2003

genus *Catalabus* Voss, 1925b: 214 type species *Attelabus sexplagiatus* Heller, 1922

subgenus *Catalaboides* Legalov, 2003b: 447 type species *Paramocolabus kazantsevi* Legalov, 2003

elegans Voss, 1933c: 113 (*Paramocolabus*) A: UP

kazantsevi Legalov, 2003b: 447 (*Paramocolabus*) A: SCH

nigrosuturalis Voss, 1930b: 80 (*Paramocolabus*) A: SCH

marieae Kresl, 2007: 127 (*Paramocolabus*) A: NP SD

pallidipennis Voss, 1925b: 220 (*Paramocolabus*) A: SD TAI **ORR**

rasuwanus Legalov, 2007a: 281 A: NP SD

simulatus G.A.K. Marshall, 1923: 283 (*Attelabus*) A: SD **ORR**

subgenus *Catalabus* Voss, 1925b: 214 type species *Attelabus sexplagiatus* Heller, 1922

quadriplagiatus Voss, 1953a: 49 (*Paramocolabus*) A: FUJ HAI YUN

genus *Paramocolabus* Jekel, 1860: 190 type species *Attelabus discolor* Fähræus, 1839

subgenus *Paramocolaboides* Legalov, 2007a: 280 type species *Attelabus feae* Faust, 1894

castaneicolor Jekel, 1860: 190 (*Attelabus*) A: FUJ GAN HUB HUN SHG XIN

feae Faust, 1894c: 162 (*Attelabus*) A: PA **ORR**

subfamily Attelabinae, nomina dubia

Attelabus bicoloratus Turton, 1800: 281 A: "Europe"

5.2. Subfamily Rhynchitinae Gistel, 1848

5.2.1. Tribe Auletini Desbrochers des Loges, 1908

5.2.1.1. Subtribe Auletina Desbrochers des Loges, 1908

genus *Auletes* Schoenherr, 1826: 46 type species *Auletes tubicen* Schoenherr, 1826

Tubicenus Latreille, 1829: 591 [no species included]

aeneus Legalov, 2002e: 178 N: LB

aeneus Voss, 1939b: 286 [NA]

graecus Legalov, 2002e: 179 E: GR

tubicen Schoenherr, 1826: 47 E: CR FR GR IT SP TR N: AG MO TU A: TR

meridionalis Jacquelin du Val, 1854a: 8

tubicen Boheman, 1829: 125

wagenblasti Uyttenboogaart, 1935b: 247 E: SP (Balears)

5.2.1.2. Subtribe Auletobiina ~~Legalov, 2001~~Voss, 1930

genus *Auletobius* Desbrochers des Loges, 1869d: 396 type species *Auletes basilaris* Gyllenhal, 1839 (= *Involvulus sanguisorbae* Schrank, 1798)

subgenus *Auletobius* Desbrochers des Loges, 1869d: 396 type species *Auletes basilaris* Gyllenhal, 1839 (= *Involvulus sanguisorbae* Schrank, 1798)

Auletulus Voss, 1922d: 23 type species *Auletulus kamerunensis* Voss, 1922

arunachalensis Legalov, 2007a: 36 **A:** AP

bengalensis Legalov, 2003b: 95 **A:** SD

berberidis Voss, 1933b: 135 **A:** SD UP

calvus Sharp, 1889: 72 (*Auletes*) **A:** JA

egorovi Legalov, 2006c: 16 **A:** FE HEI NC

emeishanicus Legalov, 2007a: 37 **A:** SCH

flavus Legalov, 2007a: 37 **A:** TAI

fochaensis Legalov, 2003b: 95 **A:** YUN

fumigatus Roelofs, 1875a: 151 (*Auletes*) **A:** FE FUJ JA NC SC

fukienensis Voss, 1941a: 239

japonicus Voss, 1922d: 41

testaceus Roelofs, 1875a: 152 (*Auletes*)

ghumensis Legalov, 2007a: 38 **A:** NP SD

habashanensis Legalov, 2007a: 38 **A:** YUN

hanashanensis Legalov, 2007a: 38 [NA]

humanicus Legalov, 2007a: 38 **A:** HUN

irkutensis Faust, 1893b: 201 **A:** BEI ES FE JIL LIA MG NC

jizushanensis Legalov, 2010: 168 **A:** YUN

lumensis Legalov, 2003b: 97 **A:** NP

nitens Kôno, 1930c: 32 **A:** TAI

obscurethoracalis Legalov, 2007a: 40 **A:** NP

planifrons Sawada, 1993: 28 **A:** JA (Ryukyu)

puberulus Faust, 1882a: 283 (*Auletes*) **A:** FE NC SC

qinlingensis Legalov, 2010a: 166 **A:** SHA

ruber Legalov, 2007a: 41 **A:** YUN

rufus Legalov, 2007a: 41 **A:** NP

sanguisorbae Schrank, 1798: 476 (*Involvulus*) **E:** AU BU CR CT CZ GE GR HU IT PL RO SK SL

ST SZ UK **A:** ANH ES FE HEI JA KZ MG NC NMO UZ WS **NAR**

basilaris Gyllenhal, 1839a: 346 (*Auletes*)

congruus Walker, 1866: 331 (*Rhynchites*)

nigrocyaneus Waltl, 1839: 222 (*Rhynchites*)

subcoeruleus LeConte, 1876: 4 (*Auletes*)

schoeni Legalov, 2001b: 41 **A:** SCH

shanpingensis Legalov, 2007a: 42 **A:** SCH

subbasalis Voss, 1933b: 119 **A:** FUJ SHN SHX **ORR**

taiwanensis Legalov, 2007a: 42 **A:** TAI

volkovitshi Legalov, 2003b: 102 **A:** NP

subgenus *Canarauletes* Legalov, 2007a: 44 type species *Auletes convexifrons* Wollaston, 1864

anceps Wollaston, 1864: 305 (*Auletes*) **N:** CI

freyi Uyttenboogaart, 1940c: 667

convexifrons Wollaston, 1864: 305 (*Auletes*) **N:** CI (Gran Canaria)

cylindricollis Wollaston, 1864: 304 (*Auletes*) **N:** CI

garajonay Stüben, 2015c: 2 **N:** CI (La Gomera)

maderensis Wollaston, 1854b: 416 (*Auletes*) **N:** MR (Madeira)

maroccanus A. Hoffmann, 1953c: 193 **E:** SP **N:** MO

subgenus *Pseudometopum* Legalov, 2003b: 105 type species *Auletobius subgranulatus* Voss, 1933

subgranulatus Voss, 1933b: 120 **A:** YUN **ORR**

submaculatus Sharp, 1889: 73 (*Auletes*) **A:** FE JA

subgenus *Rostauletes* Legalov, 2007a: 46 type species *Auletobius longirostris* Legalov, 2007

longirostris Legalov, 2007a: 46 **A:** TAI

5.2.1.3. Subtribe Pseudomesauletina Legalov, 2003

genus *Aletinus* Desbrochers des Loges, 1908c: 11 type species *Auletes maculipennis* Jacquelin du Val, 1854

subgenus *Aletinus* Desbrochers des Loges, 1908c: 11 type species *Auletes maculipennis* Jacquelin du Val, 1854

maculipennis Jacquelin du Val, 1854a: 8 (*Auletes*) E: FR (Corse) GR IT N: AG MO TU

concolor Desbrochers des Loges, 1869d: 406 (*Auletobius*)

lepigrei A. Hoffmann, 1958: 1732 (*Auletobius*) [NA]

nigriventris Ragusa, 1912: 248 (*Auletes*) [NA]

subgenus *Heterauletes* Voss, 1933b: 116 type species *Auletes constrictus* Reitter, 1891

akinini Faust, 1885c: 161 (*Auletes*) A: AF GAN IN KI KZ NMO TD TM UZ

beckeri Desbrochers des Loges, 1875e: 210 (*Auletes*) E: ST A: AB AR

constrictus Reitter, 1891a: 32 (*Auletes*) A: AB AR GG IN TM TR UZ

mongolicus Ter-Minasian, 1984: 302 (*Auletobius*) A: MG

genus *Dicranognathus* Kollar & L. Redtenbacher, 1844: 538 type species *Dicranognathus nebulosus* Kollar & L. Redtenbacher, 1844

bipunctatus Legalov, 2007a: 67 A: SCH

humanicus Legalov, 2007a: 67 A: HUN

nebulosus Kollar & L. Redtenbacher, 1844: 538 A: KA UP

obscurofasciatus Voss, 1936c: 280 A: YUN

genus *Eomesauletes* Legalov, 2001b: 52 type species *Rhynchites politus* Boheman, 1829 (= *Rhynchites politus* Lepeletier & Audinet-Serville, 1825)

politus Lepeletier & Audinet-Serville, 1825: 304 (*Rhynchites*) E: BH BU CR FR GR IT MC PL PT

SP ST TR UK N: MO A: AR CY IS JO LE SY TR

cremieri Voss, 1922d: 61 (*Auletobius*)

emgei Stierlin, 1888b: 60 (*Auletes*)

ilicis Gené, 1839a: 36 (*Rhynchites*)

ilicis Gené, 1839b: 76 (*Rhynchites*) [HN]

politus Boheman, 1829: 124 (*Rhynchites*) [HN]

tessoni Mulsant & Godart, 1868a: 407 (*Auletes*)

tessoni Mulsant & Godart, 1871a: 37 (*Auletes*) [HN]

genus *Eumetopon* Voss, 1922d: 30 type species *Auletobius flavimaculatus* Voss, 1922

subgenus *Eumetopon* Voss, 1922d: 30 type species *Auletobius flavimaculatus* Voss, 1922

flavimaculatum Voss, 1922d: 89 (*Auletobius*) A: ZHE ORR

chinense Voss, 1939d: 608 (*Auletobius*) [HN]

eduardi Legalov, 2003b: 13 (*Eumetopon*) [NA]

genus *Eurostauletes* Voss, 1933b: 116 type species *Auletes rubrorufus* Solsky, 1881

longimanus Gebler, 1829: 145 (*Rhynchites*) A: ES FE KZ MG WS

longipes Gyllenhal, 1839a: 321 (*Rhynchites*)

kaszabi Ter-Minasian, 1971a: 264 (*Auletobius*)

procerus Reitter, 1901b: 83 (*Auletes*) A: AF IN KI TD UZ

rubrorufus Solsky, 1881: 261 (*Auletes*) A: KI KZ TD UZ

turkestanensis Voss, 1933d: 134 (*Auletobius*)

genus *Mesauletobius* Legalov, 2001b: 51 type species *Auletes pubescens* Kiesenwetter, 1852

pubescens Kiesenwetter, 1852: 627 (*Auletes*) E: BU CR FR GR IT PT SP TR N: AG MO A: TR

cisticola Fairmaire, 1859i: clxiii (*Auletes*)

subplumbeus Chevrolat, 1860b: 129 (*Auletes*)

genus *Pseudomesauletes* Legalov, 2001b: 53 type species *Auletes uniformis* Roelofs, 1875

subgenus *Ovauletes* Legalov, 2007a: 59 type species *Pseudomesauletes latus* Legalov, 2007

brevis Legalov, 2007a: 59 A: NP

indicus Legalov, 2007a: 59 A: UP

latus Legalov, 2007a: 60 A: FUJ

sitschuanensis Legalov, 2001b: 55 (*Auletobius*) A: SCH

yunnanicus Legalov, 2007a: 60 A: YUN

subgenus *Pseudomesauletes* Legalov, 2001b: 53 type species *Auletes uniformis* Roelofs, 1875

fasciatus Legalov, 2007a: 61 A: YUN

formosanus Voss, 1922c: 277 (*Auletobius*) A: TAI
hirtellus Voss, 1941a: 240 (*Auletobius*) A: FUJ GUA GUX HEN HUB ZHE **ORR**
longicollis Faust, 1898c: 299 (*Auletobius*) A: HP PA **ORR**
nigrinus Voss, 1920: 161 (*Auletobius*) A: HP UP
nuristanensis Voss, 1959a: 68 (*Auletobius*) A: AF
subpicescens Voss, 1933b: 125 (*Auletobius*) A: UP **ORR**
subtuberculatus Voss, 1922c: 278 (*Auletobius*) A: TAI
tuberculatus Voss, 1922c: 278 (*Auletobius*) A: TAI
uniformis Roelofs, 1875a: 152 (*Auletes*) A: FE FUJ JA NC SC ZHE
okinawaensis Voss, 1971b: 43 (*Auletobius*)
subgenus *Rubrauletes* Legalov, 2003b: 123 type species *Auletobius consimilis* Voss, 1930
binbyanicus Legalov, 2007a: 65 A: YUN
chinensis Voss, 1933b: 128 (*Auletobius*) A: SHN
consimilis Voss, 1930b: 66 (*Auletobius*) A: NP UP YUN **ORR**
dundai Legalov, 2007a: 65 A: SCH YUN
huitongensis Legalov, 2007a: 66 A: HUN
klapperichi Voss, 1941a: 241 (*Auletobius*) A: FUJ YUN
kryzhanovskiyi Legalov, 2009b: 62 A: FUJ YUN
nanpingensis Legalov, 2007a: 66 A: SCH
nepalensis Voss, 1974: 44 (*Auletobius*) A: NP
perturbatus Voss, 1930b: 65 (*Auletobius*) A: SCH
poirasi Legalov, 2009b: 64 A: AP NP UP
sanguineus Voss, 1920: 162 (*Auletobius*) A: HP UP
thompsoni Legalov, 2009a: 30 A: YUN
vereshaginae Legalov, 2007a: 66 A: YUN

genus *Pseudomesauletes*, species incertae sedis
reichei Desbrochers des Loges, 1869d: 407 (*Auletobius*) [DA] A:"Arabie"

genus *Pseudodicranognathus* Legalov, 2001b: 64 type species *Pseudodicranognathus motschulskyi*
 Legalov, 2001
motschulskyi Legalov, 2001b: 64 A: "Northeastern India"

genus *Yunnanuletes* Legalov, 2007a: 58 type species *Yunnanuletes heishuensis* Legalov, 2007
heishuensis Legalov, 2007a: 59 A: SCH YUN
murzini Legalov, 2007a: 59 A: YUN

5.2.2. Tribe Byctiscini Voss, 1923

5.2.2.1. Subtribe Byctiscina Voss, 1923

genus *Aspidobyctiscus* Schilsky, 1903: U type species *Rhynchites lacunipennis* Jekel, 1860
subgenus *Aspidobyctiscus* Schilsky, 1903: U type species *Rhynchites lacunipennis* Jekel, 1860
lacunipennis Jekel, 1860: 225 (*Rhynchites*) A: ANH BEI ES FE FUJ GAN GUA GUX HEB HEI
 HEN HKG HUB HUN JA JIA JIL JIX LIA NC NP SC SCH SHA SHG SHN TAI WS **ORR**
amurensis Voss, 1930c: 199 (*Byctiscus*)
cicatricosus Motschulsky, 1860b: 173 (*Atelabus*)
collaris Voss, 1930c: 199 (*Byctiscus*)
subtilis Voss, 1930c: 199 (*Byctiscus*)
marshalli Legalov, 2009a: 35 A: NP UP **ORR**
nanpingensis Legalov, 2009a: 35 A: SCH
yunnanicus Voss, 1930c: 199 (*Byctiscus*) A: YUN
subgenus *Chinobyctiscus* Legalov, 2005: 110 type species *Aspidobyctiscus mirabilis* Legalov & N. Liu,
 2005
mirabilis Legalov & N. Liu, 2005: 111 A: HUB SCH
subgenus *Eobyctiscus* Legalov, 2005: 104 type species *Byctiscus coeruleans* Voss, 1929
coeruleans Voss, 1929a: 28 (*Byctiscus*) A: BEI FUJ HUB JIA JIX SHG TAI ZHE
pseudocoeruleans Legalov & N. Liu, 2005: 107 A: GUX
shiguensis Legalov, 2007a: 206 A: YUN

vossi Legalov & N. Liu, 2005: 104 A: ZHE
zhejiangensis Legalov & N. Liu, 2005: 106 A: ZHE
subgenus *Nepalobyctiscus* Legalov, 2003b: 332 type species *Aspidobyctiscus giganteus* Legalov, 2003
giganteus Legalov, 2003b: 332 A: NP
sculpturatus Pascoe, 1875a: 394 (*Rhynchites*) A: UP
subgenus *Parabyctiscus* Legalov, 2003b: 330 type species *Aspidobyctiscus kazantsevi* Legalov, 2003
kazantsevi Legalov, 2003b: 330 A: SCH
konoii Legalov & N. Liu, 2005: 112 A: YUN
niger Legalov, 2003b: 332 A: XIZ
subgenus *Taiwanobyctiscus* Kôno, 1929a: 128 type species *Byctiscus paviei* Aurivillius, 1891
complanatus Voss, 1933c: 111 (*Byctiscus*) A: HEB
cyanocupreus Legalov & N. Liu, 2005: 110 A: YUN
cyanocuperus Legalov & N. Liu, 2005: 110 [NA]
nigrocyanus Legalov & N. Liu, 2005: 108 A: YUN
paviei Aurivillius, 1891: 207 (*Byctiscus*) A: ANH FUJ GUA GUX HEB HEI HUB JIA JIL JIX LIA
SCH SHA TAI YUN "Korea" **ORR**
separandus Voss, 1930c: 200 (*Byctiscus*) A: TAI
marinus Voss, 1922c: 285 (*Byctiscus*) [NA]
marinus Legalov, 2003b: 328 [NA]
sitchuanensis Legalov, 2003b: 328 A: SCH

genus *Byctisculus* Legalov, 2003b: 324 type species *Byctiscidius griseus* Voss, 1931
griseoides Legalov, 2007a: 200 A: YUN
griseus Voss, 1930c: 231 (*Byctiscidius*) A: YUN **ORR**

genus *Byctiscus* C.G. Thomson, 1859: 130 type species *Curculio populi* Linnaeus, 1758
Bystictus Desbrochers des Loges, 1908h: 80 [URN]
angusticollis Legalov, 2007a: 201 A: FUJ JIX
angusticollis Voss, 1931b: 220 [NA]
betulae Linnaeus, 1758: 381 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU IT LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: AB AR
ES FE GG GUI HEI HEN IN IS JIL JIX KZ LIA SY SW TM TR WS "Korea"
alni O.F. Müller, 1776: 91 (*Rhinomacer*) [RN]
alni Schrank, 1798: 474 (*Involvulus*) [RN, HN]
auratus Geoffroy, 1785: 113 (*Rhinomacer*)
betuleti Fabricius, 1792: 387 (*Attelabus*) [RN]
bispinus O.F. Müller, 1776: 91 (*Rhinomacer*)
coeruleatus Voss, 1930c: 197 [NA]
cuprinus Schilsky, 1903: 59 [NA]
destitutus Voss, 1930c: 197
inermis O.F. Müller, 1776: 91 (*Rhinomacer*)
intermedius Voss, 1930c: 197
nitens Marsham, 1802: 242 (*Curculio*) [HN]
unispinus O.F. Müller, 1776: 91 (*Rhinomacer*)
viridis Wasmann, 1887: 314 (*Rhynchites*) [HN]
viridulus Westhoff, 1882: 232 (*Rhynchites*)

bilineatoides Legalov, 2007a: 202 A: SCH SHX YUN
bilineatus Legalov, 2003b: 326 A: HEB ZHE
congener Jekel, 1860: 224 (*Rhynchites*) A: ES FE FUJ HEB HEN HUB JA LIA NC SC SCH SHG
SHX ZH
motschoulskyi Sharp, 1889: 58 [RN]
motschulskyi Lewis, 1879a: 22 (*Rhynchites*) [URN]
motschulskyi Faust, 1890f: 429 [HN]
puberulus Motschulsky, 1860b: 170 (*Rhynchites*)
subauratus Voss, 1943c: 230
tsherskii Suvorov, 1915b: 345
 davidiani Legalov, 2003b: 325 A: HUB SCH
 davidis Fairmaire, 1878a: 130 (*Rhynchites*) A: SCH
 fausti Sharp, 1889: 60 A: FE JA NC SC
 gibbistrois Schilsky, 1906a: 85
 fukienensis Voss, 1949: 158 A: FUJ
 fulminans Voss, 1930c: 199 A: HEN JIX SHN ZHE
 lucidus Voss, 1930c: 199
 himalayaensis Legalov, 2007a: 203 A: "Himalaya"

impressus formosanus Voss, 1922c: 285 A: TAI
impressus impressus Fairmaire, 1900: 636 (*Rhynchites*) A: ANH FUJ GAN GUA GUI HUB JIX SCH
 SHA SHG ZHE
chinensis Formánek, 1911: 208
subpectitus Voss, 1943c: 232
kresli Legalov, 2003b: 327 A: SCH
macros Legalov, 2004a: 70 A: SHA SCH
minimus Legalov & N. Liu, 2005: 102 A: HEB
moupinensis Legalov, 2007a: 204 A: SCH
mutator Faust, 1890f: 429 A: GAN YUN
populi Linnaeus, 1758: 381 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
 HU IT LA LT LU MC MD NL NR NT PL RO SB SK SL SP ST SV SZ UK A: ES FE IN JA
 KI KZ MG NE NMO QIN SCH SHX TD TR UZ WS
cupreus Wasmann, 1887: 314 (*Rhynchites*) [HN]
cuprifer Schilsky, 1903: 58
nigripes Faust, 1882a: 289
nigritulus Schilsky, 1889: 340
parvulus Sharp, 1889: 60
semicupreus Voss, 1930c: 198 [NA]
tataricus Faust, 1882a: 289
transbaicalius Voss, 1930c: 197 [NA]
potanini Legalov, 2004a: 70 A: SCH
princeps Solsky, 1872: 284 (*Rhynchites*) A: BEI ES FE GAN HEB HEI HEN JA JIL LIA NC SC
 SCH SHG SHX XIZ
regalis Roelofs, 1874: 142 (*Rhynchites*)
qingensis Legalov, 2009a: 34 A: SHA
regularis Voss, 1930b: 79 A: ANH FE HEB HEI LIA NC SC
rugosus Gebler, 1829: 146 (*Rhynchites*) A: BEI ES FE FUJ GAN HEI HUB JA JIL KZ MG NC
 NMO SC SCH SHX WS XIN ZHE **ORR**
cyanicolor Voss, 1920: 170 [NA]
diversicolor H.J. Kolbe, 1886a: 217 (*Rhynchites*)
obscuricyaneus Faust, 1890f: 430 [NA]
obscuricupreus Voss, 1920: 170 [NA]
omissus Voss, 1920: 169
similaris Voss, 1920: 170 A: HUB ZHE
thibetanus Legalov, 2007a: 206 A: XIZ
thibetanus Voss, 1933d: 137 [NA]
venustus Pascoe, 1875a: 393 (*Rhynchites*) A: FE HUB JA NC SC
haroldi Roelofs, 1879b: liii (*Rhynchites*)
hime Kôno, 1929b: 53
reversus Sharp, 1889: 60

genus *Byctiscus*, species incertae sedis
auronitens Gistel, 1857: 534 (*Rhynchites*) E: GE
bicolor Gistel, 1857: 534 (*Rhynchites*) E: GE

genus *Neobyctiscidius* Legalov, 2007a: 201 type species *Neobyctiscidius hamungensis* Legalov, 2007
weibaoshanensis Legalov, 2008a: 50 A: YUN

5.2.2.2. Subtribe Listrobyctiscina Legalov, 2003

genus *Nelistrobyctiscus* Legalov, 2003b: 338 type species *Rhynchites gagates* Pascoe, 1875
subgenus *Listrobyctiscidius* Legalov, 2003b: 339 type species *Byctiscus patruelis* Voss, 1922
patruelis Voss, 1922c: 283 (*Byctiscus*) A: TAI
pseudopatruelis Legalov & N. Liu, 2005: 112 A: LIA
sichuanensis Legalov, 2007a: 213 A: SCH

5.2.2.3. Subtribe Svetlanaebyctiscina Legalov, 2003

genus *Baikovius* Legalov, 2005: 100 type species *Baikovius unicus* Legalov & N. Liu, 2005
unicus Legalov & N. Liu, 2005: 100 A: YUN

genus *Byctiscidius* Voss, 1923: 510 type species *Byctiscidius insularis* Voss, 1923

Probyctiscidius Legalov, 2007a: 199 type species *Byctiscidius insularis* Voss, 1923
parcus Voss, 1920: 168 (*Rhynchites*) A: LIA

genus *Byctiscophilus* Voss, 1930c: 193 type species *Byctiscophilus championi* Voss, 1931
championi Voss, 1931b: 232 A: NP UP

genus *Probyctisculus* Legalov, 2007a: 199 type species *Probyctisculus mustangensis* Legalov, 2007
mustangensis Legalov, 2007a: 200 A: NP
nanitalensis Legalov, 2007a: 200 A: UP

genus *Svetlanaebyctiscus* Legalov, 2001a: 341 type species *Caenorhinus vitis* Ter-Minasian, 1959
dundai Legalov, 2008a: 49 A: YUN
vitis Ter-Minasian, 1959: 361 (*Caenorhinus*) A: FE

5.2.3. Tribe Deporaini Voss, 1929

5.2.3.1. Subtribe Chonostropheina Morimoto, 1962

genus *Chonostropheus* Prell, 1924: 162 type species *Attelabus tristis* Fabricius, 1794
Rhinchiobius Kôno, 1928: 177 type species *Attelabus tristis* Fabricius, 1794
chinensis Voss, 1939d: 613 A: ZHE
chujoi Voss, 1956a: 13 A: JA
seminiger Reitter, 1881: 516 (*Rhynchites*) E: AU FR GE IT ST SZ A: AB AR GG TR
bavariensis Voss, 1939d: 615
tristis Fabricius, 1794: 454 (*Attelabus*) E: AL AU BE BH BU CR CZ FR GE GR HU IT MD NL PL
RO SB SK SL ST SZ UK
thoracocircularis Illiger, 1808a: 306 (*Rhynchites*) [NA]

5.2.3.2. Subtribe Deporaina Voss, 1929

genus *Caenorhinus* C.G. Thomson, 1859: 130 type species *Rhynchites megacephalus* Germar, 1823
subgenus *Acaenorhinus* Legalov, 2007a: 106 type species *Deporaus impressipennis* Voss, 1922
nigriceps Voss, 1922e: 394 (*Deporaus*) A: FUJ ORR
subgenus *Apoderites* Sawada, 1987: 654 type species *Apoderites commodus* Sawada, 1987
commodus Sawada, 1987: 654 (*Apoderites*) A: JA
subgenus *Arodepus* Heller, 1922b: 551 type species *Eugnamptus marginellus* Faust, 1898
Arodepus Voss, 1922e: 387 [HN] type species *Deporaus penangensis* Voss, 1922
marginellus Faust, 1898c: 299 (*Eugnamptus*) A: NP ORR
marginatus Faust, 1894c: 168 (*Deporaus*) [HN]
semirufus Faust, 1898c: 299 (*Deporaus*)
subgenus *Asiodeporaus* Legalov, 2007a: 109 type species *Caenorhinus indochinensis* Legalov, 2007
bicoloripes Legalov, 2007a: 109 A: YUN
subgenus *Caenorhinus* C.G. Thomson, 1859: 130 type species *Rhynchites megacephalus* Germar, 1823
brevis Legalov, 2007a: 116 A: YUN
dundai Legalov, 2007a: 116 A: SCH
eumegacephalus Sawada, 1993: 80 (*Deporaus*) A: FE JA
megacephalus Germar, 1823: 187 (*Rhynchites*) E: AU BE CT CZ DE EN FI FR GB GE HU IT LA
LT LU MC NL NR NT PL SB SK SP SV SZ UK A: ES FE FUJ HEB HEI JA MG NC SC
SCH SHX UP WS YUN
constrictus Gyllenhal, 1839a: 335 (*Rhynchites*)
cyaneopennis Stephens, 1831h: 199 (*Rhynchites*)
laevicollis Stephens, 1831h: 199 (*Rhynchites*)
mannerheimii Hummel, 1823: 45 (*Rhynchites*)
planipennis Roelofs, 1875a: 150 (*Rhynchites*)
potanini Legalov, 2007a: 117 A: SCH
rasuwanus Legalov, 2007a: 117 A: NP
rusticapitus Legalov, 2007a: 117 A: SCH
yundianensis Legalov, 2007a: 117 A: YUN
subgenus *Convexodeporaus* Legalov, 2003b: 104 type species *Deporaus parvicollis* Voss, 1942
parvicollis Voss, 1942b: 98 (*Deporaus*) A: FUJ
subgenus *Flavodeporaus* Legalov, 2007a: 109 type species *Deporaus nigricornis* Heller, 1922

atrorufus Voss, 1942b: 97 (*Deporaus*) A: FUJ YUN
bifasciatus Legalov, 2007a: 110 A: YUN
eduardi Legalov, 2007a: 111 A: YUN
femoratus Voss, 1942b: 97 (*Deporaus*) A: FUJ
fukienensis Voss, 1941a: 245 (*Deporaus*) A: FUJ
fuscipennis Sharp, 1889: 71 (*Deporaus*) A: FE JA (Hokkaido, Honshu)
flavipes Schilsky, 1906a: 80 (*Rhynchites*) [HN]
gilviventris Voss, 1938b: 105 (*Deporaus*) A: FUJ **ORR**
insularis Sawada, 1993: 76 (*Deporaus*) A: JA (Ryukyu) NC
klapperichi Voss, 1941a: 244 (*Deporaus*) A: FUJ
mansiensis Legalov, 2007a: 113 A: YUN
nigroapicalis Legalov, 2007a: 113 A: YUN ZHE
ohdaisanus Nakane, 1963a: 33 (*Deporaus*) A: JA (Honshu) NC
phohaensis Legalov, 2007a: 114 A: YUN
pseudofemoratus Legalov, 2007a: 114 A: FUJ
tigris Sawada, 1993: 72 (*Deporaus*) A: JA (Kyushu)
vossi Sawada, 1993: 78 (*Deporaus*) [RN] A: FE JA (Honshu, Shikoku) SC
pallidiventris Voss, 1957b: 33 (*Deporaus*) [HN]
subgenus *Hypodeporaus* Voss, 1922e: 388 type species *Deporaus conicirostris* Voss, 1922
pokharensis Legalov, 2007a: 106 A: NP
subgenus *Metallarodepus* Legalov, 2003b: 195 type species *Deporaus flaviventris* Voss, 1924
davidiani Legalov, 2007a: 117 A: SCH
flaviventris Voss, 1924b: 39 (*Deporaus*) A: SCH SD YUN **OR**
flaviventris Voss, 1938b: 106 (*Deporaus*) [HN]
flaviventroides Legalov, 2007a: 118 A: YUN
orlovi Legalov, 2007a: 118 A: NP
socius Faust, 1882a: 286 (*Rhynchites*) A: SD UP **ORR**
subgenus *Neoarodepus* Legalov, 2003b: 183 type species *Deporaus subcoarctatus* Voss, 1938
rufiventris Voss, 1922c: 280 (*Deporaus*) A: TAI
subcoarctatus Voss, 1938b: 104 (*Deporaus*) A: FUJ NP UP
subgenus *Nigroarodepus* Legalov, 2003b: 185 type species *Caenorhinus zherichini* Legalov, 2003
biounctatus Legalov, 2007a: 104 (*Nigroarodepus*) A: YUN
subgenus *Orientalodepus* Legalov, 2003b: 186 type species *Deporaus minimus* Kôno, 1928
minimus koreanus Voss, 1929a: 28 (*Depasophilus*) A: BEI FE FUJ HEB HEI NC S
pauculus Voss, 1941b: 117 (*Deporaus*)
minimus minimus Kôno, 1928: 175 (*Deporaus*) A: JA
pacatoides Voss, 1937e: 207 (*Depasophilus*)
subgenus *Platyrrhynchites* Voss, 1922e: 387 type species *Deporaus basalis* Voss, 1922
robertsi Voss, 1935d: 95 A: PA
robertsi Voss, 1938b: 105 [HN]
subgenus *Platyrrhynchitoides* Legalov, 2007a: 105 type species *Deporaus indicus* Voss, 1924
indicus Voss, 1924b: 39 A: NP SD **ORR**
subgenus *Pseudodepasophilus* Voss, 1942b: 96 type species *Depasophilus blandulus* Voss, 1942
blandulus Voss, 1942b: 95 (*Depasophilus*) A: FUJ

genus *Caenorhinus*, species incertae sedis
disjunctus Voss, 1938b: 100 (*Deporaus*) A: “India” **ORR**
incertus Voss, 1958b: 12 (*Deporaus*) A: FUJ
marginatus Pascoe, 1883b: 123 (*Eugnamptus*) A: AP GUA GUX PA YUN **ORR**
subtilis Voss, 1938b: 105 (*Deporaus*) A: FUJ

genus *Capylarodepus* Voss, 1922e: 387 type species *Deporaus galeruoides* Heller, 1922
subgenus *Capylarodepopsis* Legalov, 2003b: 179 type species *Capylarodepopsis medvedevi* Legalov, 2003
medvedevi Legalov, 2003b: 179 (*Capylarodepopsis*) A: YUN **ORR**

genus *Chokkirius* Kôno, 1929a: 122 type species *Rhynchites rosti* Schilsky, 1906 (= *Rhynchites truncatus* Sharp, 1889)
truncatus Sharp, 1889: 67 (*Rhynchites*) A: FE JA NC SC TAI
rosti Schilsky, 1906a: 79 (*Rhynchites*)

genus *Deporaus* Samouelle, 1819: 201 [NP] type species *Attelabus betulae* Linnaeus, 1758
subgenus *Caeruleodeporaus* Legalov, 2007a: 94 type species *Deporaus lizipingensis* Legalov, 2007
brunneoclavus Legalov, 2007a: 94 A: YUN
cangshauensis Legalov, 2007a: 95 A: YUN
flaviclavus Legalov, 2007a: 95 A: SCH YUN
gunlaishanensis Legalov, 2007a: 95 A: YUN
hingensis Legalov, 2007a: 95 A: YUN
kangdingensis Legalov, 2007a: 95 A: SCH
lizipingensis Legalov, 2007a: 95 A: SCH
mugezoensis Legalov, 2007a: 95 A: SCH
nanlingensis Legalov, 2007a: 95 A: GUA
weishanensis Legalov, 2007a: 96 A: YUN
subgenus *Chinadeporaus* Legalov, 2007a: 91 type species *Deporaus bicolor* Voss, 1938
bicolor Voss, 1938b: 106 A: FUJ GAN JIA SHG ZHE **ORR**
minuroides Voss, 1958b: 10 (*Depasophilus*) A: FUJ
nepalensis Legalov, 2007a: 92 (*Chinadeporaus*) A: NP
ruber Legalov & N. Liu, 2005: 99 A: YUN
sichuanensis Legalov, 2007a: 92 (*Chinadeporaus*) A: SCH
strigellus Voss, 1958b: 10 (*Depasophilus*) A: FUJ
tschungseni Voss, 1958b: 9 (*Depasophilus*) A: FUJ
yunnanicus Legalov, 2007a: 92 (*Chinadeporaus*) A: YUN
subgenus *Deporaus* Samouelle, 1819: 201 [NP] type species *Attelabus betulae* Linnaeus, 1758
Platyrynchus Thunberg, 1815: 110 [NO] type species *Attelabus betulae* Linnaeus, 1758
betulae Linnaeus, 1758: 387 (*Attelabus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LT LU MC MD NL NR NT PL RO SB SK SL SP ST SV SZ UK N: AG A: AB
BEI ES FE GG HEB HEI HUB IN JA (Hokkaido) KZ MG NC TR WS ZHE
excoriatoniger DeGeer, 1775: 259 (*Curculio*)
femoratus Olivier, 1789: 280 (*Attelabus*)
fuliginosus Gmelin, 1790: 1758 (*Curculio*)
niger Geoffroy, 1785: 114 (*Rhinomacer*)
nigrostriatus Goeze, 1777: 380 (*Curculio*)
nigrostriatus Petagna, 1792: 221 (*Curculio*) [HN]
populi Scopoli, 1763: 25 (*Curculio*) [HN]
populneus Gmelin, 1790: 1801 (*Curculio*) [RN]
hengjanensis Legalov, 2011d: 295 A: SHX
podager Desbrochers des Loges, 1889a: xxxv (*Rhynchites*) A: IN SY TR
asiaticus Voss, 1974: 45 (*Deporaus*)
subgenus *Neodeporaus* Kôno, 1928: 177 type species *Neodeporaus femoralis* Kôno, 1928
femoralis Kôno, 1928: 176 (*Neodeporaus*) A: TAI
subgenus *Paleodeporaus* Legalov, 2003b: 174 type species *Deporaus rhynchitoides* Sawada, 1993
Paleodeporaoides Legalov, 2007a: 93 type species *Paleodeporaus daliensis* Legalov, 2007
amplicolis Voss, 1942b: 99 (*Deporaus*) A: FUJ ZHE
daliensis Legalov, 2007a: 94 (*Paleodeporaus*) A: YUN
jiriensis Legalov, 2007a: 92 (*Paleodeporaus*) A: NP
kathmanduensis Legalov, 2007a: 93 (*Paleodeporaus*) A: NP
luctuosus Voss, 1938b: 107 A: UP
reitteri Voss, 1935c: 62 A: SCH
rhynchitoides Sawada, 1993: 85 A: FE JA (Kyushu)
ussuriensis Legalov, 2006a: 3 A: BEI FE GAN HEI HUB
xishamensis Legalov, 2007a: 93 (*Paleodeporaus*) A: YUN
subgenus *Parvodeporaus* Legalov, 2007a: 94 type species *Parvodeporaus gaoligongiensis* Legalov, 2007
gaoligongiensis Legalov, 2007a: 94 (*Parvodeporaus*) A: YUN
subgenus *Pseudapoderites* Legalov, 2003b: 173 type species *Rhynchites pacatus* Faust, 1882
azarovae Legalov, 2006a: 2 A: FE (Sakhalin)
lewisi Legalov, 2007a: 96 A: CH
pacatus Faust, 1882a: 285 (*Rhynchites*) A: FE HEI JA NC SC
pseudopacatus Legalov, 2007a: 96 A: YUN
septemtrionalis Sawada, 1993: 84 A: FE JA
septemtrionalis Legalov, 2003b: 174 [NA]

subgenus *Roelofsidepressora* Legalov, 2003b: 174 type species *Deporaus affectatus* Faust, 1887
Japonodepora Legalov, 2007a: 96 type species *Deporaus hartmanni* Voss, 1929
affectatus Faust, 1887h: 163 A: BEI ES FE HEB HEI JA (Hokkaido) JIL NC SHA
hartmanni Voss, 1929a: 28 A: FE JA (Honshu, Kyushu)
nidificus Sawada & Lee, 1986: 672 A: FE JA (Honshu, Kyushu)
unicolor Roelofs, 1875a: 149 (*Rhynchites*) A: FE FUJ HEB HEI JA JIL NC SC YUN **ORR**
yunnanicus Voss, 1930b: 80 (*Deporaus*)

genus *Eusproda* Sawada, 1987: 657 type species *Rhynchites proximus* Faust, 1882
fengshuensis Legalov, 2009a: 31 A: FUJ
proxima Faust, 1882a: 287 (*Rhynchites*) A: ES FE JA (Tsushima) NC SC NE ZHE
illibata Voss, 1920: 166 (*Rhynchites*)
sichotana Ter-Minasian, 1950: 150 (*Depasophilus*)
tumida Voss, 1938b: 107 (*Deporaus*) A: SD

genus *Evemphyron* Alonso-Zarazaga, Lv & Wang, 2016: 91 type species *Evemphyron sinense* Alonso-Zarazaga, Lv & Wang, 2016
sinense Alonso-Zarazaga, Lv & Wang, 2016: 96 A: SCH

genus *Exrhynchites* Voss, 1930b: 80 type species *Deporaus puberulus* Faust, 1894
himachalensis Legalov, 2007a: 90 A: HP
major Voss, 1932b: 72 (*Deporaus*) A: YUN
mechtensis Legalov, 2007a: 91 A: NP
minor Voss, 1937c: 278 (*Deporaus*) A: YUN ZHE
puberulus Faust, 1894c: 166 (*Deporaus*) A: FUJ GUA GUI GUX HUB YUN **ORR**
subplanus Voss, 1920: 166 (*Rhynchites*) A: HP UP

genus *Paradeporaus* Kôno, 1927b: 60 type species *Paradeporaus parasiticus* Kôno, 1927 (= *Rhynchites depressus* Faust, 1882)
depressus Faust, 1882
Adepora Voss, 1941b: 117 type species *Deporaus punctatissimus* Reitter, 1899 (= *Rhynchites depressus* Faust, 1882)
depressus Faust, 1882a: 287 (*Rhynchites*) A: BEI FE HEI HUB JA NC
parasiticus Kôno, 1927b: 60
punctatissimus Reitter, 1899f: 306 (*Deporaus*)

5.2.4. Tribe Eugnamptini Voss, 1930

genus *Aderorhinus* Sharp, 1889: 68 type species *Rhynchites crioceroides* Roelofs, 1874
bicolor Legalov, 2007a: 71 A: AP NP
crioceroides Roelofs, 1874: 147 (*Rhynchites*) A: FE JA SC **ORR**
formosanus Legalov, 2007a: 72 A: TAI
nepalensis Legalov, 2007a: 72 A: NP
pedicellaris Voss, 1930b: 67 A: FUJ HUN SCH YUN ZHE
variabilis Voss, 1941c: 124 A: NP YUN **ORR**
vossi Legalov, 2007a: 72 A: NP **ORR**

genus *Eugnamptobius* Voss, 1922e: 412 type species *Eugnamptus insularis* Voss, 1922
subgenus *Cateugnamptus* Legalov, 2007a: 72 type species *Eugnamptus affinis* Voss, 1924
affinis Voss, 1924b: 35 (*Eugnamptus*) A: SD **ORR**
congestus Voss, 1941c: 191 (*Eugnamptus*) A: FUJ GUA GUI HAI SCH SD YUN **ORR**
venustus Kôno, 1930c: 29 (*Aderorhinus*) A: FE JA TAI "Korea"
subgenus *Chryseugnamptus* Legalov, 2003b: 150 type species *Rhynchites flavirostris* Desbrochers des Loges, 1890
caeruleoflavus Legalov, 2007a: 78 (*Chryseugnamptus*) A: ZHE
chengduensis Legalov, 2007a: 78 (*Chryseugnamptus*) A: SCH
desbrochersi Legalov, 2007a: 78 (*Chryseugnamptus*) A: YUN
subgenus *Cyaneugnamptus* Legalov, 2003b: 147 type species *Cyaneugnamptus tenuicollis* Legalov, 1903
lunlinensis Legalov, 2003b: 149 (*Cyaneugnamptus*) A: YUN
pilosellus Voss, 1941c: 192 (*Eugnamptus*) A: SD **ORR**
pseudosauteri Legalov, 2007a: 78 (*Cyaneugnamptus*) A: TAI

sauteri Voss, 1922c: 279 (*Eugnamptus*) A: JA (Ryukyu) TAI
subgenus *Eugnamptobius* Voss, 1922e: 412 type species *Eugnamptus insularis* Voss, 1922
Eugnamptinus Legalov, 2003b: 143 type species *Eugnamptus ixiger* Voss, 1941
aurifrons Roelofs, 1875a: 151 (*Eugnamptus*) A: JA
cervinus Voss, 1930b: 67 (*Eugnamptus*) A: SCH YUN
distinctus Kôno, 1930c: 30 (*Eugnamptus*) A: TAI
diversus Voss, 1949: 156 (*Eugnamptus*) A: FUJ
dubius Voss, 1949: 155 (*Eugnamptus*) A: FUJ
flavipes Sharp, 1889: 70 (*Eugnamptus*) A: FE JA
fukienensis Voss, 1942b: 90 (*Eugnamptus*) A: FUJ
kuatunensis Voss, 1949: 153 (*Eugnamptus*) A: FUJ
morimotoi Nakane, 1963a: 34 (*Eugnamptus*) A: JA (Honshu)
nepalensis Legalov, 2003b: 145 (*Eugnamptinus*) A: NP
pedestris Voss, 1949: 155 (*Eugnamptus*) A: FUJ
pelletieri Legalov, 2007a: 75 A: GUX
sanguinolentus Voss, 1939d: 609 (*Eugnamptus*) A: FUJ ZHE
santaysanensis Legalov, 2007a: 76 A: YUN
subcoeruleifrons Voss, 1939d: 610 (*Eugnamptus*) A: ZHE **ORR**
subcoeruleifrons Voss, 1941c: 204 (*Eugnamptus*) [HN]
tsindunensis Legalov, 2007a: 76 A: YUN
weishanensis Legalov, 2007a: 77 A: YUN
subgenus *Oreugnamptus* Voss, 1941c: 208 type species *Eugnamptus tessellatus* Voss, 1920
tessellatus Voss, 1920: 171 (*Eugnamptus*) A: HP NP SD UP

genus *Eugnamptus* **Schoenherr, 1839: 339** type species *Anthrribus collaris* Fabricius, 1801 (= *Rhynchites angustatus* Herbst, 1797)
Chineugnamptus Legalov, 2007a: 83 type species *Chineugnamptus kubani* Legalov, 2007
dibaphus Voss, 1942a: 26 A: FUJ YUN **ORR**
kazantsevi Legalov, 2003b: 156 A: ANH
kubani Legalov, 2007a: 83 (*Chineugnamptus*) A: YUN
lacunosus Voss, 1949: 157 A: FUJ GUA HUB SCH YUN ZHE
rusticus Legalov, 2003b: 160
manshinsis Legalov, 2003b: 157 A: YUN
monchadskii Legalov, 2007a: 86 A: YUN
palleolus Voss, 1939d: 610 A: HKG
palleolus Voss, 1941c: 169 [HN]
rudis Legalov, 2007a: 87 A: YUN
sitshuanensis Legalov, 2003b: 160 A: HUB SCH YUN
zhejiangensis Legalov, 2003b: 161 A: ANH FUJ HUB SHA ZHE

genus *Neoeugnamptus* **Legalov, 2003b: 152** type species *Rhynchites amurensis* Faust, 1882
subgenus *Neoeugnamptus* Legalov, 2003b: 152 type species *Rhynchites amurensis* Faust, 1882
amurensis Faust, 1882a: 285 (*Rhynchites*) A: BEI FE FUJ GUI HEI JA JIL NC SC SHA ZHE
fragilis Sharp, 1889: 69 (*Eugnamptus*)
gracilicornis Schilsky, 1906a: 81 (*Rhynchites*)
austrochinensis Legalov, 2007a: 79 A: ZHE
cangshanensis Legalov, 2007a: 79 A: YUN
cyaneus Legalov, 2007a: 79 A: YUN
dundai Legalov, 2007a: 80 A: SCH
habashanensis Legalov, 2007a: 80 A: YUN
instabilis Voss, 1941c: 180 (*Eugnamptus*) A: YUN
konstantinovi Legalov, 2007a: 80 A: YUN
lijiangensis Legalov, 2007a: 80 A: YUN
linanensis Legalov, 2003b: 152 A: ZHE
nepalicus Legalov, 2003b: 153 A: NP
panfilovi Legalov, 2003b: 153 A: HAI YUN
parvulus Voss, 1941c: 182 (*Eugnamptus*) A: ZHE
potanini Legalov, 2003b: 153 A: SCH
taihorinensis Voss, 1922c: 280 (*Eugnamptus*) A: TAI

tarokoensis Legalov, 2007a: 81 A: TAI
volkovitshi Legalov, 2003b: 153 A: YUN
weibaoshanensis Legalov, 2007a: 81 A: YUN
yunnanensis Voss, 1941c: 180 (*Eugnamptus*) A: YUN
subgenus *Proteugnamptellus* Legalov, 2003b: 139 type species *Eugnamptus bimaculosus* Voss, 1941 (= *Eugnamptus bimaculosus* Voss, 1939)
bimaculosus Voss, 1939d: 610 (*Eugnamptus*) A: NP UP
bimaculosus Voss, 1941c: 166 (*Eugnamptus*) [HN]
damonlunsis Legalov, 2003b: 140 (*Proteugnamptellus*) A: YUN
indicus Legalov, 2003b: 141 (*Proteugnamptellus*) A: SD
julonxueshanicus Legalov, 2007a: 71 (*Proteugnamptellus*) A: YUN

5.2.5. Tribe Rhinocartini Voss, 1931

genus *Socotrorhinus* Skuhrovec & Kresl, 2014: 285 type species *Socotrorhinus boswelliae* Skuhrovec & Kresl, 2014
boswelliae Skuhrovec & Kresl, 2014: 288 A: YE (Suqutra)

5.2.6. Tribe Rhynchitini Gistel, 1848

genus *Auletomorphinus* Legalov, 2007a: 134 type species *Auletomorphinus limbourgi* Legalov, 2007
yunnanensis Legalov, 2003b: 241 A: YUN

genus *Auletomorphus* Voss, 1923: 489 type species *Rhynchites cupido* Pascoe, 1875
subgenus *Auletomorphus* Voss, 1923: 489 type species *Rhynchites cupido* Pascoe, 1875
cupido Pascoe, 1875a: 394 A: FUJ SD UP **ORR**
bicuspis Voss, 1924b: 42 (*Rhynchites*)
habashanensis Legalov, 2011d: 298 A: YUN
montanus Legalov, 2003b: 240 A: FUJ GUA NP SCH YUN
tonkinensis Voss, 1924b: 41 (*Rhynchites*) A: FUJ JIX SHN YUN **ORR**
monticola Voss, 1930b: 68 (*Rhynchites*)

genus *Bicolorhynchus* Legalov, 2003b: 284 type species *Bicolorhynchus longiclavus* Legalov, 2003
longiclavoides Legalov, 2007a: 151 A: YUN

genus *Cartorhynchites* Voss, 1958b: 5 type species *Rhynchites pallicollis* Voss, 1932
subgenus *Cartorhynchoides* Legalov, 2003b: 276 type species *Rhynchites apertus* Sharp, 1889
aerosus Voss, 1958b: 6 (*Involvulus*) A: FUJ
amamiensis Voss, 1971b: 44 (*Involvulus*) A: FE JA (Ryukyu)
apertus Sharp, 1889: 66 (*Rhynchites*) A: FE JA
crassiusculus Voss, 1938c: 145 (*Rhynchites*) A: "India"
flavus Sawada, 1993: 52 (*Involvulus*) A: JA (Ryukyu)
nantouensus Legalov, 2007a: 144 A: TAI
subtilis Sawada, 1993: 56 (*Involvulus*) A: FE JA (Ryukyu)
subgenus *Hyperinvolvulus* Legalov, 2003b: 277 type species *Cartorhynchites angusticlavus* Legalov, 2003
coarctus Voss, 1938d: 164 (*Rhynchites*) A: SD **ORR**
motschulskyi Legalov, 2007a: 145 A: NP
subgenus *Pseudocartorhynchites* Legalov, 2007a: 146 type species *Cartorhynchites beijinensis* Legalov, 2007
Pseudocartorhynchites Legalov, 2007a: 146 [NA]
beijinensis Legalov, 2007a: 146 A: BEI

genus *Cneminvolvulus* Voss, 1960b: 413 type species *Rhynchites rugosicollis* Voss, 1920
subgenus *Cneminvolvulus* Voss, 1960b: 413 type species *Rhynchites rugosicollis* Voss, 1920
rugosicollis Voss, 1920: 165 (*Rhynchites*) A: FE FUJ HEI JA (Tsushima) LIA NC SC SHX
foochowensis Voss, 1960b: 414 (*Involvulus*)
mandli Voss, 1931c: 192 (*Rhynchites*)
subgenus *Eocneminvolvulus* Legalov, 2003b: 249 type species *Cneminvolvulus cuprinus* Legalov, 2003
desbrochersi Legalov, 2007a: 160 A: "Ind[ia]. Bor[nealis]."

longehirtus Fairmaire, 1882a: 67 (*Rhynchites*) A: "Inde boréale"
phohaensis Legalov, 2007a: 160 A: YUN
rasuwanus Legalov, 2007a: 160 A: NP
subgenus *Metinvolvulus* Legalov, 2003b: 249 type species *Rhynchites haradai* Kôno, 1940
haradai Kôno, 1940a: 67 (*Rhynchites*) A: FE HUB JA
lupulus Sawada, 1993: 63 (*Involvulus*) A: JA (Kyushu, Yakushima) NC
sundukovi Legalov, 2007a: 155 (*Metinvolvulus*) A: FE
subgenus *Nigrorhynchites* Legalov, 2007a: 158 type species *Rhynchites celebicus* Voss, 1938
aes Sawada, 1993: 62 (*Involvulus*) A: JA (Ryukyu)
cornix Sawada, 1993: 61 (*Involvulus*) A: FE JA
subgenus *Opacoinvolvulus* Legalov, 2003b: 250 type species *Rhynchites gensanensis* Voss, 1920
aterrimus Voss, 1938d: 156 (*Rhynchites*) A: FUJ YUN
cognatus Voss, 1958b: 7 (*Involvulus*) A: FUJ ZHE
gensanensis Voss, 1920: 164 (*Rhynchites*) A: FE HEI LIA NC SC
atrocyaneus Ter-Minasian, 1944b: 15 (*Rhynchites*)
lepidus Voss, 1930b: 69 (*Rhynchites*) A: FUJ SCH
lepidus Voss, 1938d: 155 (*Rhynchites*) [HN]
planiusculus Voss, 1935b: 108 (*Rhynchites*) A: FUJ **ORR**
pseudocivicus Legalov, 2007a: 163 (*Opacoinvolvulus*) A: SD
pseudocivinus Legalov, 2007a: 163 [NA]
subgenus *Pilosoinvolvulus* Legalov, 2003b: 243 type species *Rhynchites solutus* Faust, 1886
decipiens Voss, 1938c: 149 (*Rhynchites*) A: YUN "China, Himalaya"
densatus Voss, 1938c: 149 (*Rhynchites*) A: AF KA PA
siwalikensis Voss, 1956f: 415 (*Involvulus*) A: UP
solutus Faust, 1886e: 152 (*Rhynchites*) A: HP KA PA UP XIN
yunnanicus Voss, 1938c: 149 (*Rhynchites*) A: YUN
subgenus *Protocnemvulus* Legalov, 2007a: 161 type species *Cneminvolvulus weibaoshanensis* Legalov, 2007
weibaoshanensis Legalov, 2007a: 161 A: YUN
subgenus *Pseudocnemvulus* Legalov, 2007a: 161 type species *Cneminvolvulus nanlingensis* Legalov, 2007
nanlingensis Legalov, 2007a: 161 A: GUA
subgenus *Pseudvulus* Legalov, 2003b: 246 type species *Involvulus schusteri* Formánek, 1912
conjunctulus Voss, 1959a: 69 (*Involvulus*) A: AF
liesenfeldti Voss, 1956f: 416 (*Involvulus*) A: CH UP
meyeri Voss, 1937c: 275 (*Rhynchites*) A: YUN
nepalensis Legalov, 2007a: 157 (*Pseudvulus*) A: NP
schusteri Formánek, 1912a: 51 (*Rhynchites*) A: XIZ
genus *Cneminvolvulus*, species incertae sedis
pudens Voss, 1938d: 157 (*Rhynchites*) A: UP
genus *Cyllorhynchites* Voss, 1930b: 73 type species *Rhynchites ursulus* Roelofs, 1874
subgenus *Cyllorhynchites* Voss, 1930b: 73 type species *Rhynchites ursulus* Roelofs, 1874
auricapillus Voss, 1930b: 77 (*Rhynchites*) A: CHQ HEB JIA JIX SCH SHN
homalinus Voss, 1930b: 76 (*Rhynchites*) A: YUN
humanicus Legalov, 2007a: 170 A: HUN JIA
sarahae Biondi, Colonnelli & Ringenbach, 2013: 2 N: LB
ursulus afghanus Legalov, 2003b: 256 A: AF PA
ursulus quercuphillus Legalov, 2007a: 170 A: FE NC SC
ursulus rostralis Voss, 1930b: 78 (*Rhynchites*) A: ANH BEI FUJ GUA HEB HEN HUN JIA JIL JIX
LIA SCH SHA XIN YUN ZHE **ORR**
ursulus ursulus Roelofs, 1874: 142 (*Rhynchites*) A: JA
subgenus *Hypocyllorhynchus* Legalov, 2003b: 255 type species *Cyllorhynchites indicus* Legalov, 2003
indicus Legalov, 2003b: 255 A: SD XIZ
subgenus *Hyporhynchites* Voss, 1935b: 101 type species *Rhynchites lauraceae* Voss, 1935
cheliensis Legalov, 2007a: 167 A: YUN
subgenus *Pseudocyllorhynchus* Legalov, 2003b: 255 type species *Rhynchites subcumulatus* Voss, 1930
andrewesi Voss, 1930b: 75 (*Rhynchites*) A: SCH YUN **ORR**

cumulatus Voss, 1930b: 74 (*Rhynchites*) A: ANH FUJ GUI HEB HEI HEN HUB HUN JIA SCH
SHA SHN YUN ZHE

nankingensis Legalov, 2007a: 169 A: JIA

shaanxiensis Legalov, 2007a: 169 A: SHA

spiniacollis Voss, 1930b: 75 (*Rhynchites*) A: BT NP SD

subcumulatus Voss, 1930b: 76 (*Rhynchites*) A: YUN

genus *Ecnomonychus* Voss, 1933a: 55 type species *Ecnomonychus usambaricus* Voss, 1933

subgenus *Himalayrhynchites* Legalov, 2003b: 281 type species *Rhynchites canus* Faust, 1898

canus Faust, 1898c: 297 (*Rhynchites*) A: HP KA SD UP

seriatopilus Schilsky, 1906b: 26 (*Rhynchites*)

subgenus *Maculinvolvulus* Legalov, 2003b: 282 type species *Rhynchites singularis* Roelofs, 1874

fasciculosus Voss, 1942b: 91 (*Rhynchites*) A: FUJ

merkli Legalov, 2007a: 147 (*Maculinvolvulus*) A: TAI

singularis Roelofs, 1874: 147 (*Rhynchites*) A: FE FUJ JA

genus *Eduardirhinus* Legalov, 2003b: 252 type species *Rhynchites tenuicornis* Voss, 1938

tenuicornis Voss, 1938d: 154 (*Rhynchites*) A: SD

genus *Involvulus* Schrank, 1798: 360 type species *Involvulus metallicus* Schrank, 1798 (= *Curculio cupreus* Linnaeus, 1758)

subgenus *Involvulus* Schrank, 1798: 360 type species *Involvulus metallicus* Schrank, 1798 (= *Curculio cupreus* Linnaeus, 1758)

Euvolvulus Reitter, 1916a: 264 type species *Curculio cupreus* Linnaeus, 1758

baojiensis Legalov, 2007a: 187 A: SHA

cupreus Linnaeus, 1758: 379 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE HU IT

LA LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ UK N: AG A: ES FE HEI
HUB IN JA KZ LIA MG NC SC WS

aeneus Latreille, 1804: 89 (*Attelabus*) [URN]

dybofskyi Faust, 1882a: 289 (*Rhynchites*)

metallicus Schrank, 1798: 477

punctatus Herbst, 1797: 131 (*Rhynchites*)

purpureus Linnaeus, 1758: 378 (*Curculio*)

cylindricollis Schilsky, 1906a: 82 (*Rhynchites*) A: FE JA

purpureoviolaceus Voss, 1920: 164 (*Rhynchites*)

gemma Semenov & Ter-Minasian, 1937: 64 (*Rhynchites*) A: BEI SCH SHA YUN

gemmus: Legalov, 2003b: 318 (*Involvulus*) [NA, ISS]

hartmanni Legalov, 2011d: 296 A: NP

yanmensis Legalov, 2009c: 221 A: YUN

subgenus *Nepalorhynchites* Legalov, 2007a: 187 type species *Rhynchites ferox* Faust, 1898

ferox Faust, 1898c: 298 (*Rhynchites*) A: HP KA NP UP

pilosistriatus Voss, 1920: 163 (*Rhynchites*)

subgenus *Parinvolvulus* Legalov, 2003b: 297 type species *Rhynchites pilosus* Roelofs, 1874

Fujarhynchites Legalov, 2007a: 186 type species *Rhynchites carinulatus* Voss, 1942

Nigroinvlovulus Legalov, 2003b: 298 [NA]

Nigroinvolvulus Legalov, 2003b: 298 type species *Rhynchites apionoides* Sharp, 1889

Parinvolooides Legalov, 2003b: 299 type species *Parinvolvulus ussuriensis* Legalov, 2003 (= *Involvulus legalovi* Alonso-Zarazaga, 2011)

apionoides Sharp, 1889: 67 (*Rhynchites*) A: FE FUJ JA (Honshu)

berezovskyi Legalov, 2007a: 185 (*Parinvolvulus*) A: GAN

carinulatus Voss, 1942b: 93 (*Rhynchites*) A: FUJ

egenus Voss, 1933c: 109 (*Rhynchites*) A: ZHE

hauseri Wagner, 1907a: 323 (*Rhynchites*) A: QIN

immixtus Voss, 1969b: 287 [RN] A: FUJ

carinaticollis Voss, 1958b: 5 [NA]

carinaticollis Legalov, 2007a: 185 (*Parinvolvulus*) [NA]

planiusculus Voss, 1941a: 243 (*Rhynchites*) [HN]

legalovi Alonso-Zarazaga, 2011a: 71 A: FE

ussuriensis Legalov, 2003b: 300 (*Parinvolvulus*) [HN]

pilosus Roelofs, 1874: 145 (*Rhynchites*) A: CH FE JA NC SC

placidus Sharp, 1889: 63 (*Rhynchites*) A: FE JA

przhevalskyi Legalov, 2007a: 186 (*Parinvolvulus*) A: GAN

schochrini Legalov, 2007a: 187 (*Parinvolvulus*) A: SC
zherichini Legalov, 2004b: 85 A: FE

subgenus *Teretriorhynchites* Voss, 1938c: 135 type species *Curculio caeruleus* DeGeer, 1775
Aphlorhynchites Sawada, 1993: 50 type species *Rhynchites laevior* Faust, 1882 (= *Rhynchites amabilis* Roelofs, 1874)
Chinorhynchites Legalov, 2003b: 297 type species *Rhynchites fulvihirtus* Voss, 1938
Chinorhynchitoides Legalov, 2007a: 182 type species *Teretriorhynchites kangdingensis* Legalov, 2007

amabilis Roelofs, 1874: 145 (*Rhynchites*) A: ANH BEI ES FE HEB HEI HEN JA JIL LIA MG NC
SC SHA SHN SHX WS
laevior Faust, 1882a: 284 (*Rhynchites*)
nudipennis Voss, 1929a: 25 (*Rhynchites*)
vossi Ter-Minasian, 1971a: 265 (*Caenorhinus*)

dundai Legalov, 2007a: 184 (*Teretriorhynchites*) A: YUN
fulvihirtus Voss, 1938c: 143 (*Rhynchites*) A: XIN
funebri Sharp, 1889: 64 (*Rhynchites*) A: HUB JA
hirticollis Faust, 1882a: 283 (*Rhynchites*) A: FE SC
icosandriae *icosandriae* Scopoli, 1763: 28 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FR GB
GE HU IT LA LT LU MD NL NT PL RO SB SK SL SP ST SV SZ UK A: AB GG IN KZ TR
caeruleus DeGeer, 1775: 251 (*Curculio*)
confinis Stephens, 1831h: 202 (*Rhynchites*)
conicus Illiger, 1808a: 306 (*Rhynchites*)
pubescens Rossi, 1790: 137 (*Attelabus*) [NA]

icosandriae iranensis Legalov, 2004a: 69 (*Teretriorhynchites*) A: IN
icosandriae ussuriensis Voss, 1930b: 69 (*Rhynchites*) A: ANH BEI ES FE HEI NC LIA SC
kangdingensis Legalov, 2007a: 182 (*Teretriorhynchites*) A: SCH
kozlovi Legalov, 2007a: 184 (*Teretriorhynchites*) A: YUN
nigrocyanus Legalov, 2007a: 183 (*Teretriorhynchites*) A: SCH
potanini Legalov, 2007a: 184 (*Teretriorhynchites*) A: SCH
pubescens Fabricius, 1775: 131 (*Curculio*) E: AU BH BU BY CR CT CZ DE FR GE HU IT KZ LT
MD PL PT RO SK SL SP ST SV SZ UK A: AR ES FE GG IN KI KZ TR WS
byctiscoidiceps Voss, 1938c: 143 (*Rhynchites*)
fallax Starck, 1889: 55 (*Rhynchites*)
flectirostris Pic, 1926a: 9 (*Rhynchites*)
multipunctatus Bach, 1858: 372 (*Rhynchites*)
parellinus Gyllenhal, 1833a: 224 (*Rhynchites*)
virescens Thunberg, 1815: 117 (*Rhynchites*) [DA]

szechuanensis Voss, 1956f: 414 A: SCH
xiahensis Legalov, 2007a: 184 (*Teretriorhynchites*) A: YUN
zhondiensis Legalov, 2007a: 185 (*Teretriorhynchites*) A: YUN

genus *Japonorhynchites* Legalov, 2003b: 222 type species *Rhynchites sanguinipennis* Roelofs, 1874
bicoloroides Legalov, 2007a: 132 A: YUN
bisulcatus Voss, 1922c: 283 (*Rhynchites*) A: TAI
caeligenus Sawada, 1993: 47 (*Notocyrtus*) A: JA (Kyushu)
sanguinipennis Roelofs, 1874: 144 (*Rhynchites*) A: FE JA SC
zhejiangensis Legalov, 2007a: 133 A: ZHE

genus *Lasiorhynchites* Jekel, 1860: 227 type species *Rhynchites pubescens* Fabricius *sensu* Herbst, 1797
(= *Rhynchites cavifrons* Gyllenhal, 1833)

subgenus *Coccygorrhynchites* Prell, 1926: 288 type species *Rhynchites sericeus* Herbst, 1797
sericeus Herbst, 1797: 135 (*Rhynchites*) E: AU BE BU CR CZ DE FR GB GE HU IT LU MD NL PL
PT RO SK SL SP ST SV SZ UK N: AG A: AB AR GG SY TR
ophthalmicus Stephens, 1831h: 200 (*Rhynchites*)
pubescens: Latreille, 1804: 90 (*Attelabus*) [NA]
similis Curtis, 1837: 642 (*Rhynchites*)
splendidulus Kiesenwetter, 1852: 626 (*Rhynchites*)

subgenus *Lasiorhynchites* Jekel, 1860: 227 type species *Rhynchites pubescens* Fabricius *sensu* Herbst,
1797 (= *Rhynchites cavifrons* Gyllenhal, 1833)
cavifrons Gyllenhal, 1833a: 226 (*Rhynchites*) [NP] E: AL AU BE BU CR CT CZ DE FR GB GE GR
HU IT LU MC MD NL PL RO SK SL SP ST SV SZ UK N: AG A: AB AR GG IN TR
cyanicolor Gyllenhal, 1833a: 229 (*Rhynchites*)
viridis Geoffroy, 1785: 113 (*Rhinomacer*) [NO]
freidbergi Legalov & Friedman, 2007: 187 A: IS TR

subgenus *Nelasiorrhynchites* Legalov, 2003b: 205 type species *Rhynchites syriacus* Desbrochers des Loges, 1869

brevirostris Roelofs, 1875a: 149[/148] (*Rhynchites*) A: FE JA NC

comatus Gyllenhal, 1833a: 229 (*Rhynchites*) E: AU BE BH BU CR CT CZ DE FR GB GE HU IR IT LU MD NL NR NT PL RO SK SL SP SV SZ UK N: AG

olivaceus Gyllenhal, 1833a: 228 (*Rhynchites*)

pauciseta Wasmann, 1884: 183 (*Rhynchites*)

praeustus Boheman, 1845: 362 (*Rhynchites*) E: AU BH BU CR FR GR HU IT MA ME RO SK SL SZ TR UK N: AG TU A: IS JO LE SY TR

caligatus Haliday, 1872a: 125 (*Rhynchites*)

graecus Voss, 1933d: 136

lesinensis Voss, 1933d: 137

lividus Vitale, 1905: 85

luridus Boheman, 1845: 363 (*Rhynchites*)

nigripennis Baudi di Selve, 1894: 10 (*Rhynchites*)

pallidior Pic, 1903c: 131 (*Rhynchites*)

semiruber Boheman, 1845: 362 (*Rhynchites*)

xanthomelas Voss, 1933d: 137

xantomelus Ragusa, 1912: 249

syriacus Desbrochers des Loges, 1869d: 388 (*Rhynchites*) E: GR A: IS SY

kindermanni Desbrochers des Loges, 1869d: 389 (*Rhynchites*)

ussuriensis Legalov, 2002d: 1523 A: FE SC SHA

vaucheri Desbrochers des Loges, 1897a: 177 (*Rhynchites*) E: SP N: MO

subgenus *Stenorhynchites* Voss, 1932a: 157 type species *Curculio caeruleocephalus* Schaller, 1783

caeruleocephalus Schaller, 1783: 282 (*Curculio*) E: AU CZ FR GE GR HU IT LT LU NT PL PT SK SP ST SV SZ UK YU N: AG MO

cianocephalus Herbst, 1783: 72 (*Curculio*)

testaceus Harrer, 1784: 188 (*Rhinomacer*)

genus *Mecorhis* Billberg, 1820: 39 type species *Curculio ungaricus* Herbst, 1783

subgenus *Heterorrhynchites* Voss, 1932c: 171 type species *Caenorhinus incertus* Voss, 1932

Eosawadaia Legalov, 2004a: 66 type species *Rhynchites subtectus* Vos, 1938

Pseudorhinus Legalov, 2003b: 269 [HN] type species *Rhynchites carinensis* Faust, 1894

Sawadaia Alonso-Zarazaga & Lyal, 1999: 41 type species *Rhynchites azureus* Olivier, 1807

Vietnamorrhynchites Legalov, 2003b: 272 type species *Heterorrhynchites medvedevi* Legalov, 2003

alcyonea Pascoe, 1875a: 391 (*Rhynchites*) A: "India"

arguta Faust, 1882a: 288 (*Rhynchites*) A: SD

bhamoensis Faust, 1894c: 164 (*Rhynchites*) A: YUN ORR

copiosa Voss, 1938d: 167 (*Rhynchites*) A: SD UP

satrapa Voss, 1938d: 163 (*Rhynchites*) A: CH

satrapus: Legalov, 2003b: Checklist, 43 (*Thompsonirhinus*) [NA, ISS]

semenovi Legalov, 2007a: 196 (*Heterorrhynchites*) A: SCH

pristis G.A.K. Marshall, 1924: 283 (*Rhynchites*) A: UP ORR

subgenus *Mecorhis* Billberg, 1820: 39 type species *Curculio ungaricus* Herbst, 1783

Homalorrhynchites Voss, 1938c: 136 type species *Curculio ungaricus* Herbst, 1783

Mechoris: Stephens, 1833: 63 [NA]

Mecoris: Legalov, 2007a: 152 [NA, ISS]

ungarica Herbst, 1783: 71 (*Curculio*) E: AL AU BH BU BY CR CZ GE GR HU IT MC MD ME SK SL ST TR UK A: AB AR GG IN IQ IS KZ SY TR WS

marginata Schrank, 1798: 476 (*Involvulus*)

ursus Gebler, 1833: 292 (*Rhynchites*)

subgenus *Mirabrhynchites* Legalov, 2003b: 273 type species *Mirabrhynchites kabakovi* Legalov, 2003

holzschuhi Legalov, 2015: 480 (*Mirabrhynchites*) A: NP

mirifica Legalov, 2007a: 155 (*Mirabrhynchites*) A: YUN

subgenus *Philorectus* Voss, 1924b: 40 type species *Philorectus insolitus* Voss, 1924

Mirabimvolvulus Legalov, 2003b: 274 type species *Mirabimvolvulus orlovi* Legalov, 2003

insolita Voss, 1924b: 40 (*Philorectus*) A: SD XIZ ORR

sjaomonjanica Legalov, 2004a: 68 (*Philorectus*) A: YUN

subgenus *Pseudomechoris* Legalov, 2003a: 71 type species *Rhynchites aethiops* Bach, 1854

aethiops Bach, 1854: 172 (*Rhynchites*) [RN] E: AL AU BH BU CR CT CZ FR GE GR HU IT MC MD PL RO SK SL ST SZ TR UK A: AB AR IN TR

crassicornis Gmelin, 1790: 1759 (*Curculio*) [NO]

crassirostris Gmelin, 1790: 1806 (*Curculio*) [DA, NO]

juraensis Voss, 1969b: 250 (*Involvulus*)

planirostris Gyllenhal, 1833a: 216 (*Rhynchites*)

subgenus *Thompsonirrhinus* Legalov, 2003b: 267 type species *Rhynchites plumbeus* Roelofs, 1874
Athompsonirrhinus Legalov, 2003b: 270 type species *Rhynchites subplumbeus* Voss, 1938
Eorhinchus Legalov, 2007a: 194 type species *Rhynchites simulans* Voss, 1924
Maculinvoles Legalov, 2003b: 270 type species *Rhynchites kiritschenkoi* Ter-Minasian, 1944
Pseudorhinoides Legalov, 2007a: 192 type species *Thompsonirrhinus sichuanensis* Legalov, 2007

amicta Voss, 1938c: 146 (*Rhynchites*) A: SD **ORR**

annapurnae Legalov, 2007a: 192 (*Thompsonirrhinus*) A: NP

coerulescens *coerulescens* Voss, 1938d: 163 (*Rhynchites*) A: HKG

coerulescens tsinpinensis Legalov, 2007a: 192 (*Thompsonirrhinus*) A: YUN

cyaneus Voss, 1939a: 71 (*Rhynchites*) [RN] A: SD
cyanicolor Voss, 1938d: 166 (*Rhynchites*) [HN]

eduardi Legalov, 2002c: 91 (*Thompsonirrhinus*) A: JIX YUN XIN
obscurus Voss, 1938d: 166 (*Rhynchites*) [HN]

gentilis Voss, 1930b: 72 (*Rhynchites*) A: UP JIX YUN ZHE

gracilis Voss, 1938d: 165 (*Rhynchites*) A: UP

indubia Voss, 1930b: 71 (*Rhynchites*) A: YUN ZHE

kundensis Legalov, 2007a: 192 (*Thompsonirrhinus*) A: GAN

leucoscutellata Voss, 1932b: 71 (*Rhynchites*) A: YUN

mandschurica Voss, 1939c: 396 (*Rhynchites*) A: FE FUJ HEI JIL LIA YUN
kiritschenkoi Ter-Minasian, 1944c: 26 (*Rhynchites*)
continentalis Voss, 1958b: 8 (*Involvulus*)

obsita Voss, 1930b: 70 (*Rhynchites*) A: FUJ YUN

pilositesellata Voss, 1922c: 281 (*Rhynchites*) A: TAI

plumbea Roelofs, 1874: 143 (*Rhynchites*) A: FE HUB JA JIX NC NE SC SCH ZHE

sichuanensis Legalov, 2007a: 192 (*Thompsonirrhinus*) A: SCH

simulans Voss, 1924b: 43 (*Rhynchites*) A: YUN

genus *Metallorhynchites* Legalov, 2007a: 164 type species *Rhynchites aereus* Voss, 1938
chalceus Voss, 1938c: 149 (*Rhynchites*) A: HP UP

genus *Metarhynchites* Voss, 1923: 489 type species *Rhynchites arduus* Voss, 1923

subgenus *Metarhynchites* Voss, 1923: 489 type species *Rhynchites arduus* Voss, 1923

fukienensis Voss, 1941a: 242 (*Rhynchites*) A: FUJ
kaldeci Legalov, 2019: 2 A: YE

schenklingi Voss, 1922c: 282 (*Rhynchites*) A: TAI

suborichalceus Voss, 1932d: 300 (*Rhynchites*) A: YUN

genus *Montaninvolvulus* Legalov, 2003b: 259 type species *Rhynchites bucklandiae* G.A.K. Marshall, 1924

subgenus *Montaninvolvulus* Legalov, 2003b: 259 type species *Rhynchites bucklandiae* G.A.K. Marshall, 1924

aeneoniger Faust, 1890f: 426 (*Rhynchites*) A: GAN GUX NE

bucklandiae G.A.K. Marshall, 1924: 282 (*Rhynchites*) A: SD

gatlangensis Legalov, 2007a: 165 A: NP

melancholicus Voss, 1938d: 154 (*Rhynchites*) A: SD **ORR**
liveus Voss, 1938d: 165 (*Rhynchites*)

potanini Legalov, 2007a: 165 A: GAN

xilingensis Legalov, 2007a: 165 A: SCH

genus *Neocoenorrhinus* Voss, 1952a: 182 type species *Rhynchites germanicus* Herbst, 1797

subgenus *Neocoenorrhinidius* Legalov, 2003b: 216 type species *Rhynchites pauxillus* Germar, 1823

abeillei Desbrochers des Loges, 1869d: 420 (*Rhynchites*) E: FR GR IT UK

assimilis Roelofs, 1874: 146 (*Rhynchites*) A: FE JA NC

cribrum Desbrochers des Loges, 1875e: 210 (*Rhynchites*) E: GR TR A: IS LE SY TR
cyaneus Formánek, 1911: 206 (*Rhynchites*)
stierlini Voss, 1938a: 64 (*Caenorhinus*)

cuprinus Chevrolat, 1860b: 128 (*Rhynchites*) N: AG

interpunctatus Stephens, 1831h: 201 (*Rhynchites*) E: AU BE BU CR CT CZ DE EN FR GB GE GR HU IT LU MD NL PL PT SB SK SL SP ST SV SZ TR UK N: AG A: "Transcaucasia"
confusus Desbrochers des Loges, 1869d: 363 (*Rhynchites*)

longirostris Stephens, 1831h: 202 (*Rhynchites*)
interruptus Voss, 1920: 168 (*Rhynchites*) A: FE JA (Hokkaido, Honshu)
lukjanovitschi Ter-Minasian, 1944c: 25 (*Coenorhinus*)
italicus Voss, 1929a: 24 (*Caenorhinus*) E: BH FR GR IT
mekongensis Legalov, 2007a: 128 A: YUN
pauxillus Germar, 1823: 186 (*Rhynchites*) [NP] E: AL AU BE BH BU CR CT CZ DE EN FR GB
GE GR HU IT LA LS LT LU MD ME NL NT PL RO SB SK SL SP ST SV SZ TR UK A: AB
AR GG IN KZ TM TR WS **ORR**
atrocaeruleus Stephens, 1831h: 201 (*Rhynchites*)
caeruleus Geoffroy, 1785: 114 (*Rhinomacer*) [NO]
livescens Voss, 1929a: 25 (*Caenorhinus*)
pauculus Voss, 1933d: 134 (*Caenorhinus*)
persicus Gyllenhal, 1837: 164 (*Rhynchites*)
persicus Gyllenhal, 1839a: 330 (*Rhynchites*) [HN]
sulcidorsum Schrank, 1798: 477 (*Involvulus*) [DA]
pseudocribrum graecus Legalov, 2007a: 129 E: GR
pseudocribrum pseudocribrum Legalov, 2002a: 217 (*Temnocerus*) E: TR A: AB IN TR
thomsoni Faust, 1884a: 191 (*Rhynchites*) A: FE HEI LIA MG SHA
subgenus *Neocoenorhinus* Voss, 1952a: 182 type species *Rhynchites germanicus* Herbst, 1797
germanicus Herbst, 1797: 134 (*Rhynchites*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL RO SB SK SL SP ST SV SZ TR UK
A: AB ES FE GG KZ MG TR WS
rugipennis Stephens, 1831h: 202 (*Rhynchites*)
subgenus *Schoenitemnus* Legalov, 2003a: 69 type species *Rhynchites minutus* Herbst, 1797
minutus Herbst, 1797: 135 (*Rhynchites*) E: AU BE BH BU BY CR CT CZ DE EN FR GB GE GR
HU IT LU MC MD ME NL NR PL PT RO SK SL SP ST SV SZ UK N: AG A: AB GG IN
TR
aeneovirens Marsham, 1802: 239 (*Curculio*)
fragariae Gyllenhal, 1833a: 233 (*Rhynchites*)
longirostris Bach, 1854: 175 (*Rhynchites*) [HN]
obscurus Gyllenhal, 1833a: 215 (*Rhynchites*)
smeraldinus O.G. Costa, 1839b: 11 (*Attelabus*)

genus *Orrhynchites* Legalov, 2007a: 154 type species *Rhynchites comosellus* Voss, 1938 (p. 159) (= *Rhynchites consimilis* Voss, 1938)
consimilis Voss, 1938d: 166 (*Rhynchites*) A: NP SD UP YUN
comosellus Voss, 1938d: 159 (*Rhynchites*)

genus *Perrhynchites* Voss, 1953a: 45 type species *Rhynchites aereipennis* Desbrochers des Loges, 1895
aereipennis Desbrochers des Loges, 1895d: 94 (*Rhynchites*) A: LE SY TR
lodosi Voss, 1973: 37 (*Rhynchites*)
bellus Fremuth & Legalov, 2002: 215 E: TR A: TR

genus *Perrhynchitoides* Legalov, 2007a: 131 type species *Caenorhinus brunneus* Voss, 1932
brunneus Voss, 1932c: 176 (*Caenorhinus*) A: "China bor."
pelliceus Faust, 1890f: 427 (*Rhynchites*) A: GAN SCH

genus *Proelautobius* Legalov, 2007a: 140 type species *Involvulus dentatus* Voss, 1953
dentatus Voss, 1953a: 42 (*Involvulus*) A: FUJ
erythropterus Voss, 1922c: 282 (*Rhynchites*) A: TAI
fujianicus Legalov, 2007a: 140 A: FUJ
hunanicus Lergalov, 2007a: 140 A: HUN
indochinensis Voss, 1939a: 61 (*Rhynchites*) [RN] A: CH **ORR**
gracilicornis Voss, 1938c: 138 (*Rhynchites*) [HN]
jianxiensis Legalov, 2007a: 141 A: JIX
shaowuensis Legalov, 2007a: 141 A: FUJ
yunnanicus Legalov, 2003b: 237 (*Elautobius*) A: YUN
yannanicus Legalov, 2003b: 237 (*Elautobius*) [NA]

genus *Pustulorhinus* Legalov, 2003b: 275 type species *Pustulorhinus yunnanicus* Legalov, 2003
yunnanicus Legalov, 2003b: 275 A: YUN

genus *Rhodocyrus* Alonso-Zarazaga & Lyal, 1999: 42 [RN] type species *Rhynchites cribripennis*
Desbrochers des Loges, 1869
Notocyrus Desbrochers des Loges, 1908h: 78 [HN] type species *Rhynchites cribripennis* Desbrochers des Loges, 1869
cribripennis Desbrochers des Loges, 1869d: 355 (*Rhynchites*) E: BU CR FR (Corse) GR IT ST TR A:
CY IS LE SY TR

genus *Rhynchitallus* Voss, 1960b: 415 type species *Rhynchitallus cyclops* Voss, 1960
cyclops Voss, 1960b: 416 A: HUB JIA

genus *Rhynchites* D.H. Schneider, 1791: 83 type species *Curculio bacchus* Linnaeus, 1758

subgenus *Epirhynchites* Voss, 1969b: 348 type species *Rhynchites heros* Roelofs, 1874

Colomellinius Legalov, 2003b: 289 type species *Rhynchites smyrnensis* Desbrochers des Loges, 1869

Neorhynchites Voss, 1969b: 342 type species *Rhynchites velatus* LeConte, 1880

Pyrorrhynchites Legalov, 2003a: 72 type species *Rhynchites giganteus* Krynicki, 1832 (= *Rhynchites giganteus* Schoenherr, 1832)

Terminassianaeus Legalov, 2003b: 287 type species *Rhynchites lopatini* Ter-Minasian, 1968

Tshernyshevinius Legalov, 2003a: 72 type species *Rhynchites zaitzevi* Kieseritzky, 1926

amygdali Iablokoff-Khuzorian, 1954: 147 (*Rhynchites*) A: AR

auratus Scopoli, 1763: 26 (*Curculio*) E: AU BE BH BU BY CR CT CZ EN FR GE GR HU IT LA
LT LU MC MD NL NT PL PT RO SK SL SP ST SZ TR UK A: AB AF AR ES GG IN IQ KI
KZ TD TM TR UZ XIN WS

angorensis Pic, 1926a: 10

armeniacus Zajcev, 1937: 66

aurifer Olivier, 1791: 564 (*Curculio*) [HN, RN]

chamaeacerasi Ter-Minasian, 1950: 113

ferghanensis Nevskij, 1929: 445

microcarpa Ter-Minasian, 1944a: 53 (*Rhynchites*)

friedmani Legalov, 2007b: 197 (*Epirhynchites*) A: IS

giganteus Schoenherr, 1832: 214 E: AU BU CR CT CZ FR GR HU IT MD NT RO SK SL ST TR
UK A: AB AR CH GG IN KZ TR UZ

giganteus Krynicki, 1832: 144 [HN]

giganteus Gyllenhal, 1833a: 218 [HN]

emgei Stierlin, 1890a: 165

pyri Motschulsky, 1853: 80

rectirostris Gyllenhal, 1833a: 220

versicolor O.G. Costa, 1839b: 10 (*Attelabus*)

vestitus Rey, 1893b: 73

hajastanicus Ter-Minasian, 1965: 380 E: ST A: AR TR

heros Roelofs, 1874: 141 A: BEI ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA
JIL JIX LIA MG NC NIN NMO SC SCH SHA SHN SHX XIN YUN ZHE

foveipennis Fairmaire, 1888c: 136

ignitus Voss, 1953a: 43

koreanus Kôno, 1926a: 89

mongolicus Voss, 1930b: 78

sumptuosus Roelofs, 1876: cxxxii

lopatini Ter-Minasian, 1968: 1865 A: IN TM UZ

patricius Voss, 1959a: 70 A: AF

sarafschanicus Voss, 1929a: 27 A: AF TD TM UZ

nuristanicus Voss, 1959a: 71

smyrnensis Desbrochers des Loges, 1869d: 342 E: GR A: IN IS JO SY TM TR

trojanus Gyllenhal, 1839a: 324 E: GR TR A: CY IS JO TR

maximus Desbrochers des Loges, 1869d: 338

turcicus Legalov, 2003a: 73 A: TR

zaitzevi Kieseritzky, 1926: 148 A: IN

zherichini Legalov, 2004a: 68 (*Epirhynchites*) A: ES

subgenus *Rhynchites* D.H. Schneider, 1791: 83 type species *Curculio bacchus* Linnaeus, 1758

Prorrhynchites Voss, 1973: 40 type species *Rhynchites purpureipennis* Voss, 1973 (= *Rhynchites slovenicus* Purkyně, 1954)

bacchus Linnaeus, 1758: 381 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT LT
LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG A: AB AR
GG IN IS KZ TM TR UZ WS XIN

circassicus Voss, 1938d: 170

cupreatus Voss, 1929a: 26

jekeli Desbrochers des Loges, 1869d: 348

laetus Germar, 1823: 186

splendidus Krynicki, 1832: 144

fulgidus Faldermann, 1835: 420 A: BEI ES FE FUJ GAN GUI HEB HEI HKG HUB HUN JIL JIX
LIA MG NIN NMO SCH SHA SHN SHX ZHE
bacchoides Voss, 1920a: 82
confragasicollis Voss, 1933c: 110
faldermanni Schoenherr, 1839: 326 [RN]
kozlovi Suvorov, 1915b: 345
tygosanensis Voss, 1938d: 171
lenaeus Faust, 1891e: 386 E: BU GR MC ST TR A: AB AR GG IN IS SY TR
asiaticus Desbrochers des Loges, 1908g: 65
slovenicus Purkyně, 1954: 168 E: HU SK SL TR A: AR IS TR
lenaeiformis Ter-Minasian, 1966b: 855
purpureipennis Voss, 1973: 39

genus *Rhynchites*, species incertae sedis
nanus Thunberg, 1815: 117 E: SV

genus *Rubrrhynchites* Legalov, 2007a: 130 type species *Rubrrhynchites curvirostris* Legalov, 2007
curvirostris Legalov, 2007a: 130 A: YUN

genus *Taiwanorhynchites* Legalov, 2007a: 154 type species *Rhynchites impressicollis* Voss, 1938
impressicollis Voss, 1938c: 138 (*Rhynchites*) A: TAI

genus *Tatianaerhynchites* Legalov, 2002b: 87 type species *Curculio aequatus* Linnaeus, 1767
aequatus Linnaeus, 1767: 607 (*Curculio*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GB GE
GR HU IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR
UK A: AB AR CY GG IN IS JO KZ SY TM TR
bicolor Rossi, 1792: 44 (*Attelabus*) [HN]
creticus Voss, 1955c: 271 (*Merhynchites*)
interstitialis Desbrochers des Loges, 1869d: 354 (*Rhynchites*)
phryganophilus Iablokoff-Khinzorian, 1956: 225 (*Caenorhinus*)
ruber Geoffroy, 1785: 113 (*Rhinomacer*)
ruber Fairmaire, 1859f: civ (*Rhynchites*)
semiruber Stierlin, 1864b: 492 (*Rhynchites*)

genus *Temnocerus* Thunberg, 1815: 110 type species *Attelabus planirostris* Fabricius, 1801 = *Curculio nanus* Paykull, 1792

Paratemnocerus Legalov, 2003b: 209 type species *Rhynchites subglaber* Desbrochers des Loges, 1897
Pselaphorhynchites Schilsky, 1903: F type species *Curculio nanus* Paykull, 1792
coeruleus Fabricius, 1798: 163 (*Attelabus*) E: AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
GR HU IR IT KZ LA LS LT LU MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR
UK N: AG A: AB ES FE GG IN KI KZ TR WS
tomentosus Gyllenhal, 1839a: 335 (*Rhynchites*)
uncinatus C.G. Thomson, 1865: 36 (*Rhynchites*)
daliangensis Legalov, 2009a: 31 A: SCH
dundai Legalov, 2006b: 7 A: YUN
elaeagni Korotyaev & Legalov, 2006: 126 A: KZ
japonicus Morimoto, 1958a: 97 (*Pselaphorhynchites*) A: ES FE JA (Hokkaido, Honshu) NE
longiceps C.G. Thomson, 1888: 1203 (*Rhynchites*) E: AU BE CT CZ DE FI FR GB GE HU IT LA
LT LU NL NR NT PL SK SV SZ UK A: ES KZ WS
harwoodi Joy, 1911: 270 (*Rhynchites*)
morimotoi Sawada, 1997: 117 (*Pselaphorhynchites*) A: JA (Kyushu)
terminassianae Legalov, 2003c: 409
nanus Paykull, 1792: 136 (*Curculio*) E: AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
GR HU IT LA LT LU NL NR NT PL PT RO SK SL SP ST SV SZ UK N: AG A: ES IN KI
KZ MG TM TR WS
alliariae Fabricius, 1775: 132 (*Curculio*) [NA]
cylindricus Stephens, 1831h: 199 (*Rhynchites*)
planirostris Fabricius, 1801: 425 (*Attelabus*)
rubripes Reitter, 1916a: 263 (*Rhynchites*) A: ES FE KZ LIA MG SHX
mongolianus Voss, 1967a: 253 (*Pselaphorhynchites*)
yasumatsui Kôno & Morimoto, 1958: 26 (*Pselaphorhynchites*)
semicyaneus Bedel, 1884e: 208 (*Rhynchites*) N: AG
sibiricus Legalov, 2006c: 18 A: ES
subglaber Desbrochers des Loges, 1897a: 177 (*Rhynchites*) E: CT ST A: ES KI KZ MG WS

angustifrons Voss, 1932c: 179 (*Rhynchites*)
tibialis Voss, 1967a: 255 (*Pselaphorhynchites*)
yunnanicus Legalov, 2003b: 212 A: YUN

subfamily Rhynchitinae, nomina dubia
Curculio rhedi Schrank, 1781: 106 E: AU
Rhinomacer fulgidus Geoffroy, 1785: 116 E: FR
Rhinomacer gibbus O.F. Müller, 1776: 90 E: DE
Rhinomacer nemoralis O.F. Müller, 1776: 90 E: DE
Rhinomacer politus O.F. Müller, 1776: 90 E: DE
Rhinomacer similis O.F. Müller, 1776: 90 E: DE
Rhynchites rugosus Gistel, 1857: 584 [HN] E: GE

6. Family BRENTIDAE Billberg, 1820

6.1. Subfamily Apioninae Schoenherr, 1823

6.1.1. Tribe Apionini Schoenherr, 1823

6.1.1.1. Subtribe Apionina Schoenherr, 1823

genus Apion Herbst, 1797: 100 type species *Curculio frumentarius* Linnaeus, 1758

Apiolum Kirby, 1808: 10 [RN] type species *Curculio frumentarius* Linnaeus, 1758
Apionus Rafinesque, 1814: 29 [RN] type species *Curculio frumentarius* Linnaeus, 1758
Apium Agassiz, 1846: 29 [RN] type species *Curculio frumentarius* Linnaeus, 1758
Apius Billberg, 1820: 40 [RN, HN] type species *Curculio frumentarius* Linnaeus, 1758
Erythrapiion Schilsky, 1906b: vi type species *Apion haematodes* Kirby, 1808
Oxeostomum Gistel, 1856a: 374 type species *Curculio frumentarius* Linnaeus, 1758
Oxystomum Gistel, 1856a: 260 type species *Curculio frumentarius* Linnaeus, 1758
anarchajense Ter-Minasian, 1971b: 659 A: KZ
arcticum Korotyaev, 1988a: 144 A: FE
cruentatum Walton, 1844: 452 E: AU BE BH BU CR CT CZ DE EN FA FI FR GB GE GR HU IT
LA LT LU NL NR PL PT SB SK SP ST SV SZ UK N: AG MO A: AR CY ES SY TR WS
desideratum Sharp, 1918: 4 (*Erythrapiion*)
dellabeffae Schatzmayr, 1922a: 109 E: IT
distincticolle Desbrochers des Loges, 1870c: 197 E: SP
frumentarium Linnaeus, 1758: 378 (*Curculio*) E: AU BE BH BU CR CT CZ DE EN FR GB GE GR
HU IR IT LA LS LT LU NL NR PL PT RO SB SK SP ST SV SZ UK N: AG A: AB AF AR
CY GG IN IS JO KZ SY TD TR
miniatum Germar, 1833: 282
sanguineum DeGeer, 1775: 251 (*Curculio*)
gallicola Ter-Minasian, 1971b: 659 A: TM
graecum Desbrochers des Loges, 1897c: 4 E: BU CR GR ST A: GG
kasparyani Korotyaev, 1988b: 132 (*Apion*)
haematodes haematodes Kirby, 1808: 76 E: AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LT LU NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: MO MR A: GG
SY
brachypterum Sharp, 1918: 7 (*Erythrapiion*)
coccineum Gmelin, 1790: 1742 (*Curculio*)
fraudator Sharp, 1918: 5 (*Erythrapiion*)
haematodes occultum Faust, 1885d: 244 N: AG MO TU
henoni Abeille de Perrin, 1894a: 94 N: AG TU
oranense Desbrochers des Loges, 1898h: 35
longithorax Desbrochers des Loges, 1889a: xxxv E: AL IT N: AG MO TU
rubens Walton, 1837: 17 E: AU BE BU CT CZ DE EN FI FR GB GE HU IT LA LU NL NR NT
PL PT SK SP ST SV SZ UK "Caucasus" N: AG A: TR WS
algiricum Everts, 1879a: 59 [DA]
podolicum Rybiński, 1902: 12
rubens Stephens, 1839: 256 [HN]
rubiginosum Grill, 1893: 253 E: AU BE BH BU CT CZ DE EN FI FR GB GE GR HU IT LA LT
LU NL NR NT PL PT SK SP ST SV SZ UK "Caucasus" N: AG A: AB AR IN TM SY WS
rufum A. Solari & F. Solari, 1905b: 100

rubroflavum Bajtenov, 1981a: 29 **A**: KZ
strigipenne Schilsky, 1902: 25 **A**: AB AF AR IN TD TM TR

6.1.1.2. Subtribe Aplemonina Kissinger, 1968

genus *Aizobius* Alonso-Zarazaga, 1990c: 102 type species *Apion sedi* Germar, 1818
pseudosedi Bajtenov, 1975c: 411 (*Apion*) **A**: FE JIA KZ WS
robustirostris Desbrochers des Loges, 1870c: 184 (*Apion*) **E**: FR PT SP **N**: AG MO TU
schaeferi A. Hoffmann, 1960a: 22 (*Apion*)
sedi Germar, 1818: 49 (*Apion*) **E**: AU BE CT CZ DE EN FI FR GB GE HU IT LA LT LU NL NR
NT PL RO SK ST SV SZ UK **N**: AG **A**: AB ES GG KI KZ MG SY WS
maassi Flach, 1908b: 130 (*Apion*)
tumidicolle Bach, 1854: 201 (*Apion*)

genus *Aplemonus* Schoenherr, 1847: 5 type species *Aplemonus gibbipennis* Schoenherr, 1847
arabicus Wagner, 1909a: 27 (*Apion*) **N**: EG **A**: IN OM PA QA **AFR**
superbus Tournier, 1868a: 147 (*Apion*) **N**: EG "Arabia" **AFR**
cupreomicans Wagner, 1912b: 36 (*Apion*)
enmediensis A. Hoffmann, 1964d: 1217 (*Apion*)
stigma G.A.K. Marshall, 1930: 562 (*Apion*)
tuberculatus Bhateja & Pajni, 1989a: 50 **A**: UP **ORR**

genus *Cistapion* Wagner, 1924: 134 type species *Apion cyanescens* Gyllenhal, 1833
cyanescens Gyllenhal, 1833a: 306 (*Apion*) **E**: FR IT PT SP **N**: AG MO
capiomonti Wencker, 1858b: cv (*Apion*)
rectinasus Desbrochers des Loges, 1904a: 56 (*Apion*)

genus *Helianthemapion* Wagner, 1930: 1386 type species *Apion aciculare* Germar, 1817
aciculare Germar, 1817b: 245 (*Apion*) **E**: AU BE BU CZ FR GB GE HU IT LU SK SP SZ UK **N**:
AG MO
lasureum Schilsky, 1901b: 60 (*Apion*)
pulchellum Miller, 1857: 15 (*Apion*)
genuense G. Osella, 1973c: 198 (*Apion*) **E**: IT
kefense Normand, 1921: 78 (*Apion*) **E**: SP **N**: TU
velatum Gerstaecker, 1854b: 278 (*Apion*) **E**: AU BU CZ FR HU IT NL PL SP SZ UK **N**: LB MO
A: CY GG IS SI SY TR
aerugineum Kirsch, 1878: 304 (*Apion*)
helianthemii Bedel, 1887c: cliv (*Apion*)

genus *Hoplopodapion* F. Solari, 1933: 256 type species *Apion kirschi* Desbrochers des Loges, 1870
Aphoplopodapion Ehret, 1997a: 205 type species *Apion poupillieri* Wencker, 1864
depressum Bhateja & Pajni, 1989a: 43 (*Onychapion*) **A**: PA
dumonti Peyerimhoff, 1929a: 15 (*Apion*) **N**: AG LB TU **A**: IS **AFR**
eremita Peyerimhoff, 1920: 45 (*Apion*) **N**: AG LB TU
ferreri Alonso-Zarazaga, 1983a: 18 (*Onychapion*) **E**: SP
kirschi Desbrochers des Loges, 1870c: 202 (*Apion*) **N**: AG EG LB MO TU **A**: IS
edmundi Györfy, 1923: 90 (*Apion*)
medinetense Pic, 1900e: 91 (*Apion*)
rufopurpureum Reitter, 1908b: 54 (*Apion*)
vincenti Desbrochers des Loges, 1904a: 54 (*Apion*)
koestlini Schoen, 1993: 64 (*Onychapion*) **N**: AG TU
lopatini Ter-Minasian, 1963: 649 (*Apion*) **A**: KZ MG TD TM UZ
medvedevi Korotyaev, 1984b: 312 (*Onychapion*) **A**: TM UZ
poupillieri Wencker, 1864: 127 (*Apion*) **E**: SP **N**: AG EG LB MO TU **A**: CY IS SA SI **AFR**
pumilio Desbrochers des Loges, 1893e: 17 (*Apion*) **A**: AB
pyripenne Reitter, 1908b: 55 (*Apion*) **A**: IN KZ "Transcaspia"
betpakdalense Bajtenov, 1981a: 27 (*Apion*)
reaumuriae Ter-Minasian, 1975a: 249 (*Apion*) **A**: MG
spinitarsatum Bhateja & Pajni, 1989a: 45 (*Onychapion*) **A**: PA
tibesticola Alonso-Zarazaga, 1983d: 627 (*Onychapion*) [RN] **N**: AG **A**: AE QA **AFR**
grande A. Hoffmann, 1962d: 438 (*Apion*) [HN]

genus *Margaritapion* Korotyae, 1990a: 220 type species *Apion nitrariae* Ter-Minasian, 1970
nitrariae Ter-Minasian, 1970b: 633 (*Apion*) **A:** KZ MG TR

genus *Onychapion* Schilsky, 1901b: E type species *Apion tamarisci* Gyllenhal, 1839
fasciculosum Motschulsky, 1851b: 657 (*Apion*) **N:** EG
tamarisci Gyllenhal, 1839a: 388 (*Apion*) **E:** FR GR IT (Sardegna, Sicilia) PT SP **N:** AG MO EG TU
A: AB AF JO SI **ORR**
gautardi Tournier, 1868a: 146 (*Apion*)
tamarixus Menon & Parshad, 1961: 85 (*Apion*)

genus *Osellaus* Alonso-Zarazaga, 1990c: 93 type species *Apion bonvouloirii* C. N. F. Brisout de
Barneville, 1880
bonvouloirii baldensis Bellò, Meregalli & G. Osella, 1981: 519 (*Apion*) **E:** IT
bonvouloirii bonvouloirii C. N. F. Brisout de Barneville, 1880: 232 (*Apion*) **E:** FR IT SZ
georgeli A. Hoffmann, 1929a: 43 (*Apion*)
bonvouloirii occidentalis Germann, 2010c: 4 **E:** FR

genus *Perapion* Wagner, 1907b: 259 type species *Apion curtirostre* Germar, 1817
subgenus *Erosapion* Ehret, 1994: 20 type species *Apion lemoroii* C. N. F. Brisout de Barneville, 1880
lemoroii C. N. F. Brisout de Barneville, 1880: 231 (*Apion*) **E:** BE CR FR GE GB HU IT PL SB SK SP
ST SZ UK **N:** AG TU **A:** AB FE KZ MG SY TM
subgenus *Hemiperapion* Wagner, 1930: 1385 type species *Apion horvathi* Schilsky, 1901
altnemelicum Bajtenov, 1973b: 60 (*Apion*) **A:** KZ
centrasiaticum Bajtenov, 1981b: 35 (*Apion*) **A:** MG
chioneum Iablokoff-Khnzorian, 1957: 174 (*Apion*) **A:** AB AR KZ MG TR
turanicum Bajtenov, 1973b: 60 (*Apion*)
ehreti Legalov, 2000: 93 **A:** KZ
emeljanovi Korotyae, 1984b: 312 **A:** MG
horvathi Schilsky, 1901a: 153 (*Apion*) **A:** AR TR
calligonicola Iablokoff-Khnzorian, 1957: 173 (*Apion*)
jacobsoni Wagner, 1910a: 153 (*Apion*) **E:** ST **A:** KI KZ TM UZ
mesasiaticum Ter-Minasian, 1966a: 100 (*Apion*)
terminassiana Legalov, 2000: 91 **A:** MG
subgenus *Perapion* Wagner, 1907b: 259 type species *Apion curtirostre* Germar, 1817
affine Kirby, 1808: 68 (*Apion*) **E:** AL AU BE BU CZ DE EN FI FR GB GE GR HU IT LA LT LU
NL NR NT PL SB SP SK ST SV SZ UK "Caucasus" **N:** AG **A:** SY TR
arenarium Bajtenov, 1978c: 73 (*Apion*) **A:** KZ
barclayi Alonso-Zarazaga, 2011b: 81 [RN] **A:** TM
barkleyi Alonso-Zarazaga, 2011b: 81 [NA]
smreczynski Bajtenov, 1979c: 369 (*Apion*) [HN]
connexum Schilsky, 1902: 28 (*Apion*) **E:** CT HU MD PL SK ST UK **A:** KI KZ UZ WS
arcuatum Bajtenov, 1977c: 15 (*Apion*)
curtirostre Germar, 1817b: 230 (*Apion*) **E:** AU BE CR CT CZ DE EN FI FR GB GE GR HU IR IT
LA LT LU NL NR NT PL RO SB SK ST SV SZ UK **A:** AB AR CH GG IN JA KZ TD
"Siberia" **NARi**
aquilinum Boheman, 1839b: 440 (*Apion*)
humile Germar, 1817b: 232 (*Apion*)
medianum C.G. Thomson, 1865: 48 (*Apion*)
tenellum C.R. Sahlberg, 1834: 18 (*Apion*)
dealbatum Bajtenov, 1980b: 129 (*Apion*) **A:** KZ
eretisrael Friedman & Freidberg, 2007: 106 **A:** IS
fallax Wollaston, 1864: 313 (*Apion*) **N:** CI MO TU
neofallax Warner, 1958: 348 (*Apion*) [URN]
hartmannianum Wagner, 1910a: 153 (*Apion*) **A:** TIA
hydrolapathi Marsham, 1802: 249 (*Curculio*) **E:** AU BE CR DE FR GB GE GR IR IT MA NL PT SP
ST SV SZ UK **N:** AG MO TU **A:** SY
atratum Gravenhorst, 1807: 198 (*Apion*)
caeruleopenne Stephens, 1831h: 173 (*Apion*)
lapathorum Kirby, 1808: 67 (*Apion*)
ilvense Wagner, 1905: 38 (*Apion*) **E:** FR GB GR IT PT SP **N:** AG MO TU **A:** SY TR
jelineki Bajtenov & Fremuth, 1981: 247 (*Apion*) **A:** IN
kuraense Bajtenov, 1982c: 69 (*Apion*) **A:** GG

marchicum Herbst, 1797: 118("128") (*Apion*) [NP] E: AU BE BH CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU NL NR NT PL PT SB SK SP ST SV SZ UK N: AG A: GG SY WS
aterrimum Linnaeus, 1758: 378 (*Curculio*) [NO]
laevithorax Gyllenhal, 1833a: 288 (*Apion*)
rumicis Kirby, 1808: 67 (*Apion*)
spartii Kirby, 1808: 56 (*Apion*)
violaceum Gyllenhal, 1813: 50 [HN] (*Apion*)
marseuli Wencker, 1864: 261 (*Apion*) N: AG LB MO TU A: AE IN IS QA SA
ormusense Bajtenov & Fremuth, 1981: 248 (*Apion*)
myochroum Schilsky, 1902: 29 (*Apion*) E: ST A: AF KZ MG TD UZ
oblongum Gyllenhal, 1839a: 421 (*Apion*) E: AL AU BH BU CT CZ GE GR HU LA LT PL RO SB SK ST UK A: AB AR ES GG HEI IN KI MG SY TR UZ WS
sibiricum Boheman, 1839b: 442 (*Apion*)
violaceum lopezi A. Hoffmann, 1957a: 58 (*Apion*) E: SP (Mallorca)
violaceum violaceum Kirby, 1808: 65 (*Apion*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA ME NL NR NT PL PT RO SB SK SP ST SV SZ UK "Caucasus" N: AG LB MO TU A: CY ES IS NC SC JA SY TR WS
alpinum Wencker, 1864: 254 (*Apion*)
harcyniae Hubenthal, 1911: 192 (*Apion*)
kaufmanni Bokor, 1923: 100 (*Apion*)
obscurum Gerhardt, 1898a: 335 (*Apion*) [HN]
vulpecula Schubert, 1940: 39 (*Apion*) A: TM
subgenus *Rhaphidoplectron* Alonso-Zarazaga, 1990c: 104 type species *Apion defensum* Faust, 1887
defensum Faust, 1887f: 177 (*Apion*) A: AF IN KZ TD UZ
himalayense Bhateja & Pajni, 1989a: 46 A: AF HP KA PA UP **ORR**
nuristanicola Voss, 1959a: 78 (*Apion*) [NA]
nuristanicola Wanat, 1995b: 487

genus *Phrissotrichum* Schilsky, 1901b: 4 type species *Apion tubiferum* Gyllenhal, 1833
subgenus *Phrissotrichum* Schilsky, 1901b: 4 type species *Apion tubiferum* Gyllenhal, 1833
boiteli Normand, 1939a: 52 (*Apion*) E: IT SP N: AG LB
joannium Ehret, 1997b: 109 E: PT SP N: MO
sicanum Ehret, 1997b: 108 E: FR GR IT PT SP N: AG LB MO TU A: TR
sicanum Wencker, 1864: 125 [NA]
tubiferum Gyllenhal, 1833a: 284 (*Apion*) E: AL BU CR FR GR IT MC PT SP SZ N: AG LB MO MR TU A: CY GG IS SY TR
tubuliferum Wollaston, 1864: 312 (*Apion*) N: CI
wenckeri C.N.F. Brisout de Barneville, 1863a: 96 (*Apion*) E: FR PT SP
wenckeri C.N.F. Brisout de Barneville, 1863a: 96 (*Apion*) [NA]
subgenus *Schilskyapion* Alonso-Zarazaga, 1990c: 90 type species *Apion perrisii* Wencker, 1859
apennincola G. Osella, Zuppa & Altea, 1993: 56 E: IT
brevipile Desbrochers des Loges, 1895d: 83 (*Apion*) E: IT N: AG MO TU
delphinense Hustache, 1913a: 408 (*Apion*) E: FR IT
grenieri Desbrochers des Loges, 1875a: 31 (*Apion*) E: FR IT
leonhardi Reitter, 1903e: 178 (*Apion*) E: BH
moroderi Desbrochers des Loges, 1907a: 85 (*Apion*) E: SP
osellai Sacco & Colonnelli, 1985: 441 (*Apion*) E: IT
perrisii Wencker, 1859a: ccxxxviii (*Apion*) E: FR PT SP
revelieri Perris, 1869: 24 (*Apion*) E: FR (Corse) IT (Sardegna) N: AG
diversum Desbrochers des Loges, 1870c: 186 (*Apion*)
rugicolle Germar, 1817b: 201 (*Apion*) E: AU BE BH CZ FR GE HU IT SK SZ
hirsutum Villa & Villa, 1835: 49 (*Apion*)
setiferum Gyllenhal, 1833a: 266 (*Apion*)

genus *Pseudaplemonus* Wagner, 1930: 1385 type species *Apion limonii* Kirby, 1808
Cypriapion Ehret, 1997a: 204 type species *Apion chevrolati* Gyllenhal, 1833
aeneicollis Gerstaecker, 1854b: 277 (*Apion*) E: ST A: AB GG IN IQ IS KI KZ MG SA SY TD TM TR UZ "Siberia"
aereirostre Desbrochers des Loges, 1901a: 77 (*Apion*)
laudabile Faust, 1891e: 415 (*Apion*)
albanticus Formánek, 1925: 27 (*Apion*) E: AL
artemisiae Moravitz, 1861: 292 (*Apion*) E: RO ST UK A: KZ TM WS
bermani Korotyaev, 1997a: 285 A: FE

chevrolati Gyllenhal, 1833a: 260 (*Apion*) E: FR IT PT SP SZ N: MO
carbonarium Everts, 1879a: 60 (*Apion*)
externepunctatus Desbrochers des Loges, 1875a: 30 (*Apion*) E: CT RO ST
limonii Kirby, 1808: 78 (*Apion*) E: BE FR GB GE NL PT SP N: AG MO
limoniastri Flach, 1908b: 130 (*Apion*)
salarius Ehret, 1997a: 199
martjanovi Faust, 1891e: 413 (*Apion*) A: ES MG WS
prasolovi Korotyaev, 1991: 875 (*Perapion*) A: KZ

genus *Pseudoperapion* Wagner, 1930: 1385 type species *Apion brevirostre* Herbst, 1797
brevirostre Herbst, 1797: 120("130") (*Apion*) E: AU BE BU CR CT CZ DE FR GB GE GR HU IT
LU MC NL PL PT RO SB SK SP ST SV SZ UK "Caucasus" A: IS SY TR "Siberia"
interstitiale Boheman, 1839b: 443 (*Apion*)
liebmanni Schubert, 1958: 32 (*Apion*) N: AG TU
laportei A. Hoffmann, 1960b: 169 (*Apion*)

genus *Pseudostenapion* Wagner, 1930: 1386 type species *Apion simum* Germar, 1817
simum Germar, 1817b: 235 (*Apion*) E: AU BE CR CT CZ DE EN FI FR GE GR HU IT LA LT LU
NL PL RO SB SK SP ST SV SZ UK "Caucasus" N: AG

6.1.1.3. Subtribe Aspidapiina Alonso-Zarazaga, 1990

genus *Alocentron* Schilsky, 1901b: G type species *Apion curvirostre* Gyllenhal, 1833
subgenus *Alocentron* Schilsky, 1901b: G type species *Apion curvirostre* Gyllenhal, 1833
curvirostre Gyllenhal, 1833a: 264 (*Apion*) E: AU BU CZ GE GR HU RO SB SK SL ST SZ UK N:
AG A: AB AR GG IS SY TR WS
nonveilleri A. Hoffmann, 1953c: 194 (*Apion*)
subgenus *Bulborhinapion* Schatzmayr, 1926: 143 type species *Apion pachyrrhynchum* Gemminger,
1871
pachyrrhynchum Gemminger, 1871b: 123 (*Apion*) [RN] A: ES FE JA SC
bulbinasum Sharp, 1891: 295 (*Apion*)
crassirostre Motschulsky, 1860b: 169 (*Apion*) [HN]
schrencki Schilsky, 1906b: cxviii (*Apion*) [RN]
subgenus *Nearctalox* Alonso-Zarazaga, 1990c: 54 type species *Apion hibisci* Fall, 1918
tschukotkianum Bajtenov, 1980a: 111 (*Apion*) A: FE

genus *Aspidapion* Schilsky, 1901b: G type species *Apion validum* Germar, 1817
subgenus *Aspidapion* Schilsky, 1901b: G type species *Apion validum* Germar, 1817
Euapion Iablokoff-Khnzorian, 1959b: 75 type species *Apion uncinatum* Iablokoff-Khnzorian, 1959
acerifoliae Suppantschitsch, 1996: 227 N: CI
caprai Giusto, 1993: 551 E: IT
inarmatum Korotyaev, 1985: 143 A: SD YUN **ORR**
mountanus Pajni, Bhateja & Kumar, 1991: 121 (*Apion*) A: HP KA
panfilovi Korotyaev, 1985: 134 A: YUN **ORR**
radiolus Marsham, 1802: 247 (*Curculio*) E: AL AU AZ BE BU CT CR CZ DE EN FI FR GB GE
GR HU IR IT LA LS LT LU MA NL NR NT PL PT RO SB SK SP ST SV SZ UK N: AG CI
LB MO MR TU A: AB AF AR CY GG IQ IS JO KZ LE SY TD TR UZ WS **AFR**
albescens Wagner, 1906a: 20 (*Apion*)
chalybeipenne Wollaston, 1854b: 413 (*Apion*)
ferruginipes Wencker, 1864: 166 (*Apion*)
nigrescens Stephens, 1831h: 176 (*Apion*)
oxurum Kirby, 1808: 73 (*Apion*)
rougeti Wencker, 1858b: cvi (*Apion*)
soror Rey, 1895f: 74 (*Apion*) E: CR FR GB GR IT SP A: TR N: AG TU
foveatoscutellatum Wagner, 1906a: 19 (*Apion*)
uncinatum Iablokoff-Khnzorian, 1959b: 74 (*Apion*) E: AR
validum Germar, 1817b: 246 (*Apion*) E: AU CZ GE GR HU IT KZ LU PL RO SK SL ST SZ UK
N: AG A: AB AR GG IN KI KZ SY TD TM TR UZ WS XIN
grimmii Hochhuth, 1847: 462 (*Apion*)
subgenus *Koestlinia* Alonso-Zarazaga, 1990c: 53 type species *Attelabus aeneus* Fabricius, 1775

aeneum Fabricius, 1775: 131 (*Curculio*) E: AL AU BE BU CR CT CZ DE FR GB GE GR HU IT
LU MA MC NL PL PT SB SK SP ST SV SZ UK N: AG MO TU A: AB AF AR CY GG IN IS
KI KZ LE SY TD TM UZ
chalceus Marsham, 1802: 243 (*Curculio*)
cupricolle Panzer, 1798b: 64 (*Attelabus*)
motschulskyi Hochhuth, 1847: 461 (*Apion*)
oblongus Goeze, 1777: 380 (*Curculio*) [HN]
oblongus Geoffroy, 1785: 114 (*Rhinomacer*)
teres Gmelin, 1790: 1758 (*Curculio*)
violascens Schrank, 1781: 105 (*Curculio*)

genus *Flavopodapion* Korotyaev, 1987b: 103 type species *Apion morosum* Faust, 1898
gilvipes Gemminger, 1871b: 123 (*Apion*) [RN] A: FUJ NP SD TAI YUN ORR
flavimanum Motschulsky, 1858: 94 (*Apion*) [HN]
pictum Wagner, 1909a: 26 (*Apion*)
shaowuanum Voss, 1958b: 19 (*Apion*)

genus *Harpapion* Voss, 1966: 211 type species *Apion considerandum* Fähræus, 1871
borisi Z. Wang & Alonso-Zarazaga, 2013: 37 A: YUN
ceylonicum Gerstaecker, 1854a: 258 (*Apion*) [DA] A: YUN ORR
cingalense Walker, 1859a: 263 (*Apion*)
singhalense Heller, 1902: 341 (*Apion*)
coelebs Korotyaev, 1987b: 100 (*Aspidapion*) A: YUN
dongollanum Wagner, 1910a: 154 (*Apion*) A: SA AFR
safranum Z. Wang & Alonso-Zarazaga, 2013: 33 A: GUA
vietnamense Korotyaev, 1985: 139 (*Aspidapion*) A: YUN ORR

genus *Michaelapion* Korotyaev, 2015: 398 type species *Michaelapion sugonyaevi* Korotyaev, 2015
sugonyaevi Korotyaev, 2015: 398 A: UP ORR

genus *Miniapion* Korotyaev, 1992a: 40 type species *Miniapion potanini* Korotyaev, 1992
potanini Korotyaev, 1992a: 41 A: SCH
rubroplagiatum Voss, 1958b: 132 (*Apion*) A: FUJ
sulcirostre Sharp, 1891: 295 (*Apion*) A: FE JA (Honshu)

genus *Pseudaspidapion* Wanat, 1990a: 58 type species *Apion spadiceum* Wagner, 1908
botanicum Alonso-Zarazaga & Z. Wang, 2011: 43 A: BEI SHA
brunneorufum Balfour-Browne, 1945: 55 (*Apion*) A: YE AFR ORR
kryzhanovskii Korotyaev, 1987b: 95 (*Aspidapion*) A: YUN
rufopiceum Wagner, 1909a: 26 (*Apion*) A: TAI
scortecii Voss, 1971c: 541 (*Apiotherium*) A: YE AFR
striopunctatum Pajni, Bhateja & Kumar, 1991: 125 (*Apion*) A: HP ORR
yunnanicum Korotyaev, 1985: 139 (*Aspidapion*) A: YUN
zagulajevi Korotyaev, 1987b: 97 (*Aspidapion*) A: YUN

6.1.1.4. Subtribe Catapiina Alonso-Zarazaga, 1990

genus *Catapion* Schilsky, 1906b: vi type species *Apion seniculus* Kirby, 1808
Pseudocatapion Wagner, 1930: 1392 type species *Apion burdigalense* Wencker, 1859
Aceratapion Voss, 1969a: 55 type species *Ceratapion kabulense* Voss, 1969 (= *Apion gemulum* Faust, 1885)
acanthyllidis Normand, 1921: 77 (*Apion*) N: AG MO TU
amudariense Bajtenov, 1981c: 85 (*Apion*) A: UZ
austrinum Wollaston, 1864: 312 (*Apion*) N: CI (Gomera)
austroturcum Bajtenov & Lodos, 1977b: 315 (*Apion*) A: TR
burdigalense Wencker, 1859a: ccxxxvii (*Apion*) E: AU BU CR FR GR IT SP ST "Caucasus" N: AG
MO TU A: IS JO KZ SY TR
fesense Hustache, 1946a: 81 (*Apion*)
semicyaneum Mulsant & Rey, 1859a: 265 (*Apion*)
semicyaneum Mulsant & Rey, 1859b: 7 (*Apion*) [HN]
talpa Desbrochers des Loges, 1870c: 185 (*Apion*)
calabricum A. Solari & F. Solari, 1922f: 28 (*Apion*) E: IT
caucasicum Hochhuth, 1847: 463 (*Apion*) E: "Caucasus" A: IN UZ

acuticlava Desbrochers des Loges, 1902f: 159 (*Apion*) [DA]
corsicum Desbrochers des Loges, 1888: cxci (Apion) E: BU FR (Corse) GR IT "Yugoslavia" A: TR
curtisii Stephens, 1831h: 169 (*Apion*) E: BH BU FR GB GE GR IT NL PT SP UK N: AG A: CY
 GG IS LE SY TR
curtulum Desbrochers des Loges, 1870c: 203 (*Apion*)
frontale Desbrochers des Loges, 1895i: 142 (*Apion*)
frontale Desbrochers des Loges, 1901b: 83 (*Apion*) [HN]
cyanellum Desbrochers des Loges, 1896l: 114 (*Apion*) A: AR TR
gemulum Faust, 1885c: 186 (*Apion*) A: AF IN KZ TM UZ
doriae Desbrochers des Loges, 1893f: 11 (*Apion*)
kabulense Voss, 1969a: 55 (*Ceratapion*)
mus Desbrochers des Loges, 1897c: 25 (*Apion*)
soricinum Desbrochers des Loges, 1892c: 108 (*Apion*)
halperini Friedman & Freidberg, 2007: 120 A: IS
jaffense Desbrochers des Loges, 1896h: 76 (*Apion*) E: BU CZ HU IT PL SB SK UK A: AB CY IS
ononiphagum Schatzmayr, 1920: 42 (*Apion*)
koestlini Dieckmann, 1989a: 249 (*Apion*) E: FR GE IT LU PL SZ
lodosi A. Hoffmann, 1954b: 284 (*Apion*) A: TR
meieri Desbrochers des Loges, 1901b: 82 (*Apion*) E: AU CR CT CZ DE FI FR GE GR IT LA LU
 MD NR NT PL PT SK SV SZ A: CY GG
natricis Planet, 1918a: 154 (*Apion*) E: FR IT SP N: MO
pubescens Kirby, 1811: 350 (*Apion*) E: AL AU BE CR CZ DE EN FR GB GE GR HU IT LU MA
 NL PL PT SB SK SP ST SV SZ UK N: AG CI MO TU A: CY GG IS JO SY
ceuthorhynchoides Wollaston, 1864: 314 (*Apion*)
civicum Germar, 1817b: 234 (*Apion*)
salicis Gyllenhal, 1833a: 286 (*Apion*)
schneideri Tournier, 1878a: 306 (*Apion*) A: GG
koenigi Desbrochers des Loges, 1897c: 26 (*Apion*)
semicyanescens Desbrochers des Loges, 1904a: 54 (*Apion*) A: IN "Tianshan"
seniculus Kirby, 1808: 61 (*Apion*) E: AL AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR
 IT LA LS LT LU MD NL NR NT PL PT RO SB SK SP ST SV SZ UK N: AG MO TU A: AR
 CY ES GG HEI IS JO KZ LE SY TD TM TR WS
angustiforme J.R. Sahlberg, 1921: 34 (*Apion*)
dudichi Györfy, 1924: 27 (*Apion*) [DA]
murinum Everts, 1882: 252 (*Apion*) [HN] [DA]
palpebratum Gyllenhal, 1833a: 258 (*Apion*)
plebejum Germar, 1817b: 215 (*Apion*)
tenuitubus Desbrochers des Loges, 1908i: 83 (*Apion*)
tenuis Gyllenhal, 1813: 57 (*Apion*)
seriatosetosulum Wencker, 1864: 179 (*Apion*) E: AU BU CR FR GR IT PT SL SP N: AG MO TU
neapolitanum Desbrochers des Loges, 1870c: 203 (*Apion*)
setosum Wencker, 1864: 180 (*Apion*) A: TR
subpubescens Wencker, 1864: 176 (*Apion*) N: AG TU
mendosum Normand, 1937: 236 (*Apion*) [DA]
turkestanicum Desbrochers des Loges, 1892c: 107 (*Apion*) A: AF KZ
vulnerariae Dieckmann & Wanat, 1991: 353 (*Apion*) E: AU SZ

genus *Necatapion* Friedman & Freidberg, 2007: 155 type species *Apion bruleriei* Desbrochers des Loges, 1875

bruleriei Desbrochers des Loges, 1875a: 30 (*Apion*) A: CY IS JO LE TR
schuberti Alonso-Zarazaga, 1986: 198 (*Apion*) [RN]
tauricum Schubert, 1963: 81 (*Apion*) [HN]

6.1.1.5. Subtribe Ceratapiina Alonso-Zarazaga, 1990

genus *Acentrotypus* Alonso-Zarazaga, 1990c: 51 type species *Apion brunnipes* Boheman, 1839
brunnipes Boheman, 1839b: 386 (*Apion*) E: BE BH BU CR CZ FR GB GE GR HU IT NL PT SP SZ
 N: AG MO TU A: CY GG IN TR
laevigatum Kirby, 1808: 70 (*Apion*) [permanently invalid name]

genus *Ceratapion* Schilsky, 1901b: F type species *Apion carduorum* Kirby, 1808

subgenus *Acanephodus* Alonso-Zarazaga, 1990c: 46 type species *Apion onopordi* Kirby, 1808

onopordi onopordi Kirby, 1808: 71 (*Apion*) **E:** AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N:** AG TU **A:** AB AR CH ES FE GG IN KI KZ TM TR UZ WS
frater Desbrochers des Loges, 1870c: 200 (*Apion*)
hipponense Desbrochers des Loges, 1894f: 87 (*Apion*)
jablokovkhnzoriani Bajtenov, 1982c: 69 (*Apion*)
rugipenne Hochhuth, 1851: 11 (*Apion*)
onopordi parviclava Desbrochers des Loges, 1897c: 8 (*Apion*) **E:** GR **N:** EG **A:** AR CY GG IN IS JO LE SY TR
cavatum Desbrochers des Loges, 1907a: 89 (*Apion*)
chenocephalum Desbrochers des Loges, 1902f: 160 (*Apion*)
quadrilocostatum Schilsky, 1906a: 8 (*Apion*)
parens Desbrochers des Loges, 1870d: 161 (*Apion*) **E:** PT SP **N:** AG MO TU
rectipes Desbrochers des Loges, 1891j: lvi (*Apion*)
rectipes Desbrochers des Loges, 1981c: 83 (*Apion*) [HN]
subgenus *Angustapion* Wanat, 1995a: 299 type species *Apion akbesianum* Desbrochers des Loges, 1897
aegyptiacum Desbrochers des Loges, 1870c: 201 (*Apion*) **N:** EG
akbesianum Desbrochers des Loges, 1897c: 10 (*Apion*) **A:** TR
austriacum Wagner, 1904: 374 (*Apion*) **E:** AU BE BH CZ DE EN FR GE HU LA LT LU MD PL RO SK SZ UK
beckeri Desbrochers des Loges, 1875a: 27 (*Apion*) **E:** AB BU FR IT MC RO SB SK ST TR UK **A:** AF AR GG IN IS LE TD TM TR UZ
angulirostre Schilsky, 1901b: 14 (*Apion*)
biseriatum Desbrochers des Loges, 1875a: 26 (*Apion*)
sublaevithorax Desbrochers des Loges, 1894f: 90 (*Apion*)
boehmi Wagner, 1911: 48 (*Apion*) **N:** EG
bokharanum Györfly, 1923: 91 (*Apion*) **A:** UZ
cylindricolle Gyllenhal, 1839a: 380 (*Apion*) **E:** BU FR GR HU IT RO SB SK ST UK **A:** GG TR
longiceps Schilsky, 1906a: 5 (*Apion*)
montandoni Desbrochers des Loges, 1897c: 13 (*Apion*)
decolor Desbrochers des Loges, 1875a: 27 (*Apion*) **E:** BU CR CT FR GR ME RO SL **N:** EG **A:** AB AR IN IS JO LE SY TR WS
brevithorax Desbrochers des Loges, 1897c: 12 (*Apion*)
efratense Bajtenov & Lodos, 1978b: 147 (*Apion*)
parcius Voss, 1965c: 333 (*Apion*)
fremuthi Wanat, 1995a: 365 **A:** AB IN TR
gibbiceps Desbrochers des Loges, 1894b: 66 (*Apion*) **A:** IN
kasbekianum Gerstaecker, 1854a: 238 (*Apion*) **A:** AB AR GG IN TR
angustissimum Desbrochers des Loges, 1889a: xxxv (*Apion*)
klapperichi Wanat, 1995a: 311 **A:** IS JO
lancirostre Chevrolat, 1859b: 385 (*Apion*) **N:** AG EG MO TU
lanciferum Desbrochers des Loges, 1897c: 9 (*Apion*) [URN]
libicum Wanat, 1995a: 378 **N:** LB
longiclava Desbrochers des Loges, 1897c: 12 (*Apion*) **E:** FR IT SP **N:** AG MO TU
clavatum Schilsky, 1906a: 3 (*Apion*)
macrorrhynchum Eppelsheim, 1888a: 381 (*Apion*) **E:** BU GR MC SP **A:** IN TR
nalderae G.A.K. Marshall, 1938b: 167 (*Apion*) **A:** HP
opacinum Faust, 1887h: 179 (*Apion*) **A:** FE JA (Honshu) NC WS
peninsulae Wanat, 1990a: 66 **A:** YE
perlongum Faust, 1891e: 410 (*Apion*) **E:** CT RO ST UK
poggii Wanat, 1995a: 319 **N:** LB
ramoni Friedman & Freidberg, 2007: 78 **A:** IS
sefrense Desbrochers des Loges, 1897c: 10 (*Apion*) **N:** AG TU
angustius Desbrochers des Loges, 1898h: 35 (*Apion*)
sejugum Desbrochers des Loges, 1893f: 10 (*Apion*) **A:** IS SY TR "Caucasus"
transsylvanicum Schilsky, 1906a: 10 (*Apion*) **E:** CT HU RO ST UK
subgenus *Ceratapion* Schilsky, 1901b: F type species *Apion carduorum* Kirby, 1808
armatum Gerstaecker, 1854a: 237 (*Apion*) **E:** AU BE BH BY CR CZ DE EN FR GB GE HU IT LA NL PL RO SK SL ST SV SZ UK **A:** AR
barnevillei Wencker, 1864: 133 (*Apion*)
calcaratum Wollaston, 1864: 310 (*Apion*) **N:** CI

carduorum Kirby, 1808: 72 (*Apion*) E: AL AU BE BH BU CR CT CZ DE FR GB GE GR HU IR IT LU MC NL PL PT RO SB SK SL SP ST SV SZ UK N: AG MO TU A: AF AR ES GG SY TR
ferdinandi Schatzmayr, 1925: 96 (*Apion*)
galactidis Wencker, 1858a: xxii (*Apion*)
lacertense Tottenham, 1941: 14 (*Apion*)
magyaricum Györfly, 1923: 93 (*Apion*)
meridianum Wencker, 1864: 130 (*Apion*)
sorbi Marsham, 1802: 72 (*Curculio*) [NA]

dalmatinum Györfly, 1923: 92 (*Apion*) E: CR IT

damryi Desbrochers des Loges, 1894f: 91 (*Apion*) E: BH BU CR FR GR IT MA MC PT RO SL SP SZ N: AG LB MO TU A: CY IS TR
gridellii F. Solari, 1940b: 70 (*Apion*)

gibbifrons Hustache, 1932c: 136 (*Apion*) A: IN LE SY TR
cystocephalum Bajtenov & Lodos, 1978b: 146 (*Apion*)

gibbirostre Gyllenhal, 1813: 52 (*Apion*) E: AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: AG EG MO TU A: AB AR CY ES FE GG IN IS KZ LE SY TR WS
conforme Desbrochers des Loges, 1875a: 27 (*Apion*)
cyaneus DeGeer, 1775: 252 (*Curculio*) [NA]
kenedii Bokor, 1923: 96 (*Apion*)
russicum Desbrochers des Loges, 1870c: 179 (*Apion*)
tumidum Stephens, 1835: 420 (*Apion*)

kazakhstanicum Ter-Minasian, 1970b: 634 (*Apion*) A: GG KZ WS

secundum Ter-Minasian, 1975a: 252 (*Apion*) E: ST A: ES KZ MG TR
dentirostre Ter-Minasian, 1972a: 241 (*Apion*) [HN]

subgenus *Clementellus* Alonso-Zarazaga, 1990c: 46 type species *Apion robusticorne* Desbrochers des Loges, 1866

orientale Gerstaecker, 1854a: 237 (*Apion*) E: AU BH BU CR GR HU IT RO SK ST UK A: SY TR
henschi Reitter, 1901j: 226 (*Apion*)
similans Schilsky, 1901b: 21 (*Apion*)

robusticorne Desbrochers des Loges, 1866: 44 (*Apion*) E: IT MA PT SP N: AG MO TU
bipartitum Desbrochers des Loges, 1902f: 160 (*Apion*)
insolitum Desbrochers des Loges, 1870c: 196 (*Apion*)

subgenus *Echinostroma* Alonso-Zarazaga, 1990b: 450 type species *Apion penetrans* Germar, 1817

basicorne Illiger, 1808a: 307 (*Apion*) E: AL AU BH BU CR CT CZ DE FR GE GR HU IT LA NL NT PL RO SB SK SP ST SV SZ UK A: AB AR CY GG IN IS LE TR
alliariae Herbst, 1797: 104 (*Apion*) [NA]
atripenne Desbrochers des Loges, 1902f: 159 (*Apion*)
intermedium Desbrochers des Loges, 1908j: 97 (*Apion*) [HN]
simillimum Desbrochers des Loges, 1891k: lvii (*Apion*)
simillimum Desbrochers des Loges, 1891i: 83 (*Apion*) [HN]
spathula Desbrochers des Loges, 1894f: 98 (*Apion*)
subcavifrons Desbrochers des Loges, 1894f: 87 (*Apion*)
subdentirostre Desbrochers des Loges, 1875a: 27 (*Apion*)
tauricum Desbrochers des Loges, 1902f: 159 (*Apion*)

curtii Wagner, 1920: 196 (*Apion*) E: CR FR GR IT

dentirostre Gerstaecker, 1854a: 236 (*Apion*) E: SP N: MO

penetrans caullei Wencker, 1858a: xxi (*Apion*) E: BE FR GE NL SZ

penetrans penetrans Germar, 1817b: 244 (*Apion*) E: AL AU BH BU BY CR CT CZ DE EN GE GR HU IT LA LT LU MD ME PL RO SB SK SL ST SV SZ UK A: KZ TR
distans Desbrochers des Loges, 1889a: xxxiii (*Apion*)
ovipenne Hochhuth, 1851: 9 (*Apion*)
subconicicolle Desbrochers des Loges, 1870c: 199 (*Apion*)

penetrans wanati Alonso-Zarazaga, 1993a: 233 E: PT SP N: AG MO
wanati Alonso-Zarazaga, 1993b: 123 [HN]

rhopalorrhynchum Iablokoff-Khznorian, 1967: 88 (*Apion*) A: AR TR

scalptum scalptum Mulsant & Rey, 1859a: 267 (*Apion*) E: AU BE BH CR FR GE IT MC PT SP UK N: AG TU
scalptum Mulsant & Rey, 1859b: 9 (*Apion*) [HN]

scalptum caviceps Desbrochers des Loges, 1870c: 201 (*Apion*) E: BU GR ST TR UK A: AB AF AR CY GG IN IS KI KZ LE PA SY TD TM TR UZ
pilicorne Desbrochers des Loges, 1875a: 26 (*Apion*)

uniseriatum Faust, 1885c: 185 (*Apion*) A: AF IN KI KZ SY TD TM UZ
insculpticolle Desbrochers des Loges, 1902f: 160 (*Apion*)
remaudierei A. Hoffmann, 1956d: 248 (*Apion*)
sculpticolle Desbrochers des Loges, 1897c: 8 (*Apion*)

genus *Ceratapion*, species incertae sedis
bacanasicum Bajtenov, 1973b: 61 (*Apion*) A: KZ
brevitibia Bajtenov, 1977c: 16 (*Apion*) A: TR
edentatum Desbrochers des Loges, 1891j: lvi (*Apion*) N: AG
 edentatum Desbrochers des Loges, 1981h: 83 (*Apion*) [HN]
 edentatum Desbrochers des Loges, 1894f: 87 (*Apion*) [HN]
fallaciosum Desbrochers des Loges, 1892c: 107 (*Apion*) E: IT N: AG MO TU
nurense Bajtenov, 1977c: 16 (*Apion*) A: KZ
proximum Györfffy, 1923: 92 (*Apion*) A: UZ

genus *Diplapion* Reitter, 1916a: 241 type species *Apion stolidum* Germar, 1817
confluens Kirby, 1808: 62 (*Apion*) E: AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU
IR IT KZ LA LT LU MC MD NL NR NT PL PT RO SB SK SP ST SV SZ TR UK N: AG TU
A: AB AR CY GG IN IS JO SY TR
 asiaticum Desbrochers des Loges, 1894g: 116 (*Apion*)
 inapertum Desbrochers des Loges, 1897c: 13 (*Apion*)
 roelofsi Everts, 1879a: 58 (*Apion*)
detrutum Mulsant & Rey, 1859a: 261 (*Apion*) E: AL BH BU CR CT CZ DE FR GE GR HU IT KZ
LA MA MC MD ME PL RO SB SK SP ST UK N: AG EG MO TU A: AB CY GG IN SI SY
TR
 catenulatum Wagner, 1910b: 944 (*Apion*)
 crenulatum Desbrochers des Loges, 1894g: 115 (*Apion*)
 detrutum Mulsant & Rey, 1859b: 3 (*Apion*) [HN]
 ragusae Everts, 1879a: 58 (*Apion*)
 rumaniacum Wagner, 1910b: 944 (*Apion*)
 subcrenulatum Desbrochers des Loges, 1901a: 79 (*Apion*)
 viridicoeruleum Everts, 1879a: 59 (*Apion*)
hamatum Wagner, 1906a: 22 (*Apion*) A: AB AR IN
nitens Schilsky, 1901b: 24 (*Apion*) E: IT(Sicilia) SP N: AG MO TU
sareptanum Desbrochers des Loges, 1867b: 216 (*Apion*) E: RO ST A: TR
 curtipenne Desbrochers des Loges, 1870c: 179 (*Apion*)
saudiarabicum Wanat, 1995a: 189 A: SA
squamans Desbrochers des Loges, 1907a: 89 (*Apion*) N: EG A: AR IS JO SY
squamuliferum Desbrochers des Loges, 1891i: 323 (*Apion*) E: IT PT SP N: AG LB MO MR TU
 subsquamiferum Desbrochers des Loges, 1894g: 115 (*Apion*)
stolidum Germar, 1817b: 218 (*Apion*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU IR IT KZ LA LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: AG
MO A: AB AR CY IN KZ WS
westwoodi Wollaston, 1864: 311 (*Apion*) N: CI

genus *Omphalapion* Schilsky, 1901b: G type species *Curculio laevigatus* Paykull, 1792
beuthini An. Hoffmann, 1874: 208 (*Apion*) E: FR GB SP N: MO
buddebergi Bedel, 1887b: 363 (*Apion*) E: BU CZ GE LA PL SP ST UK A: IN
 extinctum Kraatz, 1888a: 174 (*Apion*)
concinnum Schilsky, 1906b: cxviii (*Apion*) [RN] A: CY IN IS LE
 puncticolle Schilsky, 1906a: 27 (*Apion*) [HN]
dispar Germar, 1817b: 181 (*Apion*) E: AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT
LA MA NL PL RO SK SL ST SV SZ UK A: AR CY IN TR
 brisouti Bedel, 1887b: 363 (*Apion*)
 corcyraeum Schilsky, 1906b: 2 (*Apion*)
fossicolle Desbrochers des Loges, 1889a: xxxiv (*Apion*) A: SY TR
 fossulatum Desbrochers des Loges, 1897c: 15 (*Apion*)
hookerorum Kirby, 1808: 69 (*Apion*) E: AU BE BU BY CT CZ DE EN FI FR GB GE GR HU IR IT
LA LT LU MD NL NR NT PL PT SK SP ST SV SZ UK N: AG LB MO A: AR CY IN LE SY
TR WS NARi
laevigatum Paykull, 1792: 141 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT KZ MD NL NR NT PL PT SB SK SL SP ST SV SZ UK A: GG IN KZ TR
 carbonarium Germar, 1817b: 176 (*Apion*)
 sahlbergi Gyllenhal, 1825: 61 (*Apion*)
 sorbi Fabricius, 1792: 390 (*Attelabus*) [URN]
 viridescens Marsham, 1802: 249 (*Curculio*)

pseudodispar Wanat, 1995a: 146 E: AL AU BH BU CZ GR HU IT MC MD SK TR UK A: CY IN TR
rhodopense Angelov, 1962: 199 (*Apion*) E: BU GR

genus *Protoceratopion* Wanat, 1995a: 76 type species *Apion deletum* Schilsky, 1906
Protosynapion Legalov, 1997b: 468 type species *Apion deletum* Schilsky, 1906
deletum Schilsky, 1906a: 38 (*Apion*) A: KI KZ UZ WS
egregium Wagner, 1906b: 204 (*Apion*)
tibetanum Balfour-Browne, 1944a: 8 (*Apion*) A: XIZ

genus *Taphrotopium* Reitter, 1916a: 241 type species *Apion sulcifrons* Herbst, 1797
subgenus *Omphatopium* Wanat, 1995a: 106 type species *Apion irkutense* Faust, 1888
irkutense Faust, 1888c: 174 (*Apion*) A: ES KZ WS
subgenus *Taphrotopium* Reitter, 1916a: 241 type species *Apion sulcifrons* Herbst, 1797
cuprifulgens Schilsky, 1906b: XI (*Apion*) A: AB AR IN KI KZ TD TM UZ
karatavicum Bajtenov, 1973b: 61 (*Apion*)
steveni Gyllenhal, 1839a: 393 (*Apion*) E: ST A: AB AR IN KI KZ MG TM UZ WS XIN
aterrimum: Schilsky, 1906b: XI (*Apion*) [ISS, NA]
nigerrimum Faust, 1894a: 65 (*Apion*)
sulcifrons Herbst, 1797: 122("132") (*Apion*) E: AU BE BY CT CZ DE EN FR GE HU LA LT MD NT PL RO SK SP ST SV UK A: GG KZ SY TD WS

6.1.1.6. Subtribe Exapiina Alonso-Zarazaga, 1990

genus *Exapion* Bedel, 1887a: 360 type species *Curculio fuscirostris* Fabricius, 1775
Ulapion Ehret, 1997a: 208 type species *Curculio ulicis* Forster, 1771
approximatum Desbrochers des Loges, 1904a: 55 (*Apion*) N: MO
batnense Desbrochers des Loges, 1894j: 30 (*Apion*) N: AG
chobauti Schilsky, 1906a: 19 (*Apion*)
breviusculum Rosenhauer, 1856: 239 (*Apion*) E: PT SP
canescens Desbrochers des Loges, 1889a: xxxiv (*Apion*) E: GR TR A: CY IS JO LE SY TR
judaicum Schilsky, 1906a: 18 (*Apion*)
compactum asturiense Wagner, 1914a: 27 (*Apion*) E: PT SP
compactum circovichii Schatzmayr, 1921: 83 (*Apion*) E: IT SL
compactum compactum Desbrochers des Loges, 1888: cxiii (*Apion*) E: AU BE BH CR CT CZ DE FR GE HU IT LU NL PT SB SK SL SP SZ UK N: AG A: WS
compactum monticola Schilsky, 1906a: 15 (*Apion*) E: AU BH IT
compactum pseudinexpertum Schatzmayr, 1925: 38 (*Apion*) E: SZ
pseudoinexpertum Schatzmayr, 1925: 37 (*Apion*) [NA]
confusum Desbrochers des Loges, 1891k: lvii (*Apion*) N: AG TU
confusum Desbrochers des Loges, 1981c: 83 (*Apion*) [HN]
corniculatum Germar, 1817b: 129 (*Apion*) E: AU BH BU CR CT CZ FR GE GR HU IT NL PL RO SB SK SL ST SZ UK
hungaricum Desbrochers des Loges, 1894k: 44 (*Apion*)
crassiusculum Desbrochers des Loges, 1894j: 32 (*Apion*) E: FR
difficile Herbst, 1797: 114 ("124") (*Apion*) E: AU BE CZ DE FR GB GE HU IT LU NL PL RO SB SK SL ST SZ UK A: TR
germanicum Desbrochers des Loges, 1894j: 32 (*Apion*)
kiesenwetteri Desbrochers des Loges, 1870c: 204 (*Apion*)
toelgi Wagner, 1914a: 25 (*Apion*)
elongatissimum Desbrochers des Loges, 1870c: 198 (*Apion*) E: PT SP
elongatum Desbrochers des Loges, 1891i: 324 (*Apion*) [RN] E: AU BH BU CR CT CZ FR GE GR HU IT PL RO SB SK ST SZ UK
longulum Desbrochers des Loges, 1875a: 30 (*Apion*) [HN]
vittigerum Wagner, 1910b: 947 (*Apion*)
fasciolatum Wagner, 1912c: 88 (*Apion*) A: FR SP
heikertingeri Wagner, 1918: 97 (*Apion*) [RN]
valentinorum A. Hoffmann, 1929c: 314 (*Apion*) [UE]
valentinum Clermont, 1919: 316 (*Apion*)
flavinasus Desbrochers des Loges, 1907a: 86 (*Apion*) E: ST
formanekei Wagner, 1929b: 166 (*Apion*) E: AU BE BH BU CR CZ FR GE HU IT LU PL RO SB SK SL SZ UK YU

comoni A. Hoffmann, 1958: 1556 (*Apion*)
fulvum Desbrochers des Loges, 1895a: 52 (*Apion*) E: FR (Corse) IT (Sardegna) N: TU
fuscirostre flachi Wagner, 1906b: 204 (*Apion*) E: PT
fuscirostre fuscirostre Fabricius, 1775: 131 (*Curculio*) E: AU BE CT CZ DE FR GB GE HU IT LU NL
 PL PT SK SP SV SZ UK N: AG A: SY NARi
albovittatum Herbst, 1784: 74 (*Curculio*)
curvirostre Herbst, 1784: 78 (*Curculio*) [HN, DA]
melanopus Marsham, 1802: 248 (*Curculio*)
teretirostre Herbst, 1795: 106 (*Curculio*) [RN, DA]
venustum Herbst, 1795: 163 (*Curculio*) [NA]
gattefossei Hustache, 1937a: 15 (*Apion*) N: MO
genistae Kirby, 1811: 347 (*Apion*) E: FR GB GE GR IT PT SP N: AG
astragali Gozis, 1881d: 181 (*Apion*) [HN] [UE]
astralagi Herbst, 1795: 98 (*Curculio*)
bivittatum Gerstaecker, 1854a: 259 (*Apion*)
funiculare Mulsant & Rey, 1859a: 269 (*Apion*)
funiculare Mulsant & Rey, 1859b: 11 (*Apion*) [HN]
hilfi deubeli Wagner, 1912a: 19 (*Apion*) E: RO
hilfi hilfi Wagner, 1912a: 17 (*Apion*) E: BU GR TR
inexpertum Wagner, 1906b: 207 (*Apion*) [RN] E: AU FR GE IT SZ
epelsheimi Desbrochers des Loges, 1897c: 17 (*Apion*) [HN]
laufferi laufferi Schilsky, 1906a: 20 (*Apion*) E: SP
laufferi paganettii Wagner, 1914a: 26 (*Apion*) E: SP
lemovicinum A. Hoffmann, 1929c: 312 (*Apion*) E: FR SP
liguricum A. Solari & F. Solari, 1905b: 101 (*Apion*) E: IT
mendax Desbrochers des Loges, 1907a: 87 (*Apion*) N: AG TU
oblongulum Desbrochers des Loges, 1875a: 31 (*Apion*) E: PT SP
putonii C.N.F. Brisout de Barneville, 1866b: 386 (*Apion*) E: PT SP
reyi Desbrochers des Loges, 1897c: 19 (*Apion*) E: FR SP
sarotae Peyerimhoff, 1926c: 382 (*Apion*) N: AG
schatzmayri Wagner, 1923: 97 E: IT
squamulatum Gyllenhal, 1833a: 275 (*Apion*) N: MO
flavicus Desbrochers des Loges, 1901b: 81[780] (*Apion*)
sublineatum Schilsky, 1906a: 21 (*Apion*) "Armenien oder Turkestan"
subparallelum Desbrochers des Loges, 1888: cxci (*Apion*) E: FR GR IT PT SP N: AG MO TU
subrectirostre Desbrochers des Loges, 1895a: 51 (*Apion*)
uliciperda Pandellé, 1867: 184 (*Apion*) E: FR PT SP SZ N: AG
ulicis Forster, 1771: 31 (*Curculio*) E: FR GB GE IR IT NL PT SP SZ N: AG MO AURi NARi
nigrirostris Fabricius, 1798: 163 (*Attelabus*)
sarothamni Gradl, 1882: 331 (*Apion*)
ulicis Dufour, 1843: 77 (*Apion*) [HN]
wagnerianum Schatzmayr, 1925: 24 E: PT SP
winkleri Wagner, 1912a: 19 (*Apion*) E: GR
zangezuricum Iablokoff-Khznorian, 1977a: 303 (*Apion*) A: AR

genus *Lepidapion* Schilsky, 1906b: v type species *Apion argentatum* Gerstaecker, 1854

subgenus *Hidryocneme* Alonso-Zarazaga, 1990c: 76 type species *Apion cretaceum* Rosenhauer, 1856

bremondi A. Hoffmann, 1938b: 100 (*Apion*) N: MO

cretaceum Rosenhauer, 1856: 240 (*Apion*) E: FR PT SP N: AG EG LB MO TU A: IS JO SI

alfierii Pic, 1915e: 33 (*Apion*)

cobosi F. Solari, 1952b: 41 (*Apion*)

torretassoi Schatzmayr, 1933: 169 (*Apion*)

curvipilosum Wagner, 1908c: 102 (*Apion*) N: CI

spartocytisi G.A.K. Marshall, 1928a: 115 (*Apion*)

senex Wollaston, 1864: 306 (*Apion*) N: CI

canariense Wagner, 1914a: 23 (*Apion*)

subgenus *Lepidapion* Schilsky, 1906b: v type species *Apion argentatum* Gerstaecker, 1854

acuminatum Schilsky, 1906a: 31 (*Apion*) E: SP

argentatum argentatum Gerstaecker, 1854a: 258 (*Apion*) E: FR IT PT SP N: AG MO TU A: TR

argentatum majolae Schatzmayr, 1933: 169 (*Apion*) N: LB

argentatum sardoum Schatzmayr, 1933: 169 (*Apion*) E: IT (Sardegna)

bletoni Hustache, 1939b: 198 (*Apion*) N: MO

gallaecianum Desbrochers des Loges, 1894j: 29 (*Apion*) E: SP

galloecianum Desbrochers des Loges, 1894j: 29 (*Apion*) [NA]
nimbatum Normand, 1937: 234 (*Apion*) N: AG
plagiatum Desbrochers des Loges, 1891i: 324 (*Apion*) E: SP
pseudogallaecianum A. Hoffmann, 1929b: 132 (*Apion*) E: FR
squamidorsum Desbrochers des Loges, 1908i: 83 (*Apion*) E: SP N: AG MO MR
squamigerum Jacquelin du Val, 1854a: 9 (*Apion*) E: FR IT (Sicilia) PT SP N: AG MO

6.1.1.7. Subtribe Ixapiina Alonso-Zarazaga, 1990

genus *Ixapion* Roudier & Tempère, 1973: 80 [RN] type species *Apion variegatum* Wencker, 1864
Ixias Sainte-Claire Deville, 1924: 122 [HN] type species *Apion variegatum* Wencker, 1864
variegatum Wencker, 1864: 188 (*Apion*) E: AU BE CZ FR GB GE GR HU IT LU PL SK SP SZ
bicolor Gredler, 1857: 153 (*Apion*) [HN]

genus *Trichoptera* Wagner, 1930: 1387 type species *Apion holosericeum* Gyllenhal, 1833
holosericeum Gyllenhal, 1833a: 268 (*Apion*) E: AL AU BH BU BY CR CZ FR GE GR HU IT LA
MC MD RO SB SK SL ST SZ UK A: AB AR GG TR
cuneatum Hochhuth, 1847: 464 (*Apion*)
hiemale Hampe, 1861: 67 (*Apion*)
semisericeum Wagner, 1920: 199 (*Apion*) A: FE JA SC

6.1.1.8. Subtribe Kalcapiina Alonso-Zarazaga, 1990

genus *Afrothymapion* Wanat, 1990: 64 type species *Apion tanganum* Hartmann, 1897
maculiferum Colonnelli, 2014: 302 A: YE (Suqutra)
tanganum Hartmann, 1897: 83 (*Apion*) A: SA YE AFR

genus *Hypuranius* Korotyaev, 1996c: 877 type species *Apion borchmanni* Voss, 1958
borchmanni Voss, 1958b: 131 (*Apion*) A: FUJ SD TAI ORR

genus *Kalcapion* Schilsky, 1906b: iv type species *Apion pallipes* Kirby, 1808
pallipes Kirby, 1808: 38 (*Apion*) E: AU BE BH BU CT CZ DE EN FI FR GB GE HU IT LA LS LU
NL NT PL RO SK SL SP (Mallorca) ST SV SZ UK A: IS
geniculatum Germar, 1817b: 175 (*Apion*)
pallidipes Bedel, 1886a: 208 (*Apion*) [RN]
pallipes Gyllenhal, 1813: 34 (*Apion*) [HN]
semivittatum fortunatum Roudier, 1963b: 149 (*Apion*) N: CI
semivittatum sagittiferum Wollaston, 1854b: 410 (*Apion*) N: MR
semivittatum semivittatum Gyllenhal, 1833a: 271 (*Apion*) E: AL AU AZ BE BU CR CZ FR GB GE
GR HU IT LU MA ME NL PT RO SB SK SP ST SZ UK N: AG CI LB MO TU A: CY GG IS
JO LE SY TR
albopilosum P.H. Lucas, 1846b: pl.35 (*Apion*)
germari Walton, 1844: 456 (*Apion*)
pallidactylum Gyllenhal, 1839a: 394 (*Apion*)
syriacum Desbrochers des Loges, 1897c: 6 (*Apion*) [DA]
tonsuratum Betta, 1847: 31 (*Apion*)
separandum Aubé, 1866a: 163 (*Apion*) E: FR SP
terminasiana Alonso-Zarazaga, 1986: 198 (*Apion*) [RN] A: AF
rubidum Ter-Minasian, 1971b: 658 (*Apion*) [HN]

genus *Melanapion* Wagner, 1930: 1390 type species *Apion minimum* Herbst, 1797

subgenus *Melanapion* Wagner, 1930: 1390 type species *Apion minimum* Herbst, 1797

ferganicum Bajtenov, 1977b: 228 (*Apion*) A: UZ

mandli Schubert, 1959: 30 (*Apion*) A: BEI ES FE NC SC

winteri Korotyaev & Egorov, 1996: 859

minimum Herbst, 1797: 115 ("125") (*Apion*) E: AU BE BU BY CT CZ DE EN FI FR GB GE HU IT
LA LT LU MD NL NR NT PL PT SB SK SP ST SV SZ UK N: AG A: AB AR ES FE GG KZ
MG UZ WS

denominandum Jacquelin du Val, 1855b: 205 (*Apion*) [RN]

foraminosum Gyllenhal, 1833a: 289 (*Apion*)

trifolii Gyllenhal, 1833a: 285 (*Apion*)

velox Kirby, 1811: 349 (*Apion*)

naga Nakane, 1963c: 385 (*Apion*) A: BEI FE HUB JA NC

subgenus *Rhodapion* Alonso-Zarazaga, 1990c: 56 type species *Apion hauseri* Wagner, 1906

hauseri Wagner, 1906b: 203 (*Apion*) A: AF KZ MG TD TM UZ

subrubripes Ter-Minasian, 1972a: 240 (*Apion*)

genus *Sergiola* Korotyaev, 1996c: 862 type species *Apion silfverbergi* Bajtenov, 1983

subgenus *Golovninia* Korotyaev & Egorov, 1996: 873 type species *Apion hilleri* Schilsky, 1902

hilleri Schilsky, 1902: 67 (*Apion*) A: JA

ussuricola Korotyaev & Egorov, 1996: 876 A: FE

subgenus *Sergiola* Korotyaev, 1996c: 862 type species *Apion silfverbergi* Bajtenov, 1983

gressitti Korotyaev, 1996c: 867 A: GUA

griseopubescentes Roelofs, 1874: 129 (*Apion*) A: JA SC

vasta Schilsky, 1902: 64 (*Apion*)

praecaria Faust, 1889f: 225 (*Apion*) A: FE GUA JA NC SC

rasnitsyni Korotyaev & Egorov, 1996: 868 A: FE

silfverbergi Bajtenov, 1983b: 59 (*Apion*) A: FE

genus *Squamapion* Bokor, 1923: 98 type species *Apion vicinum* Kirby, 1808

Thymapion Sainte-Claire Deville, 1924: 135 type species *Apion flavimanum* Gyllenhal, 1833

Squamapion Wagner, 1929a: 253 [HN] type species *Apion flavimanum* Gyllenhal, 1833

Teuchoemapion Voss, 1966: 234 type species *Apion jordanianum* Voss, 1965

alpinum Giusto, 2018: 402 E: AU

atomarium Kirby, 1808: 59 (*Apion*) E: AL AU BE CR CT CZ DE EN FI FR GB GE GR HU IT LA

LT LU ME NL NT PL PT RO SB SK SP ST SV SZ UK N: AG TU A: AR CY GG MG TR

acium Gyllenhal, 1833a: 257 (*Apion*)

atomarium Gyllenhal, 1813: 60 (*Apion*) [HN]

pusillum Germar, 1817b: 209 (*Apion*)

bifarium Balfour-Browne, 1944b: 149 (*Apion*) A: CY

cineraceum Wencker, 1864: 146 (*Apion*) E: AU BE BH CR CZ EN FI FR GB GE HU IT LT LU NT

PL SK SP ST SV SZ UK A: GG

consors consors Desbrochers des Loges, 1875a: 31 (*Apion*) E: FR (Corse) IT(Sardegna, Sicilia)

consors solariorum Wagner, 1908c: 105 (*Apion*) N: AG MO

delagrangei Desbrochers des Loges, 1895d: 83 (*Apion*) E: GR A: IS TR

tavriense Bajtenov & Lodos, 1980: 145 (*Apion*)

elongatum Germar, 1817b: 214 (*Apion*) E: AU CZ FR GE GR HU IT LA LT LU PL RO SK SP ST

SZ UK N: AG A: AB GG KZ WS

arcirostre Desbrochers des Loges, 1895i: 139 (*Apion*) [DA]

cylindricum Desbrochers des Loges, 1896a: 6 (*Apion*)

incanum Boheman, 1839b: 414 (*Apion*)

longitubus Desbrochers des Loges, 1889a: xxxiv (*Apion*)

millum Gyllenhal, 1833a: 277 (*Apion*)

torquatum Wencker, 1864: 183 (*Apion*) [HN]

fissile Faust, 1888c: 175 (*Apion*) A: FE

flavimanum Gyllenhal, 1833a: 276 (*Apion*) E: AU BE BH BU CT CZ DE EN FR GB GE GR HU IT

LA LU NL PL RO SB SK SP ST SV SZ UK A: GG TR WS

annulipes Wencker, 1864: 145 (*Apion*) [DA]

latithorax Desbrochers des Loges, 1895i: 140 (*Apion*) [DA]

neresheimeri Wagner, 1929a: 252 (*Apion*)

picicorne Stephens, 1839: 257 (*Apion*)

torquatum Wencker, 1864: 148 (*Apion*) [DA]

uhagonis Desbrochers des Loges, 1870c: 195 (*Apion*)

fukienense Voss, 1958b: 131 (*Apion*) A: FUJ GUX

gracilitubus Desbrochers des Loges, 1896g: 71 (*Apion*) A: AR TR

griseopilosum Wagner, 1908a: 27 (*Apion*) A: YE AFR

kandarensis Hustache, 1946a: 81 (*Apion*) N: MO

latesquamatum Wanat, 1997: 293 A: IN TR

leucophaeatum Wencker, 1864: 183 (*Apion*) E: CR FR IT SL SP N: AG MO TU

angustipenne Desbrochers des Loges, 1896a: 12 (*Apion*)

emendatum Wagner, 1930: 1390 (*Apion*) [RN]

errabundum Schilsky, 1906c: 699 (*Apion*) [HN]

obtusipenne Desbrochers des Loges, 1896a: 11 (*Apion*)

obtusiusculum Desbrochers des Loges, 1896a: 9 (*Apion*)

tenuirostre Desbrochers des Loges, 1895j: 149 (*Apion*)

lukjanovitschi Korotyaev, 1988b: 136 (*Thymapion*) E: UK A: KZ WS

medium Desbrochers des Loges, 1891k: lviii (*Apion*) N: AG MO TU
medium Desbrochers des Loges, 1981c: 83 (*Apion*) [HN]
megatoma Korotyaev, 1996c: 880 A: FE FUJ SC
sergii Korotyaev, 1996c: 881
minutissimum Rosenhauer, 1856: 242 (*Apion*) E: FR GR IT SP N: AG MO TU
tunicense Desbrochers des Loges, 1895a: 56 (*Apion*)
mroczkowski Wanat, 1997: 287 E: AU PL UK
oblivium Schilsky, 1902: 54 (*Apion*) E: AL AU BE BH CZ DE FR GE GR HU IT LA PL SK SV SZ
UK A: TR
oculatum Wanat, 1997: 289 A: AR TR
origani Planet, 1918a: 155 (*Apion*) E: BE FR LU NL SP SV SZ
ottonis Wagner, 1914a: 23 (*Apion*) E: BU UK A: TR
phocopus Eppelsheim, 1888a: 380 (*Apion*) E: GR A: IS JO LE TR
jordanianum Voss, 1965c: 337 (*Apion*)
samarense Faust, 1891e: 411 (*Apion*) E: BU CT FR IT PL RO ST UK "Caucasus" A: KZ MG TM
WS
chovgolicum Bajtenov, 1977d: 28 (*Apion*) [NA]
dilatipes Desbrochers des Loges, 1896a: 10 (*Apion*)
doderoi Schatzmayr, 1922b: 50 (*Apion*)
humerosum Desbrochers des Loges, 1896a: 10 (*Apion*) [HN]
panmonicum Györfy, 1955: 267 (*Apion*)
pseudelongatum Wagner, 1909b: 766 (*Apion*) [RN]
serpyllicola Wencker, 1864: 150 (*Apion*) E: AU BE CZ FI FR GE GR HU LU PL SB SK SV SZ UK
hoffmanni Wagner, 1930: 1391 (*Apion*) [HN]
parvulum Mulsant & Rey, 1859a: 263 (*Apion*) [HN]
parvulum Mulsant & Rey, 1859b: 5 (*Apion*) [HN]
serpyllicola Gozis, 1881d: 181 (*Apion*) [RN, HN]
smreczynskii A. Hoffmann, 1934b: 235 (*Apion*)
solarii Wagner, 1908b: 69 (*Apion*) A: SA AFR
subconsors Bajtenov & Lodos, 1978a: 93 (*Apion*) A: TR
subreticolle Voss, 1961a: 419 (*Apion*) A: SA AFR
terraesanctae Friedman & Freidberg, 2007: 90 A: IS
venustulum Wencker, 1864: 148 (*Apion*) E: CR GR IT RO ST
zuberi Desbrochers des Loges, 1870c: 199 (*Apion*)
vicinum Kirby, 1808: 25 (*Apion*) E: AL AU BE BU CT CZ DE EN FI FR GB GE HU IT LU NL
NR NT PL RO SB SK SP ST SV SZ UK "Caucasus" N: AG A: FE SY WS
incrassatum Germar, 1817b: 140 (*Apion*)
sulcithorax Desbrochers des Loges, 1901b: 82 (*Apion*)

genus *Taeniapion* Schilsky, 1906b: iv type species *Curculio urticarius* Herbst, 1784

delicatulum Wollaston, 1857: 120 (*Apion*) E: MR N: CI
diverserostatum Uyttenboogaart, 1935a: 13 (*Apion*)
fasciatum Desbrochers des Loges, 1891i: 325 (*Apion*)
reitterianum Wagner, 1912c: 84 (*Apion*) N: EG A: IS
rufescens Gyllenhal, 1833a: 273 (*Apion*) E: AU BH CR FR GR IT MA MC PT SP SZ N: AG EG
LB MO TU A: CY IS JO LE SY TR
notatum Wagner, 1912c: 84 (*Apion*)
pallidulum Gyllenhal, 1839a: 400 (*Apion*)
rufulum Wencker, 1864: 162 (*Apion*) E: CR CZ FR GE GR HU IT MA MC NL PL PT RO SK SP
ST UK N: AG LB MO TU A: LE SY TR
rolphi Wagner, 1912c: 85 (*Apion*)
semirufum Rey, 1888a: 4 (*Apion*)
zoufali Wagner, 1912c: 86 (*Apion*)
tyrrhenicum Alonso-Zarazaga, 2011b: 81 [RN] E: FR (Corse) IT (Sardegna)
distinctirostre Desbrochers des Loges, 1888: cxiii (*Apion*) [HN]
distinctirostre Desbrochers des Loges, 1894a: 40 (*Apion*) [HN]
urticarium atlanticum Uyttenboogaart, 1935a: 14 (*Apion*) E: MR N: CI
urticarium urticarium Herbst, 1784: 74 (*Curculio*) E: AL AU BE BH BU CR CT CZ DE EN FI FR
GB GE GR HU IT LA LS LU MD NL NR NT PL RO SB SK SP ST SV SZ UK N: AG A: AB
AR FE GG IN JA TR WS
concinnum Marsham, 1802: 248 (*Curculio*)
fasciatum Olivier, 1789: 283 (*Attelabus*) [HN]
maximi Krausse, 1916: 109 (*Apion*)
scalptor Herbst, 1795: 105 (*Curculio*)
turcicum Desbrochers des Loges, 1897c: 7 (*Apion*)

vernale Paykull, 1792: 138 (*Curculio*)
wolffi Krausse, 1916: 109 (*Apion*)

6.1.1.9. Subtribe Malvapiina Alonso-Zarazaga, 1990

genus *Malvapion* A. Hoffmann, 1958: 1471 type species *Curculio malvae* Fabricius, 1775

Malvapion Voss, 1959a: 74 [HN] type species *Curculio malvae* Fabricius, 1775

afghanum Voss, 1963b: 403 (*Apion*) **A:** AF

malvae Fabricius, 1775: 132 (*Curculio*) **E:** AL AU BE BU CR CZ FR GB GE GR HU IR IT LU MA
MR NL PL PT RO SB SK SP ST SV SZ UK **N:** AG EG LB MO MR TU **A:** AB AR CY GG
IQ IN IS JO KZ SI SY TD TR

flavescens Villa & Villa, 1835: 49 (*Apion*)

herbarum Aubé, 1850: 338 (*Apion*)

minutus Geoffroy, 1785: 115 (*Rhinomacer*)

pulex Goeze, 1777: 380 (*Curculio*)

pulex Gmelin, 1790: 1758 (*Curculio*) [HN]

genus *Pseudapion* Schilsky, 1906b: vi type species *Apion fulvirostre* Gyllenhal, 1833

ebrium Giusto, 2002: 57 **E:** IT

fulvirostre Gyllenhal, 1833a: 274 (*Apion*) **E:** AU BH BU CR CZ FR GR HU IT PT RO SB SK SP ST
SZ UK **N:** AG **A:** AB AR ES KI SY TR XIZ

atritarse Gyllenhal, 1833a: 277 (*Apion*)

fortipubens Reitter, 1901j: 226 (*Apion*)

moschatae A. Hoffmann, 1938a: 381 (*Apion*) **E:** AU BE FR GE IT LU NL PT SP SZ

rufirostre Fabricius, 1775: 132 (*Curculio*) **E:** AL AU BE CR CZ DE FR GB GE GR HU IR IT LU
MA MC NL PL PT RO SB SK SP ST SV SZ UK **N:** AG MO TU **A:** AB GG SY

destefanii Vitale, 1890: 148 (*Apion*)

malvarum Kirby, 1808: 33 (*Apion*)

genus *Rhopalapion* Schilsky, 1906b: v type species *Apion longirostre* Olivier, 1807

longirostre Olivier, 1807: 35 (*Apion*) **E:** AL AU BE BU CR CZ FR GE GB GR HU IT LU MC ME
NL PL RO SB SK SP ST SZ TR UK **N:** AG **A:** AB AF AR CY GG IN IS JO KZ LE SY TD
TM TR UZ **NAR**i

6.1.1.10. Subtribe Metapiina Alonso-Zarazaga, 1990

genus *Metapion* Schilsky, 1906b: v type species *Apion candidum* Wencker, 1864

Pseudometapion Wagner, 1930: 1387 type species *Apion gaudiale* Faust, 1885

Paronychpion Voss, 1961d: 181 type species *Apion causticum* Faust, 1885

candidum candidum Wencker, 1864: 142 (*Apion*) **E:** FR IT PT SP SZ

candidum rutae Ehret, 1997d: 32 **E:** FR **N:** EG TU

rutae Hustache, 1931a: 88 [NA]

causticum Faust, 1885c: 187 (*Apion*) **A:** AF KI KZ TM TD UZ

cylindronotum Ter-Minasian, 1972a: 239 (*Apion*) **A:** MG

densesquamatum Pic, 1908f: 58 (*Apion*) **N:** EG

emmrichi Bajtenov, 1981a: 27 (*Apion*) **A:** KZ

ermischi Voss, 1969a: 53 (*Apiotherium*) **E:** AU BU GR MC UK **A:** TR

gaudiale Faust, 1885c: 189 (*Apion*) **E:** "Caucasus" **A:** AF IN KI KZ TD TM UZ

korbi Schilsky, 1901b: 99 (*Apion*)

otiosum Faust, 1891e: 414 (*Apion*)

subfarinosum Desbrochers des Loges, 1897c: 23 (*Apion*)

gelidum Faust, 1885c: 188 (*Apion*) **A:** AF AR ES IN KI KZ SY TD TM UZ

rimmae Bajtenov, 1981d: 124 (*Apion*)

hartmanni Desbrochers des Loges, 1897c: 17 (*Apion*) **E:** SP

kysilkumicum Bajtenov, 1979a: 73 (*Apion*) **A:** UZ

lepidopterum Wagner, 1912c: 86 (*Apion*) **A:** AF IN TM

merale Faust, 1885c: 188 (*Apion*) **A:** AF IN KI KZ TD TM UZ

schivanum Voss, 1959a: 76 (*Apion*)

nasreddinovi Korotyaev, 1988a: 142 **A:** TD UZ

korotyaevi Schoen, 1988: 36 (*Apion*)

normandi Desbrochers des Loges, 1898h: 36 (*Apion*) **N:** LB TU **A:** IS TR

obtectum Schilsky, 1902: 74 (*Apion*) **A:** KI KZ

gladiator Bajtenov, 1977c: 15 (*Apion*)

oculare Gyllenhal, 1833a: 257 (*Apion*) E: AL BU MC RO SB TR UK A: AR GG
breiti Wagner, 1910b: 944 (*Apion*)
kolenatii Kolenati, 1858a: 151 (*Apion*)
sojunovii Bajtenov & Sojunov, 1990: 72 (*Apion*) A: TM
squamosum Faust, 1884c: 455 (*Apion*) E: ST A: AB AR GG KZ TD TM UZ
squarrosus Normand, 1937: 233 (*Apion*) N: TU
subcandidum Schilsky, 1902: 69 (*Apion*) E: SP

6.1.1.11. Subtribe Oxystomatina Alonso-Zarazaga, 1990

genus *Cyanapion* Bokor, 1923: 100 type species *Apion alcyoneum* Germar, 1817

subgenus *Bothryorrhynchapion* Bokor, 1923: 100 type species *Apion gyllenhalii* Kirby, 1808

Coelorhinapion Ehret, 1990: 253 type species *Apion platalea* Germar, 1817

afēr Gyllenhal, 1833a: 291 (*Apion*) E: AL AU BH BU CR CT CZ EN FI FR GB GE HU IT LA LU
 MC NR NT PL RO SB SK SP ST SV SZ UK "Caucasus" A: ES WS

furvum C.R. Sahlberg, 1834: 17 (*Apion*)

puncticolle Stephens, 1839: 259 (*Apion*)

validirostre Gyllenhal, 1833a: 301 (*Apion*)

gnarum Faust, 1890a: 106 (*Apion*) E: CZ NT PL A: ES WS

gyllenhalii Kirby, 1808: 63 (*Apion*) E: AL AU BE CT CZ DE EN FI FR GB GE GR HU IT LA LT
 LU NL NR NT PL RO SB SK SP ST SV SZ UK A: ES FE GG JA (Honshu) MG SC WS

protractum Sharp, 1891: 294 (*Apion*)

unicolor Kirby, 1808: 58 (*Apion*)

offensum Faust, 1891e: 413 (*Apion*) E: UK

platalea Germar, 1817b: 143 (*Apion*) E: AL AU BE BH CR CZ FR GE HU IT LU NL PL RO SB
 SK SP ST SZ UK A: GG WS

subgenus *Cyanapion* Bokor, 1923: 100 type species *Apion alcyoneum* Germar, 1817

Cyanapion Ehret, 1990: 250 [HN] type species *Apion spencii* Kirby, 1808

alcyoneum Germar, 1817b: 205 (*Apion*) E: AU FR GE GR HU IT PT SP UK A: KZ WS

hispanicum Wencker, 1864: 232 (*Apion*)

hoffmanni Miller, 1857: 22 (*Apion*)

hofmanni Miller, 1857: 22 (*Apion*) [NA]

burakowskii Wanat, 1995b: 482 A: TR

columbinum Germar, 1817b: 185 (*Apion*) E: AL AU BE BU CR CT CZ DE FI FR GE HU IT LU
 NL PL RO SB SK SP ST SV SZ UK N: AG A: KI KZ SY TR WS

pedemontanum Desbrochers des Loges, 1870c: 197 (*Apion*)

coniceps Desbrochers des Loges, 1897c: 27 (*Apion*) E: "Caucasus"

eniseiense Bajtenov, 1977c: 18 (*Apion*) A: ES

pseudarrograms Reitter, 1901j: 227 (*Apion*) A: KZ TD UZ

rudicollē Hochhuth, 1851: 12 (*Apion*) [DA] E: UK "Caucasus"

spencii Kirby, 1808: 57 (*Apion*) E: AU BE CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT
 LU NL NR NT PL SB SK ST SV SZ UK N: AG A: ES KZ WS

foveolatum Kirby, 1808: 48 (*Apion*)

intrusum Gyllenhal, 1827: 550 (*Apion*)

nigrum Gerhardt, 1898a: 335 (*Apion*) [HN]

genus *Eutrichapion* Reitter, 1916a: 243 type species *Attelabus viciae* Paykull, 1800

subgenus *Cnemapion* Bokor, 1923: 100 type species *Apion vorax* Herbst, 1797

gribodoi Desbrochers des Loges, 1896g: 69 (*Apion*) E: AL BH CR CZ HU IT PL RO SB SK TR UK
ochroceras Desbrochers des Loges, 1907a: 87 (*Apion*)

vorax Herbst, 1797: 119("129") (*Apion*) E: AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR
 IT LT LU MA NL PL PT RO SB SK SP ST SV SZ UK N: AG CI MO TU A: CY IS LE SY
 "Siberia"

desbrochersi Kirsch, 1880a: 13 (*Apion*)

fuscicorne Marsham, 1802: 244 (*Curculio*)

longipes Wollaston, 1864: 315 (*Apion*)

longirostre Gravenhorst, 1807: 198 (*Apion*) [HN]

pallicorne Gyllenhal, 1833a: 302 (*Apion*)

pilosellum Gravenhorst, 1807: 198 (*Apion*)

simplicipes Desbrochers des Loges, 1891k: 1vii (*Apion*)

simplicipes Desbrochers des Loges, 1981c: 83 (*Apion*) [HN]

villosulum Marsham, 1802: 250 (*Curculio*) [HN]

subgenus *Eutrichapion* Reitter, 1916a: 243 type species *Attelabus viciae* Paykull, 1800

Pseudotrichapion Bokor, 1923: 101 type species *Attelabus viciae* Paykull, 1800

ervi Kirby, 1808: 23 (*Apion*) **E:** AU BE BU CT CZ DE EN FI FR GB GE GR HU IR IT LA LU NL
 NR NT PL SB SK SP ST SV SZ UK **N:** AG **A:** AB AR ES FE GG JA MG SY WS
amurense Bajtenov, 1983b: 19 (*Apion*)
kihige Nakane, 1963c: 358 (*Apion*)
lathyri Kirby, 1808: 24 (*Apion*)
nigroclavatum Gerhardt, 1911a: 338 (*Apion*)
nigroclavatum Gerhardt, 1911b: 3 (*Apion*) [HN]
ophthalmicum Desbrochers des Loges, 1896g: 71 (*Apion*)
hingstoni Balfour-Browne, 1944a: 9 (*Apion*) **A:** XIZ
meditabundum Faust, 1890a: 104 (*Apion*) **A:** ES FE MG WS
subaequalicum Voss, 1967a: 260 (*Apion*)
mystriophorum Alonso-Zarazaga, 1994: 72 **E:** PT SP
rectirostre Schilsky, 1906a: 58 (*Apion*) **A:** ES FE HEI WS
tomiense Bajtenov, 1979b: 86 (*Apion*) **A:** WS
tomiense Bajtenov, 1982b: 48 (*Apion*) [HN]
viciae Paykull, 1800: 181 (*Attelabus*) **E:** AL AU BE BU CR CT CZ DE EN FI FR GB GE GR HU
 IR IT LA LS LT LU NL NR NT PL RO SB SK SP ST SV SZ UK **N:** AG **A:** AB AR CY ES
 FE GG JA KZ MG NC SC SY TD TR WS **NAR**
alaskanum Fall, 1926: 205 (*Apion*)
griesbachii Stephens, 1831h: 179 (*Apion*)
kaszabi Voss, 1967a: 256 (*Apiotherium*)
rufinasus Desbrochers des Loges, 1891i: 326 (*Apion*)
sapporense Kôno, 1927c: 241 (*Apion*)
voisini Ehret, 1997c: 130 (*Oxystoma*)
subgenus *Phalacrolobus* Alonso-Zarazaga, 1990c: 146 type species *Apion melancholicum* Wencker,
 1864
hydropicum Wencker, 1864: 174 (*Apion*) **E:** FR IT SZ
melancholicum Wencker, 1864: 217 (*Apion*) **E:** AU BE CT CZ DE FI FR GE HU IT LA LU PL RO
 SB SK ST SV SZ UK **A:** TR WS
hadrops C.G. Thomson, 1865: 72 (*Apion*)
italicum Desbrochers des Loges, 1904a: 57 (*Apion*)
provinciale Desbrochers des Loges, 1889a: xxxiv (*Apion*)
subgenus *Psilocalymma* Alonso-Zarazaga, 1990c: 146 type species *Curculio punctiger* Paykull, 1792
Pseudotrachapion Ehret, 1990: 257 [HN] type species *Curculio punctiger* Paykull, 1792
arrogans Wencker, 1858b: cvi (*Apion*) **A:** IS JO SY TR
cyaneomicans Desbrochers des Loges, 1875a: 28 (*Apion*)
crassiforme Bajtenov, 1977c: 17 (*Apion*) **A:** ES
facetum Gyllenhal, 1839a: 431 (*Apion*) **E:** AL AU BH BU CR CT CZ DE EN FI FR GE GR HU IT
 LU NR NT PL RO SK ST SV SZ UK **N:** AG **A:** AR ES KZ MG TD TR WS
perspicax Wencker, 1864: 221 (*Apion*)
sundevalli Boheman, 1839b: 435 (*Apion*)
punctiger Paykull, 1792: 141 (*Curculio*) **E:** AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IT
 KZ LA LT LU NL NR PL PT RO SB SK ST SV SZ UK **N:** AG **A:** AR CY GG SY TR WS
paykulli Gozis, 1875: 75 (*Apion*) [URN]
rhomboidale Desbrochers des Loges, 1870c: 182 (*Apion*) **E:** AU BH IT SB SL **A:** ES WS
stierlini Desbrochers des Loges, 1870c: 181 (*Apion*)
genus *Hemitrichapion* Voss, 1959a: 80 type species *Apion plicatum* Faust, 1887
subgenus *Dimesomyops* Alonso-Zarazaga, 1990c: 131 type species *Apion pavidum* Germar, 1817
andalusiacum Desbrochers des Loges, 1889a: xxxiv (*Apion*) **E:** FR IT MA SP **N:** AG MO
ciliare Desbrochers des Loges, 1889b: ccxvi (*Apion*)
pavidum Germar, 1817b: 203 (*Apion*) **E:** AU BE BU CR CZ EN FR GE GR HU IT LA PL RO SB
 SK SP ST SZ UK **N:** AG TU **A:** AR GG IN IS SY TR
orbitale Boheman, 1839b: 434 (*Apion*)
plumbeum Gyllenhal, 1833a: 301 (*Apion*)
schilskyi Gerhardt, 1911a: 338 (*Apion*) [HN]
schilskyi Gerhardt, 1911b: 3 (*Apion*) [HN]
rapulum Wencker, 1864: 175 (*Apion*) **E:** AU FR GG IT RO SP SZ **N:** AG
subgenus *Hemitrichapion* Voss, 1959a: 80 type species *Apion plicatum* Faust, 1887
badakschanicum Voss, 1959a: 80 (*Apion*) **A:** AF
perspicillum Faust, 1887i: 186 (*Apion*) **A:** IN KI KZ TD TM UZ
plicatum Faust, 1887i: 185 (*Apion*) **A:** KI KZ UZ XIN
subgenus *Lotapion* Alonso-Zarazaga, 1990c: 130 type species *Apion wagneri* Flach, 1906
sandovali Ferragu, 1957: 145 (*Apion*) **E:** SP

wagneri Flach, 1906: 121 (*Apion*) E: PT SP N: CI MO
gomerense Stüben & Behne, 2010: 1
subgenus *Microtinocyba* Legalov, 2001c: 255 type species *Apion tschernovi* Ter-Minasian, 1973
reitteri Desbrochers des Loges, 1892c: 108 (*Apion*) A: KI KZ UZ
tschernovi nanschanicum Legalov, 2001c: 257 A: GAN
tschernovi terektinense Legalov, 2001c: 257 A: WS
tschernovi tschernovi Ter-Minasian, 1973b: 615 (*Apion*) A: ES QIN
tschernovi tuvense Legalov, 2001c: 257 A: ES
subgenus *Tinocyba* Alonso-Zarazaga, 1990c: 131 type species *Apion waltoni* Stephens, 1839
alexandri Legalov, 2001c: 248 A: KZ WS
amguemae Korotyaev, 1991: 878 (*Eutrichapion*) A: FE
armeniicum Desbrochers des Loges, 1896h: 85 (*Apion*) A: AB AR GG TR
araxicola Wagner, 1912c: 90 (*Apion*)
derelictum Desbrochers des Loges, 1907a: 85 (*Apion*) A: AR
filicorne Wencker, 1864: 235 (*Apion*) E: CR FR GR IT SP ST TR N: AG MO TU A: CY IS LE
decorum Wencker, 1864: 238 (*Apion*)
insidiosum Desbrochers des Loges, 1875a: 28 (*Apion*) E: GR A: IN KZ LE SY TD UZ "Caucasus"
persicum Desbrochers des Loges, 1893f: 11 (*Apion*)
juniperi Boheman, 1839b: 433 (*Apion*) E: AU FR GE GR IT LS SP SZ A: CY GG
marqueti Wencker, 1859a: ccxxxvii (*Apion*)
montanum Miller, 1862b: 348 (*Apion*)
kastecum Bajtenov, 1977e: 31 (*Apion*) A: KZ
korotyaevi Legalov, 2001c: 253 A: WS
lanigerum Gemminger, 1871b: 123 (*Apion*) [RN] E: AU BE FR GE GR IT LU SP SZ A: AR GG
lanuginosum Wencker, 1864: 236 (*Apion*) [HN]
lenense Schilsky, 1906a: 67 (*Apion*) A: ES
lethierryi Desbrochers des Loges, 1870c: 188 (*Apion*) E: BU FR GR HU IT A: AG
gavoyi Desbrochers des Loges, 1904a: 53 (*Apion*)
reflexum Gyllenhal, 1833a: 290 (*Apion*) E: AU BE BU CZ FR GB GE GR HU IT LU NL PL SB SK
SP ST SZ UK N: AG A: AB AR ES GG IN MG TR WS
differens Desbrochers des Loges, 1875a: 28 (*Apion*) [DA]
foveatum Desbrochers des Loges, 1904a: 55 (*Apion*)
livescerum Gyllenhal, 1833a: 298 (*Apion*)
translaticium Gyllenhal, 1839a: 427 (*Apion*)
romani Legalov, 2007a: 400 A: WS
strictum Desbrochers des Loges, 1896g: 72 (*Apion*) E: "Caucasus"
suppantischitschi Legalov, 2002f: 285 A: WS
tschegitumense Legalov, 2001c: 254 A: FE
waltoni Stephens, 1839: 259 (*Apion*) E: AU BE CR FR GB GE GR HU IT LU SK SP SZ

genus *Hemitrichapion*, species incertae sedis [formerly *Metatrichapion* s.l.]

petryszaki Bajtenov, 1979d: 649 (*Apion*) A: AB
tigrense Bajtenov & Lodos, 1977a: 7 (*Apion*) A: TR
zagrossicum Bajtenov & Fremuth, 1981: 250 (*Apion*) A: IN

genus *Holotrichapion* Györfy, 1956: 45 type species *Apion ononis* Kirby, 1808

subgenus *Apiops* Alonso-Zarazaga, 1990c: 127 type species *Attelabus pisi* Fabricius, 1801
kamdeschense Voss, 1959a: 79 (*Apion*) A: AF
pisi Fabricius, 1801: 425 (*Attelabus*) E: AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR IT
LA LS LT LU MA MC NL PL PT RO SB SK SP ST SV SZ TR UK N: AG MO TU A: GG
SY TR **AURi**
aeratum Stephens, 1831h: 185 (*Apion*)
amplipenne Gyllenhal, 1833a: 308 (*Apion*)
costipenne Fauvel, 1867: 193 (*Apion*)
cyanipenne Gyllenhal, 1833a: 307 (*Apion*)
gravidum Olivier, 1807: 31 (*Apion*)
indistinctum Motschulsky, 1849: 144 (*Apion*)
pasticum Germar, 1817b: 187 (*Apion*) [NA]
punctifrons Kirby, 1808: 50 (*Apion*)
sulciferum Hubenthal, 1912: 74 (*Apion*)
pullum Gyllenhal, 1833a: 299 (*Apion*) E: AU BU CT CZ GE GR HU LA LT PL RO SB SK ST SZ
UK A: AB AR GG IN IS SY TR
aestimatum Faust, 1891e: 410 (*Apion*)

subgenus *Holotrichapion* Györfly, 1956: 45 type species *Apion ononis* Kirby, 1808
Holotrichapion Ehret, 1990: 253 [HN] type species *Apion ononis* Kirby, 1808
ononis Kirby, 1808: 25 (*Apion*) **E:** AL AU BE CZ DE FR GB GE GR HU IT LA LS LT LU NL PL
RO SB SK SP SV SZ UK **A:** CY GG IS SY
cinerascens Germar, 1817b: 138 (*Apion*)
glaucinum Gyllenhal, 1833a: 255 (*Apion*)
mecops Boheman, 1839b: 413 (*Apion*)
ononidis Bedel, 1886a: 215 (*Apion*) [RN, HN]
perplexum Gyllenhal, 1833a: 293 (*Apion*)
umbrinum Wollaston, 1864: 314 (*Apion*)
saturnium Normand, 1937: 238 (*Apion*) **E:** IT PT SP **N:** AG LB MO TU **A:** IN
barbirostre A. Hoffmann, 1953b: 143 (*Apion*)

subgenus *Legaricapion* Ehret, 1990: 257 type species *Apion aethiops* Herbst, 1797
Schoenius Alonso-Zarazaga, 1990c: 127 type species *Apion aethiops* Herbst, 1797
aethiops Herbst, 1797: 120("130") (*Apion*) **E:** AU BE CT CZ DE EN FI FR GB GE GR HU IR IT
LA LU NL NR NT PL PT SK SP ST SV SZ UK **N:** AG MO TU **A:** AB GG SY WS
lucidithorax Desbrochers des Loges, 1896l: 117 (*Apion*)
subcaeruleum Stephens, 1831h: 183 (*Apion*)
subsulcatum Marsham, 1802: 249 (*Curculio*)
stenocephalum Perris, 1858: 136 (*Apion*)
antennale Desbrochers des Loges, 1896l: 118 (*Apion*) **E:** FR (Corse) GR IT **N:** TU **A:** IS
gracilicolle Gyllenhal, 1839a: 428 (*Apion*) **E:** AU BE CR FR GE GR HU IT PT SP ST SZ UK **N:**
AG MO TU **A:** GG IS SY
leptocephalum Aubé, 1850: 339 (*Apion*)
subtrapezicolle Desbrochers des Loges, 1897c: 27 (*Apion*)

subgenus *Nesiapion* Alonso-Zarazaga, 1990c: 127 type species *Apion wollastoni* Chevrolat, 1852
wollastoni Chevrolat, 1852: 579["279"] (*Apion*) **N:** CI MR
rotundipenne Wollaston, 1854b: 415 (*Apion*)

genus *Holotrichapion*, species incertae sedis
splendidulum Desbrochers des Loges, 1875a: 29 (*Apion*) **A:** IS JO SY TR
damascenum Desbrochers des Loges, 1875a: 29 (*Apion*)

genus *Ischnopterapion* Bokor, 1923: 101 type species *Apion loti* Kirby, 1808
subgenus *Chlorapion* Györfly, 1956: 56 type species *Apion virens* Herbst, 1797
Chlorapion Voss, 1959a: 74 [HN] type species *Apion virens* Herbst, 1797
Chlorapion Ehret, 1990: 256 [HN].type species *Apion virens* Herbst, 1797
cognatum Hochhuth, 1851: 14 (*Apion*) **E:** BH BU FR GR IT RO SP UK **N:** AG MO TU **A:** AR CY
GG SY TM TR
arragonicum Everts, 1884: 219 (*Apion*)
semicaerulans Desbrochers des Loges, 1889b: cccvi (*Apion*)
cyrenaicum F. Solari, 1940b: 70 (*Apion*) **N:** LB
impressidorsum Desbrochers des Loges, 1896l: 114 (*Apion*) **A:** TR
impressidorsum Desbrochers des Loges, 1907a: 86 (*Apion*) [HN]
neorelictum Bajtenov & Lodos, 1977c: 407 (*Apion*)
leprieuri Wencker, 1864: 214 (*Apion*) **N:** AG TU
peyerimhoffi Desbrochers des Loges, 1902a: 109 (*Apion*) **N:** AG
peyerimhoffi Desbrochers des Loges, 1902a: 109 (*Apion*) [NA]
subglabrum Desbrochers des Loges, 1870c: 183 (*Apion*) **E:** AU GR SL ST **A:** IS SY TR
glabratum Kiesenwetter, 1864: 289 (*Apion*) [HN]
glabrum Gemminger, 1871b: 123 (*Apion*) [RN]
virens Herbst, 1797: 118 ("128") (*Apion*) **E:** AL AU BE BU CT CZ DE EN FI FR GB GE GR HU
IR IT LA LS LT LU NL NR NT PL RO SB SK SP SV SZ UK **N:** AG CI MO TU **A:** SY
"Siberia" **NARi**
aeneocephalum Gyllenhal, 1813: 49 (*Apion*)
chloris Gravenhorst, 1807: 199 (*Apion*)
cyaneum Dejean, 1821: 81 (*Apion*) [URN]

subgenus *Ischnopterapion* Bokor, 1923: 101 type species *Apion loti* Kirby, 1808
Leptapion Ehret, 1990: 247 type species *Apion loti* Kirby, 1808
aeneomicans aeneomicans Wencker, 1864: 242 (*Apion*) **E:** AL AU BU CR CZ FR GE GR HU IT RO
SK SP
rubripes Desbrochers des Loges, 1896i: 90 (*Apion*)
aeneomicans nothum Desbrochers des Loges, 1897c: 24 (*Apion*) [DA] **N:** AG TU
fairmairei Wencker, 1864: 241 (*Apion*) **E:** SP **N:** MO

fallens Marseul, 1888: 452 (*Apion*) [RN] E: AU BH BU CR CZ FR GE GR HU IT RO SB SK ST SZ
 N: AG
fallax Wencker, 1864: 242 (*Apion*) [HN]
helenae Schatzmayr, 1933: 171 (*Apion*) N: TU
loti Kirby, 1808: 58 (*Apion*) E: AL AN AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR IT
 LA LS LT LU NL NR NT PL PT RO SB SK SP ST SV SZ UK N: MO AG A: GG IN KZ MG
 SY WS **NARi**
angustatum Kirby, 1808: 64
angustatum Kirby, 1811: 352 (*Apion*) [HN]
angustatum Gyllenhal, 1813: 56 (*Apion*) [HN]
derelictum Desbrochers des Loges, 1907a: 90 (*Apion*) [HN]
glabratum Germar, 1818: 47 (*Apion*)
helveticum Desbrochers des Loges, 1907a: 88 (*Apion*)
languidum Gyllenhal, 1833a: 292 (*Apion*)
loti Gyllenhal, 1813: 60 (*Apion*) [HN]
maroccanum Desbrochers des Loges, 1908i: 84 (*Apion*)
punctigerum Thunberg, 1815: 118 (*Apion*)
tenuirostre Desbrochers des Loges, 1904f: 109 (*Apion*) [HN]
modestum Germar, 1817b: 234 (*Apion*) E: BE BU CT CZ DE FR GB GE GR HU IR IT LU MC ME
 PL PT SB SK SP SV SZ A: AG MO
plumbeomicans pericarti Ehret, 1991a: 176 (*Apion*) E: FR SP
plumbeomicans plumbeomicans Rosenhauer, 1856: 243 (*Apion*) E: CR FR GR IT (Sardegna) PT SP N:
 AG MO TU A: SA
sicardi Desbrochers des Loges, 1893f: 9 (*Apion*)
subconiceps Desbrochers des Loges, 1904a: 57 (*Apion*) [DA]
tempereanum Ehret, 1991a: 173 (*Apion*) E: FR

genus *Ischnopterapion*, incertae sedis

distinctirostre Desbrochers des Loges, 1869a: [2] (*Apion*) "Patria ignota: Europe et confins"

genus *Loborhynchapion* Györfy, 1956: 52 type species *Apion amethystinum* Miller, 1857

Loborhynchapion Smreczyński, 1965: 52 [HN] type species *Apion amethystinum* Miller, 1857

Loborhynchapion G. Osella, 1973c: 206 [HN] type species *Apion amethystinum* Miller, 1857

amethystinum Miller, 1857: 23 (*Apion*) E: AU CZ GE HU SK ST SZ UK A: ES FE IN MG SY TR
 UZ WS "Tian-Shan"

boudali Normand, 1937: 237 (*Apion*) [DA] N: TU

brundini Wagner, 1943a: 160 (*Apion*) E: FI NR NT SV

lobirostre Reitter, 1901j: 227 (*Apion*) A: AF KI KZ TD TM UZ WS

obtusum Desbrochers des Loges, 1866: 47 (*Apion*) E: FR IT SZ

genus *Mesotrichapion* Györfy, 1956: 54 type species *Apion punctirostre* Gyllenhal, 1839

Mesotrichapion Ehret, 1990: 256 [HN] type species *Apion punctirostre* Gyllenhal, 1839

conocephalum Desbrochers des Loges, 1875a: 28 (*Apion*) E: ST A: AB AR SY

araxellum Reitter, 1916a: 255 (*Apion*)

dauricum Faust, 1888c: 176 (*Apion*) A: ES WS

dudkorum Legalov, 1997b: 469 A: WS

punctirostre Gyllenhal, 1839a: 425 (*Apion*) E: AU BU CR CT CZ FR GE HU IT PL RO SB SK SP

ST SZ UK A: AR GAN GG KZ MG WS

fossulifrons Desbrochers des Loges, 1896m: 152 (*Apion*)

schmidtii Bach, 1854: 206 (*Apion*)

schmidtii Miller, 1857: 24 (*Apion*) [HN]

scandinavicum Dieckmann, 1977: 112 (*Apion*) E: FI NR SV

subinsidiosum Bajtenov, 1974b: 38 (*Apion*) A: KI KZ

wrangelianum Korotyaev, 1977b: 61 (*Apion*) A: FE

genus *Oryxolaemus* Alonso-Zarazaga, 1990c: 144 type species *Apion scabiosum* Weise, 1889

croceifemoratus Gyllenhal, 1839a: 396 (*Apion*) E: FR GR IT N: TU A: CY IS LE TR

boops Gyllenhal, 1839a: 396 (*Apion*)

flavifemoratus Herbst, 1797: 115("125") (*Apion*) E: AU BE BU CR CZ DE FR GE GR HU IT LU PL
 RO SK SL SZ UK A: TR

scabiosus Weise, 1889: 184 (*Apion*) E: AU CR FR GR IT PT SP N: AG MO TU A: IS

viridulus F. Solari, 1955: 49 (*Apion*)

viridimicans Desbrochers des Loges, 1884: 161 (*Apion*) N: AG MO TU

genus *Oxystoma* Duméril, 1805: 226 type species *Attelabus pomonae* Fabricius, 1798
Oxyrinus Raffinesque, 1815: 115 [RN] type species *Attelabus pomonae* Fabricius, 1798
Neoxystoma Bedel, 1912b: 275 [RN] type species *Attelabus pomonae* Fabricius, 1798
abruptum Sharp, 1891: 293 (*Apion*) A: FE JA (Hokkaido, Honshu) SCH
bipartirostre Desbrochers des Loges, 1889a: xxxiii (*Apion*) E: ST
cerdo Gerstaecker, 1854a: 235 (*Apion*) E: AL AU BE BU CR CT CZ DE EN FI FR GB GE HU IR
IT LA LT LU NL NR NT PL RO SB SK SL ST SV SZ UK N: AG A: AB ES FE GG KI KZ
MG TR WS XIN
consanguineum Desbrochers des Loges, 1870c: 187 (*Apion*)
craccae Linnaeus, 1767: 606 (*Curculio*) E: AU BE BU CT CZ DE EN FI FR GB GE GR HU IR IT
LA LT LU NL PL PT RO SB SK SP ST SV UK N: AG MO A: FE GG SY TR WS
craccae Thunberg, 1813: 382 (*Apion*) [HN]
ruficorne Herbst, 1797: 110 (*Apion*)
viciae DeGeer, 1775: 253 (*Curculio*)
dimidiatum Desbrochers des Loges, 1897c: 2 E: AU BH BU CR CZ FR (Corse) GE GR HU IT PL
RO SB SK SP UK
pseudocerdo Dieckmann, 1971a: 95 (*Apion*)
fausti Desbrochers des Loges, 1889a: xxxiii (*Apion*) E: ST UK A: AB TR
insignicolle Desbrochers des Loges, 1891j: lvi (*Apion*) E: UK A: TR
cilicicum Schubert, 1969: 103 (*Apion*)
insignicolle Desbrochers des Loges, 1981c: 83 (*Apion*) [HN]
laeviusculum Desbrochers des Loges, 1904a: 58 N: AG
ochropus Germar, 1818: 46 (*Apion*) E: AU BE BU CT CZ FR GE GR HU IT LS LU NL PL RO SB
SK SP ST SZ UK N: AG A: AB AR CY GG IN IS SY TR "Siberia"
opeticum Bach, 1854: 188 (*Apion*) E: AU BE CT CZ DE EN FI FR GE HU IT LT NL NT PL SK
SP SV SZ UK A: AR ES GAN GG KZ MG WS
angulosum Motschulsky, 1860b: 170 (*Apion*)
dietrichi Dietrich, 1857: 133 (*Apion*)
nigricorne Motschulsky, 1860b: 169 (*Apion*)
pomonae Fabricius, 1798: 164 (*Attelabus*) E: AU BE BU CR CT CZ DE FR GE GB GR HU IT LT
LU NL PL PT RO SB SK SP ST SV SZ UK N: AG A: AB AR GG IN SY "Siberia"
breviatum Desbrochers des Loges, 1875a: 32
caerulescens Marsham, 1802: 245 (*Curculio*)
conspicuum Desbrochers des Loges, 1867a: 42 (*Apion*)
cyaneus: Panzer, 1794b: 12 (*Attelabus*) [NA]
glabrum Marsham, 1802: 245 (*Curculio*) [HN]
subulatum Illiger, 1808a: 307 (*Apion*)
subulatum Kirby, 1808: 28 (*Apion*) [HN] E: AU BE BU CT CZ DE EN FI FR GB GE GR HU IR IT
LA LT LU NL NR NT PL SB SK SP ST SV SZ UK N: AG A: ES FE GG MG SY WS
marshami Stephens, 1831h: 168 (*Apion*)
selousi Newbery, 1913: 154 (*Apion*)

genus *Pirapion* Reitter, 1916a: 243 type species *Apion immune* Kirby, 1808
immune Kirby, 1808: 52 (*Apion*) E: AU BE CZ DE FR GB GE HU IR IT LU NL PL PT SK SP SZ
UK N: AG "Caucasus"
betulae Gyllenhal, 1833a: 260 (*Apion*)
cribricolle Perris, 1858: 136 (*Apion*) [HN]
redemptum Schatzmayr, 1920: 42 (*Apion*) E: AU BH HU IT RO SK SL

genus *Protopirapion* Alonso-Zarazaga, 1990c: 123 type species *Apion atratulum* Germar, 1817
atratulum Germar, 1817b: 192 (*Apion*) E: AU BE BU CZ DE FR GB GE HU IR IT LU NL PL PT
SK SP SZ UK N: AG
striatum Marsham, 1802: 249 (*Curculio*) [HN]
kraatzii Wencker, 1859b: 273 (*Apion*) E: FR IT PT SP N: AG TU
crassinassus Desbrochers des Loges, 1896l: 112 (*Apion*)
parvithorax Desbrochers des Loges, 1891k: lvii (*Apion*)
parvithorax Desbrochers des Loges, 1891h: 83 (*Apion*) [HN]

genus *Stenopteration* Bokor, 1923: 101 type species *Apion tenue* Kirby, 1808
subgenus *Cobosiotherium* Alonso-Zarazaga, 1990c: 118 type species *Apion dubium* Desbrochers des
Loges, 1896
cantabricum Desbrochers des Loges, 1869b: [1] (*Apion*) [RN] E: FR SP
cantabricum Desbrochers des Loges, 1870d: 160 (*Apion*) [HN]

heydeni Desbrochers des Loges, 1869a: [2] (*Apion*) [HN]
dubium Desbrochers des Loges, 1896l: 112 (*Apion*) E: SP N: MO
scutellare Kirby, 1811: 353 (*Apion*) E: AU FR GB IR PT SP
kirbii Stephens, 1831h: 191 (*Apion*)
kirbyi Germar, 1818: 50 (*Apion*)
ulicicola Perris, 1840: 90 (*Apion*)
subsquamosum Desbrochers des Loges, 1891k: lvii (*Apion*) E: PT
subsquamosum Desbrochers des Loges, 1891h: 83 (*Apion*) [HN]
subgenus *Stenopterapion* Bokor, 1923: 101 type species *Apion tenue* Kirby, 1808
argamani Friedman & Freidberg, 2007: 138 A: CY IS SY
intermedium Eppelsheim, 1875a: 76 (*Apion*) E: AU BE BU CR CZ FR GB GE HU IT LU PL SK SP
ST SZ UK A: AB AR GG IN ES KZ TR WS
amphibolum Faust, 1890a: 105 (*Apion*)
margelanicum Wagner, 1912c: 90 (*Apion*) A: UZ
meliloti Kirby, 1808: 64 (*Apion*) E: AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IT LA LS
LU NL NR NT PL PT RO SB SP SK ST SV SZ UK N: AG A: ES KZ IN MG SY UZ WS
NARi
aeneovirens Schilsky, 1902: 86 (*Apion*)
bifoveolatum Stephens, 1831h: 176 (*Apion*)
interstitiale Desbrochers des Loges, 1891i: 326 (*Apion*) [HN]
subviolaceum Desbrochers des Loges, 1908i: 82 (*Apion*) [DA] E: or A: RU
tenue Kirby, 1808: 61 (*Apion*) E: AU BE BU CR CT CZ DE EN FR GB GE GR HU IT LA LS LT
LU NL NR PL PT RO SB SK SP ST SV SZ TR UK N: AG MO TU A: AR CY ES GG IS TR
WS
volkovitshi Korotyaev, 1988a: 144 (*Leptapion*) A: KZ UZ

genus *Synapion* Schilsky, 1902: 13a type species *Apion ebeninum* Kirby, 1808
subgenus *Giustiapion* Legalov, 2003b: 67 type species *Apion falzonii* Schatzmayr, 1922
Giustianapion Legalov, 2003b: 68 [NA]
altiatlantis Antoine, 1937: 243 (*Apion*) N: MO
falzonii Schatzmayr, 1922c: 162 (*Apion*) E: GR IT
perraudieri Desbrochers des Loges, 1884: 159 (*Apion*) N: AG
subgenus *Parasynapion* Legalov, 2003b: 67 type species *Synapion alexandri* Korotyaev, 1988
alexandri Korotyaev, 1988b: 136 A: ES
kaulbacki Balfour-Browne, 1944a: 7 (*Apion*) A: XIZ
kerzhneri Ter-Minasian, 1971b: 658 (*Apion*) A: MG
pistillum Faust, 1894b: 146 (*Apion*) A: AF KI
substriatum Schilsky, 1902: 17 (*Apion*)
sobolevae Korotyaev, 1988b: 134 A: TD
subgenus *Synapion* Schilsky, 1902: 13a type species *Apion ebeninum* Kirby, 1808
brutum Peyerimhoff, 1925f: 284 (*Apion*) N: MO
corvinum Faust, 1889f: 224 (*Apion*) A: JA (Honshu)
ebeninum Kirby, 1808: 55 (*Apion*) E: AU BE CR CT CZ DE EN FI FR GB GE HU IR IT LU NL
NR NT PL SK SV SZ UK N: AG A: WS
ebeninum Gyllenhal, 1813: 48 (*Apion*) [HN]
kunzei Boheman, 1839b: 419 (*Apion*)
kozlovi Korotyaev, 1988b: 136 A: QIN

genus *Tatyanapion* Legalov, 1997d: 284 type species *Apion laticeps* Desbrochers des Loges, 1870
laticeps Desbrochers des Loges, 1870c: 205 (*Apion*) E: CT FI NT A: KZ WS
lindbergi Wagner, 1943a: 158 (*Apion*)

6.1.1.12. Subtribe Piezotrachelina Voss, 1959

genus *Conapium* Motschulsky, 1866b: 430 type species *Apion gracile* Gerstaecker, 1854
subgenus *Conapium* Motschulsky, 1866b: 430 type species *Apion gracile* Gerstaecker, 1854
araneiforme Wagner, 1909a: 27 (*Apion*) A: TAI
benignum Faust, 1898c: 292 A: HP UP **ORR**
bomaense Faust, 1899b: 431 (*Apion*) A: YE **AFR**
clavipes Gerstaecker, 1854b: 272 (*Apion*) A: HKG HP UP **ORR**
constrictum Hartmann, 1897: 84 (*Apion*) A: SA **AFR**

cupreum Bhateja & Pajni, 1989b: 183 A: UP **ORR**
formosanum Wagner, 1914b: 25 (*Apion*) A: TAI
gagatinum Motschulsky, 1858: 92 (*Apion*) A: HP UP **ORR**
martensi Korotyaev, 1987b: 118 A: NP
schenklingi Wagner, 1914b: 23 (*Apion*) A: TAI **ORR**
subgenus *Piezoconapion* Korotyaev, 1990c: 136 type species *Apion jekeli* Faust, 1892
medvedevi Korotyaev, 1990c: 136 A: YUN **ORR**

genus *Euprotapion* Wagner, 1927c: 66 type species *Apion kuenburgorum* Reitter, 1898
kuenburgorum Reitter, 1898c: 125 (*Apion*) A: AR KZ TD TR UZ
kuenburgi Reitter, 1898c: 125 (*Apion*) [NA]

genus *Fremuthiella* Alonso-Zarazaga, 1990c: 83 type species *Apion iranicum* Bajtenov & Fremuth, 1981

alaica Bajtenov, 1977f: 307 (*Apion*) A: UZ
aspericollis Wagner, 1908d: 306 (*Apion*) A: TR
auletoides Reitter, 1901j: 228 (*Apion*) A: AB
avida Faust, 1891e: 412 (*Apion*) E: CT ST
interruptostriata Desbrochers des Loges, 1870c: 180 (*Apion*) E: CT ST
iranica Bajtenov & Fremuth, 1981: 250 (*Apion*) A: IN
kurdaica Bajtenov, 1981f: 408 (*Apion*) A: KZ
pamiroalaica Bajtenov, 1975d: 74 (*Apion*) A: TD UZ
transversa Bajtenov & Lodos, 1977a: 5 (*Apion*) A: TR
vossi Ter-Minasian, 1972a: 242 (*Apion*) A: ES MG

genus *Microconapion* Korotyaev, 1992a: 57 type species *Apion pallidirostre* Roelofs, 1882

formosicola Wagner, 1914b: 28 (*Apion*) A: TAI
pallidirostre Roelofs, 1874: 128 (*Apion*) A: FE JA NE "Korea"
dorsale Schilsky, 1902: 77 (*Apion*)

genus *Piezotrachelus* Schoenherr, 1839: 365 type species *Piezotrachelus germarii* Gyllenhal, 1839

subgenus *Mepiezotrachelus* Voss, 1961a: 425 type species *Apion angustithorax* Wagner, 1908
yemenicus Wanat, 1990a: 76 A: YE

subgenus *Piezotrachelus* Schoenherr, 1839: 365 type species *Piezotrachelus germarii* Gyllenhal, 1839

caudatus Korotyaev, 1987a: 90 A: SD
curvirostris Korotyaev, 1987a: 93 A: YUN **ORR**
fuliginosus Wagner, 1908a: 42 (*Apion*) A: YE **AFR**
japonicus Roelofs, 1874: 128 (*Apion*) A: FUJ HEB JA JIA JIX NC SC TAI YUN ZHE **ORR**
tschungseni Voss, 1958b: 19
kuatunensis Voss, 1958b: 19 A: FUJ GUA
lindemannae Voss, 1960c: 3 A: HP PA UP **ORR**
marauoensis Voss, 1961a: 429 A: YE **AFR**
melichari Wanat, 1990a: 74 A: YE **AFR**
congruus Wagner, 1908a: 40 (*Apion*) [HN]
melichari Wagner, 1908a: 40 (*Apion*) [NA]
occidentalis Wagner, 1912b: 44 (*Apion*) [HN]
ovalipennis Korotyaev, 1987a: 89 A: YUN **ORR**
sauteri Wagner, 1909a: 27 (*Apion*) A: GAN JIA TAI YUN **ORR**
sinensis Korotyaev, 1987a: 87 A: YUN
sulcatulicollis Voss, 1956h: 187 A: AF HP KA NP PA UP **ORR**
subgenus *Sympiezotrachelus* Voss, 1959b: 84 type species *Apion helleri* Wagner, 1908
punctisternus Balfour-Browne, 1942: 799 A: YE **AFR**
cephalotes Voss, 1971c: 544

genus *Protapion* Schilsky, 1908b: 608 [RN] type species *Apion apricans* Herbst, 1797]

Podapion Schilsky, 1906b: vii [HN] type species *Apion apricans* Herbst, 1797
angusticolle Gyllenhal, 1833a: 282 (*Apion*) E: AL BU CR FR GR IT MC UK N: AG MO A: CY IN
IS LE SY
cyprium Balfour-Browne, 1944b: 153 (*Apion*)
hirticorne Desbrochers des Loges, 1895l: 169 (*Apion*)

holdhausi Wagner, 1905: 37 (*Apion*)
longimanum Mulsant & Rey, 1859a: 273 (*Apion*)
longimanum Mulsant & Rey, 1859b: 15 (*Apion*) [HN]
rotundicolle Desbrochers des Loges, 1895l: 168 (*Apion*)
tereticolle Desbrochers des Loges, 1897c: 22 (*Apion*)
apricans Herbst, 1797: 117("127") (*Apion*) [NP] E: AL AU BE CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA MC NL NR NT PL PT RO SB SK SP ST SV SZ UK N: AG MO A: AB AR ES FE GG IN SY WS
algericum Desbrochers des Loges, 1895m: 182 (*Apion*) [HN] [DA]
curvipes Desbrochers des Loges, 1895l: 164 (*Apion*)
encaustum Wencker, 1864: 201 (*Apion*)
flavipes O.F. Müller, 1776: 90 (*Rhinomacer*) [NO]
fuscipes Desbrochers des Loges, 1891i: 320 (*Apion*)
ochropus Gmelin, 1790: 1757 (*Curculio*) [HN]
assimile assimile Kirby, 1808: 42 (*Apion*) E: AL AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU NL NR NT PL PT SB SK SP ST SV SZ UK N: AG MO TU A: AB AR ES GG IS SY TR WS
australoassimile Russell, 2004: 32 [NA]
incertum Desbrochers des Loges, 1895l: 164 (*Apion*) [RN]
meridionale Wencker, 1864: 203 (*Apion*)
assimile ryei Blackburn, 1874: 128 (*Apion*) E: GB (Outer Hebrides, Orkney, Zetland)
brenskei Desbrochers des Loges, 1895l: 167 (*Apion*) E: GR MC A: IS SY TR
burgodionum Schubert, 1958: 33 (*Apion*) [RN] E: FR IT
delphinense Schubert, 1954: 689 (*Apion*) [HN]
rosai Pesarini, 1977: 97 (*Apion*)
caiffense Desbrochers des Loges, 1895m: 188 (*Apion*) A: IS
curviscelis Desbrochers des Loges, 1908i: 81 (*Apion*) E: FR
dentipes Gerstaecker, 1854a: 260 (*Apion*) E: BH BU CR FR (Corse) GR IT MA MC PT SB SP A: IS SY TR
armiferum Wencker, 1864: 190 (*Apion*) [DA]
difforme Germar, 1818: 46 (*Apion*) E: AL AU BE BU CR FR GB GE GR HU IT LU ME NL SZ UK N: AG TU A: SY TR
tibiale Desbrochers des Loges, 1867a: 40 (*Apion*)
dissimile Germar, 1817b: 171 (*Apion*) E: AU BE CR CT CZ DE EN FR GB GE GR HU IT LA LU NL PL RO SB SK SP SV SZ UK N: AG TU A: AB GG IS TR "Central Asia"
adjectum Desbrochers des Loges, 1893f: 10 (*Apion*)
heterocerum C.G. Thomson, 1865: 62 (*Apion*)
nigricorne Gerhardt, 1911a: 338 (*Apion*) [NA]
nigricorne Gerhardt, 1911b: 2 (*Apion*) [NA]
filirostre Kirby, 1808: 26 (*Apion*) E: AU BE BU CR CT CZ DE EN FR GB GE GR HU IT LA LS LT LU NL PL RO SB SK ST SV SZ UK "Caucasus" A: AB AR FE GG TR WS
brevicorne Schilsky, 1902: 3 (*Apion*) [HN]
morio Germar, 1817b: 178 (*Apion*)
cantium Wagner, 1906a: 33 (*Apion*) [RN]
fulvipes fulvipes Geoffroy, 1785: 114 (*Rhinomacer*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU NL NR NT PL PT RO SB SK SP ST SV SZ UK N: AG MO A: AB AR CY ES FE GG KZ SY WS
bergrothi Desbrochers des Loges, 1895m: 194 (*Apion*)
coxale Desbrochers des Loges, 1895l: 170 (*Apion*)
dichroum Bedel, 1886a: 209 (*Apion*) [RN]
maculicoxis Desbrochers des Loges, 1897c: 23 (*Apion*)
fulvipes lederi Kirsch, 1878: 307 (*Apion*) A: GG TR
gracilipes Dietrich, 1857: 134 (*Apion*) E: AU BE CZ FI FR GE HU IT LT LU PL RO SK SL SV SZ UK A: ES WS
interjectum boreum Gønget, 1997: 129 (*Apion*) E: DE FI NR SV
interjectum interjectum Desbrochers des Loges, 1895l: 168 (*Apion*) E: AL AN AU BH BU CR CT CZ FR GE GR HU IT LA MA PL PT RO SB SK SL SP SZ UK N: AG MO TU A: IN IS SY
moczarskii Wagner, 1904: 378 (*Apion*)
laevicolle Kirby, 1811: 348 (*Apion*) E: AL BU CR CZ FR GB GR IT MC PT SK SP TR N: AG MO TU A: IN SY TR
lesnei Schilsky, 1906a: 28 (*Apion*) A: FE HEI
sichotealinicum Bajtenov, 1982c: 70 (*Apion*)
libanicum Desbrochers des Loges, 1895l: 174 (*Apion*) A: LE
nigricrus Desbrochers des Loges, 1895l: 168 (*Apion*) E: AU FR IT RO SP SZ
ruficroides Dieckmann, 1973a: 87 (*Apion*)

ruficroides Schatzmayr, 1925: 119 [NA]
nigritarse Kirby, 1808: 36 (*Apion*) E: AL AU BE CR CT CZ DE EN FR GB GE GR HU IR IT LA LU NL PL PT RO PT SB SK SP ST SV SZ UK N: AG MO A: AB AR CY ES GG SY TR
concoloripes Desbrochers des Loges, 1908i: 81 (*Apion*)
waterhousei Boheman, 1839b: 408 (*Apion*)
obesulum Desbrochers des Loges, 1895i: 174 (*Apion*) A: SY
ocularium Desbrochers des Loges, 1895m: 187 (*Apion*) E: GR IT SP N: AG MO TU
mediterraneum Wagner, 1908d: 311 (*Apion*) [RN]
oblitum Desbrochers des Loges, 1895i: 168 (*Apion*) [HN]
ononidis Gyllenhal, 1827: 539 (*Apion*) E: AL AU BE BU CR CT CZ DE EN FR GB GE GR HU IT LA LS LU NL NR NT PL RO SB SK SP ST SV SZ UK N: AG MO TU A: CY GG IN IS JO SY TR
bohemanii Boheman, 1839b: 405 (*Apion*)
ononicola Bach, 1854: 195 (*Apion*) [RN]
pedale Mulsant & Rey, 1859a: 271 (*Apion*) E: FR IT SP
pedale Mulsant & Rey, 1859b: 13 (*Apion*) [HN]
politum Desbrochers des Loges, 1875a: 29 (*Apion*) A: IS LE JO SY TR
ruficrus Germar, 1817b: 171 (*Apion*) E: AU BH BU BY CT CZ EN FR GE GR HU IT LA LT MD NT PL RO SB SK ST SZ UK A: GG WS
schoenherri Boheman, 1839b: 406 (*Apion*) E: AL AU BH BU CR FR GB GR HU IT RO SB SK SP ST UK A: GG SY TR
schoenherri Boheman, 1839b: 406 (*Apion*) [NA]
spinicoxale Wagner, 1908c: 103 (*Apion*) A: IN TR
propinquum Desbrochers des Loges, 1908i: 81 (*Apion*) [DA] [HN]
temisiense Palagesiu, 1988: 140 (*Apion*) E: RO
trifolii Linnaeus, 1768: 224 (*Curculio*) E: AL AU BE BU CT CR CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU NL NR NT PL PT RO SB SK SP ST SV SZ UK N: AG TU A: AB AR CY GG IQ IS JO SY TR
aestivum Germar, 1817b: 169 (*Apion*)
graeoinsulae Wagner, 1926a: 140 (*Apion*)
hipponense Desbrochers des Loges, 1895m: 186 (*Apion*) [HN]
leachii Stephens, 1831h: 189 (*Apion*)
linderi Wencker, 1858a: xxiii (*Apion*)
truquii Reiche & Saulcy, 1858a: 651 (*Apion*) E: BU GR TR A: CY IS JO LE SY TR
varipes Germar, 1817b: 173 (*Apion*) [NP] E: AU BE BU CR CT CZ DE EN FR GB GE GR HU IT LT LU NL NR NT PL RO SB SK SP ST SV SZ UK N: AG A: AB AR GG IN SY TR WS
flavipes Fabricius, 1775: 133 (*Curculio*) [NO]
graeovaripes Russell, 2004: 19 [NA]
woerzi Wagner, 1904: 377 (*Apion*) E: AL GR ME

genus *Protapion*, species dubiae

porrectum Schrank, 1781: 127 (*Curculio*) E: AU

tubicen Wencker, 1864: 200 (*Apion*) E: IT (Sicilia) SP "Pirineos"

genus *Pseudoconapion* Voss, 1959b: 61 type species *Conapium sparsum* Faust, 1899

griseosetulosum Desbrochers des Loges, 1875a: 29 (*Apion*) N: EG A: SA YE

indigoferae Wanat, 1990a: 70 A: YE

koreanum Korotyaev, 1987b: 110 A: NC SC

niloticum Desbrochers des Loges, 1895d: 83 (*Apion*) N: EG LB A: SA YE **AFR**

mateui A. Hoffmann, 1962d: 436 (*Apion*)

mateui A. Hoffmann, 1963b: 218 (*Apion*) [HN]

mirei A. Hoffmann, 1962d: 436 (*Apion*)

mirei A. Hoffmann, 1964d: 1216 (*Apion*) [HN]

pakistanum Voss, 1960c: 1 (*Conapion*) A: PA

segne Faust, 1895f: 232 (*Apion*) A: SA YE **AFR**

subplumbeum Desbrochers des Loges, 1904f: 108 (*Apion*) [DA]

genus *Pseudopiezotrachelus* Wagner, 1907c: 277 type species *Apion probum* Faust, 1899

brevirostris Korotyaev, 1990c: 147 A: YUN

collaris Schilsky, 1906a: nr. 58 (*Apion*) [RN] A: AF BEI FE FUJ HP HUB JA JIA JIX KA NC NP

SC SCH SD SHA SHN UP ZHE **AUS ORR**

conicicollis Schilsky, 1902: 32 (*Apion*) [HN]

cyton Alonso-Zarazaga, 1986: 198 (*Apion*) [RN]

frieseri Alonso-Zarazaga, 1989b: 167
remaudierei A. Hoffmann, 1962e: 664 (*Apion*) [HN]
silvanus Alonso-Zarazaga, 1986: 199 [RN]
tumidum Gerstaecker, 1854b: 271 (*Apion*) [HN]
unicolor Roelofs, 1874: 129 (*Apion*) [HN]
montshadskii Korotyaev, 1990c: 140 A: YUN
placidus Faust, 1887h: 180 (*Apion*) [DA] A: FE HUB JA NC SC
lugubris Faust, 1889f: 224 (*Apion*)
ussuriensis Bajtenov, 1977c: 17 (*Apion*)
simplicirostris Korotyaev, 1987b: 117 A: YUN
schilskyi Wagner, 1906a: 33 (*Apion*) [RN] [DA] A: UZ
gibbosus Faust, 1887l: 303 (*Apion*) [HN]
subtilirostris Korotyaev, 1985: 150 A: FUJ GUA JIX YUN **ORR**
triangulicollis Motschulsky, 1858: 92 (*Apion*) A: SCH YUN **ORR**
uruppensis Kôno, 1935b: 105 (*Apion*) A: FE

genus *Pseudoprotapion* Ehret, 1990: 258 type species *Attelabus astragali* Paykull, 1800

Wagnerium Alonso-Zarazaga, 1990c: 84 type species *Attelabus astragali* Paykull, 1800
alonsochrysomimus Russell & Velázquez de Castro, 2015: 3 E: SP
ammodendroni Bajtenov, 1976g: 185 (*Apion*) A: KZ
androssowi Wagner, 1914a: 28 (*Apion*) A: KZ
astragali Paykull, 1800: 180 (*Attelabus*) E: AR AU BE BH CR CT CZ DE EN FR GB GE HU IT LA
 LU NL NR PL PT RO SB SK SP ST SV SZ UK N: AG MO TU A: ES GG IN KZ LE MG SY
 UZ WS
astragali Thunberg, 1815: 118 (*Apion*) [HN]
saeculare Gozis, 1881d: 181 (*Apion*) [URN]
coeleste Faust, 1886e: 151 (*Apion*) A: KA HP
dumeei A. Hoffmann, 1957a: 58 (*Apion*) E: PT SP N: MO
elegantulum Germar, 1818: 48 (*Apion*) E: AU BE BU CR CT CZ FR GE GR HU IT LA NL RO SK
 SP ST SZ UK N: AG MO A: AB AR ES GG IN KZ SY TD TR WS
coracinum Gyllenhal, 1833a: 299 (*Apion*)
incisum Boheman, 1839b: 428 (*Apion*)
laticolle Perris, 1858: 135 (*Apion*) [HN]
neglectum Gyllenhal, 1833a: 253 (*Apion*)
pineae Rosenhauer, 1856: 244 (*Apion*)
ergenense Becker, 1864: 482 (*Apion*) E: BU GR HU IT PL SK ST SZ UK A: TR
externestriatum Desbrochers des Loges, 1896l: 118 (*Apion*) E: "Caucasus" A: IN UZ
kobdense Bajtenov, 1977c: 18 (*Apion*) A: MG
omiense Bajtenov, 1977c: 18 (*Apion*) A: WS
paracoeleste Balfour-Browne, 1944a: 6 (*Apion*) A: SD XIZ
phrygium Wagner, 1908d: 307 (*Apion*) A: TR
pseudelegantulum Wagner, 1912c: 83 (*Apion*) A: IN IQ KZ "Transcaspia"
tianschanicum Bajtenov, 1981e: 177 (*Apion*) A: UZ
tricarinatum Walzl, 1835: 76 (*Apion*) E: SP
unguiculare Schilsky, 1902: 36 (*Apion*) A: IN UZ

genus *Scapapion* Korotyaev, 1992a: 46 type species *Scapapion brunnicorne* Korotyaev, 1992

brunnicorne Korotyaev, 1992a: 48 A: YUN **ORR**
horticola Korotyaev, 1992a: 51 A: YUN **ORR**
ruficorne Korotyaev, 1992a: 50 A: YUN **ORR**
uniforme Korotyaev, 1992a: 53 A: YUN

genus *Trichoconapion* Korotyaev, 1985: 153 type species *Trichoconapion hirticorne* Korotyaev, 1985

hirticorne Korotyaev, 1985: 154 A: SD YUN **ORR**

6.1.1.13. Subtribe Trichapiina Alonso-Zarazaga, 1990

genus *Betulapion* Ehret, 1994: 17 type species *Apion simile* Kirby, 1811

balchaschense Bajtenov, 1978b: 56 (*Apion*) A: KZ
simile simile Kirby, 1811: 351 (*Apion*) E: AU BE CT CZ DE EN FI FR GB GE GR HU IT LA LT
 LU NL NR NT PL SK SP ST SV SZ UK N: AG A: ES FE MG TR WS
eppelsheimi Faust, 1887h: 179 (*Apion*)

pedicellare C.G. Thomson, 1865: 78 (*Apion*)
superciliosum Gyllenhal, 1813: 58 (*Apion*)
triste Germar, 1817b: 233 (*Apion*)

6.1.2. Tribe Podapiini Wanat, 2001

genus *Podapion* Riley, 1883: 62 type species *Podapion gallicola* Riley, 1883
baenai Alonso-Zarazaga, 1998: 134 **E: SP**
mariae Formánek, 1911: 205 (*Magdalis*) **E: BH**

subfamily Apioninae, species incertae sedis

Apion agyrtinum Gistel, 1857: 541 **E: GE**
Apion coeruleum Herbst, 1797: 113 ("123") **A: GE**
Apion curtisii Curtis, 1840: 281 [HN] **E: GB**
Apion excellens Wagner, 1906b: 205 **A: UZ**
Apion insolens Faust, 1898c: 287 **A: HP**
Apion litigiosum Wencker, 1864: 189 **A: TR**
Apion nigrocyaneum Beguin-Billecocq, 1909a: 456 **Ei: SP Ni: MO NTR**
Apion parpanense Rühl, 1885: 100 **E: SZ**
Apion strobilanthei Desbrochers des Loges, 1890a: 215 **A: SD**

6.2. Subfamily Brentinae Billberg, 1820

6.2.1. Tribe Brentini Billberg, 1820

6.2.1.1. Subtribe Arrhenodina Lacordaire, 1865

genus *Agriorrhynchus* Power, 1878a: 241 type species *Agriorrhynchus borrei* Power, 1878
borrei Power, 1878a: 241 **A: SD ORR**
consonus Kleine, 1923a: 410 (*Prosorychodes*)
cynicus Damoiseau, 1966b: 452 **A: GUA**
klapperichi Kleine, 1950: 24 **A: FUJ**
quadrifuberculatus Senna, 1892b: 470 **A: SD ORR**

genus *Ananesiotes* Kleine, 1922b: 132 type species *Ananesiotes insularis* Kleine, 1922
insularis Kleine, 1922b: 133 **A: TAI**

genus *Anepsiotes* Kleine, 1917b: 318 type species *Anepsiotes schenklingi* Kleine, 1917
commendabilis Kleine, 1925a: 159 **A: UP ORR**
schenklingi Kleine, 1917b: 321 **A: YUN ORR**

genus *Baryrhynchus* Lacordaire, 1865: 428 type species *Arrhenodes latirostris* Gyllenhal, 1833
subgenus *Baryrhynchus* Lacordaire, 1865: 428 type species *Arrhenodes latirostris* Gyllenhal, 1833
angulatus R. Zhang, 1993: 161 **A: YUN SCH**
bengalensis Kleine, 1937: 203 **A: SD**
concretus R. Zhang, 1993: 164 **A: YUN**
convexus R. Zhang, 1993: 168 **A: HAI**
cratus R. Zhang, 1993: 165 **A: YUN**
dehiscens Gyllenhal, 1833a: 324 (*Arrhenodes*) **A: YUN ORR**
latirostris Gyllenhal, 1833a: 323 (*Arrhenodes*) **A: SD ORR**
merocephalus Kleine, 1916b: 178 **A: FUJ SD YUN ORR**
miles Boheman, 1845: 372 (*Arrhenodes*) **A: HAI NP PA SD SHG TAI YUN ORR**
approximans F. Walker, 1859a: 262 (*Arrhenodes*)
minisculus R. Zhang, 1993: 161 **A: YUN**
minisculus R. Zhang, 1993: 168 [NA]
nitidus R. Zhang, 1993: 169 **A: HAI**
odontus R. Zhang, 1993: 163 **A: SCH**
phaeus R. Zhang, 1993: 162 **A: FUJ ZHE**
planus R. Zhang, 1993: 163 **A: YUN**

rudis Senna, 1893b: 280 A: PA **ORR**
setulosus R. Zhang, 1993: 166 A: YUN
setulosus R. Zhang, 1993: 171 [NA]
speciosissimus Kleine, 1916b: 180 A: FUJ SCH YUN **ORR**
yaeyamensis Morimoto, 1979b: 27 A: JA
subgenus *Eupsalomimus* Kleine, 1916b: 151 type species *Baryrrhynchus lineicollis* Power, 1879
poweri Roelofs, 1879b: liv A: FUJ GUA GUX HAI HUB HUN JA JIX FE FUJ SCH TAI ZHE
AUR ORR
tokarensis Ohbayashi & Satô, 1966: 1 A: JA (Ryūkyū)

genus *Blysmia* Pascoe, 1872a: 323 type species *Blysmia ruficollis* Pascoe, 1872
Ypselogonia Kleine, 1922c: 157 type species *Ypselogonia peregrina* Kleine, 1922
guttata Kleine, 1928: 102 (*Ypselogonia*) A: TAI **ORR**
peregrina Kleine, 1922c: 158 (*Ypselogonia*) A: TAI **ORR**

genus *Hemiorychodes* Kleine, 1921b: 83 type species *Hemiorychodes cambodjensis* Kleine, 1921
cambodjensis Kleine, 1921b: 84 A: CH **ORR**
modestus Kleine, 1921b: 85 A: YUN **ORR**

genus *Orfilaia* Haedo Rossi, 1955: 63 type species *Arrhenodes vulsellatus* Gyllenhal, 1833
arabica Muizon, 1954: 327 (*Eupsalis*) A: YE
reichei Fairmaire, 1859: clxiv (*Arrhenodes*) E: GR (Kriti) N: TU A: CY IS SY

genus *Orychodes* Pascoe, 1862: 389 type species *Brentus serrirostris* Lund, 1800
Caenorychodes Kleine, 1921b: 87 type species *Brentus serrirostris* Lund, 1800
indus Kirsch, 1875: 51 A: TAI **ORR**
octoguttatus Nakane, 1963a: 34 (*Cerobates*) A: JA
planicollis F. Walker, 1859a: 262 (*Nemocephalus*) A: JA SD TAI YUN **ORR**
serrirostris Lund, 1800: 86 (*Brentus*) A: HAI TAI **ORR**
femoratus L.W. Schaufuss, 1885: 206 (*Orychodes*)
striolatus Kirsch, 1875: 51 (*Orychodes*)
sinensis Fairmaire, 1888c: 138 A: BEI

genus *Parorychodes* Kleine, 1921b: 80 type species *Orychodes degener* Senna, 1892
cereus Kleine, 1925a: 151 A: YUN **ORR**
degener Senna, 1892e: 474 (*Orychodes*) A: PA **ORR**

genus *Prophthalmus* Lacordaire, 1865: 427 type species *Brentus tridentatus* Lund, 1800
heikertingeri Kleine, 1916c: 255 A: SD **ORR**
longirostris Gyllenhal, 1833a: 323 (*Prophthalmus*) A: HAI **ORR**
assimilis Kleine, 1916c: 248
potens *potens* Lacordaire, 1865: 428 A: NP SD YUN **ORR**
amethystinus Kleine, 1916c: 242
sanguinalis Pascoe, 1872a: 322
pugnator Power, 1878b: xliv A: TAI **ORR**
tridentatus Lund, 1800: 90 (*Brentus*) A: TAI **ORR**
wichmanni Kleine, 1916c: 263 A: JA SD TAI YUN **ORR**

genus *Pseudorychodes* Senna, 1894a: 375 type species *Orychodes insignis* Lewis, 1883
crassus Senna, 1894a: 378 A: SD **ORR**
insignis Lewis, 1883: 301 (*Orychodes*) A: JA FE TAI "Korea"
mandschuricus Kleine, 1939b: 318 A: HEI
sauteri Kleine, 1928: 100 A: TAI

genus *Suborychodes* Kleine, 1917b: 328 type species *Suborychodes intermedius* Kleine, 1917
intermedius Kleine, 1917b: 330 A: UP **ORR**

genus *Synorychodes* Kleine, 1921a: 9 type species *Synorychodes opacus* Kleine, 1921
glaber Kleine, 1937: 204 A: SD

6.2.1.2. Subtribe Eremoxenina Semenov, 1892

genus *Amorphocephala* Damoiseau, 1966a: 307 type species *Brentus coronatus* Germar, 1817

Amorphocephalus Schoenherr, 1840a: 485 [HN] type species *Brenthus coronatus* Germar, 1817

arabica Damoiseau, 1964a: 428 (*Amorphocephalus*) A: SA

coronata Germar, 1817a: 247 (*Brentus*) E: AL BH BU CR FR GR IT MC PT SP TR YU N: AG MO

A: CY IN IS LE TR "Caucasus"

coronata Germar, 1819: 128 (*Brentus*) [HN]

italica Dejean, 1821: 82 (*Brentus*) [URN]

italica Guérin-Méneville, 1833: pl. 36 (*Brentus*) [HN]

delicata Kleine, 1925a: 144 (*Amorphocephalus*) A: PA

deserticola Kleine, 1944: 153 (*Amorphocephalus*) N: MO

excantator Damoiseau, 1964a: 425 (*Amorphocephalus*) A: JO

jickelii L.W. Schaufuss, 1876a: 402 (*Amorphocephalus*) N: EG AFR

piochardi Bedel, 1878: clxxxiv (*Amorphocephalus*) E: GR A: CY IS JO LE SY TR

cretensis Hertel, 1964: 167 (*Amorphocephalus*)

muchi Hertel, 1961: 117 (*Amorphocephalus*)

piliger Desbrochers des Loges, 1895e: 99 (*Amorphocephalus*)

saalasi J.R. Sahlberg, 1913a: 61 (*Symmorphocerus*)

unionis J.R. Sahlberg, 1913b: 201 (*Amorphocephalus*)

scotti Muizon, 1954: 325 (*Amorphocephalus*) A: YE

senegalensis Power, 1879: 486 (*Amorphocephalus*) N: AG EG AFR

princeps Kleine, 1918b: 101 (*Amorphocephalus*)

sulcata Calabresi, 1920: 64 (*Amorphocephalus*) N: EG LB A: SA AFR

genus *Cobalocephalus* Morimoto, 1982c: 33 type species *Amorphocephalus gyotokui* Nakane, 1963

gyotokui Nakane, 1963b: 35 (*Amorphocephalus*) A: JA

mizobei Morimoto, 2009a: 287 A: JA (Iriomote Is.)

genus *Eremoxenus* Semenov, 1892: 438 type species *Eremoxenus chan* Semenov, 1892

Acramorphocephaloides Bartolozzi, 1988: 155 type species *Acramorphocephaloides algirus* Bartolozzi, 1988

algirus Bartolozzi, 1988: 157 (*Acramorphocephaloides*) N: AG

chan Semenov, 1892: 440 A: IN KZ TM UZ

maroccanus Mantilleri, 2012: 407 N: MO

genus *Leptamorphocephalus* Kleine, 1918b: 132 type species *Leptamorphocephalus laborator* Kleine, 1918

laborator Kleine, 1918b: 132 A: TAI ORR

laevis Power, 1879: 486 (*Amorphocephalus*) A: SD ORR

cupidus Kleine, 1925a: 143 (*Leptamorphocephalus*)

genus *Paramorphocephalus* Kleine, 1920b: 236 type species *Paramorphocephalus diabolus* Kleine, 1920

fumosus Morimoto, 1976: 279 (*Leptamorphocephalus*) A: JA

genus *Perisymmorphocerus* Kleine, 1919: 13 type species *Perisymmorphocerus gracilis* Kleine, 1919 (=

Cordus latirostris Power, 1879)

latirostris Power, 1879: 484 (*Cordus*) A: YE AFR

gracilis Kleine, 1919: 15 (*Perisymmorphocerus*)

genus *Symmorphocerus* Schoenherr, 1847: 8 type species *Symmorphocerus monticola* Schoenherr, 1847

beloni Power, 1879: 488 A: IN IQ TR

cardoni Senna, 1894b: 385 A: PA ORR

consequens Kleine, 1926b: 366 A: IQ KZ

6.2.2. Tribe Cyladini Schoenherr, 1823

genus *Cylas* Latreille, 1802: 196 type species *Brentus brunneus* Olivier, 1790

Protocylas Pierce, 1941: 219 type species *Cylas laevicollis* Boheman, 1833

formicarius Fabricius, 1798: 174 (*Brentus*) A: AEi FUJ GUA GUI GUX HAI HEN HKG HUN JAI

JIA JIX PA QA SA SCi SCH SHN TAI UP YUN ZHE AFRi AURi NARi NTRi ORR

formicarius Fabricius, 1798: 163 (*Attelabus*) [HN]

turcipennis Boheman, 1833a: 369

submetallicus Desbrochers des Loges, 1890a: 214 A: SD **ORR**

6.2.3. Tribe Cyphagogini H.J. Kolbe, 1892

6.2.3.1. Subtribe Cyphagogina H.J. Kolbe, 1892

genus *Allaometrus* Senna, 1903: 157 type species *Allaometrus breviceps* Senna, 1903

Subdysmorphorhynchus Kleine, 1917b: 323 type species *Subdysmorphorhynchus carinatus* Kleine, 1917 (= *Allaometrus breviceps* Senna, 1903)

breviceps Senna, 1903: 157 A: JIX TAI **AUR ORR**

carinatus Kleine, 1917b: 326 (*Subdysmorphorhynchus*)

genus *Callipareius* Senna, 1892b: 444 type species *Callipareius feae* Senna, 1892

subgenus *Callipareius* type species *Callipareius feae* Senna, 1892

Asaphepterum Kleine, 1916a: 85 type species *Asaphepterum formosanum* Kleine, 1916

Diastrophus Perroud, 1865: 141 [HN] type species *Diastrophus planitarsis* Perroud, 1865

Pseudosebasius Kleine, 1944: 150 type species *Pseudosebasius rubrocastaneus* Kleine, 1944

bistriatus Kleine, 1935: 73 (*Opysthenoxys*) A: BT FUJ SD **ORR**

lineatosignatus Kleine, 1939a: 1 (*Eterozemus*)

feae Senna, 1892b: 445 A: SD YUN **ORR**

japonicus Nakane, 1963a: 34 (*Asaphepterum*) A: JA

formosanus Kleine, 1916a: 87 (*Asaphepterum*) A: JA (Ryūkyū) TAI **ORR**

foveatus Senna, 1894b: 384 A: SD **ORR**

mediocris Kleine, 1935: 74 (*Pittodes*)

miyakawai Morimoto, 1979b: 25 A: JA

subgenus *Metacidotes* Schedl, 1961b: 193 type species *Metacidotes pulvifrons* Schedl, 1961

Coomania Kleine, 1941: 226 [HN] type species *Coomania ponderosa* Kleine, 1941

Coomania Gomy, 1987: 27 [URN]

kojimai Morimoto, 1982c: 31 A: JA TAI "Korea"

nigripennis Morimoto & Tsuji, 2017: 483 A: JA

ponderosus Kleine, 1941: 227 (*Coomania*) A: HAI **ORR**

genus *Calodromus* Guérin-Méneville, 1832: Cl. IX., pl. 34 type species *Calodromus mellyi* Guérin-

Méneville & Gory, 1832

Alloeodromus Senna, 1895a: 179 type species *Alloeodromus insignis* Senna, 1895

Callidromus Agassiz, 1846: 60 [URN]

ito Heller, 1910: 180 A: TAI

horishanus Kôno, 1930: 154

mellyi Guérin-Méneville & Gory, 1832: Cl. IX, pl. 34 A: YUN **ORR**

sarawakensis Heller, 1910: 179 (*Calodromus*)

genus *Chelorhinus* Kleine, 1922a: 92 type species *Chelorhinus propheti* Kleine, 1922

Epigogus Kleine, 1923b: 159 type species *Epigogus flexibilis* Kleine, 1923

Pseudopisthenoxys Kleine, 1942: 130 type species *Pseudopisthenoxys insculptus* Kleine, 1942

propheti Kleine, 1922a: 93 A: TAI

genus *Cyphagogus* Parry, 1849: 182 type species *Cyphagogus westwoodi* Parry, 1849

beesoni Damoiseau, 1964b: 484 A: UP

boninensis Morimoto & Kojima, 2005: 126 A: JA

confertulus Kleine, 1925a: 125 A: BT YUN **ORR**

fragosus Kleine, 1925a: 126

corporaali Kleine, 1918c: 177 A: UP **ORR**

cyrtotrachelus J. Thomson, 1857a: 119 (*Calodromus*) A: UP **ORR**

buccatus Kleine, 1916a: 9 (*Cyphagogus*)

incisus Senna, 1903: 153 A: SD **ORR**

obconiceps Senna, 1903: 154 (*Cyphagogus*)

iwatensis Morimoto, 1976: 268 A: JA SC

longulus Senna, 1898a: 52 A: BT **ORR**

simulator Senna 1902: 155

modiglianii Senna, 1893b: 258 A: TAI **AUR ORR**

planifrons Kirsch, 1875: 46 A: BT YUN **ORR**

gladiator Kleine, 1921c: 307

signipes Lewis, 1883: 297 A: HUN JA TAI

suaviter Kleine, 1916a: 2 [NA]
westwoodi Parry, 1849: 182 A: BT **ORR**

genus *Eterozemus* Senna, 1903: 160 type species *Zemioses pubens* Senna, 1892
Dictyopterus Kleine, 1916a: 75 type species *Dictyopterus splendens* Kleine, 1916
Orthopareia Kleine, 1925b: 591 type species *Orthopareia idonea* Kleine, 1925 (= *Dictyopterus philippinensis* Kleine, 1921)
Sparganophasma Kleine, 1926a: 11 type species *Sparganophasma carum* Kleine, 1926
celtis Lewis, 1883: 296 (*Zemioses*) A: JA
pubens Senna, 1892b: 439 (*Zemioses*) A: TAI **ORR**
coomani Kleine, 1944: 151 (*Allaeometrus*)
splendens Kleine, 1916a: 77 (*Dictyopterus*) A: TAI

genus *Mesoderes* Senna, 1898b: 65 type species *Mesoderes sexnotatus* Senna, 1898
Dysmorphorhynchus Kleine, 1916a: 75 type species *Dysmorphorhynchus amabilis* Kleine, 1916 (= *Mesoderes sexnotatus* Senna, 1898)
Thrasycephalus Kleine, 1916a: 53 type species *Thrasycephalus guttatus* Kleine, 1916
bimaculatus Morimoto & Tsuji, 2017: 486 A: JA
latecostatus Kleine, 1916a: 58 (*Isomorphus*) A: JA TAI

genus *Microsebus* H.J. Kolbe, 1892: 168 type species *Microsebus adelphus* H.J. Kolbe, 1892
Eusebus Kleine, 1922g: 173 type species *Microsebus adelphus* H.J. Kolbe, 1892
adelphus H.J. Kolbe, 1892: 169 A: UP **ORR**
bhutanicola Damoiseau, 1979: 30 A: BT
trifasciatus Kleine, 1916a: 57 (*Isomorphus*) A: TAI YUN **ORR**

genus *Opisthenoxys* Kleine, 1922e: 26 type species *Opisthenoxys ochraceus* Kleine, 1922
Barathrodes Damoiseau, 1961: 11 type species *Barathrodes binotatus* Damoiseau, 1961 (= *Opisthenoxys ochraceus* Kleine, 1922)
famulus Kleine, 1925a: 128 A: SD **ORR**

6.2.3.2. Subtribe Hoplopisthiina Senna & Calabresi, 1919

genus *Aneorhachis* Kleine, 1923d: 135 type species *Aneorhachis astricta* Kleine, 1923
monticola Damoiseau, 1987: 61 A: SD

genus *Entomopisthius* Muizon, 1959: 77 type species *Entomopisthius leleupi* Muizon, 1959
laevigatus Mantilleri, 2011: 22 A: NP

genus *Higonius* Lewis, 1883: 299 type species *Higonius poweri* Lewis, 1883
subgenus *Higonodes* Zimmerman, 1994b: 184 type species *Higonius novenarius* Damoiseau, 1989
philippinensis Mantilleri, 2009: 914 A: TAI **ORR**
subgenus *Higonius* Lewis, 1883: 299 type species *Higonius poweri* Lewis, 1883
cilo Lewis, 1883: 300 A: AP HAI JA SD TAI **ORR**
crux Olliff, 1883: 300 A: NP **ORR**
hirsutus Senna, 1893c: 117 A: TAI **ORR**
bilobicollis Senna, 1898d: 235
malayanus Mantilleri, 2007: 5
subgenus *Taphrocomister* Senna, 1895a: 185 type species *Taphrocomister singularis* Senna, 1895
singularis Senna, 1895a: 185 (*Taphrocomister*) A: SD **ORR**
abruptus Kleine, 1935: 75

genus *Hoplopisthius* Senna, 1892b: 451 type species *Hoplopisthius trichemerus* Senna, 1892
subgenus *Hoplopisthius* Senna, 1892b: 451 type species *Hoplopisthius trichemerus* Senna, 1892
trichemerus Senna, 1892b: 452 A: TAI YUN **ORR**
celebensis H.J. Kolbe, 1892: 174
javanus H.J. Kolbe, 1892
subgenus *Carcinopisthius* H.J. Kolbe, 1892: 174 type species *Carcinopisthius fruhstorferi* H.J. Kolbe, 1892
oberthueri Senna, 1892c: 255 A: TAI **ORR**
felschei H.J. Kolbe, 1892: 175 (*Carcinopisthius*)
maculatus Senna, 1903: 163 (*Carcinopisthius*)
formosanus Bolckay, 1911: 265 (*Pseudotaphroderes*)

genus *Microtrachelizus* Senna, 1893d: 315 type species *Trachelizus lyratus* Perroud, 1864
Ceunonus Kleine, 1922f: 138 type species *Ceunonus minutus* Kleine, 1922 (= *Microtrachelizus aethiopicus* Calabresi, 1920)
atritus Kleine, 1923d: 136 **A: UP**
beneficus Kleine, 1925a: 139 **A: UP ORR**
bhamoensis Senna, 1892b: 456 (*Trachelizus*) **A: NP SD YUN ORR**
apertus Kleine, 1925a: 140
contiguus Senna, 1893b: 266 (*Trachelizus*) **A: UP ORR**
sternopilosus Damoiseau, 1987: 590
temporalis Damoiseau, 1987: 590
coomani Damoiseau, 1987: 56 **A: NP ORR**
cylindricornis Power, 1880: 187 (*Trachelizus*) **A: YUN ORR**

6.2.3.3. Subtribe Stereodermina Sharp, 1895

genus *Cerobates* Schoenherr, 1840a: 487 type species *Brentus tristriatus* Lund, 1800
subgenus *Cerobates* Schoenherr, 1840a: 487 type species *Brentus tristriatus* Lund, 1800
angustipennis Senna, 1895a: 182 **A: SD ORR**
adustus Senna, 1895a: 184 (*Cerobates*)
birmanicus Senna, 1894a: 364 **A: TAI ORR**
canaliculatus Motschulsky, 1858: 96 **A: JA SD TAI YUN ORR**
formosanus Schönfeldt, 1911: 190 **A: JA TAI ORR**
laevipennis Senna, 1896: 219 **A: NP ORR**
planicollis Morimoto, 1976: 276 **A: JA**
sexsulcatus Motschulsky, 1858: 95 **A: YUN ORR**
glaberrimus Senna, 1892b: 450
sumatranus Senna, 1893d: 306 **A: SD TAI ORR**
andamanicus Senna, 1896: 223
tristriatus Lund, 1800 (*Brentus*) **A: UP ORR**
elytralis Senna, 1897: 545
longirostris Senna, 1898d: 227
turgidulus Damoiseau, 1987: 78 **A: TAI**
subgenus *Ionthocerus* Lacordaire, 1865: 415 type species *Ionthocerus crematus* Lacordaire, 1865
asiaticus Kleine, 1920a: 47 (*Ionthocerus*) **A: JA NP TAI YUN ORR**
angustifrons Kleine, 1922d: 148 (*Ionthocerus*)
bicolor Heller, 1916: 297 (*Ionthocerus*) **A: TAI ORR**
carinensis Senna, 1892b: 450 (*Cerobates*) **A: SD YUN ORR**
caesius Kleine, 1944: 151 (*Ionthocerus*)
crematus Lacordaire, 1865: 416 **A: HAI ORR**
concisus Kleine, 1925a: 130 (*Cerobates*)
laticostatis Kleine, 1920a: 38 (*Ionthocerus*) **A: TAI**
nigripes Lewis, 1883: 298 (*Ionthocerus*) **A: JA TAI "Korea"**
sondaicus Senna, 1893d: 302 (*Ionthocerus*) **A: TAI ORR**
angulaticeps Senna, 1898a: 53 (*Ionthocerus*)
borneensis Senna, 1898c: 190 (*Ionthocerus*)

6.2.4. Tribe Trachelizini Lacordaire, 1865

6.2.4.1. Subtribe Ithystenina Lacordaire, 1865

genus *Ceocephalus* Guérin-Méneville, 1833a: pl. 36 type species *Ceocephalus furcillatus* Guérin-Méneville, 1833
Diurus Dejean, 1834: 244 type species *Ceocephalus furcillatus* Gyllenhal, 1833 (= *Ceocephalus furcillatus* Guérin-Méneville, 1833)
Diurus Pascoe, 1862: 392 [HN] type species *Ceocephalus furcillatus* Gyllenhal, 1833 (= *Ceocephalus furcillatus* Guérin-Méneville, 1833)
Fornicaria Gistel, 1848a: xi [URN]
antennatus Ritsema, 1882: 214 (*Diurus*) **A: TAI ORR**
sphacelatus Pascoe, 1887b: 19 (*Diurus*)

genus *Eterodiurus* Senna, 1911: 51 type species *Eterodiurus singularis* Senna, 1911
singularis Senna, 1911: 52 **A: YUN ORR**

compendarius Kleine, 1925a: 162 (*Diurus*)

genus *Ischnomerus* Labram & Imhoff, 1838: no. 3 type species *Ischnomerus erythroderes* Labram & Imhoff, 1838
Cediocera Pascoe, 1887b: 20 type species *Cediocera longicornis* Pascoe, 1887
Heteroplites Lacordaire, 1865 type species *Teramocerus erythroderes* Boheman, 1840 (= *Ischnomerus erythroderes* Labram & Imhoff, 1838)
longicornis Pascoe, 1887b: 20 (*Cediocera*) A: YUN **ORR**
tristis Senna, 1892a: 181 (*Cediocera*) A: CH **ORR**

6.2.4.2. Subtribe Pseudoceocephalina Kleine, 1922

genus *Hormocerus* Schoenherr, 1823: 1137 type species *Brentus reticulatus* Lund, 1800
Apterorhinus Senna, 1895b: 59 type species *Apterorhinus compressitarsus* Senna, 1895
reticulatus Lund, 1800: 81 (*Brentus*) A: HAI TAI YUN **ORR**
annulipes L.W. Schaufuss, 1887: 138 (*Hormocerus*)
dehantii Gyllenhal, 1833a: 360 (*Ceocephalus*)
scrobicollis Boheman, 1845: 373 (*Ceocephalus*)

genus *Nothogaster* Lacordaire, 1865: 450 type species *Nothogaster paradoxa* Lacordaire, 1865 (= *Centrophorus curvirostris* Chevrolat, 1839)
Centrophorus Chevrolat, 1839: 173 [HN] type species *Brentus picipes* Olivier, 1807
Orphanobrentus Damoiseau, 1962: 65 type species *Brentus picipes* Olivier, 1807
picipes Olivier, 1807: 442 (*Brentus*) A: YE (Suqutra) **AFR**

genus *Peraprophthalmus* Kleine, 1923c: 49 type species *Peraprophthalmus applicatus* Kleine, 1923
applicatus Kleine, 1923c: 51 A: UP **ORR**

genus *Rhinopteryx* Lacordaire, 1865: 449 type species *Ceocephalus foveipennis* J. Thomson, 1858
foveipennis J. Thomson, 1858b: 119 (*Ceocephalus*) A: SA **AFR**
carinaeostriis Kleine, 1914: 190
errans H.J. Kolbe, 1883: 36

genus *Schizotrachelus* Lacordaire, 1865: 454 type species *Schizotrachelus brevicaudatus* Lacordaire, 1865
Opisthenoplus Kleine, 1922b: 139 type species *Opisthenoplus fasciatus* Kleine, 1922
cavus Walker, 1859a: 262 (*Ceocephalus*) A: SD UP **ORR**
fasciatus Kleine, 1922b: 140 (*Opisthenoplus*) A: UP TAI **ORR**
masulinus Goossens, 2005: 54 A: SD **ORR**

6.2.4.3. Subtribe Trachelizina Lacordaire, 1865

genus *Hypomiolisa* Kleine, 1918a: 76 type species *Miolispa ceylonica* Desbrochers des Loges, 1890
gardneri Kleine, 1931: 94 A: SD
incerta Kleine, 1937: 204 A: SD
mikagei Morimoto, 1976: 271 A: JA TAI

genus *Miolispa* Pascoe, 1862: 393 type species *Miolispa suturalis* Pascoe, 1862
Cacotrachelus Sharp, 1900: 386 type species *Cacotrachelus sculptipennis* Sharp, 1900 (= *Miolispa salomonensis* Senna, 1894)
crassifemoralis Kleine, 1917a: 292 A: TAI **AUR ORR**
cruciata Senna, 1898b: 69 A: JA (Ôsumi Is., Ryūkyū) TAI **ORR**
discors Senna, 1895c: 358 A: TAI **ORR**

genus *Trachelizus* Dejean, 1834: 243 type species *Brentus bisulcatus* Lund, 1800
bisulcatus Lund, 1800: 67 (*Brentus*) A: HAI JA UP TAI YUN **AUR ORR**
bicanaliculatus L.W. Schaufuss, 1885: 206 (*Miolispa*)
exophthalmus Lea, 1899: 636 (*Ceocephalus*)
semivelatus L.W. Schaufuss, 1885: 206 (*Miolispa*)
dividuus Kleine, 1925a: 131 A: SD **ORR**
japonicus Morimoto, 1976: 272 A: JA
makiharai Morimoto, 1976: 274 A: JA

6.3. Subfamily Nanophyinae Gistel, 1848

6.3.1. Tribe Corimaliini Alonso-Zarazaga, 1989

genus *Allomalía* Alonso-Zarazaga, 1989c: 228 type species *Nanophyes quadrivirgatus* A. Costa, 1863
gemmaria Faust, 1887j: 210 (*Nanophyes*) **A:** SY
piffli Voss, 1964b: 709 (*Corimalia*) **A:** PA
quadrivirgata A. Costa, 1863: 23 (*Nanophyes*) **E:** AL BU CR FR GR HU IT SP (Balears) UK **N:**
AG EG LB MO TU **A:** AB CY GG IN IS KZ SA SY TD UZ
innotatithorax Pic, 1919b: 11 (*Nanophyes*)
larnacana Pic, 1925d: 13 (*Nanophyes*)
semiobliterata Pic, 1919b: 11 (*Nanophyes*)
septemmaculata Pic, 1919b: 11 (*Nanophyes*)
sexpunctata Kiesenwetter, 1864: 286 (*Nanophyes*)
trilineata H. Brisout de Barneville, 1869: 346 (*Nanophyes*)
setulosa Tournier, 1868b: 569 (*Nanophyes*) **E:** IT (Lampedusa) ST **N:** AG EG LB TU **A:** CY IS LE
QA SI TD YE (Suqutra) **AFR**
biskrensis H. Brisout de Barneville, 1869: 347 (*Nanophyes*)
juncta Pic, 1919b: 11 (*Nanophyes*)
ruficolor Pic, 1935: 12 (*Nanophyes*)
separata Pic, 1925d: 14 (*Nanophyes*)
thoracica Pic, 1925d: 14 (*Nanophyes*)

genus *Corimalia* Gozis, 1885: 129 type species *Nanophyes tamarisci* Gyllenhal, 1838
Pseudocorimalia Voss, 1960a: 141 type species *Corimalia exsanguis* Voss, 1960
aliena Faust, 1890a: 103 (*Nanophyes*) **A:** ES KZ MG TD WS
auliensis Pic, 1901h: 90 (*Nanophyes*)
atritarsis Pic, 1925d: 13 (*Nanophyes*) **N:** AG EG **A:** SI **AFR**
mutata: Voss, 1964a: 598 (*Corimalia*) [NA, ISS]
mutica Peyerimhoff, 1929d: 180 (*Nanophyes*)
bilineata Tournier, 1868b: 568 (*Nanophyes*) **E:** ST **N:** EG
brunneonotata Pic, 1913g: 177 (*Nanophyes*) **A:** IQ QA SY
alepensis Pic, 1925d: 13 (*Nanophyes*)
chinensis Faust, 1890f: 474 (*Nanophyes*) **A:** GAN
convexipennis Pic, 1925d: 13 (*Nanophyes*) **A:** IQ
discreta Voss, 1964a: 596 **N:** EG **AFR**
exsanguis kaszabi Zherikhin, 1976: 427 **A:** MG
exsanguis exsanguis Voss, 1960a: 141 **A:** AF IN TD
fausti fausti Reitter, 1890c: 161 (*Nanophyes*) **E:** BU GR ST UK **A:** AB KZ TD TR
fausti orientalis Zherikhin, 1972a: 560 **A:** MG
gurjevae Zherikhin, 1972a: 562 **A:** MG
gyrata Peyerimhoff, 1929d: 182 (*Nanophyes*) **N:** AG EG **AFR**
helenae Korotyaev & Zherikhin, 1996a: 150 **E:** ST **A:** AB AR IN IQ KI KZ MG PS SY TD TM UZ
languida: auctt. [NA]
inconspicua H. Brisout de Barneville, 1869: 345 (*Nanophyes*) **N:** AG
latifrons Pic, 1897b: 28 (*Nanophyes*) **N:** AG EG LB TU **A:** IS JO SI
pectoralis Pic, 1929a: 10 (*Nanophyes*)
letourneuxi Pic, 1919b: 11 (*Nanophyes*) **N:** EG
lukjanovitschi Zherikhin, 1991a: 907 **A:** TM UZ
lunulata Wollaston, 1863: 218 (*Nanophyes*) **N:** CI
maculaticeps Pic, 1929a: 10 (*Nanophyes*) **E:** HU
martini H. Brisout de Barneville, 1883: 29 (*Nanophyes*) **E:** SP **N:** AG CI (Fuerteventura) EG MO
TU **A:** IS YE **AFR**
henoni Pic, 1897b: 28 (*Nanophyes*)
mongolica Faust, 1890f: 475 (*Nanophyes*) **A:** MG
multilineata Peyerimhoff, 1930a: 206 (*Nanophyes*) **N:** AG EG **A:** GG SY TR **AFR**
obscuriceps Pic, 1913f: 169 (*Nanophyes*) **A:** IQ
obscurithorax Pic, 1897b: 29 (*Nanophyes*) **N:** EG
pallida Olivier, 1807: 113 (*Cionus*) **E:** AL CR FR GR IT MA PT SP **N:** AG EG LB TU **A:** IS LE
SY
caesifrons H. Brisout de Barneville, 1869: 341 (*Nanophyes*)
centromaculata A. Costa, 1863: 24 (*Nanophyes*)
impunctata Rey, 1893c: 85 (*Nanophyes*)
notatipennis Pic, 1897b: 28 (*Nanophyes*)

- quingestigma* Pic, 1912b: 50 (*Nanophyes*)
oliverii Desbrochers des Loges, 1866: 49 (*Nanophyes*)
stigmatica Kiesenwetter, 1852: 649 (*Nanophyes*)
uninotata Pic, 1919b: 11 (*Nanophyes*)
unipunctata Rey, 1893c: 85 (*Nanophyes*)
pantherina Zherikhin, 1991a: 909 **A**: TM
pilosella Voss, 1960a: 142 **A**: AF
postica Gyllenhal, 1838: 787 (*Nanophyes*) **E**: FR IT PT SP **N**: AG EG TU
chakouri Pic, 1930b: 14 (*Nanophyes*)
impostica Pic, 1919f: 22 (*Nanophyes*)
obliterata Pic, 1925d: 14 (*Nanophyes*)
tristigma Rottenberg, 1872: 235 (*Nanophyes*)
pruinosa Faust, 1885b: 188 (*Nanophyes*) **A**: KI KZ TD UZ
reaumuriae Zherikhin, 1984: 306 **A**: ES KI MG
rufosuturalis Pic, 1938: 11 (*Nanophyes*) **E**: "Macédoine"
schatzmayri Giordani-Soika, 1937: 20 **N**: AG CI (Fuerteventura) MO TU **A**: IS JO
strejceki Schön & Skuhrovec, 2016: 572 **A**: ST
tamarisci Gyllenhal, 1838: 786 (*Nanophyes*) **E**: FR IT MA PT SP **N**: AG LB MO TU
deitria Rey, 1893c: 85 (*Nanophyes*) [NA]
languida Boheman, 1845: 195 (*Nanophyes*)
rufula Rey, 1893c: 85 (*Nanophyes*) [NA]
signata Rey, 1893c: 85 (*Nanophyes*) [NA]
tetrastigma Aubé, 1863: 113 (*Nanophyes*) **E**: FR IT PT SP **N**: AG TU **AFR**
rubens Aubé, 1864a: 327 (*Nanophyes*)
torretassoii Giordani-Soika, 1937: 25 **A**: IS
- genus *Hypophyes* Reitter, 1916a: 239** type species *Rhynchaenus pallidulus* Gravenhorst, 1807
aphyllae Peyerimhoff, 1929d: 184 (*Nanophyes*) **N**: AG EG **A**: QA SI TR
exiguus bulganensis Zherikhin, 1976: 427 (*Corimalia*) **A**: MG
exiguus exiguus Faust, 1890f: 475 (*Nanophyes*) **A**: KI MG TD
hyalinus Zherikhin, 1972a: 565 (*Corimalia*) **E**: ST **A**: KZ MG WS
betpakdalensis Bajtenov, 1982b: 47 (*Corimalia*)
mariae Košťál, 2017: 293 **A**: IN
minutissimus Tournier, 1868b: 570 (*Nanophyes*) **E**: SP ST UK "Caucasus" **N**: AG EG LB TU **A**: AF
CY IN IQ KZ SI TD TM AFR
alfierii Pic, 1926c: 229 (*Nanophyes*)
externotatus Pic, 1935: 12 (*Nanophyes*)
fayoumensis Pic, 1935: 12 (*Nanophyes*)
liliputanus H. Brisout de Barneville, 1869: 349 (*Nanophyes*)
maculithorax Pic, 1897g: 299 (*Nanophyes*)
maculatus Tournier, 1868b: 569 (*Nanophyes*)
modicenotatus Pic, 1901c: 19 (*Nanophyes*)
scapularis Pic, 1925d: 14 (*Nanophyes*)
unidentatus Pic, 1929a: 10 (*Nanophyes*)
tepensis Pic, 1929a: 10 (*Nanophyes*)
pallidulus Gravenhorst, 1807: 203 (*Rhynchaenus*) **E**: FR GB IT PT SP SZ **N**: AG TU
doriae H. Brisout de Barneville, 1873: 10 (*Nanophyes*)
immaculatus Vitale, 1921: 43 (*Nanophyes*) [NA]
- genus *Titanomalía* Alonso-Zarazaga, 1989c: 229** [RN] type species *Nanophyes auletoides* Reitter, 1911 (= *Nanophyes komaroffi* Faust, 1877)
Hadrophyes Reitter, 1911c: 246 [HN] type species *Nanophyes auletoides* Reitter, 1911 (= *Nanophyes komaroffi* Faust, 1877)
Hadrophyes Reitter, 1916a: 239 [HN] type species *Nanophyes auletoides* Reitter, 1911 (= *Nanophyes komaroffi* Faust, 1877)
komaroffi Faust, 1877: 41 (*Nanophyes*) **E**: ST **A**: AB KZ TD
auletoides Reitter, 1911c: 246 (*Nanophyes*)
valida Formánek & Melichar, 1916: 76 (*Nanophyes*) **A**: TD

6.3.2. Tribe Nanophyini Gistel, 1848

- genus *Alonsiellus* Zherikhin, 1996a: 237** type species *Nanophyes pubescens* Roelofs, 1875
pubescens Roelofs, 1875a: 172 (*Nanophyes*) **A**: FE JA SC

- genus *Ctenomeropsis* Voss, 1939e: 64** type species *Orobitis nigra* Waltl, 1835
nigra Waltl, 1835: 77 (*Orobitis*) **E**: CR FR GR IT PT SP UK **N**: AG MO TU
ericetorum Dufour, 1843: 87 (*Nanodes*)

sicula Boheman, 1845: 191 (*Nanophyes*)
subrufescens Pic, 1909b: 122 (*Nanophyes*)

genus Dieckmanniellus Alonso-Zarazaga, 1989c: 241 type species *Nanophyes nitidulus* Gyllenhal, 1838

chevrieri Boheman, 1845: 193 (*Nanophyes*) E: AL AU BU CZ FR GE GR HU IT MC PL PT RO SB
SK SP ST SZ UK N: EG TU A: AB AR IS

helveticus Tournier, 1868b: 567 (*Nanophyes*)

nigromaculatus Pic, 1897g: 299 (*Nanophyes*)

spretus Jacquelin du Val, 1855a: 66 (*Nanophyes*)

gracilis L. Redtenbacher, 1847: 370 (*Nanophyes*) E: AU BH BU CR FR GB GE GR HU IT SK SP
ST UK N: AG TU

geniculatus Aubé, 1864a: 327 (*Nanophyes*)

geniculatus Kiesenwetter, 1864: 285 (*Nanophyes*) [HN]

nigritarsis Aubé, 1862a: 72 (*Nanophyes*) E: FR IT (Sardegna, Sicilia)

morulus Vitale, 1906: 135 (*Nanophyes*)

nitidulus Gyllenhal, 1838: 785 (*Nanophyes*) E: AL AU BE BU CR CT CZ FR GE GR HU IT MA
PT RO SK SP ST SZ UK N: AG CI EG MO TU A: AB AR CY ES IS KZ SY TR UZ WS

atrolineatus Pic, 1919e: 13 (*Nanophyes*)

atrolineatus Pic, 1919e: 14 (*Nanophyes*) [HN]

bonvouloiri Pic, 1919e: 13 (*Nanophyes*)

dalmatinus Pic, 1919e: 13 (*Nanophyes*)

difficilis Tournier, 1868b: 567 (*Nanophyes*)

diversenotatus Pic, 1919e: 13 (*Nanophyes*)

fuscicollis Rey, 1893c: 85 (*Nanophyes*) [NA]

fuscus Rey, 1893c: 85 (*Nanophyes*) [NA]

longulus Wollaston, 1864: 299 (*Nanophyes*)

margellanicus Pic, 1919e: 13 (*Nanophyes*)

metallicus Vitale, 1906: 136 (*Nanophyes*)

ruficlavis Rey, 1893c: 85 (*Nanophyes*) [NA]

rufithorax Pic, 1919e: 13 (*Nanophyes*)

rufonotatus Pic, 1919e: 13 (*Nanophyes*)

genus Kantohia Alonso-Zarazaga & Perrin, 2011: 46 type species *Shiva taiwanus* Kantoh & Kojima, 2009

taiwana Kantoh & Kojima, 2009: 165 (*Shiva*) A: TAI

genus Microon Alonso-Zarazaga, 1989c: 245 type species *Rhynchaenus sahlbergi* C.R. Sahlberg, 1835
sahlbergi C.R. Sahlberg, 1835b: 51 (*Rhynchaenus*) E: AU BE CT CZ DE EN FI FR GE HU IT
(Sardegna) NT PL SK SP ST SV SZ A: TR WS

brevicollis C.N.F. Brisout de Barneville, 1863a: 112 (*Nanophyes*)

castaneidorsis Pic, 1928d: 6 (*Nanophyes*)

laterale Rosenhauer, 1847: 57 (*Nanophyes*)

pallens Bettinger, 1935: 2 (*Nanophyes*)

sparmacensis Bettinger, 1935: 3 (*Nanophyes*)

genus Nanodiscus Kiesenwetter, 1864: 284 type species *Nanophyes transversus* Aubé, 1850

transversus Aubé, 1850: 346 (*Nanophyes*) E: FR GR HU IT SP N: AG CI LB MO TU

aureolus Perris, 1864a: 299 (*Nanophyes*)

cuneatus Kiesenwetter, 1852: 650 (*Nanophyes*)

juniperi Chevrolat, 1860c: 210 (*Anthonomus*)

micaceus Rey, 1893c: 85 (*Nanophyes*)

genus Nanomimus Alonso-Zarazaga, 1989c: 248 type species *Cionus hemisphaericus* Olivier, 1807

annulatus Aragona, 1830: 24 (*Nanodes*) E: AU CR FR GR HU IT SB SZ N: AG

annulatus Gyllenhal, 1838: 782 (*Nanophyes*) [HN]

nigritious Gredler, 1886: 365 (*Nanophyes*)

borisi Zherikhin, 1996a: 431 (*Nanophyes*) A: FE

circumscriptus Aubé, 1864a: 326 (*Nanophyes*) E: AU CT CZ EN FI FR GE GR HU KZ LA PL SK
ST SV SZ UK A: AR TR WS

flavescens Gerhardt, 1911a: 338 (*Nanophyes*) [NA]

flavescens Gerhardt, 1911b: 2 (*Nanophyes*) [NA]

latemaculatus Pic, 1900b: 65 (*Nanophyes*)

obliteratus Pic, 1900b: 65 (*Nanophyes*)

hemisphaericus Olivier, 1807: 113 (*Cionus*) E: AU BH BU CR CZ FR GE GR HU IT MA PL PT SB
SK SL SP ST SZ TR UK N: AG EG MO TU A: AB GG KZ LE TR WS

algericus Pic, 1919e: 15 (*Nanophyes*)
bivittatus Fuente, 1912b: 43 (*Nanophyes*)
hipponensis Pic, 1915b: 9 (*Nanophyes*)
lineatithorax Pic, 1901c: 18 (*Nanophyes*)
maculipes Rey, 1893c: 85 (*Nanophyes*)
merkli Pic, 1919e: 15 (*Nanophyes*)
postsuturalis Pic, 1915b: 9 (*Nanophyes*)
quadripunctatus Pic, 1919e: 15 (*Nanophyes*)
tibialis Pic, 1919e: 14 (*Nanophyes*)
turkestanicus Pic, 1901c: 18 (*Nanophyes*)
ulmi Germar, 1821: 314 (*Cionus*)

smreczynskii Dieckmann, 1963a: 192 (*Nanophyes*) E: BU A: TR

suturalis Pic, 1907c: 127 (*Nanophyes*) A: FE JA SC

yvonnae A. Hoffmann, 1932b: 47 (*Nanophyes*) E: FR

genus *Nanophyes* Schoenherr, 1838: 780 [RN] type species *Curculio lythri* Fabricius, 1787 (= *Curculio marmoratus* Goeze, 1777)

Nanodes Schoenherr, 1825: 587 [SN] type species *Curculio lythri* Fabricius, 1787 (= *Curculio marmoratus* Goeze, 1777)
~~[suppressed, ICZN, 1989]~~

Sphaerula Stephens, 1829b: 12 [HN] type species *Curculio lythri* Fabricius, 1787 (= *Curculio marmoratus* Goeze, 1777)

Sphaerula Kiesenwetter, 1864: 284 [HN] type species *Curculio lythri* Fabricius, 1787 (= *Curculio marmoratus* Goeze, 1777)

aegyptiacus Pic, 1900g: 7 N: EG

albovittatus Roelofs, 1875a: 173 A: JA SC

testaceipes Pic, 1907c: 127

basilineatus Heller, 1931: 101 A: TAI

brevis bleusei Pic, 1900g: 8 E: PT SP N: AG

brevis brevis Boheman, 1845: 195 E: AL AU BE BH BU CR CT CZ FR GB GE GR HU IT LU PL
RO SB SK ST SZ UK N: EG A: AB IN TR

gradli Voss, 1939e: 64

theresae Pic, 1900d: 79

brevis fallax Rey, 1893c: 85 E: FR IT SZ

brunneirostris Rey, 1893c: 85 [NA]

mariei A. Hoffmann, 1938d: 127

rufirostris Rey, 1893c: 85 [NA]

brevis obscurus Zherikhin, 1981: 58 A: FE

caucasicus Pic, 1898a: 36 E: "Caucasus" A: TR

zurcheri Pic, 1908e: 51

chibizo Kôno, 1930d: 152 A: TAI

dimorphus Morimoto, 1964a: 82 A: JA (Ryukyu)

donckieri Pic, 1907c: 128 A: YUN

flaveolus Formánek & Melichar, 1916: 70 A: SA TR YE AFR

fuscumaculatus Pajni & Bhateja, 1982: 455 A: HP UP ORR

globiformis Kiesenwetter, 1864: 284 E: AL AU BH BU CT CZ EN FR GE GR HU IT LA PL PT
RO SB SK SP ST SZ UK N: MO A: FE

gallicus Bedel, 1887d: clxii

globulus Germar, 1821: 315 (*Cionus*) E: AU BE BH CR CT CZ FR GE HU IT NL PL RO SK SP SV
SZ UK A: FE

jacqueti Pic, 1935: 12

pygmaeus Herbst, 1795: 142 (*Curculio*) [HN]

stramineus Bach, 1854: 386

helenae Alonso-Zarazaga, 2011c: 83 [RN] A: CH

atrolineatus Pic, 1924b: 14 [HN]

impariformis Voss, 1960a: 140 A: AF

japonicus Roelofs, 1879b: liv A: FE JA SC

testaceus Roelofs, 1879a: 297

kwangtsehensis Voss, 1958b: 99 A: FUJ

longipilis Pic, 1919d: 13 E: "Caucasus"

marmoratus marmoratus Goeze, 1777: 413 (*Curculio*) E: AL AU BE BU CR CT CZ DE EN FI FR
GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL PT RO SB SK SP ST SV SZ UK A:
AB ES GG IN KZ LE SC SY TR WS NARi

angustipennis Bach, 1854: 386

anteapicalis Pic, 1919c: 11

apicalis Pic, 1919c: 10

atromaculatus Pic, 1919c: 11

berytensis Pic, 1919d: 13

bifasciatus Pic, 1919c: 11
circassicus Pic, 1919c: 11
circumcinctus Pic, 1919c: 11
discoideus Pic, 1919c: 10
dispersenotatus Pic, 1916b: 14
latepallidus Pic, 1919c: 10
leucozonius Gmelin, 1790: 1805 (*Curculio*)
leukoranus Pic, 1919c: 11
leprieuri Pic, 1919c: 11
longemaculatus Pic, 1919c: 11
lythri Fabricius, 1787a: 102 (*Curculio*) [HN]
lythri Piller & Mitterpacher, 1783: 68 (*Curculio*)
marmoratus Geoffroy, 1785: 125 (*Curculio*) [HN]
marmoratus Gmelin, 1790: 1805 (*Curculio*) [HN]
martialis Pic, 1919c: 11
moldaviensis Pic, 1919c: 11
montandoni Pic, 1919c: 11
muelleri Reitter, 1902c: 196
multinotatus Pic, 1919c: 11
nigrobasalis Pic, 1919c: 11
pulicarius Gravenhorst, 1807: 204 (*Rhynchaenus*)
rufescens Pic, 1919c: 11
ruficollis Rey, 1893c: 85 [NA]
rufipes Tournier, 1868b: 566
salicariae Fabricius, 1781: 167 (*Curculio*)
subattenuatus Pic, 1919d: 13
syriacus H. Brisout de Barneville, 1869: 337
tournieri Pic, 1919c: 10
transversus Olivier, 1791: 497 (*Curculio*) [RN]
trinotatus Pic, 1919c: 12
vittatus Geoffroy, 1785: 124 (*Curculio*) [HN]
marmoratus miguelangeli Zherikhin, 1996a: 240 A: FE JA
miguelangeli Zherikhin, 1996a: 240 [NA]
mihokoae Morimoto, 1964a: 83 A: JA
nigriceps Boheman, 1859: 147 A: HKG
nigritulus Boheman, 1859: 147 A: PA **ORR**
pallidipes Pic, 1897g: 298 E: "Caucasus"
pallipes Roelofs, 1875a: 173 A: JA
poecilopterus poecilopterus H. Brisout de Barneville, 1869: 334 E: SP N: AG **AFR**
proles Heller, 1915a: 25 A: AP FUJ GUA JA (Ryūkyū) NP SD YUN **ORR**
rubricus Rosenhauer, 1856: 298 E: FR GR IT SP N: AG MO MR TU
fossularum Buysson, 1915: 58
rufipes Motschulsky, 1866b: 444 A: FUJ **ORR**
sanisharensis Zherikhin, 1992: 3 A: NP
shaowuensis Voss, 1958b: 100 A: FUJ
suavis Gistel, 1857: 529 E: GE
triptolemus Gistel, 1857: 546 (*Nanodes*) E: GE
usuironis Kôno, 1930d: 152 A: JA
villaticus Gistel, 1857: 546 (*Nanodes*) E: GE
vulgaris Pajni & Bhateja, 1982: 462 A: NP UP **ORR**

genus *Pericartiellus* Alonso-Zarazaga, 1989c: 238 type species *Nanophyes flavidus* Aubé, 1850

durieui P.H. Lucas, 1846b: pl.38 (*Nanophyes*) E: FR PT SP N: AG TU
durioei P.H. Lucas, 1846b: pl.38 (*Nanophyes*) [NA]
lucasi Pic, 1900d: 79 (*Nanophyes*)
flavidus Aubé, 1850: 345 (*Nanophyes*) E: FR GE SP ST SZ A: TR
nicodi Pic, 1915a: 2 (*Nanophyes*)
vernetensis Pic, 1928d: 5 (*Nanophyes*)
luteonotatus Pic, 1919b: 11 (*Nanophyes*) E: "Caucasus"
palaestinus Pic, 1900g: 7 (*Nanophyes*) A: IS
telephii Bedel, 1900: 304 (*Nanophyes*) E: CZ FR HU SK ST UK N: AG A: KZ WS
buyssoni Pic, 1928d: 5 (*Nanophyes*)
reductenotatus Pic, 1915b: 9 (*Nanophyes*)
zinovjevi Zherikhin, 1981: 59 (*Nanophyes*) A: FE

genus *Pseudorobitis* L. Redtenbacher, 1868: 162 type species *Pseudorobitis gibbus* L. Redtenbacher, 1868

Temnalysis Alonso-Zarazaga, 1989a: 125 type species *Temnalysis axeli* Alonso-Zarazaga, 1989
axeli Alonso-Zarazaga, 1989a: 127 (*Temnalysis*) A: JA (Ryukyu) TAI
gibbus L. Redtenbacher, 1868: 163 A: ANH SHG
miwai Kôno, 1930d: 154 (*Nanophyes*) [DA] A: TAI

genus *Zherikhinia* Alonso-Zarazaga, 1999: 62 [RN] type species *Nanophyes formosensis* Kôno, 1930

Psix Alonso-Zarazaga, 1989c: 232 [HN] type species *Nanophyes formosensis* Kôno, 1930
formosensis Kôno, 1930d: 150 (*Nanophyes*) A: JA TAI

subfamily Nanophyinae, species incertae sedis

Curculio salicariae Piller & Mitterpacher, 1783: 69 [HN] E: CR

7. Family CURCULIONIDAE Latreille, 1802 s.l.

7.1. Subfamily Bagoinae Thomson, 1859

genus *Azollaebagous* Caldara, O'Brien & Meregalli, 2017: 34 type species *Bagous clarenciensis*

Blackburn, 1894
alexanderi O'Brien, 1995: 26 (*Bagous*) A: PA **ORR**
contrarius O'Brien, 1995: 30 (*Bagous*) A: NP **ORR**
pygmaeodes O'Brien & Morimoto, 1994: 15 (*Bagous*) A: JA

genus *Bagous* Germar, 1817c: 340 type species *Curculio binodulus* Herbst, 1795

subgenus *Bagous* Germar, 1817c: 340 type species *Curculio binodulus* Herbst, 1795

Abagous Sharp, 1916: 275 type species *Rhynchaenus lutulentus* Gyllenhal, 1813
Bagoas Gistel, 1856a: 370 [URN]
Himeniphades Kôno, 1934a: 245 type species *Himeniphades bipunctatus* Kôno, 1934
aequatus Voss, 1953b: 79 A: FUJ GUX
amurensis Egorov & Gratshev, 1990: 33 A: FE
bagdatensis Pic, 1904f: 50 E: AL AU CZ GR HU IT ME RO SK UK A: AR IN IQ IS TR
wagneri Dieckmann, 1964: 111 [HN]
binodulus Herbst, 1795: 247 (*Curculio*) E: AU BE CT CZ DE EN FR GB GE HU IT LA LT NL NT
PL RO SB SK SV SZ UK A: WS
bipunctatus Kôno, 1934a: 246 (*Himeniphades*) A: FE JA SC
charbinensis Voss, 1952b: 203 A: HEI NMO
chinensis Zumpt, 1938b: 81 A: FUJ GUA
fausti Schilsky, 1907: no. 55 E: ST A: AR TM
glabrirostris Herbst, 1795: 254 (*Curculio*) E: AU BE BH BY CR CT CZ DE EN FI FR GB GE HU
IR IT LA LT LU NL NR NT PL SB SK ST SV SZ UK A: WS
gracilis Egorov & Gratshev, 1990: 37 A: FE
inquinamentus Gyllenhal, 1835b: 545 A: FE
kagiashi Chûjô & Morimoto, 1959b: 150 A: FE JA SC
lutulentus Gyllenhal, 1813: 86 (*Rhynchaenus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR
GB GE GR HU IR IT LA LT LU ME NL NR NT PL RO SB SK SP ST SV SZ UK A: ES GG
IN TR WS
binotatus Stephens, 1831c: 48
mundanus Boheman, 1845: 79
nigritarsis C. G. Thomson, 1865: 190
pygmaeus Gyllenhal, 1813: 86 (*Rhynchaenus*)
minor O'Brien & Morimoto, 1994: 12 A: JA
occultus O'Brien & Morimoto, 1994: 27 A: JA
olcese Tournier, 1874a: 108 N: MO
picturatus Egorov & Gratshev, 1990: 34 A: FE JA
ryukyuensis O'Brien & Morimoto, 1994: 18
puncticollis Boheman, 1845: 86 E: AU BE BH BY CT CZ DE FI FR GB GE HU IT LA NL PL RO
SB SK ST SV SZ UK A: WS
major Fowler, 1913: 189

robustus H. Brisout de Barneville, 1863b: 513 E: AL AU BH BU CR CZ DE FI FR GB GE GR HU
IT NL PL RO SK SL SP ST SV SZ UK N: AG MO TU A: GG WS
inermis Desbrochers des Loges, 1896j: 101
robustoides Neresheimer & Wagner, 1932: 35
rudis Sharp, 1917a: 31
tenietensis Desbrochers des Loges, 1896j: 101
shaowuanus Voss, 1953b: 80 A: FUJ
spiculatus O'Brien & Morimoto, 1994: 24 A: JA
subcarinatus Gyllenhal, 1836: 543 E: AU BE CR CT CZ DE EN FR GB GE GR HU IT LT LU PL
RO SB SK ST SV SZ UK N: MO TU A: AR GG IN TD TM TR UZ
unguicularis Hustache, 1927a: 132
subcordatus O'Brien & Morimoto, 1994: 30 A: JA
tophyosus Gyllenhal, 1835b: 547 A: FE WS
vicinus Hustache, 1926g: 643 A: PA UP ORR
yamazakii O'Brien & Morimoto, 1995: 4 A: JA
subgenus *Macropelmus* Dejean, 1821: 89 type species *Curculio frit* Herbst, 1795
Anactodes H. Brisout de Barneville, 1863b: 497 type species *Lixus elegans* Fabricius, 1801
Bagoimorphus Desbrochers des Loges, 1905e: 11 type species *Bagoimorphus laticollis* Desbrochers des Loges, 1905 (= *Rhynchaenus limosus* Gyllenhal, 1827)
Cyprus Schoenherr, 1825: 585 type species *Curculio cylindrus* Paykull, 1800 (= *Bagous tubulus* Caldara & O'Brien, 1994)
Dicranthus Motschulsky, 1845a: 102 type species *Dicranthus vittatus* Motschulsky, 1845 (= *Lixus elegans* Fabricius, 1801)
Elmidomorphus Cussac, 1851: 205 type species *Elmidomorphus aubei* Cussac, 1851 (= *Curculio petro* Herbst, 1795)
Ephimeropus Hochhuth, 1847: 543 type species *Ephimeropus geniculatus* Hochhuth, 1847
Heterobagous F. Solari, 1930: 44 type species *Bagous nupharis* Apfelbeck, 1906 (= *Bagous rotundicollis* Boheman, 1845)
Lyprus Schoenherr, 1826: 288 type species *Curculio cylindrus* Paykull, 1800 (= *Bagous tubulus* Caldara & O'Brien, 1994)
Parabagous Sharp, 1916: 275 [HN] type species *Curculio frit* Herbst, 1795
Pnigodes LeConte, 1876: 188 type species *Pnigodes setosus* LeConte, 1876
Probagous Sharp, 1916: 275 type species *Bagous heasleri* Newbery, 1902 (= *Bagous czwalinai* Seidlitz, 1891)
affaber Faust, 1887e: 85 A: KA PA SY ORR
dilgiri Vazirani, 1977: 42
affinis Hustache, 1926g: 645 A: PA ORR
aliciae Cmoluch, 1983: 51 E: CT PL UK A: WS
gandalf Isajev & Gratshev, 1994: 318
argillaceus Gyllenhal, 1836: 542 E: AL AU BH BU BY CR CZ DE EN FR GB GE GR HU IT ME
PL PT RO SB SK SL SP ST SV UK N: AG EG MO TU A: AB AF AR IN IS KZ MG TD TM
TR WS
encaustus Boheman, 1845: 76
haematopus Gyllenhal, 1836: 543
halophilus L. Redtenbacher, 1858: 893
ibis Karasyov, 1995: 58
inceratus Gyllenhal, 1836: 544
leprieuri Guillebeau, 1890b: lxxiv
biimpressus Fähræus, 1845: 78 E: FR GR IT ST N: AG A: IN IS TM TR
frater Jacquelin du Val, 1855a: 64
brevis Gyllenhal, 1836: 550 E: AU CZ DE FI FR GB GE GR IR NR PL SV UK
armoricanus A. Hoffmann, 1931b: 68
buckinghami O'Brien & Morimoto, 1994: 42 A: JA ORR
bulgaricus Angelov, 1989: 69 E: BU GR HU
claudicans Boheman, 1845: 80 E: FI FR GE HU PL SV UK
collignensis Herbst, 1797: 50 (*Curculio*) E: AU BE CZ DE FI FR GB GE GR HU IR IT LA NL NT
PL SK ST SV SZ UK A: KZ
muticus C. G. Thomson, 1868: 184
cylindricus Rosenhauer, 1856: 289 E: PT SP N: MO
curtirostris Fairmaire, 1873a: 349
czwalinai Seidlitz, 1891a: 616 E: AU CT CZ DE FI GB GE HU IT LT PL SK SV UK
czwalinae Seidlitz, 1891a: 616 [NA]
heasleri Newbery, 1902: 149
dieckmanni Gratshev, 1993: 11 E: HU SK ST A: KZ
diglyptus Boheman, 1845: 82 E: AU BE CT CZ DE EN FR GB GE GR HU IT NR PL SK ST SV
UK
brevitarsis Hansen, 1917: 352
curtus Gyllenhal, 1845: 81
elegans Fabricius, 1801: 491 (*Lixus*) E: DE EN FR GE HU LA LT NL PL RO SB ST SV UK A: KI
KZ TD
vittatus Motschulsky, 1845a: 102 (*Dicranthus*)

exilis Jacquelin du Val, 1855a: 64 E: FR PT SP N: CI MO
foersteri Hartmann, 1899b: 49 A: TIA
foveifrons Hustache, 1923b: 72 N: MO
fractodes O'Brien & Morimoto, 1995: 7 A: JA
fractus O'Brien & Morimoto, 1994: 39 A: JA
fremuthi Dieckmann, 1975c: 201 A: AB IN IQ TD TM UZ
frit Herbst, 1795: 256 (*Curculio*) E: AU BE CT CZ DE EN FI FR GB GE HU IR IT LA LT NL NR
NT PL RO SK SV SZ UK A: ES FE
notatus Gravenhorst, 1807: 202 (*Rhynchaenus*)
fritodes O'Brien & Morimoto, 1994: 51 A: JA
friwaldszkyi Tournier, 1874a: 104 E: EN GE HU NT PL RO SK ST UK A: WS
fuentei Pic, 1908h: 81 E: SP
geniculatodes O'Brien, 1995: 125 A: UP
geniculatus Hochhuth, 1847: 544 (*Ephimeropus*) E: AB AU BU CR FR HU IT (Sardegna) N: EG A:
AF IN KZ TM TR UZ
denticulatus Hustache, 1913b: 234
doderoi F. Solari, 1930: 49 (*Ephimeropus*)
sahlbergi Schilsky, 1911: 98
henoni Hustache, 1927a: 128 N: AG
intermedius Voss, 1935c: 59 A: SCH
interpositus Hartmann, 1899b: 49 A: FE TIA
interruptus Faust, 1891d: 279 A: NP UP **ORR**
laevigatus O'Brien & Pajni, 1989: 465 A: PA **ORR**
latepunctatus Pic, 1904f: 50 A: IQ KA PA UP **ORR**
lewisi O'Brien & Morimoto, 1994: 54 A: JA
limosus Gyllenhal, 1827: 566 (*Rhynchaenus*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GB
GE GR HU IR IT LU ME NL NR PL RO SB SK SP ST SV SZ UK N: MO A: AB ES FE IN
KZ TD WS
laticollis Gyllenhal, 1836: 548
marginicollis Hustache, 1937a: 17
obscurus Rey, 1895d: 38
loisae O'Brien, 1995: 141 A: PA **ORR**
longitarsis C. G. Thomson, 1868: 185 E: AU CT CZ DE EN FI FR GB GE HU IT LT NL NT PL
RO SK SV SZ UK A: ES WS
arduus Sharp, 1917b: 105
tomlini Sharp, 1917b: 105
lothari Caldara & O'Brien, 1998: 300 E: AU HU SB SK
lutosus Gyllenhal, 1813: 85 (*Rhynchaenus*) E: AL AU BE BH BY CR CT CZ DE EN FI FR GB GE
GR HU IR IT LA LT LU ME NL NR NT PL RO SB SK ST SV SZ UK A: AB IN KZ TR WS
caudatus C. G. Thomson, 1865: 188
tereticollis Beck, 1817: 23 (*Rhynchaenus*) [DA]
validitarsus Boheman, 1845: 87
lutulosus Gyllenhal, 1827: 568 (*Rhynchaenus*) E: AU BE CT CZ DE EN GB FI FR GE HU IT LA
NL NR NT PL RO SK SP SV SZ UK N: AG MO TU
cruentatus J. R. Sahlberg, 1900a: 21
dorsalis Perris, 1858: 144
formicetorum Jacquelin du Val, 1855b: 232
pueli A. Hoffmann, 1950c: 196
semilunatus Desbrochers des Loges, 1896j: 97
temperei A. Hoffmann, 1950c: 196
lyali Caldara & O'Brien, 1998: 282 A: IS
macedon Caldara & O'Brien, 1998: 216 E: GR
majzlani Kodada, Holecová & Behne, 1992: 208 (*Dicranthus*) E: CZ GE HU IT NL PL RO SK ST
mandshuricus Egorov & Gratshev, 1990: 35 A: HEI
meregallii Caldara & O'Brien, 1998: 257 E: "Caucasus" A: TR
mingrelicus Tournier, 1874a: 105 E: GR ST A: GG IS TR
laticollis Desbrochers des Loges, 1905e: 11 (*Bagoimorphus*) [HN]
robustior Pic, 1900a: 29
syriacus Schilsky, 1907: N
minutissimus Faust, 1887e: 84 E: GR ST A: AB KZ
minutus Hochhuth, 1847: 573 E: ST A: AB
caucasicus Faust, 1887e: 85 [URN]
hochhuthi Tournier, 1874a: 110 [URN]

leonhardi Schilsky, 1907: O
monanthiphagus Stüben, 2010d: 1 N: CI
mucronatus Caldara & O'Brien, 1998: 241 A: IN IQ PA SA TR
myriophylli O'Brien, 1995: 133 A: KA NE
nipponensis O'Brien & Morimoto, 1995: 10 A: JA
nodulosus Gyllenhal, 1836: 538 E: AU BE BH BY CR CT CZ DE EN FR GB GE HU IT NL PL
RO SB SK ST SV UK A: SY TR WS
peregrinus Gratshev, 1993: 13 E: ST UK A: KZ
perparvulus Rosenhauer, 1856: 291 E: FR GR (Korfu) IT SP N: AG A: TR
minus Mulsant & Rey, 1859a: 293 [HN]
minus Mulsant & Rey, 1859b: 35 [HN]
mulsanti Fauvel, 1885: 302 [RN]
petro Herbst, 1795: 366 (*Curculio*) E: AU CZ DE EN FI FR GB GE HU IT LA MC NL PL RO SK
ST SV UK
aubei Cussac, 1851: 206 (*Elmidomorphus*)
chorinaeus Fähræus, 1845: 78
poophagoides Egorov & Gratshev, 1990: 36 A: ES FE HEI NMO
proprius O'Brien & Morimoto, 1994: 35 A: JA
revelieri Tournier, 1874a: 106 E: FR (Corse) IT (Sardegna) SP N: AG MO
lateralis Hustache, 1937a: 18
riedeli Caldara & O'Brien, 1998: 284 A: TR
rotundatus O'Brien & Morimoto, 1994: 45 A: JA
rotundicollis Boheman, 1845: 75 E: AL AU BH CR CT CZ GE HU IT LT NL PL RO ST SZ UK
A: TR
bucciarellii Pesarini, 1980a: 24
nupharis Apfelbeck, 1906b: 1672
rufimanus Péricart, 1989: 168 E: AL AU BH BU CR FR GR HU IT ME RO SB SK SZ A: TR
rufipennis Egorov & Gratshev, 1990: 38 A: ES FE MG
sardiniensis H. Brisout de Barneville, 1863b: 510 E: IT (Sardegna) SP
septemcostatus Chevrolat, 1860f: 509 E: SP N: AG LB MO TU A: IS TR
pallidipes Pic, 1900a: 30
subcostulatus Desbrochers des Loges, 1896j: 98
similis O'Brien, 1995: 145 A: KA
subruber Reitter, 1890c: 161 E: GR SP N: AG EG LB TU A: IN IQ IS SA
tournieri Pic, 1894b: 247
subvittatus O'Brien & Morimoto, 1994: 57 A: JA
sulcicollis Hartmann, 1899b: 50 A: FE FUJ TIA
tempestivus Herbst, 1795: 246 (*Curculio*) E: AU BE BH BU BY CT CZ DE EN FI FR GB GE HU IT
LA LS LT LU NL NR NT PL RO SB SK SP SV SZ UK A: ES FE GG IS TR
adpersus Förster, 1849: 34
angustulus C. G. Thomson, 1870a: 139
convexicollis Boheman, 1845: 84
dilatatus C. G. Thomson, 1868: 342
sjobergi Bruce, 1968: 238
tessellatus Förster, 1849: 32
thomsoni Bruce, 1968: 238
tersus Egorov & Gratshev, 1990: 35 A: ES FE
trapeae Parshad, 1961: 298 A: PA UP **ORR**
tuberculosis O'Brien & Morimoto, 1994: 59 A: JA
tubulus Caldara & O'Brien, 1994: 3 [RN] E: AU BE CT CZ DE EN FR GB GE HU IT LA LT NL
PL RO SK ST SV SZ UK A: ES TR WS
angustus Silfverberg, 1977a: 17 [RN, HN]
attenuatus Ahrens, 1812: 18 (*Lixus*) [HN]
cylindrus Paykull, 1800: 241 (*Curculio*) [HN]
scanicus Silfverberg, 1997: 167 [URN]
turkmenicus Gratshev, 1993: 15 A: TD TM
uralensis Gratshev, 1993: 15 E: KZ
validus Rosenhauer, 1847: 54 E: AU CZ GR HU RO SB SK ST UK A: IS SY TR
kraatzii H. Brisout de Barneville, 1863b: 516
vivesi González, 1967b: 97 E: PT SP N: MO
youngi O'Brien & Morimoto, 1994: 48 A: JA
subgenus *Parabagous* Schilsky, 1907: N type species *Bagous chevrolati* Tournier, 1874
Fontenelleus A. Hoffmann, 1962c: 120 type species *Bagous cyperorum* Peyerimhoff, 1929

anatolicus Caldara & O'Brien, 1998: 163 A: TR
andalusiacus González, 1971a: 8 E: SP
belloi Caldara & O'Brien, 1998: 159 E: GR
chevrolati Tournier, 1874a: 109 E: FR (Corse) IT PT SP N: AG MO
corsicanus A. Hoffmann, 1936a: 61 E: FR(Corse) IT (Sardegna)
cosiensis Caldara & O'Brien, 1998: 177 E: GR (Kos)
costulatus Perris, 1869: 23 E: CR GR IT ME
kirschi Reitter, 1884d: 121
cyperorum Peyerimhoff, 1929: 39 N: AG TU A: AE AFR
epirotos Caldara & O'Brien, 1998: 161 E: GR
franzi González, 1967b: 95 E: SP
freti Caldara & O'Brien, 1998: 174 E: TR
gracilentus Desbrochers des Loges, 1896j: 99 E: SP N: AG
elongatus Pic, 1896e: 114
guttatus Desbrochers des Loges, 1896j: 98 E: IT SP N: AG MO TU
hipponensis Pic, 1928a: 21
ibericus González, 1971a: 6 E: PT SP
libanicus Schilsky, 1911: 99 A: IS LE
longirostris Vitale, 1904b: 171 E: GR IT
lyauteyi A. Hoffmann, 1953b: 139 N: MO
marocanus Hustache, 1923b: 71 N: MO
osellai Caldara & O'Brien, 1998: 165 A: TR
rudicollis Desbrochers des Loges, 1896j: 100 E: SP N: MO
sabellai Caldara & O'Brien, 1998: 192 E: GR

genus *Bagous*, nomina dubia

oleae O. G. Costa, 1839a: 103 E: IT
tibialis Stephens, 1831c: 49 E: GB

genus *Hydronomus* Schoenherr, 1825: 231 type species *Curculio alismatis* Marsham, 1802
alismatis Marsham, 1802: 273 (*Curculio*) E: AU BE BH CR CT CZ DE EN FI FR GB GE HU IR IT
 LA LT LU NL NR NT PL RO SK ST SV SZ UK A: ES FE TR WS
alismatis Gravenhorst, 1807: 202 (*Rhynchaenus*) [HN]
productus Gravenhorst, 1807: 202 (*Rhynchaenus*)
tibialis Boheman, 1845: 87 (*Bagous*) [HN]
vacillans Gravenhorst, 1807: 202 (*Rhynchaenus*)

genus *Memptorrhynchus* Iablokoff-Khnzorian, 1960: 253 type species *Memptorrhynchus ripicola*
 Iablokoff-Khnzorian, 1960 (= *Bagous brevipennis* Kirsch, 1878)
brevipennis Kirsch, 1878: 294 (*Bagous*) A: AB AR GG IN TR
brevipennis Kirsch, 1879: 29 (*Bagous*) [HN]
ripicola Iablokoff-Khnzorian, 1960: 254
luteitarsis Hustache, 1926g: 646 (*Bagous*) A: NP UP **ORR**

7.2. Subfamily **Brachycerinae** Billberg, 1820

7.2.1. Tribe Brachycerini Billberg, 1820

7.2.1.1. Subtribe Brachycerina Billberg, 1820

genus *Brachycerus* Olivier, 1789: 36 type species *Curculio barbarus* Linnaeus, 1758
Dyerocera Pascoe, 1887d: 334 type species *Dyerocera gravida* Pascoe, 1887
Brachycerinus Bovie, 1909: 11 type species *Brachycerus dorsalis* Gyllenhal, 1833
Brachyceromorphus Bovie, 1909: 11 type species *Curculio tauriculus* Sparman, 1785
aegyptiacus Olivier, 1807: 51 E: GR (Kriti) N: EG A: CY IS SY
incertus Desbrochers des Loges, 1871: 367
olivieri Desbrochers des Loges, 1871: 367
albidentatus Gyllenhal, 1840a: 654 E: CR FR (Corse) IT MA
anatolicus Arzanov & Friedman, 2012: 53 A: TR

argillaceus Reiche & Saulcy, 1858a: 654 **E:** GR TR **A:** CY IS LB TR
nodulosus Reiche & Saulcy, 1858a: 658
baleareicus Bedel, 1874c: 171 **E:** SP (Balears)
barbarus Linnaeus, 1758: 386 (*Curculio*) **E:** FR IT SP **N:** MO TU
curtulus Desbrochers des Loges, 1871: 366
fluctiger Gyllenhal, 1840a: 651
interruptus Rey, 1894a: 63 [NA]
lateralis Gyllenhal, 1833a: 407
latro Gyllenhal, 1833a: 412
libertinus Fåhraeus, 1840a: 650
paradoxus Rey, 1894a: 63
ramosus L.W. Schaufuss, 1882a: 542
callosus Schoenherr, 1833: 422 [RN] **E:** IT (Sicilia) PT SP **N:** AG MO TU
chevolati Fåhraeus, 1840a: 657
parens Desbrochers des Loges, 1871: 366
peninsularis Chevrolat, 1866b: 105
raffrayi Desbrochers des Loges, 1871: 365
semituberculatus P.H. Lucas, 1846b: pl.35
variolosus Thunberg, 1799: 30 [HN]
cinereus Olivier, 1807: 56 **E:** GR RO **N:** EG MO **A:** AR LB SI
pulverulentus Olivier, 1807: 56
cribrarius Olivier, 1807: 58 **E:** BG **A:** IS LB TR
fimbriatus Desbrochers des Loges, 1871: 365
frimbriatus Desbrochers des Loges, 1871: 365 [NA]
ornatus Reiche & Saulcy, 1858a: 658
crispatus Fabricius, 1792: 382 **N:** AG TU
clathratus Desbrochers des Loges, 1871: 362
pterygomalis P.H. Lucas, 1847b: 411 [NA]
rectecostatus Desbrochers des Loges, 1871: 362
cylindripes Bedel, 1874b: 144 **N:** MO
desertus A. Hoffmann, 1950b: 91 **N:** MO
foveicollis Gyllenhal, 1833a: 419 **E:** AU BG CZ GR HU MD RO SK ST TR UK **A:** SY TR
muricatus Fabricius, 1792: 383 [NA]
ventralis Desbrochers des Loges, 1871: 366
foveifrons Bedel, 1874c: 194 **A:** IS SY TR
freyi Zumpt, 1937d: 359 **A:** TR
gibbosus Haaf, 1957: 25 **N:** EG **A:** SA YE **AFR**
graecus Zumpt, 1937e: 402 **E:** GR **A:** TR
groneri Friedman & Sagiv, 2011: 50 **A:** IS
hermoniacus Friedman & Sagiv, 2011: 50 **A:** IS
hustachei Zumpt, 1937d: 357 **N:** MO
junix Lichtenstein, 1796: 55 **E:** CR GR IT MC RO UK **A:** AR CY IN IS LB SY TM TR
siculus Gyllenhal, 1833a: 414
tauricus Desbrochers des Loges, 1871: 367
kabylanus Desbrochers des Loges, 1871: 364 **N:** AG TU
velutinus Desbrochers des Loges, 1871: 364
kubanicus Arzanov, 2005a: 69 **E:** ST
lutosus Gyllenhal, 1833a: 417 **E:** BG BH FR GR IT ST TR UK **A:** TR
superciliosus Gyllenhal, 1833a: 422
lutulentus Gyllenhal, 1833a: 418 **E:** UK
makrisi Alziar, 2016: 1 **A:** CY
mlokosevitschi Arzanov, 2005a: 69 **A:** GG
muricatus Olivier, 1790: 186 **E:** BH CR FR GR IT MA SP TR **N:** AG MO TU **A:** TR
alginus Fabricius, 1787a: 129 (*Curculio*) [HN]
attenuatus Vitale, 1903b: 42
carinula Rey, 1894a: 63 [NA]
cirrosus Gyllenhal, 1840a: 660
exemptus Rey, 1894a: 63 [NA]
perodiosus Gyllenhal, 1840a: 661
planirostris Gyllenhal, 1833a: 417
pygmaeus Vitale, 1903c: 5
semiaeneus Desbrochers des Loges, 1871: 365
sulcifrons Gyllenhal, 1833a: 420
normandi Desbrochers des Loges, 1898f: 11 **E:** IT (Lampedusa) **N:** EG LB MO TU
orbipennis Reiche & Saulcy, 1858a: 656 **A:** IS SY
perlatus A. Solari & F. Solari, 1922d: 85 **N:** EG LB MO TU

persicus Zumpt, 1937d: 357 A: IN
plicatus Gyllenhal, 1833a: 415 E: CR GR IT (Sardegna, Sicilia) PT SP N: AG CI LB MO TU A: CY TR
clathratus Desbrochers des Loges, 1871: 362
insignis Miller, 1861: 206
opacus Wollaston, 1864: 334
scutipennis Desbrochers des Loges, 1871: 363
tetanicus P.H. Lucas, 1847b: 414
vespertilio Desbrochers des Loges, 1871: 363
pradierei atlasicus A. Hoffmann, 1962c: 121 N: MO
pradierei pradierei Fairmaire, 1857a: 536 E: FR SP
quadrisulcatus Fischer von Waldheim, 1830: 185 A: AB AR IN TR
difformis Faldermann, 1837a: 16
repertus Roudier, 1958c: 59 [RN] E: SP
hypocrita Bedel, 1874c: 174 [HN]
riguus Erichson, 1841: 185 A: AG
rotundicollis Escalera, 1918a: 415 E: SP
rufipes Zumpt, 1937d: 353 E: GR (Kriti)
schatzmayri Zumpt, 1937d: 367 E: IT (Lampedusa) N: TU
scutellaris P.H. Lucas, 1846b: pl.35 N: AG LB TU
similaris Zumpt, 1937d: 360 N: AG
sinuatus Olivier, 1807: 58 E: BG GR IT (Sicilia) MC RO ST UK A: AB AR CY IN TR
besseri Krynicki, 1832: 145
insularis Desbrochers des Loges, 1871: 367
skoupyi Arzanov, 2011: 57 A: SY
socotranus Friedman, 2017: 174 A: YE (Suqutra)
spinicollis Bedel, 1874b: 144 A: IS LE N: EG
transversus Olivier, 1807: 57 N: AG MO
turkmenicus Arzanov, 2005a: 69 A: TM
undatus Fabricius, 1798: 162 E: BG BH CR FR GR IT MA SP TR N: AG TU
capensis Schoenherr, 1833b: 427
cornifrons Desbrochers des Loges, 1871: 363
corrosus Gyllenhal, 1833a: 409
crispatus Rey, 1894a: 63 [NA]
europaeus Thunberg, 1799: 25
incultus Gyllenhal, 1833a: 411
hispidus Desbrochers des Loges, 1871: 361
lacunatus Latreille, 1806: 253
lyrae Vitale, 1905b: 206
mauritanicus Olivier, 1807: 52
nubilus Desbrochers des Loges, 1871: 361
ovatus Brullé, 1832a: 235
parallelus Rey, 1894a: 63
pterygomalis Gyllenhal, 1833a: 406
sericeus Desbrochers des Loges, 1871: 361
serratus Olivier, 1807: 51 [HN]
subvariolatus Desbrochers des Loges, 1871: 360
tuberculatus Rey, 1894a: 63 [NA]
wizeni Friedman & Sagiv, 2011: 60 A: IS
zaninii F. Solari, 1949b: 94 N: MO

7.2.2. Tribe Cryptolaryngini Schalkwyk, 1966

genus *Perieges* Schoenherr, 1842a: 419 type species *Perieges bardus* Boheman, 1842

Adrosoma Motschulsky, 1845a: 106 type species *Adrosoma fasciculatum* Mostschulsky, 1845
Hadrosoma Agassiz, 1846: 8 [UE]
bardus Boheman, 1842a: 420 E: ST A: AB AF IN TD TM UZ
minor Faust, 1883d: 99
fasciculatus Motschulsky, 1845a: 106 (*Adrosoma*) A: GG
humeralis Pic, 1906d: 34 A: TD UZ

7.2.3. Tribe Erirhinini Schoenherr, 1825

7.2.3.1. Subtribe Erirhinina Schoenherr, 1825

genus *Apachiscelus* Desbrochers des Loges, 1875a: 18 type species *Apachiscelus pellitus* Desbrochers des Loges, 1875 (= *Procas lethierryi* Chevrolat, 1860)
lethierryi Chevrolat, 1860a: 77 (*Procas*) N: AG
pellitus Desbrochers des Loges, 1875a: 18
rufescens Pic, 1905d: 131 N: AG

genus *Caenosilapillus* Chûjô & Morimoto, 1959b: 147 type species *Caenosilapillus babai* Chûjô & Morimoto, 1959
babai Chûjô & Morimoto, 1959b: 148 A: JA

genus *Grypus* Germar, 1817c: 340 type species *Curculio equiseti* Fabricius, 1775
Aplopus Dejean, 1821: 86 type species *Curculio equiseti* Fabricius, 1775
Grypidius Schoenherr, 1826: 231 [RN] type species *Curculio equiseti* Fabricius, 1775
brunnirostris Fabricius, 1792: 404 (*Rhynchaenus*) E: AU BE BU BY CT CZ DE EN FR GE HU IT LA LT LU NL PL SK SV SZ UK NAR
obliteratus Herbst, 1795: 273 (*Curculio*)
equiseti Fabricius, 1775: 130 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GB HU IR IT LA LT LU ME NL NR PL RO RU SB SK SL SV SZ UK A: ES FE KZ WS NAR
atirostris Fabricius, 1782: 499 (*Curculio*)
gibbosus Gmelin, 1790: 1756 (*Curculio*) [URN]
insquamipennis Delahon, 1914: 622
nigrogibbosus Degeer, 1775: 224 (*Curculio*)
kaschmirensis Voss, 1960c: 11 A: KA
mannerheimi Faust, 1881: 312 A: ES FE JA NC
rugicollis Voss, 1934a: 81 A: SCH

genus *Icaris* Tournier, 1874a: 93 type species *Eriirhinus sparganii* Gyllenhal, 1835
Prionocheilus Desbrochers des Loges, 1875a: 21 type species *Prionocheilus squamosus* Desbrochers des Loges, 1875 (= *Eriirhinus sparganii cinereus* Miller, 1861)
sparganii cinereus Miller, 1861: 209 (*Eriirhinus*) A: TR SY
squamosus Desbrochers des Loges, 1875a: 21 (*Prionocheilus*)
sparganii pertinax Gyllenhal, 1835a: 309 (*Eriirhinus*) E: RU A: HEI IN KI KZ TD TM UZ WS
subaureus Reitter, 1900d: 58 (*Echinocnemus*)
sparganii sparganii Gyllenhal, 1835a: 310 (*Eriirhinus*) E: AU BH BU BY CR CZ GR HU IT SK ST UK A: FE IN MG NC SW
efferus Faust, 1887g: 188
pilipes Desbrochers des Loges, 1896j: 102 (*Bagous*)

genus *Lepidonotaris* Zumpt, 1929: 217 type species *Dorytomus petax* C.R. Sahlberg, 1823
petax C.R. Sahlberg, 1823b: 41 (*Dorytomus*) E: BU CZ HU MD SK ST UK A: FE HEI KZ MG WS

genus *Neoicaris* A. Hoffmann, 1968b: 150 type species *Neoicaris descampsi* A. Hoffmann, 1968
descampsi A. Hoffmann, 1968b: 151 A: IN

genus *Notaris* Germar, 1817c: 340 type species *Curculio acridulus* Linnaeus, 1758
Eriirhinus Schoenherr, 1825: 582 type species *Curculio aethiops* Fabricius, 1792
Erycus Tournier, 1874a: 93 type species *Curculio scirpi* Fabricius, 1792
acridulus Linnaeus, 1758: 378 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IC IR IT LA LS LU MD NL NR NT PL RO SB SK SL SP ST SV SZ UK A: ES FE JA KI KZ TD UZ WS
indistincta Motschulsky, 1845a: 101 (*Eriirhinus*)
insularis Faust, 1882c: 161
merkli Stierlin, 1882a: 252 (*Eriirhinus*)
montana Faust, 1882c: 161
punctum Fabricius, 1792: 401 (*Rhynchaenus*)
resinosa Marsham, 1802: 268 (*Curculio*) [HN]
rigida Marsham, 1802: 270 (*Curculio*)
aethiops Paykull, 1792: 49 (*Rhynchaenus*) E: AU BH BU BY CR CT CZ DE EN FI FR GB GE IC IR IT LA LT NR PL RO RU SB SK SL SU SZ UK A: ES FE MG WS NAR
holomelana Herbst, 1795: 271 (*Curculio*)
lapponica Faust, 1882c: 165
morio Mannerheim, 1853: 240 (*Eriirhinus*)
rufipes Motschulsky, 1845c: 377

aterrima Hampe, 1850: 356 (*Phloeophagus*) E: AU BH BU BY CR CZ FR GE HU IT PL RO RU SB
SK SL SZ UK
brancsiki Tournier, 1874a: 95
gerhardti Letzner, 1872a: 8 (*Eirrhinus*)
daurica Faust, 1882c: 155 A: ES MG
discreta Faust, 1882c: 167 A: KI KZ TD UZ
distans Faust, 1890f: 470 A: ES XIZ
eversmanni Faust, 1882: 169 A: ES FE
illibata Faust, 1882c: 163 A: ES FE
imprudens Faust, 1885b: 170 A: KI KZ TD UZ
kozlovi Korotyaev, 1979: 165 A: SCH
maerkeli Boheman, 1843: 164 (*Eirrhinus*) E: AU BY CT CZ EN HU IT LT PL RO RU SK SL SZ
UK
mandschurica Voss, 1940b: 51 A: ES FE HEI MG
lederi Faust, 1882c: 174 E: ST "Caucasus"
nivalis Faust, 1882c: 167 A: KI KZ
oberti altaica Legalov, 1997b: 471 (*Eirrhinus*) A: KZ WS
oberti oberti Faust, 1885b: 171 A: TD "Pamir"
oryzae Ishida, 1902: 90 (*Eirrhinus*) A: ES FE JA NC NE SC SE SW
funebri Kôno, 1930d: 158
scirpi Fabricius, 1792: 405 (*Curculio*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IR IT LA LU NL NR PL RO SB SK SL SP ST SV SZ UK A: ES FE IN JA KZ TR
WS **NARi**
rhamni Herbst, 1784 78 (*Curculio*) [NO]
rotundicollis Motschulsky, 1860b: 157
scirpi Rossi, 1790: 118 (*Curculio*) [NO]

genus *Notaroides* Korotyaev, 1979: 166 type species *Notaroides brevisrostris* Korotyaev, 1979
brevirostris Korotyaev, 1979: 167 A: QIN

genus *Notodermus* Desbrochers des Loges, 1875a: 19 type species *Notodermus bruleriei* Desbrochers
des Loges, 1875
Pseudypera Voss, 1936b: 57 type species *Pseudypera subtessellata* Voss, 1936
bruleriei Desbrochers des Loges, 1875a: 19 A: SY
maculatus Pic, 1915a: 1 (*Procas*) A: LE
saulcyi Reiche & Saulcy, 1858a: 677 (*Procas*) A: CY IN
semihispidus Pic, 1902l: 38 (*Procas*) A: SY
steineri Voss, 1936b: 59 (*Pseudypera*) A: TR
subtessellatus Voss, 1936b: 58 (*Pseudypera*) A: TR

genus *Procas* Stephens, 1831d: 90 type species *Curculio picipes* Marsham, 1802
armillatus Fabricius, 1801: 444 (*Rhynchaenus*) E: AZ IT FR GR MA MR SP N: AG CI LB MO TU
atomarius Gené, 1839a: 37 (*Eirrhinus*)
atomarius Gené, 1839b: 77 (*Eirrhinus*) [HN]
cottyi Perris, 1864: 298
biguttatus Faust, 1882a: 275 A: ES FE JA NC NE SC
okunii Kôno, 1930d: 159
granulicollis Walton, 1848: 166 E: GB SP
michaelis Thompson, 2006: 24 E: SP
milleri Pic, 1902l: 37 A: SY
picipes levantinus Thompson, 2006: 23 A: CY IS JO TR
picipes picipes Marsham, 1802: 272 (*Curculio*) [HN] E: BE FR GB GE IT NL NR SP
minutus Desbrochers des Loges, 1893f: 9
moestus Bach, 1854: 296 (*Eirrhinus*)
picipes steveni Krynicki, 1832: 147 (*Rhynchaenus*) E: BU MD ST UK A: AB TR
steveni Gyllenhal, 1835a: 287 (*Eirrhinus*) [HN]

genus *Procas*, species incertae sedis
rasus Desbrochers des Loges, 1897b: 2 E: SP
sibiricus Pic, 1904c: 27 A: ES WS

genus *Theanellus* Reitter, 1913a: 77 type species *Theanellus bagoides* Reitter, 1913

Syrdariella Ter-Minasian, 1978b: 68 type species *Syrdariella grisea* Ter-Minasian, 1978
alepensis Pic, 1915a: 1 (*Procas*) A: SY
alternans Faust, 1885b: 173 (*Apachiscelus*) A: UZ
antoinei Hustache, 1932b: 48 (*Procas*) N: MO
bagoides Reitter, 1913a: 77 A: AF KZ TD TM UZ
fastidiosus Pic, 1904h: 93 (*Procas*) N: TU
griseus Ter-Minasian, 1978b: 68 (*Syrdariella*) A: UZ
kocheri A. Hoffmann, 1952: 140 N: MO
plumipilis Hustache, 1931b: 79 A: SY
indentatus Pic, 1934: 17
putoni Tournier, 1874g: 234 (*Procas*) N: AG
testaceus Bajtenov, 1974b: 37 (*Procas*) A: KZ

genus *Thryogenes* Bedel, 1884b: 108 type species *Curculio festucae* Herbst, 1795

Eriirhinus Stephens, 1829b: 14 [HN] type species *Curculio festucae* Herbst, 1795
festucae Herbst, 1795: 327 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD ME NL NR PL RO SB SK SL SP ST SV SZ UK A: ES FE IN KI KZ TD TM UZ WS
carecti Hoppe, 1795: 59 (*Curculio*)
caricis Thunberg, 1798: 111 (*Curculio*)
inquisitor Herbst, 1797: 42 (*Curculio*)
fiorii Zumpt, 1928: 277 E: CZ DE FR GB GE HU IT LU PL SK
atrirostris Lohse, 1992: 370
neris Paykull, 1800: 240 (*Curculio*) E: AU BE BY CT CZ DE EN FI FR GB GE HU IR IT LA LT LU NR PL SK ST SV SZ UK A: ES FE MG WS
arundineti Stephens, 1831d: 80 (*Eriirhinus*)
palustris Gyllenhal, 1835a: 313 (*Eriirhinus*)
typhae Ahrens, 1812: 15 (*Rhynchaenus*)
scirrhosus Gyllenhal, 1835a: 312 (*Eriirhinus*) E: AU BE BH BU BY CT CZ DE EN FI FR GB GE HU IT LA NL NO PL RO RU SB SK SL SV UK
brumirostris: Olivier, 1807: 142 (*Rhynchaenus*) [NA]
ussurensis Egorov, 1979a: 87 A: FE MG SW

genus *Tournotaris* Alonso-Zarazaga & Lyal, 1999: 70 type species *Curculio bimaculatus* Fabricius, 1787

bimaculata Fabricius, 1787a: 98 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS MD ME NL NO PL RO SB SK SL ST SV SZ UK A: ES FE IN JA KI KZ MG NE TD TM TR UZ WS **NAR**
frivaldszkyi Tournier, 1874a: 94 (*Notaris*)
salaria O. Schneider, 1898: 75 (*Notaris*)
subcostata Motschulsky, 1845: 378 (*Eriirhinus*)
wyomingensis Chittenden, 1906: 115 (*Notaris*)
granulipennis Tournier, 1874a: 94 (*Notaris*) E: HU PL RO SK TR UK
ochotica Korotyaev, 1984b: 317 (*Notaris*) A: FE MG

genus *Tyrodomus* Voss, 1971a: 3 type species *Tyrodomus patruelis* Voss, 1971

patruelis Voss, 1971a: 4 A: IN

7.2.3.2. Subtribe Ocladiina Lacordaire, 1865

genus *Arthrostenus* Schoenherr, 1826: 287 type species *Arthrostenus fullo* Boheman, 1836

Graphicotera Tournier, 1873a: 183 type species *Graphicotera excelsa* Tournier, 1873
adanensis Pic, 1914f: 51 A: TR
alternans Kirsch, 1871b: 393 N: EG
cinereus Boheman, 183: 535 E: Caucasus
excelsus Tournier, 1873a: 184 (*Graphicotera*)
fullo Boheman, 1836: 534 E: GR ST UK A: AR IN KZ SY TD TM
lineatus Pic, 1940b: 5
fur Faust, 1885b: 179 A: UZ
ignoratus Faust, 1884c: 453 E: ST A: AR TD
rotroi Pic, 1940b: 5 N: AG A: TR

argentatus Pic, 1940b: 5
spadiceus Boheman, 1836: 534 E: "Caucasus"
syriacus Pic, 1907d: 138 A: SY

genus *Desmidophorus* Dejean, 1835: 296 type species *Curculio hebes* Fabricius, 1781

Botrobatys Chevrolat, 1842: 671 type species *Curculio fascicularis* Olivier, 1791
Desmidophorus Hubenthal, 1917: 111 type species *Desmidophorus aureolus* Gyllenhal, 1837
Pseudotrichosomus Hustache, 1925e: 386 [URN]
Trichosomus Chevrolat, 1881e: 91 [HN] type species *Desmidophorus senex* Boheman, 1845
brachmanus Faust, 1894c: 263 A: PA SD **ORR**
confucii Boheman, 1837b: 362 A: SD SW **ORR**
crassus Hubenthal, 1917: 109 A: JA TAI
hebes Fabricius, 1781: 174 (*Curculio*) A: GUA GUX HUB HUN JIA JIX PA SC SCH SD SHG
YUN ZHE **ORR**
aterrimus Aurivillius, 1891: 220
morbosus Pascoe, 1888: 416
tuberculatus Fabricius, 1792: 480 (*Curculio*) [HN]
helleri Hubenthal, 1917: 109 A: NP **ORR**

genus *Ocladius* Schoenherr, 1825: 587 type species *Rhynchaenus salicorniae* Olivier, 1807

abdeldayemi Meregalli & Colonnelli, 2006: 275 N: EG A: SI
aidhabensis Meregalli & Colonnelli, 2006: 267 A: SI
balkis Meregalli & Colonnelli, 2006: 293 A: YE
barani Pascoe, 1874: 35 A: SA YE
sharpi Tournier, 1875b: 476
bifasciatus Tournier, 1875b: 475 N: EG A: SA YE **AFR**
setipes Ancey, 1881: 372
bufo Vauloger, 1899: 405 N: AG TU
engelhardi Pic, 1894d: 611 A: TD TM UZ
eremorum Meregalli & Colonnelli, 2006: 282 A: AE OM SA YE
grandii G. Osella & Meregalli, 1986: 110 E: SP (Cabo de Gata)
holomelas Fairmaire, 1877a: 98 N: AG MO
paucisquamis Meregalli & Colonnelli, 2006: 277 A: IS JO
rufithorax Pic, 1894c: 588 A: SA YE **AFR**
russelli Meregalli, Borovec & Colonnelli, 2001: 147 N: MO
salicorniae Olivier, 1807: 117 (*Rhynchaenus*) A: IN IQ KZ TD TM UZ
trinotatus Fischer von Waldheim, 1821: 14 (*Cionus*)
solarii Caldara, 1976: 300 N: EG LB A: SI
subelongatus Pic, 1905c: 122 A: SI
walkeri Cameron, 1905: 179 A: YE (Perim Is.)

genus *Tadius* Pascoe, 1885: 253 type species *Tadius erirhinoides* Pascoe, 1885

Afghanocryptus Voss, 1961c: 247 type species *Afghanocryptus amseli* Voss, 1961 (= *Tadius laticollis* Faust, 1898)
Pseudotadius Legalov, 2016: 75 type species *Tadius laticollis* Faust, 1898
erirhinoides Pascoe, 1885: 253 A: CH JA **AUR ORR**
australiae Lea, 1928b: 60
suspiciosus Faust, 1894c: 264
laticollis Faust, 1898c: 315 A: AF PA TM **ORR**
amseli Voss, 1961c: 247 (*Afghanocryptus*)

genus *Thecorhinus* Faust, 1887f: 175 type species *Thecorhinus modestus* Faust, 1887
modestus Faust, 1887f: 176 A: KZ TM UZ

genus *Trichocaulus* Fairmaire, 1877a: 98 type species *Trichocaulus longipilis* Fairmaire, 1877
subgenus *Trichocaulus* Fairmaire, 1877a: 98 type species *Trichocaulus longipilis* Fairmaire, 1877
brevipilis Pelletier & Borovec, 2003: 89 N: AG TU
longipilis Fairmaire, 1877a: 98 N: AG.

genus *Turanocryptus* Korotyaev, 1988b: 139 type species *Turanocryptus belovi* Korotyaev, 1987
belovi Korotyaev, 1988b: 139 A: TM

7.2.3.3. “*Echinocnemus* group”

genus *Bagoopsis* Faust, 1881: 317 type species *Bagoopsis volgensis* Faust, 1881
globicollis Fairmaire, 1863: 112 (*Erirhinus*) E: BU CZ GR HU IT MC ME RO SB SK ST TR UK A:
TR

confusa Faust, 1887g: 187 (*Echinocnemus*)

dalmatina Stierlin, 1892: 365 (*Notaris*)

pugnax Faust, 1881: 321

volgensis Faust, 1881: 319 E: MD ST A: KZ

genus *Echinocnemus* Schoenherr, 1843: 315 type species *Erirhinus squameus* Boheman, 1835

Colchis Tournier, 1874a: 73 type species *Colchis tibialis* Tournier, 1874

Lostianus Desbrochers des Loges, 1900a: 9 type species *Lostianus sardous* Desbrochers des Loges, 1900

aegyptiacus Desbrochers des Loges, 1896j: 103 (*Bagous*) N: EG

carinirostris Tournier, 1874a: 75 (*Colchis*) A: GG

depressipennis Tournier, 1874b: 459 (*Jekelia*) N: AG

dorsalis Chevrolat, 1879c: 117 A: XIZ

margelanicus Faust, 1887g: 190 A: AF PA TD TM UZ

oryzae G.A.K. Marshall, 1925b: 73 A: PA ORR

phytonomoides Voss, 1953b: 80 (*Hydronomus*) A: JA NE SE TAI

reitteri Schilsky, 1907: 32 N: EG A: IS

sardous Desbrochers des Loges, 1900a: 10 (*Lostianus*) E: IT (Sardegna)

squameus Boheman, 1835: 311 (*Erirhinus*) A: CH ES FE JA NC SC ORR

bipunctatus Roelofs, 1874: 123

tibialis Tournier, 1874a: 74 (*Colchis*) N: EG

truncatus Chevrolat, 1879c: 117 A: NO

genus *Hydronomidius* Faust, 1898c: 283 type species *Hydronomidius molitor* Faust, 1898

molitor Faust, 1898c: 283 A: PA ORR

genus *Jekelia* Tournier, 1874b: 459 type species *Tychius ephippiatus* Fairmaire, 1871 (= *Aubeonymus notatus* Mulsant & Godart, 1868)

Prolobodontus Desbrochers des Loges, 1875a: 19 type species *Prolobodontus ahenus* Desbrochers des Loges, 1875 (= *Aubeonymus notatus* Mulsant & Godart, 1868)

notata Mulsant & Godart, 1868b: 412 (*Aubeonymus*) E: IT A: MO AG TU

ahena Desbrochers des Loges, 1875a: 20 (*Prolobodontus*)

ephippiata Fairmaire, 1871a: 401 (*Tychius*)

notata Mulsant & Godart, 1871b: 42 (*Aubeonymus*) [HN]

genus *Picia* Tournier, 1895c: cclxxx [RN] type species *Faustia ephimeropoides* Tournier, 1889 (= *Hydronomus sinuatocollis* Faust, 1885)

Faustia Tournier, 1889: 150 [HN] type species *Faustia ephimeropoides* Tournier, 1889 (= *Hydronomus sinuatocollis* Faust, 1885)

mesopotamica Tournier, 1889: 152 (*Faustia*) A: AB GG IN IQ SA TM TR

caucasica Tournier, 1889: 152 (*Faustia*)

distinctipennis Pic, 1901c: 58

flaveola Reitter, 1889d: 125 (*Ephimeropus*)

millingi Tournier, 1889: 153 (*Faustia*)

sinuatocollis Faust, 1885b: 178 (*Hydronomus*) E: ST N: EG A: AB AF AR GG IN IQ KZ TD TM

TR UZ “Punjab” AFR

alfierii Pic, 1914f: 49

drurei Pic, 1917a: 10

ephimeropoides Tournier, 1889: 153 (*Faustia*)

fenestrata Reitter, 1889d: 125 (*Ephimeropus*)

punjabensis Pajni & Kamal Tewari, 1985: 610 (*Hydronomidius*)

syriaca Reitter, 1889d: 125 (*Ephimeropus*) E: GR A: CY IS TR SY

genus *Picianus* Zumpt, 1929: 217 type species *Echinocnemus sieversi* Faust, 1884

sieversi Faust, 1884c: 452 (*Echinocnemus*) A: AR GG KZ SY TD TM UZ

squamulosus Pic, 1907d: 138 (*Erirhinus*)

tribe Erirhinini, taxa incertae sedis

genus *Tychiopaenus* Voss, 1960a: 128 [RN] type species *Tychiosoma bodemeyeri* Voss, 1943
Tychiosoma Voss, 1943c: 227 [HN] type species *Tychiosoma bodemeyeri* Voss, 1943
bodemeyeri Voss, 1943c: 228 (*Tychiosoma*) A: KZ

7.2.4. Tribe Himasthlophallini Zherikhin, 1991

genus *Himasthlophallus* Egorov & Zherikhin, 1991a: 32 type species *Himasthlophallus flagellifer*
Egorov & Zherikhin, 1991
flagellifer Egorov & Zherikhin, 1991a: 33 A: FE

7.2.5. Tribe Raymondionimini Reitter, 1913

genus *Alaocephala* Ganglbauer, 1906b: 141 type species *Raymondia delarouzei* C.N.F. Brisout de
Barneville, 1862
delarouzei catalonica G. Osella, 1977f: 23 E: SP (Barcelona, Gerona)
delarouzei coiffaiti A. Hoffmann, 1958: 1749 E: FR (Pyrenées-Orientales)
delarouzei delarouzei C.N.F. Brisout de Barneville, 1862b: 603 (*Raymondia*) E: FR (Pyrenées-
Orientales)

genus *Alaoocyba* Perris, 1869: 31 type species *Alaoocyba carinulata* Perris, 1869
carinulata Perris, 1869: 31 E: FR (Corse) IT (Sardegna)
coniceps Normand, 1914: 303 N: TU
elongatula Normand, 1914: 302 N: TU
ientilei Baviera, 2010: 12 E: IT (Marettimo)
lampedusae Doderò, 1916: 352 E: IT (Lampedusa Is.)
magrini Fancello & Leo, 2013: 2 E: IT (Sardegna)
marcuzzii G. Osella, 1977f: 15 E: IT (Abruzzo, Basilicata)
melitensis Magnano & Mifsud, 1998: 176 E: MA
separanda Doderò, 1916: 352 E: IT (Pantelleria Is.)
theryi P. Meyer, 1897: 207 N: AG

genus *Alaoocybites* Gilbert, 1956: 55 [DA] type species *Alaoocybites californicus* Gilbert, 1956
egorovi Grebennikov, 2010: 338 A: FE

genus *Coiffaitiella* G. Osella, 1977f: 30 type species *Raymondia benjamini* Marquet, 1875
benjamini aurouxi González, 1965b: 100 (*Raymondionymus*) E: SP (Pirineos or.)
benjamini benjamini Marquet, 1875: 511 (*Raymondia*) E: FR (Pyrenées-Orientales) SP (Pirineos or.)
carinirostris G. Osella, 1971a: 80 (*Raymondionymus*) E: SP (Gerona)
hispanica G. Osella, 1971a: 77 (*Raymondionymus*) E: FR (Pyrenées-Orientales) SP (Pirineos or.)
lusitanica G. Osella, 1971a: 75 (*Raymondionymus*) E: PT (Monchique)
pyrenaica G. Osella, 1971a: 82 (*Raymondionymus*) E: FR (Pyrenées-Orientales)
remilleti G. Osella, 1971a: 73 (*Raymondionymus*) E: PT SP (Cádiz)

genus *Derosasius* Ganglbauer, 1906b: 143 type species *Raymondia damryi* Perris, 1874
damryi aritzensis G. Osella, 1977f: 90 E: IT (Sardegna)
damryi damryi Perris, 1874: 12 (*Raymondia*) E: FR (Corse)
damryi sardous G. Osella, 1977f: 91 E: IT (Sardegna)

genus *Ferreria* Alonso-Zarazaga & Lyal, 1999: 72 type species *Raymondia marqueti* Aubé, 1863
doriai G. Osella, 1977f: 77 (*Raymondionymus*) E: IT (Liguria)
marqueti appennina Dieck, 1869: 7 (*Raymondia*) E: IT (Toscana)
apennina Dieck, 1870: 354 (*Raymondia*)
hispalensis Desbrochers des Loges, 1902a: 106 (*Raymondia*)
vallebrosae Desbrochers des Loges, 1902a: 106 (*Raymondia*)
marqueti marqueti Aubé, 1863: 130 (*Raymondia*) E: BE FR GBi GEi SZ
curvinasus Abeille de Perrin, 1872a: 39 (*Raymondia*)
curvinasus Abeille de Perrin, 1872b: xlv (*Raymondia*) [HN]
taurinatorum G. Osella, 1977f: 81 (*Raymondionymus*)
marqueti mauritanica Normand, 1939b: 514 (*Raymondionymus*) N: TU
marqueti veneta G. Osella, 1977f: 79 (*Raymondionymus*) E: CR (Istra, Dalmacija) IT (Veneto)

genus *Raymondiellus* Ganglbauer, 1906b: 159 type species *Raymondia sicula* Rottenberg, 1872
casalei Meregalli, 1983c: 131 N: AG (Petite Kabylie)
doderoi Ganglbauer, 1906b: 165 (*Raymondionymus*) E: IT (Sardegna)
hipponensis Peyerimhoff, 1919b: 73 (*Raymondionymus*) N: AG
inopinatus G. Osella, 1977f: 120 E: IT (Abruzzo, Molise)
kabylanus Pic, 1896e: 114 (*Raymondia*) N: AG
auripes Chobaut, 1909: 182 (*Raymondia*)
lagrecai G. Osella, 1977f: 97 E: IT (Sicilia)
latialis G. Osella, 1977f: 112 E: IT (Lazio)
pacei G. Osella, 1977f: 117 E: IT (Calabria, Puglia)
sardous insularis G. Osella, 1977f: 104 E: IT (Sardegna)
sardous sardous Perris, 1869: 30 E: IT (Sardegna)
sbordonii G. Osella, 1977f: 114 E: IT (Ponza Is., Zannone Is.)
sericatus Normand, 1937: 255 (*Raymondionymus*) N: AG
siculus Rottenberg, 1872: 240 (*Raymondia*) E: IT (Sicilia)
solarii Ganglbauer, 1906b: 162 (*Raymondionymus*) E: IT (Sardegna)
theresae sparsepunctatus Normand, 1937: 254 (*Raymondionymus*) N: AG
theresae theresae Pic, 1900: 90 (*Alaocyba*) N: TU
vignai G. Osella, 1977f: 109 E: IT (Sardegna)

genus *Raymondionymus* Wollaston, 1873b: 531 [RN] type species *Raymondia fossor* Aubé, 1861

Raymondia Aubé, 1861: 195 [HN] type species *Raymondia fossor* Aubé, 1861
Pararaymondionymus G. Osella, 1977f: 40 type species *Alaocyba stricticollis* Reitter, 1894
andreinii G. Osella, 1977f: 46 (*Pararaymondionymus*) E: IT (Toscana)
antoninii Magrini & Abbazzi, 2011a: 93 E: IT
bartolii G. Osella, 1977f: 49 (*Pararaymondionymus*) E: IT (Prealpi Liguri)
burlei Secq & Secq, 1996: 16 (*Pararaymondionymus*) E: FR (Ariège)
curtii Meregalli, G. Osella & Zuppa, 2006: 105 E: IT (Piemonte)
degiovannii Magrini & Abbazzi, 2011a: 90 E: IT
eximius Meregalli & G. Osella, 2006: 38 E: IT (Latium)
fossor Aubé, 1861: 195 (*Raymondia*) E: FR (Var)
bonadonai Hervé, 1949: 139 [NA]
gardinii G. Osella & Giusto, 1985: 430 (*Pararaymondionymus*) E: IT (Alpi Liguri)
hoffmanni Hervé, 1949: 133 E: FR (Var)
laevithorax Perris, 1874: 11 (*Raymondia*) E: FR (Corse)
laneyriei Hervé, 1949: 137 E: FR (Var)
lavagnei Mayet, 1898: 87 E: FR (Hérault)
longicollis Perris, 1869: 29 E: FR (Corse)
magnificus G. Osella, 1977f: 52 (*Pararaymondionymus*) E: IT (Campania)
meggiaroi G. Osella, 1977f: 50 (*Pararaymondionymus*) E: IT (Alpi Liguri, Alpi Piemontesi)
mungazzinii G. Osella & Abbazzi, 1985: 475 (*Pararaymondionymus*) E: IT (Emilia-Romagna)
mirabilis G. Osella, 1977f: 45 (*Pararaymondionymus*) E: IT (Calabria)
ochsi Hervé, 1949: 136 E: FR (Alpes Maritimes)
orientalis Osella, 1977f: 54 E: FR (Alpes-Maritimes)
orientalis Hervé, 1953: 10 [NA]
paladini Magrini, 2014: 630 E: IT (Lazio)
perrisi Grenier, 1864: 137 (*Raymondia*) E: FR (Lot-et-Garonne, Haute-Garonne) SP
aubei Marquet, 1864: 372 (*Raymondia*)
problematicus Hervé, 1949: 137 E: FR (Var) IT (Liguria)
pulcherrimus Magrini, Bastianini & Abbazzi, 2008: 340 E: IT (Lazio)
sanfilippo G. Osella & Giusto, 1985: 432 (*Pararaymondionymus*) E: FR (Alpes-Maritimes) IT (Alpi Liguri, Alpi Piemontesi)
stricticollis picenus G. Osella, 1977f: 41 (*Pararaymondionymus*) E: IT (Marche)
stricticollis stricticollis Reitter, 1894f: 306 (*Alaocyba*) E: IT (Umbria)
vincenti Secq & Secq, 1996: 16 (*Pararaymondionymus*) E: FR (Haute-Garonne, Ariège)
zoiai G. Osella & Giusto, 1985: 434 (*Pararaymondionymus*) E: IT (Alpi Piemontesi)

genus *Tarattostichus* Ganglbauer, 1906b: 166 type species *Alaocyba stussineri* Reitter, 1891

irregularis Kodrič, 1939: 361 (*Raymondionymus*) E: CR IT (Friuli-Venezia Giulia) SL
stussineri Reitter, 1891f: 260 (*Alaocyba*) E: CR (Istria) IT (Friuli-Venezia Giulia) SL

genus *Ubychia* Rost, 1893: 343 type species *Ubychia stygia* Rost, 1893
assingi Hlaváč & Nakládal, 2018: 568 E: GR (Sámos)
ellipsoidalis G. Osella & Nonveiller, 1982: 23 E: SB
ganglbaueri Reitter, 1912e: 318 (*Raymondionymus*) E: CR (Dalmacia) SB
holdhausi Ganglbauer, 1903a: 184 (*Alaocyba*) E: BH SB
icari G. Osella, 1980: 816 E: GR (Ikaria)
leonhardi Reitter, 1914d: 82 E: IT (Prealpi di Lombardia, Veneto) SZ (Ticino)
ticinensis G. Osella, 1977f: 140
mingrelica iranica G. Osella, 1986a: 5 A: IN (Māzandarān)
mingrelica mingrelica Reitter, 1894e: 246 (*Alaocyba*) A: GG IN TR
reitteri Ganglbauer, 1906b: 169 (*Raymondionymus*) E: GR (Iperos, Kérkyra)
salpingoides Kraatz, 1881: 226 (*Raymondia*) E: BH CR ME
solochaul Struyve, 2010: 203 E: ST
stygia Rost, 1893: 343 A: GG TR

7.2.6. Tribe Tanysphyrini Gistel, 1848

genus *Brachygyius* G.A.K. Marshall, 1939: 582 [RN] type species *Brachypus lixoides* Schoenherr, 1826
Brachyppa E. Strand, 1943: 96 [RN] type species *Brachypus lixoides* Schoenherr, 1826
Brachypus Schoenherr, 1826: 217 [HN] type species *Brachypus lixoides* Schoenherr, 1826
cylindricus Hochhuth, 1847: 536 (*Brachypus*) E: "Caucasus"
lixoides Schoenherr, 1826: 218 (*Brachypus*) A: "Asia"
lixoides Gyllenhal, 1835a: 103 (*Brachypus*) [HN]

genus *Lissorhoptrus* LeConte, 1876: 183 type species *Bagous simplex* Say, 1832
subgenus *Lissorhoptrus* LeConte, 1876 type species *Bagous simplex* Say, 1832
oryzophilus Kuschel, 1952: 46 Ei: FR GR IT Ai: CH FE JA NC SC NAR NTRi
pseudoryzophilus Guan, F.-S. Huang & Lu, 1995: 212

genus *Stenopelmus* Schoenherr, 1835: 468 type species *Stenopelmus rufinasus* Gyllenhal, 1835
Degorsia Bedel, 1902: 359 type species *Degorsia champenoisi* Bedel, 1902 (= *Stenopelmus rufinasus* Gyllenhal, 1835)
Monius Schoenherr, 1845: 501 [RN] type species *Stenopelmus rufinasus* Gyllenhal, 1835
Panscopus Schoenherr, 1843: 351 [RN, HN] type species *Stenopelmus rufinasus* Gyllenhal, 1835
rufinasus Gyllenhal, 1835a: 469 Ei: BE FR GB GE GR HU IR IT NL PL PT SB SK SP UK Ni: CI
Ai: IN IS JA AFRi NAR
champenoisi Bedel, 1902: 359 (*Degorsia*)

genus *Tanysphyrus* Germar, 1817c: 340 type species *Curculio lemnae* Paykull, 1792
Tanysphyrus Egorov, 1996c: 431 type species *Tanysphyrus ussuriensis* Egorov, 1996 (= *Tanysphyrus brevipennis* Voss, 1953)
ater Blatchley, 1928: 244 E: AU BE CZ FI FR GE HU PL SK SL SV UK NARi NTRi
makolskii Smreczyński, 1957: 123
brevipennis Voss, 1953b: 79 A: FE JA NC SC SE
ussuriensis Egorov, 1996c: 433
khancaensis Egorov, 1996c: 434 A: FE JA NC SC
lemnae Paykull, 1792: 78 (*Curculio*) E: AU BE BU BY CT CZ DE EN FI FR GB GE GR HU IR IT
LA LT LU MD NL NR NT PL SB SK SP ST SV SZ UK A: WS NARi NTRi
callae Voss, 1943a: 17
inspectatus Herbst, 1795: 301 (*Curculio*)
lemnae Fabricius, 1792: 412 (*Curculio*) [HN]
major Roelofs, 1874: 125 A: FE JA SC SE NC ORR

subfamily Brachycerinae, taxa incertae sedis

genus *Glaridorhinus* Kolenati, 1858c: 343 type species *Glaridorhinus khuenburgii* Kolenati, 1858
khuenburgii Kolenati, 1858c: 343 E: AU

genus *Tsherepanovia* Korotyaev, 1992d: 888 [EA] type species *Tsherepanovia globosa* Korotyaev, 1992

globosa Korotyaev, 1992d: 889 A: TM

7.3. Subfamily **Conoderinae** Schoenherr, 1833

7.3.1. Supertribe Bariditae Schoenherr, 1836

7.3.1.1. Tribe Apostasimerini Schoenherr, 1844

7.3.1.1.1. Subtribe Leptoschoinina Lacordaire, 1865

genus *Acythopeus* Pascoe, 1874: 61 type species *Acythopeus tristis* Pascoe, 1874

subgenus *Acythopeus* Pascoe, 1874: 61 type species *Acythopeus tristis* Pascoe, 1874

— *Amyctides* Hustache, 1956: 162 type species *Baris perrieri* Fairmaire, 1901

barbatus G.A.K. Marshall, 1936: 219 A: SD

bispinosus G.A.K. Marshall, 1938b: 179 A: UP

unicornis G.A.K. Marshall, 1936: 220 A: SD

subgenus *Carpobaris* Zaslavskij, 1956: 355 type species *Baris granulipennis* Tournier, 1873

— *Parathesapeuta* Voss, 1964a: 588 type species *Athesapeuta colocynthae* Voss, 1964

curvirostris curvirostris Boheman, 1844: 190 (*Baridius*) N: AG AFR

— *traegardhi* Aurivillius, 1905: 17 (*Baris*)

curvirostris granulipennis Tournier, 1873a: 190 (*Baridius*) N: EG MO A: AE IQ IS JO SA

— *colocynthae* Voss, 1964a: 588 (*Athesapeuta*)

— *cucumidis* Voss, 1969a: 63 (*Athesapeuta*)

— *globulicollis* Voss, 1969a: 62 (*Athesapeuta*)

curvirostris persicus Thompson, 1973: 34 A: AF IN

genus *Arganthonius* Alonso-Zarazaga, 2005: 90 type species *Baris novaki* Penecke, 1936

albomaculatus H. Brisout de Barneville, 1870: 40 (*Baris*) E: SP

novaki Penecke, 1936: 220 (*Baris*) E: PT SP N: MO

genus *Athesapeuta* Faust, 1894c: 313 type species *Baridius subsignatus* Motschulsky, 1866

(= *Athesapeuta motschulskyi* Voss, 1958)

albiquama Zaslavskij, 1956: 349 (*Baris*) A: BEI GUX JIA SHA

— *ljaodunensis* Zaslavskij, 1956: 350 (*Baris*)

amoena Voss, 1958b: 80 A: FUJ

chinensis Faust, 1894c: 316 A: SHG

cyperi G.A.K. Marshall, 1928d: 266 A: JIA ORR

flavofasciata Yoshihara, 2016: 76 A: Ja (Okinawa)

gracilis Voss, 1958b: 78 (*Eumycterus*) A: FE FUJ NC

inornata Voss, 1937c: 270 (*Baris*) A: YUN

latefasciata Voss, 1958b: 81 A: FUJ

sculpticollis Voss, 1958b: 79 A: FUJ

vinculata Faust, 1894c: 315 A: YUN ORR

genus *Cucubaris* Alonso-Zarazaga, 2005: 91 type species *Baris villae* Comolli, 1837

villae Comolli, 1837: 35 (*Baris*) E: AU CZ GR HU IT RO SK ST SZ UK A: AF

genus *Dendrobaris* Egorov, 1976a: 64 type species *Baris tatyanae* Egorov, 1976

— *Spilobaris* Morimoto & Yoshihara, 1996: 37 type species *Acythopeus insularis* Morimoto & Miyakawa, 1985

flavosignata Roelofs, 1879a: 301 (*Baris*) A: JA TAI

insularis Morimoto & Miyakawa, 1985: 39 (*Acythopeus*) A: JA

kurentzovi Egorov, 1976a: 67 (*Baris*) A: FE

maculata Roelofs, 1879a: 299 (*Baris*) A: JA SC TAI

tatjanae Egorov, 1976a: 67 (*Baris*) A: FE

genus *Lepidomyctides* Yoshihara & Morimoto, 1994b: 723 type species *Lepidomyctides nagaii*

Yoshihara & Morimoto, 1994

nagaii Yoshihara & Morimoto, 1994b: 725 A: JA TAI ORR

genus *Mimophilus* Faust, 1894c: 311 type species *Mimophilus personatus* Faust, 1894

Baridiomorphus Voss, 1965d: 109 type species *Baridiomorphus conicollis* Voss, 1965 (= *Mimophilus tragicus* Faust, 1894) *tragicus* Faust, 1894c: 312 A: GUX YUN ORR
conicollis Voss, 1965d: 110 (*Baridiomorphus*)

genus *Paracythopeus* Voss, 1958b: 86 type species *Paracythopeus perrugosus* Heller, 1940
ryukyuensis Yoshihara, 2016: 72 A: JA TAI

genus *Parallelodemas* Faust, 1894c: 306 type species *Parallelodemas perfectum* Faust, 1894
dimetans Prena & R. Zhang, 2014: 109 A: GUI
docile Faust, 1894c: 309 A: YUN ORR
feae Prena & R. Zhang, 2014: 114 A: FUJ GUX HAI HUN YUN ORR
impar Voss, 1941e: 895 A: SCH YUN ZHE ORR
petilum Prena & R. Zhang, 2014: 110 A: SCH SHA ORR
plumosum Prena & R. Zhang, 2014: 110 A: FUJ TAI
setifrons Prena & R. Zhang, 2014: 111 A: FUJ GUA GUI HUN
tardum Faust, 1894c: 309 A: SD ORR
tumens Prena & R. Zhang, 2014: 114 A: GUI
vicinum Faust, 1894c: 114 A: SD YUN ORR

genus *Pellobaris* Morimoto & Yoshihara, 1996: 16 type species *Baris melancholica* Roelofs, 1875
melancholica Roelofs, 1875b: 181 A: ANH FE FUJ GUI HEN HUN JA NE SC SCH SHA
collaris Voss, 1958b: 86 (*Paracythopeus*)

7.3.1.1.2. Subtribe Madopterina Lacordaire, 1865

genus *Centrinopsis* Roelofs, 1875b: 185 type species *Centrinopsis nitens* Roelofs, 1875
Idogenia Pascoe, 1885: 287 type species *Idogenia croceicornis* Pascoe, 1885
nitens Roelofs, 1875b: 185 A: FE FUJ JA SC

7.3.1.1.23. Subtribe Zygobaridina Pierce, 1907

genus *Limnobaris* Bedel, 1885d: 183 type species *Curculio t-album* Linnaeus, 1758
Calyptopygus G.A.K. Marshall, 1948a: 466 type species *Calyptopygus ellipticus* G.A.K. Marshall, 1948
Pertorcus Voss, 1953b: 75 type species *Pertorcus tibialis* Voss, 1953
albosparsa Reitter, 1910c: 203 A: FE JA NC SC
babai Chûjô & Morimoto, 1959b: 153 A: JA
basalis Voss, 1958b: 76 (*Pertorcus*) A: FUJ
dolorosa Goeze, 1777: 411 (*Curculio*) E: AU BE BU CR CT CZ DE FI FR GB GE HU IT LU NL
PL RO SB SK ST SV SZ UK A: ES FE HEI JIL MG NC NMO SC TR UZ WS
barbiellini Leoni, 1907: 196
dolorosa Gmelin, 1790: 1804 (*Curculio*) [HN]
funerea Geoffroy, 1785: 121 (*Curculio*)
funerea Herbst, 1795: 164 (*Curculio*) [HN]
jucunda Reitter, 1910c: 202
koltzei Faust, 1892a: 333
koltzei Reitter, 1895m: 31 [HN]
pilistriata Stephens, 1831a: 10 (*Baris*)
elliptica G.A.K. Marshall, 1948a: 466 (*Calyptopygus*) A: YUN ORR
japonica Yoshihara & Morimoto, 1994a: 447 A: FE JA
martensi Korotyaev, 2014: 53 A: NP
kumei Yoshihara & Morimoto, 1997: 1 (*Calyptopygus*) A: JA (Ryūkyū) TAI
ochraceosquama Yoshihara, 2016: 18 A: JA (Honshu)
t-album Linnaeus, 1758: 379 (*Curculio*) E: AU BE BU CT CZ DE FI FR GB GE HU IR IT LS LU
NL NR PL RO SK SP ST SV SZ UK N: EG A: AB ES IN KI KZ MG UZ WS XIN
atriplicis: Dieckmann, 1991: 306 [NA]
atriplicis: Fabricius, 1792: 419 [NA]
bedeli Reitter, 1888c: 274
crocopelma Gyllenhal, 1836: 720 (*Baridius*)
hypoleuca Marsham, 1802: 274 (*Curculio*) [HN]
martulus J.R. Sahlberg, 1892: 223 (*Baridius*)
nigrina Herbst, 1795: 60 (*Curculio*)
pusio Boheman, 1844: 173 (*Baridius*)
reitteri Munster, 1928: 281

sahlbergi Reitter, 1901b: 82
sculpturata Faust, 1885b: 201 (*Baris*)
scutellaris Reitter, 1888c: 273
tibialis Voss, 1953b: 76 (*Pertorcus*) A: ANH FUJ GUI JIX ZHE
pilifer Voss, 1958b: 76 (*Pertorcus*)

genus *Linogeraeus* Casey, 1920: 390 type species *Centrinus lineellus* LeConte, 1860
punctatissimus Boheman, 1836: 750 (*Centrinus*) Ei: SP NTR

7.3.1.2. Tribe Baridini Schoenherr, 1836

7.3.1.2.1. Subtribe Baridina Schoenherr, 1836

genus *Acythogaster* Heller, 1940: 111 type species *Acythopeus babaulti* Hustache, 1928
babaulti Hustache, 1928a: 17 (*Acythopeus*) A: HKG XIN XIZ YUN ORR

genus *Aegyptobaris* Pic, 1899b: 140 type species *Baris arctithorax* Pic, 1899
arctithorax Pic, 1899b: 140 (*Baris*) N: EG AFR
lorata G.A.K. Marshall, 1911: 207 (*Baris*)

genus *Anthinobaris* Morimoto & Yoshihara, 1996: 31 type species *Baridius dispilotus* Solsky, 1870
dispilota chinensis J. Frivaldszky, 1892a: 117 (*Baris*) A: LIA
dispilota davidis Fairmaire, 1878a: 127 (*Baridius*) A: CE SCH
reinii Roelofs, 1879b: liv (*Baris*)
dispilota dispilota Solsky, 1870: 312 (*Baridius*) A: FE FUJ JA NC NE SC
coreana H.J. Kolbe, 1886: 218 (*Baris*)
freyi Zumpt, 1937b: 28 (*Baris*) A: JIX
flavonotata Voss, 1941e: 894 (*Baris*) A: ZHE
fukienensis Voss, 1956b: 40 (*Baris*) A: SE
kiboshi ihai Nakane, 1963d: 40 (*Baris*) A: JA
kiboshi kiboshi Nakane, 1963d: 40 (*Baris*) A: JA (Ryūkyū)
shirozui Morimoto, 1965: 45 (*Baris*) A: JA TAI
tainanica Voss, 1932b: 68 (*Baris*) A: TAI
virgatoides Voss, 1932b: 66 (*Baris*) A: YUN
virgatooides Voss, 1932b: 66 (*Baris*) [NA]
yunnanica Voss, 1932b: 67 (*Baris*) A: YUN

genus *Aulacobaris* Desbrochers des Loges, 1892h: 59 type species *Baridius corinthius* Fairmaire, 1892
Orthobaris Casey, 1920: 345 type species *Curculio cuprirostris* Fabricius, 1787
andalusiaca H. Brisout de Barneville, 1870: 42 (*Baridius*) E: IT SP
angusta angusta Brullé, 1832b: 248 (*Baridius*) E: AU BH BU CR GR HU IT RO SP SK ST A: SY
violacea Gyllenhal, 1836: 708 (*Baridius*)
angusta occidentalis A. Hoffmann, 1954a: 54 (*Baris*) N: MO
atlasica Hustache, 1923b: 74 (*Baris*) E: MO
berthieri Pic, 1901i: 29 (*Baridius*) A: LE
bimaculata Pajni & Kohli, 1990: 53 A: NP SD
binaghii F. Solari, 1952b: 52 (*Baris*) E: IT
~~*caerulescens chlorodia* Boheman, 1844: 162 (*Baridius*) E: IT~~
caerulescens caerulescens Scopoli, 1763: 29 (*Curculio*) E: AU BE BU CR CT CZ FR GE GR HU IT LU
MA PL RO SK SL SP ST SZ UK N: AG Ch MO TU A: AF CY IN ST SY TD TR
chalybeus Gmelin, 1790: 1759 (*Curculio*)
~~*chlorodia* Boheman, 1844: 162 (*Baridius*)~~
~~*pulchella* P.H. Lucas, 1846b: pl.38 (*Baris*)~~
~~*trapezicollis* Desbrochers des Loges, 1892h: 53 (*Baridius*)~~
~~*caerulescens pulchella* P.H. Lucas, 1846b: pl.38 (*Baris*) E: IT FR N: AG~~
~~*caerulescens trapezicollis* Desbrochers des Loges, 1892h: 53 (*Baridius*) N: AG~~
chlorizans Germar, 1823: 201 (*Baris*) [NP] E: AU BE CZ GB GE FR HU IT LU NL PL RO SK SP
ST SZ UK N: AG MO TU
brassicae Dufour, 1852: 345 (*Baris*)
celtis Gredler, 1866: 355 (*Baridius*)
chloris Panzer, 1794a: 8 (*Curculio*) [NO]
luczotii Boheman, 1844: 146 (*Baridius*)

concinna Boheman, 1844: 164 (*Baridius*) E: ST UK A: AB
corinthia Desbrochers des Loges, 1892f: 31 (*Baridius*) E: IT MA SP N: AG EG
corsicana Schultze, 1904: 36 (*Baris*) E: FR IT SP
cribellata Kiesenwetter, 1864: 292 (*Baridius*) E: GR IT A: CY IS SY TR
heydeni Desbrochers des Loges, 1900b: 41 (*Baridius*)
stricticollis Desbrochers des Loges, 1892f: 30 (*Baridius*)
~~*cuprirostris cuprirostris*~~ Fabricius, 1787a: 100 (*Curculio*) [NP] E: AU BE BH BU CZ FR GE HU IT
LU NL PL PT RO SK SP SZ UK N: AG MO TU
graminea Gmelin, 1790: 1804 (*Curculio*)
intermedia Hustache, 1930d: 192 (*Baris*)
nitidula H. Brisout de Barneville, 1871: 302 (*Baridius*) [NA]
parisina Thunberg, 1784a: 16 (*Curculio*) [NO]
sicula Boheman, 1844: 161 (*Baridius*)
virens Gmelin, 1790: 1759 (*Curculio*)
viridis Geoffroy, 1785: 120 (*Curculio*) [HN]
viridisericea Goeze, 1777: 410 (*Curculio*) [NO]
yvoniae Pic, 1909a: 114 (*Baridius*)
~~*cuprirostris sicula* Boheman, 1844: 161 (*Baridius*) E: IT~~
~~*cuprirostris yvoniae* Pic, 1909a: 114 (*Baridius*) E: FR~~
deflexa Desbrochers des Loges, 1900b: 41 (*Baridius*) E: GR
devillei F. Solari, 1952b: 54 (*Baris*) E: FR
edoughensis Desbrochers des Loges, 1892f: 28 (*Baridius*) N: AG
fallaciosa A. Hoffmann, 1959b: 409 (*Baris*) N: MO
fallaciosa A. Hoffmann, 1960b: 167 (*Baris*) [HN]
fallax Heyden, 1868: 380 (*Baridius*) E: AU BE BU FR GE IT SK SP SZ N: MO
fallax H. Brisout de Barneville, 1870: 42 (*Baridius*) [HN]
gudenusi Schultze, 1901c: 212 (*Baris*) E: AU BH CZ FR GR HU IT SK SP ST UK A: TD
purpurascens Schultze, 1901c: 213 (*Baris*)
holdereri Hartmann, 1900: 163 (*Baris*) A: NW
ignifer Fuente, 1901: 134 (*Baris*) E: SP
chloroptera Fuente, 1906: 285 (*Baris*) [NA]
purpurea Reitter, 1906c: 379 (*Baris*)
janthina Boheman, 1836: 708 (*Baridius*) E: BU CR CT GR IT SP ST UK A: AB IN IS SY
johanni Korotyaev, 1988b: 148 (*Baris*) [RN] E: ST A: IN KZ TD UZ
squamipes Faust, 1888a: 43 (*Baris*) [HN]
kaszabi Korotyaev, 1994d: 883 A: ES MG NMO
kaufmanni Reitter, 1897e: 220 (*Baris*) E: AU BH FR (Corse) GR HU IT RO SK UK
monticola A. Solari & F. Solari, 1909: 281 (*Baris*) [HN]
submonticola Hustache, 1938a: 80 (*Baris*) [RN]
kiesenwetteri Faust, 1890e: 326 (*Baris*) E: GR A: SY TR
triplagiata Desbrochers des Loges, 1892f: 31 (*Baridius*)
lepidii Germar, 1823: 200 (*Baris*) E: AU BE CT CZ DE FR GB GE GR HU IT LS LU NL PL RO
SK SP ST SV SZ UK A: KZ UZ NARi
impunctata Stephens, 1831a: 11 (*Baris*)
nitens Gmelin, 1790: 1758 (*Curculio*) [HN]
nitidulus O.F. Müller, 1776: 88 (*Curculio*) [HN]
licens Reitter, 1895m: 27 (*Baris*) A: AB
longicollis Faust, 1890f: 473 (*Baris*) A: NMO
malachitica Chevrolat, 1860d: 459 (*Baridius*) E: SP N: AG MO
mecinoides Desbrochers des Loges, 1892f: 32 (*Baridius*) N: AG TU
nivalis H. Brisout de Barneville, 1870: 41 (*Baridius*) E: BU FR IT SP
nobilis Desbrochers des Loges, 1896k: 105 bis (*Baridius*) N: AG
ochsi A. Hoffmann, 1950c: 197 (*Baris*) E: FR
perdura Reitter, 1895m: 18 (*Baris*) A: AB
pertusa Kiesenwetter, 1864: 291 (*Baridius*) E: BU GR IT SP A: TR
pivicornis melillaensis A. Hoffmann, 1954a: 54 (*Baris*) E: MO
pivicornis pivicornis Marsham, 1802: 276 (*Curculio*) E: AU BE BU CT CZ DE FR GB GE GR HU IT
LU PL RO SK SP ST SV SZ UK A: AR IN SY TR
abrotani Germar, 1823: 202 (*Baris*)
punctata Gyllenhal, 1836: 711 (*Baridius*)
violacea Grimmer, 1841: 43 (*Baris*)
pivicornis virescens Brullé, 1832b: 249 (*Baridius*) E: GR
prasina alcaidei A. Hoffmann, 1957b: 82 (*Baris*) E: SP

prasina prasina Boheman, 1836: 707 (*Baridius*) E: FR IT SP N: AG MO TU
prasina prasinella Hustache, 1938a: 85 (*Baris*) [RN] N: AG
algorica Desbrochers des Loges, 1892h: 61 (*Baridius*) [HN]
raisae Korotyaev, 1988a: 146 (*Baris*) E: ST UK
ruteri Ferragu, 1962: 32 (*Baris*) A: TR
sareptana Desbrochers des Loges, 1900b: 42 (*Baridius*) E: ST
siciliensis Desbrochers des Loges, 1892f: 31 (*Baridius*) E: IT
stierlini Tournier, 1873a: 190 (*Baris*) E: IT
violaceomicans peramoena Reitter, 1907g: 296 (*Baris*) E: KZ
violaceomicans violaceomicans A. Solari & F. Solari, 1905a: 534 (*Baris*) E: CT MD RO ST UK
viridipennis Rosenhauer, 1856: 284 (*Baridius*) E: IT MA SP N: MO

genus *Barinomorphoides* Morimoto, 1962c: 379 type species *Barinomorphoides similis* Morimoto, 1962
similis Morimoto, 1962c: 379 A: JA

genus *Barinomorphus* Morimoto, 1962c: 377 type species *Barinomorphus antennatus* Morimoto, 1962
antennatus Morimoto, 1962c: 377 A: JA SC

genus *Baris* Germar, 1817c: 340 type species *Baris artemisiae* Herbst, 1795 (= *Baris artemisiae* Panzer, 1794)

Baridius Schoenherr, 1825: 584 [UE]
Cyphirhinus Schoenherr, 1826: 276 type species *Baridius uncinatus* Schoenherr, 1826
abeillei Desbrochers des Loges, 1892f: 27 [DA] A: SY
achyranthis G.A.K. Marshall, 1938b: 177 [DA] A: UP
albosparsa Faust, 1894c: 298 (*Baridius*) [DA] A: GUA HAI UP YUN **ORR**
analisis Olivier, 1791: 489 (*Curculio*) E: AU BU CZ FR GB GE GR HU IT KZ LU NL PL RO SK SP ST UK A: CY
maculata Townson, 1797: 476 (*Curculio*)
analisis insularis Desbrochers des Loges, 1892f: 23 (*Baridius*) [DA] E: FR IT
anxia Faust, 1894c: 300 A: YUN **ORR**
artemisiae Panzer, 1794a: 10 (*Curculio*) E: AU BE CT CZ FI FR GE GR HU IT LU NL NR PL RO SB SK ST SV SZ UK A: BEI ES FE GUI HEB HEI HEN JA JIL LIA MG NC SHA SHN SC XIN
artemisiae Herbst, 1795: 101 (*Curculio*) [HN]
absinthii Lepeletier & Audinet-Serville, 1825: 296 (*Rhynchaenus*)
corvina Voss, 1934a: 80 (*Baris*)
rufitarsis Motschulsky, 1860b: 157 (*Baridius*)
auliensis Reitter, 1901b: 81 [EA] A: KZ
aurifasciata Escalera, 1914: 481 (*Baridius*) [EA] N: MO
beauprei Hustache, 1938b: 37 [EA] N: AG
bohemani Schultze 1897e: 499 [DA] E: BH YU
bohemani Schultze, 1897e: 189 [HN]
brevissima Roubal, 1927: 93 [DA] E: ST
carinirostris Ramesha & Ramamurthy, 2011: 366 [DA] A: HP **ORR**
cataphracta Peyerimhoff, 1925f: 282 [DA] N: MO
charbinensis Zaslavskij, 1956: 368 [DA] A: HEI
chevolati Coye, 1869: 378 (*Baridius*) [EA] A: LE
celosiae G.A.K. Marshall, 1938b: 178 [DA] A: UP
confinis LeConte, 1869: 362 (*Baridius*) [DA] E: FR
consulta Faust, 1886e: 156 [EA] A: KA **ORR**
convexicollis Boheman, 1836: 690 (*Baridius*) [EA] E: GR RO ST UK A: IN KZ TD UZ
copiosepunctata Zaslavskij, 1956: 374 [DA] A: TM
dentipes Yoshihara, 2016: 57 [EA] A: JA
dimidiata Reitter, 1897e: 224 [DA] A: AB
egyptus Kirsch, 1880a: 13 (*Baridius*) [EA] A: EG
aegyptia Hustache, 1938a: 66 [UE]
aegypti Ramesha & Ramamurthy, 2011: 311 [UE]
eumicterooides A. Hoffmann, 1962e: 657 [EA] A: IN
ezoana Kôno, 1940b: 78 [DA] A: JA SC

fimbriata Faust, 1885b: 202 [EA] A: UZ
foveolatopunctata Motschulsky, 1849: 137 (*Baridius*) [DA] E: UK
goekseli Korotyaev & Gültekin, 2003b: 752 [EA] A: TR
grandicollis Schultze, 1906a: 281 [DA] A: TR
himalayana Faust, 1894c: 304 [DA] A: "Himalaya"
hisago Yoshihara, 2016: 61 [EA] A: JA
kidoi Yoshihara, 2016: 50 [EA] A: JA TAI
kiritshenkoi Zaslavskij, 1956: 365 [EA] A: MG
kirschi Faust, 1882b: 435 [EA] E: ST UK A: IN KZ TM
kisilkumia Bajtenov, 1974b: 36 [EA] A: KZ
libanicola Pic, 1900: 90 (*Baridius*) [DA] A: LE
limbata H. Brisout de Barneville, 1870: 56 (*Baridius*) E: KZ ST UK A: AB
nigra Desbrochers des Loges, 1892g: 40 (*Baridius*) [NA]
nigra Reitter, 1895m: 14 [HN]
subpolita Zaslavskij, 1956: 368
maderi Voss, 1939f: 264 [DA] A: YUN
marshalli Ramesha & Ramamurthy, 2011: 371 [HN] A: SD
mauretanica Schultze, 1904: 37 [DA] N: AG
melanoleuca Iablokoff-Khnzorian, 1964: 175 [DA] A: TD
memnonia memnonia Boheman, 1836: 657 (*Baridius*) [EA] E: IT ST UK A: CT CY IN IS KI KZ TD
TM UZ XIN
intercalaris Faust, 1885b: 200
schwarzenbergii Hochhuth, 1847: 553 (*Baridius*)
memnonia turgaica Zaslavskij, 1856: 365 [EA] A: KZ
menthae Kôno, 1937e: 316 [DA] A: JA SC
montana Pajni & Kohli, 1990: 48 A: HP UP **ORR**
nesapia Faust, 1887l: 303 E: AU BU ES GE PL ST N: EG A: AB GG IN KI KZ TD TM TR
noaeae Becker, 1875: 138 (*Baridius*) [EA] E: ST A: AB IN
brisouti Faust, 1882b: 433
globicollis Reitter, 1912d: 98 (*Neobaris*)
notolineata Pajni & Kohli, 1990: 51 A: UP
parumpunctata Fairmaire, 1875: 535 (*Baridius*) [DA] E: IT N: TU
pedemontana Desbrochers des Loges, 1908: 92 [DA] N: IT
praeambula Faust, 1897e: 89 [EA] A: TM
propinqua Desbrochers des Loges, 1900b: 43 (*Baridius*) [DA] N: AG
przewalskyi Zaslavskij, 1956: 365 [EA] A: NE
ramamurthyi Alonso-Zarazaga, 2016: 5 [RN] A: NP SD
bimaculata Pajni & Kohli, 1990: 53 [HN]
rotroi Peyerimhoff, 1949: 298 [EA] N: MO
rufa Boheman, 1844: 166 (*Baridius*) [DA] E: BU FR IT SP
saccharivora Matsumura, 1911b: 143 [DA] A: TAI
serraticollis Hustache, 1923b: 73 [DA] N: MO
shaowuensis Voss, 1953b: 76 [EA] A: TAI
speculifera Faust, 1894c: 299 A: YUN **ORR**
spitzyi Hochhuth, 1847: 564 E: BU RO ST UK A: AR
subalba Ramesha & Ramamurthy, 2011: 379 A: HP UP **ORR**
subanalis Pic, 1900: 90 (*Baridius*) [DA] A: SY
subferruginea Reitter, 1910c: 201 [DA] E: IT
subtilina Reitter, 1899d: 208 [DA] A: GG
sulcata Boheman, 1836: 673 (*Baridius*) [EA] E: KZ RO ST UK A: WS
urticae Yoshihara, 2016: 58 [EA] A: JA
v-signum Voss, 1937c: 270 [DA] A: TAI YUN
watanabei Yoshihara, 2016: 60 [EA] A: JA

genus *Bariscelis* Reitter, 1895m: 6 type species *Bariscelis fausti* Reitter, 1895
fausti Reitter, 1895m: 6 A: TM

genus *Batobaris* Morimoto & Yoshihara, 1996: 34 type species *Batobaris rubi* Morimoto &
Yoshihara, 1996
fasciata Voss, 1958b: 86 (*Acythopheus*) A: FUJ

rubi Morimoto & Yoshihara, 1996: 35 A: JA TAI

genus *Chelonebarus* G.A.K. Marshall, 1940: 67 type species *Chelonebarus partimpunctatus* G.A.K. Marshall, 1940

burmanus G.A.K. Marshall, 1948a: 460 A: TAI

genus *Cosmobaris* Casey, 1920: 344 type species *Cosmobaris americana* Casey, 1920 (= *Baris scolopacea* Germar, 1819)

discolor Boheman, 1836: 703 (*Baridius*) E: MA N: AG EG A: CY IS JO SY AFR AURi NARi
ORRi

alboseriata Reitter, 1908b: 54 (*Baris*)

rhagodiae Rheinheimer, 1992: 191 (*Baris*)

soricina Fairmaire, 1884b: lxxix (*Baridius*)

squamulata Pic, 1896e: 115 (*Baridius*)

vicina H. Brisout de Barneville, 1870: 39 (*Baris*)

scolopacea Germar, 1819: 132 (*Baris*) E: AU BE BU CZ FR GB GR HU IT MA NL RO SK SP ST
SZ UK N: EG TNU A: AR BEI ES FE FUJ GAN HEI HKG IN JA JIA JIL KZ NC NMO SC
SCH SHA TD TM TR UZ WS XIN ZHE NARi

americana Casey, 1920: 344

borkhsenii Zaslavskij, 1956: 357 (*Baris*)

carnerii Pic, 1922b: 30 (*Baridius*)

colorata Boheman, 1836: 700 (*Baridius*)

lebedevi Roubal, 1929a: 56 (*Baris*)

orientalis Roelofs, 1875b: 184 (*Baris*)

pallidicornis Boheman, 1836: 702 (*Baridius*)

parvula Boheman, 1836: 701 (*Baridius*)

sionilli Hayes, 1936: 28

squamiger Hayes, 1936: 27

vestita Perris, 1857: 143 (*Baridius*)

genus *Dinobaris* G.A.K. Marshall, 1938b: 176 type species *Dinobaris longirostris* G.A.K. Marshall, 1938

longirostris G.A.K. Marshall, 1938b: 176 A: HAI SD

genus *Dolichaulax* G.A.K. Marshall, 1948a: 465 typ species *Dolichaulax curvirostris* G.A.K. Marshall, 1948

curvirostris G.A.K. Marshall, 1948a: 465 A: YUN **ORR**

genus *Elasmobaris* Reitter, 1913a: 72 type species *Lissotarsus balassogloi* Faust, 1881 (= *Baridius alboguttatus* Brisout)

Lissotarsus Faust, 1881: 327 [HN] type species *Lissotarsus balassogloi* Faust, 1881 (= *Baridius alboguttatus* Brisout)

aegyptiaca Desbrochers des Loges, 1891a: 31 (*Lissotarsus*) N: EG

demaisioni Desbrochers des Loges, 1892g: 34 (*Baridius*) [URN]

alboguttata alboguttata H. Brisout de Barneville, 1870: 40 (*Baridius*) E: ST N: AG EG MO A: AB
AF IN IQ MG RU QA SA SY TD TM UZ XIN

balassogloi Faust, 1881: 328 (*Lissotarsus*)

varicolor Fairmaire, 1883e: 214 (*Tychius*)

alboguttata subelongata Pic, 1921b: 10 (*Lissotarsus*) N: AG

annularis Faust, 1881: 331 (*Lissotarsus*) [EA] A: TM XIN

bedeli Faust, 1890e: 334 (*Lissotarsus*) [EA] N: AG TU

badeli Faust, 1890e: 334 (*Lissotarsus*) [NA]

biskrensis Chobaut, 1897: 39 (*Lissotarsus*) [EA] A: AG MO

cretacea Reitter, 1895m: 7 (*Lissotarsus*) N: EG

nigropicta Reitter, 1895m: 7 (*Lissotarsus*) A: AB

signifera Faust, 1881: 331 (*Lissotarsus*) [EA] E: ST A: KI

genus *Eremobaris* Zaslavskij, 1956: 355 type species *Baridius picturatus* Ménétriés, 1849

albopicta Reitter, 1895m: 22 (*Baris*) A: AB

picturata Ménétriés, 1849: 263 (*Baridius*) E: BU FR GR HU IT MA PT SK SP ST N: AG EG MO
A: ES IN TD

opiparis Jacquelin du Val, 1853: 715 (*Baridius*)

genus *Formosobaris* Morimoto & Yoshihara, 1996: 26 type species *Formosobaris conicotylosa*
Morimoto & Yoshihara, 1996
conicotylosa Morimoto & Yoshihara, 1996: 27 A: TAI

genus *Hollisiella* Alonso-Zarazaga & Lyal, 1999: 90 [RN] type species *Barisoma carbo* Faust, 1888
Barisoma Faust, 1888d: 309 [HN] type species *Barisoma carbo* Faust, 1888
Barysoma Faust, 1888d: 285 [NA]
carbo Faust, 1888d: 310 A: HKG

genus *Labiaticola* Alonso-Zarazaga & Lyal, 1999: 90 type species *Baris teruelensis* Hustache, 1927
araxicola Reitter, 1895m: 12 (*Baris*) A: AB
atricolor Boheman, 1844: 91 (*Baridius*) E: AU BU GR HU IT PL RO SK ST UK YU A: AR IN
NW SY TR
landgrebei: Kolenati, 1859b: 370 (*Baridius*) [NA, ISS]
landgrebii Hochhuth, 1847: 558 (*Baridius*)
jonicus Miller, 1862a: 280 (*Baris*)
turcicus H. Brisout de Barneville, 1870: 51 (*Baridius*)
cariniventris cariniventris A. Solari & F. Solari, 1909: 279 (*Baris*) N: AG MO
cariniventris joffrei Hustache, 1926e: 318 (*Baris*) E: FR
clandestinus Faust, 1887m: 306 (*Baris*) A: KZ TD TM UZ
crassipes Faust, 1884c: 462 (*Baris*) A: TM
despicatus Faust, 1889e: 207 (*Baris*) A: AB AR IN TR
korbi Schultze, 1900b: 383 (*Baris*) E: SP
melas Boheman, 1836: 705 (*Baridius*) E: IT SP ST UK A: KZ
litigiosus Desbrochers des Loges, 1892f: 27 (*Baridius*)
phlomidis Becker, 1892: 70 (*Baris*)
renardii Hochhuth, 1847: 562 [117 in reprint] (*Baridius*)
ocellatus Desbrochers des Loges, 1900b: 43 (*Baridius*) E: IT
rectirostris rectirostris Faust, 1892c: 63 (*Baris*) A: KZ NW TD TM XIN
rectirostris subcurvatus Zaslavskij, 1956: 359 (*Baris*) A: "Central Asia"
rugulipennis Reitter, 1895m: 12 (*Baris*) A: AB
sibiricus Faust, 1890a: 102 (*Baris*) E: ST UK A: ES TM
syriacus Faust, 1897e: 90 (*Baris*) A: IN SY TR
teheranicus A. Hoffmann, 1956d: 245 (*Baris*) A: IN
teruelensis Hustache, 1927b: 26 (*Baris*) E: SP

genus *Malvaevora* Zaslavskij, 1956: 358 type species *Curculio timidus* Rossi, 1792
timida polita Reitter, 1895m: 20 (*Baris*) E: GR N: AG MO "Caucasus"
timida timida Rossi, 1792: 37 (*Curculio*) E: AU BU CZ FR HU IT KZ MA RO SK SL SP ST SZ UK
N: AG LB MO TU A: CY IN KZ TD TM TR

genus *Maurobaris* Alonso-Zarazaga, 2005: 91 type species *Baridius spoliatus* Boheman, 1836
spoliata Boheman, 1836: 692 (*Baridius*) E: FR GR IT MA SP N: AG MO TU

genus *Mecobaris* G.A.K. Marshall, 1936: 221 type species *Mecobaris terminaliae* G.A.K. Marshall
squamifera G.A.K. Marshall, 1936: 223 A: UP
subcylindrica Faust, 1898c: 326 (*Baridius*) A: HP YUN ORR
terminaliae G.A.K. Marshall, 1936: 222 A: UP ORR

genus *Melaleucus* Chevrolat, 1882a: xc type species *Melaleucus x-littera* Chevrolat, 1882
sellatus Boheman, 1844: 124 (*Baridius*) E: IT SP N: AG CI MO
x-signum Reitter, 1895m: 23 (*Baris*) N: EG
zarudnyi Zaslavskij, 1956: 356 (*Baris*) A: IN

genus *Melanobaris* Alonso-Zarazaga & Lyal, 1999: 90 type species *Baridius morio* Boheman, 1844
amanicola Pic, 1905a: 98 (*Baris*) A: TR
atramentaria Boheman, 1836: 696 (*Baridius*) [DA] E: AU BU CZ GR HU PL SK SP ST UK A: AB
atronitens algerica Desbrochers des Loges, 1892f: 25 (*Baridius*) [DA] N: AG
atronitens atronitens Chevrolat, 1861a: 121 (*Baridius*) [DA] E: FR SP N: AG MO TU
atronitens gallica Desbrochers des Loges, 1892f: 25 (*Baridius*) [DA] N: FR

balassogloi Faust, 1885b: 200 (*Baris*) [DA] A: TD TM UZ
behnei Korotyaev, 1988b: 148 (*Baris*) A: TD
belovi Korotyaev, 1988b: 148 (*Baris*) A: UZ
carbonaria Boheman, 1836: 676 (*Baridius*) [DA] E: AU CT CZ HU KZ RO SK ST UK A: AF
crambephaga Korotyaev & Gültekin, 1999: 141 (*Baris*) A: TR
dalmatina H. Brisout de Barneville, 1870: 53 (*Baridius*) [DA] E: BU CR FR HU IT SK ST UK
dzhungarica Korotyaev, 1988b: 147 (*Baris*) A: KZ
edmundi Korotyaev, 1988b: 145 (*Baris*) A: KZ
elevata Reitter, 1899b: 160 (*Baris*) [DA] E: SP
erysimi erysimi Chobaut, 1917: 209 (*Baris*) [DA] E: FR SP
erysimi erysimioides A. Hoffmann, 1942a: 17 (*Baris*) [DA] E: FR SP
gloriae Korotyaev & Gültekin, 2003a: 97 [DA] A: TR
gulnarae Korotyaev & Ismailova, 2011: 173 E: ST
hochhuthi Faust, 1882b: 435 (*Baris*) [DA] E: ST UK A: AB AR GG IN TM
krausei Korotyaev, 1988b: 145 (*Baris*) A: KZ
laticollis Marsham, 1802: 276 (*Curculio*) [NP, DA] E: BE BU CT CZ FR GB GE GR HU IT LS PL
PT RO SK SP UK N: AG MR A: SY
absinthii Panzer, 1794a: 9 (*Curculio*) [NO]
apsinthii: Panzer, 1794a: 9 (*Curculio*) [IOS, NA]
atriplicis Fabricius, 1777: 225 (*Curculio*) [NO]
glabra Herbst, 1784: 77 (*Curculio*) [NO]
nitens Fabricius, 1792: 403 (*Curculio*) [HN]
picina Germar, 1823: 199 (*Baris*)
subtarsalis Rey, 1895c: 26 (*Baris*) [NA]
maracandica Zaslavskij, 1956: 372 (*Baris*) A: UZ
margaritae Korotyaev & Friedman, 2011: 170 A: IS
morio Boheman, 1844: 174 (*Baridius*) E: AU BE CZ FR GE GR HU IT SP N: AG EG MO TU
lethierryi Desbrochers des Loges, 1892f: 24 (*Baridius*)
resedae Bach, 1856: 243 (*Baris*)
nigritarsis Boheman, 1844: 156 (*Baridius*) E: CT ST UK "Caucasus"
perlucida Reitter, 1902e: 192 (*Baris*) A: AB
pyrenaica A. Hoffmann, 1933a: 151 (*Baris*) [DA] E: SP
quadraticollis caucasica Schultze, 1897h: 397 (*Baris*) [DA] A: AB
quadraticollis quadraticollis Boheman, 1836: 693 (*Baridius*) [DA] E: BU FR IT SP N: AG CI MO TU
sulcicollis Chevrolat, 1866b: 106 (*Baridius*)
quadraticollis semirubra Bedel, 1903a: 370 (*Baris*) [DA] N: MO
semiopaca Reitter, 1895m: 20 (*Baris*) [DA] A: AB
semistriata Boheman, 1836: 695 (*Baridius*) E: BU MD ST UK A: AB CY KI TR
gimmerthali Hochhuth, 1847: 560 (*Baridius*)
picitarsis Boheman, 1836: 694 (*Baridius*)
striatopunctata Reitter, 1895m: 20 (*Baris*)
serbica Schultze, 1897f: 500 (*Baris*) E: YU
serbica Schultze, 1897e: 189 (*Baris*) [HN]
sinapis galliae Tempère, 1961: 95 (*Baris*) [DA] E: FR
sinapis sinapis Normand, 1937: 261 (*Baris*) [DA] N: TU
steppensis Roubal, 1935a: 208 (*Baris*) A: AU HU SK
suffriani Hochhuth, 1847: 566 (*Baridius*) [EA] A: GG
suffriani Hochhuth, 1847: 586 (*Baridius*) [NA]
tadzgica Korotyaev, 1988b: 147 (*Baris*) A: TD
vulgensis Zaslavskij, 1956: 373 (*Baris*) E: ST

genus *Melitobaris* Peyerimhoff, 1929b: 40 type species *Melitobaris dumonti* Peyerimhoff, 1929
dumonti Peyerimhoff, 1929b: 40 N: TU

genus *Moreobaris* Morimoto & Yoshihara, 1996: 40 type species *Baris deplanata* Roelofs, 1875
castanea Morimoto & Miyakawa, 1985: 34 (*Baris*) A: JA
deplanata Roelofs, 1875b: 183 (*Baris*) A: FUJ JA JIA NC SC SCH SHG ZHE
patruelis Voss, 1958b: 84 (*Acythopeus*)
kozuensis Morimoto & Miyakawa, 1985: 36 (*Baris*) A: JA
matobai Yoshihara, 2016: 91 A: JA
repandirostris Zaslavskij, 1956: 351 (*Baris*) A: FE SHX

rubricata Hustache, 1921d: 94 (*Baris*) A: JA

genus *Neobaris* Reitter, 1895m: 5 type species *Baridius duplicatus* Schoenherr, 1832
duplicata Schoenherr, 1832: 223 (*Baridius*) A: IN ST
logunovi Legalov, 1999d: 376 [DA] A: ES

genus *Nespilobaris* Morimoto & Yoshihara, 1996: 41 type species *Acythopeus parabasimaculatus*
Morimoto & Lee, 1992
accidirostris Zaslavskij, 1956: 352 (*Baris*) A: FE HEI HEN
basimaculata Voss, 1958b: 85 (*Acythopeus*) A: SE
cynanchi Yoshihara, 2016: 101 A: JA (Honshu)
inflatiostris Voss, 1941e: 893 (*Acythopeus*) A: ANH FUJ GUI ZHE **ORR**
proxima Voss, 1958: 82 (*Acythopeus*)
iriei Yoshihara, 2016: 99 A: JA (Ishigaki)
metabasimaculata Yoshihara, 2016: 100 A: JA TAI
nipponica Kôno, 1928: 174 (*Baris*) A: JA SC
parabasimaculata Morimoto & Lee, 1992: 10 (*Acythopeus*) A: JA SC
viburni Yoshihara, 2016: 97 A: JA
yaeyamaensis Yoshihara, 2016: 102 A: Ja (Iriomote)

genus *Omobaris* G.A.K. Marshall, 1927: 217 type species *Omobaris calanthes* G.A.K. Marshall, 1927
chloranthae Kojima & Yoshihara, 2009: 174 [DA] A: JA TAI
parvula Kojima & Yoshihara, 2009: 177 [DA] A: JA

genus *Pharcidobaris* Morimoto & Yoshihara, 1996: 29 type species *Pharcidobaris miyamotoi*
Morimoto & Yoshihara, 1996
miyamotoi Morimoto & Yoshihara, 1996: 30 A: JA
pilosa Roelofs, 1875b: 182 (*Baris*) A: BEI CHQ ES FE FUJ GUI HEB HEI HEN HUB JA JIX LIA
NC NE SC SCH SHN SHX XIZ YUN **ORR**
blennus G.A.K. Marshall, 1948a: 458
piliventris Zaslavskij, 1956: 366
pygidialis Voss, 1937c: 271
suvorovi Reitter, 1910c: 201

genus *Phrissoderes* G.A.K. Marshall, 1948a: 459 type species *Phrissoderes costalis* G.A.K. Marshall,
1948
Centrinoplesius Voss, 1958b: 77 type species *Centrinoplesius exsculptus* Voss, 1958
Pseudorhyssomatus Morimoto, 1962c: 381 type species *Rhyssomatus rufitarsis* Roelofs, 1875
exsculptus Voss, 1958b: 77 (*Centrinoplesius*) A: FUJ
minor Yoshihara, 2016: 27 A: JA
rufitarsis Roelofs, 1875a: 159 (*Rhyssomatus*) A: JA SC

genus *Psilarthroides* Morimoto & Miyakawa, 1985: 41 type species *Psilarthroides humuli* Morimoto
& Miyakawa, 1985 (= *Baris czerskyi* Zaslavskij, 1956)
czerskyi Zaslavskij, 1956: 366 (*Baris*) A: ANH BEI CHQ FE FUJ GAN HEB HEI HEN JA JIA JIL
NC SC SHA SHN ZHE
humuli Morimoto & Miyakawa, 1985: 42
laferi Egorov, 1978a: 158 (*Baris*)

genus *Psilarthrus* G.A.K. Marshall, 1948a: 461 type species *Psilarthrus dentipes* G.A.K. Marshall,
1948
coracinus G.A.K. Marshall, 1948a: 463 A: XIZ YUN **ORR**
dentipes G.A.K. Marshall, 1948a: 462 A: YUN **ORR**
shigematsui Yoshihara, 2016: 33 A: JA

genus *Pteridobaris* Morimoto & Yoshihara, 1996: 27 type species *Baris maritima* Roelofs, 1875
maritima Roelofs, 1875b: 181 (*Baris*) A: BEI FUJ GUA GUI HKG JA SHA **ORR**
quinquecarinata Zaslavskij, 1956: 351 (*Baris*)

genus *Squamobaris* Pajni, Kohli & Kumar, 1990: 91 type species *Squamobaris aurea* Pajni, Kohli &
Kumar, 1990

aurea Pajni, Kohli & Kumar, 1990: 92 A: YUN ORR

genus *Taiwanobaris* Morimoto & Yoshihara, 1996: 18 type species *Taiwanobaris femorata* Morimoto & Yoshihara, 1996
femorata Morimoto & Yoshihara, 1996: 18 A: TAI

genus *Theryus* Pic, 1897c: 29 type species *Theryus longicollis* Pic, 1897
longicollis Pic, 1897c: 29 N: AG
albus Abeille de Perrin, 1898: 257 (*Baridius*)

genus *Turkmenobaris* Zaslavskij, 1956: 357 type species *Baris kryzhanovskii* Zaslavskij, 1956
kryzhanovskii Zaslavskij, 1956: 357 (*Baris*) A: TM
mirifica Iablokoff-Khnzorian, 1959b: 79 A: AR

genus *Ulobaris* Reitter, 1895m: 5 type species *Baridius loricatus* Boheman, 1836
kuchenbeisseri Hartmann, 1899b: 51 (*Baris*) A: BEI FE HEB HEI NC NMO TIA
chinganensis Zaslavskij, 1956: 367 (*Baris*)
pseudospitzyi Zaslavskij, 1956: 367 (*Baris*)
ussuriensis Zaslavskij, 1956: 367 (*Baris*)
loricata Boheman, 1836: 716 (*Baridius*) E: BU RO ST UK A: GAN KI KZ MG NIN NMO TD TM
UZ XIN
crinipes H. Brisout de Barneville, 1870: 45 (*Baridius*)

tribe Baridini, species incertae sedis
Baridius coelestinus Gistel, 1857 E: AU
Baridius striatopunctatus Gistel, 1857: 540 E: UK

7.3.1.3. Tribe Madarini Jekel, 1865

~~7.3.1.3.1. Subtribe Leptoschoinina Lacordaire, 1865~~

~~**genus *Acythopeus* Pascoe, 1874: 61** type species *Acythopeus tristis* Pascoe, 1874
subgenus *Acythopeus* Pascoe, 1874: 61 type species *Acythopeus tristis* Pascoe, 1874
— *Amyetides* Hustache, 1956: 162 type species *Baris perrieri* Fairmaire, 1901
barbatus G.A.K. Marshall, 1936: 219 A: SD
bispinosus G.A.K. Marshall, 1938b: 179 A: UP
unicornis G.A.K. Marshall, 1936: 220 A: SD
subgenus *Carpobaris* Zaslavskij, 1956: 355 type species *Baris granulipennis* Tournier, 1873
— *Parathesapeuta* Voss, 1964a: 588 type species *Athesapeuta colocynthae* Voss, 1964
curvirostris curvirostris Boheman, 1844: 190 (*Baridius*) N: AG AFR
— *traegardhi* Aurivillius, 1905: 17 (*Baris*)
curvirostris granulipennis Tournier, 1873a: 190 (*Baridius*) N: EG MO A: AE IQ IS JO SA
— *colocynthae* Voss, 1964a: 588 (*Athesapeuta*)
— *cucumidis* Voss, 1969a: 63 (*Athesapeuta*)
— *globulicollis* Voss, 1969a: 62 (*Athesapeuta*)
curvirostris persicus Thompson, 1973: 34 A: AF IN~~

~~**genus *Arganthonius* Alonso-Zarazaga, 2005: 90** type species *Baris novaki* Penecke, 1936
albomaculatus H. Brisout de Barneville, 1870: 40 (*Baris*) E: SP
novaki Penecke, 1936: 220 (*Baris*) E: PT SP N: MO~~

~~**genus *Athesapeuta* Faust, 1894c: 313** type species *Baridius subsignatus* Motschulsky, 1866
(= *Athesapeuta motschulskyi* Voss, 1958)
albiquama Zaslavskij, 1956: 349 (*Baris*) A: BEI GUX JIA SHA
— *ljaodunensis* Zaslavskij, 1956: 350 (*Baris*)
amoena Voss, 1958b: 80 A: FUJ
chinensis Faust, 1894c: 316 A: SHG
eyperi G.A.K. Marshall, 1928d: 266 A: JIA ORR
flavofasciata Yoshihara, 2016: 76 A: Ja (Okinawa)
gracilis Voss, 1958b: 78 (*Eumycterus*) A: FE FUJ NC
inornata Voss, 1937c: 270 (*Baris*) A: YUN~~

latefasciata Voss, 1958b: 81 **A: FUJ**
sculpticollis Voss, 1958b: 79 **A: FUJ**
vinculata Faust, 1894c: 315 **A: YUN ~~ORR~~**

genus *Cucubaris* Alonso-Zarazaga, 2005: 91 type species *Baris villae* Comolli, 1837
villae Comolli, 1837: 35 (*Baris*) **E: AU CZ GR HU IT RO SK ST SZ UK ~~A: AF~~**

genus *Dendrobaris* Egorov, 1976a: 64 type species *Baris tatyanae* Egorov, 1976
— *Spilobaris* Morimoto & Yoshihara, 1996: 37 type species *Acythopeus insularis* Morimoto & Miyakawa, 1985
flavosignata Roelofs, 1879a: 301 (*Baris*) **A: JA TAI**
insularis Morimoto & Miyakawa, 1985: 39 (*Acythopeus*) **A: JA**
kurentzovi Egorov, 1976a: 67 (*Baris*) **A: FE**
maculata Roelofs, 1879a: 299 (*Baris*) **A: JA SC TAI**
tatyanae Egorov, 1976a: 67 (*Baris*) **A: FE**

genus *Lepidomyetides* Yoshihara & Morimoto, 1994b: 723 type species *Lepidomyetides nagaii*
Yoshihara & Morimoto, 1994
nagaii Yoshihara & Morimoto, 1994b: 725 **A: JA TAI ~~ORR~~**

genus *Mimophilus* Faust, 1894c: 311 type species *Mimophilus personatus* Faust, 1894
— *Baridiomorphus* Voss, 1965d: 109 type species *Baridiomorphus conicollis* Voss, 1965 (= *Mimophilus tragicus* Faust, 1894)
tragicus Faust, 1894c: 312 **A: GUX YUN ~~ORR~~**
— *conicollis* Voss, 1965d: 110 (*Baridiomorphus*)

genus *Paracythopeus* Voss, 1958b: 86 type species *Paracythopeus perrugosus* Heller, 1940
ryukyuensis Yoshihara, 2016: 72 **A: JA TAI**

genus *Parallelodemas* Faust, 1894c: 306 type species *Parallelodemas perfectum* Faust, 1894
dimetans Prena & R. Zhang, 2014: 109 **A: GUI**
docile Faust, 1894c: 309 **A: YUN ~~ORR~~**
fae Prena & R. Zhang, 2014: 114 **A: FUJ GUX HAI HUN YUN ~~ORR~~**
impar Voss, 1941e: 895 **A: SCH YUN ZHE ~~ORR~~**
petilum Prena & R. Zhang, 2014: 110 **A: SCH SHA ~~ORR~~**
plumosum Prena & R. Zhang, 2014: 110 **A: FUJ TAI**
setifrons Prena & R. Zhang, 2014: 111 **A: FUJ GUA GUI HUN**
tardum Faust, 1894c: 309 **A: SD ~~ORR~~**
tumens Prena & R. Zhang, 2014: 114 **A: GUI**
vicinum Faust, 1894c: 114 **A: SD YUN ~~ORR~~**

genus *Pellobaris* Morimoto & Yoshihara, 1996: 16 type species *Baris melancholica* Roelofs, 1875
melancholica Roelofs, 1875b: 181 **A: ANH FE FUJ GUI HEN HUN JA NE SC SCH SHA**
— *collaris* Voss, 1958b: 86 (*Paracythopeus*)

7.3.1.3.21. Subtribe Madarina Jekel, 1865

genus *Orchidophilus* Buchanan, 1935: 45 type species *Orchidophilus peregrinator* Buchanan, 1935
aterrimus C.O. Waterhouse, 1874: 226 (*Baridius*) **Ei: FR GB GE NL SV Ai: JA TAI AFRi NARi NTRi ~~ORR~~**
eburifer Pascoe, 1887c: 359 (*Baris*) **Ei: GB ~~ORR~~**
gilvonotatus Barber, 1918: 17 (*Acythopeus*)
epidendri Murray, 1869: 1279 (*Centrinus*) **Ei: GB GE AFRi AUSi NARi ~~ORR~~**
geminus Pascoe, 1887c: 359 (*Acythopeus*)
orchidearum H.J. Kolbe, 1906: 4 (*Apotomorhinus*)
orchivorus Blackburn, 1900a: 61 (*Baris*)
hisamatsui Kojima & Yoshihara, 2009: 179 (*Omobaris*) **A: JA**
ran Morimoto, 1994: 236 **A: JAi SCi TAI**

7.3.1.3.32. Subtribe Tonesiina Alonso-Zarazaga & Lyal, 1999

genus *Manilabaris* Zimmerman, 1940: 314 type species *Manilabaris cucurbitae* Zimmerman, 1940

armipes Roelofs, 1875b: 183 (*Baris*) A: JA

7.3.1.4. Tribe Neosharpiini A. Hoffmann, 1956

genus *Caenobaris* Nasreddinov, 1980: 476 type species *Caenobaris zaslavskii* Nasreddinov, 1980
zaslavskii Nasreddinov, 1980: 477 A: TD

genus *Eumycterus* Schoenherr, 1838: 1083 type species *Eumycterus albosquamulatus* Boheman, 1838
albosquamulatus Boheman, 1838: 1084 E: GR N: AG EG MO A: AF CY IN IS SY TM TR UZ
AFR

tenuirostris H. Brisout de Barneville, 1870: 39 (*Baridius*)
laodioides Nakane, 1963d: 40 A: JA

genus *Neosharpia* A. Hoffmann, 1956d: 247 type species *Neosharpia artemisiae* A. Hoffmann, 1956
artemisiae A. Hoffmann, 1956d: 247 A: IN
capucina Faust, 1881: 332 (*Lissotarsus*) A: KZ

7.3.2. Supertribe Ceutorhynchitae Gistel, 1848

7.3.2.1. Tribe Amalini Wagner, 1936

genus *Amalus* Schoenherr, 1825: 583 type species *Curculio scortillum* Herbst, 1795
Leptocaryurgus Gistel, 1856a: 371 type species *Curculio scortillum* Herbst, 1795
scortillum Herbst, 1795: 418 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU
IT LA LU MD NL NR NT PL PT RO SB SK SP ST SV SZ TR UK A: AB AR BEI ES FE GG
IN KI KZ SC MG TD TM TR UZ WS **NAR**

agricola Paykull, 1800: 260 (*Curculio*)
brunneus Marsham, 1802: 248 (*Curculio*)
castaneus Stephens, 1831c: 54
dumetorum Panzer, 1806: 12 (*Rhynchaenus*)
haemorrhous Herbst, 1795: 399 (*Curculio*)
inflexus Marsham, 1802: 253 (*Curculio*) ~~[HN]~~
robinsoni Blatchley, 1916: 312 (*Anthonomus*)
rubicundus Panzer, 1806: 12 (*Rhynchaenus*)

7.3.2.2. Tribe Ceutorhynchini Gistel, 1848

genus *Aferonyx* Korotyaev, 1998a: 177 type species *Oxyonyx pici* Schultze, 1900
cailloli Peyerimhoff, 1919c: 240 (*Ceutorhynchus*) N: AG MO
crassipes Schultze, 1899c: 290 (*Oxyonyx*) A: IS
pici Schultze, 1900c: 17 (*Oxyonyx*) A: IS SY

genus *Amalorrhynchus* Reitter, 1913a: 70 type species *Nedyus melanarius* Stephens, 1831
lukjanovitschi Korotyaev, 1980: 129 A: FE WS
melanarius Stephens, 1831c: 31 (*Nedyus*) E: AU BE BU BY CT CZ DE FR GB GE HU IT LU MD
NL PL RO SV SP SK SZ TR UK A: AR ES FE KZ ~~NW~~ WS XIN **NAR**
camelinae Boheman, 1845: 170 (*Ceuthorhynchus*)
convexicollis Gyllenhal, 1837b: 495 (*Ceuthorhynchus*)
glauca Boheman, 1845: 144 (*Ceuthorhynchus*)

genus *Atlantonyx* Korotyaev, 1999a: 11 [RN] type species *Oxyonyx latipennis* Pic, 1905
Berberonyx Korotyaev, 1994c: 306 [HN] type species *Oxyonyx latipennis* Pic, 1905
hispanicus Colonnelli, 1995: 206 (*Theodorinus*) E: SP
latipennis Pic, 1905d: 130 (*Oxyonyx*) N: AG MO
lopezcoloni Korotyaev & Alonso-Zarazaga, 2010: 348 (*Theodorinus*) E: SP
peyerimhoffi Korotyaev, 1994c: 306 (*Theodorinus*) N: MO

genus *Barioxyonyx* Hustache, 1931c: 250 type species *Ceutorhynchus tournieri* Fourcroy, 1891
daghestanicus Korotyaev, 1992d: 891 A: AB AR TR
helenae Korotyaev, 1994b: 286 A: TR
kerzhneri Korotyaev, 2001a: 100 A: IS SY
retectus Peyerimhoff, 1925a: 20 (*Ceutorhynchus*) E: SP N: AG MO

neglectus Korotyaev, 1992d: 894
tournieri Fourcroy, 1891: 192 (*Ceutorhynchus*) N: AG MO

genus *Bohemanius* Schultzze, 1898c: 265 type species *Ceutorhynchus uroleucus* Boheman, 1845
uroleucus Boheman, 1845: 149 (*Ceutorhynchus*) E: IT (Sardegna)

genus *Boragosirocalus* Dieckmann, 1975b: 193 type species *Ceutorhynchus rinderae* Becker, 1864
flavivarsis Reitter, 1890c: 163 (*Ceutorhynchus*) A: AR IN TM TR
clavarius Colonnelli, 1987b: 123
helenae Korotyaev, 2017a: 90 A: KZ
holzschuhi Dieckmann, 1975b: 199 A: IS LE TR
kulzeri Dieckmann, 1975b: 199 E: ST A: AR TR
mesasiaticus Dieckmann, 1975b: 198 A: KI KZ TD UZ XIN
rinderae Becker, 1864: 481 (*Ceutorhynchus*) E: ST UK N: EG A: AB AR GG IN KZ TM TR
effrons Faust, 1889c: 137 (*Ceuthorhynchidius*)
pictarsis Schultze, 1901a: 96 (*Ceutorhynchus*) [HN]

genus *Brevicoeliodes* Korotyaev, 1997c: 626 type species *Coeliodes galloisi* Hustache, 1916
galloisi Hustache, 1916b: 116 (*Coeliodes*) A: JA FE

genus *Calosirus* C. G. Thomson, 1859: 140 type species *Rhynchaenus apicalis* Gyllenhal, 1827
Sirocalus Heyden, 1906: 672 [UE]
apicalis Gyllenhal, 1827: 579 (*Rhynchaenus*) E: AU BE BY CR CT DE FI FR GE GR IT LU NL NR
PL RO SK SL SP ST SV SZ UK A: AR
praustus C. N. F. Brisout de Barneville, 1869: 436 (*Ceutorhynchus*)
kwni Korotyaev & Hong, 2004: 151 [DA] A: SC
orientalis Hustache, 1915: 94 (*Ceutorhynchus*) E: AU CY GR A: TR
ovulum Schultze, 1897g: 312 (*Ceuthorhynchidius*) E: ST A: AR GG TR
latibasis Reitter, 1916a: 179 (*Amalus*)
oxystoma Korotyaev, 2004b: 150 [DA] A: CH
terminatus Herbst, 1795: 401 (*Curculio*) E: AU BE BU CT CZ DE FR GB GE GR HU IR IT LA LU
NL PL PT RO SK SP ST SV SZ TR UK N: AG MO A: AB CY GG IN SY TR
analis Panzer, 1813: 193 (*Rhynchaenus*)
doctoris Pic, 1913b: 97 (*Ceutorhynchus*)
haemorrhoidalis Panzer, 1806: 11 (*Rhynchaenus*)
sii Gyllenhal, 1837b: 490 (*Ceutorhynchus*)
waltoni Boheman, 1845: 164 (*Ceutorhynchus*)

genus *Cardipennis* Korotyaev, 1980: 228 type species *Cidnorrhinus objectus* Voss, 1967
(=*Ceutorhynchus rubripes* Hustache, 1916)
rubripes Hustache, 1916b: 134 (*Ceutorhynchus*) A: ANH BEI CHQ ES FE FUJ GAN GUI HEB HEI
HEN HUB HUN JA JIA JIL JIX LIA NC MG NMO SCH SHG SHX WS YUN ZHE
objectus Voss, 1967: 314 (*Cidnorrhinus*)
shaowuensis Voss, 1958b: 74 (*Ceutorhynchus*) A: BEI CHQ FE FUJ GAN GUI HEB HEI HEN HUB
JA JIA JIL JIX LIA NC SC SCH SHA SHG TAI ZHE
sulcithorax Hustache, 1916b: 135 (*Ceutorhynchus*) A: BEI FE HEB HEI HEN HUB JA JIA JIL LIA
NC SC SCH SHA SHX TAI ZHE

genus *Ceutorhynchus* Germar, 1823: 217 type species *Curculio assimilis* Paykull, 1792
Ceuthamiocolus Colonnelli, 1983b: 56 type species *Ceutorhynchus scolopax* Schultze, 1899
Ceuthorhynchidius Jacquelin du Val, 1855a: 60 type species *Curculio floralis* Paykull, 1792 (= *Curculio typhae* Herbst, 1795)
Ceuthorhynchus Agassiz, 1846: 75 [UE]
Ceuthorhynchus Schoenherr, 1837b: 475 [UE]
Ceuthorhynchidius Gemminger, 1871c: 2611 [UE]
Ceuthorhynchus Gemminger, 1871c: 2603 [UE]
Dionorenus Reitter, 1916a: 153 type species *Ceutorhynchus leucorhamma* Rosenhauer, 1856
Falciger Dejean, 1821: 84 ~~[SN]~~ type species *Curculio assimilis* Paykull, 1792 ~~[SN]~~
Heorhynchus Korotyaev, 1999a: 11 type species *Ceutorhynchus ibukianus* Hustache, 1916
Heterosirocalus Wagner, 1944c: 132 type species *Ceutorhynchus hampei* C. N. F. Brisout de Barneville, 1869
Marklissus Reitter, 1916a: 153 type species *Curculio erysimi* Fabricius, 1787
Neosirocalus Neresheimer & Wagner, 1944: 132 type species *Curculio floralis* Paykull, 1792 (= *Curculio typhae* Herbst, 1795)
Persirocalus Wagner, 1944c: 133 type species *Ceutorhynchus pulvinatus* Gyllenhal, 1837
Suboxyonyx A. Hoffmann, 1957d: 221 type species *Oxyonyx priesneri* Hustache, 1934
adustus Korotyaev, 1980: 169 A: ES MG

aeneicollis Germar, 1823: 234 E: AU BU CZ FR GE HU IT MD PL RO SB SK SP ST UK N: AG
 TU A: AB AR GG IN KZ TR
metallinus Fairmaire, 1852: 90
aenescens Schultze, 1895b: 425 A: AB AF GG IN KZ SY TD TM TR UZ
affinis C. N. F. Brisout de Barneville, 1883b: 115 A: KZ MG WS ES
ahngeri Schultze, 1902: 79 A: TM
albolimbatus Pic, 1904h: 93 N: AG LB MO TU
albosuturalis Roelofs, 1875b: 178 (*Ceuthorhynchidius*) A: BEI ~~CE~~ FE FUJ GUI HEI JA NC ~~NE NO~~
 SC SHA ~~SE~~ ZHE
alexanderi Korotyaev, 2017a: 93 A: FE
algericus C. N. F. Brisout de Barneville, 1869: 456 E: IT (Sicilia) N: AG MO TU
alliariae H. Brisout de Barneville, 1860c: 538 E: AU BE BH CZ DE FR GB GE HU IT LU MD NL
 PL RO SK SL SV SZ UK A: TR
inornatus G. R. Waterhouse, 1862a: 13
alliaricola Colonnelli, 1987b: 103 E: IT
alternans C. N. F. Brisout de Barneville, 1869: 439 E: SP
alyssi Peyerimhoff, 1925f: 282 N: MO
anatolicus Schultze, 1900c: 21 A: IN LE SY TR
anomalus Korotyaev, 1980: 151 A: TD TM UZ
apenninus Colonnelli, 2011c: 179 E: IT
aper Bedel, 1893: 104 N: AG
arator Gyllenhal, 1837b: 479 E: AU CT CZ GE HU RO SK ST UK A: AB AR ES FE GG KI KZ
 TM UZ WS
arborator Korotyaev, 1998c: 853 A: ES MG WS
argenteomontanus Korotyaev, 1980: 168 A: ES MG
arnoldii Korotyaev, 1980: 245 (*Neosirocalus*) E: ST A: AB GG KZ TR
asiaticus Korotyaev, 1997b: 422 A: FE JA MG NC SC
assimilis Paykull, 1792: 69 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU
 IR IT LA LU MD NL NR NT PL PT RO SB SK SP ST SV SZ TR UK N: AG EG LB MO TU
 A: AB AR GG IN IQ KZ SY TR WS
alauda Fabricius, 1792: 411 (*Curculio*) [HN]
elevatus Turton, 1800: 217 (*Curculio*) [RN, HN]
pleurostigma Marsham, 1802: 282 (*Curculio*)
atlasticus Hustache, 1932b: 52 N: MO
atomus Boheman, 1845: 138 E: AU BE BH BU CZ DE FI FR GB GE GR HU IT LU NL NR PL
 PT RO SB SK SL SP SV SZ TR UK N: AG MO A: AR TR
ilvensis Penecke, 1936: 218
miser Hustache, 1925a: 267
setosus Boheman, 1845: 139
attilai Korotyaev, 1997b: 415 A: TR
audisiophilus Colonnelli, 2003b: 167 E: GR
avtandili Korotyaev, 1989a: 169 E: ST A: AB GG KZ TM TR
barbareae Suffrian, 1847a: 88 E: AU BE BU BY CT CZ FI FR GE HU IT LA MC NT PL PT RO
 SB SK SL SP UK A: KZ TM TR WS
carpathicola Reitter, 1916a: 172
cyanopterus L. Redtenbacher, 1847: 380
gougeleti H. Brisout de Barneville, 1860b: 339
barkalovi Korotyaev, 1977b: 64 A: FE NAR
behnei Korotyaev, 1997b: 414 A: TR
belovi Korotyaev, 1995b: 887 A: FE
bicollaris Schultze, 1897a: 282 E: RO
bifidus Colonnelli, 1987b: 97 E: IT
biseriatus Faust, 1885b: 198 A: AB AF IN KG KZ PA TD TM TR UZ
biskrensis Pic, 1896a: 43 N: AG A: JO
squamifer Schultze, 1899c: 256
bletoni Hustache, 1941b: 174 N: MO
borisi Colonnelli, 2005b: 92 A: TR
buettikeri Colonnelli, 1985b: 371 A: SA
buniadis Penecke, 1928c: 142 E: CT PL RO ST SK UK
caietani Colonnelli, 1992b: 227 E: GR IT A: TR

canaliculatus C. N. F. Brisout de Barneville, 1869: 448 E: AU BU BY CZ GE GR HU PL RO SB SK ST UK
formosus Rybiński, 1902: 12 [HN]
kuthyi J. Frivaldszky, 1883a: 13
capillatus Schultzze, 1899c: 263 N: LB TU
capucinus Schultzze, 1902: 78 A: TD TM UZ
cardariae Korotyaev, 1992c: 825 E: MD ST UK A: AB
carinatus Gyllenhal, 1837b: 559 E: AU BH BU CR CZ FR GE GR HU IT MD RO SK SP ST SZ UK N: AG MO A: AB AR GG IN JO SY TR
cyanescens Schultzze, 1897a: 278
melanocyaneus Boheman, 1845: 166
carinicollis C. N. F. Brisout de Barneville, 1869: 457 A: SY TR
caroli Desbrochers des Loges, 1896e: 49 N: AG LB MO TU
catenulatus Korotyaev, 2013a: 83 A: SCH
chalybaeus Germar, 1823: 237 E: AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU ME NL PL PT RO SB SK SP ST SZ TR UK N: AG MO A: AB AR CY ES GG IN IQ IS JO KI KZ MG SY TD TM TR UZ WS
aneomicans Pic, 1913c: 105
moguntiacus Schultzze, 1895a: 418
timidus Weise, 1883c: 325
wellschmiedi Dieckmann, 1979: 49
chlorophanus Rouget, 1858: 752 E: AU BE BU CZ FR GE GR HU IT MC MD PL RO SK SP ST TR UK N: AG A: AR KZ TR
denticus Tempère, 1961: 95 [NA]
chobauti Schultzze, 1901b: 105 N: AG EG TU A: IS JO SY
circassicus Schultzze, 1900c: 46 E: ST A: GG
clunicularis Schultzze, 1903b: 277 E: IT (Sicilia)
coarctatus Gyllenhal, 1837b: 573 E: AU BU CZ FR GR HU MD PL RO SP SK ST SZ UK A: AB AR GG IN KZ TM TR
senilis Schultzze, 1903b: 281
cochleariae Gyllenhal, 1813: 144 [NP] (*Rhynchaenus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LU MD NL NR NT PL RO SK SL SP ST SV SZ UK A: GG KZ TR WS
armus Gmelin, 1790: 1805 [NO] (*Curculio*)
atratus Gyllenhal, 1827: 580 (*Rhynchaenus*)
austerus Gyllenhal, 1837b: 481
crenatulus Bach, 1867: 489
denticulatus Geoffroy, 1785: 125 (*Curculio*) [HN, NO]
monticola Schultzze, 1903d: 293
striatodenticulatus Goeze, 1777: 412 [NO] (*Curculio*)
coerulescens Gyllenhal, 1837b: 487 E: AU BE BU CZ GE FR NL PL PT SL SP SK UK
coeruleus Colonnelli, 2005a: 35 A: TR
commutatus Korotyaev, 1980: 145 A: MG
confusus Schultzze, 1903b: 263 E: ST A: AB AF IN KZ TD SI TM UZ
setosellus Voss, 1960a: 119
constrictus Marsham, 1802: 258 (*Curculio*) E: AU BE BU BY CT CZ GE DE FI FR GB GR HU IT LU PL RO SB SK SL SP ST SV SZ UK A: AR GG TR NARi
contractus Marsham, 1802: 250 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IC IR IT LA LU MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO LB A: AB AR CY ES FE GG IN IS KZ SY TM TR WS
flavicornis Hustache, 1914a: 112
lunariae Hustache, 1925b: 289
micros Schultzze, 1897a: 284
minutus Reich, 1797: 11 (*Curculio*) [HN]
pallipes Crotch, 1866: 133
contusicollis Colonnelli, 2005a: 28 A: TR
crassipes Korotyaev, 1980: 143 A: MG
curticornis Schultzze, 1900c: 28 N: AG LB TU
curtulus Schultzze, 1903b: 276 E: SP
curvipes Iablokoff-Khnzorian, 1971: 187 A: KZ TM
cyaneotinctus Colonnelli, 2005a: 34 E: FR SP
damascenus Schultzze, 1900c: 40 A: IS SY
dauricus Korotyaev, 1997b: 417 A: ES FE MG NC SC

davidyani Korotyaev, 1989a: 169 A: GG TR
debskii Pic, 1920e: 51 A: EG IS JO TD
dcbskii: Pic, 1920e: 51 [IOS, NA]
mirei A. Hoffmann, 1962d: 430
declivis Colonnelli, 1988: 77 E: IT
demetrii Korotyaev, 1995b: 886 A: FE
deplanatus Schultzze, 1901b: 110 A: AR IN IQ KZ TD TR UZ
descurainiae Stüben, 2016b: 3 N: CI
dieckmannianus Colonnelli, 1987a: 84 E: GR
difficilis Schultzze, 1898b: 237 E: BU ST UK A: AB AR IN TM TR UZ
dissentaneus A. Hoffmann, 1938d: 132 N: AG
doganlari Gültekin, 2005: 1 A: TR
dorofeyevi Korotyaev & Gültekin, 2004: 73 A: TR
dubius C. N. F. Brisout de Barneville, 1883b: 116 E: AU BY CZ FR GE GR HU IT LA PL RO SK
UK A: KZ MG
berteroae Penecke, 1928c: 140
duvali C. N. F. Brisout de Barneville, 1869: 448 E: AL BH FR GR IT SP TR A: IN TR
elegans Korotyaev, 1980: 155 A: MG
elidis Colonnelli, 2005b: 93 E: GR
erivanus Schultzze, 1898b: 238 A: AR GG TR
erysimi Fabricius, 1787a: 101 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ CY DE EN FI FR
GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ
TR UK N: AG A: AB AR CY ES FE GG IN KI KZ ~~NW~~-SHA SY TR WS NARi ORRi
arduus Schultzze, 1900c: 37
chloropterus Stephens, 1831b: 29 (*Nedysus*)
erysinei Fabricius, 1787a: 101 [IOS, NA]
henschi Schultzze, 1903b: 282
ignicolis Schultzze, 1901b: 109
resplendens Schultzze, 1903d: 294
viridicollis Schultzze, 1903d: 294
excelsus Colonnelli, 1997: 379 A: SCH
fabrilis Faust, 1887i: 301 E: CT ST UK A: AB AF AR ES FE GG IN KI KZ MG ~~NW~~-TD TM TR
UZ WS
elegantulus Faust, 1887i: 302
nigritarsis Schultzze, 1897a: 286
fallax Boheman, 1845: 142 E: BU FR GR HU IT MO MD RO SK SP ST TR UK N: AG MO TU
A: AB AR GG JO SY TR
albicans F. Solari, 1949a: 69
dissimilis Hustache, 1946a: 80
litoratus Schultzze, 1903d: 292 [NA]
squamosus Fauconnet, 1892: 394
farsetiarum Peyerimhoff, 1930a: 205 N: AG LB MO A: AE IS SA SI AFR
ferrarii C. N. F. Brisout de Barneville, 1869: 447 A: IS JO SY
filiae Dalla Torre, 1922: 127 [RN] A: BEI CHQ HEI JA NC SC SHA YUN
difficilis Hustache, 1916b: 142 [HN]
diffusus Hustache, 1930a: 58 [RN]
filirostris Reitter, 1888c: 271 (*Rutidosoma*) E: ST A: AB AR GG TR
svaneticus Schultzze, 1898b: 255
flitarsis Korotyaev, 1980: 183 A: UZ
flavomarginatus Lucas, 1846b: pl. 38 E: SP N: AG MO TU
flexirostris Schultzze, 1901b: 112 N: AG MO TU
forticornis Schultzze, 1900c: 34 A: IS JO SY
foveicaudis Colonnelli, 2005a: 29 A: SY
francisci Colonnelli, 1997: 379 A: TR
franzi Dieckmann, 1971b: 592 E: AU IT
frater Schultzze, 1901b: 111 N: AG TU
fulvipes Schultzze, 1895b: 427 E: SP N: AG MO TU
fulvitaris Gougelet & H. Brisout de Barneville, 1860: 336 E: AU BH BU FR GR HU IT PT SB SP
N: AG TU
cribricollis Schultzze, 1903b: 278
funicularis C. N. F. Brisout de Barneville, 1869: 445 N: AG
gallorhenanus F. Solari, 1949a: 67 E: AU BE BU BY CR CT CZ FI FR GE HU IT LA MD NT PL

PT RO SK SP ST SV SZ UK N: AG A: ES FE GG IN KI KZ TR WS

gemuricus Korotyaev, 1997b: 420 A: AB AR TR

gilvirostris K. Daniel, 1914: 293 E: SP N: MO

gottwaldi Dieckmann & Smreczyński, 1972: 338 E: ST UK A: AB AR IN KZ TM TR

gracilis Dieckmann & Smreczyński, 1972: 330 E: SP N: AG MO

granifer Schultzze, 1898b: 257 A: IS N: AG

granulicollis C. G. Thomson, 1865: 268 E: AU BY CT CZ GE HU MD NT PL RO SK ST SV SZ UK A: AR GG IN KZ WS TR

gerhardti Schultzze, 1900a: 304

grenieri Gougelet & H. Brisout de Barneville, 1860: 336 E: FR GR IT SP N: AG MO TU

temperei A. Hoffmann, 1953c: 193

griseus C. N. F. Brisout de Barneville, 1869: 450 E: AU BE BH BU BY CR CT CZ DE FI FR GE GR HU IT MC NT PL RO SB SK SP ST SV SZ UK A: AB AR GG IN SY TM TR

brevicornis Schultzze, 1897g: 311 (*Ceuthorhynchidius*)

schusteri Schultzze, 1900c: 39

gypsophilus Colonnelli, 2000: 410 E: SP

hampei C. N. F. Brisout de Barneville, 1869: 437 E: AU BE BU BY CT CZ DE EN FI FR GE GR HU IT LA MC MD NL NR PL RO SK ST SV UK A: AR KI KZ WS

hepaticus Gyllenhal, 1837b: 482 E: BE FR GB GR IT A: TR

hirsutulus Schultzze, 1898b: 242 A: TD TM UZ

hirtulus Germar, 1823: 236 E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LU MC NL NR PL PT RO NT SB SK SL SP ST SV SZ TR UK N: AG MO A: AB AR CY GG IN SY TR UZ

drabae Laboulbène, 1856: 157

humeralis Gyllenhal, 1837b: 248 A: AB AR IN TM TR

verae Korotyaev, 1980: 131

hutchinsiae Tempère, 1975: 643 E: AU FR SK SZ

ibukianus Hustache, 1916b: 143 A: JA SC

iconiensis Schultzze, 1901b: 107 A: JO TR

ignitus Germar, 1823: 234 E: AU BE BU BY CT CZ DE EN FI FR GE HU IT LA MD NL NR NT PL PT RO SK SP ST SV SZ UK A: GG KZ WS

aculeatus Penecke, 1928c: 145

galiciensis Rybiński, 1902: 12

inaffectatus Gyllenhal, 1837b: 550 E: AU BE BU CT CZ DE EN FI FR GB GE GR HU IT LA LT MD NL NR PL RO SK SP ST SV SZ UK A: AB AR GG KZ TR WS NARi

glabrirostris Gyllenhal, 1837b: 550

rufipes Gerhardt, 2011a: 337 [NA]

rufipes Gerhardt, 2011b: 2 [NA]

sulcipennis Schultzze, 1895b: 424 [HN]

veneris Dalla Torre, 1922: 133

incertus Schultzze, 1902: 72 A: KI KZ TD TM

infernalis Schultzze, 1900c: 38 A: IS SY TR

insidiator Desbrochers des Loges, 1896e: 57 N: AG MO

insidiosus C. N. F. Brisout de Barneville, 1869: 455 E: PT SP

insularis Dieckmann, 1971b: 582 E: GB IC

interjectus Schultzze, 1903b: 259 E: AU CZ GE GR HU PL RO SK UK

intermixtus Voss, 1960a: 120 A: AF TM UZ

intersetosus Weise, 1883c: 328 E: FR PT SP N: AG EG LB MO TU A: IS

isabellinus Colonnelli, 1977b: 149 N: AG LB MO

isatidis Colonnelli, 2003b: 168 A: AR TR

japonicus Korotyaev, 2004b: 147 A: JA

josefi Dieckmann, 1979: 50 E: ST A: AR GG TR

jucundus Colonnelli, 2005a: 31 N: CI

judaeus C. N. F. Brisout de Barneville, 1869: 459 A: IS JO SY

kandaharicus Voss, 1960a: 118 A: AF IN KI KZ TD TM TR UZ

karamani J. Müller, 1921: 76 E: BU CR GR MC

kashmirensis Korotyaev, 1980: 144 A: KA

kaszabi Korotyaev, 1980: 139 A: KZ MG

khnzoriani Korotyaev, 1980: 141 A: ES FE WS

kipchak Korotyaev, 1996a: 166 E: ST UK A: AB AR ES GG IN KZ TR WS

klementzorum Korotyaev, 1980: 148 A: ES FE MG WS

kolymensis Korotyaev, 1980: 134 A: FE
korotyaevi Colonnelli, 1983b: 51 [RN] E: ST A: AR GG TR
simillimus Korotyaev, 1980: 166 [HN]
lacteonotatus Colonnelli, 2005b: 91 A: AG MO
laetus Rosenhauer, 1856: 295 E: FR GR CR HU IT RO SP
barcelonicus A. Hoffmann, 1963d: 403
smaragdinus C. N. F. Brisout de Barneville, 1869: 446
landesi Tempère, 1952: 29 E: FR
languidus Schultze, 1902: 75 E: ST UK A: AR GG IN KZ TM TR UZ
perversus Schultze, 1903b: 264
leonhardi F. Solari, 1932e: 160 E: IT (Gargano)
lepidi A. Hoffmann, 1955: 1039 E: FR SP
leprieuri C. N. F. Brisout de Barneville, 1881b: 130 E: AU BH GE FR GR CR IT MA PT SL SP SZ
N: AG MO TU A: TR
obesulus Weise, 1883c: 326
ruebsaameni H.J. Kolbe, 1900: 229
letourneuxi Desbrochers des Loges, 1896e: 59 N: AG LB MO TU A: IS JO SA SI SY
demaisoni Peyerimhoff, 1931: 128
leucorhamma Rosenhauer, 1856: 293 E: FR PT SP N: MO
niveosuturalis Escalera, 1914: 477
levantinus Schultze, 1898b: 256 E: AU CZ HU IT SK ST A: GG IS SY TR
libertorum Colonnelli, 2005b: 94 E: GR
libycus Colonnelli, 1977b: 152 N: LB TU
liliputanus Schultze, 1898b: 256 E: AL AU HU RO SK A: GG MG TR UZ
krocha Korotyaev, 1980: 165
linealbatus Schultze, 1903d: 294 A: IS JO SY
linicola Korotyaev, 1980: 178 A: ES MG WS
littoralis Schultze, 1898b: 236 E: BU CR IT MC
loici Korotyaev & Gültekin, 2001: 120 A: TR
longirostris C. N. F. Brisout de Barneville, 1881b: 128 E: FR (Pyrénées)
longitarsis Schultze, 1900c: 43 A: TD TM UZ
lothari Kryzhanovskaya, 1993: 866 E: ST UK
lukesi Tyl, 1914: 3 E: AU BU CZ GR IT PL SK A: TR
lutzi Colonnelli, 2003b: 170 A: JO SY
madinae Korotyaev, 1993: 855 A: AB
magnanoi Colonnelli, 2011c: 182 E: IT
major Escalera, 1914: 479 E: AN FR IT PT SP N: AG LB MO TU
diversirostris F. Solari, 1949a: 68
hummleri F. Solari, 1949a: 69
sardeanensis Schultze, 1903d: 292 [NA]
makkabaeus Schultze, 1900a: 305 A: IN IS SY TR
malachiticus Schultze, 1900a: 299 N: AG MO
marginellus Schultze, 1902: 81 E: ST A: KZ TR
marianae Korotyaev, 2002b: 208 A: AB AR
marmoratus Korotyaev, 1980: 153 A: FE
maroccanus Schultze, 1903b: 284 N: MO
marraquensis Escalera, 1914: 476 N: MO
matisi Korotyaev, 1995b: 885 A: ES FE
matthiolae A. Hoffmann, 1955: 982 E: FR
medvedevi Korotyaev, 1980: 181 A: UZ
melitensis Schultze, 1900c: 42 E: IT MA
merkli Korotyaev, 2001b: 305 E: AU CR CZ HU MD ME SK ST UK A: AB
mesasiaticus Bajtenov, 1975c: 409 A: AF IN KZ TD TM UZ
micans C. N. F. Brisout de Barneville, 1869: 436 E: AU BH FR IT PT SP N: AG MO TU
pygmaeus Schultze, 1897a: 288 (*Ceuthorhynchidius*)
mohri Dieckmann, 1960a: 47 E: SP
montanus Colonnelli, 1997: 382 E: BU GR
moraviensis Dieckmann, 1966: 102 (*Neosirocalus*) E: AU CZ HU SK
murzini Korotyaev, 1994a: 113 A: NC
nairicus Korotyaev, 1992c: 825 A: AR TR
nanoides Colonnelli, 1987a: 81 E: IT MC

nanus Gyllenhal, 1837b: 497 **E:** AU BU CT CZ FR GE GR HU IT MD PL RO SK SL ST TR UK
A: AB AR CY GG IN KZ LE TM TR
angustus Gyllenhal, 1837b: 498
fallax Fauconnet, 1892: 394 [HN]
trivialis Faust, 1884c: 456

napi Gyllenhal, 1837b: 549 **E:** AU BE BU BY CT CZ DE FI FR GE HU IT LU NL PL RO SK SP
 SZ UK **N:** AG MO **A:** CH KZ **NARi**

nasreddinovi Korotyaev, 1980: 184 **A:** TD UZ
nematorrhinus Iablokoff-Khnzorian, 1959b: 81 **A:** AR TR
neophytus Faust, 1887l: 300 **A:** KG TD
nevadensis A. Hoffmann, 1960b: 168 **E:** SP
nigritulus Schultze, 1897a: 286 **E:** AU BE CZ GE GR HU RO SK SV UK **A:** AB TR
nikitskii Korotyaev, 1997b: 412 **E:** ST **A:** TR
nitidipennis Schultze, 1898b: 253 **A:** AB AR IN TR
nitidulus Faust, 1887h: 178 **A:** FE JA NC SC
niyazii A. Hoffmann, 1957b: 84 **E:** AU BU CZ GE GR HU MC PL RO SK ST UK **A:** AR IN KZ
 SY TR
vindobonensis Dieckmann, 1966: 104 (*Neosirocalus*)

numidicus C. N. F. Brisout de Barneville, 1869: 439 **E:** IT (Sicilia) **N:** AG MO TU
mus Desbrochers des Loges, 1896e: 56
punicus Schultze, 1899c: 265

obstrictus Marsham, 1802: 255 [NP] (*Curculio*) **E:** AU BE BU BY CR CT CZ DE EN FI FR GB GE
 GR HU IR IT LA LS LT LU MD ME NL NR NT NP PL PT RO SB SK SL SP ST SV SZ TR
 UK **A:** AB IN KZ MG SCi TR **NARi**
brassicae Focillon, 1852: 124 (*Grypidius*)
napobrassicae Bjerkaner, 1780: 195 [NO] (*Curculio*)

oculatus Colonnelli, 1987b: 108 **E:** GR (Sámos) **A:** TR
opacus Korotyaev, 1980: 135 **A:** SCH
osellai Colonnelli, 1984a: 41 **E:** GR IT

pallidactylus Marsham, 1802: 259 (*Curculio*) **E:** AU BE BU BY CT CY CZ DE EN FI FR GB GE
 GR HU IR IT LA LS LT LU MA MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR
 UK **N:** Ci AG LB MO MRi TU **A:** AB CY GG IN IS JO KZ LE SY TR **AFRi NARi ORRi**
annulipes A. Hoffmann, 1933: 202
quadridens Panzer, 1795b: 302 (*Curculio*) [HN]
seriesetosus Dietz, 1896: 422

pandellei C. N. F. Brisout de Barneville, 1869: 446 **E:** AU BU FR GE HU PL RO SK SP ST SZ **A:**
 TR
breiti Hustache, 1925b: 295

panousei A. Hoffmann, 1953b: 138 **N:** AG MO
pantellarianus A. Hoffmann, 1964c: 88 **E:** GR IT
raffrayanus Colonnelli, 1976: 337

paroliniae Krátký, 2016b: 2 **N:** CI (Gran Canaria)

parvulus C. N. F. Brisout de Barneville, 1869: 441 **E:** AU BE BU CZ DE FR GB GE HU IT PL RO
 SK SP SZ UK

pectoralis Weise, 1895: 437 **E:** AU BE BU BY CZ DE FR GB GE IT HU LA NL NT PL RO SK SP
 SZ UK **A:** AB KZ TR WS

perasper Peyerimhoff, 1924a: 64 **N:** AG TU
perpusillus Colonnelli, 2005b: 97 **A:** TR

perrisi C. N. F. Brisout de Barneville, 1869: 436 **E:** FR RO SL SP SZ
carniolicus Schultze, 1897a: 287 (*Ceuthorhynchidius*)

pervicax Weise, 1883c: 331 **E:** AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LU
 MD NL NT PL RO SK SL ST SV SZ UK **A:** ES GG KZ TR WS
piriformis Schultze, 1897a: 277

peyerimhoffi Hustache, 1916a: 69 **E:** GR IT SP **N:** AG
piceolatus C. N. F. Brisout de Barneville, 1883b: 113 (*Ceuthorhynchidius*) **E:** CT ST UK **A:** AB ES
 GG KZ MG TM WS

pictarsis Gyllenhal, 1837b: 546 [NP] **E:** AU BE BU BY CT CZ FR GB GE GR HU IT LA LS LT
 LU MD NL PL PT RO SB SK SL SP ST SZ TR UK **N:** AG EG MO TU **A:** AB AR GG IN IS
 TM TR
poncyi Stierlin, 1899b: 369
scutellaris Brullé, 1832b: 249 [NO]
tarsalis Boheman, 1845: 167

pierrei Roudier, 1954c: 61 N: AG
pinguis Colonnelli, 1987b: 111 E: IT
pinicillus Schultze, 1900c: 31 N: AG
pistor Schultze, 1902: 73 E: ST A: KI KZ TD TM UZ
planidorsum Schultze, 1900c: 27 N: AG TU
plumbeus C. N. F. Brisout de Barneville, 1869: 450 E: AU BE BU BY CZ FR GE IT LA MD NT
 PL RO SK UK A: AB WS
moldavicus Penecke, 1935b: 296 (*Botezatia*)
podlussanyi Colonnelli, 2003b: 171 A: TR
posthumus Germar, 1823: 237 E: AU BE BH BU CR CT CZ DE FR GE GR HU IT LA NL PL PT
 RO SB SK SL SP ST SV SZ TR UK A: AB TR
asperulus Boheman, 1845: 140
poweri Rye, 1864: 137
potanini Korotyaev, 1980: 167 E: CT ST A: ES MG
pravus Colonnelli, 2005b: 95 E: GR
priesneri Hustache, 1934c: 144 (*Oxyonyx*) A: SI TR
problematicus Korotyaev, 1980: 159 A: FE
pseudoarator Korotyaev, 1989a: 167 E: ST A: AB AR ES GG TR WS
pseudosirocalus Korotyaev, 1980: 163 A: TD
psoropygus Iablokoff-Khnzorian, 1971: 191 E: ST UK A: AB KZ TM
syreniae Arnol'di & Khryzhanovskaya, 1973: 388
pulvinatus Gyllenhal, 1837b: 248 E: AU BE BU BY CT CZ DE EN FI FR GB GE GR HU IT LA
 LU MD NL NR PL RO SK SP ST SV SZ UK A: AB AF AR ES GG IN KZ MG TM TR UZ
 WS
achilleae Gyllenhal, 1837b: 497
convexus Voss, 1960a: 116 (*Neosirocalus*)
satrapa Voss, 1967: 310 (*Neosirocalus*)
pumilio Gyllenhal, 1827: 578 (*Rhynchaenus*) E: AU BE BH BY CR CZ GE DE FR GB IT LU MC
 NL PL PT SK SP SV SZ UK A: AR
puncticollis Boheman, 1845: 165 E: AU BH BU BY CT CZ FI FR GE GR HU IT MD PL RO SK
 SP SV UK A: KZ WS
podolicus Smreczyński, 1939: 47
pyrenaeus C. N. F. Brisout de Barneville, 1869: 439 E: FR SP
pyrrhorhynchus canariensis Har. Lindberg, 1950: 19 N: CI
pyrrhorhynchus pyrrhorhynchus Marsham, 1802: 257 (*Curculio*) E: AN AU BE BU BY CR CT CZ DE
 FI FR GB GE GR HU IR LU NL NR PL PT RO SK SP SV SZ TR UK N: AG MO
dilucidipes Voss, 1936b: 60 (*Sirocalus*)
erythrorhynchus Gyllenhal, 1837b: 496
phaeorhynchus Marsham, 1802: 258 (*Curculio*)
ruficus Marsham, 1802: 258 (*Curculio*)
querceti Gyllenhal, 1813: 149 (*Rhynchaenus*) E: BE BY CA CT DE FI FR GB GE HU IT NL NR PL
 RO NT SL SP ST SV UK A: ES FE KZ MG WS NAR
fulvotertius Fall, 1926: 206
haemorrhoidalis Motschulsky, 1860b: 156
pusio Mannerheim, 1852: 355
rapae Gyllenhal, 1837b: 547 [NP] E: AU BE BH BU BY CA CT CZ DE EN FI FR GB GE GR HU
 IT LA LT MD NL NR NT PL PT RO SK ST SV SP SZ UK A: AB AR CH ES FE GG IN KI
 KZ MG QIN SHA TR UZ WS XIN NAR
affluentus Dietz, 1896: 421
tuber Reich, 1797: 7 [NO] (*Curculio*)
resedae Marsham, 1802: 256 (*Curculio*) E: AU BE BH DE GE FR GB IT NL PT RO SP SZ N: AG
 TU
rhenanus Schultze, 1895b: 424 (*Ceuthorhynchidius*) E: AU BE BY CT CZ DE FR GE HU IT LA NL
 NR PL RO SK SP ST SV UK A: AR ES KZ MG WS
hardouini A. Hoffmann, 1935a: 73
roberti Gyllenhal, 1837b: 548 E: AU BE BH BU BY CT CZ FI FR GE GR HU IT LU MD NL NR
 NT PL RO SK SL SP ST SV SZ UK N: AG A: AB AR GG IN TM TR WS
intermedius C. N. F. Brisout de Barneville, 1869: 449
thlasphilus Penecke, 1928c: 143
robustus Korotyaev, 1980: 136 E: CT A: ES FE SC MG WS
romani Colonnelli, 2005a: 32 E: SP
romashovi Korotyaev, 1989a: 168 A: GG

rufipes C. N. F. Brisout de Barneville, 1869: 440 E: SP N: AG MO
rugicollis C. N. F. Brisout de Barneville, 1869: 444 E: SP N: AG MO TU
syrtanus Normand, 1937: 268
rusticus Gyllenhal, 1837b: 542 E: GE FR GR IT PT RO SP A: WS ES
vocifer Rottenberg, 1872: 238
saccoi Colonnelli, 2005a: 30 A: TR
sareptanus Schultze, 1897g: 324 E: ST A: AB
satanas Colonnelli, 2005b: 89 E: IT N: AG
scapularis Gyllenhal, 1837b: 555 E: AU BE BU BY CR CT CZ DE FI FR GE HU IT LT LU NL
NT PL RO SB SK SV SZ UK A: BEI ES FE HEI KZ SC WS
obscuricyaneus Gyllenhal, 1837b: 556
schatzmayri Colonnelli, 1977b: 146 N: AG LB TU
schoenherrii C. N. F. Brisout de Barneville, 1869: 451 E: BE FR GR N: AG
scolopax Schultze, 1899c: 258 N: AG MO
scrobicollis Neresheimer & Wagner, 1924: 159 E: AU BH BU CZ GE FR HU IT LU MD PL SK SZ
UK A: AB
scytha Korotyaev, 1980: 146 E: ST A: KZ
seniculus C. N. F. Brisout de Barneville, 1883b: 117 A: ES FE MG NMO SHA SHG
changaicus Schultze, 1898b: 258
gobiensis Voss, 1967: 312
sergii Korotyaev, 1989a: 165 A: AB AR GG TR
similis C. N. F. Brisout de Barneville, 1869: 441 E: AU BE BU CZ GE FR GR HU IT MC RO SK
SL SP UK A: TR
simulans Korotyaev, 1980: 141 A: ES MG WS
sinapicola Dieckmann, 1975c: 204 E: BU UK A: AR KZ SY TR
sinicus Voss, 1958b: 73 (*Neosirocalus*) A: FUJ JA SC
sisymbrii Dieckmann, 1966: 105 (*Neosirocalus*) E: AU BU CZ GE GR HU IN MD PL RO SK ST
UK A: AB AR GG IN KI KZ TR WS
smirnoffi A. Hoffmann, 1962c: 127 N: MO
sodalis Colonnelli, 1987b: 101 E: ST A: GG
solarius Angelov, 1971b: 121 E: BU
sophiae Gyllenhal, 1837b: 551 E: AU CR CT CZ FR GE GR HU IT MD PL RO SB SK SP ST SV
SZ UK A: AB AR ES GG IN KI KZ TD TM TR WS
mendicus Reitter, 1896b: 46
misellus Gyllenhal, 1837b: 553
neutralis Gyllenhal, 1837b: 552
sordidus Faust, 1885b: 198 A: KZ TM UZ
gilvicornis Schultze, 1902: 86
sphaerula Korotyaev, 2007: 253 A: SCH
squamulosus C. N. F. Brisout de Barneville, 1869: 456 E: PT SP
steineri Roudier, 1957d: 259 E: SP
striatellus Schultze, 1900c: 36 E: AL AU BU BY CR CZ FR GE GR HU IT MC MD PL SK SP SZ
UK A: AR JO KZ SY TR
angustus Dieckmann & Smreczyński, 1972: 331
subcoeruleipennis Voss, 1958b: 74 A: ~~CE~~ FE FUJ SHG
philippovi Korotyaev, 1980: 230
subpilosus C. N. F. Brisout de Barneville, 1869: 451 E: AU BU CT CZ FR GR HU IT MD RO SP
SK UK A: AR GG IN TR
graecus Penecke, 1935b: 298 (*Botezattia*)
lodosi A. Hoffmann, 1957b: 84
subtilirostris Schultze, 1902: 70 A: IN KI KZ TK UZ
sulcatus C. N. F. Brisout de Barneville, 1869: 448 E: AU BU BY CT CZ HU MD PL RO SK SP ST
UK A: GG IN SY TR
sulcicollis Paykull, 1800: 217 (*Curculio*) E: AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR
HU IT LA LT LU MD NL NR PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A:
AB AR ES GG IN IQ IS KZ SY TM TR WS
aeneipennis C. N. F. Brisout de Barneville, 1883b: 115
cyanipennis Germar, 1823: 235
erucastris A. Hoffmann, 1955: 1025
spenicus Schultze, 1901b: 108
supercilius Voss, 1960a: 121 A: AF TM UZ
suturellus Gyllenhal, 1837b: 558 E: RO ST UK A: GG

syriacus Schultze, 1903c: 289 [RN] A: IS JO SY
carinifrons Schultze, 1900c: 33 [HN]
syrites Germar, 1823: 232 E: AU BE BU CT CZ DE FR GB GE HU IT LA MD NL NT PL RO NT
SK SL SP ST SV SZ UK A: AB AR ES FE GG IN KI KZ ~~NW~~-TR WS XIN
affinis Panzer, 1798: 15 (*Curculio*) [HN]
talickyi Korotyaev, 1980: 134 E: AU BU CZ FR GR HU IT MD SK SP ST UK A: AB TR
strejceki Dieckmann, 1981: 180
tangerianus Schultze, 1900c: 47 N: MO TU
tarsatus Schultze, 1899c: 264 N: AG
tatricus Krátký, 2012: 260 E: SK
tenuirostris Rosenhauer, 1856: 292 E: SP
tesquorum Korotyaev, 1980: 171 E: CT A: ES MG
testatus Faust, 1890f: 472 A: ES IN KZ MG ~~NW~~-TM XIN
testudinella Schultze, 1903b: 279 A: AR
theonae Korotyaev & Cholokava, 1989: 166 E: ST A: AB AR GG
theryi Peyerimhoff, 1932c: 5 N: AG
thlaspi C. N. F. Brisout de Barneville, 1869: 440 E: BE FR IT LU SP
thlaspivorus Colonnelli, 2005b: 96 A: TR
thomsoni H.J. Kolbe, 1900: 232 E: DE GE FI FR GB NR SV
tibialis Boheman, 1845: 162 E: IT FR PL PT SP N: AG MO TU
caesius Schultze, 1903d: 294
kabyliensis A. Hoffmann, 1962c: 127
nigripes Schultze, 1903d: 294
normandi A. Hoffmann, 1953c: 193
tolerans Faust, 1887i: 300 A: AF IN KI KZ ~~NW~~-TD TM TR UZ
tolli Korotyaev, 1980: 162 A: ES
trichovenstris Białocki & Szypula, 2006a: 269 A: TR
tubulatus Schultze, 1897a: 273 N: AG TU
turanensis Korotyaev, 1988b: 153 A: TM
turbatus Schultze, 1903b: 284 E: AU BE BU CZ DE FR GB GE GR HU IT MD PL RO SB SK ST
SZ TR UK A: AB AF AR GG IN KZ SY TD TM TR UZ WS
turbatoides Voss, 1960a: 117
typhae Herbst, 1795: 415 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR
IT LA LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES
GG KI KZ TR UZ WS **NAR**
cakilis Hansen, 1917: 355 (*Ceuthorhynchidius*)
floralis Paykull, 1792: 77 (*Curculio*) [HN]
fossarum Reich, 1797: 9 (*Curculio*)
foveatus Gerhardt, 1911a: 337 [HN]
foveolatus Gerhardt, 1911b: 2 [HN]
monostigma Stephens, 1831c: 31 (*Nedyus*)
palustris Edmonds, 1930: 24 (*Ceuthorhynchidius*)
puberulus LeConte, 1876: 279
septentrionalis Gyllenhal, 1837b: 492
sulculus Stephens, 1831c: 32 (*Nedyus*)
unguicularis C. G. Thomson, 1871: 391 E: AU BE BU CZ DE FI FR GB GE GR HU IR IT LU MC
MG NR PL RO SB SK SL SP ST SV SZ UK A: ES FE MG TR WS
curvirostris Schultze, 1898b: 240
delphinensis Hustache, 1914a: 113
ussuricus Korotyaev, 1997b: 419 A: FE NC SC
varius Rey, 1895d: 37 E: AU BU CZ FR GR HU SK PL
verticalis Colonnelli, 1992b: 231 E: IT
viator Faust, 1885b: 196 E: CT N: EG A: AB AR GG IN KI KZ SI TD TM TR UZ
villiersi Tempère, 1984b: 56 E: FR SP
vinokurovi Korotyaev, 2011: 52 A: FE **NAR**
viridanus Gyllenhal, 1837b: 557 E: AU BU FR HU NR RO SP ST UK A: AB AR ES FE GG IN
KI KZ TR UZ WS
viridipennis C. N. F. Brisout de Barneville, 1869: 446 E: FR GR CR IT PT SP TR N: AG A: TR
granipennis Weise, 1883c: 326
julianus Reitter, 1916a: 172
viturati Pic, 1902k: 1 [RN] N: AG LB TU
biskrensis Schultze, 1899c: 257 [HN]
vesceræ Colonnelli, 1977b: 140 [RN]

voriseki Dieckmann, 1975c: 206 (*Neosirocalus*) A: KZ UZ
vorisekianus Colonnelli, 1983b: 49 A: GG
wagneri Smreczyński, 1937: 271 E: AU CZ FR GR HU IT PL RO SK A: IN TR
waltheri Schultze, 1903c: 289 [RN] N: LB TU
 horni Schultze, 1898b: 235 [HN]
wasabi Yoshitake, 2011: 294 A: JA
weisei Schultze, 1898b: 250 A: AR GG TR
xanthopus Colonnelli, 1977b: 142 N: AG LB MO TU
zherichini Korotyaev, 2017a: 95 A: FE

genus *Coeliastes* Weise, 1883b: 256 type species *Curculio lamii* Fabricius, 1792
lamii Fabricius, 1792: 437 (*Curculio*) E: AU BE BU BY CT CZ DE FR GE GR HU IT LA LU MD
NL PL RO SB SK SL SP ST TR UK N: AG MO TU A: AR GG IN TR
 abruptestriatus Gyllenhal, 1837b: 521 (*Ceutorhynchus*)
 congener Förster, 1849: 28 (*Coeliodes*)
 leucompix Betta, 1857: 58 (*Ceutorhynchus*)
 mendosus Gyllenhal, 1837b: 529 (*Ceutorhynchus*)
 punctulum Herbst, 1795: 407 (*Curculio*)
 suspectus A. Hoffmann, 1960a: 20 (*Ceutorhynchus*)
nitidus Colonnelli, 1978c: 92 A: IS JO LE SY TR
rustemi Korotyaev, Gültekin & Colonnelli, 2002: 1273 A: TR

genus *Coeliodes* Schoenherr, 1837b: 282 type species *Curculio quercus* sensu Fabricius, 1787 (= *Curculio rana* Fabricius, 1787)
 Megacetes C. G. Thomson, 1859: 139 type species *Curculio quercus* sensu Fabricius, 1787 (= *Curculio rana* Fabricius, 1787)
aequabilis Schultze, 1898b: 227 E: GR A: SY TR
amamianus Yoshitake, 1999: 88 A: JA
angulipennis F. Solari, 1940a: 36 E: IT
assimilis Yoshitake & Kojima, 2001: 445 A: TAI
babai Voss & Chûjô, 1960: 1 A: FE JA SC SHA
 brunneus: Hong, Egorov & Korotyaev, 2000: 164 [NA]
 nakanoensis: Nakane, 1963c: 373 [NA]
 zinovjevi Korotyaev, 1997c: 627
castaneus Korotyaev, 1997c: 628 A: TAI
caucasius Colonnelli, 1997: 383 E: ST A: AR GG
dentipes Schultze, 1899c: 255 N: AG TU
edoughensis Desbrochers des Loges, 1896e: 51 N: AG TU
 desbrochersi Schultze, 1898b: 229
formosanus Yoshitake & Kojima, 2001: 450 A: TAI
gokani Yoshitake, 2000: 212 A: TAI
gressitti Korotyaev, 1997c: 628 A: TAI
ilicis Bedel, 1885c: 164 (*Ceutorhynchus*) E: BE BH GE FR GR IT PT SP N: AG MO A: IS JO SY
TR
 bicoloratus Desbrochers des Loges, 1896e: 51
insignis Yoshitake & Kojima, 2001: 446 A: TAI
jelineki Colonnelli, 1997: 384 A: IN IQ
 mesopotamicus Korotyaev, 1997b: 384
kasparyani Korotyaev, 1997c: 626 A: FE
longirostris Yoshitake & Kojima, 2001: 443 A: TAI
major Yoshitake & Kojima, 2001: 440 A: TAI
nakanoensis Hustache, 1916b: 114 A: FE HEI JA SC
proximus Schultze, 1895b: 422 E: AU BH CR CZ HU IT RO SK A: TR
 stilleri Reitter, 1913d: 174
rana Fabricius, 1787a: 101 (*Curculio*) E: AU BE BU BY CT CZ DE FI FR GB GE GR HU IR IT
LA LU MD NL NR PL PT RO SB SK SL SP ST SV SZ UK A: AR GG
 dryados Gmelin, 1790: 1748 (*Curculio*)
 melanorhynchus Marsham, 1802: 250 (*Curculio*)
 pallens Marsham, 1802: 251 (*Curculio*)
ruber Marsham, 1802: 251 (*Curculio*) E: AU BE BU CR CT CZ DE FI FR GB GE GR HU IR IT
LU MD NL NR PL PT RO SK SP SV SZ UK N: AG MO A: AR GG IN IS SY TR
 brevirostris Schultze, 1898b: 226
 chobauti Hustache, 1946b: 139

firmicornis Schultz, 1897g: 305
mannerheimii Gyllenhal, 1837b: 298
maroccanus Hustache, 1946b: 139
nigrotibialis A. Hoffmann, 1955: 866
plagiatus Desbrochers des Loges, 1896e: 50
rufirostris Stephens, 1831b: 23 (*Ceutorhynchus*)
simulans Faust, 1889a: 90
siculus Schultz, 1901a: 93 E: CZ IT RO SK A: TR
sinensis Korotyaev, 1997c: 628 A: SCH
solarii Baccetti, 1959: 2 E: IT
subfarinosus Schultz, 1898b: 228 N: AG MO TU
mathieui Hustache, 1926b: 156
subplagiatus Desbrochers des Loges, 1898g: 31
taiwanensis Yoshitake & Kojima, 2001: 453 A: TAI
tibetanus Yoshitake & Huang, 2015: 508 A: XIZ
transversealbofasciatus Goeze, 1777: 412 (*Curculio*) E: AU BE BU BY CT CZ DE FR GB GE GR HU
IR IT LU MD NL NR PL PT RO SB SK SL SP ST SV SZ UK N: MO A: AB AR CY GG IN
SY TR
andalusicus Schultz, 1903d: 292
cinctus Geoffroy, 1785: 124 (*Curculio*) [HN]
devillei A. Hoffmann, 1955: 862
erythroleucos Gmelin, 1790: 1805 (*Curculio*)
subrufus Herbst, 1795: 418 (*Curculio*) [HN]
tricinatus Olivier, 1791: 497 (*Curculio*) [RN]
trifasciatus Bach, 1854: 332 E: AU BE BU BY CZ FR GE HU IT LA LU MD NL PL RO SK SP ST
SZ UK A: AR GG TR
pallidulus Schultz, 1897a: 261
strigirostris Schultz, 1901b: 97
uedai Yoshitake & Kojima, 2001: 451 A: TAI
wewalkai Dieckmann, 1979: 54 E: GR N: LB A: TR

genus *Coeliodinus* Dieckmann, 1972: 39 type species *Coeliodinus phrymos* Alonso-Zarazaga & Colonnelli, 2017

brunneus Hustache, 1916b: 117 (*Coeliodes*) A: JA
etorofuensis Kôno, 1935b: 104 (*Coeliodes*) A: FE JA
insularis Korotyaev, 1997c: 624 (*Coeliodes*)
nigritarsis Hartmann, 1895: 315 (*Coeliodes*) E: AU BY CZ DE EN FI FR GB GE NL NR NT PL RO
SK SV SZ UK A: ES WS
parcesquamosus Hustache, 1916b: 115 (*Coeliodes*) A: FE JA
phrymos Alonso-Zarazaga & Colonnelli, 2017: 331 E: AU BE BY CT CZ DE EN FI FR GB GE
HU IR IT LA LU NL NR NT PL PT RO SK SL SP SV SZ UK A: AR GG IN KZ WS
melanocephalus Marsham, 1802: 253 (*Curculio*) [HN]
rubicundus: Paykull, 1800: 263 (*Curculio*) [NA]
sibiricus Reitter, 1916a: 146 (*Coeliodes*) A: ES FE NC
subrubicundus Reitter, 1916a: 146 (*Coeliodes*) A: ES

genus *Conocoeliodes* Korotyaev, 1996b: 462 type species *Coeliodes setifer* Schultz, 1898
setifer Schultz, 1898b: 225 (*Coeliodes*) A: ~~CH~~ FUJ JA ZHE

genus *Datonychidius* Korotyaev, 1997b: 392 type species *Coeliodes tener* Reitter, 1888
distinctepubens Pic, 1908c: 34 (*Ceutorhynchus*) A: SY TR
tener Reitter, 1888d: 432 (*Coeliodes*) E: GR
atticus Schultz, 1903b: 269 (*Ceutorhynchus*)

genus *Datonychus* Wagner, 1944c: 132 type species *Curculio arquata* Herbst, 1795
akbesianus Pic, 1908c: 34 (*Ceutorhynchus*) A: TR
angulosus Boheman, 1845: 161 (*Ceutorhynchus*) E: AU BE BY CR CT CZ DE FR GB GE HU IR IT
LU NL PL RO SK ST SV SZ UK A: KI KZ WS
balsaminae Guillebeau, 1885b: 3 (*Ceutorhynchus*)
arquata Herbst, 1795: 396 (*Curculio*) E: AU BE BH BU BY CR CT CZ FR GB GE HU IR IT LA
MD NL PL PT RO NT SB SK SP ST SZ UK N: AG A: ES FE GG KZ TM WS
elegantulus A. Hoffmann, 1955: 965 (*Ceutorhynchus*) [HN]
occultus Gyllenhal, 1837b: 530 (*Ceutorhynchus*)

uliginosus Boheman, 1845: 150 (*Ceutorhynchus*)
delicatulus Hustache, 1946a: 79 (*Ceutorhynchus*) E: SP N: MO
derennei Guilleaume, 1936: 193 (*Ceutorhynchus*) E: BE CT CZ FR GE HU PL SK UK
magnini A. Hoffmann, 1939b: 154 (*Ceutorhynchus*)
glocianooides Korotyaev, 2004a: 33 A: IS
gultekini Colonnelli, 2011a: 193 A: TR
janus Korotyaev, 1981: 156 (*Ceutorhynchus*) A: AR TR
kostali Colonnelli, 2011a: 193 A: IN
libertinus A. Hoffmann, 1953b: 138 (*Ceutorhynchus*) N: MO
maurus Schultze, 1899c: 262 (*Ceutorhynchus*) E: FR IT N: AG CI MO
melanostictus Marsham, 1802: 282 (*Curculio*) E: AU BE BU CZ DE FR GB GE GR HU IT LS LU MD NL PL PT RO SB SK SP ST SV SZ UK N: AG MO A: AB AR GG IN JO KI SY TM TR UZ
concinus Gyllenhal, 1837b: 531 (*Ceutorhynchus*)
lycopi Gyllenhal, 1837b: 533 (*Ceutorhynchus*)
murinus Gyllenhal, 1837b: 537 (*Ceutorhynchus*)
obtusicollis Gyllenhal, 1837b: 554 (*Ceutorhynchus*)
peneckeii Wagner, 1928a: 286 (*Ceutorhynchus*)
perturbatus Gyllenhal, 1837b: 534 (*Ceutorhynchus*)
splichali Schultze, 1901b: 102 (*Ceutorhynchus*)
stenbergi C. G. Thomson, 1868: 344 (*Ceutorhynchus*)
testaceitarsis Pic, 1908c: 34 (*Marmaropus*)
mysticus Kolenati, 1859b: 380 [DA] (*Coeliodes*) A: IN SY TR
paszlawszkyi Kuthy, 1890: 7 (*Ceutorhynchus*) E: AU BU CZ GE HU PL RO SK ST UK A: TR
praeclarus Schultze, 1897g: 321 (*Ceutorhynchus*)
plastus Faust, 1889e: 207 (*Ceutorhynchus*) A: AB AR
pauper Reitter, 1896b: 44 (*Ceutorhynchus*)
quadrangularis Schultze, 1897a: 285 (*Ceutorhynchus*)
scabrirostris Hochhuth, 1847: 575 (*Ceutorhynchus*) E: HU RO SK SL UK A: AB AR GG IN TR
brisouti J. Frivaldszky, 1889: 163 (*Ceutorhynchus*) [HN]
frivaldszkyi Schultze, 1897b: 291 (*Ceutorhynchus*) [RN]
scobinatus Schultze, 1899c: 261 (*Ceutorhynchus*) N: AG TU
baborensis Pic, 1904h: 93 (*Ceutorhynchus*)
sunicus Iablokoff-Khznorian, 1964: 180 (*Ceutorhynchus*) A: AR
terminassianae Colonnelli, 2011a: 192 A: BEI ZHE
transsylvanicus Schultze, 1897g: 323 (*Ceutorhynchus*) E: BU GR HU PL RO UK
urticae Boheman, 1845: 151 (*Ceutorhynchus*) E: AU BE BU CR CZ DE FR GB GE GR HU IT NL PL RO SK SP SZ UK A: AR IN
jacqueti Faust, 1889i: 231 [RN]
stachydis Faust, 1888c: 171 (*Ceutorhynchus*)
stachydis Jacquet, 1889b: cv (*Ceutorhynchus*)
volkovitshi Korotyaev, 1997b: 390 A: TM

genus *Dieckmannius* Colonnelli, 1987c: 139 type species *Ceutorhynchus sexnotatus* Schultze, 1899
ingens Colonnelli, 1993: 388 A: BT NP SD YUN
lewisii Hustache, 1916b: 136 (*Ceutorhynchus*) A: JA SCH
sexnotatus Schultze, 1899c: 190 (*Ceutorhynchus*) A: BT NP SD YUN
camerunensis Hustache, 1930b: 78 (*Ceutorhynchus*)

genus *Druppenatus* Reitter, 1913a: 71 type species *Ceutorhynchus nasturtii* Germar, 1823
Drusenatus Reitter, 1916a: 180 type species *Ceutorhynchus nasturtii* Germar, 1823
nasturtii Germar, 1823: 233 (*Ceutorhynchus*) E: AU BE BU DE GE AG FR GB GR CR IT LU MO NL SL SP SZ A: TR
nasturtii Stephens, 1831b: 16 (*Miarus*) [HN]
olivaceus Gyllenhal, 1837b: 592 (*Poophagus*)

genus *Ectamnogaster* Schultze, 1903c: 287 [RN] type species *Coelogaster caviventris* Schultze, 1897
Coelogaster Schultze, 1897a: 262 [HN]
caviventris Schultze, 1897a: 262 (*Coelogaster*) E: PT SP N: AG MO
favaracqi Pic, 1908c: 35 (*Ceutorhynchus*)
laportei A. Hoffmann, 1957b: 83 (*Ceutorhynchus*)
tunisea Normand, 1937: 267 (*Ceutorhynchus*)

genus *Eremonyx* Peyerimhoff, 1927d: 262 type species *Ceutorhynchus zurlo* C. N. F. Brisout de Barneville, 1869

abeillei Schultze, 1900a: 297 (*Ceutorhynchus*) N: AG

zurlo C. N. F. Brisout de Barneville, 1869: 443 (*Ceutorhynchus*) N: AG LB AFR

genus *Ethelcus* Reitter, 1916a: 152 type species *Ceutorhynchus verrucatus* Gyllenhal, 1837

Orethelcus Reitter, 1916a: 152 type species *Coeliodes dohrni* Faust, 1885

denticulatus Schrank, 1781: 107 (*Curculio*) E: AR AU BE BU CZ FR GE GR HU LU MC MD NL

PL PT RO SK SL SP SZ TR UK A: AR GG IN SY TR

biguttatus L. Redtenbacher, 1847: 383 (*Ceutorhynchus*) [HN]

contusus Perris, 1858: 145 (*Ceutorhynchus*)

dentatus Panzer, 1798a: 13 (*Curculio*) [HN]

denticulatus Olivier, 1807: 136 (*Rhynchaenus*) [URN, HN]

parnassicus Pic, 1908c: 35 (*Ceutorhynchus*)

dohrni Faust, 1885b: 189 (*Coeliodes*) A: AF IN KI KZ TD TM UZ

verrucatus Gyllenhal, 1837b: 541 (*Ceutorhynchus*) E: FR GB GE IT MD UK A: AR GG IN SY TR

biguttatus Boheman, 1845: 158 (*Ceutorhynchus*)

raphaelensis Chevrolat, 1859c: xviii (*Ceutorhynchus*)

genus *Eucoeliodes* Smreczyński, 1974: 65 type species *Coeliodes zonatus* Germar, 1844 (= *Falciger mirabilis* A. Villa & G. B. Villa, 1835)

Eucoelioidinus Colonnelli, 1984c: 225 type species *Falciger mirabilis* A. Villa & G. B. Villa, 1835

mirabilis A. Villa & G. B. Villa, 1835: 49 (*Falciger*) E: AU CZ GE CR HU IT SK SL SZ

zonatus Germar, 1844: 9 (*Coeliodes*)

genus *Euoxyonyx* Korotyaev, 1982: 71 type species *Oxyonyx inornatus* Schultze, 1903

inornatus Schultze, 1903b: 241 (*Oxyonyx*) A: TD TM

intermedius Korotyaev, 1982: 74 A: KZ MG

lukjanovitschi Korotyaev, 1982: 72 A: AB IN IQ KI KZ MG TD

zaslavskii Korotyaev, 1982: 74 A: KI

genus *Fossoronyx* Korotyaev, 1982: 78 type species *Platygasteronyx kaszabi* Bajtenov, 1978

kaszabi Bajtenov, 1978a: 15 (*Platygasteronyx*) A: KZ MG TM

remaudierei A. Hoffmann, 1963a: 91 (*Paroxyonyx*) A: IN KI KZ MG TM UZ

genus *Glocianus* Reitter, 1916a: 153 type species *Curculio marginatus* Paykull, 1792 (= *Ceutorhynchus distinctus* C. N. F. Brisout de Barneville, 1870)

Neoglocianus Dieckmann, 1972: 85 type species *Curculio maculaalba* Herbst, 1795

Preneodus Reitter, 1916a: 153 type species *Ceuthorrhynchus inhumeralis* Schultze, 1897

africanus Schultze, 1899c: 265 (*Ceutorhynchus*) E: IT (Sicilia) SP N: AG TU

albovittatus Germar, 1823: 231 (*Ceutorhynchus*) E: AU BU CZ FR GR HU IT RO SK ST TR UK A: AR GG IN IS SY TR

bituberculatus Faust, 1888c: 168 (*Ceutorhynchus*) A: KZ TD TM UZ

akibaensis Ter-Minasian, 1974b: 941 (*Platygasteronyx*)

brevicollis Schultze, 1897a: 274 (*Ceutorhynchus*) E: AU BH BU HU RO SK ST UK A: AB AR GG IN SY TR

bucharensis Schultze, 1902: 88 (*Ceutorhynchus*) A: AF KI UZ

cupidus Faust, 1895c: 106 (*Ceutorhynchus*) A: ES

distinctus C. N. F. Brisout de Barneville, 1870a: 42 (*Ceutorhynchus*) E: AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LS LU MD NL NT PL RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB AR GG KZ SY TM TR UZ WS

marginatus Paykull, 1792: 27 (*Curculio*) [HN]

simillimus Edwards, 1911: 209 (*Ceutorhynchus*)

fennicus Faust, 1895e: 361 (*Ceutorhynchus*) E: AU BY CZ DE FI GE GR HU LA NR NT RO PL SK SL SP SV TR UK A: AR ES FE GG IN KZ SC TR WS

albonebulosus Hansen, 1917: 352 (*Ceutorhynchus*)

gammeli Hajóss, 1929: 25 (*Ceutorhynchus*)

gyllenhalii Faust, 1890a: 105 (*Ceutorhynchus*) [HN]

sparsutus Schultze, 1899c: 267 (*Ceutorhynchus*)

gethsemaniensis Pic, 1908c: 35 (*Ceutorhynchus*) N: AG LB MO TU A: IS

alternans Desbrochers des Loges, 1898h: 33 (*Ceutorhynchus*) [HN]

globoicollis Schultze, 1898b: 260 (*Ceutorhynchus*) A: AF IN KZ TD TM UZ **XIN**

granulithorax Schultze, 1900c: 23 (*Ceutorhynchus*) E: IT (Sicilia) SP N: AG MO

herbsti Faust, 1895c: 104 (*Ceutorhynchus*) E: ST UK A: AB AR GG IN KZ TR
hirticornis Korotyaev, 1988b: 150 (*Ceutorhynchus*) A: TR
inhumeralis Schultze, 1897a: 283 (*Ceutorhynchus*) E: BH HU PL RO SP SK UK
lethierryi C. N. F. Brisout de Barneville, 1866b: 416 (*Ceutorhynchus*) E: BH BY GR HU IT PT RO SP
 ST UK N: AG MO A: AR SY
incisus Schultze, 1899c: 266 (*Ceutorhynchus*)
maculaalba Herbst, 1795: 404 (*Curculio*) E: AU BE BU CZ GE FR HU IT LU MD NL PL PT RO
 SK SP ST SZ TR UK A: IN IS KZ TR TM
cardui Olivier, 1807: 135 (*Rhynchaenus*)
olivaceus Gravenhorst, 1807: 206 (*Rhynchaenus*)
seriatus Boheman, 1845: 132 (*Ceutorhynchus*)
volgensis Faust, 1884c: 471 (*Ceutorhynchus*)
maculaquadra Schultze, 1897a: 272 (*Ceutorhynchus*) A: SY TR
martini Košťál & Colonnelli, 2016: 276 A: IN
moelleri C. G. Thomson, 1868: 347 (*Ceutorhynchus*) E: AL AU BE BY CT CZ DE FI FR GB GE
 HU IT NL NT PL RO SK ST SV SZ TR UK A: KZ WS
rotundatus Kraatz, 1868: 300 (*Ceutorhynchus*)
theresae Hajóss, 1929: 25 (*Ceutorhynchus*)
nebulosus C. N. F. Brisout de Barneville, 1866b: 417 (*Ceutorhynchus*) E: SP
optator Faust, 1889c: 138 (*Ceutorhynchus*) A: KG KZ
pilosellus Gyllenhal, 1837b: 540 (*Ceutorhynchus*) E: AU BE BU CT CZ FR GB GE HU IT NL PL
 RO SB SK SP ST UK A: IN SY TR
gobanzi Reitter, 1891f: 262 (*Ceutorhynchidius*)
polystriatus Schultze, 1898b: 249 (*Ceutorhynchus*) E: ST A: AB AR GG IN TR
punctiger C. R. Sahlberg, 1835d: 97 (*Rhynchaenus*) E: AU BE BH BU BY CT CZ DE EN FI FR GB
 GE GR HU IR IT LA LS LU MD NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR
 ES FE GG KZ WS **NARi**
punctiger Gyllenhal, 1837b: 538 (*Ceutorhynchus*) [HN]
rufitarsis Gyllenhal, 1837b: 539 (*Ceutorhynchus*)
stredae Hajóss, 1929: 25 (*Ceutorhynchus*)
ragusae C. N. F. Brisout de Barneville, 1884a: 61 (*Ceutorhynchus*) E: AL AU GR CR IT MC TR
puerulus Schultze 1897e: 498 (*Ceutorhynchus*)
puerulus Schultze, 1897g: 320 (*Ceutorhynchus*) [HN]
rudissimus Hustache, 1930a: 96 [RN] (*Ceutorhynchus*) N: AG LB MO TU EG A: SI
rudis Pic, 1896c: 95 (*Ceutorhynchus*) [HN]
tectus Hustache, 1946b: 139 (*Ceutorhynchus*)
rufimanus C. N. F. Brisout de Barneville, 1883b: 118 (*Ceutorhynchus*) E: BH BU ST A: AB AR IN
scorzonerarum Korotyaev, 1980: 213 (*Ceutorhynchus*) E: ST A: KZ
sericellus Schultze, 1900c: 25 (*Ceuthorrhynchus*) E: CY A: IS JO LE SY
smyrnensis Schultze, 1898b: 248 (*Ceutorhynchus*) N: EG A: AB AR CY IN IS SY TR
brevirostris Schultze, 1900c: 22 (*Ceutorhynchus*)
stevani Boheman, 1845: 133 (*Ceutorhynchus*) E: BU RO ST UK A: AB GG TR
pictus Stierlin, 1899a: 204 (*Ceutorhynchus*)
superstes Colonnelli, 1997: 385 E: GR
transcaucasicus Korotyaev, 1980: 212 (*Ceutorhynchus*) A: AB AR GG IN TR
tshistyakovae Korotyaev, 1988b: 148 (*Ceutorhynchus*) A: TR
vermiculosus Korotyaev, 1981: 155 (*Ceutorhynchus*) A: TR
xerophilus Korotyaev, 2017a: 96 A: KZ

genus *Hadroplontus* C. G. Thomson, 1859: 140 type species *Curculio litura* Fabricius, 1775
ancora Roelofs, 1875b: 177 (*Ceutorhynchus*) A: FE JA NC
litura Fabricius, 1775: 141 (*Curculio*) E: AU BE BY CT CZ DE EN FI FR GB GE GR HU IR IT
 LA LU MD NL NR NT PL PT RO SK SL SP ST SV SZ UK N: AG A: AR GG KZ TR WS
NARi
detritus Stephens, 1831c: 33 (*Nedyus*)
ovalis Marsham, 1802: 279 (*Curculio*) [HN]
trimaculatus Fabricius, 1775: 141 (*Curculio*) E: AL AU BE BH BU CR CT CZ FR GB GE GR HU
 IT LU MD NL PL PT RO SK SL SP ST SZ TR UK N: AG MO TU A: AB AR CY GG IN IQ
 IS SY TR
hybridus Schultze, 1898a: 168 (*Ceutorhynchus*)

genus *Hemioxyonyx* Korotyaev, 1982: 65 type species *Oxyonyx acutangulus* Schultze, 1903

acutangulus Schultze, 1903b: 242 (*Oxyonyx*) A: AR KI KZ MG TM

genus *Hesperorhynchus* Peyerimhoff, 1926c: 390 type species *Ceutorhynchus lineatotessellatus* Wollaston, 1854

glutinosus Stüben, 2016a: 2 N: MR

hesperus Wollaston, 1864: 282 (*Ceutorhynchus*) N: CI

incautus Colonnelli, 1992a: 159 N: CI

lineatotessellatus Wollaston, 1854b: 327 (*Ceutorhynchus*) N: MR

palmensis Krátký, 2016a: 6 N: CI (La Palma)

phytobioides Wollaston, 1864: 281 (*Ceutorhynchus*) N: CI

genus *Indicoplontus* Colonnelli, 1984b: 205 type species *Ceutorhynchus indicus* Hustache, 1930
indicus Hustache, 1930b: 77 (*Ceutorhynchus*) A: NP PA SD UP **ORR**

genus *Indozacladus* Colonnelli, 1984b: 204 type species *Ceutorhynchus asperulus* Faust, 1898 (= *Ceutorhynchus theresiae* Dalla Torre, 1922)

theresiae Dalla Torre, 1922: 125 (*Ceutorhynchus*) [RN] A: PA **ORR**

asperulus Faust, 1898c: 323 (*Ceutorhynchus*) [HN]

cajani Colonnelli, 1998: 140 [URN]

genus *Macrosquamonyx* Korotyaev, 1982: 76 type species *Platygasteronyx macrosquamosus* Korotyaev, 1982

kaplini Korotyaev, 1982: 78 (*Platygasteronyx*) A: TM

macrosquamosus Korotyaev, 1982: 77 (*Platygasteronyx*) A: AR KZ MG

genus *Mesoxyonyx* Korotyaev, 1997b: 399 type species *Oxyonyx syriacus* Schultze, 1899

arabicus Korotyaev, 1997b: 399 A: AE SA

conicollis Schultze, 1898b: 231 (*Oxyonyx*) N: AG MO

hispanicus Hustache, 1926a: 155 (*Oxyonyx*) E: SP N: MO

nigritarsis Colonnelli, 1978b: 86 (*Paroxyonyx*)

maceratus Peyerimhoff, 1926c: 373 (*Ceutorhynchus*) N: AG

osellanus Colonnelli, 2005d: 240 E: IT

sicardi Hustache, 1931c: 251 (*Paroxyonyx*) E: FR SP

syriacus Schultze, 1900a: 292 (*Oxyonyx*) A: IS SY

genus *Micrelus* C. G. Thomson, 1859: 140 type species *Rhynchaenus ericae* Gyllenhal, 1813

arabicus Colonnelli, 1985b: 370 A: SA

ericae Gyllenhal, 1813: 147 (*Rhynchaenus*) E: AU BE BY CT CZ DE EN FI FR GB GE HU IR IT

LA LU NL NR PL PT RO SK SL SP SV SZ UK

albosetosus Gyllenhal, 1837b: 500 (*Ceutorhynchus*)

suturalis Stephens, 1835: 419 (*Nedyus*)

ferrugatus Perris, 1847: 477 (*Ceutorhynchus*) E: FR IT PT SP N: CI MO A: TR

olcesei Pic, 1896c: 95 (*Ceutorhynchus*)

genus *Microplontus* Wagner, 1944c: 134 type species *Ceutorhynchus campestris* Gyllenhal, 1837

amurensis Korotyaev, 2004b: 152 A: FE

apfelbecki Schultze 1897e: 497 (*Ceutorhynchus*) E: BH BU CR GR

apfelbecki Schultze, 1897g: 318 (*Ceutorhynchus*) [HN]

atlanticus Dieckmann, 1982b: 189 (*Ceutorhynchus*) E: FR SP

binaghii Colonnelli, 1977a: 129 (*Ceutorhynchus*) E: IT

breviusculus Schultze, 1897a: 281 (*Ceutorhynchus*) E: IT

campestris Gyllenhal, 1837b: 523 [NP] (*Ceutorhynchus*) E: AU BE BU CR CT CZ DE FI FR GB GE

HU IT LA LU NL NT PL PT RO SK SL SP ST SZ UK **NARi**

lepidus Gyllenhal, 1837b: 520 (*Ceutorhynchus*)

oelandicus Lundberg, 1969: 228 (*Ceutorhynchus*)

variegatus Olivier, 1807: 135 [NO] (*Rhynchaenus*)

edentulus Schultze, 1897a: 271 (*Ceutorhynchus*) E: AU BY CZ HU PL RO SK UK A: AR TR **NARi**

egorovi Korotyaev, 1980: 227 (*Ceutorhynchus*) A: FE HEI

fairmairii C. N. F. Brisout de Barneville, 1881a: cxxxiii (*Ceutorhynchus*) E: FR IT SZ

falcozi Hustache, 1914b: 382 (*Ceutorhynchus*) E: FR IT

helenae Korotyaev & Nasreddinov, 2017: 99 [DA] A: TD UZ
melonii Colonnelli, 1984a: 46 E: IT (Sardegna)
millefolii Schultzze, 1897a: 269 (*Ceutorhynchus*) E: AU BE BY CZ DE FR GE HU LU NL NT PL SK
ST SV SZ UK A: WS
tomentosus A. Hoffmann, 1955: 956 (*Ceutorhynchus*)
mirabilis Korotyaev, 1980: 223 (*Ceutorhynchus*) E: BY ST UK
molitor Gyllenhal, 1837b: 525 (*Ceutorhynchus*) E: BE BU FR CR HU IT MA MC PT RO SP SZ N:
AG MO TU
pratensis Chevrolat, 1860f: 510 (*Ceutorhynchus*)
montivagus A. Hoffmann, 1955: 957 (*Ceutorhynchus*) E: FR
nigrovittatus Schultzze, 1901b: 96 (*Ceutorhynchus*) E: FR IT RO N: AG TU
subfasciatus Chevrolat, 1860d: 453 (*Ceutorhynchus*) [HN]
ponticus Schultzze, 1895b: 426 (*Ceutorhynchus*) A: TR
riedeli Korotyaev, 1997b: 393 (*Microplontus*) A: TR
rugulosus Herbst, 1795: 406 (*Curculio*) E: AU BE BU BY CT CZ DE EN FI FR GB GE GR HU IR
IT LA LU MA MD NL NR NT PL PT RO SK SP ST SV SZ TR UK N: AG LB MO TU A:
AB AR CY GG IN IS KZ SY TM TR WS
chrysanthemi Gyllenhal, 1827: 596 (*Rhynchaenus*)
cinereus Marsham, 1802: 283 (*Curculio*) [HN]
figuratus Gyllenhal, 1837b: 526 (*Ceutorhynchus*)
gallicus Gyllenhal, 1837b: 528 (*Ceutorhynchus*)
granulicollis Schoenherr, 1837b: 307 (*Coeliodes*) [RN]
melanostigma Marsham, 1802: 256 (*Curculio*)
rubiginosus Schultzze, 1897a: 280 (*Ceutorhynchus*)
sartus Faust, 1888c: 169 (*Ceutorhynchus*)
subrufus Marsham, 1802: 282 (*Curculio*) [HN]
uniguttatus Marsham, 1802: 283 (*Curculio*)
triangulum Boheman, 1845: 154 (*Ceutorhynchus*) E: AU BE BU BY CT CZ DE EN FI FR GB GE
GR HU IT LA LU NL NT PL RO SK SV SZ UK A: ES FE IN KI KZ TR WS
vicinus Kraatz, 1868: 300 (*Ceutorhynchus*)

genus *Mogulones* Reitter, 1916a: 152 type species *Curculio geographicus* Goeze, 1777
Boraginobius Wagner, 1944c: 133 type species *Rhynchaenus asperifoliarum* Gyllenhal, 1813
abbreviatulus Fabricius, 1792: 436 (*Curculio*) E: AU BE BU BY CT CZ FR GE HU IT LA LU MD
PL RO SB SP SK ST SZ UK
invasor Herbst, 1795: 414 (*Curculio*)
variegatulus Gravenhorst, 1807: 205 (*Rhynchaenus*)
abchasicus Faust, 1888c: 173 (*Ceutorhynchus*) A: AR GG ST
albolineatus J. Frivaldszky, 1878: 112 (*Ceutorhynchus*) E: BU HU SK ST A: IN TR
albosignatus Gyllenhal, 1837b: 517 (*Ceutorhynchus*) E: AU BE BU CT CZ FR GE HU MD NL PL
RO SB SK ST SZ UK A: AB AR IN IQ TR
angustifauces Desbrochers des Loges, 1896e: 58 (*Ceutorhynchus*)
hofferi Roubal, 1938: 31 (*Ceutorhynchus*)
kaufmanni Stierlin, 1894c: 120 (*Ceutorhynchus*)
amplipennis Schultzze, 1897a: 263 (*Ceutorhynchus*) E: AU BU CZ GR HU IT MD RO SK ST UK A:
GG IN TR
orbiculatus Schultzze, 1901b: 103 (*Ceutorhynchus*)
andreae Germar, 1823: 220 (*Ceutorhynchus*) E: AU BH CZ FR GE GR HU IS IT PL RO SK SZ UK
A: AR GG IN SY TR
ornatus Gyllenhal, 1837b: 513 (*Ceutorhynchus*)
angulicollis Schultzze, 1897a: 268 (*Ceutorhynchus*) E: AL AU BH BU CZ GE FR GR HU IT MC PL
RO SL SP SZ SK UK A: GG IN KZ TR
annibal Desbrochers des Loges, 1896e: 60 (*Ceutorhynchus*) E: IT SP N: AG MO
pardalis Schultzze, 1899c: 260 (*Ceutorhynchus*)
aratridens Schultzze, 1897a: 276 (*Ceutorhynchus*) E: BH HU UK
arcasti C. N. F. Brisout de Barneville, 1869: 458 (*Ceutorhynchus*) E: FR IT SP N: AG
doderoi Hustache, 1918: 74 (*Ceutorhynchus*)
asperifoliarum Gyllenhal, 1813: 221 (*Rhynchaenus*) E: AU BE BU BY CT CZ DE EN FI FR GB GE
GR HU IT LA LS LU MD NL NR PL PT RO SB SK SL SP ST SV SZ UK A: AB AR GG IN
KZ TR WS
congener Germar, 1823: 227 (*Ceutorhynchus*)
intersectus Germar, 1823: 227 (*Ceutorhynchus*)
myosotidis A. Hoffmann, 1955: 946 (*Ceutorhynchus*)

aubei Boheman, 1845: 148 (*Ceutorhynchus*) **E:** AU BE BU FR GR CR HU IT NL PL RO SK SP SZ
UK N: MO

austriacus C. N. F. Brisout de Barneville, 1869: 462 (*Ceutorhynchus*) **E:** AU BH BU CT CZ HU MD
 PL RO SB SK ST **UK A:** AB AR GG IN KZ TR WS
cognatus Schultze, 1897g: 317 (*Ceutorhynchus*)

bartolii Colonnelli, 1983c: 173 (*Boraginobius*) **E:** IT

beckeri Schultze, 1900c: 26 (*Ceutorhynchus*) **E:** AL BU FR GR CR IT ME SB TR **A:** CY IN IS SY
 TR
peyroni Pic, 1940a: 2 (*Ceutorhynchus*)

bernhaueri Dieckmann, 1979: 53 (*Ceutorhynchus*) **A:** JO TR

biondii Colonnelli, 1990: 326 **N:** CI

borraginis Fabricius, 1792: 437 (*Curculio*) **E:** AU BE CZ GE FR HU IT MD PL PT RO SB SK SP
 SZ **UK N:** AG MO
nebulosus Gravenhorst, 1807: 207 (*Rhynchaenus*)

caccinae Iablokoff-Khnzorian, 1964: 178 (*Ceutorhynchus*) **A:** AR

canescens Schultze, 1900a: 299 (*Ceutorhynchus*) **A:** SY

cingulatus Schultze, 1897a: 274 (*Ceutorhynchus*) **E:** FR SP **UK N:** AG MO
cruxmajor A. Hoffmann, 1940: 22 (*Ceutorhynchus*)

crucifer Pallas, 1771: 464 (*Curculio*) **E:** AU BE BU BY CT CZ DE EN FR GE GR HU IT LA LU
 MO MD NL NR PL PT RO SB SK SL SP ST SV SZ **UK A:** AB AR GG IN KI KZ TR WS
NARi
crucifer Olivier, 1807: 210 (*Rhynchaenus*) [HN, UE]
cruciger Herbst, 1784: 73 (*Curculio*)
quinquemaculatus Geoffroy, 1785: 122 (*Curculio*)

cynoglossi Frauenfeld, 1866: 970 (*Ceutorhynchus*) **E:** AU BY CZ GE GR HU MD PL RO SK ST **UK**
A: WS

deiectus Colonnelli, 1992a: 162 **N:** CI (Fuerteventura)

diecki C. N. F. Brisout de Barneville, 1870c: 159 (*Ceutorhynchus*) **E:** AL AU CZ GE GR HU IT PL
 RO SK SP
curvistriatus Schultze, 1897g: 315 (*Ceutorhynchus*) [HN]
curvistriatus Schultze 1897e: 496 (*Ceutorhynchus*)
pollicaris Schultze, 1898b: 244 (*Ceutorhynchus*)

dimidiatus J. Frivaldszky, 1865: 217 (*Ceutorhynchus*) **E:** AU BU CT CZ HU PL RO SB SK ST **UK**
A: KZ TR WS

euphorbiae C. N. F. Brisout de Barneville, 1866a: 132 (*Ceutorhynchus*) **E:** AU BE BU CR CZ DE FR
 GB GE GR HU IT LA MD NL NR PL RO SB SK ST SV TR **UK A:** GG TR

fatidicus Gyllenhal, 1837b: 510 (*Ceutorhynchus*) **E:** ST **A:** AB AR GG IN

formosus Faust, 1885b: 195 (*Ceutorhynchus*) **A:** AF KI KZ TD UZ

geographicus Goeze, 1777: 395 (*Curculio*) **E:** AL AU AZ BE BH BU BY CR CT CZ DE FR GB GE
 GR HU IT LA LU MO MD NL PL PT RO SK SL SP SV SZ TR **UK N:** AG MR TU **A:** AB
 AR GG TR
echii Fabricius, 1792: 436 (*Curculio*) [HN]
geographicus Geoffroy, 1785: 129 (*Curculio*) [HN]
geographicus Gmelin, 1790: 1778 (*Curculio*) [HN]
glyphicus Schaller, 1783: 282 (*Curculio*)
lopezi A. Hoffmann, 1957b: 85 (*Ceutorhynchus*)
pueli Hustache, 1913b: 233 (*Ceutorhynchus*)

gibbicollis Schultze, 1897a: 275 (*Ceutorhynchus*) **E:** CZ GR HU RO SB SP **UK**
dilatatus Schultze, 1898a: 168 (*Ceutorhynchus*)

gnom Iablokoff-Khnzorian, 1978: 308 (*Ceutorhynchus*) **A:** AR TR

gratiosus C. N. F. Brisout de Barneville, 1869: 460 (*Ceutorhynchus*) **E:** FR IT PT SP **N:** AG MO

grisescens Pic, 1940a: 2 (*Ceutorhynchus*) **E:** GR **N:** EG LB MO TU **A:** IS
dumeei A. Hoffmann, 1955: 929 (*Ceutorhynchus*)

himalayanus Korotyaev, 2018: 559 **A:** NP PA

humicola Colonnelli, 2005b: 100 **A:** TR

hungaricus C. N. F. Brisout de Barneville, 1869: 461 (*Ceutorhynchus*) **E:** AU CZ GR HU MD PL RO
 SK **UK**

hyrcanus Korotyaev, 1992c: 828 **A:** AB IN

javetii Gerhardt, 1867: 411 (*Ceutorhynchus*) **E:** AU BH BU BY CR CT CZ DE FI GE GR HU IT LA
 MC MD NT PL RO SK ST SV **UK A:** IN TR
javeti C. N. F. Brisout de Barneville, 1869: 459 (*Ceutorhynchus*)

koenigi Schultze, 1897a: 265 (*Ceutorhynchus*) **A:** AR GG TR

osellanus Colonnelli, 1983c: 171 (*Boraginobius*)
korbi Schultze, 1901b: 101 (*Ceutorhynchus*) E: BH BU GR MD RO SB TR UK A: IN TR
koreanus Korotyaev, 1994a: 113 A: NC
kwoni Korotyaev & Hong, 2004: 154 [DA] A: SC
larvatus Schultze, 1897a: 266 (*Ceutorhynchus*) E: AU BE BU BY CZ DE FI FR GE GR HU IT MD
 PL PT RO SB SK SP ST SZ UK N: AG EG MO TU A: ES GG KZ TR WS
lederi Schultze, 1897g: 316 (*Ceutorhynchus*) A: AR TM TR
lineatus Gyllenhal, 1837b: 509 (*Ceutorhynchus*) E: AU GR SB TR UK A: TR
lobanovi Korotyaev, 1992c: 826 A: AB IN TM UZ
lodosianus Colonnelli, 1987b: 120 A: TR
lucanus Colonnelli, 1983c: 169 (*Boraginobius*) E: IT
macedonicus Krátký & Colonnelli, 2018: 2 E: MC
mendax Schultze, 1898b: 234 (*Ceutorhynchus*) A: AR TR
neslihanae Korotyaev, Gültekin & Colonnelli, 2017: 2 A: TR
pallidicornis Gougelet & H. Brisout de Barneville, 1860: 337 (*Ceutorhynchus*) E: AU BE BU CT CZ
 DE FR GE HU IT MD PL RO SB SK SL ST SV SZ UK A: ES KZ MG WS
quadripunctatus Stierlin, 1894c: 121 (*Ceutorhynchus*)
unionis Reitter, 1916a: 161 (*Ceutorhynchus*)
urticae Fauconnet, 1892: 396 (*Ceutorhynchus*) [HN]
pannonicus Hajóss, 1928: 145 (*Ceutorhynchus*) E: CT HU PL
smreczynskii Trella, 1936: 92 (*Ceutorhynchus*)
peregrinus Gyllenhal, 1837b: 514 (*Ceutorhynchus*) E: FR IT MA SP N: AG MO TU A: JO
pfefferi Dieckmann, 1975c: 205 (*Ceutorhynchus*) A: IN KI KZ XIN
pseudopollinarius Har. Lindberg, 1950: 19 (*Ceutorhynchus*) N: CI
raphani Fabricius, 1792: 438 (*Curculio*) E: AU BE BU BY CT CZ FR GE GR HU IT LA LU MD
 NL PL RO SB SK ST SZ UK
symphyti Bedel, 1885c: 168 (*Ceuthorrhynchus*)
reticulatus Korotyaev & Nasreddinov, 2017: 100 A: TD
rheophilus Colonnelli, 2005b: 98 A: SY TR
sahini Gültekin & Colonnelli, 2006: 2 A: TR
sainteclairi Wagner, 1927b: 209 (*Ceutorhynchus*) E: FR (Corse)
schneideri Schultze, 1900a: 296 (*Ceutorhynchus*) A: KI TD TM UZ
soricinus C. N. F. Brisout de Barneville, 1869: 454 (*Ceutorhynchus*) E: SP N: AG MO TU
subasperatus Korotyaev, 1980: 220 (*Ceutorhynchus*) E: UK A: AR GG TM TR
sublineellus C. N. F. Brisout de Barneville, 1869: 457 (*Ceutorhynchus*) E: BU GR SK UK A: AR CY
 TR
vittatipennis Pic, 1940a: 2 (*Ceutorhynchus*)
t-album Gyllenhal, 1837b: 512 (*Ceutorhynchus*) E: UK A: AB AR GG IN TR
tatyanae Korotyaev, 1992c: 828 E: ST A: AB IN
tenietensis Desbrochers des Loges, 1896e: 48 (*Ceutorhynchus*) N: AG MO
tessellatus Schultze, 1899c: 259 (*Ceutorhynchus*) E: SP N: AG LB TU A: TR
reitteri Tyl, 1914: 1 (*Ceutorhynchus*)
tresignatus Gyllenhal, 1837b: 516 (*Ceutorhynchus*) E: BU GR MC ST UK A: AB AR IN TR WS
audisioi Colonnelli, 1987b: 117
tristis Korotyaev, 1981: 157 (*Ceutorhynchus*) A: TR
tyli Roubal, 1913: 69 (*Ceutorhynchus*) A: AR GG ST
uncipes Korotyaev, 1980: 218 (*Ceutorhynchus*) E: FR (Nîmes)
venedicus Weise, 1879: 153 (*Ceutorhynchus*) E: AU BE BH BU BY CZ FR GE GR HU IT PL SK ST
 UK A: GG TR
zarudnyi Korotyaev, 1980: 218 (*Ceutorhynchus*) A: TD

genus *Mogulonoides* Colonnelli, 1986: 428 type species *Ceutorhynchus radula* Germar, 1823
radula Germar, 1823: 238 (*Ceutorhynchus*) E: AU CZ FR HU IT MD RO SK SZ UK A: TR

genus *Mucroxyonyx* Colonnelli, 2005d: 218 type species *Mucroxyonyx mahmoudi* Colonnelli, 2005
mahmoudi Colonnelli, 2005d: 220 A: EG

genus *Nedyus* Schoenherr, 1825: 586 type species *Curculio didymus* Fabricius, 1781 (= *Curculio quadrimaculatus* Linnaeus, 1758)

Cidnorrhinus C. G. Thomson, 1859: 139 type species *Curculio didymus* Fabricius, 1781 (= *Curculio quadrimaculatus* Linnaeus, 1758)
quadrimaculatus Linnaeus, 1758: 380 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG A: AB AR BEI ES FE GG HEI IN JA KZ MG TR WS
aculeatus Gmelin, 1790: 1804 (*Curculio*)
albofasciatus Goeze, 1777: 411 (*Curculio*)
albopunctatus Goeze, 1777: 396 (*Curculio*)
albopunctatus Gmelin, 1790: 1778 (*Curculio*) [HN]
bipunctatus Gmelin, 1790: 1773 (*Curculio*) [HN]
bipunctulatus Turton, 1800: 242 (*Curculio*) [HN]
cruralis Rey, 1895d: 37 (*Coeliodes*)
didymus Fabricius, 1781: 178 (*Curculio*)
gibbipennis Germar, 1823: 228 (*Ceutorhynchus*)
grus Herbst, 1784: 73 (*Curculio*)
immaculatus Gyllenhal, 1837b: 301 (*Coeliodes*)
lineolaalba Herbst, 1784: 74 (*Curculio*)
melancholicus Gyllenhal, 1837b: 518 (*Ceutorhynchus*)
nigrirostris Boheman, 1845: 157 (*Ceutorhynchus*)
oleraceus Scopoli, 1763: 29 (*Curculio*)
ovalis Linnaeus, 1760: 180 (*Curculio*)
ovatus Linnaeus, 1758: 382 (*Curculio*) [HN]
plantaris Rey, 1895d: 38 (*Ceutorhynchus*)
pultiaris Geoffroy, 1785: 123 (*Curculio*)
pygmaeus Olivier, 1791: 497 (*Curculio*)
rimulosus Germar, 1823: 230 (*Ceutorhynchus*)
serratulae Gistel, 1831: 306 (*Falciger*)
sulcipennis Rey, 1895d: 37 (*Coeliodes*)
tripunctatus Geoffroy, 1785: 130 (*Curculio*)
urticae Marsham, 1802: 281 (*Curculio*) [HN]
urticae Scopoli, 1763: 28 (*Curculio*)
urticarius [Clairville], 1798: 98 (*Curculio*) [HN]
viduus Panzer, 1796: 17 (*Curculio*)

genus *Neoprohinus* Colonnelli, 2004: 55 type species *Ceutorhynchus cinnamomeus* Schultzze, 1897 (= *Ceutorhynchus cinnamomeus* Schultzze 1897e)
cinnamomeus Schultzze 1897e: 498 (*Ceutorhynchus*) E: BU GR IT ST A: AB AR IN SY TR
cinnamomeus Schultzze, 1897g: 319 (*Ceutorhynchus*) [HN]

genus *Neoxyonyx* A. Hoffmann, 1930a: 107 type species *Coeliodes monticola* Desbrochers des Loges, 1896
monticola Desbrochers des Loges, 1896e: 52 (*Coeliodes*) E: FR SP
strigatirostris Hochhuth, 1847: 569 (*Coeliodes*) E: GR IT (Sicilia) ST N: AG MO A: AR GG IN TR TU
massageta Kirsch, 1878: 299 (*Coeliodes*)
massageta Kirsch, 1879: 43 (*Coeliodes*) [HN]

genus *Neozacladus* Bajtenov, 1981g: 217 type species *Neozacladus kaszabi* Bajtenov, 1981
kaszabi Bajtenov, 1981g: 218 A: MG

genus *Notoxyonyx* Colonnelli, 1995: 205 type species *Notoxyonyx impressus* Colonnelli, 1995
impressus Colonnelli, 1995: 205 N: AG

genus *Odontocoeliodes* Colonnelli, 1979b: 219 type species *Coeliodes dentimanus* Reitter, 1895
Rheophagus Korotyaev, 1980: 126 [HN] type species *Coeliodes dentimanus* Reitter, 1895
dentimanus Reitter, 1895a: 31 (*Coeliodes*) A: AF TM

genus *Oprohinus* Reitter, 1916a: 153 type species *Curculio suturalis* Fabricius, 1775
Khurshedinus Korotyaev, 2017a: 101 type species *Oprohinus oxyanus* Korotyaev, 2017
consputus Germar, 1823: 232 (*Ceutorhynchus*) E: AU BE BU CR CZ FR GE GR HU IT LU MO NL PL RO SB SK ST SZ TR UK N: AG A: AB AR GG TR
aegrotus Gyllenhal, 1837b: 483 (*Ceutorhynchus*)
alboscuteclatus Gyllenhal, 1837b: 478 (*Ceutorhynchus*)
erythropterus Stierlin, 1894c: 120 (*Ceutorhynchus*)
rubescens Boheman, 1845: 136 (*Ceutorhynchus*)
davidiani Korotyaev, 2017a: 105 A: AB
helenae Korotyaev, 1980: 202 (*Ceutorhynchus*) A: IN KZ TM UZ

hirtissimus Korotyaev, 1980: 201 (*Ceutorhynchus*) A: MG
jakovlevi Schultzze, 1902: 84 (*Ceutorhynchus*) E: MD UK A: KZ NW TD WS
libanoticus Schultzze, 1901a: 96 (*Ceutorhynchus*) A: JO LE SY TR
lobanovi Korotyaev, 2017a: 107 A: TM
major Korotyaev, 2017a: 103 A: TM
oxyanus Korotyaev, 2017a: 102 A: TD
picipennis Schultzze, 1898b: 253 (*Ceutorhynchus*) E: IT PT SP N: AG
protentus Schultzze, 1902: 82 (*Ceutorhynchus*) A: KI TD TM UZ
sibiricus Faust, 1895c: 106 (*Ceutorhynchus*) A: ES
suturalis Fabricius, 1775: 133 (*Curculio*) E: AU BE BU BY CZ FR GE GR HU IT LA LU MD NL
PL RO SB SK SP SZ TR UK N: AG A: KZ SY TR
salicinus Schrank, 1781: 115 (*Curculio*)
svetlanae Korotyaev, 2017a: 103 A: KZ

genus *Oxyonyx* Faust, 1885b: 192 type species *Coeliodes brisouti* Faust, 1885

brisouti Faust, 1885b: 192 (*Coeliodes*) E: ST A: KI MG TR WS

zoltani Bajtenov, 1978d: 188

emeljanovi Korotyaev, 1982: 62 A: MG

hexarthrinus Korotyaev, 1982: 61 A: KZ UZ

kaszabi Voss, 1967: 316 A: KZ MG ~~NW~~

kerzhneri Korotyaev, 1982: 59 A: KZ

khalidi Colonnelli, 2009: 224 A: AE

major Korotyaev, 1982: 60 A: TM

medvedevi Korotyaev, 1982: 60 A: TD TM UZ

pentarthrinus Korotyaev, 1982: 63 A: KZ UZ

genus *Paracoeliodes* Colonnelli, 1979b: 220 type species *Ceutorhynchus conformis* Grilat, 1887
conformis Grilat, 1887: 3 (*Ceutorhynchus*) E: SP N: AG MO TU

genus *Parethelcus* Wagner, 1943b: 141 type species *Curculio pollinarius* Forster, 1771

dentipes Israelson, 1980: 199 (*Hesperorrhynchus*) N: CI

nesicola Colonnelli, 1990: 324

pollinarius Forster, 1771: 33 (*Curculio*) E: AU BE BU CT CZ DE FI FR GB GE GR HU IR IT LA
LU MD NL NR PL PT RO SB ST SK SP SV TR UK N: AG MO A: GG KZ TR WS

caliginosus Stephens, 1831c: 34 (*Nedyus*)

dentatus Marsham, 1802: 280 (*Curculio*) [HN]

glaucinus Boheman, 1845: 146 (*Ceutorhynchus*)

urticae O. F. Müller, 1776: 88 (*Curculio*) [HN]

genus *Paroxyonyx* Hustache, 1931c: 250 type species *Coeliodes cinctus* Chevrolat, 1861

albiplumis Peyerimhoff, 1926c: 372 (*Ceutorhynchus*) N: MO

audisioi Colonnelli, 2005d: 229 E: SP N: AG

cinctus Chevrolat, 1861a: 122 (*Coeliodes*) E: IT SP N: AG LB MO TU

coelioides Reitter, 1916a: 165 (*Ceutorhynchus*)

japhoensis Schultzze, 1900a: 291 (*Oxyonyx*)

fallaciosus Desbrochers des Loges, 1896e: 55 (*Ceutorhynchus*) N: MO

imitator Wagner, 1928b: 120 (*Coeliodes*) E: SP

maltsevi Korotyaev, 1997b: 400 E: UK

maroccanus Colonnelli, 2005d: 226 N: MO

petrae Korotyaev, 1997b: 402 A: IS JO

piceonotatus Pic, 1923c: 14 (*Oxyonyx*) A: IQ IS JO SY

russelli Colonnelli, 2005d: 237 N: EG

sicanus Colonnelli, 2005d: 232 E: IT (Sicilia)

squamiger Colonnelli, 2005d: 235 A: EG

genus *Perioxyonyx* Hustache, 1931c: 250 type species *Ceutorhynchus splendidus* C. N. F. Brisout de
Barneville, 1890

splendidus C. N. F. Brisout de Barneville, 1890: clvii (*Ceutorhynchus*) N: AG MO

genus *Petrocladus* Korotyaev, 1997b: 402 type species *Coeliodes foedus* Faust, 1887

foedus Faust, 1887i: 299 (*Coeliodes*) A: KI KZ ~~NW~~-TM UZ
dentatoserratus Reitter, 1900d: 58 (*Ceutorhynchus*)
turkestanicus Hustache, 1930c: 193

genus *Phoeniconyx* Korotyaev, 1997b: 395 type species *Oxyonyx beryticus* Schultze, 1900
beryticus Schultze, 1900a: 289 (*Oxyonyx*) A: IS LE SY TR
gobbii Colonnelli, 1978b: 80 (*Paroxyonyx*) E: IT

genus *Phrydiuchus* Gozis, 1885: 129 type species *Ceutorhynchus topiarius* Germar, 1823
augusti Colonnelli, 2003c: 302 [RN] E: AU BU CR CZ HU IT MD RO SB SK SL ST UK
speiseri Schultze, 1897g: 313 (*Ceutorhynchus*) [HN]
quijote Sánchez-Ruiz & Alonso-Zarazaga, 1996: 305 E: SP
spilmani Warner, 1969: 1298 E: FR IT N: MO NARi
tau Warner, 1969: 1295 E: BU GR HU MC PL RO UK SB SK ST UK A: AB AR GG IN SY TR
NARi
topiarius Germar, 1823: 239 (*Ceutorhynchus*) E: AU BU BY CR CZ FR GE HU IT PL RO SK SP ST
SZ UK A: KZ

genus *Platygasteronyx* Reitter, 1913a: 67 type species *Platygasteronyx spinitalus* Reitter, 1913 (= *Coeliodes solskyi* Faust, 1885)
humeridens Voss, 1967: 317 (*Oxyonyx*) A: KZ MG
medvedevi Korotyaev, 1990a: 230 A: MG
solskyi Faust, 1885b: 193 (*Coeliodes*) E: ST A: AB AR GG IN KI KZ TD TM UZ
dieckmanni Bajtenov, 1982a: 34
spinitalus Reitter, 1913a: 67

genus *Platypteronyx* Korotyaev, 1982: 69 type species *Ceutorhynchus auritus* Kirsch, 1878
auritus Kirsch, 1878: 301 (*Ceutorhynchus*) E: UK A: GG IN KI TR
auritus Kirsch, 1879: 45 (*Ceutorhynchus*) [HN]
faustinus Desbrochers des Loges, 1896e: 53 (*Coeliodes*)
maximi Colonnelli, 2005d: 245 A: TR
volkovitshi Korotyaev, 1994b: 286 A: AF KI KZ TD

genus *Poophagus* Schoenherr, 1837b: 590 type species *Curculio sisymbrii* Fabricius, 1777
Acnemiscelis Desbrochers des Loges, 1896j: 104 type species *Acnemiscelis araneipes* Desbrochers des Loges, 1896 (= *Poophagus hopffgarteni* Tournier, 1873)
Poophagus Gistel, 1856a: 370 [HN] type species *Curculio sisymbrii* Fabricius, 1777
hopffgarteni Tournier, 1873a: 189 E: AU CR CZ GE HU PL SK ST UK A: KZ WS
araneipes Faust, 1881: 322
robustus Faust, 1881: 322 E: HU ST UK A: KZ WS
sisymbrii Fabricius, 1777: 224 (*Curculio*) E: AU BE BU BY CR CT CZ DE FI FR GB GE HU IR IT
LA LU MD NL PL RO SK SL ST SV UK A: KZ ES FE WS NAR
subnudus Reitter, 1889b: 69

genus *Prisistus* Reitter, 1916a: 152 type species *Ceutorhynchus caucasicus* Kirsch, 1878
biplagiatus Schultze, 1897a: 279 (*Ceutorhynchus*) A: AB AR KI TR
biscutellatus Chevrolat, 1859c: xx (*Ceutorhynchus*) E: FR SP
antennalis C. N. F. Brisout de Barneville, 1869: 453 (*Ceutorhynchus*)
caucasicus caucasicus Kirsch, 1878: 302 (*Ceutorhynchus*) E: CT ST A: AB AF AR GG IN JO KZ SY
TD TM TR UZ
caucasicus Kirsch, 1879: 45 (*Ceutorhynchus*) [HN]
caucasicus bohemani Colonnelli, 1986: 422 [RN] (*Ceutorhynchus*) A: AF ES FE KI KZ MG TD UZ
WS
axillaris Boheman, 1845: 163 (*Ceutorhynchus*) [HN]
duplicatus Korotyaev, 1980: 192 (*Ceutorhynchus*) A: TD UZ
fritillariae Colonnelli, 1987b: 113 (*Ceutorhynchus*) A: TR
gracilicornis Schultze, 1903b: 271 (*Ceutorhynchus*) A: AB AR GG SY TR
graecus Colonnelli, 2005a: 36 E: GR
gussakovskii Korotyaev, 1980: 192 (*Ceutorhynchus*) A: KZ TD TM UZ
imitator Korotyaev, 1980: 191 (*Ceutorhynchus*) A: KI
jacobsoni Korotyaev, 1980: 189 (*Ceutorhynchus*) A: KI KZ UZ

kasparyani Korotyaev, 1997b: 409 A: AB
kiritshenkoi Korotyaev, 1997b: 411 A: TD
kuntzei Smreczyński, 1957b: 126 (*Ceutorhynchus*) E: CT MD RO SK UK
liliicola Korotyaev, 1980: 194 (*Ceutorhynchus*) E: ST
luteitarsis Hustache, 1946b: 141 (*Ceutorhynchus*) N: AG MO
nivalis Iablokoff-Khnzorian, 1964: 182 (*Ceutorhynchus*) A: AR
obsoletus Germar, 1823: 230 (*Ceutorhynchus*) E: AU BH BU CR CZ GE GR HU IT MC ME PT RO
 SB SK SP ST SZ TR UK A: AR GG CY IN SY TR N: AG
dalmatinus Stierlin, 1894c: 120 (*Ceutorhynchus*)
hustachei A. Hoffmann, 1963a: 91 (*Ceutorhynchus*)
obscuripes Schultze, 1903d: 292 (*Ceutorhynchus*)
olgae Korotyaev, 1988b: 153 (*Ceutorhynchus*) A: FE NAR
perasper Korotyaev, 1997b: 406 A: IN SY
rhodopensis Dieckmann, 1970a: 40 (*Ceutorhynchus*) E: BU GR MC
submuricatus Hochhuth, 1851: 97 (*Ceutorhynchus*) E: ST UK
subovatus Korotyaev, 1980: 197 (*Ceutorhynchus*) A: FE
suturalba Schultze, 1903b: 265 (*Ceutorhynchus*) E: HU MD RO SK ST UK A: AR
transcaspicus Schultze, 1898b: 240 (*Ceutorhynchus*) A: TM UZ
vadimi Korotyaev, 1998c: 854 [DA] A: ES
variabilis Korotyaev, 1980: 192 (*Ceutorhynchus*) A: KZ TM
zinovjevi Korotyaev, 1980: 198 (*Ceutorhynchus*) A: FE
znoikoi Korotyaev, 1980: 188 (*Ceutorhynchus*) A: AR TR

genus *Protoxyonyx* Voss, 1969a: 59 type species *Oxyonyx subfenestratus* Voss, 1967

lunatus Reitter, 1890c: 162 (*Ceutorhynchidius*) A: AR GG TM TR
mongolicus Korotyaev, 1982: 67 A: MG ~~NW~~
seriatus Voss, 1967: 315 (*Oxyonyx*) A: MG
subfenestratus Voss, 1967: 319 (*Oxyonyx*) A: AF KI KZ TD UZ
mesasiaticus Korotyaev, 1982: 68

genus *Pseudocoeliodes* A. Hoffmann, 1957d: 221 type species *Coeliodes rubricus* Gyllenhal, 1837

rubricus Gyllenhal, 1837b: 285 (*Coeliodes*) E: CR GR HU IT RO A: AF AR CY FE GG IN IS KI
 LE SY TD TM TR
dentatus Pic, 1923c: 13 (*Coeliodes*)
hoffmanni Weise, 1883a: 219 (*Coeliodes*)
pudicus Rottenberg, 1872: 237 (*Coeliodes*)
rubicundulus Boheman, 1845: 155 (*Ceutorhynchus*)
schueppeli Boheman, 1844: 396 (*Coeliodes*)
submontanus Voss, 1960a: 115 (*Coeliodes*)

genus *Pseudoxyonyx* A. Hoffmann, 1957d: 218 type species *Pseudoxyonyx aghadjaniani* A. Hoffmann, 1956

aghadjaniani A. Hoffmann, 1957d: 218 A: AR IS KI KZ TD TR
boroveci Colonnelli, 2005d: 224 N: MO
mergallii Colonnelli, 2005d: 221 N: MO

genus *Ranunculiphilus* Dieckmann, 1970a: 31 type species *Ceutorhynchus faeculentus* Gyllenhal, 1837

subgenus *Austroceutorhynchus* Korotyaev, 1980: 200 type species *Ceutorhynchus italicus* C. N. F.

Brisout de Barneville, 1869
italicus C. N. F. Brisout de Barneville, 1869: 463 (*Ceutorhynchus*) E: BU CR FR GR HU IT SL SP
 TR N: MO TU A: AB AR CY GG IN SY TM TR UZ
concolor Schultze, 1901a: 96 (*Ceutorhynchus*)

subgenus *Ranunculiphilus* Dieckmann, 1970a: 31 type species *Ceutorhynchus faeculentus* Gyllenhal, 1837

Ranunculiphilus: Wagner, 1944c: 142 [NA]
faeculentus Gyllenhal, 1837b: 545 (*Ceutorhynchus*) E: AU BU CR CT CZ FR GE HU IT MC MD
 ME RO PL SB SK SP ST TR UK A: AB AR GG IN TM TR
canaliculatus Gyllenhal, 1837b: 293 (*Coeliodes*)

inclemens Faust, 1888c: 170 (*Ceutorhynchus*) A: ES FE KZ ~~NW~~ TM WS XIN
lycoctoni Hustache, 1917: 232 (*Ceutorhynchus*) E: GE FR IT SZ

obscurus C. N. F. Brisout de Barneville, 1869: 454 (*Ceutorhynchus*) E: BU CR GR ME PT SP N: AG MO TU

pseudinclemens Dieckmann, 1970a: 47 (*Ceutorhynchus*) E: CZ PL SK

genus *Sinocolus* Korotyaev, 1996b: 464 type species *Ceutorhynchus charbinensis* Stöcklein, 1954
charbinensis Stöcklein, 1954: 269 (*Ceutorhynchus*) A: ES FE HEI

genus *Sirocalodes* Voss, 1958b: 73 type species *Curculio ningrinus* Marsham, 1802 (= *Rhynchaenus depressicollis* Gyllenhal, 1813)

adversus Desbrochers des Loges, 1896e: 56 (*Ceutorhynchus*) N: AG TU

planicollis Schultze, 1903b: 251 (*Ceutorhynchus*)

depressicollis Gyllenhal, 1813: 147 (*Rhynchaenus*) [RN] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LU MC MD NL NR NT PL PT RO SK SP ST SV SL TR UK N:

AG A: AB AR CY GG IN KI KZ ~~NW~~ SY TD TM TR UZ XIN

cineritus Hochhuth, 1851: 99 (*Ceutorhynchus*)

foveatus Gerhardt, 1911a: 337 (*Ceutorhynchus*)

foveolatus Gerhardt, 1911b: 2 (*Ceutorhynchus*)

nigrinus Marsham, 1802: 250 (*Curculio*) [HN]

optabilis Faust, 1885b: 197 (*Ceutorhynchus*)

gandoni A. Hoffmann, 1966: 62 (*Ceutorhynchus*) E: FR

kasparyani Korotyaev, 1980: 248 A: FE

longimanus Schultze, 1897g: 311 (*Ceuthorhynchidius*) A: KI KZ TD UZ

major Korotyaev, 2017a: 108 A: TD

marshakovi Korotyaev, 1980: 202 A: ES MG WS

mixtus Mulsant & Rey, 1859a: 295 (*Ceutorhynchus*) E: BE BU CR DE FR GB GR IR IT NL PT RO

SL SP SZ TR N: AG LB MO TU A: AR CY GG IN IQ IS SY TR

mixtus Mulsant & Rey, 1859b: 37 [HN]

nigroterminatus Wollaston, 1854b: 327 (*Ceutorhynchus*) E: AZ N: CI MR

crotchi C. N. F. Brisout de Barneville, 1869: 437 (*Ceutorhynchus*)

lapalmaensis Voss, 1965a: 75 (*Coeliastes*)

notatus C. N. F. Brisout de Barneville, 1883b: 114 (*Ceuthorhynchidius*) A: ES FE KZ MG NC SC WS

czekanovskyi Korotyaev, 1980: 242

orlovi Korotyaev, 2017a: 111 A: NP

procerulus Schultze, 1897g: 310 (*Ceuthorhynchidius*) A: AF KI KZ TD UZ

quercicola Paykull, 1792: 70 (*Curculio*) E: BE BY CT CZ DE EN FI FR GB GE GR HU IT LA LU

MD NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AR GG IN KZ TR WS

grypus Herbst, 1795: 399 (*Curculio*)

scutellatus Stephens, 1831c: 37 (*Nedyus*)

versicolor C. N. F. Brisout de Barneville, 1866a: 131 (*Ceutorhynchus*)

talassicus Bajtenov, 1974b: 36 A: KI KZ

tenuirostris Korotyaev, 1980: 247 A: KZ

tibiellus Schultze, 1902: 69 (*Ceutorhynchus*) E: ST

umbrinus Hustache, 1916b: 131 (*Ceutorhynchus*) A: FE FUJ JA SC ZHE

villosipes Schultze, 1902: 67 (*Ceutorhynchus*) A: KZ

genus *Stenocarus* C. G. Thomson, 1859: 139 type species *Curculio guttula* Fabricius, 1787 (= *Curculio cardui* Herbst, 1784)

cardui Herbst, 1784: 79 (*Curculio*) E: AU BE BU CT CZ DE FR GE GR HU IT LS MA NL PL RO SK SL SP ST SZ TR UK N: AG MO TU A: AB AF AR CY GG IN KI KZ SB SY TM TR WS

UZ

frater Faust, 1885b: 189 (*Coeliodes*)

guttula Fabricius, 1787a: 107 (*Curculio*)

hedenborgi Boheman, 1845: 160 (*Ceutorhynchus*)

lividus Schultze, 1897g: 306 (*Coeliodes*)

moestus Fabricius, 1801: 479 (*Rhynchaenus*)

purkynei Tyl, 1914: 7

lituraalba Desbrochers des Loges, 1896e: 53 (*Coeliodes*) E: ST A: AR GG IN KZ SY TR

reitteri Schultze, 1897g: 307 (*Coeliodes*)

ruficornis Stephens, 1831b: 25 (*Ceutorhynchus*) E: AU BE BU BY CT CZ DE FR GB GE GR HU IR

IT LU MA MC MD NL PL PT RO SK SL SP ST SV SZ UK N: AG MO TU A: GG IN KI

KZ TR WS

fuliginosus Marsham, 1802: 280 (*Curculio*) [HN]

impressus Rosenhauer, 1856: 285 (*Coeliodes*)

pruni Boheman, 1845: 159 (*Ceutorhynchus*)
umbrinus Gyllenhal, 1837b: 292 (*Coeliodes*)

genus *Svetlaniolus* Korotyaev, 1997b: 406 type species *Ceutorhynchus jurganovae* Korotyaev, 1980
jurganovae Korotyaev, 1980: 229 (*Ceutorhynchus*) A: ES WS

genus *Tatyania* Korotyaev, 1988b: 155 type species *Tatyania succinea* Korotyaev, 1988
succinea Korotyaev, 1988b: 156 A: TM

genus *Thamiocolus* C. G. Thomson, 1859: 140 type species *Rhynchaenus viduatus* Gyllenhal, 1813

Euthamiocolus Smreczyński, 1974: 76 type species *Ceuthorhynchus signatus* Gyllenhal, 1837

anthracinus Colonnelli, 2005a: 38 A: IN SY TR

aprutinus Colonnelli, 2015: 37 E: IT

brisouti Faust, 1888c: 167 (*Ceutorhynchus*) A: AR KI ~~NW~~ TD TM UZ

emeritus Faust, 1889c: 139 (*Ceutorhynchus*)

calcaratus Schultzze, 1901b: 104 (*Ceutorhynchus*) A: IN TR

pici Korotyaev, 1997b: 389

candioticus Dieckmann, 1973b: 270 E: GR (Kriti) N: LB

comptus Colonnelli, 1997: 389 A: TR

decoratus Gyllenhal, 1837b: 524 (*Ceutorhynchus*) E: ST UK A: AR

fausti C. N. F. Brisout de Barneville, 1883b: 119 (*Ceutorhynchus*) A: ES ~~NW~~ WS

fischerianus Korotyaev, 1980: 241 A: KI

garajonay Stüben, 2014c: 3 N: CI (La Gomera)

gobicola Korotyaev, 1980: 242 A: ES MG

grancanariensis Stüben & Schütte, 2014b: 4 N: CI (Gran Canaria)

hexatomus Penecke, 1922b: 179 (*Ceutorhynchus*) E: CR IT SL

hispidirostris Iablokoff-Khnzorian, 1971: 190 (*Ceutorhynchus*) A: TD UZ

imperialis Schultzze, 1895b: 428 (*Ceutorhynchus*) E: CZ HU ST UK A: GG

pulchellus Schultzze, 1897a: 266 (*Ceutorhynchus*)

kerzhneri Korotyaev, 1980: 235 A: ~~BEI~~ ES MG NC NO ~~SHA~~

kirgisisicus Korotyaev, 1980: 239 A: KI UZ

kraatzii C. N. F. Brisout de Barneville, 1869: 462 (*Ceutorhynchus*) E: AU BU BY CR CZ FR HU IT

PL RO SB SK SP SZ UK A: ES FE JA WS

bosnicus Schultzze 1897f: 501 (*Ceutorhynchus*) [NA]

bosnicus Schultzze, 1903d: 292 (*Ceutorhynchus*)

devillei Hustache, 1913a: 409 (*Ceutorhynchus*)

lodosi Korotyaev, 1995a: 91 A: TR

longicornis Dieckmann, 1973b: 266 E: BU RO ST UK A: AR GG

lopatini Korotyaev, 1980: 241 A: KZ TD UZ

marci Colonnelli, 2005a: 39 A: TR

niveus Chevrolat, 1859a: 304 (*Ceutorhynchus*) E: FR SP N: AG MO

imbricatus Schultzze, 1900a: 294 (*Ceutorhynchus*)

nubeculosus Gyllenhal, 1837b: 576 (*Ceutorhynchus*) E: CZ ES HU MD RO ST UK UZ A: AB AR ES

FE GG KZ ~~NW~~ TM TR WS ~~XIN~~

gyllenhali Faust, 1890a: 62 (*Ceutorhynchus*)

paravilis Dieckmann, 1973b: 271 E: AU IT SL ST A: GG TR

phaleratus Colonnelli, 1997: 390 A: TM

pubicollis Gyllenhal, 1837b: 574 (*Ceutorhynchus*) E: AU BE BU BY CR CZ FR GE GR HU IT MD

PL RO SB SK SL SP ST SZ UK A: AR GG

bedeli Schultzze, 1903d: 292 (*Ceutorhynchus*)

interstinctus Gyllenhal, 1837b: 570 (*Ceutorhynchus*)

planeti Hustache, 1914a: 114 (*Ceutorhynchus*)

sequens Stierlin, 1897: 479 (*Ceutorhynchus*)

signatellus Gyllenhal, 1837b: 575 (*Ceutorhynchus*)

signifer Grimmer, 1841: 43 (*Falciger*)

weisei Reitter, 1888c: 272 (*Allodactylus*)

roessleri Colonnelli, 1997: 390 E: IT

roubali Dieckmann, 1973b: 265 E: ST A: AR GG TR

rufitarsis Colonnelli, 2011a: 191 A: IN

sahlbergi C. R. Sahlberg, 1845: 152 (*Ceutorhynchus*) E: BE BY CT DE EN FI FR GE LA NL NT PL

RO ST UK A: AR ES FE GG KZ WS

altaicus Schultzze, 1898b: 246 (*Ceutorhynchus*)

maschellii Hochhuth, 1873: 162 (*Ceutorhynchus*)
venustus Schultze, 1902: 65 (*Ceutorhynchus*)
schultzeanus Reitter, 1901b: 81 (*Ceutorhynchus*) A: TD UZ
signatus Gyllenhal, 1837b: 522 (*Ceutorhynchus*) E: AU BH BU BY CR CT CZ FR GE HU IT MD
 PL RO SB SK SL ST SZ UK A: AB AR GG IN KZ ~~NW~~ TM TR WS
*albocruciatu*s Grimmer, 1841: 43 (*Falciger*)
sinapis Desbrochers des Loges, 1893d: 5 (*Ceutorhynchus*) E: CR GR IT ST UK N: AG MO A: AB
 AR CY GG IN TR
poecilus Iablokoff-Khinzorian, 1964: 176 (*Ceutorhynchus*)
subulatus C. N. F. Brisout de Barneville, 1869: 453 (*Ceutorhynchus*) E: FR SP N: AG MO
sulphureus Faust, 1885b: 196 (*Ceutorhynchus*) A: IN KZ UZ
susannae Dieckmann, 1982b: 188 A: AB AR IN SY TR
tataricus Schultze, 1900c: 44 (*Ceutorhynchus*) A: TM
uniformis Gyllenhal, 1837b: 571 (*Ceutorhynchus*) E: BU CT GR IT LE MD RO ST UK A: AB AF
 AR ES FE GG IN KZ MG NW SY TM TR WS
vilis Gyllenhal, 1837b: 572 (*Ceutorhynchus*)
vaulogeri Schultze, 1899c: 258 (*Ceutorhynchus*) N: AG
viduatus Gyllenhal, 1813: 220 (*Rhynchaenus*) E: AU BE BH BY CR CT CZ DE EN FI FR GB GE
 HU IR IT LA LU MD NL NR NT PL RO SB SK SL ST SV SZ UK A: GG WS
virgatus Gyllenhal, 1837b: 568 (*Ceutorhynchus*) E: AU CT CZ HU MD RO SK ST UK A: AB AR
 ES FE GG KI KZ MG NW WS
dubitabilis Boheman, 1845: 171 (*Ceutorhynchus*)
nubilosus Gyllenhal, 1837b: 569 (*Ceutorhynchus*)
volkoviitshi Korotyaev, 1997b: 386 A: IQ IS LE
wittmeri Colonnelli, 1975: 223 A: IS SY
wollastoni Uyttenboogaart, 1930: 278 (*Ceutorhynchus*) N: CI
zaslavskii Korotyaev, 1980: 237 A: KI

genus *Theodorinus* Korotyaev, 1982: 63 type species *Oxyonyx multidentatus* Pic
giustocaroli Colonnelli, 2005d: 243 A: TR
multidentatus Pic, 1914b: 17 (*Oxyonyx*) E: ST A: KZ TM
transcaucasicus Korotyaev, 1989a: 171 A: AB AR GG TR

genus *Trachelanthus* Korotyaev, 1980: 208 type species *Ceutorhynchus margaritae* Korotyaev, 1980
margaritae Korotyaev, 1980: 209 (*Ceutorhynchus*) A: TM
bellus Korotyaev, 1981: 155 (*Ceutorhynchus*) A: TR
lopatini Korotyaev & Nasreddinov, 2013: 141 A: TD

genus *Trichocoeliodes* Colonnelli, 1979a: 142 type species *Trichocoeliodes erinaceus* Colonnelli, 1979
erinaceus Colonnelli, 1979a: 142 A: BT
excavatus Hustache, 1916b: 128 (*Micrelus*) A: JA SC

genus *Trichosirocalus* Colonnelli, 1979b: 213 [RN] type species *Curculio troglodytes* Fabricius, 1787
baldensis Schultze, 1897a: 263 (*Ceuthorhynchidius*) E: AU BH FR IT SZ
barnevillei Grenier, 1866: 1xv (*Ceuthorhynchus*) E: AU BH BU BY CT CZ DE FI FR GB GE GR HU
 IT LA LU MD NL NR NT PL RO SK SP ST SV SZ UK A: AR GG IN KZ TR WS
chevolati Cox, 1874: 127 (*Ceuthorhynchidius*)
bedeli Schultze, 1897g: 308 (*Ceuthorhynchidius*) N: AG TU
bellus Reitter, 1890c: 161 (*Ceuthorhynchidius*) A: AB AR IN TR
briesei Alonso-Zarazaga & Sánchez-Ruiz, 2002: 203 E: AU SP N: MO AURi
campanella Schultze, 1895b: 423 (*Ceuthorhynchidius*) E: AL BH BU GR CR HU ST A: GG TR
centrimacula Schultze, 1900a: 302 (*Ceuthorhynchidius*) E: GR IT MA MC N: AG TU A: TR
dawsoni C. N. F. Brisout de Barneville, 1869: 438 (*Ceutorhynchus*) E: FR GB IR PT SP N: AG MO
histris Perris, 1852: 181 (*Ceutorhynchus*) E: BU GE FR GR CR IT NL PT RO SP SZ N: AG MO
horridus Panzer, 1801: 9 (*Curculio*) E: AU BE BH BU BY CT CZ FR GB GE GR HU IT MD PL
 RO SK SL SP ST TR UK A: AB AR GG IN SY TR AURi NARi NTRi
hispidus Illiger, 1805: 131 (*Rhynchaenus*) [NA]
mortadelo Alonso-Zarazaga & Sánchez-Ruiz, 2002: 206
magnicollis Schultze, 1903b: 245 (*Ceuthorhynchidius*) N: AG

rufulus Dufour, 1852: 346 (*Ceutorhynchus*) E: AU BE BH BU CR CZ FR GB GE GR HU IT LU NL
 PL RO SK SP ST SZ N: AG
cruciger Dufour, 1852: 346 (*Ceutorhynchus*)
frontalis C. N. F. Brisout de Barneville, 1869: 438 (*Ceutorhynchus*)
spurnyi Schultze, 1901b: 98 (*Ceuthorhynchidius*) E: AU CZ GE FR HU IT MD NL PL RO SK UK
hassicus Schultze, 1903b: 244 (*Ceuthorhynchidius*)
thalhammeri Schultze, 1906b: 7 (*Ceuthorhynchidius*) E: AU BE CZ GE DE FR GB GR HU IT NL
 SK SV SZ
trogodytes Fabricius, 1787a: 108 (*Curculio*) E: AL AU BE BU BY CR CT CZ DE FI FR GB GE GR
 HU IR IT LA LS LT LU MD NL NR PL PT RO NT SB SK SL SP ST SV SZ TR UK N: AG
 MO A: AB AR GG IN KZ TR NARi
armatus Dietz, 1896: 433 (*Ceutorhynchus*)
canescens Marsham, 1802: 259 (*Curculio*) [HN]
pusio Panzer, 1795b: 311 (*Curculio*) [HN]
spiniger Herbst, 1795: 410 (*Curculio*)
urens Gyllenhal, 1837b: 564 (*Ceutorhynchus*) E: AL BU FR GR CR IT PL PT SP TR N: AG MO
 A: IS LE SY TR
albohispidus Fairmaire, 1857b: 640 (*Ceutorhynchus*)

genus *Wagnerinus* Korotyaev, 1980: 119 type species *Ceutorhynchus carinulatus* Faust, 1887
carinulatus Faust, 1887h: 177 (*Ceutorhynchus*) A: FE JA
costatus Hustache, 1916b: 139 (*Ceutorhynchus*) A: HEL JA SC
frugivorus Yoshitake, 2008: 17 A: JA
harmandi Hustache, 1916b: 141 (*Ceutorhynchus*) A: JA
shikotanus Korotyaev, 1981: 129 A: FE

genus *Zacladus* Reitter, 1913a: 66 [RN] type species *Curculio geranii* Paykull, 1800
Allodactylus Weise, 1883b: 256 [HN] type species *Curculio geranii* Paykull, 1800
Amurocladus Korotyaev, 1997b: 405 type species *Coeliodes asperulus* Faust, 1893
Angarocladus Korotyaev, 1997b: 405 type species *Coeliodes radula* Hochhuth, 1851
Gobicladus Korotyaev, 1997b: 405 type species *Allodactylus thomsoni* Schultze, 1901
Scythocladus Korotyaev, 1997b: 404 type species *Coeliodes asperatus* Gyllenhal, 1837
asperatus Gyllenhal, 1837b: 305 (*Coeliodes*) E: BU HU RO ST TR UK A: AB AR GG IN KI TM
 TR
macrasper Reitter, 1901e: 130 (*Coeliodes*)
asperulus Faust, 1893b: 204 (*Coeliodes*) A: ES FE MG WS
exiguus Olivier, 1807: 138 (*Rhynchaenus*) E: AL AU BE BH BU CZ GE FR GB GR HU IT LU NL
 RO SB SK SL SP ST SZ TR UK N: AG A: AB AR GG KZ TR UZ
pulvillus Schultze, 1899c: 255 (*Allodactylus*)
geranii Paykull, 1800: 256 (*Curculio*) [RN] E: AL AU BE BU BY CT CZ DE EN FI FR GB GE GR
 HU IT LA LS LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ UK A: AB ~~CH~~ ES FE
 GG HEI IN KI KZ JA MG NC SC TM TR WS XIN
affinis Paykull, 1792: 68 (*Curculio*) [HN]
crenatus Gravenhorst, 1807: 207 (*Rhynchaenus*)
fallax Boheman, 1844: 399 (*Coeliodes*)
simplicicollis Reitter, 1901e: 130 (*Coeliodes*)
subopacithorax Pic, 1916a: 14
transversicollis Faust, 1894b: 147 (*Allodactylus*)
radula Hochhuth, 1851: 95 (*Coeliodes*) A: ~~CH~~ BEI ES FE GAN HEB HEI HUB JIL LIA MG NC
 SC WS
stierlini Schultze, 1903a: 177 (*Allodactylus*) A: BEI ES HEB NMO
thomsoni Schultze, 1901b: 100 (*Allodactylus*) A: ES HEB MG TIA

7.3.2.3. Tribe Cnemogonini Colonnelli, 1979

genus *Augustinus* Korotyaev, 1981: 130 type species *Cyphosenus longipes* Korotyaev, 1981
bouvieri Hustache, 1916b: 120 (*Cyphosenus*) A: JA
comes Yoshitake, 2005b: 163 A: JA
koreanus Korotyaev & Hong, 2004: 158 A: SC (Jeju)
longipes Korotyaev, 1981: 134 (*Cyphosenus*) A: JA
sasakii Chûjô, 1959b: 52 (*Cyphosenus*) A: JA
similis Chûjô, 1959b: 49 (*Cyphosenus*) A: JA
tuberculatus J. Huang, Yoshitake & Zhang, 2008b: 63 A: GUI

genus *Auleutes* Dietz, 1896: 402 type species *Curculio epilobii* Paykull, 1800
Platymeristes Dietz, 1896: 414 type species *Orchestomerus ulkei* Dietz, 1896 (= *Curculio epilobii* Paykull, 1800)
epilobii Paykull, 1800: 259 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GE HU IT LA
LU ME NL NR NT PL RO SV SK SZ UK A: ES FE HEB HEI KZ MG WS **NAR**
cruralis LeConte, 1876: 270 (*Coeliodes*)
johannita Gistel, 1857: 521 (*Coeliodes*)
ulkei Dietz, 1896: 413 (*Orchestomerus*)

genus *Craponius* LeConte, 1876: 268 type species *Ceutorhynchus inaequalis* Say, 1832
inaequalis Say, 1832: 20 (*Ceutorhynchus*) Ai: SC **NAR**

genus *Cyphauleutes* Korotyaev, 1992b: 54 type species *Cyphauleutes vietnamensis* Korotyaev, 1992
alternans Voss, 1958b: 65 (*Phytobiomorphus*) A: FE FUJ JA LIA SCH YUN "Korea" ORR
bifasciatus Voss, 1958b: 65 (*Phytobiomorphus*) A: FE FUJ GUA JA SC ORR

genus *Phytobiomorphus* Wagner, 1937: 309 type species *Phytobius variegatus* Hustache, 1920
variegatus Hustache, 1920d: 333 (*Phytobius*) A: FE HEI HUB SC YUN
moholei Hong & Egorov, 1999: 171 (*Cyphosenus*)

genus *Sinauleutes* Korotyaev, 1996b: 460 type species *Craponius bigibbosus* Hustache, 1916
bigibbosus Hustache, 1916b: 119 (*Craponius*) A: CH JA SC

7.3.2.4. Tribe Egriini Pajni & Kohli, 1982

genus *Ceutorhynchoides* Colonnelli, 1979a: 144 type species *Ceutorhynchoides badius* Colonnelli, 1979
badius Colonnelli, 1979a: 145 A: BT
elongatus Colonnelli, 1979a: 148 A: BT
koreanus Korotyaev & Hong, 2004: 160 A: SC
rectirostris Korotyaev, 1981: 143 A: YUN
squamatus Yoshitake & Colonnelli, 2005: 121 A: JA
styracis Yoshitake & Colonnelli, 2005: 127 A: JA

genus *Cyphosenus* Schultze, 1899a: 188 type species *Cyphosenus paradoxus* Schultze, 1899
subgenus *Cyphosenus* Schultze, 1899a: 188 type species *Cyphosenus paradoxus* Schultze, 1899
grouvellei Hustache, 1916b: 122 A: JA NC SC

genus *Egriodes* G.A.K. Marshall, 1935a: 44 type species *Egriodes dollmani* G.A.K. Marshall, 1935
ultramarinus Colonnelli, 1985b: 373 A: SA

genus *Hainokisaruzo* Yoshitake & Colonnelli, 2005: 133 type species *Hainokisaruzo japonicus*
Yoshitake & Colonnelli, 2005
bengalensis Colonnelli, 1984b: 201 (*Ceutorhynchoides*) A: SD
formosanus Yoshitake, 2015: 235 A: TAI
fulvus J. Huang, Yoshitake & Zhang, 2008a: 63 A: FUJ
gressitti Korotyaev, 2015: 416 A: TAI
infuscatus Yoshitake & Colonnelli, 2005: 148 A: JA
japonicus Yoshitake & Colonnelli, 2005: 135 A: JA
nipponensis Hustache, 1916b: 141 (*Ceutorhynchus*) A: JA
sinensis Korotyaev, 1989b: 155 (*Ceutorhynchoides*) A: YUN
wuyishanensis J. Huang, Yoshitake & Zhang, 2008a: 60 A: FUJ

7.3.2.5. Tribe Hypohypurini Colonnelli, 2004

genus *Hypohypurus* Hustache, 1920d: 334 type species *Hypohypurus perrieri* Hustache, 1920
Hemilioxyonyx Colonnelli, 1984c: 214 type species *Lioxyonyx sibiensis* A. Hoffmann, 1968 (= *Hypohypurus testaceirostris*
Hustache, 1930)
Orientohypurus Korotyaev, 1981: 150 type species *Indohypurus kabakovi* Korotyaev, 1981
kabakovi Korotyaev, 1981: 153 (*Indohypurus*) A: CH ORR
minor Korotyaev, 1981: 154 (*Indohypurus*) A: YUN **ORR**

7.3.2.6. Tribe Hypurini Schultze, 1902

genus Anthypurinus Colonnelli, 1979a: 211 type species *Ceutorhynchus biimpressus* C. N. F. Brisout de Barneville, 1869

basicornis Schultze, 1898b: 232 (*Hypurus*) E: ST A: AF TM UZ

biimpressus C. N. F. Brisout de Barneville, 1869: 444 (*Ceutorhynchus*) N: AG TU

dauidyani Korotyaev, 1990b: 262 A: AB

emeljanovi Korotyaev, 1990b: 263 A: KZ

friedmani Korotyaev, 2005: 360 N: EG A: IS

aravae Colonnelli, 2005c: 92

haloxylicola Korotyaev, 1988b: 157 A: MG TM UZ

iranicus Korotyaev, 1988b: 160 A: IN

kaszabi Bajtenov, 1975a: 246 (*Anthypurus*) A: MG

kerzhneri Korotyaev, 1990b: 265 A: KZ MG

konevi Korotyaev, 1990b: 267 A: KZ

loginovae Korotyaev, 1990b: 260 A: AB AR IN TM TR UZ

qataricus Colonnelli, 2005c: 93 A: QT

transversus Faust, 1885b: 199 (*Ceutorhynchus*) A: KI KZ UZ

flavicornis Faust, 1894b: 148 (*Hypurus*)

tuberculatus Korotyaev, 1988b: 160 A: UZ

verae Korotyaev, 1990b: 259 A: AB

volkovitshi Korotyaev, 1990b: 255 A: TM

genus Aphytobius Wagner, 1937: 297 type species *Ceutorhynchus sphaerion* Boheman, 1845

Hemiphytobius Dieckmann, 1972: 29 type species *Ceutorhynchus sphaerion* Boheman, 1845

Hemiphytobius Smreczyński, 1974: 48 [HN] type species *Ceutorhynchus sphaerion* Boheman, 1845

falzonii F. Solari, 1951: 54 (*Hemiphytobius*) E: IT

fuenta Desbrochers des Loges, 1908g: 64 (*Hypurus*) E: SP

glaucii Chevrolat, 1859a: 387 (*Coeliodes*) N: AG MO

antoinei Hustache, 1923b: 72 (*Pseudophytobius*)

podagricus Schultze, 1900c: 18 (*Hypurus*)

sphaeroides Pic, 1896c: 96 (*Ceutorhynchus*)

luctuosus Desbrochers des Loges, 1896e: 54 (*Hypurus*) E: SP N: MO

tangerianus Pic, 1896e: 115 (*Hypurus*)

monticola F. Solari, 1951: 55 (*Hemiphytobius*) E: IT

rumicum Peyerimhoff, 1919c: 241 (*Pseudophytobius*) N: AG MO

sphaerion Boheman, 1845: 145 (*Ceutorhynchus*) E: AU BH CR CZ GE FR IT ST

guedeli Hustache, 1946b: 136 (*Pseudophytobius*)

subglobosus C. N. F. Brisout de Barneville, 1869: 442 (*Ceutorhynchus*) E: FR

veronicae J. Frivaldszky, 1884b: 284 (*Hypurus*) E: HU RO ST UK

genus Hypurus Rey, 1882: 187 type species *Ceutorhynchus bertrandi* Perris, 1852

bertrandi Perris, 1852: 183 (*Ceutorhynchus*) E: CR FR GR HU IT MA PT SP N: CI EG MO TU A:

FUJ IQ JA SC (Jeju) **COS**

biskrensis Desbrochers des Loges, 1908g: 64 (*Hypurus*)

carneus Perris, 1858: 146 (*Ceutorhynchus*)

oleraceae G.A.K. Marshall, 1935b: 569 (*Ceutorhynchus*)

portulacae Hustache, 1926d: 262 (*Hypurus*) [HN]

portulacae G.A.K. Marshall, 1916a: 368 (*Ceutorhynchus*) A: **HAI** PA **ORR**

vanharteni Colonnelli, 2009: 226 A: AE

genus Neohypurus Bajtenov, 1980c: 131 type species *Neohypurus periegomorphus* Bajtenov, 1980

periegomorphus Bajtenov, 1980c: 132 A: KZ

genus Neoplatygaster Wagner, 1941b: 167 [RN] type species *Coeliodes venustus* Faust, 1885

Platygaster Faust, 1885b: 190 [HN] type species *Coeliodes venustus* Faust, 1885

venusta Faust, 1885b: 190 (*Coeliodes*) A: IN IQ KI KZ TD SY UZ **XIN**

wittmeri Colonnelli, 1985b: 368 A: SA

genus Oreorrhynchaeus Otto, 1894: 1 type species *Oreorrhynchaeus alpicola* Otto, 1894

alpicola Otto, 1894: 2 E: AU
baldensis G. Osella, Bellò & Pogliano Osella, 1986: 77 E: IT
focarilei F. Solari, 1951: 51 E: IT
hispanicus Wagner, 1941a: 9 E: SP
pacei G. Osella & Cornacchia, 1974: 141 E: IT
spectator Holdhaus, 1936: 50 (*Ceutorhynchus*) E: IT

genus *Pericartius* A. Hoffmann, 1968a: 179 type species *Pericartius chariensis* A. Hoffmann, 1968
aequatorialis Hustache, 1934b: 25 (*Hypohypurus*) Ai: SC AFR
flavisquamis Colonnelli, 1997: 386 N: AG MO

genus *Pseudophytobius* Desbrochers des Loges, 1884: 166 type species *Pseudophytobius saltator*
Desbrochers des Loges, 1884
acalloides acalloides Fairmaire, 1857b: 639 (*Ceutorhynchus*) E: FR IT SP N: AG EG TU
continuat Desbrochers des Loges, 1896e: 54 (*Hypurus*)
optimemaculatus Pic, 1900c: 70 (*Hypurus*)
salicorniae Hustache, 1930d: 194
temperei Wagner, 1937: 294
acalloides saltator Desbrochers des Loges, 1884: 167 E: SP N: MO

7.3.2.7. Tribe Mecysmoderini Wagner, 1938

genus *Belonnotus* Schultze, 1899a: 187 type species *Belonnotus tricarinatus* Schultze, 1899
frater Korotyaev, 1989b: 136 (*Mecysmoderes*) A: YUN
mussooriensis Pajni & Kohli, 1982: 349 (*Mecysmoderes*) A: NP UP
nigriclava Colonnelli, 1992c: 404 A: UP
ochraceus Motschulsky, 1858: 70 (*Coeliosomus*) A: SD
ochrasuturalis Pajni & Kohli, 1982: 360 (*Mecysmoderes*) A: HP UP
tenuirostris G.A.K. Marshall, 1917b: 403 (*Mecysmoderes*) A: YUN ORR

genus *Coelioderes* Korotyaev, 2004b: 162 type species *Mecysmoderes nigrinus* Hong & Woo, 1999
~~*fulvus* Roelofs, 1875b: 179 (*Mecysmoderes*) A: JA~~
kerzhneri Korotyaev, 1994a: 111 (*Mecysmoderes*) A: FE JA
koreanus Korotyaev & Hong, 2004: 163 (*Mecysmoderes*) [DA] A: SC
kuatunensis Voss, 1958b: 70 (*Mecysmoderes*) A: FUJ
lesnei Hustache, 1916b: 124 (*Mecysmoderes*) A: JA
nigrinus Hong & Woo, 1999: 189 (*Mecysmoderes*) A: JA SC
nipponicus Korotyaev, 2004b: 165 (*Mecysmoderes*) [DA] A: JA

genus *Coeliosomus* Motschulsky, 1858: 70 type species *Coeliosomus nigrorufus* Motschulsky, 1858
subgenus *Coeliosomus* Motschulsky, 1858: 70 type species *Coeliosomus nigrorufus* Motschulsky, 1858
dilucidus Voss, 1958b: 70 (*Mecysmoderes*) A: FUJ
minutus Hustache, 1924c: 61 (*Mecysmoderes*) A: SD
neominutus Pajni & Kohli, 1982: 366 (*Mecysmoderes*) A: SD
nigrus Pajni & Kohli, 1982: 352 (*Mecysmoderes*) A: AP NP SD ORR
darjeelingensis Pajni & Kohli, 1982: 354 (*Mecysmoderes*)
subhumeralis G.A.K. Marshall, 1917b: 400 (*Mecysmoderes*) A: SD ORR
suturalis Hustache, 1924c: 60 (*Mecysmoderes*) A: SD ORR
tschungseni Voss, 1958b: 71 (*Mecysmoderes*) A: FUJ
ustulatus Voss, 1958b: 70 (*Mecysmoderes*) A: FUJ GUI GUX JIX XIZ
subgenus *Memecyderes* Korotyaev, 2015: 421 type species *Mecysmoderes eugenii* Korotyaev, 2015
brancuccii Colonnelli, 1992c: 400 A: SD
eugenii Korotyaev, 2015: 421 (*Mecysmoderes*) A: HKG TAI ORR
memecylonis G.A.K. Marshall, 1917b: 395 (*Mecysmoderes*) A: NP SD ORR
simulator Korotyaev, 2015: 425 (*Mecysmoderes*) A: GUA HAI YUN ORR

genus *Mecysmoderes* Schoenherr, 1837b: 596 type species *Mecysmoderes euglyptus* Gyllenhal, 1837
subgenus *Burattino* Korotyaev, 2019: 1254 type species *Mecysmoderes filirostris* Korotyaev, 2019
yunnanensis J. Huang, Zhang & Pelsue, 2006: 42 (*Watanabesaruzo*) A: YUN

subgenus *Mecysmoderes* Schoenherr, 1837b: 596 type species *Mecysmoderes euglyptus* Gyllenhal, 1837
ater Hustache, 1916b: 125 A: JA

japonicus Pic, 1916a: 13

brevicarinatus Hustache, 1916b: 125 A: JA

crassirostris Hustache, 1924c: 59 A: SD

crucifer Voss, 1958b: 71 A: FUJ

fulvus Roelofs, 1875: 179 A: FUJ HUN JA SCH XIZ YUN ZHE

maculanigra Voss, 1958b: 72 A: FUJ ZHE

notobrevicarinatus Pajni & Kohli, 1982: 351 A: SD

rufulus Colonnelli, 1979a: 150 A: BT NP PA

squamatus Colonnelli, 1979a: 152 A: BT

sulcicollis Voss, 1958b: 70 A: FUJ

subgenus *Watanabesaruzo* Yoshitake & Yamauchi, 2002: 414 type species *Mecysmoderes taimaei*
Yoshitake & Yamauchi, 2002

davidi Korotyaev, 2019: 1249 A: GUA

helenae Korotyaev, 2019: 1231 A: SD

longicollis Korotyaev, 2019: 1234 A: GUA

vicarius Korotyaev, 2019: 1231 A: YUN

~~*yunnanensis* J. Huang, Zhang & Pelsue, 2006: 42 (*Watanabesaruzo*) A: YUN~~

genus *Xenysmoderes* Colonnelli, 1992c: 412 type species *Mecysmoderes longirostris* Hustache, 1920

alternatus Pajni & Kohli, 1982: 358 (*Mecysmoderes*) A: SD

armirufus G.A.K. Marshall, 1948a: 455 (*Mecysmoderes*) A: NP **ORR**

athleta Korotyaev, 1992b: 78 (*Mecysmoderes*) A: YUN **ORR**

brevicornis Hustache, 1924c: 58 (*Mecysmoderes*) A: SD NP **ORR**

ciconia Korotyaev, 1992b: 94 (*Mecysmoderes*) A: YUN

comes Colonnelli, 1992c: 413 A: NP UP

consularis Pascoe, 1870c: 482 (*Mecysmoderes*) A: JA (Ryūkyū) TAI

glabrirostris Korotyaev, 1992b: 80 A: YUN **ORR**

humeralis Hustache, 1924c: 57 (*Mecysmoderes*) A: BT NP UP **ORR**

kryzhanovskii Korotyaev, 1992b: 84 (*Mecysmoderes*) A: YUN

longirostris Hustache, 1920d: 330 (*Mecysmoderes*) A: FUJ GUA HAI **ORR**

ruficollis Yoshitake, 2005a: 16 A: TAI

stylicornis G.A.K. Marshall, 1934b: 51 (*Mecysmoderes*) A: GUX UP YUN AURi **ORR**

genus *Xenysmoderodes* Yoshitake, 2007: 76 type species *Xenysmoderodes sasajii* Yoshitake, 2007

concaus N. Yang, R. Zhang & Ren, 2013: 534 A: GUX

flos N. Yang, R. Zhang & Ren, 2013: 537 A: GUI ZHE

sasajii Yoshitake, 2007: 77 A: JA

7.3.2.8. Tribe Mononychini LeConte, 1876

genus *Mononychus* Germar, 1823: 241 type species *Curculio pseudacori* Fabricius, 1792 (= *Curculio*

punctumalbum Herbst, 1784)

ireos Pallas, 1773: 722 (*Curculio*) A: AF AR IN KI KZ ~~WS~~ SY TD TM UZ WS XIN

bufo Fabricius, 1781: 165 (*Curculio*)

medvedevi Nasreddinov, 1977: 48 A: TD

punctumalbum Herbst, 1784: 74 (*Curculio*) E: AU BE BU BY CR CT CZ DE FR GB GE GR HU IT
LA LU MD NL PL PT RO SL SP SK ST SV SZ TR UK A: AB AR GG IN KZ LE SY TM TR
UZ

caucasicus Kolenati, 1859b: 391

euphraticus Schultze, 1897g: 305

pseudacori Rossi, 1790: 116 (*Curculio*)

pseudacori Fabricius, 1792: 408 (*Curculio*) [HN]

rondoui Vuillet, 1911: 63

salviae Germar, 1823: 241

spermaticus Becker, 1862: 349

syriacus L. Redtenbacher, 1843: 988

schoenherrii Kolenati, 1859b: 389 A: AB AR GG TR

superciliaris Boheman, 1844: 401 E: FR PT SP N: AG MO

algerinus Gandolphe, 1878: 97

angustus Schultze, 1900a: 301
pallidicornis Pic, 1908c: 34
quadrifossulatus Chevrolat, 1873c: 412
tangerianus Chevrolat, 1873c: 412
thompsoni Korotyaev, 1981: 126 A: ~~CEJIA~~
vittatus Faldermann, 1835: 430 A: ES FE GAN KZ MG-NW
amurensis Schultze, 1898b: 225

7.3.2.9. Tribe Phytobiini Gistel, 1848

genus *Eubrychius* C. G. Thomson, 1859: 138 type species *Eubrychius aquaticus* C. G. Thomson, 1859
(= *Rhynchaenus velutus* [Beck], 1817)

velutus [Beck], 1817: 20 (*Rhynchaenus*) E: AU BE BH BY CT CZ DE EN FI FR GB GE HU IR IT
LA LU MG NL NR NT PL RO ST SK SV SZ A: ES FE KZ TR WS
aquaticus C. G. Thomson, 1859: 138
velutus Germar, 1818: 369 [UE]

genus *Marmaropus* Schoenherr, 1837b: 310 type species *Marmaropus besseri* Gyllenhal, 1837
besseri Gyllenhal, 1837b: 312 E: AU BU BY CT CZ GE FR HU PL RO SB SK UK A: WS

genus *Neophytobius* Wagner, 1936b: 181 type species *Rhynchaenus quadrinodosus* Gyllenhal, 1813

Nemophytobius Voss, 1952b: 201 type species *Phytobius facialis* Voss, 1952
egorovi Korotyaev, 1980: 111 (*Phytobius*) A: FE
facialis Voss, 1952b: 201 (*Phytobius*) A: HEI
granatus Gyllenhal, 1835a: 460 (*Phytobius*) E: AL AU BH BU CR CT CZ DE FR GE GR HU IT
MC NL PL PT RO SB SK SP ST SV SZ UK N: AG TU A: AR GG IN KI KZ PA TD TM TR
UZ WS
brisoutii Seidlitz, 1891b: 707 (*Phytobius*)
macedonicus Voss, 1964d: 169 (*Heterophytobius*)
taschkenticus Faust, 1885b: 194 (*Phytobius*)
hartmanni Schultze, 1901b: 97 (*Phytobius*) A: ES FE HEB MG NE NO TIA WS
chaffanjonii Hustache, 1916a: 70 (*Phytobius*)
kozlovi Korotyaev, 1990a: 225 (*Phytobius*) A: ~~SEXIN~~
muricatus C. N. F. Brisout de Barneville, 1867: 187 (*Phytobius*) E: AL AU BE BU BY CR CT CZ
DE FR GB GE HU IT NL NT PL SK SV SZ UK
quadrinodosus Gyllenhal, 1813: 155 (*Rhynchaenus*) E: AU BE BH BU BY CT CZ DE FI FR GB GE
HU IT LA LS LU NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: ES KI KZ NW TD
UZ WS XIZ
denticollis Gyllenhal, 1837b: 584 (*Rhinoncus*)
mucronulatus Germar, 1823: 239 (*Ceutorhynchus*)
vtorovi Korotyaev, 1990a: 225 (*Phytobius*) A: KI
wuorentausi Korotyaev, 1990a: 227 (*Phytobius*) A: FE

genus *Pelenomus* C. G. Thomson, 1859: 138 type species *Curculio comari* Herbst, 1795 (= *Curculio commari* Panzer, 1795)

Mecopeltus Dietz, 1896: 466 type species *Mecopeltus fuliginosus* Dietz, 1896
Pachyrhinus Stephens, 1829b: 158 [HN] type species *Curculio comari* Herbst, 1795 (= *Curculio commari* Panzer, 1795)
Paraphytobius Wagner, 1936b: 181 type species *Rhynchaenus quadricornis* sensu Gyllenhal, 1813 (= *Phytobius quadricorniger* Colonnelli, 1986)
Phytobius Dejean, 1835: 282 [HN] type species *Curculio quadrituberculatus* Fabricius, 1787
canaliculatus Fähræus, 1843: 347 (*Phytobius*) E: AU BE BH BY CR CT CZ DE EN FI FR GB GE
HU IR IT LA LS LU NL NR NT PL PT RO SB SK ST SV SZ UK A: ES GG HEI JA KZ MG
TR WS
notula C. G. Thomson, 1865: 235 (*Rhinoncus*) [HN]
commari Panzer, 1795b: 303 (*Curculio*) E: AU BE BH BU BY CT CZ DE EN FI FR GB GE GR
HU IR IT LA LU MD NL NR NT PL RO SB SK SL SP ST SV SZ UK A: KZ TR WS
astracanicus Schultze, 1903d: 292 (*Phytobius*)
comari Herbst, 1795: 411 (*Curculio*)
curvatus L. Yang & J. Huang, 2013: 413 A: YUN
hygrophilus Hustache, 1923c: 248 (*Phytobius*) E: AU FR GE IT SZ
jarrigei Roudier, 1957b: 33 (*Phytobius*)
olssoni Israelson, 1972a: 248 (*Phytobius*) E: AU BE CZ DE FR GB GE MC PL PT SP SV UK

quadricorniger Colonnelli, 1986: 420 (*Phytobius*) E: AU BE BH BY CTCZ GE DE FI FR GB CR HU IT LA LU NL NT PL RO SB SV SP SK ST SZ UK A: ES FE FUJ GUI JA KI MG SC WS
quadricornis Gyllenhal, 1813: 154 (*Rhynchaenus*) [HN]
quadrituberculatus Fabricius, 1787a: 100 [NP] (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LU NL NR NT PL PT RO SB SK SP ST SV SZ UK A: AR ES FE GG IN JA KZ MG ~~NE-NO~~ SY TM TR WS
notula Germar, 1823: 240 (*Ceutorhynchus*)
omissus Faust, 1887: 298 (*Phytobius*)
quadricornis Paykull, 1792: 71 (*Curculio*)
quadridentatus Stephens, 1831c: 51 (*Pachyrhinus*)
ribis Strøm, 1783: 58 [NO] (*Curculio*)
tibialis Gyllenhal, 1835a: 462 (*Phytobius*)
roelofsi Hustache, 1916b: 113 (*Phytobius*) A: FE FUJ GUI GUX HUN JA JIX LIA NC SC ZHE
sachalinensis Korotyaev, 1980: 111 (*Phytobius*) A: FE
velaris Gyllenhal, 1827: 581 (*Phytobius*) E: AU BE BH BY CT CZ DE EN FI FR GE GR HU IT LA LU NL NR PL RO SB SK SL SV SZ UK A: ES FE MG WS
cuprifer Motschulsky, 1845a: 100 (*Phytobius*)
waltoni Boheman, 1843: 345 (*Phytobius*) E: AU BE BH BU BY CR CT CZ GE DE EN FI FR GB GR HU IT LA LU NL NR NT PL RO SB SK SP ST SV SZ UK A: AB ES FE GG HEI HUB IN JA KZ NC SC TR WS **NAR**_i
zumpti Wagner, 1939a: 78 (*Phytobius*) E: BE DE GB GE NL

genus *Phytobius* Schoenherr, 1833a: 20 [RN] type species *Rhynchaenus myriophylli* Gyllenhal, 1813 (= *Curculio leucogaster* Marsham, 1802)

Hydaticus Schoenherr, 1825: 583 [HN] type species *Rhynchaenus myriophylli* Gyllenhal, 1813 (= *Curculio leucogaster* Marsham, 1802)

Litodactylus L. Redtenbacher, 1847: 399 type species *Curculio leucogaster* Marsham, 1802

friebi Wagner, 1939a: 77 A: BEI ES FE FUJ HAI HEI HKG HUB JA LIA MG ZHE “Korea”

japonicus Roelofs, 1875b: 180 A: FE JA SC

leucogaster Marsham, 1802: 253 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LU MD NL NR NT PL RO SP SK ST SV SZ UK A: AR BEI ES FE KZ MG SC TD TIA TM TR WS **NAR**

griseomicans Schwarz, 1892: 165

myriophylli Gyllenhal, 1813: 152 (*Rhynchaenus*)

paroculus Gravenhorst, 1807: 207 (*Rhynchaenus*)

semiruber Reitter, 1916a: 177 (*Litodactylus*)

suffriani Gistel, 1857: 532 (*Poophagus*)

genus *Phytobius*, nomina dubia

hydrophilus Dufour, 1849: 586 E: FR

thoracespinosus Goeze, 1777: 411 (*Curculio*) E: FR

armatus Geoffroy, 1785: 123 (*Curculio*)

denticulatus Gmelin, 1790: 1804 (*Curculio*) [HN]

genus *Rhinoncus* Schoenherr, 1825: 586 [NP] type species *Curculio pericarpus* Linnaeus, 1758

Cryptorhis Billberg, 1820: 43 [NO] type species *Curculio pericarpus* Linnaeus, 1758

albicinctus Gyllenhal, 1837b: 586 E: AU BE BH BU CT CZ FR GB GE GR HU IT LA LU MD NL PL RO SK SZ UK A: FUJ KZ TR WS

autumnalis Korotyaev, 1980: 115 A: ES HEI KZ MG

bosnicus Schultze, 1900c: 20 E: AU BH BU BY CZ FR GE HU MD PL SK ST UK A: ES FE GG KZ NC MG NE SC TM WS

bruchoides Herbst, 1784: 85 (*Curculio*) E: AU BE BU BY CT CZ DE EN FR GB GE GR HU IT LA LU MD NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: **BEI** ES FE GG HEB **HEI** JA KZ MG ~~NE-NMO~~ ~~NW~~-TR WS **NAR**

asperatus Gyllenhal, 1827: 583 (*Rhynchaenus*)

chinensis Schultze, 1901a: 94

crassus Marsham, 1802: 264 (*Curculio*) [HN]

rufescens Stephens, 1831c: 50 (*Pachyrhinus*)

spurius Rey, 1895c: 25 (*Phytobius*)

caesareus Colonnelli, 1979c: 483 A: NP PA UP **ORR**

cribricollis Hustache, 1916b: 111 A: FE JA NC SC

uchidai Kôno, 1935c: 59

formosanus Korotyaev, 1997b: 382 A: TAI

fukienensis Wagner, 1940b: 104 A: FUJ GUA GUI GUX HAI HUB HUN JA JIX SCH TAI ZHE
ORR

gressitti Korotyaev, 1997b: 387 A: FUJ GUA YUN ZHE

henningsi Wagner, 1936a: 71 E: AU BE BY CZ GE FR LU PL SZ

inconspectus Herbst, 1795: 405 (*Curculio*) E: AL AU BE BH BU BY CT CZ DE EN FI FR GB GE
 HU IT LA LU MD NL NR PL PT RO SB SK SL SP ST SV SZ UK N: MO A: AR KI KZ WS
accipitrinus Reich, 1797: 5 (*Curculio*)
canaliculatus Stephens, 1831c: 43
gramineus Fabricius, 1792: 465 (*Curculio*) [HN]
irroratus Schrank, 1798: 506 (*Curculio*) [URN, HN]

jakovlevi Faust, 1893b: 205 A: AF ES FE HEI JA LIA MG SC WS

koreanus Korotyaev, 1997b: 382 A: NC

leucostigma Marsham, 1802: 255 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
 GE GR HU IR IT LA LT LU MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N:
 AG MO A: AB AR ES FE GG IN JA KI KZ NE TM TR UZ WS XIN **NAR**
herbstii Billberg, 1820: 43 (*Cryptorhis*) [URN, NA]
montanus A. Hoffmann, 1960a: 20
pericarpus: ~~Paykull, 1792: 62~~ Fabricius, 1775: 132 (*Curculio*) [NA]
sanguinipes Reitter, 1916a: 176
spartii Stephens, 1831c: 41

margaritae Korotyaev, 1997b: 381 A: AB AR

minutus Korotyaev, 1980: 117 A: MG

nigrotibialis Wagner, 1939b: 207 A: FE JA NC SC

paganus Gyllenhal, 1837b: 586 A: NP UP **AFR ORR**
luzonicus Hustache, 1925c: 333

pericarpus Linnaeus, 1758: 380 (*Curculio*) E: AU BE BU BY CT CZ DE EN FI FR GB GR HU IR
 IT LA LS LU MD ME NL NR NT PL PT RO SK SL SP ST SV SZ UK A: ES FE GG IS JA
 KZ NE WS **NAR**
castor Fabricius, 1792: 408 (*Curculio*)
flavipes Stephens, 1831c: 41
fruticulosus Herbst, 1795: 400 (*Curculio*)
gramulipennis Gyllenhal, 1837b: 580
interstitialis Reich, 1797: 6 (*Curculio*)
rufipes Stephens, 1831c: 42
scabratus Fabricius, 1792: 411 (*Curculio*)
seniculus Gravenhorst, 1807: 206 (*Rhynchaenus*)

perpendicularis Reich, 1797: 10 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
 GE GR HU IR IT LA LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK
 N: AG EG MO A: AB AR ES FE HEI IN IS KZ MG SC SY TR WS XIN **NARi**
conjectus Gyllenhal, 1837b: 582
erythrocneme Beck, 1817: 22 (*Rhynchaenus*)
guttalis Gravenhorst, 1807: 206 (*Rhynchaenus*)
lysholmi Pic, 1899c: 116
rubricus Pic, 1896c: 95
rufofemoratus Schultze, 1901a: 94
subfasciatus Gyllenhal, 1813: 253 (*Rhynchaenus*)
tibialis Stephens, 1831c: 41

planipennis Colonnelli, 1979c: 486 A: NP PA

sibiricus Faust, 1893b: 205 A: BEI CHO ES FE FUJ GAN GUA GUI GUX HAI HEB HEI HUB
HUN JA JIA JIL LIA MG NC NE NW SC SHX TAI WS YUN ZHE **ORR**
sulcipennis Schultze, 1898b: 233

smreczynskii Wagner, 1937: 313 E: CZ PL

sulcicollis Boheman, 1845: 173 A: ES FE HEI MG NMO WS
mongolicus Reitter, 1895d: 211

7.3.2.10. Tribe Scleropterini Schultze, 1902

genus *Alesinus* Korotyaev, 2008a: 103 type species *Alesinus nepalensis* Korotyaev, 2008
nepalensis Korotyaev, 2008a: 104 A: NP

genus *Brachiodontus* Schultze, 1897d: 187 type species *Amalus alpinus* Hampe, 1867
alpinus Hampe, 1867: 375 (*Amalus*) E: AU GE IT
ganglbaueri Reitter, 1891f: 261 (*Scleropterus*)
pseudoalpinus G. Osella & Cornacchia, 1974: 147
deubeli Ganglbauer, 1902: 108 E: RO

kraussi Ganglbauer, 1902: 107 E: IT
reitteri Weise, 1878: 61 (*Scleropterus*) E: RO UK
schultzei Ganglbauer, 1902: 107 E: SL
ganglbaueri Schultze, 1897d: 188 [HN]

genus *Gibbopterus* Lu & Huang, 2018: 452 type species *Gibbopterus guizhouensis* Lu & Huang, 2018
guizhouensis Lu & Huang, 2018: 453 A: GUI
tenuis Lu & Huang, 2018: 457 A: SCH

genus *Homorosoma* J. Frivaldszky, 1894: 187 type species *Ceuthorhynchus speiseri* J. Frivaldszky, 1894 (= *Ceuthorhynchus validirostris* Gyllenhal, 1837)
asperum Roelofs, 1875b: 177 (*Ceutorhynchus*) A: CHO FE FUJ GUA GUI GUX HUB HUN JA JIX SC ZHE
aterrimum Hustache, 1916b: 138 (*Ceutorhynchus*) A: JA
chinense Wagner, 1944b: 106 A: FUJ GUA GUI GUX HUB HUN JIX ZHE
consimile Wagner, 1944b: 105 A: FUJ
klapperichi Wagner, 1944b: 108 A: FUJ
validirostre Gyllenhal, 1837b: 565 (*Ceutorhynchus*) E: BH BU CZ HU MD PL RO SK ST UK A: FE KI KZ TM WS
kaufmanni Reitter, 1901c: 86 (*Coeliodes*)
rhinocoides Reitter, 1901c: 87 (*Coeliodes*)
speiseri J. Frivaldszky, 1894: 87 (*Ceutorhynchus*)

genus *Proscleropterus* Korotyaev, 2008a: 99 type species *Proscleropterus davidiani* Korotyaev, 2008
davidiani Korotyaev, 2008a: 100 A: SCH
rudis Colonnelli, Qin & Huang, 2016: 180 A: GUI
shennongjianus Qin & Huang, 2016: 176 A: HUB

genus *Rhinoncomimus* Wagner, 1940a: 79 type species *Rhinoncomimus klapperichi* Wagner, 1940
subgenus *Homorosomulus* Korotyaev, 2006: 109 type species *Rhinoncomimus latipes* Korotyaev, 1997
latipes Korotyaev, 1997a: 287 A: FE FUJ GUI GUX HEN HUN JA JIX NC SC ZHE NARi
rhytidosomoides Wagner, 1944b: 100 (*Homorosoma*) A: FUJ HUN JIX NC SC TAI
subgenus *Rhinoncomimus* Wagner, 1940a: 79 type species *Rhinoncomimus klapperichi* Wagner, 1940
continuus Huang, Yoshitake & Zhang, 2013: 151 A: GUI GUX SCH
klapperichi Wagner, 1940a: 79 A: FUJ GUI HUB HUN JIX ZHE
niger Chûjô & Morimoto, 1959b: 154 A: GUA GUI HUN JA JIX
robustus Voss, 1958b: 66 A: FUJ HUN
rubripes Korotyaev, 2006: 108 A: HUEB

genus *Rutidosoma* Stephens, 1831c: 45 type species *Curculio globulus* Herbst, 1795 (= *Rhinoncus graminosus* Gistel, 1857)
subgenus *Afrutidosoma* Korotyaev, 2008a: 105 type species *Rutidosoma alexanderi* Korotyaev, 2008
alexanderi Korotyaev, 2008a: 105 A: YUN
subgenus *Heorutidosoma* Korotyaev & Hong, 2004: 145 type species *Rutidosoma koreanum* Korotyaev & Hong, 2004
koreanum Korotyaev & Hong, 2004: 145 A: JIL LIA SC
subgenus *Rutidosoma* Stephens, 1831c: 45 type species *Curculio globulus* Herbst, 1795 (= *Rhinoncus graminosus* Gistel, 1857)
Oligodites Gistel, 1856a: 370 type species *Curculio globulus* Herbst, 1795 (= *Rhinoncus graminosus* Gistel, 1857)
Rhytidosomus Schoenherr, 1837b: 594 [UE]
Rhytidosoma Agassiz, 1846: 328 [UE]
Rhytidosomus Gemminger, 1871c: 2612 [UE, HN]
graminosum Gistel, 1857: 533 (*Rhinoncus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LU NL NR NT PL RO SL SK SV SZ UK A: ES FE GG JA KI KZ MG SCH WS
ferrugineum Gerhardt, 1911a: 337
ferrugineum Gerhardt, 1911b: 1 [HN]
globulus Herbst, 1795: 398 (*Curculio*) [HN]
dentipes Reitter, 1885b: 389
weisei Faust, 1890a: 98
subgenus *Victorinus* Korotyaev, 1999b: 144 type species *Rutidosoma dieckmanni* Bajtenov, 1978
dieckmanni Bajtenov, 1978c: 72 A: KI NWXIN

genus *Scleropteridius* Otto, 1897: 65 type species *Scleropterus fallax* Otto, 1897
caucasicus Korotyaev, 1989a: 164 (*Rutidosoma*) A: GG
fallax Otto, 1897: 65 E: AU BE BH BU CR CZ DE FR GE HU IT LA LT LU NL PL RO SK SL
SV SZ UK
austriacus Otto, 1897: 68 (*Scleropterus*)
pici Schultze, 1900a: 293 (*Rutidosoma*)
monticola Otto, 1897: 67 E: BH BU CR HU RO

genus *Scleropteroides* Colonnelli, 1979b: 214 type species *Ceuthorrhynchidius hypocrita* Hustache, 1916
horridulus Voss, 1958b: 67 (*Homorosoma*) A: CHQ FUJ HUN JA SC TAI
insulare Voss, 1971d: 54 (*Rutidosoma*)
hypocrita Hustache, 1916b: 126 (*Ceuthorrhynchidius*) A: HEI JA LIA NC SC
holdhausi Wagner, 1944a: 59 (*Rutidosoma*)
longiprocessus Huang & Yoshitake, 2014: 62 A: JA

genus *Scleropterus* Schoenherr, 1825: 585 type species *Cryptorhynchus serratus* Germar, 1823
antoni Korotyaev, 2008a: 102 A: GAN SCH
berezovskii Korotyaev, 1992b: 53 A: SCH
klausnitzeri Bajtenov, 1983a: 18 A: ES
offensus Boheman, 1837b: 359 E: AU CR RO IT SL UK
rufipes Chevrolat, 1880a: cxl (*Acalles*)
rubi Korotyaev, 1980: 122 A: FE ~~NEGAN~~
serratus serratus Germar, 1823: 279 (*Cryptorhynchus*) E: AU BY CT CZ GE DE FI CR HU LA NT
PL RO SK SV UK
serratus noesskei Apfelbeck, 1928b: 84 E: BH RO
globipennis Apfelbeck, 1928b: 84
sinensis Korotyaev, 1992b: 50 A: SCH
verecundus Faust, 1890a: 99 A: KZ WS

genus *Tapinotus* Schoenherr, 1826: 21 type species *Attelabus sellatus* Fabricius, 1794
Caulocharis Gistel, 1856a: 370 type species *Attelabus sellatus* Fabricius, 1794
Tapinotus Schoenherr, 1826: 21 [IOS, see Errata]
Tapinotus Bedel, 1885: 176 [UE]
Tapinotus Schoenherr, 1826: 292
sellatus Fabricius, 1794: 454 (*Attelabus*) E: AU BE BU BY CT CZ DE EN FI FR GB GE GR HU IT
LA LS LU NL NR NT PL RO SK ST SV SZ UK A: ES FE ~~HEI~~ JA KZ ~~LIANE~~ SC TR WS
ephippiger Schoenherr, 1826: 293
lysimaehiae Olivier, 1807: 215 (*Rhynchaenus*)
sellatus Herbst, 1795: 217 (*Curculio*) [HN]
velox Bedwell, 1932: 277

genus *Tibetiellus* Korotyaev, 1980: 232 type species *Tibetiellus winnipooh* Korotyaev, 1980
winnipooh Korotyaev, 1980: 233 A: XIZ

7.3.3. Supertribe Conoderitae Schoenherr, 1833

7.3.3.1. Tribe Campyloscelini Schoenherr, 1845

7.3.3.1.1. Subtribe Phaenomerina Faust, 1898

genus *Phaenomerus* Schoenherr, 1836: 632 type species *Phaenomerus sundewalli* Boheman, 1836
Aparallelodemas Morimoto, 1961: 22 type species *Aparallelodemas foveipenne* Morimoto, 1961
Alsirhinus Fairmaire, 1898a: 245 type species *Alsirhinus lineolatus* Fairmaire, 1898
Podalgomerus Motschulsky, 1863: 529 type species *Podalgomerus nebulosus* Motschulsky, 1863 (= *Phaenomerus sundewalli* Boheman, 1836)
foveipennis Morimoto, 1961: 23 (*Aparallelodemas*) A: JA TAI
sundewalli Boheman, 1836: 633 A: FUJ UP **ORR**
nebulosus Motschulsky, 1863: 530 (*Podalgomerus*)

genus *Tomicoproctus* Faust, 1898a: 81 type species *Tomicoproctus eichhoffi* Faust, 1898
Mepsepholax Voss, 1962c: 280 type species *Scolytotarsus maculatus* Schedl, 1936

Mesitomorphus Péringuey, 1908: 328 type species *Mesitomorphus vestitus* Péringuey, 1908
machili G.A.K. Marshall, 1933b: 579 A: UP

7.3.3.2. Tribe Coryssomerini C. G. Thomson, 1859

genus Coryssomerus Schoenherr, 1825: 583 type species *Rhynchaenus capucinus* Beck, 1817
Geartamus Gistel, 1856a: 371 type species *Rhynchaenus capucinus* Beck, 1817
capucinus Beck, 1817: 21 (*Rhynchaenus*) E: AU BE BU BY CT CZ DE EN ES FR GB GE GR HU
IT LA LU MD NL PL RO SK SL SP ST SV SZ TR UK YU A: AR GG "Turkestan"
ardea Germar, 1821: 299 (*Poecilma*)
robusticollis Pic, 1919d: 14 N: EG
scolopax Faust, 1885d: 243 N: AG

genus Euryommatus Roger, 1857: 60 type species *Euryommatus mariae* Roger, 1857
Zygopsides Marseul, 1868a: 203 type species *Zygopsides berytensis* Marseul, 1868
berytensis Marseul, 1868a: 201 (*Zygopsides*) A: LE TR
dentatipes Pic, 1893: 143 (*Lamyrus*) A: YE
ellipticus Morimoto & Miyakawa, 1985: 44 A: JA
japonicus Hustache, 1921d: 92 (*Metialma*) A: JA NE NO
kanoi Zumpt, 1937b: 25 A: JA "Korea"
mariae Roger, 1857: 61 E: AU GE LA PL RU SL A: CY ES FE JA KZ NC SC WS
odiosus Faust, 1882a: 276 (*Lamyrus*) A: ES FE
tokioensis Nakane, 1963d: 39 A: ES FE JA NC SC
triangulus Zumpt, 1937b: 27 A: FE YUN

genus Metialma Pascoe, 1871b: 216 type species *Metialma scenica* Pascoe, 1871
subgenus Metialma Pascoe, 1871b: 216 type species *Metialma scenica* Pascoe, 1871
rufitarsis Voss, 1953b: 74 A: FUJ
anisomelis G.A.K. Marshall, 1934b: 50 A: UP
cordata G.A.K. Marshall, 1948a: 451 A: FUJ JA SC SD SHA TAI UP **ORR**
lauta Voss, 1956b: 33 A: FUJ
mixta Voss, 1956b: 36 A: FUJ
rufirostris Faust, 1883j: 482 A: FUJ **ORR**
philippinica Heller, 1924b: 292
saeva Faust, 1883j: 483 A: SD
signifera Pascoe, 1871b: 218 A: ES FE FUJ JA SC
varia Voss, 1956b: 35 A: FUJ
vidua Voss, 1956b: 34 A: FUJ
subgenus Permetialma Voss, 1941b: 111 type species *Metialma pusilla* Roelofs, 1875
pusilla Roelofs, 1875b: 175 A: FUJ JA HKG NE NMO NO TAI SC **ORR**
nigrirostris Voss, 1941b: 111

genus Osphilia Pascoe, 1871b: 219 type species *Osphilia apicalis* Pascoe, 1871
bombacis G.A.K. Marshall, 1934b: 50 A: UP
odinae G.A.K. Marshall, 1921b: 179 A: UP
vitis G.A.K. Marshall, 1928c: 549 A: UP

genus Synophthalmus Lacordaire, 1863: 516 [URN] type species *Phytophilus cruciferus* Gyllenhal, 1835
Heurippa Pascoe, 1871b: 216 type species *Heurippa amoena* Pascoe, 1871
Phytophilus Schoenherr, 1835: 281 type species *Phytophilus cruciferus* Gyllenhal, 1835
x-album Heller, 1931: 109 (*Heurippa*) A: TAI

genus Talimanus G.A.K. Marshall, 1943: 119 [RN] type species *Talima oudemansi* Heller, 1932
Talima Heller, 1932: 73 [HN] type species *Talima oudemansi* Heller, 1932
speculiferus Heller, 1932: 73 (*Talima*) A: JA

genus Tydeotyrius Voss, 1958b: 61 type species *Tydeotyrius basimaculatus* Voss, 1958
basimaculatus Voss, 1958b: 61 A: FUJ

7.3.3.3. Tribe Lobotrachelini Lacordaire, 1865

genus *Lobotrachelus* Schoenherr, 1838: 711 type species *Lobotrachelus vestitus* Rosenschoeld, 1838

Catarhynchus Desbrochers des Loges, 1891g: ccclix type species *Catarhynchus troglodytes* Desbrochers des Loges, 1891

Cyphogonus Fairmaire, 1898b: 417 type species *Cyphogonus griseovarius* Fairmaire, 1898

albocollis Kumar & Pajni, 1996: 113 A: SD

albosparsus Kumar & Pajni, 1996: 112 A: UP

amoenus Faust, 1898c: 321 A: UP **ORR**

bertrandi Hustache, 1925d: 382 A: "Himalaya Oriental"

distinctus Voss, 1956b: 39 A: FUJ

formosanus Morimoto, 1965: 47 A: TAI

himalayanus Hustache, 1925d: 382 A: "Himalaya Oriental"

laportae G.A.K. Marshall, 1938b: 172 A: FUJ SD **ORR**

luteofasciatus Hustache, 1925d: 381 A: "Himalaya Oriental"

minor Hustache, 1921d: 93 (*Apiophorus*) A: JA NC SC

montanus Morimoto, 1958b: 19

nudianalis Voss, 1958b: 38 A: FUJ

parcus G.A.K. Marshall, 1948a: 443 A: FUJ **ORR**

postoculatus G.A.K. Marshall, 1923: 298 A: SD

silvaticus Hustache, 1934a: 67 [RN] A: "Himalaya"

pusillus Hustache, 1925d: 383 [HN]

subfasciatus Motschulsky, 1858: 76 (*Coelosternus*) A: FUJ

tosanus Morimoto, 1958b: 20 A: FUJ JA "Korea"

urenai G.A.K. Marshall, 1923: 297 A: UP

genus *Metetra* Pascoe, 1874: 46 type species *Metetra suturalis* Pascoe, 1874

rufitarsis Voss, 1953b: 74 A: FUJ

7.3.3.4. Tribe Mecopini Lacordaire, 1865

genus *Chirozetes* Pascoe, 1870b: 447 type species *Chirozetes pectorosus* Pascoe, 1870 (= *Rhynchaenus sphaerops* Wiedemann, 1823)

subgenus *Chirozetes* Pascoe, 1870b: 447 type species *Chirozetes pectorosus* Pascoe, 1870 (= *Rhynchaenus sphaerops* Wiedemann, 1823)

hiraii Nakane, 1963d: 39 (*Phylaitis*) A: JA

subgenus *Mesochirozetes* Heller, 1931: 107 type species *Chirozetes formosanus* Heller, 1931

formosanus Heller, 1931: 108 A: TAI

genus *Chirozetes*, species incertae sedis

alboguttatus Heller, 1931: 106 A: TAI

scutellaris G.A.K. Marshall, 1925a: 343 (*Phylaitis*) A: SD UP

genus *Mecopomorphus* Hustache, 1920f: 635 type species *Mecopomorphus griseus* Hustache, 1920 (=

Chirozetes amurensis Heyden, 1884)

Dentisca Ter-Minasian, 1956a: 392 type species *Dentisca serridens* Ter-Minasian, 1956 (= *Chirozetes amurensis* Heyden, 1884)

amurensis Heyden, 1884: 296 (*Chirozetes*) A: ES FE JA SC TAI

griseus Hustache, 1920f: 636

serridens Ter-Minasian, 1956a: 392 (*Dentisca*)

genus *Mecopus* Schoenherr, 1825: 586 type species *Rhynchaenus bispinosus* Fabricius, 1801 (= *Curculio bispinosus* Weber, 1801)

bispinosus Weber, 1801: 94 (*Curculio*) A: TAI **ORR**

annulipes Blanchard, 1853: 253

bispinosus Fabricius, 1801: 475 (*Rhynchaenus*) [HN]

evolans Wiedemann, 1823a: 130 (*Rhynchaenus*)

moluccarum Kirsch, 1877: 143

spinosus Germar, 1821: 298 (*Poecilma*)

vulneratus Wiedemann, 1823a: 130 (*Rhynchanenus*)

brevispina Fairmaire, 1878a: 125 A: SHG "central China"

genus *Neomecopus* Hustache, 1921d: 91 type species *Neomecopus subarmatus* Hustache, 1921

subarmatus Hustache, 1921d: 92 A: JA

genus *Pempherulus* G.A.K. Marshall, 1941a: 194 type species *Pempheres affinis* Faust, 1898
grewiae G.A.K. Marshall, 1928c: 551 (*Phylaitis*) A: UP
megaten Kojima & Morimoto, 2015: 263 A: JA (Ryūkyū)
pterospermi G.A.K. Marshall, 1925a: 342 (*Phylaitis*) A: UP

genus *Phylaitis* Pascoe, 1871b: 213 type species *Phylaitis v-album* Pascoe, 1871
cryptolepidis G.A.K. Marshall, 1943: 116 A: UP
maculiventris Voss, 1958b: 59 A: FE FUJ JA SC (Jeju) TAI

7.3.3.5. Tribe Menemachini Lacordaire, 1865

genus *Elattocerus* Schoenherr, 1847: 84 type species *Elattocerus subfasciatus* Schoenherr, 1847
Ellatocerus Rye, 1873a: 314 [URN]
japonicus Morimoto, 1960c: 112 A: JA

genus *Hagherius* Colonnelli, 2014: 414 type species *Hagherius sculptus* Colonnelli, 2014
sculptus Colonnelli, 2014: 414 A: YE (Suqutra)

genus *Hemisulcus* Kumar, 2014: 189 type species *Podeschrus fuscoturalis* G.A.K. Marshall, 1938
fuscoturalis G.A.K. Marshall, 1938b: 174 (*Podeschrus*) A: UP **ORR**

genus *Keibaris* Chūjō, 1960: 1 type species *Keibaris babai* Chūjō, 1960
Abaris Voss, 1958b: 87 [HN] type-species *Abaris fortidens* Voss, 1958
babai Chūjō, 1960: 1 A: JA SC
fortidens Voss, 1958b: 87 (*Abaris*) A: FUJ

genus *Kumozo* Morimoto, 1960c: 111 type species *Kumozo ishikawai* Morimoto, 1960
chatterjeei G.A.K. Marshall, 1936: 223 (*Meneudetus*) A: SD
ishikawai Morimoto, 1960c: 111 A: JA

genus *Macrotelephae* Morimoto, 1960c: 113 type species *Macrotelephae ichihashii* Morimoto, 1960
ichihashii Morimoto, 1960c: 114 A: JA SC

genus *Podeschrus* Roelofs, 1875b: 175 type species *Podeschrus signatus* Roelofs, 1875
morimotoi morimotoi Fujisawa & Kojima, 2016: 211 A: JA (Okinawa-jima)
morimotoi satsunanensis Fujisawa & Kojima, 2016: 212 A: JA (Ryūkyū)
ryukyensis Fujisawa & Kojima, 2016: 207 A: JA (Ryūkyū)
signatus Roelofs, 1875b: 176 A: JA

genus *Telephae* Pascoe, 1870c: 487 type species *Telephae laticollis* Pascoe, 1870
insularis Morimoto, 1960d: 182 A: JA
kimotoi Morimoto, 1960d: 181 A: JA
konoii Morimoto, 1960d: 181 A: JA
marshalli Kumar & Pajni, 1995: 19 A: HP
matsudai Morimoto, 1960d: 178 A: JA
murakamii Morimoto, 1960d: 179 A: JA
tebakosana Morimoto, 1960d: 180 A: JA
trifasciata Morimoto, 1960d: 179 A: JA

7.3.3.6. Tribe Othippiini Morimoto, 1962

genus *Abrimoides* Kojima & Lyal, 2002: 168 type species *Metetra esakii* Morimoto, 1958
esakii Morimoto, 1958b: 16 (*Metetra*) A: JA TAI

genus *Brimoides* Kojima & Lyal, 2002: 163 type species *Brimodes morimotoi* Kojima & Lyal, 2002
morimotoi Kojima & Lyal, 2002: 164 A: TAI

genus *Chelothippia* G.A.K. Marshall, 1938b: 173 type species *Chelothippia buteae* G.A.K. Marshall, 1938
buteae G.A.K. Marshall, 1938b: 173 A: UP

genus *Egiona* Pascoe, 1874: 51 type species *Egiona laeta* Pascoe, 1874
circumcincta Voss, 1953b: 73 A: FUJ SHG
fasciata Voss, 1956b: 32 (*Apiophorus*) A: FUJ JA
konoii Nakane, 1963d: 39 A: JA SC
picta Roelofs, 1875b: 173 (*Apiophorus*) A: FUJ JA SC

7.3.3.7. Tribe Sphadasmini Lacordaire, 1865

genus *Lisporhinus* Faust, 1886e: 154 type species *Lisporhinus stoliczkae* Faust, 1886
stoliczkae Faust, 1886e: 155 A: XIN

genus *Nipponosphadasmus* Morimoto, 1959a: 40 type species *Nipponosphadasmus coxalis* Morimoto, 1959
coxalis Morimoto, 1959a: 40 A: JA
yanoi Morimoto, 1959a: 42 A: JA

genus *Sphadasmus* Schoenherr, 1844: 290 type species *Cyrtomon camelus* Gyllenhal, 1836
Cyphon Gistel, 1848a: viii [URN, HN]
Cyrtomon Schoenherr, 1836: 819 [HN] type species *Cyrtomon camelus* Gyllenhal, 1836
sinaitus Pic, 1920e: 53 N: EG

7.3.4. Supertribe Orobitiditae C. G. Thomson, 1859

7.3.4.1. Tribe Orobitidini C. G. Thomson, 1859

genus *Orobitis* Germar, 1817c: 340 type species *Attelabus globosus* Fabricius, 1792 (= *Curculio cyaneus* Linnaeus, 1758)
Phytotranes Gistel, 1856a: 370 type species *Curculio cyaneus* Linnaeus, 1758
Sphaerula A. Villa & G. B. Villa, 1833: 22 [HN] type species *Attelabus globosus* Fabricius, 1792 (= *Curculio cyaneus* Linnaeus, 1758)
cyanea Linnaeus, 1758: 378 (*Curculio*) E: AU BE BH BY CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD NL NR NT PL RO SK SP ST SV SZ UK A: ES FE JA SC WS
apicalis Kôno, 1935c: 60
globosa Fabricius, 1775: 132 (*Curculio*) [HN]
globosa Fabricius, 1792: 391 (*Attelabus*)
hypoleuca Quensel, 1790: 16 (*Curculio*)
nigrina Reitter, 1885a: 213 E: AU BH CR HU IT ME RO SL

genus *Orobitis*, nomen dubium
signata Panzer, 1795b: 308 (*Curculio*) E: GE SV

7.4. Subfamily **Cossoninae** Schoenherr, 1825

7.4.1. Tribe Acamptini LeConte, 1876

genus *Acamptella* Zherikhin, 1987: 30 type species *Acamptella rhododendri* Zherikhin, 1987
bicolor Zherikhin, 1987: 30 A: NP
rhododendri mustangensis Zherikhin, 1987: 33 A: NP
rhododendri rhododendri Zherikhin, 1987: 35 A: NP

genus *Trachodisca* Zherikhin, 1987: 35 type species *Trachodisca synophthalma* Zherikhin, 1987
synophthalma Zherikhin, 1987: 35 A: NP

7.4.2. Tribe Allomorphini Folwaczny, 1973

genus *Allomorphus* Folwaczny, 1968a: 41 type species *Allomorphus franzi* Folwaczny, 1968
franzi Folwaczny, 1968a: 42 E: AU

7.4.3. Tribe Aphyllurini Voss, 1955

genus *Aphyllura* Reitter, 1884c: 97 type species *Aphyllura brenskei* Reitter, 1884
brenskei Reitter, 1884c: 97 E: GR

7.4.4. Tribe Choerorhinini Folwaczny, 1973

genus *Choerorhinus* Fairmaire, 1858: 742 type species *Choerorhinus squalidus* Fairmaire, 1858
Pentacoptus Wollaston, 1873a: 12 type species *Pentacoptus gronopiformis* Wollaston, 1873
explanatus Konishi, 1960: 117 A: JA
conconviceps Voss, 1960a: 158 A: AF
gronopiformis Wollaston, 1873a: 13 (*Pentacoptus*) A: JA
squalidus Fairmaire, 1858: 743 E: BH FR CR GR HU IT MA SP N: AG EG TU A: LE TR
brevirostris Chevrolat, 1860b: 137 (*Dryophthorus*)
intrusus Rey, 1895e: 50

7.4.5. Tribe Cossonini Schoenherr, 1825

genus *Coprodema* Wollaston, 1873a: 30 type species *Coprodema calandraeformis* Wollaston, 1873
calandraeformis Wollaston, 1873a: 21 A: JA

genus *Cossonus* [Clairville], 1798: 58 type species *Curculio linearis* Fabricius, 1775
subgenus *Caenocossonus* Voss, 1955a: 208 type species *Cossonus cylindricus* C. R. Sahlberg, 1835
cylindricus C. R. Sahlberg, 1835d: 110 [NP] E: AU BE BU BY CR CT CZ EN FI FR GE GR HU
LA LT LU NL NT PL RO SK SL ST SV SZ UK N: AG A: CH FE IN KZ TR WS
cylindricus Gistel, 1831: 310 [NO]
gibbirostris Roelofs, 1876: cxxxiv A: JA (Hokkaido) FE (Kunashir)
parallelepipedus Herbst, 1795: 275 (*Curculio*) E: AU BE CR CT CZ DE EN FI FR GB GE HU IT LA
LT NL NR NT PL RO SK SP ST SV SZ
ferrugineus [Clairville], 1798: 60
rotundicollis Faust, 1882a: 282 A: FE CH
inexpectatus Folwaczny, 1964: 713
piniphilus Folwaczny, 1968b: 125
tibialis Folwaczny, 1964: 714 A: FE JA
subgenus *Cossonus* [Clairville], 1798: 58 type species *Curculio linearis* Fabricius, 1775
Borophloeus Wollaston, 1873b: 484 type species *Borophloeus puncticollis* Wollaston, 1873 (= *Cossonus corticola* Say, 1832)
Hyponotus Wollaston, 1873b: 484 type species *Hyponotus subpubescens* Wollaston, 1873
Isotrogus Wollaston, 1873b: 483 type species *Isotrogus tabellatus* Wollaston, 1873
albizziae G.A.K. Marshall, 1938b: 179 A: UP
formosanus Voss, 1956c: 43 A: TAI
linearis Fabricius, 1775: 136 (*Curculio*) E: AU BE BU BY CR CT CZ DE FR GB GE HU IT KZ LA
LS LT LU NL PL RO SB SK SL SP ST SV SZ UK A: AR KZ MG SY TR WS
elongatus Stephens, 1831a: 8 [HN]
ferrugineus Boheman, 1838: 995 [HN]
planatus Bedel, 1885d: 195
turkestanus Folwaczny, 1973a: 47 A: TM

genus *Cossonus*, incertae sedis
krali Colonnelli, 2014: 305 A: YE (Suqutra)
ochreipennis Colonnelli, 2014: 306 A: YE (Suqutra)

genus *Exodema* Wollaston, 1873a: 22 type species *Exodema sublutosa* Wollaston, 1873
ilicis G.A.K. Marshall, 1938b: 179 A: UP
sublutosa Wollaston, 1873a: 23 A: JA

genus *Kojimazo* Alonso-Zarazaga & Lyal, 1999: 11 [RN] type species *Heterarthrus lewisii* Wollaston, 1873
Heterarthrus Wollaston, 1873a: 29 [HN] type species *Heterarthrus lewisii* Wollaston, 1873
lewisii Wollaston, 1873a: 31 (*Heterarthrus*) A: JA SC
pallidipennis Wollaston, 1873a: 32 (*Heterarthrus*)
pictus Wollaston, 1873b: 636 (*Heterarthrus*) A: JA

genus *Marvaldiella* Alonso-Zarazaga & Lyal, 1999: 11 [RN] type species *Mimus natalensis* Fåhraeus, 1871

Mimus Fåhraeus, 1871: 283 [HN] type species *Mimus natalensis* Fåhraeus, 1871
insularis Colonnelli, 2014: 310 A: YE (Suqutra)
truncata Colonnelli, 2014: 312 A: YE (Suqutra)

genus *Mesites* Schoenherr, 1838: 1043 type species *Mesites pallidipennis* Boheman, 1838

subgenus *Mesites* Schoenherr, 1838: 1043 type species *Mesites pallidipennis* Boheman, 1838

akbesianus Desbrochers des Loges, 1895e: 98 E: GR (Ródos) A: IN SY TR
angustior Pic, 1900e: 91

aquitanus Fairmaire, 1859e: lii E: CR FR GR IT SP N: EG MO A: AB GG IN KZ TR

cunipes Boheman, 1838: 1046 E: BU CR FR GR IT MA RO SP ST SZ UK N: AG EG A: AB CY
IN TM TR

cribratus Fairmaire, 1857a: 542

pallidipennis Boheman, 1838: 1045 E: BU CR FR GR IT MA RO SP ST UK N: AG EG TU A:
AB CY LE TRi

edituus Gistel, 1857: 521

pallidipennis Gistel, 1857: 550 [HN]

therondi Tempère, 1961: 95 [NA]

subgenus *Odontomesites* Wollaston, 1873b: 472 type species *Mesites fusiformis* Wollaston, 1861

ater Har. Lindberg, 1950: 17 N: CI (Gran Canaria)

fusiformis crassaticornis Peyerimhoff, 1949: 297 N: MO

fusiformis fusiformis Wollaston, 1861c: 405 N: CI

nitidicollis Folwaczny, 1973a: 48 [NA]

fusiformis jubae Uyttenboogaart, 1937: 111 N: CI

hozmani Folwaczny, 1984: 244 N: CI (Gran Canaria)

mimoides Voss, 1934b: 119 N: CI (Tenerife)

pubipennis Wollaston, 1861c: 406 N: CI (La Palma)

genus *Micromesites* Pic, 1920e: 54 type species *Micromesites deplanatus* Pic, 1920

deplanatus Pic, 1920e: 54 N: EG LB

genus *Oxydema* Wollaston, 1873b: 488 type species *Oxydema fusiformis* Wollaston, 1873 (=

Catolethrus subcaudatus Fairmaire, 1849)

Notiosomus Wollaston, 1873b: 488 type species *Notiosomus australis* Wollaston, 1873

Pseudolus Sharp, 1885: 190 type species *Rhyncolus longulus* Boheman, 1859

aksentjevi Zherikhin, 1991b: 74 A: FE (Kunashir)

longula Boheman, 1859: 149 (*Rhyncolus*) A: JA (Honshu) **AUR**

subcaudata Fairmaire, 1849c: 556 (*Catolethrus*) A: JA **AUR**

fusiformis Wollaston, 1873b: 632

hospes Perkins, 1900: 149 (*Pseudolus*)

genus *Phloeophagoides* Abeille de Perrin, 1895a: cclxxi type species *Phloeophagoides humilis* Abeille de Perrin, 1895

humilis Abeille de Perrin, 1895a: cclxxii E: FR

genus *Phloeophagosoma* Wollaston, 1873a: 23 type species *Phloeophagosoma minutum* Wollaston, 1873

subgenus *Phloeophagosoma* Wollaston, 1873a: 23 type species *Phloeophagosoma minutum* Wollaston, 1873

aesculi G.A.K. Marshall, 1936: 227 A: UP

curvirostre Wollaston, 1873a: 26 A: JA SC

emotoi Morimoto & Miyakawa, 1985: 78 A: JA (Honshu) **AUR**

exile Zherikhin, 1991: 75 A: FE (Kunashir)

ficus G.A.K. Marshall, 1933b: 582 A: UP

minutum Wollaston, 1873a: 25 A: JA

rufirostre Zherikhin, 1991: 78 A: FE (Kunashir)

sinense G. Osella, 1973a: 91 A: SCH

subcaecum G.A.K. Marshall, 1938b: 181 A: UP

genus *Pholidoforus* Wollaston, 1873a: 18 type species *Pholidoforus squamosus* Wollaston, 1873
squamosus Wollaston, 1873a: 21 A: JA

genus *Pseudocossonus* Wollaston, 1873a: 27 type species *Pseudocossonus brevitarsis* Wollaston, 1873
Catolethromorphus Wollaston, 1873b: 479 type species *Catolethromorphus nigripes* Wollaston, 1873
brachypus Wollaston, 1873a: 29 A: JA
brevitarsis Wollaston, 1873a: 28 A: JA
planatus G.A.K. Marshall, 1938a: 161 (*Eutornus*) A: JA TAI ORR
planatus G.A.K. Marshall, 1954b: 232 [HN]
pawlowskii Kuska, 1984: 331 (*Phloeophagus*) A: NP
shanghaiensis Omar, R. Zhang & Davis, 2006: 61 A: SHG
yunnanensis Omar, R. Zhang & Davis, 2006: 64 A: YUN

genus *Rhopalomesites* Wollaston, 1873b: 472 type species *Cossonus tardii* Curtis, 1825
complanatus Wollaston, 1861c: 401 (*Mesites*) N: CI (La Palma)
euphorbiae Wollaston, 1854b: 318 (*Mesites*) N: MR (Madeira, Porto Santo)
palmi Folwaczny, 1979: 123
maderensis Wollaston, 1854b: 319 (*Mesites*) N: MR (Madeira)
persimilis Wollaston, 1861c: 402 (*Mesites*) N: CI (Gomera, Tenerife)
gomerensis Uyttenboogaart, 1937: 110 (*Mesites*) [NA]
proximus Wollaston, 1861c: 404 (*Mesites*) N: CI (Gomera, La Palma, Tenerife)
tardii Curtis, 1825: 59 (*Cossonus*) E: AZ GB GE IR NR
azoricus Méquignon, 1942: 10

genus *Sphaerocorynes* Wollaston, 1873a: 38 type species *Sphaerocorynes lewisianus* Wollaston, 1873
lewisianus Wollaston, 1873a: 39 A: JA
sulcirostris Voss, 1957b: 38 (*Macrorhyncholus*) A: JA

genus *Stereoborus* Wollaston, 1873b: 485 type species *Stereoborus robustus* Wollaston, 1873
chinensis Omar & R. Zhang, 2007: 202 A: XIZ

7.4.6. Tribe Dryotribini LeConte, 1876

genus *Allopentarthrum* Kuschel, 1986: 360 type species *Pentarthrum castaneum* Voss, 1934
(=*Rhyncholus elumbis* Boheman, 1838)
elumbe Boheman, 1838: 1062 (*Rhyncholus*) A: JAi AFR AURi NARi NTRi ORRi
blackburni Sharp, 1878b: 26 (*Pentarthrum*)
castaneum Voss, 1934b: 122 (*Pentarthrum*) [HN]
congoanum Hustache, 1922: 501 (*Pentarthrum*)
crassirostre Voss, 1934b: 122 (*Pentarthrum*)
cylindricum Wollaston, 1861c: 398 (*Pentarthrum*)
grayii Wollaston, 1873b: 601 (*Pentarthrum*)
importatum Hustache, 1932a: 90 (*Pseudopentarthrum*)
vossi Kuschel, 1950: 114 (*Pentarthrum*) [RN]

genus *Amaurorhinus* Fairmaire, 1860c: 629 type species *Amaurorhinus bonnairii* Fairmaire, 1860 (= *Pentarthrum bewickianum* Wollaston, 1860)
subgenus *Amaurorhinus* Fairmaire, 1860c: 629 type species *Amaurorhinus bonnairii* Fairmaire, 1860 (= *Pentarthrum bewickianum* Wollaston, 1860)
Mesoxenus Wollaston, 1861c: 395 type species *Pentarthrum bewickianum* Wollaston, 1860
bewickianus Wollaston, 1860c: 451 (*Pentarthrum*) E: FR (Corse) GR IT MA SP N: AG CI EG MR TU A: CY IS LE SY
andalusicus Dieck, 1869: 6
bonnairii Fairmaire, 1860c: 629
constrictus Reitter, 1884c: 98
crassiusculus Fairmaire, 1869: 232
genuensis Fairmaire, 1883a: 753
lostiae Fairmaire, 1883a: 757
narbonensis C. N. F. Brisout de Barneville, 1863a: 115
caoduroi G. Osella & Pogliano Osella, 1986: 64 E: FR (Corse) IT
cesaraccioi Gregori & G. Osella, 1989: 434 E: IT (Sardegna)
coquereli Fairmaire, 1883a: 757 N: AG TU
crassicornis Peyerimhoff, 1924b: 76 N: AG

dalmatinus Folwaczny, 1972a: 79 E: ME
hauseri G. Osella, 1983c: 533 E: GR
incognitus Folwaczny, 1972a: 77 E: "Europe"
lostiae Fairmaire, 1883a: 757 E: IT (Sardegna)
mediterraneus Folwaczny, 1972a: 76 E: FR IT
monizianus Wollaston, 1860c: 450 (*Pentarthrum*) N: CI MR SG (Selvagem Grande)
folwacznyi G. Osella & Giusto, 1985: 428
punctipennis G. Osella & Giusto, 1985: 428
paganettii Ganglbauer, 1903a: 185 E: CR MN
[*rossellae* Abbazzi & Forbicioni, 2019: 57 E: IT \(Pianosa Is.\) #¹](#)
sardous gardinii G. Osella, 1981c: 364 E: IT (Giannutri Is.)
sardous sardous Folwaczny, 1972a: 67 E: FR (Corse) IT (Sardegna)
viti G. Osella & Giusto, 1985: 425 N: CI (Gran Canaria)
subgenus *Mazagranus* Pic, 1905f: 146 type species *Amaurorhinus obscuripennis* Pic, 1905
clermonti Desbrochers des Loges, 1908f: 62 E: FR IT N: CI SG (Selvagem Grande)
salvagensis Folwaczny, 1972a: 85
salvagensis Folwaczny, 1972b: 94 [HN]
minimus Folwaczny, 1972a: 83 N: CI (Gran Canaria)
obscuripennis Pic, 1905f: 146 E: SP N: AG MO

genus *Armifemur* Colonnelli, 2014: 328 type species *Armifemur pusillum* Colonnelli, 2014
pusillum Colonnelli, 2014: 328 A: YE (Suqutra)

genus *Barretonus* Roudier, 1958b: 209 type species *Barretonus desertae* Roudier, 1958
[*aurita* García & Oromí, 2019: 447 N: CI \(La Palma\)](#)
[*daute* García & Andújar, 2019: 449 N: CI \(Tenerife\)](#)
desertae Roudier, 1958b: 210 N: MR (Desertas)
hinterseheri Folwaczny, 1975: 153 N: MR (Madeira)
major Folwaczny, 1972b: 96 N: MR (Chão I.)
minor Folwaczny, 1972b: 95 N: MR (Porto Santo)

genus *Bezdekiellus* Colonnelli, 2014: 324 type species *Bezdekiellus lucidulus* Colonnelli, 2014
lucidulus Colonnelli, 2014: 325 A: YE (Suqutra)

genus *Caulophilus* Wollaston, 1854b: 315 type species *Caulophilus sculpturatus* Wollaston, 1854 (= *Rhyncolus oryzae* Gyllenhal, 1838)
Allominus LeConte, 1876: 339 type species *Cossonus dubius* Horn, 1873
Tythomimus Champion, 1909: 38 type species *Tythomimus rubicundus* Champion, 1909
oryzae Gyllenhal, 1838: 1075 (*Rhyncolus*) Ei: GB SP Ni: CI MR NAR
lauri Gyllenhal, 1838: 1076 (*Rhyncolus*)
pinguis Horn, 1873: 442 (*Cossonus*)
sculpturatus Wollaston, 1854b: 315

genus *Caulotrupsis* Wollaston, 1854b: 308 type species *Caulotrupsis lucifugus* Wollaston, 1854
Caulotrupsis Bedel, 1885d: 198 [URN]
Salvagopselactus Folwaczny, 1972b: 92 type species *Salvagopselactus mauli* Folwaczny, 1972
chevrolatii Wollaston, 1854b: 313 N: MR
conicollis Wollaston, 1854b: 314 N: MR
erberi G. Osella & Zuppa, 1998: 6 N: MR
ficvocator ficvocator Stüben, 2018b: 85 N: MR (Madeira)
ficvocator isambertoi Stüben, 2018b: 86 N: MR (Deserta Grande)
impar Wollaston, 1854b: 311 N: MR
impius Wollaston, 1854b: 311 N: MR
lacertosus Wollaston, 1854b: 309 N: MR
lourencoensis Stüben, 2108b: 90 N: MR (Madeira)
lucifugus faialensis Stüben, 2018b: 87 N: MR (Madeira)
lucifugus lucifugus Wollaston, 1854b: 310 N: MR (Madeira, Desertas)
mauli Folwaczny, 1972b: 93 (*Salvagopselactus*) N: SG (Selvagens)
opacus Wollaston, 1854b: 313 N: MR
portosantoensis Stüben, 2018b: 86 N: MR (Porto Santo)

pyricollis Wollaston, 1871: 275 N: MR
subnitidus Wollaston, 1860c: 452 N: MR
terebrans Wollaston, 1854b: 312 N: MR (Porto Santo)
wollastoni Stüben, 2018b: 90 N: MR (Deserta Grande)
xerophilus desertagrandensis Stüben, 2018b: 89 N: MR (Deserta Grande)
xerophilus xerophilus Stüben, 2018b: 88 N: MR (Porto Santo, Chão)

genus *Cotaster* Motschulsky, 1851a: 425 type species *Phloeophagus uncipes* Boheman, 1838
cuneipennis Aubé, 1850: 341 (*Styphlus*) E: AU BH BU CR FR GE IT ME SL SZ
carniolicus Voss, 1955a: 198 [NA]
orientalis Solari, 1941: 54
pilosus Motschulsky, 1851c: 599 (*Styphlus*)
kostali Diotti, Pesarini & Caldara, 2015: 236 E: IT
speziai Diotti, Pesarini & Caldara, 2015: 230 E: AU CR CZ GE HU IT PL RO SL SK
uncipes Boheman, 1838: 1055 (*Phloeophagus*) E: AN FR GE IT LU SP SZ

genus *Cotasteroloeblia* G. Osella, 1983b: 117 type species *Cotasteroloeblia indica* G. Osella, 1983
indica G. Osella, 1983b: 119 A: UP
nepalensis G. Osella, 1983b: 121 A: NP
smetanai G. Osella, 1983b: 121 A: NP

genus *Dryotribus* Horn, 1873: 432 type species *Dryotribus mimeticus* Horn, 1873
Pentacotaster Chûjô & Voss, 1960: 15 type species *Pentacotaster nagayamai* Chûjô & Voss, 1960 (= *Dryotribus mimeticus* Horn, 1873)
Thalattodora Perkins, 1900: 146 type species *Thalattodora insignis* Perkins, 1900 (= *Dryotribus mimeticus* Horn, 1873)
mimeticus Horn, 1873: 433 A: CH JA SC
insignis Perkins, 1900: 146 (*Thalattodora*)
nagayamai Chûjô & Voss, 1960: 16 (*Pentacotaster*)

genus *Echinomorphus* Fauvel, 1906: 653 [RN] type species *Echinodes ravouxi* Jacquet, 1889
Echinodes Jacquet, 1889c: cxliv [HN] type species *Echinodes ravouxi* Jacquet, 1889
balcanicus G. Osella, 1977c: 153 E: BU
besucheti G. Osella, 1977c: 153 A: TR
ravouxi Jacquet, 1889c: cxliv (*Echinodes*) E: CR FR IT SL SZ

genus *Elwoodius* Colonnelli, 2014: 326 type species *Elwoodius barbatus* Colonnelli, 2014
barbatus Colonnelli, 2014: 327 A: YE (Suqutra)

genus *Hajekia* Colonnelli, 2014: 313 type species *Hajekia microps* Colonnelli, 2014
elongata Colonnelli, 2014: 320 A: YE (Suqutra)
hirticula Colonnelli, 2014: 321 A: YE (Suqutra)
hispidirostris Colonnelli, 2014: 323 A: YE (Suqutra)
lucida Colonnelli, 2014: 322 A: YE (Suqutra)
microps Colonnelli, 2014: 314 A: YE (Suqutra)
opaca Colonnelli, 2014: 316 A: YE (Suqutra)
parvopunctata Colonnelli, 2014: 315 A: YE (Suqutra)

genus *Iliolus* Bajtenov, 1968: 68 type species *Iliolus kostini* Bajtenov, 1968
Valichanovia Bajtenov, 1969: 97 [URN]
kostini Bajtenov, 1968: 68 A: KZ

genus *Isodryotribus* Konishi, 1962: 5 type species *Isodryotribus squamosus* Konishi, 1962
squamosus Konishi, 1962: 5 A: JA (Tokara Is.)

genus *Microcopes* Faust, 1886a: 31 type species *Styphlus uncatus* J. Frivaldszky, 1877 (= *Adexius rudis* Küster, 1851)
atropatenes G. Osella, 1977c: 163 A: AB
hyrcanius G. Osella, 1977c: 162 A: IN
romanicus G. Osella, 1977c: 160 E: RO
rudis Küster, 1851: 68 (*Adexius*) E: AU CR RO SB

uncatus J. Frivaldszky, 1877a: 228 (*Styphlus*)

genus *Micromimus* Wollaston, 1873b: 481 type species *Micromimus batesii* Wollaston, 1873
osellai Voss, 1968: 104 E: IT

genus *Microtribodes* Morimoto, 1973: 83 type species *Microtribodes formosanus* Morimoto, 1973
formosanus Morimoto, 1973: 83 A: TAI

genus *Microtribus* Wollaston, 1873b: 451 type species *Microtribus huttoni* Wollaston, 1873
Mesoxenophasis Wollaston, 1874: 199 type species *Mesoxenophasis brouni* Wollaston, 1874
Mimopentathrum Hustache, 1940: 200 type species *Mimopentathrum sanctipauli* Hustache, 1940
splendidus Konishi, 1962: 6 A: JA (Kyushu, Amami Is.)

genus *Ochronanus* Pascoe, 1885: 313 type species *Ochronanus pygmaeus* Pascoe, 1885
Philippista Richard, 1957: 90 type species *Philippista vinsoni* Richard, 1957
pallidus G.A.K. Marshall, 1958: 99 A: JA FE (Kunashir, Iturup)
rufus Voss, 1953b: 82 (*Brachychaenus*) A: FUJ

genus *Pentatemnus* Wollaston, 1861c: 385 type species *Pentatemnus arenarius* Wollaston, 1861
Lindbergius Roudier, 1957a: 49 type species *Lindbergius curtus* Roudier, 1957 (= *Pentatemnus arenarius arenarius* Wollaston, 1861)
arenarius arenarius Wollaston, 1861c: 388 N: CI MO SG (Selvagem Pequena)
curtus Roudier, 1957a: 49 (*Lindbergius*)
deserticus Escalera, 1914: 484 (*Mesites*)
incognitus G. Osella, 1978: 163
mogadoricus Escalera, 1914: 483 (*Mesites*)
arenarius pierreii Roudier, 1954b: 35 N: CI (Hiero) MO
ochotorenai Alonso-Zarazaga, 1996: 315 E: SP

genus *Pheude* Omar & R. Zhang, 2014: 31 type species *Pheude punctatus* Omar & R. Zhang, 2014
punctatus Omar & R. Zhang, 2014: 33 A: GUA

genus *Pseudocaulotrupis* Stüben, 2018c: 2 type species *Caulotrupis parvus* Israelson, 1985
floresensis Stüben, 2018c: 5 E: AZ
parvus Israelson, 1985b: 176 (*Caulotrupis*) E: AZ
schuettei Stüben, 2018c: 4 E: AZ
schuetteri: Stüben, 2018c: 3, fig.6 [NA]

genus *Sengletius* G. Osella, 1977c: 165 type species *Sengletius anophthalmus* G. Osella, 1977
anophthalmus G. Osella, 1977c: 167 A: IN

7.4.7. Tribe Neumatorini Folwaczny, 1973

genus *Neumatora* Normand, 1920: 24 type species *Neumatora scillae* Normand, 1920
annamariae Magrini, Abbazzi & Petrioli, 2013: 362 E: IT(Lampedusa I.)
depressa Normand, 1920: 25 N: TU
scillae Normand, 1920: 25 N: TU
viti G. Osella, 1977b: 85 N: TU

7.4.8. Tribe Onycholipini Wollaston, 1873

genus *Brachytemnus* Wollaston, 1873b: 502 type species *Cossonus porcatus* Germar, 1823
pinipotens Wollaston, 1868: 275 (*Rhyncolus*) [RN] N: CI (Gran Canaria)
crassirostris Wollaston, 1861c: 367 (*Rhyncolus*) [HN]
porcatus Germar, 1823: 308 (*Cossonus*) E: AL AU AZ BE BU CR CT CZ DE FR GE GR HU IT LA
LT ME PL RO SK SL SP ST SV SZ UK N: AG MO A: CY LE SY TR
crassirostris Dufour, 1843: 89 (*Rhyncolus*)
cribratus Baudi di Selve, 1889: 176
cribratus Baudi di Selve, 1890c:224 [HN]

genus *Dipnotyphlus* Colonnelli, 2014: 329 type species *Dipnotyphlus laminiscapus* Colonnelli, 2014
laminiscapus Colonnelli, 2014: 331 A: YE (Suqutra)

genus *Hauseriola* G. Osella, 1980: 814 type species *Hauseriola minoica* G. Osella, 1980
minoica G. Osella, 1980: 814 E: GR (Kriti, Ródos)

genus *Hexarthrum* Wollaston, 1860c: 448 type species *Hexarthrum compressum* Wollaston, 1860 (= *Rhyncolus capitulum* Wollaston, 1858)
brevicorne Wollaston, 1873a: 38 A: JA SC
capitulum Wollaston, 1858: 410 (*Rhyncolus*) E: AU BU CR CZ FR GR IT RO SP ST SZ N: MR A: AR SY TR
brevipenne Voss, 1955a: 236
compressum Wollaston, 1860c: 449
chaoi R. Zhang & G. Osella, 1995: 411 A: XIN
chinense Folwaczny, 1968b: 125 A: FE ZHE
duplicatum Folwaczny, 1966a: 173 E: AU CZ GE A: IN
exiguum Boheman, 1838: 1066 (*Rhyncolus*) E: AU BE BY FR CT CZ GR GE HU IT LT PL RO SK SL SP ST SZ UK A: AB AF IN KZ TD NARi NTRi
cribripenne Graells, 1858: 88
culinare: auctt. [NA]
ferrugineum Waltl, 1839: 223 (*Rhyncolus*)
smreczynskii Folwaczny, 1966a: 174 E: RO UK
wushanense R. Zhang & G. Osella, 1995: 412 A: GAN
yunnanense R. Zhang & G. Osella, 1995: 414 A: YUN

genus *Leipommata* Wollaston, 1857: 100 type species *Leipommata calcarata* Wollaston, 1857
Lipommata Wollaston, 1865: 256 [UE]
Lipommata Gemminger, 1871c: 2660 [UE, HN]
calcarata Wollaston, 1857: 101 N: MR (Porto Santo)
oromiana G. Osella, 1978: 161 N: MR (Selvagem Grande)

genus *Miorrhinus* G.A.K. Marshall, 1936: 228 type species *Miorrhinus sulcifrons* G.A.K. Marshall, 1936
nanus Zherikhin, 1991b: 68 A: ES
pilirostris Zherikhin, 1991b: 69 A: ES
sulcifrons G.A.K. Marshall, 1936: 229 A: SD ORR

genus *Onycholips* Wollaston, 1861c: 389 type species *Onycholips bifurcatus* Wollaston, 1861
bifurcatus Wollaston, 1861c: 394 N: CI
wollastoni Escalera, 1914: 486 N: MO

genus *Pselactus* Broun, 1886: 972 type species *Pselactus punctatus* Broun, 1886 (= *Curculio spadix* Herbst, 1795)
Codiosoma Bedel, 1885d: 194 [HN] type species *Curculio spadix* Herbst, 1795
Phloeophagia Aurivillius, 1924: 137 [RN] type species *Curculio spadix* Herbst, 1795
affinis Wollaston, 1861c: 373 (*Phloeophagus*) N: CI
capitulatus Wollaston, 1861c: 372 (*Phloeophagus*)
difficilis Folwaczny, 1971: 184 [NA]
folwacznyi Israelson, 1980: 197
laurineus Wollaston, 1861c: 373 (*Phloeophagus*)
proximus Wollaston, 1861b: 371 (*Rhyncolus*)
calvus Wollaston, 1860c: 448 (*Rhyncolus*) N: MR
caoduroi G. Osella, 1986b: 376 E: FR (Corse) IT
caulium caulium Wollaston, 1861c: 370 (*Phloeophagus*) N: CI (Lanzarote)
caulium variipennis Folwaczny, 1971: 180 N: CI (Gran Canaria, Fuenteventura)
lauri Uyttenboogaart, 1929a: 351 (*Codiosoma*) N: CI (Gran Canaria, Tenerife)
piceus piceus Wollaston, 1861c: 374 (*Phloeophagus*) N: CI (Gran Canaria, Tenerife)
piceus subparallelus Wollaston, 1861c: 375 (*Phloeophagus*) N: CI
simplicipes Wollaston, 1861c: 374 (*Phloeophagus*) N: CI (Tenerife)
spadix bulgaricus Angelov, 1960: 249 E: BU GR
spadix spadix Herbst, 1795: 256 (*Curculio*) E: AU AZ BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MA ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: AG EG MO MR A: IN TR AURi NARi NTRi

celatus Folwaczny, 1971: 174
culinaris Germar, 1819: 130 (*Cossonus*)
ferrugineus Broun, 1909: 212
piceus Stephens, 1831a: 6 (*Rhyncolus*)
pilosus Bach, 1854: 361 (*Rhyncolus*)
problematicus Folwaczny, 1971: 172
punctatus Broun, 1886: 972
scalptus Schoenherr, 1845: 279 (*Phloeophagus*) [UE]
sculptus Gyllenhal, 1838: 1055 (*Phloeophagus*)
spadix sulcipennis Wollaston, 1854b: 308 (*Rhyncolus*) N: MR
spadix ulmi Folwaczny, 1971: 171 E: GE

genus *Pseudopentarthrum* Wollaston, 1873b: 445 type species *Pseudopentarthrum phloeophagoides* Wollaston, 1873
Micropentarthrum Champion, 1909: 19 type species *Micropentarthrum aeneum* Champion, 1919
Neopentarthrum Mutchler, 1925: 231 type species *Neopentarthrum towerense* Mutchler, 1925
Pentarthrinus Casey, 1892: 698 type species *Pentarthrinus parvicollis* Casey, 1892
Phloeophagomorphus Wollaston, 1873b: 445 type species *Phloeophagomorphus angusticollis* Wollaston, 1873
Stenotylus G.A.K. Marshall, 1933a: 68 type species *Stenotylus mativorus* G.A.K. Marshall, 1933
phloeophagoides Wollaston, 1873b: 597 Ei: SZ NTR
planifrons Champion, 1909: 16 Ei: GB NTR

genus *Pseudophloeophagus* Wollaston, 1873b: 460 type species *Rhyncolus tenax* Wollaston, 1854
Caulotrupodes Voss, 1955a: 202 type species *Phloeophagus aeneopiceus* Boheman, 1845 (= *Rhyncolus truncorum* Stephens, 1831)
tenax Wollaston, 1854b: 307 (*Rhyncolus*) E: AZ N: MR
chopardi Méquignon, 1942: 11
variabilis Crotch, 1867: 387 (*Phloeophagus*)
truncorum Stephens, 1831a: 6 (*Rhyncolus*) E: AZ CT FR GB GE GR IR LT PL SP SV SZ N: MR
aeneopiceus Boheman, 1845: 278 (*Phloeophagus*)

genus *Stenoscelis* Wollaston, 1861b: 141 type species *Stenoscelis hylastoides* Wollaston, 1861
subgenus *Hexastenoscelis* Voss, 1964c: 135 type species *Stenoscelis schedli* Voss, 1964
acerba R. Zhang, 1995: 472 A: HAI
alni R. Zhang, 1995: 470 A: FUJ
foveata R. Zhang, 1995: 472 A: YUN
puncticulata R. Zhang, 1995: 473 A: HAI
recava R. Zhang, 1995: 474 A: YUN
yuxianensis R. Zhang, 1995: 475 A: YUN
subgenus *Stenoscelis* Wollaston, 1861b: 141 type species *Stenoscelis hylastoides* Wollaston, 1861
Dendroctonomorphus Wollaston, 1873b: 502 type species *Dendroctonomorphus muricatus* Wollaston, 1873
aceri Konishi, 1962: 14 A: JA (Hokkaido)
acutipennis Zherikhin, 1991b: 83 A: FE (Kunashir)
cephalotes Faust, 1898c: 333 (*Brachytemnus*) A: BT ORR
chinensis Voss, 1955a: 237 A: FUJ
cryptomeriae Konishi, 1962: 13 A: FE JA (Honshu)
gracilitarsis Wollaston, 1873a: 42 A: JA "India"
himalayensis Stebbing, 1909: 14 (*Hylastes*) A: HP UP
longifolia Stebbing, 1908: 3 (*Hylastes*) A: HP UP
longisetosa Konishi, 1956: 110 A: JA (Hokkaido, Honshu)
sellatocollis G.A.K. Marshall, 1937: 58 A: KA
setosa G.A.K. Marshall, 1937: 57 A: KA
subasperata Reitter, 1898a: 14 E: RU A: AB IN KZ TM
submuricata Schoenherr, 1832: 224 (*Rhyncolus*) E: AU FR GR HU IT RO SK SP SZ UK N: AG A: IN KZ SY TR TM
sima Chevrolat, 1861a: 125

genus *Stenoscelodes* Konishi, 1962: 15 type species *Stenoscelodes hayashii* Konishi, 1962
capitulus Konishi, 1962: 16 A: JA (Kyushu)
hayashii Konishi, 1962: 15 A: JA
tibetanus Zhang & G. Osella, 1992: 559 A: XIZ

genus *Stereocorynes* Wollaston, 1873b: 500 type species *Cossonus truncorum* Germar, 1823

persicus Folwaczny, 1966b: 175 A: IN
truncorum Germar, 1823: 308 (*Cossonus*) E: AU BE BH BU BY CR CT CZ DE FR GB GE GR HU
LA LT LU NL PL RO SK SL SP ST SV SZ UK "Caucasus" A: IN TR
hopffgarteni Stierlin, 1884b: 56 (*Rhyncolus*)
winkleri Formánek, 1912c: 312 E: UK

genus *Tarchius* Pascoe, 1885: 314 type species *Tarchius pinguis* Pascoe, 1885
yunnanensis Omar, Han & Zhang, 2006: 37 A: YUN

genus *Trichacorynus* Blatchley, 1916: 528 type species *Trichacorynus brunneus* Blatchley, 1916
brunneus Blatchley, 1916: 528 A: ES NAR
subtilis Korotyaev, 1976a: 46 (*Eremotes*) A: FE

7.4.9. Tribe Pentarthrini Lacordaire, 1865

genus *Conisius* Morimoto, 1973: 84 type species *Conisius yaeyamanus* Morimoto, 1973
yaeyamanus Morimoto, 1973: 84 A: JA (Iriomote)

genus *Edaphotrypetes* Morimoto, 1995: 465 type species *Edaphotrypetes ovipennis* Morimoto, 1995
ovipennis Morimoto, 1995: 467 A: JA (Ryūkyū)
parallelipennis Morimoto, 1995: 470 A: JA (Ryūkyū)

genus *Euophryum* Broun, 1909: 159 type species *Pentarthrum rufum* Broun, 1880
confine Broun, 1881: 732 (*Pentarthrum*) Ei: AU CZ DE FR GB GE IR SZ AUR NARi
antennale Broun, 1895: 415 (*Pentarthrum*)
asperellum Broun, 1881: 733 (*Pentarthrum*)
porcatum Sharp, 1886a: 431 (*Pentarthrum*)
rufum Broun, 1880: 510 (*Pentarthrum*) Ei: DE GB IR SP SZ AUR
crassellum Broun, 1904: 123 (*Pentarthrum*)
dubitans Broun, 1909: 275 (*Pentarthrum*)
punctatissimum Broun, 1893: 1246 (*Pentarthrum*)
sculpturatum Broun, 1881: 731 (*Pentarthrum*)

genus *Mesoxenomorphus* Wollaston, 1873: 452 type species *Mesoxenomorphus africanus* Wollaston, 1873
rugipennis Colonnelli, 2014: 332 A: YE (Suqutra)

genus *Nepalorhynchus* G. Osella, 1983b: 123 type species *Nepalorhynchus lucidus* G. Osella, 1983
lucidus G. Osella, 1983b: 123 A: NP

genus *Pacindonus* Kuschel, 1999: 265 type species *Pentarthrum obscurum* Sharp, 1878
angustissimus Wollaston, 1873a: 14 (*Pentarthrum*) A: JA
obscurus Sharp, 1878b: 25 (*Pentarthrum*) A: JA TAI AUR
sublaevigatus Wollaston, 1873b: 600 (*Pentarthrum*) A: TAI ORR
bambusae Zimmerman, 1957: 14 (*Rhinanisus*)

genus *Pentarthrum* Wollaston, 1854a: 129 type species *Pentarthrum huttoni* Wollaston, 1854
Atarus Broun, 1909: 180 type species *Pentarthrum vestitum* Broun, 1880
Belka Broun, 1909: 179 type species *Pentarthrum spadiceum* Broun, 1886 (= *Pentarthrum carnichaeli* C. O. Waterhouse, 1884)
Gaucrocryphus Broun, 1909: 185 type species *Pentarthrum auricomum* Broun, 1881
Trachyglyphus Broun, 1909: 195 type species *Pentarthrum rugirostre* Broun, 1881
chinense Omar & Zhang, 2010: 48 A: GUX YUN
huttoni Wollaston, 1854a: 130 Ei: AU BE DE FR GB GE IR IT NL PL SP SZ NARi NTR
hervei Allard, 1869c: 475 (*Rhyncolus*)

genus *Tychiodes* Wollaston, 1873a: 16 type species *Tychiodes adamsii* Wollaston, 1873
adamsii Wollaston, 1873a: 17 A: JA

7.4.10. Tribe Proecini Voss, 1956

genus *Conarthrus* Wollaston, 1873b: 491 type species *Conarthrus tarsalis* Wollaston, 1873

Eutornus Wollaston, 1873b: 492 [HN] type species *Eutornus jansoni* Wollaston, 1873 (= *Conarthrus cylindricus* Wollaston, 1873)
cylindricus Wollaston, 1873b: 637 E: ST A: CH TAI **ORR**
congener Wollaston, 1874: 206
jansoni Wollaston, 1873b: 637 (*Eutornus*)
ferrugineus Wollaston, 1873b: 638 (*Eutornus*) A: TAI "India" **ORR**
tarsalis Wollaston, 1873b: 636 A: TAI

genus Orthotemnus Wollaston, 1873b: 489 type species *Orthotemnus reflexus* Wollaston, 1873
longitarsus Omar & Zhang, 2015: 105 A: JIA
ulmi Zherikhin, 1991b: 72 A: FE

genus Phylloplatypus Kato, 1998: 72 type species *Phylloplatypus pandani* Kato, 1998
pandani Kato, 1998: 72 A: JA (Ogasawara)

genus Proeces Schoenherr, 1838: 1080 type species *Proeces macer* Boheman, 1838
Borborhynchus Richard, 1957: 91 type species *Borborhynchus pauliani* Richard, 1957
Eucoptus Wollaston, 1873b: 471 type species *Eucoptus depressus* Wollaston, 1873
Pseudostenotrupis Hustache, 1956: 176 type species *Leurostenus filum* G.A.K. Marshall, 1933 (= *Pseudostenotrupis marshalli* Zimmerman, 1956)
Stenotis Wollaston, 1854b: 316 type species *Stenotis acicula* Wollaston, 1854
acicula Wollaston, 1854b: 316 (*Stenotis*) N: MR
orientalis Zimmerman, 1957: 18 (*Pseudostenotrupis*) A: TAI
reticulatus Roudier, 1957a: 47 (*Pseudostenotrupis*) N: CI

7.4.11. Tribe Rhyncolini Gistel, 1848

7.4.11.1. Subtribe Phloeophagina Voss, 1955

genus Melicius Alonso-Zarazaga, 2002: 10 type species *Phloeophagus gracilis* Rosenhauer, 1856
aterrimus Hampe, 1850: 356 (*Phloeophagus*) E: CR
cylindrus Boheman, 1838: 1060 (*Rhyncolus*) E: AL AU BU CR CZ FR GR HU IT PL RO SK SP ST
SZ UK N: EG MO A: AR GG IN LE SY TM TR
cylindrirostris C. G. Thomson, 1865: 342 (*Rhyncolus*)
grandicollis C. N. F. Brisout de Barneville, 1867: 193 (*Rhyncolus*)
longicollis Boheman, 1838: 1060 (*Rhyncolus*)
gracilis Rosenhauer, 1856: 300 (*Phloeophagus*) E: AU CR BH BU ES FR IT MA MN PT SP SL ST
A: AG EG MO
augustus Fairmaire, 1859i: clxiv (*Rhyncolus*)
iranicus G. Osella, Zuppa & Lodos, 1993: 277 (*Phloeophagus*) A: IN
nigripes Reitter, 1902b: 184 (*Rhyncolus*) A: TD TM
protensus Wollaston, 1873b: 647 (*Rhyncolus*) Ni: EG **NAR**
seriesetosulus Voss, 1960a: 165 (*Phloeophagus*) A: AF
ulmi Kuška, 1982: 16 (*Phloeophagus*) A: MG
vossi G. Osella, 1975: 418 (*Phloeophagus*) A: SCH

genus Muschanella Folwaczny, 1964: 711 type species *Muschanella crassirostris* Folwaczny, 1964
crassirostris Folwaczny, 1964: 711 A: ZHE

genus Phloeophagus Schoenherr, 1838: 1047 type species *Phloeophagus lignarius* sensu Boheman, 1838
(= *Phloeophagus turbatus* Schoenherr, 1845)
brignolii G. Osella, Zuppa & Lodos, 1993: 270 A: TR
lignarius Marsham, 1802: 275 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT LA LU MC NL NR PL RO SK SP ST SV SZ UK A: AR WS
latitarsis C. G. Thomson, 1886a: xi (*Rhyncolus*)
cylindrirostris Olivier, 1807: 427 (*Cossonus*)
sulcirostris C. G. Thomson, 1892: 1862 (*Rhyncolus*)
orientalis G. Osella, 1975: 416 A: FE
schoenherrii Hochhuth, 1847: 580 (*Rhyncolus*) E: ST UK "Caucasus" A: AB IN
angusticollis Reitter, 1896c: 188 (*Rhyncolus*)
thomsoni Grill, 1898: 179 (*Rhyncolus*) E: CZ CR DE EN FI GE HU PL RO SK SP ST SV SZ UK
A: AR ES

turbatus Schoenherr, 1845: 279 E: CR CT EN FI HU LA NR NT PL RO ST SV UK A: AR ES FE
WS
lignarius: Boheman, 1838: 1052 [NA]

7.4.11.2. Subtribe Pseudomimina Voss, 1939

genus *Pseudomimus* Hartmann, 1904: 416 type species *Pseudomimus corpulentus* Hartmann, 1904
Falsocossonus Hustache, 1939c: 263 type species *Falsocossonus elgonensis* Hustache, 1939
avocadi Folwaczny, 1972b: 91 A: IS

7.4.11.3. Subtribe Rhyncolina Gistel, 1848

genus *Aphanommata* Wollaston, 1873b: 463 type species *Rhyncolus euphorbiarum* Wollaston, 1868
Brachytemnoides Folwaczny, 1973b: 155 type species *Rhyncolus filum* Mulsant & Rey, 1859
Macrancylodes Champion, 1909: 75 type species *Macrancylodes perlongus* Champion, 1909
Oocorymus Champion, 1909: 76 type species *Oocorymus corrosus* Champion, 1909
Rhamphocolus Casey, 1892: 702 type species *Rhamphocolus tenuis* Casey, 1892
filum Mulsant & Rey, 1859a: 300 (*Rhyncolus*) E: AL BU CR FR IT SP N: AG
filum Mulsant & Rey, 1859b: 42 (*Rhyncolus*) [HN]

genus *Coptus* Wollaston, 1873: 492 type species *Coptus oculatus* Wollaston, 1873
brevirostris Omar & R. Zhang, 2017a: 383 A: YUN
vitreous Omar & R. Zhang, 2017a: 386 A: YUN

genus *Cotasterosoma* Konishi, 1962: 3 type species *Cotasterosoma omogoense* Konishi, 1962
coronus Grebennikov & Morimoto, 2016: 135 A: SCH YUN
omogoense Konishi, 1962: 3 A: JA (Shikoku)

genus *Himatium* Wollaston, 1873b: 461 type species *Himatium pubescens* Wollaston, 1873
subgenus *Himatium* Wollaston, 1873b: 461 type species *Himatium pubescens* Wollaston, 1873
Caulosomus Faust, 1898a: 88 type species *Caulosomus sulcicollis* Faust, 1898
Himatium Cockerell, 1906: 243 [URN]
Macrohimatinum Konishi, 1962: 10 type species *Macrohimatinum reticulatum* Konishi, 1962
Pholidonotus Wollaston, 1873b: 462 type species *Pholidonotus squamosus* Wollaston, 1873
ichihashii Konishi, 1962: 8 A: JA (Honshu Yakushima)
korotyaevi Zherikhin, 1991b: 82 A: FE (Kunashir)
lalli G.A.K. Marshall, 1936: 225 (*Himatium*) A: SD **ORR**
morimotoi Konishi, 1962: 9 A: JA (Kyushu)
piceae Konishi, 1962: 7 A: JA (Hokkaido) FE (Sakhalin)
reticulatum Konishi, 1962: 10 A: JA (Honshu)

genus *Macrorhyncolus* Wollaston, 1873a: 33 type species *Macrorhyncolus crassiusculus* Wollaston,
1873
crassiusculus Wollaston, 1873a: 34 A: JA
littoralis Broun, 1880: 536 (*Eutormus*) Ei: GB NL **AFRi AUR NARi NTRi**
cylindricus Broun, 1893: 1252 (*Eutormus*)
franciscanus Van Dyke, 1953: 108 (*Macrancylus*)
parvulus Broun, 1893: 1253 (*Eutormus*)
spinosis Omar & R. Zhang, 2017b: 548 A: YUN
ventilaginis G.A.K. Marshall, 1938b: 180 A: UP

genus *Neohexarthrum* A. Hoffmann, 1955: 772 type species *Rhyncolus bonnairei* A. Hoffmann, 1938
bonnairei A. Hoffmann, 1938a: 48 (*Rhyncolus*) E: FR (Corse) IT (Sardegna)

genus *Rhyncolus* Germar, 1817c: 340 type species *Curculio ater* Linnaeus, 1758
subgenus *Axenomimetes* Voss, 1955a: 225 type species *Rhyncolus reflexus* Boheman, 1838
heydeni Faust, 1892e: 104 E: ST A: AF AR IN KZ TD TM TR WS (Altai)
patagiatus Reitter, 1898a: 13
reflexus Boheman, 1838: 1072 E: AL AU BH BU CR CT CZ FR GE GR HU IT LA LT ME PL RO
SB SL SP SK ST SZ UK N: AG MO TU A: TR
subgenus *Rhyncolus* Germar, 1817c: 340 type species *Curculio ater* Linnaeus, 1758
Eremotes Wollaston, 1861c: 364 type species *Hylurgus crassicornis* Brullé, 1839

Rhyncholus Gistel, 1834: 27 type species *Curculio chloropus* sensu Fabricius, 1775 (= *Curculio ater* Linnaeus, 1758)
Rhynocolus: Folwaczny, 1973a: 49 [NA]
Syntomocerus Wollaston, 1865: 251 type species *Hylurgus crassicornis* Brullé, 1839
Xylocomesus Thatcher, 1940: 89 type species *Xylocomesus ceratocarpus* Thatcher, 1940
ater ater Linnaeus, 1758: 395 (*Curculio*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT ME NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AR ES FE KI KZ TD TM TR UZ WS
linearis Schrank, 1781: 126 (*Curculio*) [HN]
piniperda Herbst, 1784: 84 (*Curculio*)
pyrenaicus Dufour, 1843: 89
ater curvistriatus Zherikhin, 1991b: 71 **A**: FE (Kunashir)
bhutanensis G. Osella, 1989b: 330 **A**: BT
crassicornis Brullé, 1839: 71 (*Hylurgus*) **N**: CI
elongatus Gyllenhal, 1827: 606 (*Cossonus*) **E**: AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT NL NR NT PL RO SK SP ST SV SZ UK **N**: AG MO **A**: AR ES TR
caucasicus Hochhuth, 1847: 581
planirostris Panzer, 1794a: 18 (*Curculio*) [HN]
nefarius Faust, 1885c: 199 **E**: ST **A**: CH KZ TD TM UZ
punctatulus Boheman, 1838: 1073 **E**: AU BE BH BU CZ FI FR GE HU IT LU NL PL RO SB SK SP ST SV SZ UK **A**: AR SY TR
sculpturatus Walzl, 1839: 223 **E**: AU BH BY CR CZ DE FI FR GE GR HU IT LA LT ME NR NT PL RO SK SP ST SV UK **A**: IN TR
strangulatus Perris, 1852: 181 **E**: AU CR FR GE SP SV
dalmatinus Desbrochers des Loges, 1892i: 81
nitidipennis C. G. Thomson, 1868: 348
syriacus Desbrochers des Loges, 1892i: 80 **E**: GR **A**: CY SY TR

genus *Rhynocolus*, species incertae sedis
incertus G. Osella, 1989b: 332 **A**: BT
submuricatus Gyllenhal, 1837a: 249 [HN] **E**: KZ "Trans-Caucasia"

genus *Rhynocolus*, nomina dubia
absconditus Gistel, 1857: 594 **E**: GE
schranski Gistel, 1857: 598 **E**: GE

genus Xenomimetes Wollaston, 1873a: 35 type species *Xenomimetes destructor* Wollaston, 1873
alni Konishi, 1955: 61 **A**: JA FE (Kunashir, Sakhalin)
destructor Wollaston, 1873a: 36 **A**: ES FE JA SC
todomatsuanus Kôno, 1935c: 55
himalayensis Stebbing, 1914: 451 (*Rhynocolus*) **A**: HP UP
maritimus Zherikhin, 1991b: 65 **A**: ES (Sakhalin)
rarus Zherikhin, 1991b: 64 **A**: ES
schmutzenhoferi G. Osella, 1989b: 326 **A**: BT
sikkimensis G.A.K. Marshall, 1931b: 277 (*Eremotes*) **A**: SD

7.5. Subfamily **Curculioninae** Latreille, 1802

7.5.1. Tribe Acalyptini C.G. Thomson, 1859

genus Acalyptus Schoenherr, 1833a: 20 type species *Curculio carpini* Fabricius, 1792
carpini Fabricius, 1792: 409 (*Curculio*) **E**: BE BU CR CT CZ DE EN FI FR GB GE HU IT LA LS LT LU MD NR NT PL RO SB SK SL ST SV SZ UK **A**: AR ES FE GG JA KZ NE SC TR WS
NAR
alpinus A. Villa & G. B. Villa, 1833: 35 (*Sibiria*)
caucasicus Reitter, 1900a: 281
fuscipes C. G. Thomson, 1870b: 337
rufipennis Gyllenhal, 1835a: 448
sericeus Gyllenhal, 1835a: 447 **E**: AU BU CR CT CZ DE EN FI FR GE HU IT MC MD NT PL RO SK ST SV SZ UK **A**: ES FE WS

genus Amorphaidea Motschulsky, 1858: 78 type species *Amorphaidea arcuata* Motschulsky, 1858
Ecthetopyga Pierce, 1912: 158 type species *Ecthetopyga gossypii* Pierce, 1912 (= *Amorphaidea arcuata* Motschulsky, 1858)

lata Motschulsky, 1858: 79 A: JA **ORR**
gossypii Pierce, 1912: 158 (*Ecthetopyga*)

genus Imera Pascoe, 1885: 236 type species *Imera pedestris* Pascoe, 1885
formosana Kojima & Morimoto, 2005: 107 A: TAI

genus Orsophagus Roelofs, 1874: 123 type species *Orsophagus trifasciatus* Roelofs, 1874
subfasciatus Kojima & Morimoto, 2005: 96 A: JA TAI **ORR**
trifasciatus Roelofs, 1874: 124 A: JA SC (Jeju)

genus Parimera Faust, 1896: 146 type species *Parimera signata* Faust, 1896
flava Kojima & Morimoto, 2005: 100 A: JA
subflava Kojima & Morimoto, 2005: 101 A: TAI

7.5.2. Tribe Acentrusini Alonso-Zarazaga, 2005

genus Acentrus Desmarest, 1839: 61 type species *Cryptorhynchus histrio* Schoenherr, 1837
Acentrus Schoenherr, 1845: 57 [HN] type species *Cryptorhynchus histrio* Schoenherr, 1837
Collius Gistel, 1848a: xi [URN]
boroveci Košťál, 2014b: 331 A: UZ
histrio Schoenherr, 1837a: 248 (*Cryptorhynchus*) E: BU CR FR GR IT RO SB SP ST UK N: MO TU
UK A: AR IN IS SY TR
rufescens Pic, 1922a: 23
zarathustra Košťál, 2014b: 334 A: IN

7.5.3. Tribe Ancylocnemidini Voss, 1962

genus Ancylocnemis G.A.K. Marshall, 1920b: 387 type species *Ancylocnemis fasciculata* G.A.K.
Marshall, 1920
subgenus Ancylocnemis G.A.K. Marshall, 1920b: 387 type species *Ancylocnemis fasciculata* G.A.K.
Marshall, 1920
peyerimhoffi Heller, 1930a: 6 N: AG MO

7.5.4. Tribe Anoplini Bedel, 1884

genus Anoplus Germar, 1820a: 195 type species *Curculio plantaris* Næzén, 1794
Nanaplus Gistel, 1856a: 371 type species *Anoplus roboris* Suffrian, 1840
japonicus Morimoto, 1983c: 64 A: JA
plantaris Næzén, 1794: 270 (*Curculio*) E: BE CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU
NR NT PL RO SK SP ST SV SZ UK A: ES FE JA NC SC WS
atratus Stephens, 1831c: 53
brevis Marsham, 1802: 265 (*Curculio*) [HN]
nitidulus Stephens, 1831c: 53
roboris Suffrian, 1840: 59 E: BE CT CZ DE EN FI FR GB HU IR IT LA LT LU NR NT PL RO SK
SV SZ UK A: TR
sugiharai Kôno, 1935c: 61
setulosus pericarti Tempère, 1972b: 162 E: FR (Corse)
setulosus setulosus Kirsch, 1870b: 217 E: AU CR CT CZ FR GE HU IT LS LT LU PL SK ST SZ UK
A: AR GG
caucasicus Reitter, 1916a: 127

genus Sphinxis Roelofs, 1875b: 190 type species *Sphinxis pubescens* Roelofs, 1875
Epidemimaea Chûjô & Voss, 1960: 7 type species *Demimaea ihai* Chûjô & Voss, 1960
Sphinxioides Voss & Chûjô, 1960: 7 type species *Sphinxioides koikei* Voss & Chûjô, 1960
cryptica Kojima & Morimoto, 2000: 538 A: JA NC SC
formosana Kojima & Morimoto, 2000: 552 A: TAI
ihai Chûjô & Voss, 1960: 7 (*Demimaea*) A: JA
koikei Voss & Chûjô, 1960: 7 (*Sphinxioides*) A: JA
lichoui Kojima & Morimoto, 2000: 554 A: TAI
maculipennis Kojima & Morimoto, 2000: 554 A: TAI
nepalensis Kojima & Morimoto, 2000: 544 A: NP

ovalis Kojima & Morimoto, 2000: 544 A: JA TAI
pubescens Roelofs, 1875b: 190 A: JA SC

genus *Thamnobius* Schoenherr, 1835: 465 type species *Thamnobius eckloni* Boheman, 1835
orientalis Kojima & Morimoto, 2002: 335 A: JA TAI

7.5.5. Tribe Anthonomini C. G. Thomson, 1859

genus *Anthonomus* Germar, 1817c: 340 type species *Curculio avarus* Fabricius, 1798 (= *Curculio pedicularius* Linnaeus, 1758)

subgenus *Anthomorphus* Weise, 1883b: 255 type species *Curculio varians* Paykull, 1792 (= *Curculio phyllocola* Herbst, 1795)

Paranthonomus Dietz, 1891: 199 type species *Anthonomus profundus* LeConte, 1876

lukjanovitschi Ter-Minasian, 1948: 88 A: FE

phyllocola Herbst, 1795: 161 (*Curculio*) [NP] E: AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU NL NR NT PL RO SK SL SP SV SZ UK A: ES FE JA TR WS

melanocephalus Fabricius, 1792: 444 (*Curculio*) [HN]

melanopsis Turton, 1800: 238 (*Curculio*) [RN]

nigrocapitatus Latreille, 1804: 150 (*Curculio*)

nigritulus Gravenhorst, 1807: 204 (*Rhynchaenus*)

obesior Desbrochers des Loges, 1868b: 427

perforator Herbst, 1795: 143 (*Curculio*)

pyrenaicus Desbrochers des Loges, 1868b: 428

resinae Fabricius, 1792: 447 (*Curculio*) [NO]

rustipennis Gerhardt, 1912: 4 [NA]

strandii Stierlin, 1903a: 484

strandiatius Roubal, 1936b: 58

suturalis W. Kolbe, 1911: 11 [NA]

suturatus Schenkling, 1934: 15 [NA]

variens Paykull, 1792: 16 (*Curculio*) [HN]

varius Zetterstedt, 1837: 173 (*Rhynchaenus*)

pinivorax Silfverberg, 1977a: 14 [RN] E: AU BH CT CZ EN FI FR GE HU IT LA LT NT PL RO SK ST SV SZ UK

pubescens Paykull, 1792: 12 (*Curculio*) [HN]

subgenus *Anthonomidius* Reitter, 1915f: 118 type species *Anthonomus rubripes* Gyllenhal, 1835

dauricus Faust, 1891e: 406 A: ES FE MG NC NE SC

dilutus Reitter, 1915f: 118

germanicus Dieckmann, 1968: 482 E: BH CT GE PL ST UK A: KZ

morosus Faust, 1891e: 405 A: ES KZ WS

rubripes Gyllenhal, 1835a: 351 E: AU BU CT CZ GE GR HU IT MC MD PL RO SB SK ST UK

A: TR

femoratus Desbrochers des Loges, 1868b: 420

gentilis Faust, 1891e: 406

subgenus *Anthonomus* Germar, 1817c: 340 type species *Curculio avarus* Fabricius, 1798 (= *Curculio pedicularius* Linnaeus, 1758)

Pallene Dejean, 1821: 87 type species *Curculio pomorum* Linnaeus, 1758

Toplithus Gozis, 1882b: 203 type species *Anthonomus rosinae* Gozis, 1882 (= *Anthonomus bituberculatus* C. G. Thomson, 1868)

Toplethus Bedel, 1884c: 128 [UE]

Trichobaropsis Dietz, 1891: 189 type species *Anthonomus texanus* Dietz, 1891

Listrorrhynchus Champion, 1903: 193 type species *Listrorrhynchus subulatus* Champion, 1903

Sexarthrus Blatchley, 1916: 311 type species *Anthonomus subfasciatus* LeConte, 1876

Exanthonomus Voss, 1960a: 150 type species *Anthonomus curtus* Faust, 1882 (= *Anthonomus kirschi* Desbrochers des Loges, 1868)

aino Kôno, 1939c: 77 A: FE JA

albomaculatus Kôno, 1939c: 78 A: TAI

albopunctatus Voss, 1941e: 901 A: FUJ ZHE

alni Kojima & Morimoto, 1994: 153 A: JA

bisignifer Schenkling, 1934: 16 [RN] A: FE JA NC NE SC TAI

albopilosus Matsumura, 1911b: 131 (*Mynirus*) [HN]

bisignatus Roelofs, 1875a: 162 [HN]

signatus Khinoshita & Shinkai, 1926: 3 [HN]

bituberculatus C. G. Thomson, 1868: 210 E: BE BH BU CR CZ DE EN FI FR GB GE HU IR IT NL NR PL RO SB SK SL ST SV SZ

fasciatus Marsham, 1802: 286 (*Curculio*) [HN]

rosinae Gozis, 1882b: 204

bonvouloiri Desbrochers des Loges, 1868b: 421 **Ei:** IT
britannus Desbrochers des Loges, 1868b: 429 **Ei:** GB
brunnipennis Curtis, 1840: 280 **E:** BE CT DE EN FI FR GB GE IR LA LT NR NT SV SZ
comari Crotch, 1869: 310
chevrolati chevrolati Desbrochers des Loges, 1868b: 430 **E:** AL AU BE BH BU CR CZ FR GB GE
GR HU IT LU NL PL RO SB SK SL SZ UK **N:** AG
chevrolati connexus Dieckmann, 1968: 441 **A:** LE SY
commutatus Dieckmann, 1975c: 202 **E:** RO **A:** TM TR
conspersus Desbrochers des Loges, 1868b: 445 **E:** AL AU BE CR CT CZ DE EN FI FR GB GE HU
IT LA LS LT LU NL NR PL SP SK SL SV SZ UK **A:** ES FE WS
distinguendus Desbrochers des Loges, 1868b: 444
javeti Desbrochers des Loges, 1868b: 446
costipennis Fairmaire, 1889b: 54 **A:** XIZ
cribratellus Reitter, 1915f: 119 **A:** FE
curtulus Desbrochers des Loges, 1892l: 112 **A:** LE TR
eugenii Cano y Alcacio, 1894: 378 **Ei:** IT **AURi** **NAR** **NTR**
aeneotinctus Champion, 1903: 169
foliicola Ter-Minasian, 1954: 57 **E:** ST **A:** AR UZ
gemmicola Ter-Minasian, 1960: 41 **A:** TD UZ
grilati Desbrochers des Loges, 1889d: ccv **N:** AG MO
helopoides Kolenati, 1859b: 340 **A:** IN "Western India"
incurvus Panzer, 1795b: 312 (*Curculio*) **E:** AU BU CR CT CZ DE EN FI FR GB GE HU IT LA LT
MD NL NR NT PL SK ST SV SZ UK **A:** AR GG TR
humeralis Panzer, 1795b: 312 (*Curculio*)
ulmi Desbrochers des Loges, 1868b: 434 [HN]
interpositus Voss, 1953a: 60 **A:** FUJ
kirschi Desbrochers des Loges, 1868b: 446 **E:** AU BH BU CR CT CZ GE GR HU IT PL SB SK UK
A: CY
curtus Faust, 1882b: 432
klapperichi Voss, 1960a: 149 **A:** AF
koenigi Pic, 1912a: 10 **A:** AB AR GG TD TM
celtidis Ter-Minasian, 1952: 539
laticus Pic, 1902j: 140 **A:** FE
maculatus Ter-Minasian, 1973a: 305 **A:** MG
mali Kojima & Morimoto, 1994: 159 **A:** JA
minor Kojima & Morimoto, 1994: 161 **A:** JA
miyakawai Kojima & Morimoto, 1994: 154 **A:** JA
mongolicus Ter-Minasian, 1973a: 304 **A:** MG
multifasciatus Pic, 1926b: 14 **E:** BH BU CR FR GR IT MA SL TR **N:** AG **A:** SY TR
amygdali Hustache, 1930d: 191 [RN]
messanensis Vitale, 1903b: 45 [NA]
ornatus Reiche, 1861a: 732 [HN]
okinawanus Kojima & Morimoto, 1994: 163 **A:** JA TAI
okumai Morimoto & Miyakawa, 1985: 33 **A:** JA
pedicularius Linnaeus, 1758: 383 (*Curculio*) **E:** AU BE BH BU CR CZ DE EN FI FR GB GE GR
HU IR IT LA LS LT MD NL NR NT PL PT RO SB SK SP ST SV SZ UK **N:** AG MO TU **A:**
AB AR ES FE GG IN TR WS
avatus Fabricius, 1798: 170 (*Curculio*)
bavatus Schrank, 1798: 483 (*Curculio*)
fuscus Goeze, 1777: 391 (*Curculio*)
fuscus Gmelin, 1790: 1772 (*Curculio*) [HN]
pomonae Germar, 1821: 323
schoenherri Desbrochers des Loges, 1868b: 442
scutellatus Geoffroy, 1785: 131 (*Curculio*)
tricolor Gmelin, 1790: 1773 (*Curculio*) [HN]
persicae Hong, 2004: 39 **A:** SC
pomorum Linnaeus, 1758: 381 (*Curculio*) **E:** AU BE BH BU CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LS LT LU MD NL NR NT PL RO SB SK SP ST SV SZ TR UK **N:** AG **A:** AR
CH CY ES FE GG JA NC SC TR UZ **NAR**
duprezi A. Hoffmann, 1955: 1117 [NA]
obsoletus Desbrochers des Loges, 1893g: 136
rubromaculatus Desberger, 1834: 64 (*Curculio*)

pyri Gyllenhal, 1835a: 339 **E:** AU BE BH BU CR CT CZ FR GB GE GR HU IT LA LT LU MD NL PL RO SB SK SL SP SV SZ UK **A:** AR
cinctus L. Redtenbacher, 1857: 768
piri Kollar, 1837: 257 [HN]
pyri Boheman, 1843: 215 [HN]
pyri Chevrolat, 1844: 135 [HN]

rubi Herbst, 1795: 167 (*Curculio*) **E:** AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK **N:** AG CI (Fuerteventura) **A:** AR ES HEB HEN HUB KZ LIA QIN SC SCH SHN SHX TR
ater Marsham, 1802: 285 (*Curculio*) [HN]
czekanovskii Ter-Minasian, 1936: 181
gracilipes Desbrochers des Loges, 1873b: 417 [HN]
leptopus Gozis, 1882c: cxxxv
melanopterus Marsham, 1802: 289 (*Curculio*)
obscurus Stephens, 1831c: 75
opacirostris Desbrochers des Loges, 1868b: 437 [NA]
rostrum Herbst, 1797: 32 (*Curculio*)
transiliensis Ter-Minasian, 1936: 182
uniformis Faust, 1890a: 92

rufus Gyllenhal, 1835a: 347 **E:** AL AU BE BH BU CR CT CZ DE FR GB GE HU IT LS LT LU MD NL PL RO SB SK SP ST SV SZ UK **A:** AB AR GG
pruni Desbrochers des Loges, 1868b: 439

ryukyuuensis Kojima & Morimoto, 1994: 157 **A:** JA

semenovi Ter-Minasian, 1948: 88 **A:** FE

sinicus Voss, 1958b: 110 **A:** FUJ

sorbi Germar, 1821: 325 **E:** BE BH CR DE EN FI FR GE HU LA LU NL PL SK SV SZ UK **A:** ES FE FUJ
oxyacanthae Boheman, 1851a: 227
oxyacanthae Boheman, 1851b: 75 [HN]

pilotus L. Redtenbacher, 1847: 406 **E:** BE CT CZ FR GBiGE GR HU IT NL PT SK SP ST SV SZ UK
roberti Wencker, 1859a: ccxxxvi

stierlini Desbrochers des Loges, 1869a: [2] **E:** BH CR GR IT MC **A:** LE SY TR
faillae Desbrochers des Loges, 1892m: 137

takahashii Kojima & Morimoto, 1994: 159 **A:** JA

terreus Gyllenhal, 1835a: 346 **E:** IT **A:** JA ES FE CH KZ MG NC SC WS
desbrochersi Faust, 1890a: 92
inornatus K. Daniel & J. Daniel, 1898: 70 [NA]
rosarum K. Daniel & J. Daniel, 1898: 70
sibiricus Desbrochers des Loges, 1868b: 423

uenoi Kojima & Morimoto, 1994: 155 **A:** JA

ulmi DeGeer, 1775: 215 (*Curculio*) **E:** AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT ME NL PL RO SB SK SL SP ST SV SZ UK
inversus Bedel, 1884c: 120
languidus Gyllenhal, 1835a: 348

undulatus Gyllenhal, 1835a: 340 **E:** AU BE BH BU CR CT CZ EN FI FR GE HU IT LT MD NR NT PL RO SK ST SV SZ **Ai:** JA
ruber Perris, 1858: 141

yuasai Kôno, 1939c: 79 **A:** FE JA SC

subgenus *Furcipes* Desbrochers des Loges, 1868b: 414 type species *Curculio rectirostris* Linnaeus, 1758
Furcipes Bedel, 1884c: 128 [URN]

rectirostris Linnaeus, 1758: 383 (*Curculio*) **E:** AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MD NL NR NT PL RO SB SK SP ST SV SZ UK **A:** AR CH ES FE GG JA KZ SC WS
druparum Linnaeus, 1760: 181 (*Curculio*)
interruptus Pic, 1941b: 2
padi Puton, 1908: 183
unicolor Faust, 1890a: 92 [NA]

subgenus *Persexarthrus* Voss, 1944: 49 type species *Anthonomus cyprius* G.A.K. Marshall, 1925 (= *Anthonomus bauduerei* Desbrochers des Loges, 1875)
Neobradybatus A. Hoffmann, 1963a: 94 type species *Neobradybatus variabilis* A. Hoffmann, 1963

bauduerei Desbrochers des Loges, 1875e: 210 **A:** CY IS JO LE SY
abeillei Desbrochers des Loges, 1892m: 142 [NA]
cyprius G.A.K. Marshall, 1925b: 75
ornatoides Reitter, 1898d: 354 (*Bradybatus*)

behnei Košťál, 2014a: 572 **A:** IN

brevispinus Pic, 1902j: 139 A: AB AR IN SY
funebri A. Hoffmann, 1963a: 96 (*Neobradymbatus*)
fraudulentus Voss, 1960a: 150 (*Anthomorpha*) A: AF
variabilis A. Hoffmann, 1963a: 94 (*Neobradymbatus*) A: IN IS TR
obliteratus A. Hoffmann, 1963a: 94 [NA]
pallidus A. Hoffmann, 1963a: 94 [NA]
ruficollis A. Hoffmann, 1963a: 94 [NA]
subgenus *Pterochalybs* Ter-Minasian, 1936: 171 type species *Anthonomus subchalybaeus* Reitter, 1915
reichardti Ter-Minasian, 1948: 87 A: FE
subchalybaeus Reitter, 1915f: 118 A: FE
subgenus *Tachypterellus* Fall & Cockerell, 1907: 214 [RN] type species *Anthonomus quadrigibbus* Say, 1832
Tachypterus Dietz, 1891: 186 [HN] type species *Anthonomus quadrigibbus* Say, 1832
babai Morimoto & Kojima, 1994: 292 A: TAI
collaris Voss, 1953a: 59 (*Tachypterellus*) A: FUJ TAI
dorsalis Voss & Chûjô, 1960: 4 (*Tachypterellus*) A: JA

genus *Anthonomus*, nomen dubium
Anthonomus rubellus Desberger, 1834: 64 (*Curculio*) [HN]

genus *Assuanensius* Pic, 1900a: 29 type species *Anthonomus discoidalis* Tournier, 1873
Bradybibastes Heller, 1923b: 195 type species *Bradybibastes variabilis* Heller, 1923
discoidalis Tournier, 1873a: 179 (*Anthonomus*) N: AG EG LB MO A: IS SA AFR
costulatus Hustache, 1936d: 492 (*Bradybibastes*)
variabilis Heller, 1923b: 195 (*Bradybibastes*)
erectosetosus Peyerimhoff, 1948: 46 (*Bradybibastes*) N: EG LB MO A: IS SA AFR
marshalli Heller, 1930a: 7 (*Bradybibastes*) N: LB
peyerimhoffi A. Hoffmann, 1963b: 212 (*Bradybibastes*) N: AG LB A: SA AFR
discretus Voss, 1964a: 591 (*Bradybibastes*)

genus *Brachonyx* Schoenherr, 1825: 583 type species *Curculio indigena* Herbst, 1795 (= *Curculio pineti* Paykull, 1792)
Brachonyx Agassiz, 1846: 50 [UE]
Onychobrachys Gistel, 1856a: 371 type species *Curculio indigena* Herbst, 1795 (= *Curculio pineti* Paykull, 1792)
pineti Paykull, 1792: 61 (*Curculio*) E: AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT LU NL NR NT PL SK SP ST SV SZ UK A: TR WS
coniferarum Gistel, 1857: 600
indigena Herbst, 1795: 170 (*Curculio*)
obscurellus Pic, 1902h: 90["80"] [NA]
pini Gistel, 1857: 576

genus *Bradybatus* Germar, 1823: 305 type species *Bradybatus creutzeri* Germar, 1823
subgenus *Bradybatus* Germar, 1823: 305 type species *Bradybatus creutzeri* Germar, 1823
creutzeri Germar, 1823: 306 E: AU BH BU CR CZ FR GE HU IT MD RO SK SL SZ UK
kellneri Bach, 1854: 306 E: BE CT CZ DE EN FR GE HU IT LA LT LU MD NR PL RO SK SP ST SV SZ UK
apicalis Pic, 1902j: 140 [NA]
carbonarius Reitter, 1884a: 9
nigripes Reitter, 1898d: 355
rufipennis Reitter, 1898d: 355
subfasciatus Gerstaecker, 1855a: 169
limbatus Roelofs, 1875b: 191 A: ES FE JA SC (Jeju)
minor Ter-Minasian, 1979a: 75 A: TM
persicus Dieckmann, 1982b: 187 A: IN
seriesetosus Petri, 1912a: 332 E: AL BH BU FR GB GR MD RO SK ST UK
inermis Penecke, 1926a: 3
sharpi Tournier, 1873a: 180 A: FE JA NC SC
albolineatus Zherikhin, 1972b: 152 (*Magdalis*)
tomentosus Desbrochers des Loges, 1892m: 117 E: AL AU BH BU FR GB GR HU IT (Sicilia) MC MD ME RO ST TR UK A: TR
duplipilis Reitter, 1898d: 356
subgenus *Nothops* Marseul, 1868b: 266 type species *Anthonomus elongatulus* Boheman, 1843
Pseudomorpha Desbrochers des Loges, 1868b: 456 type species *Anthonomus elongatulus* Boheman, 1843

abeillei Desbrochers des Loges, 1889d: ccv **A: CY**
delagrangei Desbrochers des Loges, 1895d: 82 **A: TR SY**
elongatulus Boheman, 1843: 216 (*Anthonomus*) **E: AL BH CR FR GB GR HU IT MC NL SP SZ UK**
aceris Chevrolat, 1866a: 29
fallax Gerstaecker, 1860: 397 **E: AU BE BH CR CZ FR GE GR HU IT LU NL PL RO SK SL SZ UK**
graciliformis Voss, 1960a: 148 **A: AF**
grandis Ter-Minasian, 1946: 55 **A: AR**
grandoides Dieckmann, 1968: 538 **A: GG**
iranensis A. Hoffmann, 1962e: 658 **A: IN**
nemethi Košťál, 2018: 263 **A: LE**
schoenmanni Košťál, 2018: 260 **A: LE**
tadzhikorum Ter-Minasian, 1960: 42 **A: TD UZ**
turkmenicus Ter-Minasian, 1979a: 75 **A: TM**
vaulogeri Bedel, 1906a: 290 **N: AG MO**

genus *Coccotorus* LeConte, 1876: 193 type species *Anthonomus scutellaris* LeConte, 1858
chaoi Y-Q. Chen, 1993: 74 **A: BEI SCH SHN XIN**

genus *Macrobrachonyx* Pic, 1902i: 91["81"] type species *Macrobrachonyx gounellei* Pic, 1902
gounellei Pic, 1902i: 91["81"] **N: CI**

genus *Sphincticraerus* Marseul, 1871a: 386 type species *Sphincticraerus constrictus* Marseul, 1871 (= *Anthonomus lethierryi* Desbrochers des Loges, 1869)
Apopnictus G.A.K. Marshall, 1932a: 4 type species *Apopnictus zizyphi* G.A.K. Marshall, 1932
Aubeus Desbrochers des Loges, 1873b: 413 type species *Aubeus bruleriei* Desbrochers des Loges, 1873
Pachysomus Pic, 1920e: 52 type species *Aubeus strangulatus* Tournier, 1873 (= *bruleriei* Desbrochers des Loges, 1873)
bruleriei Desbrochers des Loges, 1873b: 415 (*Aubeus*) **N: EG A: IS SA**
strangulatus Tournier, 1873a: 180 (*Aubeus*)
himalayanus Voss, 1944: 49 **A: "Himalaya"**
lethierryi Desbrochers des Loges, 1869c: 397 (*Anthonomus*) **E: SP N: AG LB MO TU A: CY AFR**
constrictus Marseul, 1871a: 385

7.5.6. Tribe Cionini Schoenherr, 1825

genus *Cionellus* Reitter, 1904a: 63 type species *Cionus gibbifrons* Kiesenwetter, 1852
gibbifrons Kiesenwetter, 1852: 647 (*Cionus*) **E: AL CR FR GR HU IT SP N: AG TU A: TR SY**

genus *Cionus* [Clairville], 1798: 64 type species *Curculio blattariae* Fabricius, 1792 (= *Curculio alauda* Herbst, 1784) #²
Mononyx Brullé, 1839: 72 [HN] type species *Mononyx variegatus* Brullé, 1839
alauda Herbst, 1784: 74 (*Curculio*) **E: AU BE BH BU CR CZ FR GB GE HU IR IT LU NR PL RO SB SK SP SZ UK N: AG MO ~~MR~~**
blattariae Fabricius, 1792: 435 (*Curculio*)
bipustulatus Marsham, 1802: 278 (*Curculio*) [NA]
pici Desbrochers des Loges, 1894l: cclxviii
villae Comolli, 1837: 30
armeniacus Košťál & Caldara, 2019: 22 A: AR
atlanticus Peyerimhoff, 1926c: 379 N: MO
auriculus Reitter, 1904a: 50 E: UK A: AB AR GG IS SY TR
orientalis Wingelmüller, 1914: 187 [NA]
balianii F. Solari, 1932c: 88 **E: BU CR GR IT ~~A: TR~~**
galanus Angelov, 1978: 68
boroveci Košťál & Caldara, 2019: 61 E: GR (Kriti)
bremondi A. Hoffmann, 1938b: 103 **N: MO**
canariensis Uyttenboogaart, 1935a: 16 **N: CI**
caucasicus Reitter, 1888c: 270 **E: ST A: AR GG TR**
championi G.A.K. Marshall, 1926b: 365 **A: NP UP**
clairvillei Boheman, 1838: 730 **E: AL AU BE CR CZ FR GE GR HU IT PL RO SK ST SZ UK**
styriacus Franz, 1951: 124
colonnellii Košťál & Caldara, 2019: 74 E: FR IT SP

dependens Faust, 1886e: 153 A: [AF HP KA NP PA UP XIN](#)
[nivistanus Voss, 1937b: 189](#)
distinctus Desbrochers des Loges, 1869a: [2] E: FR (Corse)
donckieri Pic, 1898c: 4 A: AR TR
flavopunctatus Wingelmüller, 1914: 189 A: [IN KI TD UZ XIN](#)
fluviatilis Voss, 1960a: 137 A: AF [TD](#)
[franzi A. Hoffmann, 1960b: 168 E: AU](#)
ganglbaueri Wingelmüller, 1914: 198 E: AU BE BU CZ FR HU IT LU PL RO SK [ST SZ](#)
gebleri Gyllenhal, 1838: 729 E: AU BU CR CZ HU ~~IT~~ PL RO SK ST UK A: KZ TM TR WS
[semialbellus Reitter, 1904a: 52](#)
[goricus Schultze, 1897c: 292 A: GG](#)
griseopubens Wingelmüller, 1914: 200 E: BU GR [MC](#)
griseus Har. Lindberg & Håk. Lindberg, 1958: 74 N: CI
hauseri Wingelmüller, 1914: 220 A: [UZMG TD #³](#)
helleri Reitter, 1904a: 56 A: FE [GUX JA JIX SC](#)
[himalayensis Košťál & Caldara, 2019: 25 A: NP](#)
hortulanus Geoffroy, 1785: 129 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IR IT LA LT LU MC ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A:
ES IN IS KZ PA SY TD TR WS
— [auriculus Reitter, 1904a: 50](#)
— [orientalis Wingelmüller, 1914: 187 \[NA\]](#)
— [franzi A. Hoffmann, 1960b: 168](#)
— [subsquamosus Reitter, 1904a: 50](#)
hypsiobatus Wingelmüller, 1914: 210 E: BU [GR MC ME](#)
[inexpectatus Tempère, 1961: 98 E: FR SP](#)
[khorasanicus Košťál & Caldara, 2019: 66 A: IN](#)
[laibalei Košťál & Caldara, 2019: 43 A: SI](#)
latefasciatus Voss, 1956a: 13 A: ~~CHFE~~ JA [ZHE](#)
leonhardi Wingelmüller, 1914: 212 E: AU BH BU CT CZ [FR](#) GE GR HU IT RO SK [SP UK](#) A: SY
[TR](#)
[inexpectatus Tempère, 1961: 98](#)
[longicollis atlanticus Peyerimhoff, 1926c: 379 N: MO](#)
longicollis longicollis C. N. F. Brisout de Barneville, 1863a: 114 E: [AU BU CR CT EN FI FR GB GE](#)
[LA LT NR NT SP SV A: WS](#)
[longicollis montanus Wingelmüller, 1914: 195 E: AU CR CZ GE HU IT PL RO SK SZ UK](#)
[maurus Košťál & Caldara, 2019: 35 E: SP N: MO](#)
merkli Stierlin, 1882a: 253 E: GR [MC TR](#) A: [AB AR GG IN JO LE SY TR](#)
[parcenotatus Desbrochers des Loges, 1895d: 84](#)
[montanus Wingelmüller, 1914: 195 E: AU BU CR CT CZ EN FI FR GB GE HU IT LA LT NR NT](#)
[PL RO SK SP SV SZ UK A: WS](#)
[negevicola Košťál & Caldara, 2019: 41 A: IS JO SY](#)
[neglectus Košťál & Caldara, 2019: 79 E: BU MC](#)
nigritarsis Reitter, 1904a: 52 E: AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA
LT LU MD NR NT PL RO SB SK SP SV SZ UK A: WS
olens Fabricius, 1792: 435 (*Curculio*) E: AU BE BH BY CR CZ FR GE GR ME HU IT LU MD NL
PL RO SB SK SP ST SZ UK A: [IS SY TR](#)
[caprimulgus Fabricius, 1801: 480 \(Rhynchaenus\)](#)
olivieri Rosenschoeld, 1838: 725 E: AL AN AU BE BH BU CR CT CZ EN FR GE GR HU IT LA
MD ME PL RO SB SK SL SP ST SZ TR UK A: AF AR CY GG IN KI KZ SY TD TM TR UZ
[osmanlis Košťál & Caldara, 2019: 18 A: TR](#)
ponticus Białooki, 2006a: 56 A: TR
[pulverosus densenotatus Reitter, 1904a: 59 A: AR](#)
pulverosus pulverosus Guérin-Méneville, 1833b: pl. 38 E: AL AU BU CR GR HU [MC](#) RO TR UK
A: AR TR
[albopubens Reitter, 1904a: 59](#)
— [densenotatus Reitter, 1904a: 59](#)
[inpunctatus Gyllenhal, 1838: 733](#)
rabinovitchi A. Hoffmann, 1938d: 128 N: EG
[rossicus Košťál & Caldara, 2019: 76 E: RO ST A: AR](#)
[rufescens Košťál & Caldara, 2019: 36 E: GR \(Kriti\)](#)

~~*schoenherri laportei* A. Hoffmann, 1953c: 193 N: AG~~
schoenherri schoenherri C. N. F. Brisout de Barneville, 1863a: 115 E: FR IT PT SP SZ N: AG MO
~~*laportei* A. Hoffmann, 1953c: 193~~
~~*schultzei nuristanus* Voss, 1937b: 189 A: AF HP~~
schultzei schultzei Reitter, 1904a: 50 E: BU GR MC A: AR CY IN JO SY TR
tiefenbachi Reitter, 1904a: 50 [NA]
scrophulariae Linnaeus, 1758: 380 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR
GB GE GR HU IT LA LT LU MC ME NL NR NT PL RO SB SK SL SP ST SV SZ UK N:
MR A: AR GG IS KZ TD TR UZ WS **NARi**
affinis Brahm, 1790: 60 (*Curculio*) [HN]
albosuturatus Roubal, 1936a: 45
ferrugatus Reitter, 1904a: 49 [HN]
scrophularis Geoffroy, 1785: 129 (*Curculio*)
~~*suturalis* Tenenbaum, 1927: 153 [NA]~~
woodi Donisthorpe, 1921: 65
subalpinus Reitter, 1904a: 54 E: AU IT SL
~~*subsquamosus* Reitter, 1904a: 50 E: "Caucasus" A: AF~~
tamazo Kôno, 1930d: 149 A: FE FUJ JA NC NMO SC
thapsus thapsus Fabricius, 1792: 434 (*Curculio*) E: AL AU BE BH BU BY CR CZ DE FR GB GE GR
HU IT LS LU MC MD ME NL PL PT RO SB SK SL SP ST SV SZ UK A: AR CY GG IN IS
KZ SY TD TM TR UZ WS
anticamaculatus Plavilstshikov, 1924: 231 [NA]
assimilis Harrer, 1784: 184 (*Curculio*) [NASN]
bipunctatus Reitter, 1904a: 52
~~*semialbellus* Reitter, 1904a: 52~~
simplex Rosenschold, 1838: 731
thapsi: Hoppe, 1795: 21 (*Curculio*) [NA, ISS]
tissoni Reitter, 1906d: 451
uniformis Reitter, 1904a: 52
~~*thapsus tissoni* Reitter, 1906d: 451 A: SY~~
tonkinensis Wingelmüller, 1915: 308 A: GUA HAI YUN **ORR**
transsquamosus G.A.K. Marshall, 1926b: 364 A: UP
tuberculosus Scopoli, 1763: 27 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT LA LT LU MC MD ME NR NT PL RO SB SK SL SP ST SV SZ UK A: AR ES
GG IN TR WS
suturalis Tenenbaum, 1927: 152 [NA]
verbasci Fabricius, 1787a: 107 (*Curculio*)
ungulatus Germar, 1821: 302 E: AL BH BU CR GR HU MC ME SB TR A: TR
costipennis Schultze, 1899b: 192
variegatus Brullé, 1839: 72 (*Mononyx*) N: CI
luctuosus Boheman, 1845: 179
wanati Białooki, 2006a: 58 A: TR
winkelmanni Košťál & Caldara, 2019: 58 A: TR
wittei Kirsch, 1881: 8 E: BU A: IS LE SY TR
yunnanensis Košťál & Caldara, 2019: 26 A: YUN
zonovi Korotyaev, 1984b: 347 A: ES MG WS

genus *Cionus*, ~~nomen dubium~~ species inquirendae
affinis Brahm, 1790: 60 (*Curculio*) [HN] E: GE
goricus Schultze, 1897c: 292 A: GG
ocellatus Germar, 1821: 303 E: PT

genus *Cleopus* Dejean, 1821: 83 type species *Curculio solani* Fabricius, 1792
Platylaenus Weise, 1883b: 255 [HN] type species *Curculio pulchellus* Herbst, 1795
japonicus Wingelmüller, 1914: 225 A: JA YUN
pulchellus Herbst, 1795: 356 (*Curculio*) E: AU BE BU CT CZ DE EN FI FR GB GE HU IR IT LA
LT LU NL NR PL SK SL SP SV SZ UK N: AG MR
immunis Marsham, 1802: 278 (*Curculio*)
rufescens Turton, 1800: 240 (*Curculio*) [RN, HN]
similis O. F. Müller, 1776: 89 (*Curculio*) [HN]
solani Fabricius, 1792: 435 (*Curculio*) [NP] E: AU BE BH BU CR CZ EN FR GE GR HU IT LA LT
LU NL PL SB SK SL SZ UK A: AR TR
perpensus Rossi, 1792: 38 (*Curculio*) [NO]
setiger Germar, 1821: 305 (*Cionus*)

setosus Hellwig, 1795: 130 (*Curculio*) [HN]

genus *Nanomicrophyes* Pic, 1908a: 2 [RN] type species *Microphyes cyanipennis* Weise, 1880
subgenus *Nanomicrophyes* Pic, 1908a: 2 [RN] type species *Microphyes cyanipennis* Weise, 1880
Microphyes Weise, 1880: 482 [HN] type species *Microphyes cyanipennis* Weise, 1880
cyanipennis Weise, 1880: 482 (*Microphyes*) **E:** ST **A:** GG
alutaceus Reitter, 1881: 516 (*Microphyes*)

subgenus *Sinomicrophyes* Davidian & Korotyaev, 2017a: 362
belousovi Davidian & Korotyaev, 2017a: 363 **A:** GAN
kabaki Davidian & Korotyaev, 2017a: 366 **A:** SCH
korolevi Davidian & Korotyaev, 2017a: 366 **A:** GAN
oblongus Davidian & Korotyaev, 2017a: 369 **A:** SCH

genus *Stereonychidius* Morimoto, 1962c: 377 type species *Stereonychus galloisi* Hustache, 1920
galloisi Hustache, 1920e: 498 (*Stereonychus*) **A:** FE JA SC

genus *Stereonychus* Suffrian, 1854: 95 type species *Curculio fraxini* DeGeer, 1775
angulicollis Voss, 1953b: 67 **A:** FUJ
conotracheloides Voss, 1958b: 98 **A:** FUJ
fraxini DeGeer, 1775: 212 (*Curculio*) **E:** AL AU BE BH BU CR CT CZ DE EN FI FR GE GR HU
IT LA LT LU NL NT PL RO SK SP SV SZ UK **N:** AG MO **A:** TR
foetidus Fabricius, 1801: 480 (*Rhynchaenus*)
geeri Gmelin, 1790: 1772 (*Curculio*) [URN]
obscurus Reitter, 1904a: 62
rectangulus Herbst, 1795: 193 (*Curculio*)
hemileucus Wingelmüller, 1915: 309 **A:** GUA HAI **ORR**
japonicus Hustache, 1920f: 631 **A:** JA SC
ogasawarai Kôno, 1930d: 150 (*Cionus*)
phyllireae Chevrolat, 1859b: 388 (*Cionus*) **E:** FR GR IT SP
atticus Pic, 1904f: 50 (*Cionus*)
provincialis Gozis, 1884: 156
rufobrunneus Har. Lindberg, 1953: 17 (*Cionus*) **N:** CI
telonensis Grenier, 1864: 133 (*Cionus*) **E:** FR GR SP **N:** AG
globulariae Kiesenwetter, 1864: 283 (*Cionus*)
thoracicus Faust, 1887h: 176 **A:** CH FE JA NC SC
ochraceus Hustache, 1920f: 630

tribe Cionini, nomen dubium
Cionus kunzii Suffrian, 1847b: 301 **E:** GE

7.5.7. Tribe Curculionini Latreille, 1802

7.5.7.1. Subtribe Archarina Pelsue & O'Brien, 2011

genus *Archarius* Gistel, 1856a: 261 type species *Curculio salicivorus* Paykull, 1792
subgenus *Archarius* Gistel, 1856a: 261 type species *Curculio salicivorus* Paykull, 1792
Archarias A. Villa & G. B. Villa, 1833: 23 [HN] type species *Curculio salicivorus* Paykull, 1792
Balanobius Jekel, 1861: 267 type species *Curculio crux* Fabricius, 1777
Koreoculio Kwon & Lee, 1990: 100 type species *Balaninus antennatus* Kôno, 1930
albovittatus Kôno, 1930f: 18 (*Balaninus*) **A:** JA
amabilis Morimoto, 1962a: 36 (*Curculio*) **A:** JA
anatoliensis Voss, 1962a: 7 (*Balanobius*) **E:** GR (Lésvos) **A:** TR
anneae Notsu, 2014: 359 **A:** TAI
antennatus Kôno, 1930f: 18 (*Balaninus*) **A:** JA SC
bashgulensis Voss, 1960a: 125 (*Balanobius*) **A:** AF
chibi Kôno, 1930f: 17 (*Balaninus*) **A:** JA
concinus Voss, 1958b: 89 (*Balanobius*) **A:** FUJ
crux Fabricius, 1777: 225 (*Curculio*) **E:** AU BE BH BU CR CT CZ DE EN FI FR GE GR HU IT
LA LT LU MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A:** ES FE IN NE TR
WS
crucifer W. Fuchs, 1862a: 55 (*Balaninus*)
crucifer W. Fuchs, 1862b: 424 (*Balaninus*) [HN]

rhaeticus W. Fuchs, 1862a: 55 (*Balaninus*)
rhaeticus W. Fuchs, 1862b: 423 (*Balaninus*) [HN]
cruxminor Voss, 1958b: 89 (*Balanobius*) A: FUJ
esakii Morimoto, 1962a: 37 (*Curculio*) A: JA SC (Jeju)
excellens Iablokoff-Khnzorian, 1953: 63 (*Balanobius*) A: AR IN
exiguus Kwon & Lee, 1990: 97 (*Balanobius*) A: FE SC
hirokoae Notsu, 2014: 362 A: TAI
indianus Notsu, 2015: 180 A: SD
kamiyai Morimoto, 1962a: 38 (*Curculio*) A: JA
kunugi Morimoto, 1962a: 34 (*Curculio*) A: JA SC
latispiculum Kwon & Lee, 1990: 97 (*Balanobius*) A: FE SC
kwonleeanus Alonso-Zarazaga, 2016: 16 [RN]
parvus Kwon & Lee, 1990: 99 (*Balanobius*) [HN]
lodosi Dieckmann, 1975c: 203 (*Curculio*) E: GR A: IN SY TR
longirostris Notsu, 2014: 365 A: TAI
macellus Voss, 1958b: 88 (*Balanobius*) A: FUJ
meifengensis Notsu, 2014: 360 A: TAI
minutissimus Schenkling, 1932b: 15 (*Curculio*) [RN] A: FE JA SC
minimus Kôno, 1930f: 13 (*Balaninus*) [HN]
mundinotatus Notsu, 2014: 361 A: TAI
murakamii Morimoto, 1962a: 33 (*Curculio*) A: JA
nobilis Reitter, 1884c: 96 (*Balanobius*) E: GR A: SY TR
ochreateus debilis Tempère, 1957: 87 (*Balanobius*) E: FR
ochreateus ochreateus Fähræus, 1843: 288 (*Balaninus*) E: FR SP
rufosignatus Fairmaire, 1855: 108 (*Balaninus*)
ohbayashii Notsu, 2014: 356 (*Koreoculio*) A: TAI
parasiticus Morimoto, 1962a: 35 (*Curculio*) A: JA FE
pictiformis Kwon & Lee, 1990: 97 (*Balanobius*) A: SC
pictiformis Kwon & Lee, 1981: 50 [NA]
pictus Roelofs, 1875a: 161 (*Balaninus*) A: BEI HEB HEI JA FE NC SC
prominentatus Notsu, 2016: 141 A: TAI
pyrrhoceras Marsham, 1802: 288 (*Curculio*) E: AU BE BH BU CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK
N: AG MO TU A: CY IN IS SY TR
curvatus Marsham, 1802: 287 (*Curculio*)
minimus Rey, 1895b: 3 (*Balaninus*)
sakaiaorum Notsu, 2014: 362 A: TAI
salicivorus Paykull, 1792: 31 (*Curculio*) [NP] E: BE BH BU CT CZ DE EN FI FR GB GE GR HU
IR IT LA LS LT LU MD NL NR NT PL PT RO SB SK SP ST SV SZ TR UK A: ES IN IS MG
TR WS NARi
arcuatus Marsham, 1802: 288 (*Curculio*) [HN]
brassicae Fabricius, 1792: 437 (*Curculio*)
cinerascens Gmelin, 1790: 1773 (*Curculio*) [NO]
clavatus Marsham, 1802: 285 (*Curculio*) [HN]
intermedius Marsham, 1802: 288 (*Curculio*)
macropus Olivier, 1807: 231 (*Rhynchaenus*)
pedemontanus W. Fuchs, 1862a: 58 (*Balaninus*)
pedemontanus W. Fuchs, 1862b: 425 (*Balaninus*) [HN]
scutellaris Stephens, 1831c: 72 (*Balaninus*)
solidus Notsu, 2014: 365 A: TAI
syriacus Desbrochers des Loges, 1875e: 210 (*Balaninus*) A: SY
taiwanus Notsu, 2014: 368 A: TAI
tenuicarpus Notsu, 2014: 364 A: TAI
trogloodytes Jekel, 1861: 268 (*Balanobius*) E: GR IT SP
ziliolii Diotti & Caldara, 2013: 252 E: IT SZ
subgenus *Toptaria* Kwon & Lee, 1990: 95 type species *Balaninus roelofsi* Heller, 1927
roelofsi Heller, 1927a: 283 (*Balaninus*) [RN] A: FE JA SC
crucifer Roelofs, 1875a: 162 (*Balaninus*) [HN]

genus *Pagumia* Kwon & Lee, 1990: 100 type species *Pagumia changeoni* Kwon & Lee, 1990
changeoni Kwon & Lee, 1990: 100 A: FE SC

7.5.7.2. Subtribe Curculionina Latreille, 1802

genus *Curculio* Linnaeus, 1758: 377 type species *Curculio nucum* Linnaeus, 1758

subgenus *Curculio* Linnaeus, 1758: 377 type species *Curculio nucum* Linnaeus, 1758

Balaninus Germar, 1817c: 340 type species *Curculio nucum* Linnaeus, 1758

Pelecinius Wiedemann, 1823b: 163 [HN] type species *Curculio c-album* Fabricius, 1798 (= *Rhynchaenus melaleucus* Wiedemann, 1821)

aino Kôno, 1930f: 15 (*Balaninus*) A: FE FUJ GUX JA SCH YUN

albisquama Ter-Minasian, 1956b: 431 A: FE NE

alboscuteollatus Roelofs, 1875a: 159 (*Balaninus*) A: FE FUJ GUX HUB JA TAI YUN

alpestris Heller, 1927a: 184 (*Balaninus*) A: ZHE "Himalaya"

amurensis Heller, 1927a: 180 (*Balaninus*) A: FE

arenicolor Ter-Minasian, 1956b: 436 A: IN

artusfrons Pelsue & Zhang, 2002: 29 A: JIX

atridorsum Notsu, 1987: 279 A: JA

balmeri Pelsue & Zhang, 2002: 26 A: JIX MAC TAI

betulae Stephens, 1831c: 70 (*Balaninus*) E: AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR

IT LA LT NL NR NT PL PT RO SK SL SP ST SV SZ UK A: ES FE JA WS

herbsti Gemminger, 1871b: 123 (*Balaninus*) [RN]

beverlyae Pelsue & Zhang, 2000a: 134 A: YUN

bidens Heller, 1927a: 182 (*Balaninus*) A: SCH YUN

bimaculatus Faust, 1887b: 38 (*Balaninus*) A: BEI YUN ZHE

brevidens Pelsue & Zhang, 2003: 323 A: FUJ SHN

breviscapus Heller, 1927a: 193 (*Balaninus*) A: FUJ JA TAI ZHE

continentalis Voss, 1958b: 92

tigrinus Morimoto, 1960b: 103 [HN]

britanniae Pelsue & Zhang, 2002: 34 A: SCH

budjumkanensis Legalov, 2007a: 400 A: ES

bullabrevis Pelsue & Zhang, 2003: 325 A: XIZ

camelliae Roelofs, 1875a: 157 (*Balaninus*) A: HEB HEN JA NC SC TAI

canosquama Pelsue & Zhang, 2005: 299 A: HAI

capillatus Heller, 1927a: 194 (*Balaninus*) A: TAI

careoparvus Pelsue & Zhang, 2003: 322 A: XIZ

carlae Pelsue & Zhang, 2002: 27 A: YUN

challeti Pelsue & Zhang, 2002: 25 A: SHA YUN

chevrolati Faust, 1893a: 146 (*Balaninus*) [RN] A: HAI HKG **ORR**

interruptus Chevrolat, 1878c: xxxii (*Balaninus*) [HN]

chinensis Chevrolat, 1878c: xxxi (*Balaninus*) A: ANH FUJ GUA GUI GUX HEN HUB HUN JIA

JIX SCH SHA SHG YUN ZHE

tenuesparsus Fairmaire, 1900: 635 (*Balaninus*)

choui Notsu, 2013: 300 A: TAI

coartorostrus Pelsue & Zhang, 2002: 28 A: YUN

confucius Heller, 1927a: 190 (*Balaninus*) A: FUJ TAI

congerae Pelsue & Zhang, 2002: 38 A: YUN

conjugalis Faust, 1882a: 278 (*Balaninus*) A: FE HEN JA SC SHN

convexus Roelofs, 1875a: 161 (*Balaninus*) A: FE FUJ JA SC

cristinae Pelsue & Zhang, 2000a: 138 A: YUN

davidis Fairmaire, 1878a: 126 (*Balaninus*) A: ANH FUJ GAN GUA GUI HEB HEN HUB HUN

JIA JIX NMO SHA ZHE

deceptor panthaicus Heller, 1927a: 188 (*Balaninus*) A: YUN **ORR**

dentipes Roelofs, 1875a: 156 (*Balaninus*) A: ANH BEI FE FUJ GUX HEB HEI HEN HUB JA JIA

JIL JIX LIA NC NMO SC SCH SHA SHN SHX ZHE

arakawai Matsumura & Kôno, 1928: 171 (*Balaninus*)

quercivorus Kôno, 1928: 172 (*Balaninus*)

shigizo Kôno, 1928: 171 (*Balaninus*)

deyrollei Tournier, 1873a: 177 (*Balaninus*) A: GG

dhilloni Pelsue & Zhang, 2005: 300 A: GUX

dieckmanni Faust, 1887h: 178 (*Balaninus*) A: FE HEB HEI JIL JA LIA NC QIN SC SHA

dijoui Pelsue & Zhang, 2003: 320 A: HUB

distinguendus Roelofs, 1875a: 156 (*Balaninus*) A: BEI FE HEI HUB JA JIA NC SC SHA SHX

takabayashii Kôno, 1928: 172 (*Balaninus*)

elaeagni Morimoto, 1962a: 24 **A:** JA
elephas Gyllenhal, 1835a: 378 (*Balaninus*) **E:** AU BE BH BU CR CZ FR GE GR HU IT LU MD NL
 PL RO SK SP ST SZ UK **N:** AG MO TU **A:** CY IS SY TR
mastodon Jekel, 1861: 268 (*Balaninus*)
fausti Pelsue & Zhang, 2000a: 139 **A:** SCH
flavescens Roelofs, 1875a: 160 (*Balaninus*) **A:** FE JA YUN **ORR**
flavidorsum Kwon & Lee, 1990: 92 **A:** SC
flavoscutellatus Roelofs, 1875a: 160 (*Balaninus*) **A:** JA SC YUN ZHE
modestus Voss, 1941e: 897 [HN]
fordi Pelsue & Zhang, 2002: 37 **A:** FE HEI NMO
francisi Pelsue & Zhang, 2000b: 486 **A:** YUN
fratellum Voss, 1958b: 93 **A:** FUJ
fulvipennis Morimoto, 1960b: 101 **A:** FE JA
fulvirostris Heller, 1927a: 188 (*Balaninus*) **A:** SD
fulvus G.A.K. Marshall, 1938b: 164 (*Balaninus*) **A:** UP **ORR**
funebri Roelofs, 1875a: 159 (*Balaninus*) **A:** FE FUJ GUX JA JIX SC (Jeju) TAI
clavatus Faust, 1882a: 273 (*Balanobius*)
shaowuensis Voss, 1958b: 96
gangkuensis Pelsue & Zhang, 2002: 32 **A:** FUJ
gansuensis Pelsue & Zhang, 2002: 24 **A:** GAN
geniculatus Heller, 1927a: 195 (*Balaninus*) **A:** TAI YUN
glandium Marsham, 1802: 284 **E:** AU BE BH BU CR CT CZ DE EN FR GB GE GR HU IT LA
 LT LU MC MD ME NL PL PT RO SK SP ST SZ UK **N:** AG MO TU **A:** AR CY GG IN IS
 TR WS
anatolicus Pic, 1902e: 58["48"] (*Balaninus*)
hispanus Stierlin, 1888a: 19 [HN]
montivagus Reitter, 1895e: 255 (*Balaninus*)
turbatus Gyllenhal, 1835a: 383 (*Balaninus*)
gnom Iablokoff-Khinzorian, 1982: 225 **E:** UK
gressitti Pelsue & Zhang, 2000b: 479 **A:** HAI ZHE
hachijoensis Morimoto, 1962a: 28 **A:** JA
hallasaniensis Kwon & Lee, 1990: 94 **A:** SC (Jeju)
haroldi Faust, 1890d: 262 (*Balaninus*) **A:** BEI
hilgendorfi Harold, 1878: 86 (*Balaninus*) **A:** JA SC
iwasakii Matsumura & Kôno, 1928: 170 (*Balaninus*)
helleri Voss, 1932b: 68 (*Balaninus*) **A:** SCH
hime Kôno, 1930f: 15 **A:** JA SC
hippophes R-Zh. Zhang, 1992b: 412 **A:** SHA
hobbsi Pelsue & Zhang, 2003: 328 **A:** SCH YUN
hsifanus Heller, 1927a: 183 (*Balaninus*) **A:** SCH
ichihashii Morimoto, 1962a: 25 **A:** JA
ignobilis Heller, 1927a: 187 (*Balaninus*) **A:** SCH SD
imperialis Heller, 1927a: 218 (*Balaninus*) **A:** YUN **ORR**
inornatus Kwon & Lee, 1990: 93 **A:** SC
interpositus Voss, 1958b: 93 **A:** FUJ
irrorans Alonso-Zarazaga & Caldara, 2013: 51 [RN] **A:** YUN
irroratus Voss, 1932d: 298 [HN]
ishiharai Notsu, 1994: 265 **A:** JA
janetteae Pelsue & Zhang, 2002: 30 **A:** YUN
jilinensis Pelsue & Zhang, 2000b: 476 **A:** NE
kiangsuicus Heller, 1927a: 191 (*Balaninus*) **A:** BEI JIA
klapperichi Voss, 1958b: 94 **A:** FUJ
koreanus Heller, 1927a: 181 (*Balaninus*) **A:** FE JA SC
krissiae Pelsue & Zhang, 2000b: 481 **A:** YUN
kurosawai Morimoto, 1962a: 27 **A:** JA SC
lateritius Morimoto, 1981b: 122 **A:** JA
latusrostris Pelsue & Zhang, 2000b: 484 **A:** GUX YUN
leucaspis Chevrolat, 1878c: xxxii (*Balaninus*) **A:** HKG SE
lissae Pelsue & Zhang, 2000b: 482 **A:** HAI YUN
lobatibasis Voss, 1958b: 97 **A:** FUJ

longipennis Reitter, 1895e: 254 (*Balaninus*) **E:** GR
luteusvittus Pelsue & Zhang, 2002: 24 **A:** HUB
lyali Pelsue & Zhang, 2003: 332 **A:** ZHE
maculagrisea Voss, 1941e: 898 **A:** ZHE
maculanigra Roelofs, 1875a: 158 (*Balaninus*) **A:** FUJ JA
 sakaguchii Kôno, 1928: 173 (*Balaninus*)
marioi Pelsue & Zhang, 2000b: 489 **A:** FUJ YUN
matthewi Pelsue & Zhang, 2000b: 492 **A:** YUN
megadens Pelsue & Zhang, 2003: 322 **A:** YUN
melaleucus Wiedemann, 1821: 166 (*Rhynchaenus*) **A:** FUJ **ORR**
 c-album Fabricius, 1798: 170 [HN]
 confluens Heller, 1927a: 268 (*Balaninus*)
meleagris Heller, 1927a: 195 (*Balaninus*) **A:** TAI
misellus Heller, 1927a: 187 (*Balaninus*) **A:** SD XIX
miyatakei Morimoto, 1960b: 100 **A:** JA
morimotoi Notsu, 1994: 267 **A:** JA
muchi Voss, 1962a: 8 **A:** TR
mullai Pelsue & Zhang, 2003: 320 **A:** YUN
nagaoi Morimoto, 1981b: 120 **A:** JA
nigritudinis Pelsue & Caldara, 2013: 51 [RN] **A:** YUN
 niger Pelsue & Zhang, 2003: 319 [HN]
nigromaculatus Kôno, 1930f: 19 **A:** TAI
notobifasciatus Pajni & Singh, 1986: 169 **A:** HAI **ORR**
notsui Alonso-Zarazaga & Caldara, 2013: 51 [RN] **A:** JA
 clarus Notsu, 1978: 21 [HN]
nucum Linnaeus, 1758: 383 **E:** AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA
 LT LU MC MD NL NR PL PT RO SB SK SL SP ST SV SZ UK **N:** MO **A:** TR
obrieni Pelsue & Zhang, 2002: 33 **A:** FUJ
ochrofasciatus Morimoto, 1981b: 119 **A:** JA NC SC
ochromaculatus Pelsue & Zhang, 2000b: 493 **A:** YUN
okumai Morimoto, 1981b: 123 **A:** JA
pascoei Pelsue & Zhang, 2003: 326 **A:** SCH
peculiaris Notsu, 2004: 86 **A:** JA
pellitus Boheman, 1843: 278 (*Balaninus*) [NP] **E:** AU BE BH BU CR CZ DE FR GE GR HU IT LU
 MD NL PL PT RO SB SK SP SZ TR UK **N:** AG MO TU **A:** TR
 gulosus Fabricius, 1792: 441 [NO]
 multinotatus Pic, 1941b: 2
 sericeus Desbrochers des Loges, 1868a: 349 (*Balaninus*)
penteri Pelsue & Zhang, 2003: 316 **A:** HAI YUN **ORR**
plurimaculatus Pelsue & Caldara, 2013: 51 [RN] **A:** HUN
 octomaculus Pelsue & Zhang, 2005: 302 [HN]
polki Pelsue & Zhang, 2002: 30 **A:** HUB
propinquus Desbrochers des Loges, 1868a: 345 (*Balaninus*) **E:** AU BU CR GR HU IT RO SB SK SL
punctum G.A.K. Marshall, 1938b: 165 (*Balaninus*) **A:** UP
pylzovi Smirnov, 1913b: 237 (*Balaninus*) **A:** HEB YUN
quelparticola Kwon & Lee, 1990: 95 **A:** SC (Jeju)
rai Morimoto, 1981b: 116 **A:** JA
rapidus Alonso-Zarazaga & Caldara, 2013: 51 [RN] **A:** SC
 velox Kwon & Lee, 1990: 94 [HN]
reichei Desbrochers des Loges, 1868a: 350 (*Balaninus*) **E:** CR GR IT UK **A:** SY TR
reitteri Heller, 1927a: 196 (*Balaninus*) **A:** TAI
richardi Pelsue & Zhang, 2000b: 495 **A:** HAI JIX
robustus Roelofs, 1875a: 155 (*Balaninus*) **A:** BEI FE HEB HEN JA JIA NC SC SHN ZHE
 transversalis Faust, 1890d: 261 (*Balaninus*)
roridus G.A.K. Marshall, 1938b: 166 (*Balaninus*) **A:** UP
rubidus Gyllenhal, 1835a: 384 (*Balaninus*) **E:** BE CT CZ FR GB GE HU IT LT LU MD NL PL RO
 SK ST SZ UK **A:** TR WS **NARi**
 rubricollis Westhoff, 1882: 215 (*Balaninus*)
sauteri Heller, 1927a: 196 (*Balaninus*) **A:** JA TAI
 kojimai Morimoto, 1960b: 99
sculpticollis Voss, 1934a: 78 (*Balaninus*) **A:** SCH

scutifer Alonso-Zarazaga & Caldara, 2013: 51 [RN] A: SHG HAI
scutellaris Chevrolat, 1878c: xxxii (*Balaninus*) [HN]
shopfneri Pelsue & Zhang, 2000b: 485 A: BEI SCH
sikkimensis Heller, 1927a: 185 (*Balaninus*) A: BEI FE GAN HEB HEN JA JIL LIA NC NMO SHA
 SC SD SHA SW YUN **ORR**
simus spretus Heller, 1927a: 197 (*Balaninus*) A: FUJ JIX TAI
sleeperi Pelsue & Zhang, 2002: 31 A: FUJ
songi Pelsue & Zhang, 2003: 329 A: YUN ZHE
styracis Roelofs, 1875a: 157 (*Balaninus*) A: FE JA SC
subfenestratus Voss, 1940b: 51 (*Balaninus*) A: YUN
subfiguratus Voss, 1960a: 126 A: AF
taebaeksanensis Kwon & Lee, 1990: 87 A: SC
tarae Pelsue & Zhang, 2002: 34 A: SCH YUN
tauricus Ter-Minasian, 1956b: 429 E: UK A: CH
tonkinensis Heller, 1927a: 191 (*Balaninus*) A: YUN **ORR**
uedai Notsu, 2013: 298 A: TAI
uematsuae Notsu, 2004: 83 A: JA
undulatus Voss, 1937c: 272 (*Balaninus*) A: SCH
unimaculatus Pelsue & Zhang, 2005: 301 A: YUN
ussuriensis Heller, 1927a: 181 (*Balaninus*) A: FE JA NC NE SC
venosus edelbergi Voss, 1955b: 303 A: AF
venosus venosus Gravenhorst, 1807: 204 (*Rhynchaenus*) E: AU BE BH BU CR CT CZ DE FR GB GE
 GR HU IT LA LT LU MD NL PL RO SB SK SP ST SV SZ TR UK N: AG MO A: AR GG
 SY TR
vibariae Kwon & Lee, 1990: 91 A: SC (Jeju)
vicetinus Cussigh, 1989: 43 E: CZ FR GE IT SK SZ
villosus Fabricius, 1781: 178 [NP] E: BE BU BY CR CT CZ DE EN FR GB GE GR HU IT LA LT
 MD NL NR PL PT RO SK SP ST SV SZ TR UK N: AG MO TU A: FE IS SY TR
cerasorum Fabricius, 1775: 142 [NO]
cordifer Geoffroy, 1785: 132
esuriens Fabricius, 1792: 441
faucometi Pic, 1941b: 2
tenuirostris Fabricius, 1781: 180
viviana Pelsue & Zhang, 2000a: 136 A: YUN
wangi Pelsue & Zhang, 2003: 326 A: YUN
yanoi Morimoto, 1962a: 26 A: JA SC (Jeju)
yoshieae Notsu, 1978: 23 A: JA
yunnanus Heller, 1927a: 189 (*Balaninus*) A: YUN
zangi Pelsue & Zhang, 2003: 318 A: YUN
zhanganus Alonso-Zarazaga, 2016: 16 [RN] A: FUJ
helleri Pelsue & Zhang, 2002: 23 [HN]
subgenus *Carponinophilus* Voss, 1962a: 10 type species *Curculio distinctissimus* Voss, 1958
distinctissimus Voss, 1958b: 95 A: FUJ

genus *Curculio*, nomina nuda
gwangneungensis Kwon & Lee, 1981: 50 A: SC [NA]
koreacolo Kwon & Lee, 1981: 50 (*Koreoculio*) [NA]
longigas Kwon & Lee, 1981: 50 [NA]

genus *Indocurculio* Pajni, Singh & Gandhi, 1994: 156 type species *Indocurculio minutus* Pajni, Singh & Gandhi, 1994

hirashimai Morimoto, 1981b: 115 (*Curculio*) A: JA (Ryūkyū) TAI

7.5.7.3. Subtribe Erganiina Pelsue & O'Brien, 2011

genus *Ergania* Pascoe, 1882b: 445 type species *Ergania gibba* Pascoe, 1882

doriae yunnana Heller, 1927a: 189 (*Balaninus*) A: YUN

7.5.7.4. Subtribe Labaninina Pelsue & O'Brien, 2011

genus *Labaninus* Morimoto, 1981b: 110 type species *Carponinus plicatulus* Heller, 1925
basofasciatus Pelsue, 2004: 429 A: SCH
beverlyae Pelsue, 2004: 431 A: MAC
bicolor Pelsue, 2004: 429 A: YUN
confluens Kwon & Lee, 1990: 84 A: SC SHN
fukiensis Voss, 1958b: 92 (*Curculio*) A: FUJ
kimotoi Morimoto, 1960b: 94 (*Curculio*) A: GUX HUN JA
mergallii Pelsue, 2004: 432 A: SHA
plicatulus Heller, 1925a: 128 (*Carponinus*) A: GUA TAI
reticulopunctatus Pelsue, 2004: 431 A: FUJ
sikkimensis Pelsue, 2005a: 378 A: SD
tsushimensis Notsu, 1987: 277 A: JA

genus *Pseudoculio* Pelsue & O'Brien, 2011: 34 type species *Balaninus discreticoxis* G.A.K. Marshall, 1919
cinitus Pelsue & O'Brien, 2011: 37 A: XIZ

genus *Shigizo* Morimoto, 1981b: 111 type species *Shigizo rhombiformis* Morimoto, 1981
morimotoi Pelsue, 2005b: 519 A: YUN
rhombiformis Morimoto, 1981b: 113 A: JA
zhangji Pelsue, 2005b: 518 A: YUN

7.5.7.5. Subtribe Pseudobalaninina Heller, 1925

genus *Carponinus* Heller, 1924a: 187 type species *Balaninus axillaris* Faust, 1894
subgenus *Carponinus* Heller, 1924a: 187 type species *Balaninus axillaris* Faust, 1894
castaneus Notsu, 2013: 301 A: TAI
elegantulus Morimoto, 1965: 44 A: TAI
fukienensis eurypterus Voss, 1958b: 93 (*Curculio*) A: FUJ
fukienensis fukienensis Voss, 1958b: 92 (*Curculio*) A: FUJ
morimotoi Notsu, 2014: 357 A: TAI
numenius Heller, 1925a: 127 A: HKG
plicatulus Heller, 1925a: 128 A: TAI

7.5.8. Tribe Derelomini Lacordaire, 1865

7.5.8.1. Subtribe Derelomina Lacordaire, 1865

genus *Derelomus* Schoenherr, 1825: 583 type species *Curculio chamaeropsis* Fabricius, 1798
Neoderelomus A. Hoffmann, 1938c: 107 [RN]] type species *Pseudoderelomus piriformis* A. Hoffmann, 1938
Ochrymulus Reitter, 1887a: 18 type species *Ochrymulus antigae* Reitter, 1887 (= *Curculio chamaeropsis* Fabricius, 1798)
Pseudoderelomus A. Hoffmann, 1938a: 47 [HN] type species *Pseudoderelomus piriformis* A. Hoffmann, 1938
antonioui Alziar, 2007: 109 A: CY
bicarınatus G.A.K. Marshall, 1928c: 545 A: FUJ JA UP **ORR**
cervicalis G.A.K. Marshall, 1928c: 545 A: UP
chamaeropsis Fabricius, 1798: 167 (*Curculio*) E: FR IT MA SP N: MO A: CY
antigae Reitter, 1887a: 18 (*Ochrymulus*)
kocheri A. Hoffmann, 1957b: 83 N: MO
impressicollis Voss, 1937c: 273 A: SCH
nigriceps Voss, 1953b: 77 A: FUJ
piriformis A. Hoffmann, 1938a: 47 (*Pseudoderelomus*) E: FR IT SP N: CI MO MR A: IS
subcostatus Boheman, 1844: 92 E: CR FR IT SP N: AG MO
schoedli Rheinheimer, 2005: 384 A: SA
testaceus Voss, 1932b: 69 A: SCH
uenoi Morimoto, 1959b: 46 A: JA

tribus Derelomini, incertae sedis

genus *Stethelasma* J. Frivaldszky, 1884a: 2 type species *Stethelasma paradoxum* J. Frivaldszky, 1884
paradoxum J. Frivaldszky, 1884a: 3 A: TR

7.5.9. Tribe Ellescini C. G. Thomson, 1859

7.5.9.1. Subtribe Dorytomina Bedel, 1886

genus *Adorytomus* Voss, 1953b: 78 type species *Adorytomus anoploides* Voss, 1953
anoploides Voss, 1953b: 78 A: FUJ JA

genus *Dorytomus* Germar, 1817c: 340 type species *Curculio vorax* Fabricius, 1792 (= *Curculio longimanus* Forster, 1771)

subgenus *Chaetodorytomus* Iablokoff-Khnzorian, 1970: 77 type species *Dorytomus ciliatus* Iablokoff-Khnzorian, 1970

ciliatus Iablokoff-Khnzorian, 1970: 76: A: UZ

subgenus *Dorytomus* Germar, 1817c: 340 type species *Curculio vorax* Fabricius, 1792 (= *Curculio longimanus* Forster, 1771)

Alycodes Dietz, 1891: 183 type species *Alycodes dubius* Dietz, 1891 (= *Dorytomus brevicollis* LeConte, 1876)

Doratotomus Gistel, 1856a: 371 type species *Curculio vorax* Fabricius, 1792 (= *Curculio longimanus* Forster, 1771)

Eteophilus Bedel, 1886b: 280 [URN]

Euolamus Reitter, 1916a: 201 type species *Dorytomus hirtipennis* Bedel, 1884

Olamus Reitter, 1916a: 198 type species *Curculio majalis* Paykull, 1792

Paradorytomus Zumpt, 1932a: 40 type species *Curculio melanophthalmus* Paykull, 1792

Praeolamus Zumpt, 1932a: 40 type species *Curculio taeniatus* Fabricius, 1781

Solenorhinus Motschulsky, 1860b: 158 [HN] type species *Solenorhinus tessellatus* Motschulsky, 1860 (= *Erirhinus leucophyllus* Motschulsky, 1845)

alternans Faust, 1883h: 443 A: BEI FE MG NMO

dilaticollis Reitter, 1915g: 161 [HN]

mongolicus Zumpt, 1932a: 38

amurensis Korotyaev, 1979: 176 A: JA NC SC FE

annae Korotyaev, 1976c: 135 A: ES FE

artjuchovi Korotyaev, 1976c: 132 A: ES FE

carpathicus Petryszak, 1984: 147 E: AU PL SK

caspicus Zumpt, 1933d: 95 A: ES TD TM

chinensis Faust, 1883h: 423 A: FE NE SC SHA

cinereus Hochhuth, 1851: 92 (*Erirhinus*) A: ES FE MG WS

curvinasus A. Hoffmann, 1961b: 37 (*Eteophilus*) N: MO

dejeani Faust, 1883h: 424 E: AU BE BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LS LT

LU MD NL NR NT PL RO SB SK SP ST SV SZ UK A: AR GG WS

costirostris Gyllenhal, 1835a: 294 (*Erirhinus*)

costirostris Gyllenhal, 1837a: 243 (*Erirhinus*) [HN]

dilaticollis Fairmaire, 1887b: 327 A: BEI

dorsalis Linnaeus, 1758: 378 (*Curculio*) E: AU BE BY CT CZ DE EN FI FR GE HU IT LA LT LU

MC NR NT PL RO SK SV SZ UK A: ES ~~MG~~ WS

basithorax Pic, 1901e: 80 [NA]

sanguinolentus Bedel, 1884f: lv

edoughensis Desbrochers des Loges, 1875a: 22 N: AG

egorovi Korotyaev, 1976c: 134 A: FE

filirostris Gyllenhal, 1835a: 306 (*Erirhinus*) E: AU BE BU BY CR CT CZ DE EN FR GB GE GR

HU IT LT LU NL PL RO SK SP ST SV SZ UK A: KZ MG

incanus Mulsant & Rey, 1859a: 291 (*Erirhinus*)

incanus Mulsant & Rey, 1859b: 33 (*Erirhinus*) [HN]

riehli Bach, 1854: 298 (*Erirhinus*)

tomentosus Fairmaire, 1859b: 61 (*Erirhinus*)

friebi Zumpt, 1933d: 93 A: ES FE ~~MG~~

galloisi Korotyaev, 1996b: 477 A: JA

hirtipennis Bedel, 1884g: ci E: AU BE BU BY CZ DE EN FI FR GB GE HU IT LT LU MD NL

NR PL RO SB SK ST SV SZ UK A: TR WS

flavipes Fabricius, 1801: 490 (*Rhynchaenus*) [NA]

flavipes Boheman, 1843: 173 (*Erirhinus*) [NA]

ictor Herbst, 1795: 277 (*Curculio*) E: AU BE BU BY CT CZ DE EN FI FR GB GE HU IT LA LT

LU MD NL PL SB SK SP ST SV SZ UK A: ES FE KZ WS

validirostris Gyllenhal, 1835a: 294 (*Erirhinus*)

waltoni Boheman, 1843: 171 (*Erirhinus*)

imbecillus Faust, 1883h: 442 A: ES FE MG NC SC WS **NAR**

alaskanus Casey, 1892: 374
subsimilis Blatchley, 1916: 197
inexpectatus Korotyaev, 1976c: 130 **A:** FE
kerzhneri Egorov & Korotyaev, 1974: 667 **AE:** FE
lapponicus J. R. Sahlberg, 1900b: 99 **E:** FI NR SV
leucophyllus Motschulsky, 1845c: 376 (*Eirirhinus*) **A:** JA ES FE WE **NAR**
adustus Motschulsky, 1860b: 158 (*Solenorhinus*)
bajulus Faust, 1890a: 90
longulus LeConte, 1876: 166
shikotanus Kôno, 1935c: 56
subsignatus Mannerheim, 1853: 241 (*Eirirhinus*)
tessellatus Motschulsky, 1860b: 158 (*Solenorhinus*) [HN]
longimanus Forster, 1771: 32 (*Curculio*) **E:** AU BE BU BY CT CZ DE FR GB GE GR HU IT LA LT
LU MC MD NL NT PL RO SB SK SP ST SV SZ UK **N:** MO **A:** ES KZ MG WS
auripennis Desbrochers des Loges, 1871: 351
cursor Paykull, 1792: 3 (*Curculio*)
forsteri Gmelin, 1790: 1770 (*Curculio*)
frivaldszkyi Tournier, 1874a: 94
longipes Laicharting, 1781: 214 (*Curculio*) [HN]
longipes Villers, 1789a: 192 (*Curculio*) [HN]
macropus L. Redtenbacher, 1847: 412
meridionalis Desbrochers des Loges, 1871: 352 (*Eirirhinus*)
planirostris Tournier, 1874a: 97
ventralis Stephens, 1831d: 83
vorax Fabricius, 1792: 444 (*Curculio*)
maculipennis Roelofs, 1874: 124 **A:** FE HEN JA SC
budarini Korotyaev, 1976b: 55
majalis Paykull, 1792: 60 (*Curculio*) **E:** AU BE CT CZ DE EN FI FR GB GE GR HU IT LA LT NR
NT PL RO SK SV SZ UK
amentorum Schrank, 1798: 488 (*Curculio*)
malachovi Korotyaev, 1976c: 135 **A:** ES FE WS
melanophthalmus Paykull, 1792: 10 (*Curculio*) **E:** AU BE BU BY CT CZ DE EN FI FR GB GE GR
HU IR IT LA LT LU MD NL NR NT PL RO SB SK SP ST SV SZ UK **N:** AG **A:** AR GG TR
agnathus Boheman, 1843: 174 (*Eirirhinus*)
clitellarius Boheman, 1843: 177 (*Eirirhinus*)
pectoralis Panzer, 1795b: 312 (*Curculio*)
punctator Herbst, 1795: 166 (*Curculio*)
rubellus Marsham, 1802: 293 (*Curculio*)
mesasiaticus Korotyaev, 1979: 177 **A:** AF KZ MG TD
minutus Gyllenhal, 1835a: 298 (*Eirirhinus*) **E:** AU BE BU CR CT CZ EN FR GE GR HU IT LA PL
SB SK SZ UK **A:** WS
mishka Korotyaev, 1976c: 131 **A:** FE
nebulosus Gyllenhal, 1835a: 304 (*Eirirhinus*) **E:** AU BE BU BY CT CZ FR GE HU IT LA NL NT PL
RO SK SP ST SZ UK **A:** ES FE TR WS
neglectus Korotyaev, 1996b: 478 **A:** FE
nordenskioldi Faust, 1883h: 417 **E:** AU CT CZ EN GE HU LA LT NT PL RO SK UK **A:** ES FE
WS
notaroides Kôno, 1930d: 156 **A:** FE JA
occallescens Gyllenhal, 1835a: 298 (*Eirirhinus*) **E:** AU CT CZ FE FR GE HU IT LA LT MD ME PL
RO SB SK SZ UK **A:** BEI ES FE HUB JA MG
etorofuensis Kôno, 1935c: 56
peneckeii Zumpt, 1933d: 97 **A:** ES FE MG NE WS
puberulus Boheman, 1843: 178 (*Eirirhinus*) **E:** AU CR CZ FR HU IT PL RO SB SK SP
globipennis Roubal, 1931b: 184
rectinasus Morimoto & Enda, 1962: 22 **A:** JA FE
reussi Formánek, 1908b: 227 **E:** CZ LA PL RO SK UK
roelofsi Faust, 1883h: 402 **A:** BEI FE JA NC SC SHX
japonicus Zumpt, 1932a: 39 [HN]
oryzae Matsumura, 1915: 205 (*Eirirhinus*)
rufus Kôno, 1930d: 155 [HN]
ruber Faust, 1895c: 103 **A:** FE MG
rubrirostris Gravenhorst, 1807: 202 (*Rhynchaenus*) **E:** AU BE BU BY CT CZ DE EN FI FR GB GE
GR HU IT LA LT LU MD NL NR NT PL SB SK SP SV SZ UK **N:** AG **A:** ES FE WS
affinis Paykull, 1800: 190 (*Curculio*) [HN]
rufatus lonae Zumpt, 1933d: 103 **E:** IT (Sardegna)

rufatus rufatus Bedel, 1888a: 425 (*Eteophilus*) [RN] [NP] E: AU BE BU BY CT CZ DE EN FI FR GB GE HU IR IT LA LT LU MD NL NR NT PL RO SK SP SV SZ UK A: AR GG
arcuatus Panzer, 1794a: 6 (*Curculio*) [NO]
fructuum Marsham, 1802: 292 (*Curculio*) [NO]
pectoralis Faust, 1883h: 459 [NA]
rufulus Bedel, 1884g: ci [NA, HN]
simplex Gozis, 1886a: 30 [NO]

rufulus amplipennis Tournier, 1874a: 101 E: NT ST A: ES FE MG WS
septentrionalis Mäklin, 1880: 86

rufulus kamtshaticus Korotyaev, 1976c: 132 A: FE
sahlbergi Faust, 1883h: 414 E: WS

salicinus Gyllenhal, 1827: 584 (*Rhynchaenus*) E: AU BE BY CT CZ DE EN FI FR GB GE HU IT LA MD NL NR NT PL SK SV SZ UK A: ES WS
aurivillii Munster, 1928: 276
parvulus Zetterstedt, 1828: 307 (*Rhynchaenus*)

salicis Walton, 1851: 314 E: AU CT CZ DE EN FI FR GB GE HU IT LA LT NL NR NT PL SK SV SZ UK

schoenherri fausti Zumpt, 1933d: 89 [RN] E: ST A: AR
longulus Faust, 1883h: 395 [HN]

schoenherri schoenherri Faust, 1883h: 394 E: AU BE BU CZ EN FR GE HU IT LA LT LU NL PL RO SK SP SZ UK

setosus Zumpt, 1933b: 36 A: BEI MG NC SC SHX TIA
subcinctus Faust, 1883h: 413 A: ES FE MG SC

suratus Gyllenhal, 1835a: 296 (*Eriirhinus*) E: AU BE BU CR CT CZ EN FR GE HU IT LA LT MD PL SK ST SV SZ UK A: ES FE MG WS
flavipes Panzer, 1799a: 11 (*Curculio*) [HN]

suvorovi Reitter, 1911a: 55 A: ES FE WS

taeniatus Fabricius, 1781: 181 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE HU IC IR IT LA LS LT LU NL NR NT PL RO SK SP ST SV SZ UK N: MO A: AR ES FE GG WS
bituberculatus Zetterstedt, 1828: 305 (*Rhynchaenus*)
costirostris C. R. Sahlberg, 1835c: 71
maculatus Marsham, 1802: 292 (*Curculio*) [HN]
nanus Thunberg, 1815: 114 (*Rhynchaenus*) [URN]
salicti Schrank, 1798: 489 (*Curculio*)
silbermanni Wencker, 1866: 129

tortrix Linnaeus, 1760: 182 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LT LU NR NT PL SK SP ST SV SZ UK A: AR GG TR
alneti Schrank, 1781: 115 (*Curculio*)
fulvus DeGeer, 1775: 214 (*Curculio*)
latro Schrank, 1781: 115 (*Curculio*)
rubiginus Geoffroy, 1785: 131 (*Curculio*)

tremulae Fabricius, 1787a: 109 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MC MD NL NR NT PL RO SB SK SL SP ST SV SZ UK A: FE TR WS
amplithorax Desbrochers des Loges, 1871: 351 (*Eriirhinus*)
armatus Petri, 1902b: 156
fumosus Rossi, 1790: 124 (*Curculio*)
tenuirostris Boheman, 1843: 175
variegatus Gyllenhal, 1835a: 292 (*Eriirhinus*)
vecors Gyllenhal, 1835a: 293 (*Eriirhinus*)

turkestanicus Formánek, 1912a: 50 (*Euolamus*) A: KI KZ MG TD UZ WS
urakoeae Morimoto & Enda, 1962: 25 A: JA FE
ussuricus Korotyaev, 1996b: 469 A: FE
villosulus Gyllenhal, 1835a: 303 (*Eriirhinus*) E: AU BU CZ FR GE HU IT PL RO SB SK SZ UK
winkleri Zumpt, 1933d: 94 A: IQ TD
winteri Korotyaev, 1976c: 134 A: ES FE MG
zinovjevi Korotyaev, 1976c: 133 A: FE

genus *Dorytomus*, nomen dubium
nigrifrons Gistel, 1831: 306 E: GE

genus *Rodotymus* Zumpt, 1932a: 41 type species *Dorytomus dentimanus* Reitter, 1894
dentimanus Reitter, 1884e: 245 (*Dorytomus*) A: KZ TD UZ
cephalotes Faust, 1895c: 102 (*Dorytomus*)

7.5.9.2. Subtribe Ellescina C. G. Thomson, 1859

genus *Ellescus* Dejean, 1821: 87 type species *Curculio scanicus* Paykull, 1792

Alyca LeConte, 1876: 209 type species *Erirhinus ephippiatus* Say, 1832

Anisarctus Desbrochers des Loges, 1907c: 115 type species *Curculio infirmus* Herbst, 1795

Ellescus Schoenherr, 1838: 1123 [UE]

Sarapus A. Villa & G. B. Villa, 1833: 23 [HN] type species *Curculio infirmus* Herbst, 1795

bicoloripes Voss & Chûjô, 1960: 9 A: JA

bipunctatus Linnaeus, 1758: 380 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE HU

IR IT LA LT LU NL NR NT PL RO SK SL SV SZ UK A: JA ES FE WS NAR

erythrocerus Abeille de Perrin, 1910: 83 (*Mecinus*)

rubicornis Zetterstedt, 1837: 185 (*Orchestes*)

unipunctatus Olivier, 1791: 495 (*Curculio*) [URN]

brevirostris Desbrochers des Loges, 1875a: 34 E: RO ST

salicis Petri, 1886: 73

infirmus Herbst, 1795: 257 (*Curculio*) E: AU BE BU BY CT CZ EN FR GE HU IT LA LS LT LU

MD NL PL RO SK ST SZ UK A: ES FE JA WS

languidus Faust, 1882a: 279 A: BEI ES FE MG

mongolicus Kuška, 1982: 17

schoenherrii Faust, 1887h: 173

pauper Chûjô & Voss, 1960: 9 A: JA

scanicus Paykull, 1792: 59 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU

IR IT LA LT LU MD NL NR NT PL RO SB SK SP ST SV SZ UK N: AG A: AR ES FE GG

WS NAR

austriacus Pic, 1902j: 139

nothus Rey, 1895a: 2 (*Dorytomus*)

pallidesignatus Gyllenhal, 1835a: 303 (*Erirhinus*)

placidus Herbst, 1797: 16 (*Curculio*)

rubicundus Herbst, 1795: 267 (*Curculio*)

7.5.10. Tribe Eugnomini Lacordaire, 1863

7.5.10.1. Subtribe Eugnomina Lacordaire, 1863

genus *Pseudopoophagus* Voss, 1935c: 61 type species *Pseudopoophagus rufitarsis* Voss, 1935

Apionodes G.A.K. Marshall, 1948a: 422 type species *Apionodes longipes* G.A.K. Marshall, 1948

constricticollis Kojima & Morimoto, 1993: 88 (*Apionodes*) A: TAI

rufitarsis Voss, 1935c: 61 A: SCH

7.5.11. Tribe Itini Reitter, 1913

genus *Geranorhinus* Chevrolat, 1860d: 456 type species *Geranorhinus rufirostris* Chevrolat, 1860

(=*Coniatus pusillus* Motschulsky, 1851)

aphyllae Peyerimhoff, 1931: 124 N: AG

arnoldii Korotyaev, 1984b: 334 A: TD TM

brannanii L.W. Schaufuss, 1867: 20 E: SP

elegans Seidlitz, 1867b: 434

brunneofasciatus Fairmaire, 1883d: clix N: AG EG LB MO A: IN JO TD TM UZ

letourneuxi Pic, 1914g: 58

ochraceus Pic, 1914g: 57

certator Peyerimhoff, 1931: 124 N: AG

frontalis Korotyaev, 1984b: 326 A: IN

iranicus Korotyaev, 1995a: 87 A: IN

kerzhneri Korotyaev, 1984b: 334 A: KZ MG

margaritae Korotyaev, 1984b: 333 A: MG

nasreddinovi Korotyaev, 1984b: 331 A: KZ MG TD TM UZ

profondestriatus Pic, 1914g: 58 N: EG

pusillus Motschulsky, 1851b: 657 (*Coniatus*) E: IT ST N: AG EG LB MO TU A: AR IN IS KZ SY

TD TM AFR

mesopotamicus Pic, 1914g: 58

rufirostris Chevrolat, 1860d: 456

seidlitzii Kirsch, 1874: 22 A: AB AR

setosus Korotyaev, 1984b: 330 A: TD TM UZ
unifasciatus Pic, 1914g: 58 N: EG AFR
virens Faust, 1885b: 177 E: ST A: IN KZ MG TD TM UZ
mongolicus Faust, 1890f: 470

genus *Ita* Tournier, 1878b: xviii type species *Ita crassirostris* Tournier, 1878

Rhinospathus Desbrochers des Loges, 1895b: 57 type species *Rhinospathus chobauti* Desbrochers des Loges, 1895
Xeronoma Iablokoff-Khnzorian, 1964: 173 type species *Xeronoma latirostris* Iablokoff-Khnzorian, 1964
berbera Meregalli & Borovec, 2011: 1344 N: AG
caldarai Meregalli & Borovec, 2011: 1375 A: TR
chavanoni Meregalli & Borovec, 2011: 1347 N: MO
chobauti Desbrochers des Loges, 1895b: 57 (*Rhinospathus*) N: AG
crassirostris Tournier, 1878b: xix E: IT (Sicilia) N: TU
friedmani Meregalli & Borovec, 2011: 1377 A: IS
gracilis Tournier, 1878b: xix N: AG
gratiosa Meregalli & Borovec, 2011: 1358 N: CI (La Graciosa)
hispanica Meregalli & Borovec, 2011: 1360 E: SP
kirschii Tournier, 1878a: 289 E: ST A: AB AR GG
kirschii Tournier, 1879d: 16 [HN]
korotyaevi Meregalli & Borovec, 2011: 1385 A: TR
latirostris Iablokoff-Khnzorian, 1964: 174 (*Xeronoma*) A: AR
marina Meregalli & Borovec, 2011: 1380 A: "Syria"
punica Meregalli & Borovec, 2011: 1363 N: TU
turkmena Meregalli & Borovec, 2011: 1372 A: TM UZ

7.5.12. Tribe Mecinini Gistel, 1848

genus *Cleopomiarus* Pierce, 1919: 34 type species *Miarus erebus* Casey, 1910

Hemimiarus Franz, 1947: 237 type species *Rhynchaenus graminis* Gyllenhal, 1813
Miaromimus F. Solari, 1947d: 73 type species *Rhynchaenus graminis* Gyllenhal, 1813
afghanus Caldara & Legalov, 2016: 26 A: AF
caucasicus Caldara & Legalov, 2016: 18 A: AR
danfengensis Jiang & Caldara, 2018: 342 A: SHA SHX
distinctus Boheman, 1845: 187 (*Gymnetron*) E: AU BE BU CT CZ EN FI FR GE GR HU IT LA LT
NR NT PL RO SB SK SP ST SZ UK A: ES FE HEI JIL LIA SC TR WS XIN
degorsii Abeille de Perrin, 1906: 171 (*Miarus*)
dictamnophilus Zherikhin, 1996b: 483 (*Miaromimus*)
mandschuricus Voss, 1952b: 199 (*Miarus*)
rectirostris A. Hoffmann, 1953a: 60 (*Miarus*)
subfulvus Reitter, 1907a: 45 (*Miarus*)
wagneri Székessy, 1940: 161 (*Miarus*)
flavoscutellatus Morimoto, 1959c: 195 (*Miarus*) A: FE HEI JA LIA
tapius Korotyaev, 1999c: 145 (*Miarus*)
graminis Gyllenhal, 1813: 210 (*Rhynchaenus*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FI
FR GB GE GR HU IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV
SZ UK A: AB AR ES FE GG HEI IN JIN KZ LIA NC TD WS XIN
cinerascens Gravenhorst, 1807: 208 (*Rhynchaenus*) [NO]
dulcinasutus Kangas, 1976: 79 (*Miarus*)
ellipticus Herbst, 1795: 171 (*Curculio*) [NO]
fuscopubens Reitter, 1907a: 43 (*Miarus*)
graminoides Kangas, 1976: 80 (*Miarus*)
jakowlewi Faust, 1895c: 104 (*Miarus*)
mequignoni A. Hoffmann, 1939a: 79 (*Miarus*)
subumiseriatus Reitter, 1907a: 45 (*Miarus*)
kamiyai Morimoto, 1959c: 192 (*Miarus*) A: JA
kobanzo Kôno, 1930d: 148 (*Miarus*) A: FE JA SC
longirostris Gyllenhal, 1838: 770 (*Gymnetron*) E: FR IT SZ
longirostris: Dejean, 1835: 302 (*Gymnetron*) [NA]
mayeti Abeille de Perrin, 1906: 71 (*Miarus*)
scutellaris H. Brisout de Barneville, 1866: 622 (*Miarus*)
marseuli Coyle, 1870: 376 (*Gymnetron*) A: IN IS SY TR
rufipes Pic, 1908d: 45 (*Miarus*) [NA]
medius Desbrochers des Loges, 1893a: 16 (*Miarus*) E: BH BU CR GR MC ME RO SB A: SY TR
balkanicus Desbrochers des Loges, 1893a: 18 (*Miarus*)

schatzmayri F. Solari, 1947d: 73 (*Miaromimus*)
meridionalis H. Brisout de Barneville, 1863a: 668 (*Cleopus*) E: BU FR GR IT SP N: MO
micros Germar, 1821: 309 (*Cionus*) E: AU BE BU CT CZ DE EN FR GB GE GR HU IT LA LT NL
 PL SK SP SV SZ UK
nuerhachii Jiang & Caldara, 2018: 344 A: LIA
persimilis Smreczyński, 1973: 179 (*Miarus*) E: HU SL ST UK
plantarum Germar, 1823: 288 (*Cionus*) [NP] E: AU BE BU CR FR GB GR HU IT NL SP SZ N:
 AG MO A: SY TR
floralis Olivier, 1791: 497 (*Curculio*) [NO]
floriger Geoffroy, 1785: 123 (*Curculio*) [NO]
nigrostriatus Goeze, 1777: 412 (*Curculio*) [HN]
nigrostriatus Petagna, 1792: 221 (*Curculio*) [HN]
subglobosus Gmelin, 1790: 1805 (*Curculio*) [NO]
reitteri Caldara & Legalov, 2016: 9 N: AG MO
ruscinonensis Roudier & Tempère, 1966: 291 (*Miarus*) E: FR
salsosae H. Brisout de Barneville, 1863a: 664 (*Gymnetron*) A: AB AR IN
flavus Franz, 1947: 240 (*Miarus*)
vestitus Roelofs, 1875b: 150 (*Miarus*) A: BEI ES FE FUJ HEB HEI JA MG NC NMO SC SCH
 SHA
minimus Morimoto, 1959c: 194 (*Miarus*)

genus *Gymnetron* Schoenherr, 1825: 587 type species *Curculio beccabungae* Linnaeus, 1760

Carpolinus Gistel, 1848a: ix [URN]
Colabus Schoenherr, 1843: 146 type species *Colabus scalptus* Boheman, 1843
Gymnetrum Agassiz, 1846: 168 [UE]
aequale Reitter, 1907a: 32 E: ST A: AR TR
anagallis G.A.K. Marshall, 1933b: 569 A: UP
aper Desbrochers des Loges, 1892j: 95 E: BU CZ FR GR HU IT MC MD RO SB SK SP SZ UK A:
 TR
tibiale A. Hoffmann, 1958: 1293 [NA]
auliense Reitter, 1907a: 30 A: AF KI KZ TD TM UZ
beccabungae Linnaeus, 1760: 179 (*Curculio*) E: AU BE CT CZ DE EN FI FR GB GE HU IR LA LT
 NR NT PL SK SP SV UK A: WS
fallax A. Hoffmann, 1934c: 47 [NA]
squamicolle Reitter, 1907a: 31
desbrochersi Reitter, 1907a: 27 A: ES FE KZ MG TM
erinaceus Bedel, 1885a: 147 (*Mecinus*) E: FR HU SB
foveolatum Hustache, 1928b: 198 N: MO
hoferi Desbrochers des Loges, 1869a: [1] E: ST UK
zuberi Desbrochers des Loges, 1869c: 399
linkei Reitter, 1907a: 23 E: ST A: AB AR IN SY TR
medvedevi Arzanov, 2001: 673 E: ST UK
melanarium Germar, 1821: 307 (*Cionus*) E: AL BE CZ DE EN FI FR GB GR HU IT MD LA LT
 LU MD NR PL SB SK ST SV UK A: CT ES SZ TR WS
intaminatum Stephens, 1831a: 14 (*Rhinusa*)
intaminatum Curtis, 1837: 627 [HN]
perparvulum Boheman, 1845: 183
rubromelanarium Roubal, 1917: 69 [NA]
melinum Reitter, 1872: 185 E: PT SP N: AG MO
miyoshii Miyoshi, 1922: 253 A: AF BEI ES JA JIA HEI HUN NMO SC SHG
orientale Voss, 1960a: 139
niloticum Kirsch, 1881: 7 E: GR HU IT MD RO SB ST A: AB AF AR CY GG IN IQ IS LE SY
 TD TM TR N: AG EG
binaevum Reitter, 1907a: 30 [NA]
furcatum Desbrochers des Loges, 1892d: 10
molle Reitter, 1907a: 30 [NA]
procerum Caldara & Korotyaev, 2002: 140 E: ST A: AB
propinquum Caldara & Korotyaev, 2002: 142 A: UZ
pseudomelanarium Reitter, 1907a: 25 A: AR
pyrenaicum Tempère, 1961: 98 E: FR
rostellum Herbst, 1795: 108 (*Curculio*) E: BE CT CZ DE EN FI FR GB GR HU IT LA MD NT PL
 SK SP SV SZ UK N: AG TU A: KZ
africanum Normand, 1937: 266

distinctum Roubal, 1921: 136 [NA]
intermedium A. Hoffmann, 1958: 1292 [NA]
rotundicolle Gyllenhal, 1838: 753 E: BU CZ GE GR HU IT RO SK ST SZ UK A: AB AR GG IN
 KZ SY TD TM TR UZ
jucundum Desbrochers des Loges, 1898a: 43
obsequens Faust, 1894a: 64
rubicundum Reitter, 1907a: 24 A: AF IN TM UZ
sapiens Faust, 1885d: 242 N: AG MO TU
nigritarse Desbrochers des Loges, 1892j: 93
sauramatum Arzanov, 2006d: 83 E: CT ST
semirubrum Pic, 1899b: 141 A: IN IS LE SY
nigrosetulosum Reitter, 1907a: 26 [NA]
rubrofemoratum Pic, 1899b: 141
stimulosum Germar, 1821: 307 (*Cionus*) E: AU CZ FR GE GR HU IT LA MC ME PL RO SB SK
 SP SZ UK A: TR
terminassiana Smreczyński, 1975b: 325 E: ST A: ES FE KZ WS
tibiellum Desbrochers des Loges, 1900a: 16 E: AL AU BU CR CZ GR HU IT MC SK UK A: AR
 IS LE SY TR
veronicae Germar, 1821: 306 (*Cionus*) E: BE CR CT CZ DE EN FI FR GB GR HU IT LA LT LU
 MD NR NT PL RO SK SP ST SV SZ UK A: GG WS
concinnum Gyllenhal, 1838: 749
nigricolor A. Hoffmann, 1934c: 47 [NA]
nigrum Hardy & Bold, 1852: 199
simulatum A. Hoffmann, 1934c: 47 [NA]
villosipenne Roelofs, 1875b: 149 A: FE HEI JA JIL KZ NO
villosulum Gyllenhal, 1838: 747 E: BE CT CZ DE EN FR GB GR HU IR IT LA LT LU PL SB SK
 SP ST SV SZ UK A: TR
dorsale Gyllenhal, 1838: 747
luctuosum Vitale, 1906: 135 [NA]
nigripes Desbrochers des Loges, 1893c: 37
vittipenne Marseul, 1871a: 383 E: BU CR GR SK SP ST A: AR IN IQ IS KZ LE SY TD TM TR
 UZ XIN
apicale Faust, 1885b: 187
suturiferum Reitter, 1907a: 32 [NA]

genus *Gymnetron*, nomen dubium

carinatum Jacobsen, 1849: 726 E: DE

genus *Mecinus* Germar, 1821: 315 [NP] type species *Curculio pyraster* Herbst, 1795

Aprinus Desbrochers des Loges, 1893a: 5 type species *Gymnetron simum* Mulsant & Rey, 1859

Hexaphyllus Dejean, 1821: 98 [NO] type species *Curculio haemorroidalis* Herbst, 1784 sensu Dejean (= *Curculio pyraster* Herbst, 1795)

Macipus Fischer von Waldheim, 1829: 102 type species *Mecinus collaris* Germar, 1821

Mecinopsis Escalera, 1914: 468 type species *Mecinopsis lixoides* Escalera, 1914

alboscuteallatus alboscuteallatus Hustache, 1913c: 390 (*Gymnetron*) E: AU FR SP SZ

alboscuteallatus atratulus F. Solari, 1933a: 164 (*Gymnetron*) E: IT

alternans Kirsch, 1870a: 173 E: SP N: AG MO TU

logesi Pic, 1900d: 80 (*Gymnetron*)

aubei Desbrochers des Loges, 1893b: 20 E: PT SP N: AG EG LB MO TU A: SY

barbarus Gyllenhal, 1838: 778 E: FR GR IT PT SP N: AG CI LB A: IS SY

filiformis Aubé, 1850: 344

longiusculus Boheman, 1845: 188

subcylindricus Pic, 1896e: 115

teretiusculus Boheman, 1845: 189

baridioides Caldara & Fogato, 2013: 54 E: GR MC

bonnairei Desbrochers des Loges, 1898a: 39 (*Gymnetron*) N: AG TU

bulgaricus Angelov, 1971a: 115 E: BU GR

caucasicus Reitter, 1907a: 22 (*Gymnetron*) A: AB AR GG TR

rubricus Reitter, 1907a: 22 (*Gymnetron*)

circulatus Marsham, 1802: 274 (*Curculio*) E: BE CR FR GB GR HU IT MA MD PT SK SP SZ UK

N: AG CI LB A: CY SY

albipubens Reitter, 1907a: 12 [NA]

angustulus Desbrochers des Loges, 1893b: 22

brevithorax Desbrochers des Loges, 1893b: 22

fimbriatus Germar, 1821: 318

horridulus Desbrochers des Loges, 1893b: 22
limbatus Dejean, 1821: 98 [NA]
marginatus [Beck], 1817: 20 (*Lixus*)
nasutus Tournier, 1873b: lxxxv
rufipennis Pic, 1915d: 27
sericatus Betta, 1857: 62
collaris Germar, 1821: 318 **E:** BE CR CT CZ DE EN FI FR GB HU IR IT LA LT MD NR NT PL
RO SK SP ST SV SZ UK **A:** ES FE KZ MG WS
cinctus Rossi, 1790: 125 [HN]
curvirostris Petri, 1926: 203
comosus Boheman, 1845: 190 **E:** AL FR GR IT PT SP **N:** AG MO **A:** TR
hesteticus Vitale, 1906: 134
pici Reitter, 1907a: 14
setosus Kiesenwetter, 1864: 274
theresae Reitter, 1907a: 14
crassifemur Arzanov, 1991: 426 (*Gymnetron*) **E:** BH ST **A:** AB AR GG IN
desertorum Korotyaev, 1995a: 92 (*Gymnetron*) **A:** MG KI KZ
dorsalis Aubé, 1850: 343 **E:** FR
alpinus Hustache, 1941a: 5
elongatus H. Brisout de Barneville, 1862: 629 (*Gymnetron*) **E:** FR SP
pyrenaeus H. Brisout de Barneville, 1862: 629 (*Gymnetron*)
haemorrhoidalis H. Brisout de Barneville, 1862: 629 (*Gymnetron*) **E:** IT MA SP **N:** AG MO TU
brevipennis Desbrochers des Loges, 1893c: 46 (*Gymnetron*)
curtulus Reitter, 1907a: 24 (*Gymnetron*)
fairmairei Tournier, 1873b: lxxxvi (*Gymnetron*)
henrici Arzanov, 1991: 427 (*Gymnetron*) **E:** ST
heydenii Wencker, 1866: 130 **E:** BE CT CZ DE FR GE HU IT LA LU MD PL RO SB SK ST SV
UK **A:** MG WS
venturensis A. Hoffmann, 1940: 23
humeralis Tournier, 1873b: lxxxvi **E:** IT (Sicilia) SP **N:** AG LB
lineicollis Reitter, 1907a: 12
tournieri Fairmaire, 1876b: 50
ictericus Gyllenhal, 1838: 750 (*Gymnetron*) **E:** AL BU CZ FR GE GR HU IT MC MD PL SB SK SP
ST UK **A:** IN TR
albohirtus Desbrochers des Loges, 1893c: 43
albohirtus Rey, 1894b: 74 (*Gymnetron*) [HN]
morcei Pic, 1902a: 26 (*Gymnetron*)
janthiniformis Toševski & Caldara, 2011: 750 **E:** AL BU GR HU MC RO SB SK UK **NARi**
janthinus Germar, 1821: 319 **E:** AU BE BU CT CZ DE FR GB GE GR HU IT LA LU MC MD NL
NT PL RO SB SK SL ST SV SZ UK **A:** AR ES IN TR WS **NARi**
pillichi Endrödi, 1969: 276
violaceus Dejean, 1821: 98 [NA]
kaemmereri Wagner, 1927a: 96 **E:** IT
labilis Herbst, 1795: 244 (*Curculio*) **E:** BE CR CT CZ DE EN FR GB GR HU IR IT LA LT LU MC
NR PL RO SB SK SL SP ST SV SZ UK **A:** IN TR
brevicirritus Reitter, 1907a: 19 (*Gymnetron*) [NA]
obliquus Sturm, 1826: 120 (*Gymnetron*) [NA]
tricolor Marsham, 1802: 259 (*Curculio*) [HN]
vittatus Betta, 1847: 32 (*Gymnetron*)
vittatus Betta, 1857: 61 (*Gymnetron*) [HN]
laeviceps corifoliae Toševski & Jović, 2014: 44 **A:** TR
laeviceps laeviceps Tournier, 1873b: LXXXV **E:** CZ HU SB ST
laeviceps meridionalis Toševski & Jović, 2014: 43 **E:** BU SB
latiusculus Jacquelin du Val, 1855a: 68 (*Gymnetron*) **E:** FR IT RO SP ST **A:** TR
flavipes Betta, 1857: 62 (*Gymnetron*)
rufescens Tempère, 1961: 98 (*Gymnetron*) [NA]
uniseriatum Tempère, 1961: 98 (*Gymnetron*) [NA]
limnavuorii Korotyaev, 1995a: 95 (*Gymnetron*) **A:** IQ **NARi**
limnavuori: R.S. Anderson, Caldara & Anzaldo, 2018: 126 [NA]
lixoides Escalera, 1914: 468 (*Mecinopsis*) **N:** MO
longulus Desbrochers des Loges, 1893c: 42 (*Gymnetron*) **N:** AG EG LB TU **A:** IS SA
nigronotatus Pic, 1906c: 27 (*Gymnetron*)
vaulogeri Pic, 1930b: 14 (*Gymnetron*)
ludyi Reitter, 1907a: 21 (*Gymnetron*) **E:** AU CR IT SL
marina Korotyaev, 1984b: 349 (*Gymnetron*) **E:** ST UK
paratychioides A. Hoffmann, 1965a: 26 (*Gymnetron*) **N:** AG LB MO TU **A:** AE SA

longirostris Pic, 1921a: 6 (*Gymnetron*) [HN]

pascuorum Gyllenhal, 1813: 124 (*Rhynchaenus*) **E:** AL AU AZi BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ UK **N:** CI **A:** AB AR ES GG IS JAi TR WS **AFRi AURi NARi**

apicalis A. Hoffmann, 1958: 1291 (*Gymnetron*) [NA]

areolatus Betta, 1857: 61 (*Gymnetron*)

bicolor Gyllenhal, 1838: 745 (*Gymnetron*)

fuscicrus Rey, 1894b: 74 (*Gymnetron*)

lancerotensis Uyttenboogaart, 1934: 166 (*Gymnetron*) [NA]

marshalli Donisthorpe, 1943: 45 (*Gymnetron*)

nanus Dejean, 1835: 327 (*Gymnetron*) [NA]

setarius Desbrochers des Loges, 1893c: 42 (*Gymnetron*) [NA]

setarius Rey, 1894b: 74 (*Gymnetron*)

testaceus A. Hoffmann, 1958: 1291 (*Gymnetron*) [NA]

uniformis Desbrochers des Loges, 1893c: 42 (*Gymnetron*) [NA]

peterharrisi Toševski & Caldara, 2014: 44 **E:** GR MC ME

pipistrellus Marseul, 1871a: 386 (*Gymnetron*) **N:** AG LB MO TU **A:** IQ IS SA

concavirostris Stöcklein, 1950: 279 (*Gymnetron*)

pirazzolii Stierlin, 1867: 225 (*Gymnetron*) **E:** AL BU BY CZ DE GE GR HU IT MC MD PL RO SK ST UK **A:** IS TR

comirostris Desbrochers des Loges, 1875a: 32 (*Gymnetron*)

lebedevi Roubal, 1926: 248 (*Gymnetron*)

schwarzii Letzner, 1872b: 11 (*Gymnetron*)

schwarzii Rottenberg, 1873: 204 (*Gymnetron*) [HN]

plantaginis Eppelsheim, 1875: 77 (*Gymnetron*) **E:** CZ FR GE HU IT PL SK ST SZ UK **A:** CH ES MG WS

inermicrus Desbrochers des Loges, 1875a: 33 (*Gymnetron*)

zherichini Korotyaev, 1995b: 889 (*Gymnetron*)

pyraster Herbst, 1795: 252 (*Curculio*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MA MC MD NL NR PL PT RO SB SK SL SP ST SV SZ UK **N:** AG EG LB MO TU **A:** AB AR CY GG IN IS KZ TD TM TR **NARi**

andalusicus Faust, 1890e: 331

echinatus Desbrochers des Loges, 1893b: 20

favarcui Pic, 1915d: 27

hariolus Reitter, 1907a: 9

piliferus Normand, 1937: 266

schneideri Kirsch, 1871b: 392

semicylindricus Marsham, 1802: 294 (*Curculio*)

sublineellus Fairmaire, 1880a: 27

raphaelis Baviera & Caldara, 2014: 45 **E:** IT (Calabria, Sicilia)

reichei Tournier, 1873b: lxxxv **E:** SP **N:** AG LB MO TU

sanctus Desbrochers des Loges, 1893a: 8 (*Gymnetron*) **N:** LB TU **A:** CY IS

laterufium Pic, 1900d: 79 (*Gymnetron*)

seriatus Jacquet, 1889a: xcvi (*Gymnetron*) **E:** FR GR SP

setulosus Pic, 1896c: 96 **N:** AG

sicardi Hustache, 1920c: 196 **E:** FR IT SP

simus Mulsant & Rey, 1859a: 298 (*Gymnetron*) **E:** FR GR IT MA SP **N:** AG EG LB MO TU **A:** CY IS SY

biarcuatus Desbrochers des Loges, 1871: 350 (*Gymnetron*)

corcyreus Pic, 1901d: 58 (*Gymnetron*)

mixtus Mulsant & Godart, 1873b: 195 (*Gymnetron*)

mixtus Mulsant & Godart, 1874b: 49 (*Gymnetron*) [HN]

palaestinus Pic, 1899b: 141 (*Gymnetron*)

saladensis Pic, 1902b: 34["24"] (*Gymnetron*)

seriehirtus Fairmaire, 1883c: cxiv (*Gymnetron*)

simus Mulsant & Rey, 1859b: 40 (*Gymnetron*) [HN]

suturalis Reitter, 1907a: 13 **E:** FR IT

tanaiticus Arzanov, 2000: 1084 **E:** ST UK

tavaresi Caldara & Fogato, 2016: 15 **E:** PT SP

tavaresi A. Hoffmann, 1958: 1274 [NA]

tychioides H. Brisout de Barneville, 1862: 632 (*Gymnetron*) **E:** SP **N:** AG MO TU **A:** IN IS JO SY

aestivus A. Hoffmann, 1956a: 47 (*Gymnetron*)

variabilis Rosenhauer, 1856: 297 (*Gymnetron*) **E:** FR GR IT MA PT SP **N:** AG CI LB MO TU

bellus Reitter, 1872: 187 (*Gymnetron*)

sanguinipes Chevrolat, 1859b: 389 (*Gymnetron*)

simplex Ragusa, 1908: 177 (*Gymnetron*) [NA]

vulpes Lucas, 1846b: pl. 38 (*Gymnetron*) **N:** AG LB MO TU

hircinus Desbrochers des Loges, 1892j: 95 (*Gymnetron*)
marmota Fairmaire, 1883c: cxiv (*Gymnetron*)

genus *Mecinus*, species dubiae

mongolicus Bajtenov & Lodos, 1980: 144 (*Gymnetron*) A: MG

patentivilosus Bajtenov, 1981g: 219 (*Gymnetron*) A: MG

genus *Miarus* Schoenherr, 1826: 320 type species *Curculio campanulae* Linnaeus, 1767

abeillei Desbrochers des Loges, 1893a: 17 E: AU FR IT SP SZ

abnormis F. Solari, 1947d: 75 E: AU CR IT LA MC ME PL RO SB SK SL SZ UK

imitator Franz, 1947: 229

muelleri F. Solari, 1947d: 77

phyteumatis Franz, 1947: 227

zoufali F. Solari, 1947d: 76

afer K. Daniel, 1912: 151 N: AG MO TU

ajugae Herbst, 1795: 172 (*Curculio*) E: AU BE BH CR CT CZ DE FI FR GE GR HU IT MC MD

ME NR NT PL RO SB SK SL ST SV SZ UK A: AR ES FE IN MG NC SC SY WS

confusus Roudier, 1966: 285

confusus A. Strand, 1962: 29 [NA]

perjuratus Roudier, 1966: 284

pseudoursinus Smreczyński, 1957c: 249 [NA]

thuleus Kangas, 1980: 113

araxis Reitter, 1907a: 47 A: AR GG TR

atricolor Morimoto, 1983a: 54 A: CE FE JA KI KZ NE SC

banaticus Reitter, 1907a: 48 E: BH RO

campanulae Linnaeus, 1767: 607 (*Curculio*) E: AU BE CT CZ DE EN FI FR GB GE HU IR IT LA

LT NL NR SP ST SV SZ UK A: GG KZ TD

acephalus Marsham, 1802: 271 (*Curculio*)

binaghii F. Solari, 1947d: 75

brevirostris F. Solari, 1947d: 76

fossarum: Dejean, 1835: 302 (*Gymnetron*) [NA]

frigidus Franz, 1947: 223

moroi F. Solari, 1947d: 76

ranunculi: Dejean, 1835: 302 (*Gymnetron*) [NA]

dentiventris Reitter, 1907a: 47 A: AR IN

armenus Iablokoff-Khznorian, 1967: 89

hellenicus Dieckmann, 1978: 296 E: BU GR

longicollis F. Solari, 1947d: 77 E: BU GR A: GG

maroccanus F. Solari, 1947d: 77 N: AG MO

maroccanus Franz, 1947: 232 [HN]

monticola Petri, 1912a: 337 E: AL AU BH BU CT CZ FI FR GE GR HU ME NT PL RO SB SK SZ

UK A: TR

fennicus Kangas, 1978: 118

praecursor Caldara, 2001: 190 E: GR A: JO SY TR

rotundicollis Desbrochers des Loges, 1893a: 18 E: AL GR MC A: TR

simplex F. Solari, 1947d: 78 E: BU FR HU IT RO SB SK SP TR A: GG

alzonae F. Solari, 1947d: 75

portae F. Solari, 1947d: 76

solarii Smreczyński, 1957c: 251 E: UK A: TR

stoekleini Franz, 1947: 236 E: CR GR MC A: AR SY TR

ursinus Abeille de Perrin, 1906: 172 E: CR FR IT PT SP SZ

horni Franz, 1947: 232

italicus Franz, 1947: 231

subseriatus F. Solari, 1947d: 77

genus *Rhinusa* Stephens, 1829a: 12 type species *Curculio antirrhini* Paykull, 1800

Eutemoscelus Desbrochers des Loges, 1893a: 5 type species *Curculio linariae* Panzer, 1795

acifer Caldara, 2014: 27 A: IS SY TR

algorica H. Brisout de Barneville, 1867: 64 (*Gymnetron*) E: GR IT (Sicilia) PT SP N: AG CY LB MO

TU

antirrhini Paykull, 1800: 257 (*Curculio*) [NP] E: AL AU BE BH BU CT CZ DE EN FI FR GB GE

GR HU IR IT LA LT LU MA MC ME NL NR NT PL RO SB SK SP ST SV SZ UK N: AG A:

AF IN WS NARi

cognata Rey, 1894b: 74 (*Gymnetron*) [URN]

noctis Herbst, 1795: 269 (*Curculio*) [NO]
uniseriata Rey, 1894b: 74 (*Gymnetron*)
asellus Gravenhorst, 1807: 203 (*Rhynchaenus*) E: AU BE BU CZ FR GE GR HU IT LU MC MD
 NL PL RO SB SK SP ST SZ UK A: KZ TD TR NARi
cylindrirostris Gyllenhal, 1838: 766 (*Gymnetron*)
nasuta Rosenschoeld, 1838: 757 (*Gymnetron*)
polonica Rosenschoeld, 1838: 757 (*Gymnetron*)
plagiata Gyllenhal, 1838: 758 (*Gymnetron*)
bipustulata Rossi, 1792: 39 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT MC
 MD ME PL PT RO SB SK SL SP ST SZ TR UK A: AB AF AR GG IS LE SY TM UZ
aterrima Schilsky, 1891: 157 (*Gymnetron*)
brevipilis Desbrochers des Loges, 1893b: 34 (*Gymnetron*)
fuliginosa Rosenhauer, 1847: 56 (*Gymnetron*)
germari Faust, 1889i: 228 (*Gymnetron*)
municipalis Voss, 1960a: 138 (*Gymnetron*)
rubripes Reitter, 1907a: 42 (*Gymnetron*) [NA]
sanguinipennis Desbrochers des Loges, 1893b: 34 (*Gymnetron*)
spilota Germar, 1821: 307 (*Cionus*)
brisouti Faust, 1891e: 409 (*Gymnetron*) A: ES FE MG
brondelii H. Brisout de Barneville, 1863a: 659 (*Gymnetron*) E: AU HU IT SB N: AG MO TU A:
 CY GG IN IS SY TR
lanuginosa Wollaston, 1875: 218 (*Gymnetron*)
collina Gyllenhal, 1813: 209 (*Rhynchaenus*) E: BE CT CZ DE EN FR GB HU IT LA LT MD NR
 NT PL SK ST SV SZ UK
comosa Rosenschoeld, 1838: 756 (*Gymnetron*) E: BU CR GR IT MC ME A: TR UZ
conicirostris Reitter, 1907a: 37 (*Gymnetron*) A: KI KZ UZ
depressa Rottenberg, 1872: 236 (*Gymnetron*) E: FR IT PT SP N: AG MO
curtirostris Hustache, 1946a: 61 (*Gymnetron*)
lusitanica Leonhard, 1912: 340 (*Gymnetron*)
schaeferi A. Hoffmann, 1958: 1306 (*Gymnetron*)
dieckmanni Behne, 1988: 31 (*Gymnetron*) E: BU MD
emmrichi Bajtenov, 1979a: 72 (*Gymnetron*) A: AF CY IN JO LE SY TM TR UZ
ensifer Caldara, 2014: 19 A: TR
eversmanni Rosenschoeld, 1838: 763 (*Gymnetron*) E: BE CZ DE FR GE HU IT LT MD SK SV SZ
 UK A: ES IN KZ MG TD TR UZ WS
exigua Caldara & Korotyev, 2010: 205 A: TR
florum Rübsaamen, 1895: 480 (*Gymnetron*) E: AL AU BU CZ GR HU MC ME RO SK ST UK A:
 AR GG IN SY TR
smreczynskii Fremuth, 1972: 7 (*Gymnetron*)
funtei Pic, 1906b: 12 (*Gymnetron*) E: SP
griseohirta Desbrochers des Loges, 1869a: [1] (*Gymnetron*) E: FR IT PT SP N: AG MO TU
griseohirtella Desbrochers des Loges, 1870d: 159 (*Gymnetron*)
herbarum H. Brisout de Barneville, 1863a: 658 (*Gymnetron*) E: AL BU CR FR GR HU IT LU MA
 ME RO SK SP ST SZ TR UK N: AG MO TU A: CY TD
consors Desbrochers des Loges, 1898a: 42 (*Gymnetron*)
maritima A. Hoffmann, 1958: 1303 (*Gymnetron*) [NA]
mourieri A. Hoffmann, 1957a: 57 (*Gymnetron*)
semirufa Desbrochers des Loges, 1898g: 29 (*Gymnetron*)
hipponensis Desbrochers des Loges, 1893a: 14 (*Gymnetron*) N: AG
hirsutula Bovie, 1909: 11 (*Gymnetron*) A: SY
hirsuta Desbrochers des Loges, 1892j: 96 (*Gymnetron*) [HN]
incana Kirsch, 1881: 7 (*Gymnetron*) E: IT PT SP N: AG MO TU
canescens Desbrochers des Loges, 1892j: 96 (*Gymnetron*)
liebmanni A. Hoffmann, 1965b: 89 (*Gymnetron*)
interposita Desbrochers des Loges, 1898g: 29 (*Gymnetron*) N: AG
korotyevii Caldara & Toševski, 2019: 333 A: IS PS #⁴
kumatschevi Bajtenov, 1977g: 184 (*Gymnetron*) A: KZ
lanaria Escalera, 1914: 472 (*Gymnetron*) N: MO
lanigera H. Brisout de Barneville, 1863a: 657 (*Gymnetron*) E: FR SP N: AG LB MO TU
linariae Panzer, 1795b: 304 (*Curculio*) E: BE CT CZ DE EN FR GB GE HU IT LA LT LU MD ME
 NR NT PL RO SK SL SP ST SV SZ UK A: KZ TR WS NARi
curvirostris Rossi, 1790: 117 (*Curculio*) [NA]
littorea H. Brisout de Barneville, 1863a: 656 (*Gymnetron*) E: FR
maraquensis Escalera, 1914: 470 (*Gymnetron*) N: MO

mateui A. Hoffmann, 1965a: 26 (*Gymnetron*) N: AG LB TU
matsumurai Kôno, 1930d: 147 (*Gymnetron*) [RN] A: FE
pilosa Matsumura, 1911a: 132 (*Coeliodes*) [HN]
mauriti Desbrochers des Loges, 1898a: 40 (*Gymnetron*) N: AG MO
squamidorsum Desbrochers des Loges, 1898a: 41 (*Gymnetron*) [NA]
melas Boheman, 1838: 746 (*Gymnetron*) E: AU BE CR CZ DE FR GE HU IT ME PL SB SK SP ST SV SZ UK
heydeni Desbrochers des Loges, 1869a: [1] (*Gymnetron*)
heydeni Desbrochers des Loges, 1870d: 158 (*Gymnetron*) [HN]
nasuta Reitter, 1907a: 38 (*Gymnetron*) [NA]
rufipennis Tempère, 1975: 656 (*Gymnetron*) [NA]
moroderi Reitter, 1906c: 379 (*Gymnetron*) E: AL BU GR IT MA PT RO SP N: AG MO A: CY IN IS LE SY TR
otini Hustache, 1946a: 59 (*Gymnetron*)
neta Germar, 1821: 312 (*Cionus*) E: AU BE BH BU BY CR CZ FR GE GR HU IT LT PL RO SB SK SL SP ST SV SZ UK A: AF KZ WS NARi
fulva Desbrochers des Loges, 1869a: [1] (*Gymnetron*)
parci Rey, 1894b: 74 (*Gymnetron*) [NA]
pellicea Gyllenhal, 1837a: 249 (*Gymnetron*)
oblongula Desbrochers des Loges, 1898a: 40 (*Gymnetron*) N: AG
pelletieri Caldara, 2014: 10 A: IN IS JO SY
pilosa Gyllenhal, 1838: 763 (*Gymnetron*) E: BE CR CT FR DE GE HU RO SB ST SV SZ UK A: WS
rara Toševski & Caldara, 2015: 281 E: AU CZ HU SB ST SK UK
scrophulariae Caldara, 2009: 228 A: AE IS SY TM
~~*semirufa* Desbrochers des Loges, 1898g: 29 (*Gymnetron*) N: TU~~
soluta Faust, 1891e: 408 (*Gymnetron*) A: FE
sublanata Desbrochers des Loges, 1898a: 42 (*Gymnetron*) N: TU
subrotundula Reitter, 1907a: 39 (*Gymnetron*) E: PT
tenuirostris Stierlin, 1888b: 59 (*Gymnetron*) A: IS LE SY TR
bodenheimeri Wagner, 1926b: 254 (*Gymnetron*)
tetra Fabricius, 1792: 406 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT LA LS LT LU MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK N: AG MO TU A: AB AF AR GG IN IQ IS KI KZ LE NP PA SY TD TM TR UP UZ NARi
amicta Germar, 1821: 310 (*Cionus*)
eo Rosenschold, 1838: 755 (*Gymnetron*)
fuscens Rosenschold, 1838: 760 (*Gymnetron*)
haemorrhous Rosenhauer, 1847: 55 (*Gymnetron*)
haemorrhus: Rosenhauer, 1847: 55 (*Gymnetron*) [NA, IOS]
hispida Brullé, 1832b: 247 (*Gymnetron*)
ovata Rey, 1894b: 74 (*Gymnetron*) [NA]
plagiella Gyllenhal, 1838: 759 (*Gymnetron*)
rufescens Löden, 1910: 172 (*Gymnetron*)
subrotundata Reitter, 1907a: 35 (*Gymnetron*)
thapsicola Germar, 1821: 313 (*Cionus*)
trigonalis Gyllenhal, 1838: 767 (*Gymnetron*)
uncinata Dufour, 1843: 86 (*Cleopus*)
verbasci Dufour, 1843: 86 (*Cleopus*) [HN]
uncipes Desbrochers des Loges, 1893a: 7 (*Gymnetron*) E: FR IT N: AG TU
cuneipes Desbrochers des Loges, 1893b: 25 (*Gymnetron*) [NA]
verbasci Rosenschold, 1838: 765 (*Gymnetron*) E: GR IT (Sicilia) MC SP TR N: MO A: AR GG TR
crassirostris Lucas, 1846b: pl. 38 (*Gymnetron*)
vestita Germar, 1821: 311 (*Cionus*) E: FR IT PT SP SZ
vulpeculus Reitter, 1907a: 40 (*Gymnetron*) E: ST
weilli Caldara, 2014: 23 A: IS LE SY TR

7.5.13. Tribe Microstylini Lacordaire, 1865

genus *Galloisia* Hustache, 1920e: 493 type species *Galloisia inflata* Hustache, 1920
inflata Hustache, 1920e: 495 A: JA
sinica Voss, 1958b: 48 A: FUJ

7.5.14. Tribe Nerthopini Lacordaire, 1865

genus *Acallopietus* Schoenherr, 1826: 249 type species *Acallopietus vellicosus* Schoenherr, 1826
Hoploparoxus Schoenherr, 1835: 151 type species *Hoploparoxus pardalis* Gyllenhal, 1835
Hoploparochus Schoenherr, 1838: 1122 [URN]
abutilonis G.A.K. Marshall, 1950: 210 A: YE AFR
vellicosus Schoenherr, 1826: 250 A: PA YE AFR ORR
maculithorax Hustache, 1929b: 508
senegalensis Hustache, 1932e: 69

7.5.15. Tribe Ochyromerini Voss, 1935

genus *Adelus* Schoenherr, 1835: 328 type species *Adelus cupreus* Gyllenhal, 1835
Adeloides Blanchard, 1845: 108 [URN]
Homacalyptus Voss, 1953a: 61 type species *Homacalyptus rufus* Voss, 1953
Imerodes G.A.K. Marshall, 1926a: 347 type species *Amorphoidea rufescens* Motschulsky, 1858
Lathiphronus Schoenherr, 1843: 192 [URN]
rufus Voss, 1953a: 62 (*Homacalyptus*) A: FUJ TAI

genus *Aedenus* Voss, 1953a: 63 type species *Aedenus suborichalceus* Voss, 1953
suborichalceus Voss, 1953a: 64 A: FUJ

genus *Drepanoscelus* G.A.K. Marshall, 1938b: 161 type species *Drepanoscelus gardneri* G.A.K. Marshall, 1938
gardneri G.A.K. Marshall, 1938b: 161 A: UP
regularis Voss, 1958b: 108 A: FUJ

genus *Endaenidius* Morimoto, 1962c: 382 type species *Endaenidius ikezakii* Morimoto, 1962
babai Kojima & Morimoto, 1995a: 87 A: TAI
ikezakii Morimoto, 1962c: 383 A: JA

genus *Endaeus* Schoenherr, 1826: 250 type species *Endaeus castus* Schoenherr, 1826
Endaeus Hustache, 1956: 104 type species *Endaeus indentatus* Hustache, 1956
Endaeopsis Champion, 1914: 437 type species *Endaeopsis curvimanus* Champion, 1914
Endeus Agassiz, 1846: 138 [UE]
Endeus Gemminger, 1871c: 2512 [HN] [UE]
Nychiomma Pascoe, 1872b: 456 type species *Nychiomma testaceum* Pascoe, 1872
Persynnada Voss, 1943f: 166 type species *Eusynnada ceylonica* Voss, 1943
Synnada Pascoe, 1874: 32 type species *Synnada currucula* Pascoe, 1874
bicoloratus Voss, 1953a: 57 (*Synnada*) A: FUJ
elongatus Kojima & Morimoto, 1995a: 72 A: TAI
flavidus Kojima & Morimoto, 1995d: 563 A: JA TAI
formosanus Kojima & Morimoto, 1995a: 70 A: TAI
hikosanus Kojima & Morimoto, 1995d: 564 A: JA
moniliformis Pajni & Gupta, 1990: 96 A: AP
nipponicus Voss & Chûjô, 1960: 3 A: JA TAI
nychiommatoides Kojima & Morimoto, 1995d: 566 A: JA TAI
singularis Voss, 1953a: 54 A: FUJ
striatipennis Kojima & Zhu, 2018: 2 A: JIA

genus *Heterendaeus* Morimoto, 1962c: 384 type species *Heterendaeus miyamotoi* Morimoto, 1962
miyamotoi Morimoto, 1962c: 384 A: JA

genus *Heterochyromera* Kojima & Morimoto, 1996b: 738 type species *Heterochyromera imerodeus*
Kojima & Morimoto, 1996
imerodeus Kojima & Morimoto, 1996b: 739 A: JA

genus *Hexeria* Pascoe, 1885: 228 type species *Hexeria concinna* Pascoe, 1885
concinna Pascoe, 1885: 228 A: SD ORR
fasciata G.A.K. Marshall, 1938b: 163 (*Thammobius*)

genus *Lepidimerodes* Kojima & Morimoto, 1995c: 475 type species *Lepidimerodes taiwanensis* Kojima & Morimoto, 1995
taiwanensis Kojima & Morimoto, 1995c: 476 A: TAI

genus *Morimotozo* Alonso-Zarazaga & Lyal, 1999: 86 [RN] type species *Gryporrhynchus obscurus* Roelofs, 1875
Gryporrhynchus Roelofs, 1875b: 189 [HN] type species *Gryporrhynchus obscurus* Roelofs, 1875
castaneus Kojima & Matoba, 2002: 264 A: JA
nepalensis Kojima & Morimoto, 1995b: 128 (*Gryporrhynchus*) A: NP
obscuroides Kojima & Morimoto, 1995b: 120 (*Gryporrhynchus*) A: TAI
obscurus Roelofs, 1875b: 189 (*Gryporrhynchus*) A: JA SC (Jeju)
ryukyuensis Kojima & Morimoto, 1995b: 122 (*Gryporrhynchus*) A: JA SC
shigematsui Kojima & Morimoto, 1995b: 124 (*Gryporrhynchus*) A: JA

genus *Nesendaeus* G.A.K. Marshall, 1931a: 270 type species *Nesendaeus setolineatus* G.A.K. Marshall, 1931
monochrous Voss, 1953a: 53 A: FUJ

genus *Nipponochyromera* Kojima & Morimoto, 1996b: 737 type species *Nipponochyromera gracilipes* Kojima & Morimoto, 1996
gracilipes Kojima & Morimoto, 1996b: 737 A: JA

genus *Ochyromera* Pascoe, 1874: 31 type species *Ochyromera rufescens* Pascoe, 1874
Exochyromera Voss, 1937a: 139 type species *Exochyromera crassirostris* Voss, 1937
binotata Kojima & Morimoto, 1996a: 574 A: JA
crassirostris chinensis Voss, 1953a: 57 (*Exochyromera*) A: FUJ
distinguenda Voss, 1953a: 57 A: FUJ
hiramatsui Kojima & Morimoto, 1996a: 576 A: JA
hirsuta Kojima & Morimoto, 1996a: 585 A: JA
horikawai Kojima & Morimoto, 1996a: 577 A: JA SC
japonica Roelofs, 1875a: 163 (*Minyrus*) A: JA
miwai Kôno, 1939a: 27 A: JA TAI
nipponica Kojima & Morimoto, 1996a: 583 A: JA
pieridis Kojima & Morimoto, 1998a: 115 A: JA
quadrifasciata Voss, 1953a: 56 A: FUJ
rectirostris Kojima & Morimoto, 1998a: 117 A: JA
ryukyuensis Kojima & Morimoto, 1996a: 582 A: JA
stictica Voss, 1953a: 55 (*Eusynnada*) A: FUJ
suturalis Kojima & Morimoto, 1996a: 578 A: FE JA SC TAI

genus *Opseoscapha* Faust, 1888d: 305 type species *Opseoscapha alternans* Faust, 1888
subgenus *Opseoscapha* Faust, 1888d: 305 type species *Opseoscapha alternans* Faust, 1888
consanguinea Voss, 1953a: 54 A: FUJ

genus *Parendaeus* Kojima & Morimoto, 1996b: 735 type species *Parendaeus abietinus* Kojima & Morimoto, 1996
abietinus Kojima & Morimoto, 1996b: 735 A: JA

7.5.16. Tribe Rhamphini Rafinesque, 1815

7.5.16.1. Subtribe Dinorhopalina Voss, 1936

genus *Dinorhopala* Pascoe, 1860a: 61 type species *Dinorhopala spinosa* Pascoe, 1860
Togezo Kôno, 1930f: 3 type species *Togezo takahashii* Kôno, 1930
takahashii Kôno, 1930f: 3 (*Togezo*) A: CH JA

7.5.16.2. Subtribe Ixalmina Voss, 1936

genus *Ixalma* Pascoe, 1871a: 214 type species *Ixalma rufescens* Pascoe, 1871
Celia Roelofs, 1874: 126 [HN] type species *Celia dentipes* Roelofs, 1874
Xenopus Roelofs, 1875b: pl.I [URN, HN]
dentipes Roelofs, 1874: 127 (*Celia*) A: FUJ JA
fuliginosa Voss, 1958b: 102 A: FUJ

guttulum Kôno, 1928: 169 A: JA TAI
hilleri Roelofs, 1879b: liv A: JA TAI
indica Roelofs, 1879b: liv A: "Inde boréale"
klapperichi Voss, 1948b: 162 A: FUJ
memnonia Morimoto, 1984b: 13 A: JA
miniata Voss, 1948b: 162 A: FUJ
nigriventris Kôno, 1937b: 31 A: JA
okadai Kôno, 1937b: 30 A: JA
quadrigibbosa Morimoto, 1960a: 48 A: JA
tuberculifera Voss, 1941e: 899 A: FUJ ZHE

7.5.16.3. Subtribe Rhamphina Rafinesque, 1815

genus *Imachra* Pascoe, 1874: 30 type species *Imachra ruficollis* Pascoe, 1874
Copidorrhinus G.A.K. Marshall, 1948a: 421 type species *Copidorrhinus bivitatus* G.A.K. Marshall, 1948
Hyporhynchaenus Voss, 1940a: 79 type species *Rhynchaenus lauraceae* Voss, 1940
Orchestinus Morimoto, 1964b: 450 type species *Orchestinus oculatus* Morimoto, 1964
Orchestoides Roelofs, 1875b: 191 type species *Orchestoides decipiens* Roelofs, 1875
decipiens Roelofs, 1875b: 192 (*Orchestoides*) A: FUJ JA TAI
inornata Voss, 1953b: 65 (*Orchestoides*) A: FUJ
maetai Morimoto, 1964b: 454 A: JA (*Orchestinus*)
munda Voss, 1958b: 104 (*Orchestoides*) A: FUJ
nipponica Morimoto, 1964b: 453 (*Orchestinus*) A: JA
oculata Morimoto, 1964b: 450 (*Orchestinus*) A: JA
ruficollis Pascoe, 1874: 50 A: FUJ **ORR**
saigusai Morimoto & Miyakawa, 1996: 68 A: TAI
shirozui Morimoto, 1964b: 452 (*Orchestoides*) A: JA

genus *Indodinorrhopalus* Pajni & Sood, 1981a: 32 type species *Indodinorrhopalus imphalensis* Pajni & Sood, 1981
guttatus Morimoto & Miyakawa, 1996: 82 A: NP **ORR**

genus *Isochnus* C. G. Thomson, 1859: 141 types species *Curculio populi* Fabricius, 1792 (= *Rhynchaenus sequensi* Stierlin, 1894)
angustifrons West, 1917: 24 (*Orchestes*) E: BE CR CZ DE EN FR GB GE HU IT NR PL SK SZ UK
arcticus Korotyaev, 1977b: 63 (*Rhynchaenus*) A: FE
flagellum Ericson, 1902: 15 E: CT FI NR NT PL SV SZ A: ES FE KZ WS
foliorum O. F. Müller, 1764: 10 (*Curculio*) E: BE BU CR CT CZ DE EN FI FR GB GE HU IT LA LT LU NR NT PL RO SB SK SP SV SZ UK
helicis Schrank, 1798: 510 (*Salius*)
saliceti Paykull, 1792: 66 (*Curculio*)
salicis Piller & Mitterpacher, 1783: 98 (*Curculio*) [HN]
scutellatus Stephens, 1831c: 69 (*Tachyerges*)
kamchaticus Morimoto, 2001a: 127 A: FE
sequensi Stierlin, 1894c: 123 (*Orchestes*) E: BE BU CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MD NG NR NT PL RO SB SK SP ST SV SZ UK A: AR ES FE GG JA MG TR WS
NARi
populi Fabricius, 1792: 448 (*Curculio*) [HN]
populicola Silfverberg, 1977a: 14 (*Rhynchaenus*) [RN]
sorbi Morimoto, 1984a: 34 (*Rhynchaenus*) A: JA

genus *Orchestes* Illiger, 1798: 498 type species *Orchestes signifer* Creutzer, 1799 (= *Curculio hortorum* Fabricius, 1792)

subgenus *Alyctus* C. G. Thomson, 1859: 142 type species *Curculio rusci* Herbst, 1795
Threcticus C. G. Thomson, 1859: 141 type species *Rhynchaenus scutellaris* Fabricius, 1801 (= *Curculio testaceus* O. F. Müller, 1776)
aterrimus Roelofs, 1875a: 166 A: FE JA
mumon Kôno, 1930f: 24
calceatus Germar, 1821: 334 (*Salius*) E: CT CZ DE EN GB FI FR GB GE IR IT LA LT NR NT PL SV UK
pubescens Gyllenhal, 1835a: 495

quinguemaculatus Chevrolat, 1867: lxvi
rufus Donovan, 1798: 87 (*Curculio*) [HN]
semirufus Gyllenhal, 1827: 597 (*Rhynchaenus*)
cylindricus Morimoto, 1984a: 39 **A:** JA
galloisi Kôno, 1930f: 28 **A:** FE FUJ JA
jozanus Kôno, 1930f: 27 **A:** FE JA
kimotoi Morimoto, 1984a: 43 (*Rhynchaenus*) **A:** JA
matsumuranus Kôno, 1930f: 26 (*Rhynchaenus*) **A:** FE
ruscii Herbst, 1795: 424 (*Curculio*) **E:** AU BE BU CT CZ DE EN FI FR GB GE HU IR IT LA LT
LU NR NT PL RO SK SP SV SZ UK **A:** ES FE FUJ GUA JA SC WS
affinis Stephens, 1831c: 65
bifasciatus Paykull, 1800: 270 (*Curculio*) [NA]
bifasciatus Thunberg, 1815: 112 (*Rhamphus*)
salicis Schrank, 1798: 510 (*Salius*) [NA]
testaceus O. F. Müller, 1776: 90 (*Curculio*) **E:** AU BE BU CT CZ DE EN FI FR GB GE GR HU IR
IT LA LS LT LU NR NT PL RO SB SK SP ST SV SZ **A:** AR ES FE GG JA TR WS **NAR**
albopilosus Reiche, 1864: 248 (*Rhynchaenus*)
atratus Preller, 1867: 211 (*Rhynchaenus*)
canus Horn, 1878: 620
carnifex Germar, 1821: 329 (*Salius*)
montanus Chevrolat, 1874b: xxx
oenipontanus Gredler, 1866: 353 (*Rhynchaenus*)
pallidior Leng, 1916: 281
rufus O. F. Müller, 1776: 90 (*Curculio*)
scutellaris Fabricius, 1801: 495 (*Rhynchaenus*)
siebkei Munster, 1928: 283 (*Rhynchaenus*)
suturalis Zetterstedt, 1837: 184
subgenus *Amurorchestes* Legalov, 2007a: 401 type species *Orchestes koltzei* Faust, 1887
koltzei Faust, 1887h: 171 **A:** ES FE JA SC
japonicus Hustache, 1920f: 632
subgenus *Granulorchestes* Legalov, 2007a: 400 type species *Orchestes fasciculatus* Faust, 1882
dorsoplanatus Roelofs, 1875a: 167 **A:** FUJ JA TAI
fasciculatus Faust, 1882a: 281 **A:** FE SC
subgenus *Nomizo* Morimoto, 1984a: 32 type species *Rhynchaenus kamiyai* Morimoto, 1984
kamiyai Morimoto, 1984a: 33 (*Rhynchaenus*) **A:** JA
guliensis L. Yang & Dai, 1991: 25 (*Rhynchaenus*) **A:** HEI
guliensis L. Yang & Dai, 1991: 27 (*Rhynchaenus*) [NA]
subgenus *Orchestes* Illiger, 1798: 498 type species *Orchestes signifer* Creutzer, 1799 (= *Curculio hortorum*
Fabricius, 1792)
Euthoron C. G. Thomson, 1859: 141 type species *Curculio fagi* Linnaeus, 1758
Salius Schrank, 1798: 360 type species *Curculio fagi* Linnaeus, 1758
alni Linnaeus, 1758: 381 (*Curculio*) **E:** BE BU CR CT CZ DE EN FR GB GE GR HU IR IT LA LT
MC MD NT PL RO SB SK SL SP ST SZ UK **N:** TU **A:** HEB HEN JIA JIL LIA NIN NMO
TR NARi
alni Fabricius, 1775: 144 (*Curculio*) [HN]
atricapillus Marsham, 1802: 261 (*Curculio*)
bimaculatus Schilsky, 1908b: 607 [NA]
connatus Gerhardt, 1906: 6 [NA]
ferrugineus Marsham, 1802: 260 (*Curculio*) [HN]
inquinatus Panzer, 1798b: 71 (*Curculio*)
maculicollis Schilsky, 1908b: 607 [NA]
melanocephalus Olivier, 1807: 100
mutabilis Stierlin, 1894b: 358 [NA]
nigricollis Marsham, 1802: 261 (*Curculio*) [HN]
quadrinaculatus Gerhardt, 1906: 6 [NA]
saltator Geoffroy, 1785: 121 (*Curculio*)
saltatorialni DeGeer, 1775: 263 (*Curculio*)
sicilianus Ragusa, 1922: 16 [NA]
amplithorax Faust, 1882a: 279 **A:** FE
amurensis Faust, 1887h: 172 **A:** ES FE JA SC
takabayashii Kôno, 1930f: 25
animosus Faust, 1887i: 184 **A:** TM UZ
basirostris Voss, 1953b: 66 **A:** AF FUJ
betuleti Panzer, 1795b: 318 (*Curculio*) **E:** AL BE BU CR CT CZ DE FR GE HU IT LA LT LU MD
PL RO SK SL SP SV SZ UK **A:** IN
haematitius Germar, 1821: 329 (*Salius*)

rufus Olivier, 1807: 101 [HN]
rufus Schrank, 1781: 116 (*Curculio*) [HN]
unicolor Löden, 1910: 172 (*Rhynchaenus*)
erythropus Germar, 1821: 331 (*Salix*) E: BE CZ FR GE HU IT LU PL SP SZ UK N: AG MO TU
biplagiatus Desbrochers des Loges, 1884: 162 (*Rhynchaenus*)
flavipes Desbrochers des Loges, 1884: 164 (*Rhynchaenus*)
foedatus Gyllenhal, 1835a: 501
similicollis Rey, 1895c: 26
tricolor Kiesenwetter, 1852: 644 (*Rhynchaenus*)
uniformis Desbrochers des Loges, 1884: 168 (*Rhynchaenus*) [NA]
excellens Roelofs, 1875a: 164 A: FE JA
fagi fagi Linnaeus, 1758: 381 (*Curculio*) E: AL BE BH BU CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LS LT LU MD ME NR PL RO SB SK SL SP ST SV SZ UK A: AB AR GG TR
NARi
calcar Fabricius, 1787: 110 (*Curculio*)
fragariae Fabricius, 1792: 448 (*Curculio*)
geniculatus Reitter, 1888c: 270 [NA]
luteicornis Chevrolat, 1871c: xlii
rhododactylus Marsham, 1802: 262 (*Curculio*)
rhodopus Marsham, 1802: 263 (*Curculio*)
sanguinipennis Reitter, 1888c: 271 [NA]
subater O. F. Müller, 1776: 90 (*Curculio*)
fagi parilis Voss, 1952b: 203 A: NE
funicularis Voss, 1958b: 106 (*Rhynchaenus*) A: FUJ
gibbicollis Voss, 1960a: 145 (*Rhynchaenus*) A: AF
harunire Morimoto, 1984a: 53 (*Rhynchaenus*) A: JA SC (Ulreung)
heriterae Morimoto, 1984a: 69 (*Rhynchaenus*) A: JA
hidakai Morimoto, 1984a: 68 (*Rhynchaenus*) A: JA
hirtellus Miller, 1862b: 353 (*Rhynchaenus*) E: AL CR GR A: TR
habelmanni Desbrochers des Loges, 1884: 165 (*Rhynchaenus*)
horii Kôno, 1937d: 129 (*Rhynchaenus*) A: JA SC
hortorum Fabricius, 1792: 446 (*Curculio*) E: BE BU CR CT CZ DE FR GB GE GR HU IT LA LT
LU MD NR PL RO SB SK SP ST SV SZ UK A: AR GG TR WS
avellanae Donovan, 1797: 63 (*Curculio*)
confusus Desbrochers des Loges, 1870d: 158
ornatus Gravenhorst, 1807: 218
picturatus Vitale, 1906: 134 (*Rhynchaenus*)
scapularis Beck, 1817: 23 (*Rhynchaenus*)
signifer Creutzer, 1799: 125
simplex Penecke, 1927a: 325
vestitus A. Hoffmann, 1958: 1343 [NA]
x-album Stephens, 1831c: 64
hungaricus Hajóss, 1938: 659 (*Rhynchaenus*) E: AL AU BH CR FR HU MD RO SK SP A: JO LE
TR
hustachei Klíma, 1935: 15 (*Rhynchaenus*) [RN] A: FE JA SC
croceus G.A.K. Marshall, 1951: 87 (*Rhynchaenus*)
puberulus Hustache, 1920f: 633 [HN]
irroratus irroratus Kiesenwetter, 1852: 643 (*Rhynchaenus*) E: FR IT SP
distinguendus Jacquelin du Val, 1855a: 51 (*Rhynchaenus*)
irroratus maroccanus Roudier, 1954f: 127 (*Rhynchaenus*) N: AG MO TU
jota Fabricius, 1787a: 110 (*Curculio*) E: BE CT CZ DE EN FI FR GB GE HU IT LA LT LU NR
NT PL SK SV SZ UK A: ES FE IS JA SC WS
absens Rey, 1895c: 26
maurus Gravenhorst, 1807: 218
rosae Herbst, 1795: 428 (*Curculio*) [HN]
shewini Legalov, 2007a: 401
lateritius Morimoto, 1984a: 50 (*Rhynchaenus*) A: FE JA MG SC (Ulreung)
longulus L.W. Schaufuss, 1862b: 311 E: GR
maculosus L. Yang & X. Zhang, 1991: 25 (*Rhynchaenus*) A: HEI
mangiferae G.A.K. Marshall, 1915: 378 (*Rhynchaenus*) A: YUN **ORR**
medvedevi Korotyaev, 1995a: 88 (*Rhynchaenus*) A: ES MG
miyatakei Morimoto, 1984a: 47 (*Rhynchaenus*) A: JA
mutabilis Boheman, 1843: 373 E: ST A: ES FE JA KZ MG SC WS
spinus Hustache, 1920f: 634
variegatus Roelofs, 1875a: 166
nigrofasciculatus Voss, 1958b: 106 A: FUJ

nitens Morimoto, 1984a: 54 (*Rhynchaenus*) A: JA SC
nitidulus Kojima & Morimoto, 2007a: 31 A: JA
nomizo Kôno, 1930f: 26 A: FE FUJ JA JIX NC SC
parvidens Voss, 1958b: 107 A: FUJ
pilosus Fabricius, 1781: 183 (*Curculio*) [NP] E: BE BU CR CT CZ DE EN FR GB GE GR HU IR IT
 LA LT LU MD NR PL RO SB SK SP ST SV SZ UK N: AG MO TU A: TR
ilicis Fabricius, 1787a: 110 (*Curculio*)
nigripes Fowler, 1891: 259
saltatorsegetis DeGeer, 1775: 264 (*Curculio*) [NO]
secalis Schrank, 1798: 509 (*Salius*)
segetis Linnaeus, 1758: 381 (*Curculio*) [NO]
quedenfeldtii Gerhardt, 1865: 214 E: BU GE GR HU IT MD PL SK ST UK A: AR GG TR
quercus Linnaeus, 1758: 379 (*Curculio*) E: AL BE BU CR CT CZ DE EN FI FR GB GE GR HU IR
 IT LA LT LU MD NR NT PL RO SB SK SP ST SV SZ UK N: AG TU A: SY TR
conformis Westhoff, 1882: 220 (*Rhynchaenus*)
depressus Marsham, 1802: 262 (*Curculio*) [HN]
monedula Herbst, 1795: 424 (*Curculio*)
multidentatus Gmelin, 1790: 1760 (*Curculio*)
phoebus Gozis, 1882b: 206 (*Rhynchaenus*)
roboris Westhoff, 1882: 220 (*Rhynchaenus*)
saltatorulmi DeGeer, 1775: 260 (*Curculio*)
setosus O. F. Müller, 1776: 90 (*Curculio*)
ulmi Goeze, 1777: 385 (*Curculio*) [URN, HN]
viminalis Fabricius, 1775: 145 (*Curculio*)
ruber Ter-Minasian, 1953a: 319 (*Rhynchaenus*) A: ES FE MG
sanguinipes Roelofs, 1875a: 165 A: FE JA SC
mixtus Hustache, 1920f: 635 [NA]
nigripes Hustache, 1920f: 635 [NA]
sasajii Kojima & Morimoto, 2007a: 28 A: JA SC
scitus Faust, 1887h: 171 A: ES FE
seriatosetosus Ter-Minasian, 1953a: 320 (*Rhynchaenus*) A: UZ
similis Faust, 1882a: 280 A: FE
sparsus Fåhraeus, 1843: 375 E: AU BH BU CR CZ FR GB GE HU IT MD PT RO SB SK SP ST SZ
 UK N: MR A: TR
crinitus Boheman, 1843: 380
melanarius Kiesenwetter, 1852: 645
steppensis Korotyaev, 2016b: 622 E: **CT** ST A: ES FE KZ LIA MG WS XIN **NARi**
stobieckii Smreczyński, 1957b: 130 (*Rhynchaenus*) E: BU CT HU SK ST UK A: TR
subbifasciatus Faust, 1882a: 280 (*Rhynchaenus*) A: FE FUJ NC SC
subfasciatus Gyllenhal, 1835a: 498 E: AU BH CR CZ GE HU IT PL SK SL UK
quercicola Fiori, 1906b: 264 (*Rhynchaenus*)
tersus Voss, 1960a: 146 (*Rhynchaenus*) A: AF
tianshanicus Bajtenov & Kazakova, 1971: 65 (*Rhynchaenus*) A: KI
trifasciatus Morimoto, 1984a: 72 (*Rhynchaenus*) A: JA
truncatipennis Morimoto, 1984a: 72 (*Rhynchaenus*) A: JA
villosus Morimoto, 1984a: 63 (*Rhynchaenus*) A: JA
yokoeae Morimoto & Miyakawa, 1996: 85 (*Rhynchaenus*) A: JA

genus *Orchestes*, nomina dubia
gutta Gravenhorst, 1807: 218 "Patria ignota"
weidenbachianus Gistel, 1848a: 135 E: GE

genus *Pseudendaeus* Voss, 1960a: 147 type species *Rhynchaenus endaeoides* Voss, 1960
endaeoides Voss, 1960a: 147 (*Rhynchaenus*) A: AF

genus *Pseudorchestes* Bedel, 1894: 156 [URN] [NP] type species *Salius pratensis* Germar, 1821
Hemirhamphus Bedel, 1884c: 123 [NO] type species *Salius pratensis* Germar, 1821
abdurakhmanovi Korotyaev, 1992d: 900 E: ST
angelovi Dieckmann, 1970c: 125 (*Rhynchaenus*) E: BU
araxicola Korotyaev, 1992c: 830 A: AB
asiaticus Legalov, 1997c: 477 A: KZ WS
asterici Hustache, 1938b: 34 (*Orchestes*) N: AG EG LB MO A: IS
astracanicus Tournier, 1873a: 183 (*Orchestes*) E: ST A: AF KI KZ

atraxidis Ter-Minasian, 1953a: 320 (*Rhynchaenus*)
cinereus Fähræus, 1843: 377 (*Orchestes*) E: AU BU CT CZ FR GE HU IT MD RO ST SZ UK
austriacus Reitter, 1911d: 281 (*Rhynchaenus*)
circumvistulanus Białoński, 1997: 108 (*Rhynchaenus*) E: PL ST
convexus Korotyaev, 2011b: 247 E: ST A: KI KZ
deserti Bajtenov & Lodos, 1980: 143 (*Rhynchaenus*) A: KZ
ermischi Dieckmann, 1958: 13 (*Rhynchaenus*) E: AU BE BU CR CZ EN FR GE HU LU MD PL RO
SK SP ST SZ TR UK A: TR
exiguus Faust, 1895c: 104 (*Orchestes*) E: ST
flavescens Faust, 1885b: 188 (*Orchestes*) A: TD
flavicornis Dieckmann, 1963b: 297 (*Rhynchaenus*) E: ST
flavidus H. Brisout de Barneville, 1865b: 280 (*Rhynchaenus*) E: FR IT (Sicilia) SP N: AG MO TU
desbrochersi Winkler, 1932b: 1630 (*Rhynchaenus*) [RN]
longulus Desbrochers des Loges, 1898g: 22 (*Orchestes*) [HN]
furcipubens Reitter, 1911d: 281 (*Rhynchaenus*) A: TM UZ
furcatus Reitter, 1911d: 281 (*Rhynchaenus*)
horioni Dieckmann, 1958: 16 (*Rhynchaenus*) E: AU BU CR CZ GR HU IT ME RO SK ST SZ TR
A: TR
kaszabi Dieckmann, 1963b: 309 (*Rhynchaenus*) A: TD TM
kostali Dieckmann, 1985: 95 (*Rhynchaenus*) E: HU
letourneuxi Pic, 1901b: 11 (*Orchestes*) N: AG EG LB MO TU A: SA TR AFR
medvedevi Korotyaev, 1992c: 831 A: KZ
michalki Dieckmann, 1963b: 301 (*Rhynchaenus*) E: BU MD RO
nanus Dieckmann, 1963b: 302 (*Rhynchaenus*) [HN] E: UK
olgae Korotyaev, 2011b: 243 E: KZ
persimilis Reitter, 1911d: 279 (*Rhynchaenus*) E: AU CR FR IT PT SL SP UK N: AG LB MO
balachowskyi A. Hoffmann, 1961a: 14 (*Rhynchaenus*)
gallicus Dieckmann, 1960b: 160 (*Rhynchaenus*)
otini Hustache, 1941b: 173 (*Rhynchaenus*)
pratensis Germar, 1821: 331 (*Salius*) E: AU BE BU CT CZ EN FR GB GE GR HU IR IT LA LT
MC MD PL RO SB SK SP SZ UK A: GG WS ORR
tomentosus Gyllenhal, 1835a: 497 (*Orchestes*) [HN]
waltoni Curtis, 1838: 678 (*Orchestes*)
purkynei Dieckmann, 1958: 18 (*Rhynchaenus*) E: CZ GE UK
sericeus Tournier, 1873a: 183 (*Orchestes*) E: ST A: AF IN KI KZ MG UZ TD TM
distans Faust, 1891b: 120 (*Orchestes*)
smreczynskii Dieckmann, 1958: 22 (*Rhynchaenus*) E: AL AU BU CT CZ FR GR HU IT MC ME PL
RO SB SK ST TR UK A: AB AR GG TD TM TR
squarosus Normand, 1949: 103 (*Rhynchaenus*) N: TU
subcinereus Reitter, 1911d: 282 (*Rhynchaenus*) A: AB AF TR
subfarinus Reitter, 1911d: 282 (*Rhynchaenus*) A: IS LE SY TR
tomentosus Olivier, 1807: 40 (*Rhamphus*) E: FR SP SZ
incanus Rosenhauer, 1856: 283 (*Orchestes*)
pallipes Desbrochers des Loges, 1884: 166 (*Orchestes*)
rhamphoides Jacquelin du Val, 1855a: 52 (*Orchestes*)
tshernovi Korotyaev, 2011b: 245 A: MG
xeranthemi Korotyaev, 1992c: 832 E: ST A: GG

genus *Rhamphus* [Clairville], 1798: pl. xii type species *Rhamphus flavicornis* [Clairville], 1798 (=

Curculio oxyacanthæ Marsham, 1802)

Nanorhamphus Korotyaev, 1984b: 352 type species *Rhamphus emeljanovi* Korotyaev, 1984

Rhamphonyx Voss, 1964a: 592 type species *Rhamphonyx tarsalis* Voss, 1964

Trichorhamphus Korotyaev, 1984b: 351 type species *Rhamphus hisamatsui* Chûjô & Morimoto, 1960

cerdanicus Tempère, 1982a: 15 E: FR SP

choseniae Korotyaev, 1984b: 352 A: FE

emeljanovi Korotyaev, 1984b: 353 A: KZ

hisamatsui Chûjô & Morimoto, 1960: 4 A: FE SC

kiesenwetteri Tournier, 1873a: 188 N: AG EG MO AFR

loebli Germann & Colonnelli, 2018: 192 E: PT

micros Colonnelli, 2009: 230 A: AE

monzini Pesarini & Diotti, 2012: 112 E: IT

oxyacanthae Marsham, 1802: 263 (*Curculio*) [NP] E: BE BU CT CZ DE FI FR GB GE GR HU IR
IT LA LU MA MD NR PL SB SK ST SV SZ UK A: CY ES MG TR
flavicornis [Clairville], 1798: 104 [NO]
pulicarius Herbst, 1795: 429 (*Curculio*) E: AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IR
IT LA LS LT LU MD NR NT PL RO SB SK SP ST SV SZ UK N: MO A: AR ES FE FUJ GG
IN JA NC SC SY TR WS
pullus Hustache, 1920f: 635
squamosus Hochhuth, 1851: 16 A: UZ
subaeneus Illiger, 1808b: 324 E: BE CR CT CZ FR GB GE GR HU IT LT LU PL PT RO SB SK SL
SP SV SZ N: MO
aeneus Boheman, 1833a: 310
panonicus Csiki, 1905: 582
tsaidamicus Korotyaev, 1984b: 351 A: QIN

genus *Rhynchaenus* [Clairville], 1798: pl. iv type species *Rhynchaenus xylostei* [Clairville], 1798
subgenus *Rhynchaenus* [Clairville], 1798: pl. iv type species *Rhynchaenus xylostei* [Clairville], 1798
pacificus Faust, 1887h: 172 (*Orchestes*) A: JA FE SC
terminassianae Egorov, 1978b: 606
praenotatus Voss, 1952b: 196 A: HEI
xylostei [Clairville], 1798: 70 E: CR CT CZ EN FI FR GB GE HU IT LA LT NT PL RO SK SZ UK
A: WS
loniceræ Fabricius, 1801: 495 [HN]
loniceræ Herbst, 1795: 427 (*Curculio*) [HN]
sabaudus Pic, 1901e: 80 (*Orchestes*)

genus *Sphaerorchestes* Morimoto & Miyakawa, 1996: 62 type species *Sphaerorchestes kawasei*
Morimoto & Miyakawa, 1996
kawasei Morimoto & Miyakawa, 1996: 63 A: JA
nepalensis Morimoto & Miyakawa, 1996: 65 A: NP

genus *Synorchestes* Voss, 1958b: 103 type species *Synorchestes griseescens* Voss, 1958
griseescens Voss, 1958b: 103 A: FUJ TAI

genus *Tachyerges* Schoenherr, 1825: 584 type species *Curculio salicis* Linnaeus, 1758
awomoriensis Roelofs, 1875a: 167 (*Orchestes*) A: JA
dauricus Faust, 1882a: 281 DEZ 26 A: ES FE JA MG
decoratus Germar, 1821: 333 (*Salius*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GB GE GR
HU IT LA LS LT LU MD NR NT PL RO SB SK SL SP SV SZ UK A: ES FE WS
empopulifolis Y-Q. Chen & Zhang, 1988: 305 (*Rhynchaenus*) A: BEI HEB LIA SHN SHX
nakamurai Morimoto & Miyakawa, 1996: 77 A: JA
parvicollis LeConte, 1876: A: ES
plinthotrichus Kolenati, 1859b: 362 (*Orchestes*) E: "Caucasus"
pseudostigma Tempère, 1982b: 249 (*Rhynchaenus*) E: AU BE CT CZ DE FI FR GB GE HU IT LA
LU MD NR NT PL RO SK ST SV SZ UK A: BEI ES FE NO WS
pubescens Motschulsky, 1845c: 379 A: FE
rufitarsis Germar, 1821: 333 (*Salius*) E: BE CZ DE FI FR GE HU IT LA LT MD NR PL RO SK SV
SZ UK A: ES FE WS
fulvitaris Brullé, 1832b: 247
salicis Linnaeus, 1758: 381 (*Curculio*) E: BE BU CT CZ DE EN FI FR GB GE GR HU IR IT LA
LT LU MD NR NT PL RO SB SK SP ST SV SZ UK A: AR CH ES FE GG JA SC TR WS
NAR
bifasciatus Fabricius, 1777: 225 (*Curculio*)
caprae Fabricius, 1781: 168 (*Curculio*)
concolor Gerhardt, 1898b: 14 (*Orchestes*)
minor Heyden, 1904: 360 (*Orchestes*)
saltatorisalicis DeGeer, 1775: 264 (*Curculio*)
scrutator Herbst, 1795: 191 (*Curculio*)
subhirtus Horn, 1873: 462 (*Orchestes*)
stigma Germar, 1821: 334 (*Salius*) E: AL BE BU CR CT CZ DE EN FI FR GB GE GR HU IR IT
LA LT LU MD NR NT PL RO SB SK SP ST SV SZ UK A: AB AR ES FE GG HEI JA MG
NC SC TR WS
confundatus Schoenherr, 1835: 503 (*Orchestes*) [RN]

rufitarsis Stephens, 1831c: 67 [HN]

7.5.17. Tribe Smicronychini Seidlitz, 1891

genus *Afrosmicronyx* Hustache, 1935a: 29 type species *Smicronyx giganteus* Hustache, 1935
clavofulvus Hoffmann, 1962c: 122 (*Smicronyx*) N: TU

genus *Aubeonymus* Jacquelin du Val, 1855a: 75 type species *Aubeonymus pulchellus* Jacquelin du Val,
1855 (= *Tychius carinicolis* Lucas, 1846)

atlasicus Escalera, 1914: 457 N: MO

carinicolis Lucas, 1846b: pl. 38 (*Tychius*) E: IT SP N: AG MO TU

pulchellus Jacquelin du Val, 1855a: 75 (*Tychius*)

scrobiculatus Rosenhauer, 1856: 281 (*Tychius*)

danieli González, 1968: 94 E: SP

franzi González, 1968: 95 E: SP

mariae-francisciae Roudier, 1982: 237 E: SP

meregallii Caldara, 1995b: 285 E: SP

pooti Caldara, 1990a: 17 E: SP

rifensis Hustache, 1936a: 79 (*Pachytychius*) N: MO

genus *Hedychrous* G.A.K. Marshall, 1923: 289 type species *Hedychrous rufofasciatus* G.A.K.
Marshall, 1923

rufofasciatus G.A.K. Marshall, 1923: 290 A: PA ORR

genus *Pachytychius* Jekel, 1861: 270 [DA] type species *Rhynchaenus sparsutus* Olivier, 1807

Barytychius Jekel, 1861: 272 type species *Tychius hordei* Brullé, 1832

Fogatianus Caldara, 1978a: 206 type species *Pachytychius planiusculus* Faust, 1885

Rabdotorhinus Desbrochers des Loges, 1894e: 82 type species *Rabdotorhinus hircus* Desbrochers des Loges, 1894

(= *Pachytychius hirtulus* Chevrolat, 1879)

Scyphotychius Desbrochers des Loges, 1875a: 22 type species *Scyphotychius latipes* Desbrochers des Loges, 1875 (= *Tychius hordei* Brullé, 1832)

Styphlotychius Jekel, 1861: 271 type species *Tychius scabricollis* Rosenhauer, 1856 (= *Tychius asperatus* Dufour, 1843)

abeillei Desbrochers des Loges, 1891a: 30 A: IS

ancora Gyllenhal, 1835a: 418 (*Tychius*) E: ST A: AR GG KZ TD TM UZ

ancora Gyllenhal, 1837a: 244 (*Tychius*) [HN]

aridicola Wollaston, 1864: 302 (*Tychius*) E: IT (Sardegna, Sicilia) N: CI EG LB MO TU A: IS

AFR

berlandi Peyerimhoff, 1942: 220

letourneuxi Desbrochers des Loges, 1891a: 30

lostiae F. Solari, 1939: 45

schusteri Reitter, 1909c: 86

siculus Desbrochers des Loges, 1891a: 30

asperatus Dufour, 1843: 84 (*Tychius*) E: FR PT SP N: AG MO

fairmairei Tournier, 1874b: 458

lineipennis Chevrolat, 1879b: 100

nitidirostris Dejean, 1835: 305 (*Tychius*) [NA]

scabricollis Rosenhauer, 1856: 280 (*Tychius*)

avulsus Faust, 1885d: 237 E: IT N: AG MO TU

basimaculatus Caldara, 1978a: 166 N: EG A: CY AFR

basimaculatus Voss, 1964a: 598 [NA]

behnei Caldara, 1988: 152 A: TD

cognatus Caldara, 2000: 137 A: SA YE AFR

crassirostris Faust, 1885b: 174 A: TD TM

deplanatus Desbrochers des Loges, 1873a: 109 (*Tychius*) E: SP N: AG MO

laticollis Desbrochers des Loges, 1898g: 18 [NA]

trapezicollis Tournier, 1874b: 455

difficilis Caldara, 1978a: 196 N: MO

discithorax Desbrochers des Loges, 1873a: 119 (*Tychius*) E: IT N: AG TU

bedeli Chevrolat, 1881b: xxxii

transversicollis Fairmaire, 1877b: 145

undulatus Desbrochers des Loges, 1873a: 119 (*Tychius*)

echidna Caldara, 1978a: 184 N: MO

eldae Caldara, 1978a: 195 N: AG MO

fuliginus Desbrochers des Loges, 1875a: 22 **E:** IT (Sicilia) **N:** AG EG LB MO **A:** AF PA SY TM
UZ
obscuricollis Voss, 1960a: 152
quadrifasciatipennis Escalera, 1914: 459
summorum Peyerimhoff, 1943: 30

globipennis Tournier, 1874b: 460 (*Barytychius*) **A:** AF KI KZ TD TM **UZ**
illectus Faust, 1889h: 229
solidus Faust, 1885b: 174

granulicollis Tournier, 1874a: 89 **E:** PT SP **N:** AG MO
granicollis Reitter, 1883c: 394 (*Aubeonymus*)
hirtipes Hustache, 1939b: 196

haematocephalus Gyllenhal, 1835a: 415 (*Tychius*) **E:** AL BE CR FR GB GR IT LU SP SZ **N:** AG
MO NARI
rubriceps Rosenhauer, 1856: 277 (*Tychius*)

hirtulus Chevrolat, 1879b: 100 **N:** EG **A:** SY
bugnioni Stierlin, 1894c: 119
hircus Desbrochers des Loges, 1894i: 95 (*Rabdotorhinus*)
longipilis Reitter, 1909c: 87

hispidulus F. Solari, 1932e: 161 **N:** AG LB MO TU
pardo A. Hoffmann, 1953b: 140

hordei grandicollis Waltl, 1835: 77 (*Sibinia*) **E:** AL FR IT GR MA PT SP **N:** AG MO
electus Normand, 1937: 252 (*Barytychius*)
nigripes Ragusa, 1906: 105 (*Barytychius*) [NA]
squamosus Gyllenhal, 1835a: 418 (*Tychius*)

hordei hordei Brullé, 1832b: 246 (*Tychius*) **E:** GR **N:** EG LB TU **A:** CY IS LE SY TR
alboguttatus L. Redtenbacher, 1843: 988 (*Tychius*)
alepensis A. Hoffmann, 1958: 1425
caucasicus Hochhuth, 1851: 94 (*Tychius*) [NA]
intramarginalis Hochhuth, 1847: 549 (*Tychius*)
latipes Desbrochers des Loges, 1875a: 22 (*Scyphotychius*)
rufipennis Pic, 1914i: 74 (*Barytychius*)
rufithorax Pic, 1914i: 74 (*Barytychius*)

hypocrita Tournier, 1874b: 457 **N:** AG MO
erythropterus Chevrolat, 1879b: 100
obsoletus Desbrochers des Loges, 1898g: 18

jacobsoni Legalov, 2007a: 400 **A:** KZ TD **UZ**

kirschi Tournier, 1874b: 458 **N:** AG

kruegeri F. Solari, 1939: 44 **N:** LB

latus Jekel, 1861: 273 **E:** AL GR IT (Sicilia) **A:** TR
latithorax Pic, 1902a: 26

lucasi baeticus Kirsch, 1870a: 175 **E:** PT SP **N:** MO
mazaganicus Escalera, 1914: 459

lucasi lucasi Jekel, 1861: 272 **E:** IT (Sardegna, Sicilia) **N:** AG EG TU **A:** SY
marmoreus Desbrochers des Loges, 1895b: 60
subcordatus Desbrochers des Loges, 1895b: 60

maculosus Reitter, 1907e: 319 **E:** SP

nivalis Korotyaev, 1988b: 143 [DA] **A:** KI

phytonomoides Escalera, 1914: 460 **N:** MO

picteti Tournier, 1860b: lxxxii (*Aubeonymus*) **E:** IT (Sicilia) **N:** AG MO

planiusculus Faust, 1885b: 174 **E:** TD **UZ**

puncticollis Reitter, 1874: 12 **N:** AG LB TU
punctulatus Desbrochers des Loges, 1895b: 59

robustus Wollaston, 1854b: 344 (*Tychius*) **N:** MR

rotundicollis Desbrochers des Loges, 1896f: 62 **E:** SP **N:** MO
antoinei A. Hoffmann, 1942a: 13
curvirostris A. Hoffmann, 1942c: 99 [URN]

sellatus Lucas, 1846b: pl. 38 (*Sibinia*) **E:** IT (Sicilia) SP **N:** AG MO TU
melillensis Escalera, 1914: 458

setosus G.A.K. Marshall, 1950: 209 **A:** SA YE **AFR**

simillimus Desbrochers des Loges, 1891a: 30 **N:** AG MO
bifascithorax Escalera, 1914: 460

simulans Caldara, 2010a: 100 **N:** AG EG LB MO

sinaiticus Crotch, 1872: 268 (*Tychius*) **N:** AG EG LB MO TU **A:** IS SY
sobrinus Tournier, 1874b: 454

sparsutus Olivier, 1807: 127 (*Rhynchaenus*) E: AU BE BU CZ FR GE GR HU IT LU PL PT RO SK
 SP ST SZ UK N: AG MO
aericollis Betta, 1857: 51
albomaculatus Pic, 1905a: 99
obesus Boheman, 1843: 308 (*Tychius*)
pernix Gyllenhal, 1835a: 417 (*Tychius*)
strumarius Gyllenhal, 1835a: 413 (*Tychius*) E: PT SP N: AG MO
elephas Kraatz, 1862b: 271 (*Tychius*)
pachyderus Fairmaire, 1871a: 401 (*Tychius*)
rotroi Pic, 1925d: 14
subasper Fairmaire, 1871a: 401 (*Tychius*) E: SP N: MO
lacordairei Tournier, 1874b: 456
subcylindricus Reitter, 1889d: 126 (*Echinocnemus*) A: TM
talgarensis Legalov, 2007a: 401 A: KZ
transcaucasicus Pic, 1913d: 114 E: ST A: AB GG
trimacula Rosenhauer, 1856: 278 (*Tychius*) E: SP
viciae G.A.K. Marshall, 1938b: 160 A: PA UP **ORR**

genus *Sharpia* Tournier, 1873c: cxxxvii type species *Erirhinus rubidus* Rosenhauer, 1856
Synaphus Desbrochers des Loges, 1875a: 21 type species *Erirhinus biskrensis* Desbrochers des Loges, 1875 (= *Erirhinus rubidus* Rosenhauer, 1856)
globulicollis Faust, 1891b: 119 A: UZ
heydeni Tournier, 1874a: 85 N: EG LB A: AE AF AR IN WS
grandis Tournier, 1874a: 86
inconspecta Faust, 1881: 313 E: "Caucasus" A: ES TM
rubida Rosenhauer, 1856: 260 (*Erirhinus*) E: FR GR IT MA PT SP ST N: AG EG LB MO TU A:
 AB AE AR IN IQ IS KZ SA TD TM UZ **AFR**
biskrensis Desbrochers des Loges, 1875a: 21 (*Erirhinus*)
deserticola Faust, 1891e: 405
gracilentia Fairmaire, 1877b: 145 (*Erirhinus*)
ibis Faust, 1891b: 120
imbricata Desbrochers des Loges, 1905e: 10
tournieri Pic, 1894a: 142
sabulicola Colonnelli, 2009: 231 A: AE IS SA
soluta Faust, 1885b: 171 E: GR RO A: AB AE CY IS KZ SA TD TM UZ
torretassoii Zumpt, 1936b: 30 N: EG A: IS
uniseriata Voss, 1960a: 153 A: AF

genus *Smicronyx* Schoenherr, 1843: 313 [RN] type species *Micronyx reichii* Gyllenhal, 1835
subgenus *Chalybodontus* Desbrochers des Loges, 1897a: 170 type species *Micronyx cyaneus* Gyllenhal, 1835
albofasciatus Chevrolat, 1879b: 100 N: AG
basalis Schultze, 1897h: 398 A: CY GG
cyaneus Gyllenhal, 1835a: 424 (*Micronyx*) E: FR GR IT MA SP N: AG TU
erichsoni Hochhuth, 1847: 551 E: "Caucasus"
fulvipes Reiche & Saulcy, 1858b: 10 E: GR A: IS SY
metallescens Kolenati, 1859b: 350 (*Tychius*) E: ST
opacus Gougelet & H. Brisout de Barneville, 1860: 335 E: SP N: TU
subgenus *Pseudromicronyx* Dietz, 1894: 130 type species *Smicronyx perfidus* Dietz, 1894
Synertha Dietz, 1894: 115 type species *Smicronyx imbricatus* Casey, 1892
obrieni D.M. Anderson, Korotyaev & Lingafelter, 2006: 243 Ei: ST **NAR**
subgenus *Smicronyx* Schoenherr, 1843: 313 [RN] type species *Micronyx reichii* Gyllenhal, 1835
Micronyx Schoenherr, 1835: 423 [HN] type species *Micronyx reichii* Gyllenhal, 1835
Oligocaricis Lea, 1926: 339 type species *Oligocaricis longirostris* Lea, 1926
albopictus Faust, 1881: 316 A: AF KI TD UZ
albosquamosus Wollaston, 1854b: 345 E: FR GR IT MA SP N: AG CI LB MO MR TU A: CY IS
angustus Fairmaire, 1875: 534
tunicensis Desbrochers des Loges, 1898g: 17
alfierii Pic, 1913a: 82 N: EG
angusticollis Fairmaire, 1875: 535 N: AG
balassogloi Faust, 1885b: 176 A: AB AF AR GG IN IS KI KZ TD TM UZ **ORR**
cuscutae G.A.K. Marshall, 1923: 288 [HN]
roridus G.A.K. Marshall, 1952: 267

tataricus Faust, 1887f: 174
coecus Reich, 1797: 12 (*Curculio*) E: BE BU CT CZ DE EN FR GB GE GR HU LT PL RO SK SP
 ST SZ UK A: IS WS
cuscutae C. N. F. Brisout de Barneville, 1878: lxiv
politus Boheman, 1843: 314
dentirostris Morimoto & Lee, 1992: 8 A: JA SC (Jeju)
desbrochersi Klíma, 1934b: 91 [RN] N: AG
fasciatus Desbrochers des Loges, 1897a: 169 [HN]
funebri Tournier, 1874a: 81 E: FR IT PT SP N: AG MO TU
marmoratus Rey, 1895c: 25
rudicollis Fairmaire, 1875: 535
gentianae Morimoto & Kojima, 2007a: 2 A: JA
helenae Karasyov & Okrajko, 1998a: 271 A: SA
hierochonticus Voss, 1953d: 15 A: IS
jordanicus Haran, 2017: 28
inornatus D.M. Anderson, 1974: 370 A: PA
italicus Voss, 1953d: 15 E: IT
japonicus Morimoto & Matoba, 2009: 67 A: JA
jungermanniae Reich, 1797: 16 (*Curculio*) E: BE BU CR CT CZ DE FR GB GE GR HU IT LU MA
 MD NR PL RO SB SK SP ST SV SZ UK N: AG LB MO TU A: IS KZ PA TR WS
cicus Gyllenhal, 1835a: 426 (*Micronyx*)
corsicus Faimaire, 1861: 584
cretaceus Tournier, 1874a: 82
ghanii D.M. Anderson, 1974: 364
minusculus Betta, 1857: 51
puncticollis Tournier, 1874a: 80
variegatus Gyllenhal, 1835a: 428 (*Micronyx*)
kubanicus Reitter, 1888c: 267 E: ST UK
leonardii Karasyov & Okrajko, 1998a: 273 A: YE
longitarsis Haran, 2017: 22 A: IS
madaranus Kôno, 1930d: 161 A: FE JA SC
menozzii F. Solari, 1952a: 22 E: BU IT
nebulosus Tournier, 1874a: 82 E: AL BU CZ FR GR HU IT LU MC PT RO SK SP ST SZ
modestus Tournier, 1874a: 83
rugicollis Rey, 1895c: 25
orientalis Karasyov & Okrajko, 1998b: 281 A: HAI **ORR**
parafasciatus D.M. Anderson, 1974: 368 A: PA
pauperculus Wollaston, 1864: 317 E: GR IT MA SP N: AG CI EG LB MO TU A: AE CY IS JO
 SA YE (Suqutra) **AFR**
kiesenwetteri Tournier, 1874a: 83
motschulskyi Tournier, 1874b: 509 (*Tychius*) [RN]
rufipennis Tournier, 1874a: 84
suturellus Motschulsky, 1858: 78 (*Sibiria*) [HN]
punctatus Desbrochers des Loges, 1897a: 168 N: AG
praecox Faust, 1885b: 177 A: UZ
reichii Gyllenhal, 1835a: 426 (*Micronyx*) E: AL AU BE BU CR CZ FR GB GE GR HU IT MC NL
 PL RO SB SK SP ST SV SZ TR UK N: MO TU A: GG TR
brenskii Faust, 1887e: 83
championis Fowler, 1890: 147
pygmaeus Curtis, 1840: 280
seriepilosus Tournier, 1874a: 81
revelierei Tournier, 1874a: 114 E: FR IT
robustus Faust, 1885b: 175 A: AF IN KZ PA TD UZ
rubricatus Kôno, 1930d: 161 A: FE FUJ GUX JA NC SC TAI
rufipes Kiesenwetter, 1864: 276 E: GR
rufovittatus D.M. Anderson, 1974: 371 A: PA
scops Tournier, 1874a: 82 E: ST A: KZ TD
sculpticollis Casey, 1892: 403 A: HEN **NAR**
smreczynskii F. Solari, 1952a: 25 E: BE BU CT CZ DE FI FR HU IT MD NT PL SK ST SV UK A:
 ES WS
striatipennis Tournier, 1874a: 83 E: HU IT
gratiosus F. Solari, 1952a: 28
swertiae Voss, 1953c: 6 E: BH CZ GE GR HU UK N: TU A: SE

syriacus Faust, 1887e: 84 E: AL BU CZ FR IT GR HU MA MC MD RO SK SP ST SZ UK N: CI
LB MO TU A: CY IN IQ IS KZ MG SY TM UZ
brevicornis F. Solari, 1952a: 26
turkestanicus Karasyov, 1995: 62 A: KZ TD UZ
ushoensis D.M. Anderson, 1974: 367 A: PA
varipilis Fairmaire, 1875: 534 N: AG

genus *Smicronyx*, species incertae sedis
regularis Rey, 1886: 2 E: FR

7.5.18. Tribe Storeini Lacordaire, 1863 s.l.

genus *Imathia* Pascoe, 1885: 251 type species *Imathia bella* Pascoe, 1885
Amblycnemus G.A.K. Marshall, 1931a: 265 type species *Amblycnemus stvensoni* G.A.K. Marshall, 1931
Apatidotasia Lea, 1928a: 159 type species *Apatidotasia amplipennis* Lea, 1928
Ouzephianta Voss, 1957a: 17 type species *Ouzephianta sparsa* Voss, 1957
ryukyuensis Kojima & Morimoto, 1998b: 251 A: JA
taiwanensis Kojima & Morimoto, 1998b: 253 A: TAI

7.5.19. Tribe Styphlini Jekel, 1861

genus *Orthochaetes* Germar, 1823: 302 type species *Rhynchaenus setiger* Beck, 1817
Strenes Schoenherr, 1836: 510 type species *Styphlus setulosus* Gyllenhal, 1836 (= *Rhynchaenus setiger* Beck, 1817)
alpicola alpicola K. Daniel, 1904: 86 E: IT SZ
alpicola occidentalis G. Osella & Zuppa, 1994a: 287 E: IT FR
baeticus K. Daniel, 1906c: 184 E: SP
cerdanicus Hustache, 1930d: 192 E: FR
estrelanus Germann & Braunert, 2016: 182 E: PT
extensus Chevrolat, 1881a: cxxxiv (*Styphlus*) E: FR PT SP
franzi González, 1967a: 58 E: SP
hirticulus A. Hoffmann, 1963d: 397 E: SP
insignis Aubé, 1863: 129 (*Styphlus*) E: AZ FR GB IR IT PT SP N: MO
nevadensis González, 1967a: 54 E: SP
pirenaeus González, 1967a: 61 E: AN SP
porosus Desbrochers des Loges, 1900a: 13 A: TR
rectirostris A. Hoffmann, 1960b: 166 E: PT SP
sanctaeszalzae Peyerimhoff, 1925a: 19 N: AG
setiger [Beck], 1817: 21 (*Rhynchaenus*) E: BE BU CZ DE FR GB GE GR HU IR IT LU MA MD PL
RO SK SP SV SZ UK AURi
discoidalis Fairmaire, 1869: 232
erinaceus Jacquelin du Val, 1855a: 53
plagiatus Schilsky, 1907: 20
rubricatus Fairmaire, 1862a: 586
setulosus Gyllenhal, 1836: 511 (*Styphlus*)
uniformis A. Hoffmann, 1963d: 398 [NA]
subsetosus Petri, 1912a: 320 E: RO
villiersi González, 1967a: 64 E: PT N: MO

genus *Orthochaetes*, nomen dubium

genus *Paraphilermus* Desbrochers des Loges, 1892i: 71 type species *Eriirhinus bilunulatus* Desbrochers
des Loges, 1870
bilunulatus Desbrochers des Loges, 1870c: 192 (*Eriirhinus*) E: MD RO ST UK A: WS
artemisiae Becker, 1872: 120 (*Eriirhinus*)

genus *Paroryx* Reitter, 1913a: 79 [RN] type species *Eriirhinus nitidus* Chevrolat, 1861
Oryx Tournier, 1874a: 91 [HN] type species *Eriirhinus nitidus* Chevrolat, 1861
nitidus Chevrolat, 1861b: 155 (*Eriirhinus*) E: IT (Sicilia) N: AG MO TU

genus *Philernus* Schoenherr, 1835: 429 type species *Philernus farinosus* Gyllenhal, 1835 (= *Tychius farinosus* Gebler, 1829)

Astyphlinus Reitter, 1899c: 162 [URN]

Astyphlus Reitter, 1899a: 2 type species *Astyphlus gracilitarsis* Reitter, 1899 (= *Tychius farinosus* Gebler, 1829)

Halophagus Becker, 1864: 484 type species *Halophagus halimocnemis* Becker, 1864 (= *Tychius farinosus* Gebler, 1829)

Salsolia Bajtenov, 1978b: 55 type species *Salsolia morgei* Bajtenov, 1978

Styphlochaetes Reitter, 1899a: 2 type species *Styphlochaetes bedeli* Reitter, 1899 (= *Tychius farinosus* Gebler, 1829)

cretaceus Korotyaev, 1979: 172 **A:** ES WS

farinosus Gebler, 1829: 174 (*Tychius*) **E:** CT NT ST UK **N:** AG CI **A:** AB AR IN KI KZ MG WS

bedeli Reitter, 1899a: 4 (*Styphlochaetes*)

farinosus Gyllenhal, 1835a: 430 [HN]

gracilitarsis Reitter, 1899a: 3 (*Astyphlus*)

halimocnemis Becker, 1864: 484 (*Halophagus*)

morgei Bajtenov, 1978b: 55 (*Salsolia*) **A:** KZ

pulchellus Korotyaev, 1979: 170 (*Philernus*)

ponticus Korotyaev, 1979: 171 **E:** ST UK

genus *Pseudostyphlus* Tournier, 1874a: 75 type species *Erirhinus pillumus* Gyllenhal, 1835

dorytomiformis Pic, 1912b: 51 **N:** EG

leontopodi Bajtenov, 1977b: 227 **A:** KZ

orthochaetinus Reitter, 1916a: 197 **A:** "Altai"

pillumus Gyllenhal, 1835a: 288 (*Erirhinus*) [NP] **E:** AU BE BH BU CT CZ DE EN FI FR GB GE

GR HU IT LA LT LU MC MD NL NT PL RO SK ST SV SZ UK **A:** TR KZ

pillumus Gravenhorst, 1807: 201 (*Rhynchaenus*) [NO]

setiger Perris, 1858: 144 (*Bagous*)

severopolinus Fairmaire, 1858: 741 (*Bagous*)

genus *Styphlidius* Penecke, 1936: 216 type species *Adexius corcyreus* Reitter, 1884

brevisetis G. Osella, 1981a: 61 **E:** GR

corcyreus Reitter, 1884d: 120 (*Adexius*) **E:** AL GR

globosus G. Osella, 1981a: 60 **E:** GR

italicus G. Osella, 1981a: 63 **E:** IT

pelops Germann, 2015: 400 **E:** GR

genus *Styphlus* Schoenherr, 1826: 258 type species *Styphlus penicillus* Schoenherr, 1826

subgenus *Styphlomimus* G. Osella & Zuppa, 1994a: 297 type species *Styphlus oros* Reitter, 1899

armeniacus Reitter, 1899a: 9 (*Orthochaetes*) **E:** ST **A:** AB

bogatshevi Davidian & Savitsky, 2000: 445 **A:** AR TR

caelebs Davidian & Savitsky, 2000: 443 **A:** GG

krueperi Stierlin, 1888a: 18 (*Orthochaetes*) **E:** BU **A:** LE TR

manueli Davidian & Savitsky, 2000: 444 **A:** GG

medvedevi Davidian & Savitsky, 2000: 444 **E:** ST

mikhaili Davidian & Savitsky, 2000: 443 **E:** ST

oros Reitter, 1899a: 9 (*Orthochaetes*) **E:** GR **A:** CY LE

lepidopterus Reitter, 1899a: 10 (*Orthochaetes*)

subgenus *Styphlus* Schoenherr, 1826: 258 type species *Styphlus penicillus* Schoenherr, 1826

eteocretus Germann & Winkelmann, 2016: 54 **E:** GR (Kriti)

fontis Colonnelli, 2016: 140 **E:** GR (Gávdos)

jonicus Reitter, 1899a: 7 (*Orthochaetes*) **E:** FR GR

tissoni Desbrochers des Loges, 1905g: 23 (*Orthochaetes*)

lederi Chevrolat, 1881a: cxxxiv **E:** "Caucasus"

penicillus Schoenherr, 1826: 259 **E:** FR ~~GR~~ SP (Mallorca) ~~A:~~ ~~AB~~ ~~CY~~

penicillus Gyllenhal, 1836: 510 [HN]

syriacus Stierlin, 1881c: 163 **E:** GR **A:** AB CY IS LE TR

judaeus Reitter, 1899a: 7 (*Orthochaetes*)

transjonicus G. Osella & Zuppa, 1994a: 298 **E:** IT

ursus Desbrochers des Loges, 1892j: 89 (*Orthochaetes*) **E:** GR ST

vidanoi G. Osella & Zuppa, 1994a: 302 **E:** IT

genus *Trachystyphlus* Alonso-Zarazaga & Lyal, 1999: 84 [RN] type species *Trachysoma alpinum*

Penecke, 1894

Trachysoma Penecke, 1894: 20 [HN] type species *Trachysoma alpinum* Penecke, 1894

alpinus alpinus Penecke, 1894: 21 (*Trachysoma*) E: AU RO SL
alpinus italocentralis G. Osella & Zuppa, 1994a: 293 (*Trachysoma*) E: IT
alpinus julicus G. Osella & Zuppa, 1994a: 290 (*Trachysoma*) E: IT SL
alpinus schatzmayri G. Osella & Zuppa, 1994a: 292 (*Trachysoma*) E: IT
beigeriae Smreczyński, 1975a: 161 (*Orthochaetes*) E: PL SK
demidovi Davidian & Savitsky, 2000: 443 (*Trachysoma*) E: ST

genus *Turanostyphlus* Davidian & Savitsky, 2000: 446 type species *Orthochaetes hauseri* González, 1967

hauseri González, 1967a: 71 (*Orthochaetes*) A: IN TD TM UZ
tadzhiika Nasreddinov, 1972: 59 (*Orthochaetes*)

tribe Styphlini, species incertae sedis
Bagous echinatus Waltl, 1839: 222 E: AU

7.5.20. Tribe Tychiini C. G. Thomson, 1859

7.5.20.1. Subtribe Demimacina Voss, 1937

genus *Demimaea* Pascoe, 1870b: 440 type species *Demimaea luctuosa* Pascoe, 1870

Lychnuchus Roelofs, 1875a: 169 [HN] type species *Lychnuchus tricolor* Roelofs, 1875
basalis Kôno, 1939b: 72 A: TAI
circulus Roelofs, 1875a: 170 (*Lychnuchus*) A: FUJ GUA JA SC (Jeju)
fascicularis Roelofs, 1874: 148 (*Lychnuchus*) A: FUJ GUA JA SC (Jeju) SHA TAI ZHE
minuta Voss, 1937d: 458 A: JA TAI
mori Kôno, 1939b: 73 A: JA
okuboana Voss, 1943c: 222 A: JA
okuboi Kôno, 1939b: 74 A: JA
tschungseni Voss, 1958b: 112 A: FUJ
tricolor Roelofs, 1875a: 170 (*Lychnuchus*) A: JA
vau Voss, 1953a: 52 A: FUJ ZHE

7.5.20.2. Subtribe Lignyodina Bedel, 1884

genus *Lignyodes* Dejean, 1835: 278 type species *Curculio enucleator* Panzer, 1798

subgenus *Lignyodes* Dejean, 1835: 278 type species *Curculio enucleator* Panzer, 1798

Lignyodes Schoenherr, 1835: 323 [HN] type species *Curculio enucleator* Panzer, 1798
Lignyodius Dieckmann, 1970b: 97 type species *Lignyodes slovacicus* Dieckmann, 1970 (= *Thysanocnemis bischoffi* Blatchley, 1916)
Rhaestes Gistel, 1856a: 371 type species *Curculio enucleator* Panzer, 1798
Stenorhynchus A. Villa & G. B. Villa, 1835: 43 [HN] type species *Curculio enucleator* Panzer, 1798
Thysanocnemis LeConte, 1876: 214 type species *Thysanocnemis fraxini* LeConte, 1876
bischoffi Blatchley, 1916: 179 (*Thysanocnemis*) Ei: CZ HU MD PL SK ST UK NAR
slovacicus Dieckmann, 1970b: 97
dieckmanni Clark & Lodos, 1982: 313 A: TR
enucleator Panzer, 1798a: 14 (*Curculio*) E: AU BE BU CR CZ FR HU IT GE GR LU MD NL PL RO SK SL SP ST SZ UK A: TR
bicolor Lepeletier & Audinet-Serville, 1825: 295 (*Rhynchaenus*)
rudesquamosus Fairmaire, 1858: 740
japonicus Kojima & Morimoto, 2003: 384 A: JA
suturatus Fairmaire, 1860b: ccxxxvii E: CZ GR HU PL RO SK ST UK A: TR
muerlei Ferrari, 1866: 368
obliquefasciatus Fairmaire, 1876c: cxciv
uniformis Desbrochers des Loges, 1895b: 58

7.5.20.3. Subtribe Tychiina C. G. Thomson, 1859

genus *Sibinia* Germar, 1817c: 340 type species *Curculio viscaria* Linnaeus, 1760

subgenus *Dichotychius* Bedel, 1885b: 89 type species *Ceutorhynchus cupulifer* C. N. F. Brisout de Barneville, 1869

albosquamosa Pic, 1904i: 148 E: SP N: CI LB MO SG (Selvagem Pequena) A: JO

beckeri Desbrochers des Loges, 1873a: 123 E: AL CR GR HU IT RO SK ST UK A: AR IN MG
 WS
tournieri Tournier, 1874b: 512
bipunctata Kirsch, 1871b: 393 E: ST N: AG EG A: AF CY IN IS JO KZ SY TD TM TR UZ
postsignata Voss, 1971a: 5
subfaceta Voss, 1960a: 136
caldaraedicata Colonnelli, 2014: 338 A: YE (Suqutra)
cupulifer C. N. F. Brisout de Barneville, 1869: 443 (*Ceutorhynchus*) N: AG EG LB TU
albovestita Pic, 1919d: 13 (*Tychius*)
cretososparsa Fairmaire, 1877b: 145
imbricata Desbrochers des Loges, 1907b: 100
limoniastri Schilsky, 1912: 80
exigua Faust, 1885d: 241 E: IT (Sardegna) PT SP N: AG LB MO TU
castaneipennis Desbrochers des Loges, 1908e: 56
cinctella Desbrochers des Loges, 1898g: 27
pusilla Faust, 1891b: 121
theryi Desbrochers des Loges, 1895c: 73
thierryi Desbrochers des Loges, 1895c: 73 [NA]
fusca Tournier, 1874b: 513 N: EG SA YE AFR
gallica gallica Pic, 1902d: 50["40"] E: FR
gallica gemmans Desbrochers des Loges, 1908e: 59 E: PT SP
karakumica Bajtenov, 1981c: 84 A: AR TM TR
kocheri A. Hoffmann, 1950b: 92 N: MO
meridionalis C. N. F. Brisout de Barneville, 1867: 192 E: CR FR GR IT RO SP UK A: TD TR
gloriosa Tournier, 1895a: 463
ochracea Rey, 1895c: 25
minima Caldara & Karasyov, 1995: 68 A: UZ
modesta Desbrochers des Loges, 1895c: 71 A: AE IN IS JO SA AFR
subolivacea Desbrochers des Loges, 1907b: 100
neglecta Bajtenov, 1974b: 38 A: KZ UZ
niveolineata Pic, 1917a: 10 (*Dichotychius*) N: AG LB TU
planiuscula ferruginea Hustache, 1946a: 72 N: MO
planiuscula planiuscula Desbrochers des Loges, 1873a: 124 E: GR IT (Sicilia) PT SP ST N: AG CI
 LB MO TU A: CY IS
heydeni Tournier, 1874b: 511
squamans Desbrochers des Loges, 1907b: 101
squamans Desbrochers des Loges, 1908e: 58 [HN]
reichei Tournier, 1874b: 514 E: IT A: CY SA SY AFR
viticollis G.A.K. Marshall, 1942b: 2
sarmatica Košťál & Caldara, 2011: 265 E: UK
simulans Caldara & Karasyov, 1995: 67 E: RO UK
sodalis Germar, 1823: 294 E: BE CZ DE FR GB GE GR IT LT PL PT RO SK SP SZ N: AG MO
cretacea H. Brisout de Barneville, 1860a: 168
rotundicollis Desbrochers des Loges, 1895c: 72
statices Moncreaff, 1869: 218
staticis Becker, 1864: 490 (*Tychius*) E: ST UK A: IN KZ TD TM TR UZ
minutissima Tournier, 1874b: 513
zuberi Desbrochers des Loges, 1873a: 123
subirrorata Faust, 1885b: 186 E: ST A: AB AE AF IN IQ KZ SY TD TM TR
ochraceosquamosa Voss, 1960a: 136
tychiiiformis Pic, 1902d: 50["40"] E: FR SP N: AG LB MO
albolateralis Desbrochers des Loges, 1908e: 58
antennalis Hustache, 1946a: 78
cretaceocincta Desbrochers des Loges, 1908e: 56
paronychia A. Hoffmann, 1931a: 51
umbrosa Desbrochers des Loges, 1907b: 103 E: PT SP N: AG MO
rufula Hustache, 1946a: 74
subgenus *Sibinia* Germar, 1817c: 340 type species *Curculio viscaria* Linnaeus, 1760
Aocnus Kolenati, 1859b: 342 type species *Aocnus kolenatii* Kolenati, 1859
Campipterus Motschulsky, 1845a: 101 [DA] type species *Campipterus versicolor* Motschulsky, 1845
Campopterus Agassiz, 1846: 62 [UE]
Mecynopyga Pierce, 1908: 179 type species *Mecynopyga texana* Pierce, 1908
Paragoges LeConte, 1876: 219 type species *Paragoges maculatus* LeConte, 1876
Sibynes Schoenherr, 1825: 583 [UE]
Sibynia Agassiz, 1846: 340 [UE]
Sibynia Wollaston, 1865: 285 [UE, HN]

abdominalis Tournier, 1874b: 520 E: BH BU CR IT MC ME SB
usta Voss, 1964d: 170
ventralis Schilsky, 1911: 92

amplithorax Desbrochers des Loges, 1873a: 112 N: AG LB MO TU
inausa Tournier, 1895a: 456
lepreuri Tournier, 1895a: 458
meles A. Hoffmann, 1965a: 25
mixta Desbrochers des Loges, 1895: 103
prujai A. Hoffmann, 1965a: 24
uniformis Desbrochers des Loges, 1895c: 70

annulifera Pic, 1902d: 49[“39”] A: BEI ES FE MG NC
tshernyshevi Legalov, 1997b: 471

arenariae Stephens, 1831c: 58 E: BE CZ FR GB GR IT MA NL RO SB SP TR UK N: AG CI EG
 LB MO MR TU A: AF AR CY GG HP IN JO NO PA SY TR SA UP
bohemani Desbrochers des Loges, 1873a: 115
curtiformis A. Hoffmann, 1955: 1153 [NA]

argentifera Pic, 1902d: 49[“39”] N: AG EG
aegyptiaca Pic, 1902d: 49[“39”]

attalica Gyllenhal, 1835a: 436 E: AL BU CR FR GR IT MC ME PT RO SP N: AG LB MO TU A:
 CY TR
argenteofulva Desbrochers des Loges, 1907b: 106
brondeli Tournier, 1895a: 462
delectata Tournier, 1895a: 458
excepta Desbrochers des Loges, 1895c: 66
oblonga Desbrochers des Loges, 1907b: 107
pacifica Hustache, 1946a: 77

auliensis Pic, 1902d: 50[“40”] A: FE IN KI KZ TM TR UZ
molitor Schilsky, 1912: 79

aureofulva Desbrochers des Loges, 1875a: 26 E: BU GR RO A: AB AR CY IN JO KI LE SA SY
 TR
lactaria Reitter, 1896b: 47

cedrorum Pic, 1905g: 155 N: AG

elliptica Korotyaev, 1996b: 489 A: FE NC SC

femoralis Germar, 1823: 292 E: AU BH BU CR CZ FR GE GR HU IT MA MD PL PT SB SK SL
 SP ST SZ UK N: AG EG LB MO TU A: AB AF AR ES FE GG IN IQ IS JO KI KZ LE SY
 TD TM UZ WS
angulicollis Desbrochers des Loges, 1907b: 103
argenteomicans Roubal, 1928b: 68
auricollis Desbrochers des Loges, 1873a: 113
aurithorax Desbrochers des Loges, 1875a: 26
brevior Desbrochers des Loges, 1907b: 105
compacta Desbrochers des Loges, 1907b: 102
consanguinea Desbrochers des Loges, 1895c: 76
curtula Desbrochers des Loges, 1907d: 132
demugita Tournier, 1895a: 459
demussata Tournier, 1895a: 459
densata Rey, 1895c: 25
desbordesi A. Hoffmann, 1955: 1151 [NA]
dilataticollis Desbrochers des Loges, 1907d: 134
distinctirostris Desbrochers des Loges, 1895c: 68
fallax Desbrochers des Loges, 1907c: 122 [NA]
finitima Tournier, 1895a: 461
formosa Aubé, 1866: 163
gallicola Giraud, 1861: 491
grisescens Tournier, 1874b: 515
harmonica Chevrolat, 1860d: 458
inclusa Desbrochers des Loges, 1873a: 110
lateralis Desbrochers des Loges, 1895f: 104 [NA]
nigrovittata Desbrochers des Loges, 1873a: 110
olivacea Tournier, 1895a: 463
pozuelica Fuente, 1910: 447
sardiniensis A. Hoffmann, 1955: 1151 [NA]
scutellaris Desbrochers des Loges, 1895c: 68
seducta Desbrochers des Loges, 1907b: 101
silenes Perris, 1855b: lxxviii
stierlini Becker, 1864: 484
stierlini Desbrochers des Loges, 1895c: 67 [HN]
tangeriana Desbrochers des Loges, 1907b: 106
taschkentica Faust, 1887f: 177
tibiella Gyllenhal, 1835a: 440

vaucheri Tournier, 1895a: 461
gobica Korotyaev, 1996b: 489 **A:** MG
hopffgarteni Tournier, 1874b: 514 **E:** AU CZ HU IT ME RO SK ST UK **A:** ES FE MG TR WS
dissimilis Desbrochers des Loges, 1907b: 105
tenuirostris Desbrochers des Loges, 1875a: 25
iberica A. Hoffmann, 1960b: 167 **E:** FR SP
insimulata Tournier, 1895a: 457 **N:** AG
iranica Caldara & Karasyov, 1995: 65 **A:** IN
jelineki Caldara, 1987: 39 **A:** AE IN
kolenatii Kolenati, 1859b: 242 (*Aocnus*) **A:** AB
lyrata Faust, 1889c: 136 **A:** JO SY TM TR
judea Pic, 1901f: 82
neganda Tournier, 1895a: 460 **N:** AG MO TU
albomarginata Normand, 1937: 254 [NA]
niveivittis Marseul, 1863: 240 **N:** AG TU
griseovestita Normand, 1937: 254 [NA]
sublineata Chevrolat, 1860d: 457 [HN]
pellucens Scopoli, 1772: 90 (*Curculio*) **E:** AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT LA LT LU MC ME NT PL PT RO SB SK SL SP ST SZ UK N: AG MO **A:**
AB AF AR ES GG IN TR WS
cana Herbst, 1784: 73 (*Curculio*)
cana Olivier, 1807: 134 (*Rhynchaenus*) [HN]
conspicua Tournier, 1895a: 455
maculicollis Schilsky, 1908a: 81 [NA]
roelofsi Desbrochers des Loges, 1873a: 116
rungsi A. Hoffmann, 1962c: 123
phalerata Gyllenhal, 1835a: 440 [NP] **E:** AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT
LT MC MD NL PL RO SB SK SL SP ST SV SZ UK A: AB AR CY IN KZ SY TM TR
asiatica Desbrochers des Loges, 1895c: 69
breviuscula Desbrochers des Loges, 1907b: 104
centromaculata A. Villa & G. B. Villa, 1833: 35 [NO]
dorsalis Sturm, 1826: 195 [NA]
velutifera Desbrochers des Loges, 1873a: 114
pici Tournier, 1895a: 456 **E:** SP **N:** AG MO
otosa Hustache, 1946a: 73
praeventa Hustache, 1946a: 76
primita Herbst, 1795: 104 (*Curculio*) **E:** AL BE BH BU CR CZ DE FI FR GB GE GR HU IT LA LT
MA MC ME NR NT PL PT RO SB SK SP ST SV SZ UK N: AG LB MO TU **A:** KZ LE SY
TD TM TR
gyllenhali Desbrochers des Loges, 1895f: 101
signata Panzer, 1806: 10 (*Rhynchaenus*)
pyrrhodactyla Marsham, 1802: 259 (*Curculio*) **E:** AU BE BH CR CT CZ DE FI FR GB GE HU IT
LA LT LU NL NR NT PL PT SB SK SP SV SZ UK
lloydi Donisthorpe, 1929: 125 (*Gymnetron*)
potentillae Germar, 1823: 292
villosa Marsham, 1802: 260 (*Curculio*) [HN]
pungens Peyerimhoff, 1925f: 283 **N:** MO
reitleri Desbrochers des Loges, 1895c: 69 **E:** UK **A:** AR GG IN IQ SY TR
seriata Desbrochers des Loges, 1873a: 115 **E:** FR (Corse) IT (Sardegna) **N:** TU
sericea Wollaston, 1864: 301 **N:** CI
sicana Ragusa, 1908: 171 **E:** IT
subelliptica Desbrochers des Loges, 1873a: 124 [NP] **E:** AN AU BE BU CR CT CZ FR GE GR HU
IT LA LU MC MD ME PL RO SK SP ST SZ UK N: AG **A:** AR BEI ES FE GG IS JA JO KZ
NC SC SHA SY TR WS
beckeri Tournier, 1874b: 521
brevinasus Desbrochers des Loges, 1895c: 75
curtirostris Tournier, 1874b: 521
hispanica Hustache, 1924b: 246
perrisi Tournier, 1874b: 522
recreata Gozis, 1886a: 31 [URN]
schaumei Desbrochers des Loges, 1895f: 107
schaumi Becker, 1864: 486 (*Gymnetron*) [NO]
subtilirostris Caldara & Karasyov, 1995: 66 **A:** AR TR
subtriangulifera Desbrochers des Loges, 1889c: cxv **E:** FR (Corse) IT (Arcipelago Toscano,
 Sardegna)

syriaca Faust, 1890e: 328 E: BH GR MC A: AB AR IN JO SY TM TR
abeillei Desbrochers des Loges, 1895c: 74
freudei A. Hoffmann, 1964a: 45

tibialis Gyllenhal, 1835a: 439 E: AU CR CZ FR GE GR HU IT MD PL RO SK ST SZ UK A: ES
 FE KZ TM WS
guillebeau Desbrochers des Loges, 1897d: 17
nitidirostris Desbrochers des Loges, 1875a: 25
rudopilosa Tournier, 1874b: 520
sahlbergi Pic, 1902d: 50["40"]
subconglobata Desbrochers des Loges, 1908e: 57

trivittata Hustache, 1946a: 75 N: MO

turcomanica Reitter, 1896b: 47 A: KZ TM UZ

unicolor Fähræus, 1843: 326 E: AU BU CZ GE HU IT LA PL RO SK ST SZ UK A: AB AR ES
 GG IN KZ LIA MG NC SY TIA TM TR WS
nigritarsis Desbrochers des Loges, 1875a: 25
obscuripes Pic, 1902j: 148
ochreate Schilsky, 1912: 78
pulchella Desbrochers des Loges, 1875a: 25
sobrina Voss, 1936b: 60

urbana Gyllenhal, 1835a: 442 A: NP

ussurica Korotyaev, 1996b: 490 A: FE NC

variata Gyllenhal, 1835a: 442 E: BE BU CZ FR GE GR HU IT MD PL PT SK SP ST N: AG LB
 A: TR
algorica Desbrochers des Loges, 1873a: 116 (*Tychius*)
picardi A. Hoffmann, 1955: 1145
rubripes Desbrochers des Loges, 1907b: 104

versicolor Motschulsky, 1845a: 101 (*Campipterus*) [DA] A: GG

viscaria Linnaeus, 1760: 177 (*Curculio*) E: AL AN AU BE BH BU BY CR CT CZ EN FI FR GB
 GE GR HU IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK
 N: AG A: AB AR ES FE GG KZ WS
fugax Germar, 1823: 293
lugdunensis Desbrochers des Loges, 1895c: 75
submeticollis Desbrochers des Loges, 1908e: 57

vittata Germar, 1823: 291 E: AU BU CT FR GE GR HU IT MD PL RO SK ST TR UK A: KZ
 TIA TR WS
dohrni Becker, 1864: 483 (*Tychius*)
indigena Desbrochers des Loges, 1907c: 122
subvittata Schilsky, 1908a: 84 [NA]
zebra Gyllenhal, 1835a: 435

genus *Tychius* Germar, 1817c: 340 type species *Curculio quinquepunctatus* Linnaeus, 1758

subgenus *Apeltarius* Desbrochers des Loges, 1873a: 126 type species *Apeltarius multilineatus*
 Desbrochers des Loges, 1873

Ectatotychnus Tournier, 1874b: 461 type species *Tychius amplicollis* Aubé, 1850

Pseudolignyodes Pic, 1899b: 140 type species *Pseudolignyodes apeltariiformis* Pic, 1899 (= *Tychius quinquelineatus* Tournier, 1873)

Xenotychnus Reitter, 1897h: 251 type species *Xenotychnus strigicollis* Reitter, 1897 (= *Apeltarius strigulatus* Desbrochers des Loges, 1875)

amplicollis Aubé, 1850: 342 E: FR (Corse) IT N: AG LB TU

semiauratus Pic, 1927b: 6 (*Ectatorhinus*) [HN]

subuniformis Pic, 1927b: 6 (*Ectatorhinus*)

multilineatus Desbrochers des Loges, 1873a: 126 (*Apeltarius*) E: IT (Sicilia) N: AG

similis Tournier, 1874b: 471 (*Ectatotychnus*)

quinquelineatus Tournier, 1874b: 462 N: EG A: IS LE SY

apeltariiformis Pic, 1899b: 140 (*Pseudolignyodes*)

theresae Pic, 1940a: 1 (*Pseudolignyodes*)

theresae Pic, 1949: 32 (*Pseudolignyodes*) [HN]

strigulatus Desbrochers des Loges, 1875a: 22 (*Apeltarius*) A: IS SY TR

palaestinus Pic, 1949: 32 (*Xenotychnus*) [HN]

ruficolor Pic, 1940a: 1 (*Xenotychnus*)

strigicollis Reitter, 1897h: 252 (*Xenotychnus*)

subgenus *Tychius* Germar, 1817c: 340 type species *Curculio quinquepunctatus* Linnaeus, 1758

Aoromius Desbrochers des Loges, 1907c: 111 type species *Curculio quinquepunctatus* Linnaeus, 1758

Elleschidius Penecke, 1938: 109 type species *Elleschidius maderi* Penecke, 1938 (= *Curculio cuprifer* Panzer, 1799)

Heliotychnus Franz, 1943: 78 type species *Xenotychnus dalmatinus* Penecke, 1922 (= *Tychius balcanicus* Caldara, 1990)

Henonia Pic, 1897d: 43 type species *Henonia auricollis* Pic, 1897 (= *Tychius schatzmayri* Pic, 1910)

Hypactus Marseul, 1888: 433 type species *Tychius depressus* Desbrochers des Loges, 1873

Lepidotychius Penecke, 1922a: 3 type species *Tychius morawitzi* Becker, 1864
Miccotrogus Schoenherr, 1825: 583 type species *Curculio cuprifer* Panzer, 1799
Mongolotychius Korotyaev, 1990a: 233 type species *Lepidotychius mongolicus* Bajtenov, 1977 (= *Tychius bajtenovi* Caldara, 1986)
Neotychius Hustache, 1945: 67 type species *Tychius grenieri* C. N. F. Brisout de Barneville, 1862
Paratychius Casey, 1910: 135 type species *Tychius prolixus* Casey, 1910

affinis Becker, 1864: 483 **E:** ST UK **A:** AR
fortirostris Desbrochers des Loges, 1895c: 68 (*Sibiria*)

afflatus Faust, 1889c: 134 (*Miccotrogus*) **A:** TM UZ

africanus Franz, 1942: 247 **E:** SP **N:** AG MO

albilaterus Stierlin, 1864b: 497 **E:** ST UK

albocruciatus Reitter, 1897c: 126 **A:** AB AF AR IN TD TR

albolineatus Motschulsky, 1860d: 495 **E:** CT FR IT ST **A:** ES FE HEI JA MG NC NO SC WS
fagniezi A. Hoffmann, 1936b: 101
ginsuji Kôno, 1930d: 145
irregularis Faust, 1890a: 93
irritans Faust, 1890a: 93
mandschuricus Voss, 1952b: 198 [NA]
oberti Faust, 1890a: 95
rusticus Faust, 1890a: 93
sibiricus Faust, 1890a: 96

alexii Korotyaev, 1992d: 897 (*Lepidotychius*) **E:** CT ST **A:** ES KZ NMO

alhagi Faust, 1884c: 462 (*Miccotrogus*) **E:** ST **A:** TM UZ
auctus Faust, 1889c: 135 (*Miccotrogus*)
massageta Faust, 1884c: 463 (*Sibiria*)
taukumicus Bajtenov, 1981d: 124 (*Miccotrogus*)

alpinus Hustache, 1926e: 318 **E:** FR IT SZ

amabilis Faust, 1894a: 64 **A:** AF AR IN KI SY TD TM TR UZ

amandus Faust, 1887i: 183 **A:** KZ TM

amplus Karasyov & Caldara, 1992: 57 **A:** AR

arcirostris Normand, 1938: 370 **E:** IT **N:** AG TU

argentatus Chevrolat, 1859a: 302 **E:** AL BU CR FR GR IT MA PT RO SP ST UK **N:** AG CI EG
LB MO TU A: IN IS TR
argenteosquamosus Desbrochers des Loges, 1908d: 39
dimidiatipennis Desbrochers des Loges, 1873a: 106
edentatus Desbrochers des Loges, 1895b: 61
mollicomus Desbrochers des Loges, 1908d: 40
nitidior Rey, 1895b: 3
seductor Desbrochers des Loges, 1908d: 41
sericeus Desbrochers des Loges, 1873a: 102
simillimus Desbrochers des Loges, 1908d: 41
zanoni Pic, 1928b: 105

astragali Becker, 1862: 346 **E:** RO SB ST UK **A:** AR IN KZ
armeniacus Pic, 1902j: 141
silverbergi Bajtenov, 1982b: 47 (*Neotychius*)
trivirgatus Desbrochers des Loges, 1873a: 99

atlasicus Hustache, 1946a: 70 **N:** AG MO

aurarius Boheman, 1843: 300 **E:** AL GR **A:** AB AR GG IN IS LE SY TM TR
akbesianus Pic, 1904g: 82
cervicolor Desbrochers des Loges, 1875a: 23
cervinoaureus Desbrochers des Loges, 1908a: 165
mazurai Formánek, 1923a: 61
strigosus Reiche & Saulcy, 1858b: 8

aureolus Kiesenwetter, 1852: 640 **E:** AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU
IT LA LT LU MC MD ME PL PT RO SB SK SL SP ST SZ UK N: AG **A:** AB AF AR CY GG
IN KI KZ TD TM TR UZ WS
albovittatus C. N. F. Brisout de Barneville, 1863b: 768 [HN]
albovittis Gemminger, 1871c: 123 [RN]
brevipennis Pic, 1902j: 145
femoralis C. N. F. Brisout de Barneville, 1863b: 771
subpiger Desbrochers des Loges, 1895c: 72 (*Sibiria*) [NA]
subpiger Desbrochers des Loges, 1895c: 73 (*Sibiria*)

aurichalceus Gyllenhal, 1835a: 410 **E:** PT SP

bajtenovi Caldara, 1986: 186 [RN] **A:** MG
mongolicus Bajtenov, 1977a: 161 (*Lepidotychius*) [HN]

balcanicus Caldara, 1990b: 147 [RN] **E:** AL BH BU CR GR MC ME RO **A:** IN TR
dalmatinus Penecke, 1922a: 4 (*Xenotychius*) [HN]

banfii Caldara & Fremuth, 1992: 162 N: EG A: IN IQ JO SA TR
beckeri Tournier, 1874b: 487 E: RO ST UK A: AR IN KI KZ TM TR WS
bedeli Faust, 1885b: 183 E: ST N: EG A: IN IQ IS KZ TD SY TR UZ
guentheri Franz, 1940: 21 (*Lepidotychius*)
imbricatus Desbrochers des Loges, 1897e: 25
bicolor C. N. F. Brisout de Barneville, 1863b: 772 E: AL FR GR IT MA PT SP UK N: AG CI EG
LB MO MR TU A: AE AF CY IN IQ IS LE SY TR
aureomicans Tournier, 1874b: 465
balearicus Desbrochers des Loges, 1908d: 39
contemptus Desbrochers des Loges, 1908d: 40
curticollis Rey, 1895b: 4
femoratus Tempère, 1961: 97 [NA]
flavicornis Desbrochers des Loges, 1897e: 23
gossypii G.A.K. Marshall, 1914: 237
latiusculus Desbrochers des Loges, 1897e: 24
medius Desbrochers des Loges, 1895b: 62
sericellus Faust, 1889a: 88
subpilosus Desbrochers des Loges, 1908b: 181 [NA]
suturaalba Desbrochers des Loges, 1898g: 25 [RN]
suturatus Desbrochers des Loges, 1897e: 25 [HN]
bisquamosus Pic, 1902j: 144 E: ST A: AR
boroveci Caldara, 1995a: 124 E: BU MC
breviusculus Desbrochers des Loges, 1873a: 106 [NP] E: AL AU BE BH BU BY CR CZ DE EN FI
FR GB GE GR HU IT LA LS LT LU MC MD ME NL PL PT RO SB SK SL SP ST SV SZ UK
N: AG MO A: AB AF AR BEI ES FE GG HEB HEI IN KZ MG NC NO NW TIA TM TR
WS
alpensis A. Hoffmann, 1961a: 10
communis Geoffroy, 1785: 123 (*Curculio*) [NO]
fulvoaureus Desbrochers des Loges, 1895c: 72 (*Sibinia*)
glaucus Desbrochers des Loges, 1908d: 44
griseosericeus Goeze, 1777: 411 [NO]
humeralis Desbrochers des Loges, 1908d: 45
jacqueti Pic, 1903d: 140
micaceus Rey, 1895b: 3
nasutus Desbrochers des Loges, 1895c: 65
obscurus Tournier, 1874b: 494
opaculus Desbrochers des Loges, 1895b: 62
subflavicollis A. Hoffmann, 1962b: 96
brisouti Tournier, 1874b: 471 E: FR IT SP
galloprovincialis Hustache, 1924b: 248
nemausensis A. Hoffmann, 1939a: 81
vauchusianus A. Hoffmann, 1936b: 104
bruleriei Desbrochers des Loges, 1875a: 24 N: EG A: AE IS LE SY AFR
florieni Pic, 1919d: 14
caldarai Dieckmann, 1986: 75 E: AU BU CR CZ GR HU IT MC MD ME RO SK A: IN TR
callidus Caldara, 1990b: 105 E: MC A: AR IN
capucinus Boheman, 1843: 312 E: FR (Corse) GR (Zákynthos) IT SP N: AG EG LB MO TU
auronotatus Pic, 1925c: 10
concolor A. Hoffmann, 1955: 1200 [NA]
damryi Desbrochers des Loges, 1895c: 77 (*Miccotrogus*)
discoideus Desbrochers des Loges, 1873a: 117 (*Miccotrogus*)
meyeri Pic, 1932a: 25
molitor Chevrolat, 1859a: 302 (*Miccotrogus*)
monachus Chevrolat, 1859a: 300 (*Miccotrogus*)
perceptus A. Hoffmann, 1953b: 142
signaticollis Chevrolat, 1859a: 301 (*Miccotrogus*)
chevrolati Tournier, 1874b: 484 E: PT N: MO
cinnamomeus Kiesenwetter, 1852: 639 E: FR IT SP
adpersulus Desbrochers des Loges, 1908d: 43
adpersus Desbrochers des Loges, 1908d: 45
barcelonicus Desbrochers des Loges, 1908d: 38
denticrus Desbrochers des Loges, 1892k: 100 [NA]
fallax Rey, 1895b: 3 [NA]
suturalis C. N. F. Brisout de Barneville, 1862b: 605
colossus Weill & Caldara, 2017: 359 A: TR
conspersus Rosenhauer, 1856: 273 E: SP N: CI MO
antoinei Hustache, 1932b: 51

consputus Kiesenwetter, 1864: 281 E: BU CR FR (Corse) GR IT MC SP N: AG MO A: IN IS JO SY TR
acumirostris C. N. F. Brisout de Barneville, 1866b: 415
algericus Desbrochers des Loges, 1908e: 54 [HN]
fanalesi Ragusa, 1908: 161
holdhausi F. Solari, 1932e: 163
siculellus Ragusa, 1908: 159
tenuirostris Tournier, 1874b: 466
corsosardous Caldara, 2013: 51 [RN] E: FR (Corse) IT (Sardegna)
bivittatus Perris, 1866b: 191 [HN]
crassifemoris Bajtenov, 1977a: 161 (*Lepidotychius*) A: FE MG WS
crassior Desbrochers des Loges, 1908e: 54 N: AG LB
crassirostris Kirsch, 1871d: 48 E: BE BU FR CZ DE GB GE GR HU IT LU MD PL RO SK SP ST SZ UK A: AB KZ UZ
auliensis Pic, 1902j: 145
denominandus Faust, 1889a: 90
kirschi Faust, 1884c: 471
sericans Gozis, 1875: 88
sericatus Desbrochers des Loges, 1897e: 26 [HN]
sericatus Tournier, 1874b: 488
therondi Hustache, 1933b: 115
cretaceus Kiesenwetter, 1852: 638 E: FR SP
ochroceras Desbrochers des Loges, 1908d: 43
crypticus Caldara, 1986: 174 N: EG A: AB CY IN IQ SA TR
cupricolor Penecke, 1936: 222 E: GR A: CY JO SY TR
cuprifer Panzer, 1799a: 10 (*Curculio*) E: AL AU AZi BH BU CR CZ FR GE GR HU IT MD ME RO SB SK SP SZ UK N: AG AZ MO A: AR IN IS LE SY TM TR
lineaticollis Pic, 1940a: 1 (*Miccotrogus*)
maderi Penecke, 1938: 110 (*Elleschidius*)
procerulus Kiesenwetter, 1852: 641
cupriferoides Ragusa, 1922: 14 E: GR IT N: MO
parallelus Kiesenwetter, 1852: 642 (*Sibinia*) [HN]
cuprinus Rosenhauer, 1856: 271 E: PT SP N: MO
tuberculostris Hustache, 1946a: 63
curtirostris Desbrochers des Loges, 1873a: 107 E: AL BU CR FR GR IT MC ME ST A: TR
neapolitanus Tournier, 1874b: 502
curvirostris C. N. F. Brisout de Barneville, 1863b: 777 E: FR SP
temperei A. Hoffmann, 1955: 1196
cylindricollis F. Solari, 1950a: 46 E: SP
decretus Tournier, 1874b: 496 E: FR IT SP N: AG EG MO TU
alluaudi A. Hoffmann, 1953b: 140
junior Gozis, 1886a: 31
metallifer Rey, 1895b: 4
sericatus Tournier, 1874b: 498 [HN]
depauperatus Wollaston, 1864: 303 N: AG CI EG LB MO TU A: QA
chobauti Desbrochers des Loges, 1895b: 61
chobauti Desbrochers des Loges, 1908d: 47 [HN]
fulvescens Desbrochers des Loges, 1898g: 23
subdentatus Pic, 1922c: 103
vestitipennis Pic, 1925c: 10
depressus Desbrochers des Loges, 1873a: 108 E: FR (Corse) IT N: AG TU
auroillitus Pic, 1925c: 10
hypaetrus Tournier, 1874b: 469
insularis Chevrolat, 1875: lviii (*Pachytychius*)
dieckmanni Caldara, 1986: 176 A: IN UZ
babaevi Bajtenov & Sojunov, 1990: 71 (*Lepidotychius*)
dispar Tournier, 1874b: 467 E: IT
doderoi F. Solari, 1950a: 47 (*Miccotrogus*) E: IT (Sardegna, Sicilia)
eldae Caldara, 1990b: 141 E: TR A: AR IN TR
elegantulus C. N. F. Brisout de Barneville, 1863b: 774 E: FR SP N: MO
maculifrons Desbrochers des Loges, 1896f: 61
pulcher Pic, 1925c: 9
elongatulus Desbrochers des Loges, 1897e: 22 N: AG CI LB MO TU A: IN SA
caroli Pic, 1898c: 3
elongatior Desbrochers des Loges, 1898g: 24 [URN, NA]
longitarsis Desbrochers des Loges, 1898g: 24
longiusculus: Desbrochers des Loges, 1898g: 24 [ISS, NA]

oblongiusculus Desbrochers des Loges, 1908d: 47
tenuitarsis Desbrochers des Loges, 1908d: 49
exiguus Faust, 1889b: 95 E: AL BU GR
fausti Reitter, 1896b: 46 (*Sibiria*) A: TD TM UZ
festivus Faust, 1884c: 468 (*Miccotrogus*) E: ST A: AB AF AR IN KZ PA TD TM TR
convexiusculus Desbrochers des Loges, 1908d: 43 [HN]
lederi Pic, 1902j: 147 (*Miccotrogus*)
paleolatus Desbrochers des Loges, 1895c: 66
filirostris Wollaston, 1854b: 346 N: CI MR SG (*Selvagem Pequena*)
colonnellii Caldara, 1991: 185
flavus Becker, 1864: 488 E: AU BH BU CR CZ HU IT MD RO SB SK ST UK A: AB AR ES GG
IN KI KZ MG TD TM TR UZ WS
difficilis Tournier, 1874b: 490
focarilei F. Solari, 1950a: 43 E: IT
franzi Caldara, 1986: 181 E: ST A: AB AF IN IQ TD TM
frater Caldara & Karasyov, 1997: 191 A: KZ
fremuthi Caldara, 1990b: 106 N: EG LB A: IN YE
funicularis C. N. F. Brisout de Barneville, 1863b: 775 E: FR IT (*Sardegna*) SP N: AG MO
auripilus Rey, 1895b: 3
hipponensis Desbrochers des Loges, 1908e: 53
fuscipes Chevrolat, 1859a: 303 E: SP N: AG
depressicollis Tournier, 1874b: 468
mathieui Desbrochers des Loges, 1897e: 23
opaculus Desbrochers des Loges, 1898g: 25 [HN]
rubidendus A. Hoffmann, 1957a: 55
gibbipennis Caldara & Korotyaev, 1996: 233 A: TR
gigas Faust, 1885b: 181 A: KZ TD TM UZ
gillerforsii Caldara & Korotyaev, 1996: 236 A: TR
goliathus Karasyov, 1993: 24 A: TM
gracilitubus Bajtenov, 1977a: 162 (*Lepidotychius*) A: MG
graecus Kiesenwetter, 1864: 279 E: GR A: TR
grandicollis Desbrochers des Loges, 1873a: 101 E: FR IT SP N: AG MO TU
armatus Tournier, 1874b: 495
grenieri C. N. F. Brisout de Barneville, 1862b: 605 E: AL BU CR FR GR IT MA MC SP N: AG
EG LB MO TU A: AR CY GG IN IS SA SY TM YE
dentipes Tournier, 1874b: 493
guttifer Desbrochers des Loges, 1875a: 24
maculosus Stierlin, 1894c: 122
ponticus Franz, 1942: 202
prasolovi Korotyaev, 1992d: 897
rufovittatus Faust, 1884c: 455
sparsus Hustache, 1946a: 65
hauseri Faust, 1889c: 133 E: ST A: AB AR GG IN MG TD TM UZ WS
hebes Desbrochers des Loges, 1875a: 24 E: AL BU CR GR MC A: IS JO LE SY TR
discicollis Faust, 1889a: 89
oertzeni Faust, 1889b: 96
hedysaricus Karasyov, 1991b: 143 A: MG
herculeanus Reitter, 1902b: 185 A: KI NP XIN
heydeni Tournier, 1874b: 476 N: EG AFR
villiersi G.A.K. Marshall, 1950: 209 (*Lepidotychius*)
hiekei Caldara, 1990b: 111 A: AR IN TR
hierosolymus Desbrochers des Loges, 1901c: 84 (*Pachytychius*) N: LB A: IS JO
tychioides Desbrochers des Loges, 1900a: 12 (*Pachytychius*) [HN]
hirtellus Tournier, 1874b: 500 E: GR A: IN IS JO TR
hispanus Velázquez de Castro & Caldara, 1992: 63 E: SP
hoffmanni Tempère, 1957: 88 E: FR PT
hueti Tournier, 1874b: 472 E: IT
immaculicollis Desbrochers des Loges, 1908a: 168 E: FR SP N: AG LB MO TU
bremondi A. Hoffmann, 1942a: 15
elegans Desbrochers des Loges, 1896f: 61 [HN]
ifranensis Hustache, 1946a: 66
kocheri Hustache, 1946a: 64
teluetensis Hustache, 1946a: 66
intrusus Faust, 1889c: 132 N: AG EG LB TU A: AR IN JO TD TM AFR
albonotatus Pic, 1902j: 143

baldschuanus Penecke, 1936: 225
diversepubens Pic, 1908g: 74
mekalinensis Pic, 1915d: 27
vaulogeri Pic, 1905b: 107
iwatensis Kôno, 1930d: 146 A: JA SC
junceus Reich, 1797: 15 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU
 LU MC MD ME IR IT LA LT PL PT RO SB SK SL SP ST SV SZ UK N: MO A: AB AR GG
 IN KZ TD TR WS
acosmus Tournier, 1874b: 486
brunnensis Formánek, 1923a: 60
curtus C. N. F. Brisout de Barneville, 1863b: 770
flavicollis Stephens, 1831c: 56
haematopus Gyllenhal, 1835a: 409
kambulini Bajtenov, 1980b: 128 (*Neotychius*) A: KZ
karkaralensis Bajtenov, 1974b: 37 E: CT ST A: KZ
kaszabi Bajtenov, 1977a: 160 (*Lepidotychius*) A: MG
kerulensis Bajtenov, 1981g: 219 (*Neotychius*) A: ES MG NO
khnzoriani Caldara, 1990b: 124 A: TD UZ
klapperichi Voss, 1960a: 133 A: AF
kostali Karasyov & Caldara, 1992: 56 A: KZ UZ
kostantinovi Karasyov & Caldara, 1992: 55 A: KZ TD UZ
krausei Caldara, 1985: 87 [RN] A: ES FE WS
semisquamosus Faust, 1893b: 204 [HN]
kulzeri Penecke, 1934: 189 E: AL AU CR CZ GR HU IT MC RO SB SK
kuschakewitschi Faust, 1885b: 182 A: AF KI TM UZ
lacteoguttatus Desbrochers des Loges, 1875a: 24 A: IS JO TR
laticollis Perris, 1864: 298 E: IT (Sicilia) SP N: AG LB MO TU A: IQ IS SY TR
albosuturalis Pic, 1929b: 96
beloni Pic, 1908g: 74
gentilis Rottenberg, 1872: 234
parallelogrammus Desbrochers des Loges, 1892k: 100
parallelogrammus Desbrochers des Loges, 1908d: 48 [HN]
suavis C. N. F. Brisout de Barneville, 1866b: 414
subparallelus Pic, 1908g: 74
lautus Gyllenhal, 1835a: 403 E: ST UK A: GG IN TM TR
auricollis Gyllenhal, 1835a: 420
ciliatus Gyllenhal, 1835a: 405
cilicensis Pic, 1905h: 162
obductus Hochhuth, 1851: 94
leprieuri Pic, 1904g: 82 N: AG
pelissieri Pic, 1905h: 162
lineatulus Stephens, 1831c: 57 E: BE BH CR CT CZ DE EN FR HU GB GE GR IT LA LT LU PL
 SK SL SP SV SZ UK A: IS TR
paganettii Franz, 1942: 201
lodosi A. Hoffmann, 1957a: 53 A: TR
longiclava Hustache, 1937c: 301 E: FR SP
longicollis C. N. F. Brisout de Barneville, 1863b: 778 E: AL CR FR GR IT SP N: TU
ellipsiformis Desbrochers des Loges, 1895b: 63
subellipticus Desbrochers des Loges, 1908d: 53
longicrus Desbrochers des Loges, 1892k: 99 N: AG TU
cylindritubus Desbrochers des Loges, 1908d: 49
longinasus Desbrochers des Loges, 1907b: 108 A: TR
longitubus Desbrochers des Loges, 1873a: 104 N: AG TU
ardea Faust, 1887e: 86
raffrayi Tournier, 1874b: 469
longulus Desbrochers des Loges, 1873a: 103 E: CT RO ST A: ES KZ MG SHN
confusus Desbrochers des Loges, 1873a: 103
longiusculus Tournier, 1874b: 474
mongolicus Csiki, 1901a: 114
lopatini Karasyov, 1991a: 23 A: KZ UZ
lopezi A. Hoffmann, 1957a: 53 E: SP (Mallorca)
magnificus Pic, 1902j: 141 A: TM
magnithorax Caldara, 2010b: 518 A: SY TR
marismontis Casalini & Colonnelli, 2004: 93 E: IT
maximus Petri, 1915: 341 A: KZ TM

medicaginis C. N. F. Brisout de Barneville, 1863b: 767 E: AB AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IT LA LT LU MC MD ME PL PT RO SB SK SL SP ST SZ UK N: TU A: AF AR ES GG IN KI KZ TD TM TR UZ WS XIN
argentellus Desbrochers des Loges, 1908a: 149
freudei A. Hoffmann, 1964a: 43
griseus Petri, 1915: 342 [HN]

meliloti Stephens, 1831c: 55 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT MA MC MD ME NR PL PT RO SB SK SL SP ST SV SZ UK N: AG A: AB AF AR ES GG IN KI KZ MG NE NO TD TM TR UZ WS XIN AFRi NARi
dimidiatirostris Desbrochers des Loges, 1908a: 149
joffrei A. Hoffmann, 1958: 1754
litigiousus Tournier, 1874b: 492
sorex Gyllenhal, 1835a: 411

minor Karasyov & Caldara, 1992: 57 E: UK A: AB AR GG IN TR

mitis Caldara, 1990b: 198 A: SY TR

mixtus Desbrochers des Loges, 1873a: 120 N: AG MO TU
approximatus Desbrochers des Loges, 1908d: 40
normandianus A. Hoffmann, 1957a: 56

molestus Faust, 1891e: 407 E: CT ST A: KI TM
beckerianus Desbrochers des Loges, 1895c: 65[/64]

monticola Hustache, 1946a: 71 N: MO

morawitzi Becker, 1864: 487 E: ST UK A: AB AF AR IN KI KZ TD TM UZ
convolvuli Faust, 1881: 324
imbricatipennis Desbrochers des Loges, 1908d: 52

mozabitus Pic, 1898c: 4 N: AG EG LB MO TU A: IN IQ IS JO SA SI
chevrolati Faust, 1885d: 241 (*Miccotrogus*) [HN]
mesopotamicus Desbrochers des Loges, 1908d: 42

naxiae Faust, 1889i: 229 [RN] E: CR GR IT A: TR
sericans Faust, 1889b: 97 [HN]

nigricollis Chevrolat, 1859a: 302 (*Miccotrogus*) E: IT (Sicilia) N: AG
bicolor Stierlin, 1864a: 151 [HN]
mitratus A. Costa, 1864: 128
schaumi Stierlin, 1866a: 32
trilineatus Pic, 1904f: 50

notabilis Karasyov, 1991a: 22 A: AR

ochraceus Tournier, 1874b: 505 E: BH GR IT (Sicilia) ST UK N: AG A: AB AF IN IS SY TM TR
reitterianus Penecke, 1922a: 26
spiniger Desbrochers des Loges, 1908d: 42

oedemerus Penecke, 1936: 224 E: PT SP

olceseii Tournier, 1874b: 483 E: PT N: AG MO TU

oppositus Desbrochers des Loges, 1875a: 23 A: IS SY TR
phoenicus Franz, 1942: 247

orchonicus Bajtenov, 1981g: 219 (*Neotychius*) A: KZ MG

oriens A. Hoffmann, 1964a: 44 A: XIN

oschianus Faust, 1885b: 185 A: KI KZ TD TM UZ
distans Faust, 1885b: 186
pubicollis Petri, 1915: 342

osellai Caldara, 1995a: 128 E: GR MC ME

ovalis Roelofs, 1875a: 171 A: ES FE FUJ GUX HEB JA MG NC SC SE SHX TIA
kaszabi Bajtenov, 1977a: 159 (*Neotychius*) [HN]

palaestinus Desbrochers des Loges, 1875a: 23 A: IN JO LE SY

paradoxus Karasyov, 1991a: 23 A: TM

parallelipennis Desbrochers des Loges, 1873a: 105 N: AG TU
normandi A. Hoffmann, 1953b: 142

parallelus Panzer, 1794a: 5 (*Curculio*) E: AU BE BU CR CT CZ DE FR GB GE GR HU IT LA LT LU PL RO SB SK SL SP ST SV SZ UK N: AG A: TM
alternatus Desbrochers des Loges, 1902a: 108 (*Apion*) [HN]
alternus Wagner, 1909b: 766 (*Apion*) [RN]
bivittatus Marsham, 1802: 281 (*Curculio*) [HN]
cnemerythrus Marsham, 1802: 268 (*Curculio*)
genistaecola Chevrolat, 1866a: 29
genistae Boheman, 1843: 301
icosiensis Peyerimhoff, 1919c: 243
nervosus Masham, 1802: 282 (*Curculio*)
pegaso Herbst, 1795: 103 (*Curculio*)
pseudogenistae Penecke, 1922: 23 [NA]

spartii A. Hoffmann, 1955: 1192 [NA]
vernalis Reich, 1797: 8 (*Curculio*) [HN]
pardalis Escalera, 1914: 465 **N: MO**
circulatus Hustache, 1946a: 68
pauperculus Tournier, 1874b: 470 **E: MA N: AG TU**
indentipes Pic, 1925c: 10
pellitus Desbrochers des Loges, 1908d: 55 **A: IS SY**
peneckeanus Voss, 1960a: 133 **A: AF IN**
perpendus Tournier, 1874b: 504 **A: IS LE TR**
rufofemoratus Pic, 1902j: 146
perrinae Caldara, 1990b: 136 **A: SHG ZHE ORR**
peyerimhoffi Pic, 1917a: 9 **N: AG**
picrostris Fabricius, 1787a: 101 (*Curculio*) **E: AL AU AZi BE BH BU BY CR CT CZ DE EN FI FR**
GB GE GR HU IR IT LA LS LT LU MC MD ME NR NT PL PT RO SB SK SL SP ST SV SZ
TR UK A: AB AF AR CY ES FE GG IN JAi KI KZ MG TD TM TR UZ WS NARi
cinerascens Marsham, 1802: 248 (*Curculio*) [HN]
fuscirostris Rey, 1895: 4 [NA]
parvulus Stephens, 1831c: 57
posticus Gyllenhal, 1835a: 423
rubripes Rey, 1895: 4 [NA]
seniculus Desbrochers des Loges, 1908a: 153
pierrei Roudier, 1954c: 58 **N: AG LB MO A: SA AFR**
pinnai Caldara & Fremuth, 1992: 162 **N: EG A: JO TR**
planophthalmus Caldara, 1995a: 129 **A: IN**
podlussanyi Caldara, 2010b: 507 **E: PT**
polylineatus Germar, 1823: 294 (*Sibiria*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB**
GE GR HU IT LA LT LU MC MD ME NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N:
AG MO A: AB AR GG IN IS LE SY TR
arietatus Tournier, 1874b: 465
brevitarsis Hustache, 1946a: 62
desbrochersi Klima, 1934a: 12
globithorax Desbrochers des Loges, 1873a: 99
indictus A. Hoffmann, 1957a: 51
lineolatus Desbrochers des Loges, 1873a: 100
orbiculatus Hustache, 1946a: 69
rectinasus Desbrochers des Loges, 1908d: 49
sublineatus Desbrochers des Loges, 1908: 53[/52] [HN]
tapirus Caldara, 1975: 53
praescutellaris Pic, 1902j: 147 (*Miccotrogus*) **A: CH ES KZ MG**
pristinus Voss, 1963b: 407 (*Lepidotychius*) **A: AF**
procerus Iablokoff-Khnzorian, 1962: 122 **A: AR**
pumilus C. N. F. Brisout de Barneville, 1863b: 779 **E: BU CZ FR GB GE GR HU IT LA LT MC**
MD PL RO SB SK SL SP ST SZ UK A: AR GG
gabrielii Penecke, 1927b: 329
pusillus Germar, 1842: 107 **E: AL AU BE BU CR CZ FR GB GE GR HU IT LS MA MC ME PL**
PT RO SK SP ST SZ UK N: AG MO AFRi
brevicornis G. R. Waterhouse, 1862b: 80
inermis A. Hoffmann, 1955: 1192 [NA]
melarhynchus Chevrolat, 1859a: 304
pygmaeus H. Brisout de Barneville, 1860a: 167
pyramidum Caldara, 1995a: 126 **N: EG**
pyrenaeus C. N. F. Brisout de Barneville, 1863b: 780 (*Miccotrogus*) **E: FR**
quinquepunctatus Linnaeus, 1758: 383 (*Curculio*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI**
FR GB GG GR HU IT LA LT LU MC MD ME NR NT PL PT RO SB SK SL SP ST SV SZ
UK N: AG A: AB AR ES FE GG IS JA JO KZ SY TR WS
conjunctus Franz, 1940: 19 [NA]
connexus Reitter, 1916: 215 [NA]
dieneri Hajóss, 1938: 655 [NA]
fasciatus Geoffroy, 1785: 133 (*Curculio*)
inapicalis Roubal, 1928b: 68 [NA]
ininterruptus Fuente, 1912a: 364 [NA]
laterelineatus Ragusa, 1908: 156 [NA]
modestus Tournier, 1874b: 462
obscuripes Korotyaev, 1996b: 485
quinquemaculatus Linnaeus, 1758: 380 (*Curculio*)
quinquenotatus Mannerheim, 1825: 25 (*Sibiria*)

senilis Franz, 1949: 264 (*Aoromius*)
smyrnensis Desbrochers des Loges, 1891a: 30 (*Pachytychius*)
stredai Penecke, 1926d: 41
subinterruptus Pic, 1901e: 80
tauni Fricken, 1888: 324
recognitus A. Hoffmann, 1953b: 141 N: AG
reduncus Tournier, 1874b: 499 N: MO
reitteri Faust, 1889e: 206 E: BU MC A: AB AR TR
retusus Faust, 1885b: 181 A: KZ MG TM
riedeli Caldara, 1996: 135 A: HP
robertoi Karasyov, 1993: 22 A: UZ
ruficornis Tournier, 1874b: 500 E: BU GR A: CY JO LB SY TR
rufipennis C. N. F. Brisout de Barneville, 1863b: 775 E: AU BH BU CZ FR GR HU IT MC RO SK
 SP N: AG
rufipes Tournier, 1874b: 503 E: SP N: AG MO TU
rufirostris Schoenherr, 1832: 223 E: ST UK A: AB AF AR GG IN KI KZ MG TD TR UZ
dentitibia Bajtenov, 1977a: 160 (*Neotychius*)
glycyrrhizae Becker, 1864: 486
russicus Desbrochers des Loges, 1908d: 37 E: BU GR MD RO MC UK A: AR IN TR
danieli Franz, 1942: 200
lateralis Penecke, 1922a: 12
rufirostris Gyllenhal, 1835a: 407 [HN]
rufirostris Gyllenhal, 1837a: 245 [HN]
sanctus Pic, 1919d: 14 A: IS LE TR
sauricus Karasyov & Okrajko, 1998a: 275 A: KZ
schatzmayri Pic, 1910d: 90 E: PT SP N: AG MO
auricollis Pic, 1897d: 43 (*Henonia*) [HN]
farinosus Rosenhauer, 1856: 274 [HN]
schneideri Herbst, 1795: 268 (*Curculio*) E: AU BE BH CR CT CZ DE FR GB GE GR HU IT LA LT
 LU NL NT PL RO SB SK SP SV SZ UK **AURi**
tychioides Pascoe, 1876: 62 (*Sibinia*)
schuleri Tempère, 1970: 65 E: FR
scythicus Karasyov, 1993: 25 E: ST
sefrensis Pic, 1896b: 93 N: AG LB TU
semiauratus Pic, 1902j: 142 A: MG
seriepilosus Tournier, 1874b: 460 E: IT N: AG EG LB TU A: IS JO SA SY YE
biskrensis Faust, 1885d: 240
immistus A. Hoffmann, 1957a: 54
industus Desbrochers des Loges, 1898g: 23
indutus Desbrochers des Loges, 1908d: 46
seriesquamosus Desbrochers des Loges, 1875a: 24
subpaleatus Desbrochers des Loges, 1908d: 46
terrosus Tournier, 1874b: 475
uniformis Pic, 1925c: 10
sharpi Tournier, 1874b: 506 E: AU BU CR CZ EN FR GE HU IT LA PL RO SK SL ST SZ UK
siculus Boheman, 1843: 299 E: IT (Sicilia) PT SP N: AG LB MO TU
similaris Tournier, 1874b: 504 E: IT (Sardegna) SP N: AG MO TU
olcesianus Desbrochers des Loges, 1908d: 55
peneckei Franz, 1942: 195
sogdianus Karasyov, 1993: 22 A: TD
spinicrus Desbrochers des Loges, 1895b: 63 E: FR (Corse) IT (Sardegna)
splendens Iablokoff-Khnzorian, 1959a: 76 A: AB AR IN
squamulatus Gyllenhal, 1835a: 404 E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR
 HU IR IT LA LT LU MC MD ME NR PL RO SB SK SL SP ST SV SZ UK N: AG A: AB AR
 GG IN SY TR WS
dentatus Rey, 1895b: 3
kirbii G. R. Waterhouse, 1862b: 79
mimulus Penecke, 1926d: 43 [NA]
starcki Pic, 1902j: 146
trapezithorax Desbrochers des Loges, 1908d: 44
stephensi Schoenherr, 1835: 412 [RN] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
 GR HU IR IT LA LS LT LU MA MC MD ME NR NT PL PT RO SB SK SL SP ST SV SZ UK
 N: CI A: AB AR ES GG IN IS JO KZ LE SY TD WS **NARi**
bertolinii Stierlin, 1894a: 101
brevicollis Rey, 1895b: 3

clavipes Rey, 1895b: 4
griseus Schaeffer, 1908: 217
mixtus Rey, 1895b: 4 [HN]
pallidicornis Desbrochers des Loges, 1875a: 25
poussielguei A. Hoffmann, 1955: 1168
tomentosus Herbst, 1795: 278 (*Curculio*) [HN]

striatulus Gyllenhal, 1835a: 405 **E:** AU BE FR GR HU IT LU PT SP **N:** AG CI EG LB MO TU
A: IN IS LE SY
areatus Rey, 1895b: 3
bellus Kirsch, 1870a: 174
berytensis Pic, 1917a: 9
convexusculus Desbrochers des Loges, 1875a: 23
decoratus Rosenhauer, 1856: 275
deliciosus Perris, 1869: 26
diversicolor Har. Lindberg, 1950: 18
fallens Desbrochers des Loges, 1908d: 37
fuscolineatus Lucas, 1847a: pl. 37
henoni Pic, 1917a: 10
italicus Tournier, 1874b: 479
pseudonigracollis A. Hoffmann, 1955: 1180

subsulcatus Tournier, 1874b: 470 **E:** AU BU CZ HU MD SB SK ST UK **A:** AR WS
longus Desbrochers des Loges, 1895c: 65

sulphureus Faust, 1881: 325 **E:** ST **A:** AB AF AR IN KI KZ TD TM UZ
conformis Faust, 1885b: 184

sumericus Caldara & Korotyaev, 1996: 234 **A:** IQ

suturatus Perris, 1866b: 192 (*Miccotrogus*) **E:** FR (Corse) IT (Sardegna)
lostiae Desbrochers des Loges, 1900a: 1 (*Miccotrogus*)

tectus LeConte, 1876: 217 **E:** CT **A:** BEI ES FE MG WS **NAR**
facetus Faust, 1891e: 407
languidus Casey, 1910: 135
mixtus Hatch, 1971: 355 [HN]

tessellatus Tournier, 1874b: 464 **E:** SP

thompsoni Caldara, 1990b: 136 **A:** XIZ

thoracicus Boheman, 1843: 302 **E:** BH BU CR GR IT MC **A:** IN TR
dalmatinus Pic, 1917a: 9
moreanus Pic, 1917a: 9
reichei Faust, 1890e: 325

tibialis Boheman, 1843: 310 **E:** BE BH BU CR FR GB GR HU IR IT ME RO SB SK SP **N:** AG
MO TU A: TR **AFRi**
comptus Tournier, 1874b: 497
nigrostris G. R. Waterhouse, 1862b: 80

tridentinus Penecke, 1922a: 6 **E:** AU CZ FR HU IT SK ST SZ TR UK **A:** IN KZ TR UZ
afflictus Hustache, 1936b: 143

trivialis Boheman, 1843a: 306 **E:** AU CR CZ DE EN GE HU IT LA LT MD PL RO SB SK ST SZ
UK A: AR ES GG IN KZ MG TR WS
cicris Penecke, 1922a: 9
irkutensis Faust, 1893b: 203
kiesenwetteri Tournier, 1874b: 485
leonhardi Penecke, 1922a: 8

turanensis Faust, 1887i: 182 (*Miccotrogus*) **A:** AF AR IN IS KI KZ TD TM TR UZ
angustus Faust, 1889c: 136 (*Miccotrogus*)
mixtus Faust, 1885b: 185 (*Miccotrogus*) [HN]

turkestanicus Pic, 1902j: 144 **A:** TM

ucrainicus Caldara, 2010b: 512 **E:** UK

uralensis Pic, 1902j: 142 **E:** MD ST UK **A:** AF BEI ES HEB WS
semiobliteratus Pic, 1902j: 143 [NA]

urbanus Faust, 1885b: 184 **N:** EG **A:** AF IN JO KZ TD TM TR UZ
desertus Franz, 1940: 14 (*Lepidotychius*)

valens Faust, 1889c: 131 **A:** TM

versicolor Faust, 1887i: 184 (*Miccotrogus*) **A:** TM

vicinus Roudier, 1954c: 59 **N:** AG EG **A:** SA YE

vossi Caldara, 1990b: 180 **A:** MG WS

weilli Caldara, 2010b: 516 **A:** SY

whiteheadi Caldara, 1990b: 109 **A:** IN

winkleri Franz, 1940: 15 (*Lepidotychius*) **E:** ST **N:** EG **A:** AB AF AR IN IQ JO TD TM TR UZ
carinicollis Tournier, 1874b: 479 [HN]

zagrosianus Caldara, 2010b: 513 A: IN

genus *Tychius*, species incertae sedis

schereri Bajtenov, 1981h: 247 (*Neotychius*) A: KZ

tychioides Bajtenov, 1974b: 37 (*Miccotrogus*) [HN] A: UZ

Tychiini, incertae sedis

genus *Sphincticraeropsis* Voss, 1944: 50 type species *Sphincticraeropsis anthracina* Voss, 1944
rugosa Voss, 1953a: 63 A: FUJ

7.5.21. Tribe Viticiini Morimoto, 1983

genus *Aviticis* Kojima & Morimoto, 2007b: 240 type species *Aviticis lanshuensis* Kojima & Morimoto, 2007

lanshuensis Kojima & Morimoto, 2007b: 243 A: TAI

genus *Viticis* Lea, 1930: 463 type species *Viticis bidentatus* Lea, 1930

Tivicis Morimoto, 1983b: 57 type species *Tivicis maculatus* Morimoto, 1983

aeratus Morimoto, 1983b: 62 (*Tivicis*) A: JA (Ryūkyū)

maculatus Morimoto, 1983b: 58 (*Tivicis*) A: JA

7.6. Subfamily **Cyclominae** Schoenherr, 1826

7.6.1. Tribe Dichotrachelini A. Hoffmann, 1957

genus *Dichotrachelus* Stierlin, 1853: 171 type species *Dichotrachelus sulcipennis* Stierlin, 1853

Paratrachelus Barajon, 1946: 113 type species *Dichotrachelus pygmaeus* Stierlin, 1888

Trachelomorphus Seidlitz, 1875: 119 type species *Trachelomorphus baudii* Seidlitz, 1875

afer Peyerimhoff, 1915: 222 N: AG

alonsoi Meregalli, 1987b: 386 E: PT

augusti F. Solari, 1946b: 10 E: IT SZ

baeticus Meregalli, 1987b: 360 E: SP

baldensis Barajon, 1946: 119 E: IT

baudii Seidlitz, 1875: 119 (*Trachelomorphus*) E: FR IT

bensae A. Solari & F. Solari, 1904: 178 E: IT

berberus Meregalli, 1989a: 195 N: MO

bischoffi Stierlin, 1878: 398 E: IT

cantabricus Franz, 1954: 93 E: SP

deferreri Meregalli & Alonso-Zarazaga, 1988: 340 E: SP

devillei G. Osella, 1971b: 503 E: FR

dieckmanni dieckmanni Meregalli, 1987b: 364 E: SP

dieckmanni pretiosus Meregalli, 1987b: 366 E: SP

doderoi doderoi A. Solari & F. Solari, 1905b: 94 E: FR IT

doderoi valdieriensis G. Osella, 1968a: 372 E: FR IT

doderoi vignai G. Osella, 1968a: 373 E: IT

elongatus Péricart, 1978: 53 E: FR

espanoli González, 1964: 6 E: SP

graellsii dellabeffai Meregalli, 1983b: 206 E: SP

graellsii graellsii Perris, 1864: 297 E: SP

graellsii quaeritus Meregalli, 1987b: 374 E: SP

grignensis Breit, 1902: 221 E: IT

imhoffi Stierlin, 1857: 63 E: IT SZ

insubricus Barajon, 1946: 63

semimudus Tournier, 1879b: 118

janetscheki Roudier, 1957d: 255 E: SP

kahleni Meregalli & G. Osella, 2007: 169 E: IT

kimakowiczi Flach, 1890: 36 E: RO

kozirowiczi Desbrochers des Loges, 1873e: cxix E: FR (Corse)

laurae galicianus Meregalli, 1987b: 384 E: SP

laurae hispaniorum Meregalli, 1987b: 383 E: SP
laurae laurae Meregalli, 1987b: 380 E: SP
lepontinus G. Osella, 1971b: 479 E: IT SZ
linderi Fairmaire, 1852: 87 (*Rhytirrhinus*) E: AN FR SP
 bigorrensis Bonvouloir, 1862: 569
 gallicus Tournier, 1879b: 117
luzei Ganglbauer, 1895: 180 E: SL
maculosus Fairmaire, 1869: 233 E: FR IT SZ
 alpestris Stierlin, 1878: 400
 walteri Barajon, 1947: 31
manueli Marseul, 1871c: 79 E: FR IT
margaritae G. Osella, 1968a: 375 E: FR IT
meregallii G. Osella, 1971b: 482 E: FR IT
muscorum Fairmaire, 1848: 170 (*Styphlus*) E: FR SP
negrei inopinatus Meregalli, 1987b: 396 E: SP
negrei negrei González, 1964: 13 E: PT
occidentalis Péricart, 1974: 58 E: FR
osellai Meregalli, 1983b: 201 E: SP
paulinoi noctivagus Meregalli, 1987b: 390 E: PT
paulinoi paulinoi Stierlin, 1887: 397 E: PT
pericarti G. Osella, 1971b: 506 E: FR
pesarinii Meregalli & Monguzzi, 2015: 328 E: IT
philippi G. Osella, Bellò & Pogliano Osella, 1983: 87 E: IT
pygmaeus Stierlin, 1888a: 18 E: IT
pyrenaicus G. Osella, 1971b: 530 E: FR SP
ragusae A. Solari & F. Solari, 1906: 246 E: IT (Sicilia)
ribesi González, 1964: 10 E: SP
rifensis Meregalli, 1983b: 197 N: MO
rossettoi Meregalli & G. Osella, 1975: 75 E: IT
rudeni Stierlin, 1853: 183 E: FR IT SZ
 alpinus Brems-Wolf, 1855: 197 (*Rhytirrhinus*)
 angusticollis Chevrolat, 1863: 111
 arbutus Tournier, 1879b: 121
 depressipennis Tournier, 1879b: 119
 sabaudus Fairmaire, 1862a: 586
 sulcirostris Tournier, 1879b: 121
sardous A. Solari & F. Solari, 1904: 180 E: IT (Sardegna)
scaramozzinoi Meregalli, 1983b: 194 E: FR
sondereggeri Germann, 2011: 5 E: SZ
stierlini knechti Stierlin, 1875b: 481 E: FR IT
stierlini stierlini Gredler, 1856: 17 E: AU IT SZ
 lombardus Barajon, 1946: 126
 lusitanicus G. Osella, 1971b: 517
 ravasini J. Müller, 1924: 79
subiasi Alonso-Zarazaga & Meregalli, 1983: 17 E: SP
sulcipennis bernhardinus Stierlin, 1878: 398 E: IT SZ
 concavicornis Tournier, 1879b: 116
 freyi Stierlin, 1878: 398
 tenuirostris Stierlin, 1878: 398
sulcipennis pedemontanus Stierlin, 1878: 398 E: FR IT
sulcipennis sulcipennis Stierlin, 1853: 171 E: IT SZ
tournieri Stierlin, 1878: 400 E: SZ
 minutus Tournier, 1879b: 122
ulbrichi G. Osella, 1977d: 165 E: AU
valdinazzii Meregalli, 1983b: 190 E: SP
variegatus milettianus G. Osella, 1971b: 491 E: IT
variegatus variegatus K. Daniel & J. Daniel, 1898: 71 E: IT
 velinus Barajon, 1946: 127
venturiensis Hustache, 1929a: 18 E: FR
verrucosus Kiesenwetter, 1852: 646 (*Styphlus*) E: AN FR SP
 valesiacus Stierlin, 1878: 416
vulpinus kraussi Penecke, 1894: 17 E: AU

vulpinus liegeli Penecke, 1894: 19 E: AU IT SL
vulpinus vulpinus Gredler, 1857: 156 E: AU IT
tridentinus Barajon, 1946: 119

7.6.2. Tribe Hipporhinini Lacordaire, 1863

genus *Borborocoetes* Schoenherr, 1842a: 437 type species *Borborocoetes squalidus* Boheman, 1842

Borborogronops Reitter, 1913a: 49 type species *Borborocoetes signatipes* Faust, 1883

kandaharensis Voss, 1959a: 110 A: AF TD

mesopotamicus Voss, 1943c: 218 A: IQ

signatipes Faust, 1883e: 118 A: IN KI TM WS

squalidus Boheman, 1842a: 438 A: AB AF IN

genus *Entomoderus* Raffray, 1873: 382 type species *Entomoderus sabulicola* Raffray, 1873

subgenus *Balearicola* Semenov, 1910: 435 type species *Bradycinetus ignatii* L.W. Schaufuss, 1882 (=

Rhytirrhinus nodifrons Boheman, 1834)

Asperorhinus Melichar, 1923: 32 type species *Rhytirrhinus crispatus* Boheman, 1842

Bradycinetus L.W. Schaufuss, 1882a: 539 [HN] type species *Bradycinetus ignatii* L.W. Schaufuss, 1882 (= *Rhytirrhinus nodifrons* Boheman, 1834)

Macroentomoderus Pic, 1920a: 8 type species *Rhytirrhinus bimucronatus* Pic, 1914

Trichorhinus Melichar, 1923: 31 type species *Rhytirrhinus dilatatus* Fabricius, 1801

aspericollis Desbrochers des Loges, 1895d: 91 (*Rhytirrhinus*) E: SP

bimucronatus Pic, 1914c: 25 (*Rhytirrhinus*) N: AG

bonvouloiri C. N. F. Brisout de Barneville, 1866b: 400 (*Rhytirrhinus*) E: SP

brevis F. Solari, 1952b: 44 (*Rhytirrhinus*) E: SP

brevitarsis Wollaston, 1864: 333 (*Rhytirrhinus*) N: CI (Fuerteventura, Lanzarote)

clitellarius Boheman, 1842a: 435 (*Rhytirrhinus*) E: SP N: AG MO

annulipes Lucas, 1846a: pl. 36 (*Rhytirrhinus*)

compressipennis Desbrochers des Loges, 1910b: 144 (*Rhytirrhinus*) N: AG MO

corosicollis Desbrochers des Loges, 1910b: 145 (*Rhytirrhinus*)

integricollis Desbrochers des Loges, 1910b: 144 (*Rhytirrhinus*)

dilatatus Fabricius, 1801: 520 (*Curculio*) E: IT (Sardegna) SP N: AG MO

dubius Desbrochers des Loges, 1910b: 144 (*Rhytirrhinus*)

humilis Lucas, 1846a: pl. 36 (*Rhytirrhinus*)

simplicicostis Desbrochers des Loges, 1895d: 88 (*Rhytirrhinus*)

divaricatus Desbrochers des Loges, 1895d: 90 (*Rhytirrhinus*) N: MO

auriculatus Desbrochers des Loges, 1896d: 38 (*Rhytirrhinus*)

fuentei Pic, 1920b: 11 (*Rhytirrhinus*) E: SP

humeralis Desbrochers des Loges, 1895d: 92 (*Rhytirrhinus*) E: PT SP

incisus Desbrochers des Loges, 1910b: 146 (*Rhytirrhinus*) E: SP N: AG MO

variegatus Motschulsky, 1849: 139 (*Rhytirrhinus*) [HN]

interruptus C. N. F. Brisout de Barneville, 1866b: 397 (*Rhytirrhinus*) E: SP

bifasciatus Desbrochers des Loges, 1910c: 158 (*Rhytirrhinus*)

kocheri Hustache, 1936a: 78 (*Rhytirrhinus*) N: MO

uniformis A. Hoffmann, 1950b: 91 (*Rhytirrhinus*)

lamellicostis Desbrochers des Loges, 1910b: 145 (*Rhytirrhinus*) E: SP

lateimpressus Pic, 1920b: 11 (*Rhytirrhinus*) E: PT

laticollis Pic, 1920c: 18 (*Rhytirrhinus*) E: SP

lobothorax Desbrochers des Loges, 1910b: 149 (*Rhytirrhinus*) E: PT

mateui F. Solari, 1952b: 46 (*Rhytirrhinus*) E: SP

melichari Schenkling, 1929: 11 (*Rhytirrhinus*) [RN] E: SP

axillaris Melichar, 1923: 34 (*Rhytirrhinus*) [HN]

nevadensis Desbrochers des Loges, 1910b: 147 (*Rhytirrhinus*) E: SP

nodifrons Boheman, 1834b: 418 (*Rhytirrhinus*) E: PT SP N: MO

carthagenensis Desbrochers des Loges, 1892e: 9 (*Rhytirrhinus*)

crispatus Boheman, 1842a: 436 (*Rhytirrhinus*)

ignatii L.W. Schaufuss, 1882a: 540 (*Bradycinetus*)

papillatus Desbrochers des Loges, 1895d: 89 (*Rhytirrhinus*)

similaris Tournier, 1873a: 171 (*Rhytirrhinus*)

parvus Rosenhauer, 1856: 258 (*Rhytirrhinus*) E: SP

pauliani Ruter, 1941: 74 (*Rhytirrhinus*) N: MO

saintpierrei Allard, 1870c: 188 (*Rhytirrhinus*) N: AG MO

gentilis Fairmaire, 1883e: 214 (*Rhytirrhinus*)
tenetiensis Pic, 1920c: 18 (*Rhytirrhinus*)
scaber Allard, 1870c: 188 (*Rhytirrhinus*) E: GR [loc. dub.]
socius Faust, 1885d: 236 (*Rhytirrhinus*) N: AG MO
coronatus Desbrochers des Loges, 1910b: 155 (*Rhytirrhinus*)
subfasciatus Rosenhauer, 1856: 255 (*Rhytirrhinus*) E: SP
tibiellus Desbrochers des Loges, 1910b: 153 (*Rhytirrhinus*) N: MO
uncifer Desbrochers des Loges, 1910b: 148 (*Rhytirrhinus*) E: SP
uncatus: Desbrochers des Loges, 1910b: 134 (*Rhytirrhinus*) [IOS, NA]
variegatus Lucas, 1846a: pl. 36 (*Rhytirrhinus*) E: PT SP N: AG MO
modestus L.W. Schaufuss, 1882a: 543 (*Rhytirrhinus*)
subgenus *Byrsopidius* F. Solari, 1940b: 76 type species *Rhytirrhinus dentimanus* F. Solari, 1940
Horridorhinus F. Solari, 1940b: 81 type species *Rhytirrhinus horridus* Lucas, 1846
Pararhytirrhinus F. Solari, 1940b: 81 type species *Rhytirrhinus albonotatus* Pic, 1914
albofasciatus Pic, 1895: 30 (*Rhytirrhinus*) N: EG A: AE
boehmi Desbrochers des Loges, 1910b: 140 (*Rhytirrhinus*)
zebra Desbrochers des Loges, 1910b: 140 (*Rhytirrhinus*)
albonotatus Pic, 1914c: 26 (*Rhytirrhinus*) A: TR
alluaudi Pic, 1920b: 12 (*Rhytirrhinus*) N: TU
asper Allard, 1870c: 188 (*Rhytirrhinus*) E: IT (Sicilia) N: AG LB MO TU
bituberosus: Desbrochers des Loges, 1911: 180 (*Rhytirrhinus*) [ISS, NA]
diversithorax Pic, 1920c: 18 (*Rhytirrhinus*)
leucofasciculatus Desbrochers des Loges, 1870b: 78 (*Rhytirrhinus*)
minutus Pic, 1920c: 18 (*Rhytirrhinus*)
monstruosus Desbrochers des Loges, 1892e: 11 (*Rhytirrhinus*)
semicostatus Pic, 1920c: 18 (*Rhytirrhinus*)
tuberosus 1910b: 141 (*Rhytirrhinus*)
atlasicus Hustache, 1937a: 17 (*Rhytirrhinus*) [RN] N: MO
alluaudi Hustache, 1936a: 79 (*Rhytirrhinus*) [HN]
hustachei F. Solari, 1950a: 49 (*Rhytirrhinus*) [URN]
atticus Reiche & Saulcy, 1858a: 686 (*Rhytirrhinus*) E: GR
berlandi Ruter, 1941: 71 (*Rhytirrhinus*) N: MO
biskrensis Pic, 1895: 30 (*Rhytirrhinus*) N: AG LB TU
bithynicus G. Osella, 1973b: 164 (*Horridorhinus*) A: TR
callosus Pic, 1920b: 12 (*Rhytirrhinus*) N: TU
caroli Fairmaire, 1883e: 216 (*Rhytirrhinus*) N: AG MO TU
angulipes Desbrochers des Loges, 1895d: 88 (*Rhytirrhinus*)
saadensis Pic, 1920b: 11 (*Rhytirrhinus*)
tuniseus Pic, 1903c: 130 (*Rhytirrhinus*)
claviscapus Desbrochers des Loges, 1910b: 140 (*Rhytirrhinus*) N: AG
conifer K. Daniel & J. Daniel, 1903b: 327 (*Rhytirrhinus*) E: GR
consobrinus A. Hoffmann, 1950b: 91 (*Byrsopidius*) N: MO
cruciatus Stierlin, 1890b: 245 (*Rhytirrhinus*) N: MO
deformis Reiche & Saulcy, 1858b: 60 (*Rhytirrhinus*) [RN] E: GR IT A: CY
confusus Desbrochers des Loges, 1892e: 8 (*Rhytirrhinus*)
horridus Reiche & Saulcy, 1858a: 684 (*Rhytirrhinus*) [HN]
krueperi Stierlin, 1888a: 17 (*Rhytirrhinus*)
dentimanus F. Solari, 1940b: 76 (*Byrsopidius*) N: LB
dybowskyi Ulanowski, 1887: 336 (*Rhytirrhinus*) E: CR
entomoderoides Hustache, 1937a: 16 (*Rhytirrhinus*) N: MO
gataensis A. Hoffmann, 1956a: 45 (*Rhytirrhinus*) E: SP
geticus G. Osella, 1973b: 162 (*Horridorhinus*) A: TR
gibbus Kolenati, 1858b: 85 (*Rhytirrhinus*) E: ST A: AB AR
horridus Lucas, 1846a: pl. 36 (*Rhytirrhinus*) N: AG MO
inaequalicollis Desbrochers des Loges, 1898f: 12 (*Rhytirrhinus*) N: EG
kirschi Tournier, 1873a: 170 (*Rhytirrhinus*) N: AG EG MO
brevipennis Desbrochers des Loges, 1895d: 90 (*Rhytirrhinus*)
mauritanicus Melichar, 1923: 38 (*Rhytirrhinus*)
singularis Fairmaire, 1877b: 145 (*Rhytirrhinus*)
latus Pic, 1896f: 202 (*Rhytirrhinus*) A: SY
lefebvrei Boheman, 1834b: 418 (*Rhytirrhinus*) N: EG
tuberculatus Allard, 1870c: 188 (*Rhytirrhinus*)
margaritae G. Osella, 1973b: 170 (*Pararhytirrhinus*) A: TR
martini Faust, 1890e: 333 (*Rhytirrhinus*) N: AG LB MO TU

dissimilis Desbrochers des Loges, 1910b: 143 (*Rhytirrhinus*)
meurguesae G. Osella, 1973b: 166 (*Horridorhinus*) A: TR
niloticus Desbrochers des Loges, 1910b: 140 (*Rhytirrhinus*) N: EG
olympicus G. Osella, 1973b: 172 (*Pararhytirrhinus*) A: TR
peyerimhoffi Ruter, 1941: 67 (*Rhytirrhinus*) N: MO
phrygius K. Daniel & J. Daniel, 1903b: 325 (*Rhytirrhinus*) E: ST UK A: TR
pici Desbrochers des Loges, 1900a: 14 (*Rhytirrhinus*) A: IS
pierrei Roudier, 1954b: 34 (*Byrsopidius*) N: MO
planipennis F. Solari, 1954b: 119 (*Byrsopidius*) N: MO
pseudasper F. Solari, 1954b: 122 (*Byrsopidius*) N: MO
rudolphi Desbrochers des Loges, 1910b: 139 (*Rhytirrhinus*) N: EG
rusticanus Hustache, 1932b: 47 (*Rhytirrhinus*) N: MO
sefrensis Pic, 1920b: 11 (*Rhytirrhinus*) N: AG
simplicicollis Pic, 1920b: 12 (*Rhytirrhinus*) N: AG
spongiosus A. Hoffmann, 1950b: 90 (*Byrsopidius*) N: MO
syriacus Pic, 1896f: 202 (*Rhytirrhinus*) N: AG
turcicus Desbrochers des Loges, 1910b: 151 (*Rhytirrhinus*) A: TR
villiersi Ruter, 1941: 70 (*Rhytirrhinus*) N: MO
subgenus *Depresseremiarhinus* Pic, 1914d: 38 type species *Eremiarhinus elongatus* Desbrochers des Loges, 1911
elongatus Desbrochers des Loges, 1911: 194 (*Eremiarhinus*) N: EG LB MO
semituberculatus Pic, 1925d: 14 (*Rhytirrhinus*) N: AG MO
surcoufi Peyerimhoff, 1920: 44 (*Rhytirrhinus*) N: AG
subgenus *Entomoderus* Raffray, 1873: 382 type species *Rhytirrhinus sabulicola* Raffray, 1873
letourneuxi Pic, 1895: 29 (*Entomoderus*) N: EG
sabulicola Raffray, 1873: 382 (*Rhytirrhinus*) N: AG LB MO TU
sicardi Desbrochers des Loges, 1911: 193 (*Rhytirrhinus*) [NA]
subtuberculatus Pic, 1920b: 11 (*Rhytirrhinus*) N: AG
subgenus *Eremiarhinus* Fairmaire, 1876b: 50 type species *Eremiarhinus margarinetus* Fairmaire, 1876
margarinetus Fairmaire, 1876b: 50 (*Eremiarhinus*) N: AG
subalbidus Pic, 1903c: 130 (*Eremiarhinus*) N: AG EG
guyoti Desbrochers des Loges, 1911: 194 (*Eremiarhinus*)
subgenus *Pseudorhinus* Melichar, 1923: 32 type species *Rhytirrhinus impressicollis* Boheman, 1834
Mucrorhinus Melichar, 1923: 32 type species *Rhytirrhinus caudatus* C. N. F. Brisout de Barneville, 1866
ambiguus F. Solari, 1940b: 90 (*Pseudorhinus*) E: SP
brucki Allard, 1870c: 189 (*Rhytirrhinus*) E: SP
medianus Desbrochers des Loges, 1911: 187 (*Rhytirrhinus*)
caudatus C. N. F. Brisout de Barneville, 1866b: 394 (*Rhytirrhinus*) E: SP
escorialensis C. N. F. Brisout de Barneville, 1866b: 396 (*Rhytirrhinus*)
cobosi Roudier, 1954i: 135 (*Pseudorhinus*) E: SP
compactus Desbrochers des Loges, 1911: 185 (*Rhytirrhinus*) E: PT SP N: MO
gracilipes Desbrochers des Loges, 1895d: 91 (*Rhytirrhinus*) E: SP N: MO
luctuosus Desbrochers des Loges, 1896d: 38 (*Rhytirrhinus*)
impressicollis alpicola Fairmaire, 1869: 232 (*Rhytirrhinus*) E: FR IT
impressicollis colasi Roudier, 1954g: 100 (*Pseudorhinus*) E: FR
impressicollis impressicollis Boheman, 1834b: 419 (*Rhytirrhinus*) E: FR
impressicollis jarrigei Roudier, 1959b: 217 (*Pseudorhinus*) E: FR IT
impressicollis luciae Ragusa, 1883: 304 (*Rhytirrhinus*) E: IT (Sicilia)
impressicollis peninsularis F. Solari, 1940b: 76 (*Pseudorhinus*) E: IT
impressicollis pityusensis Compte Sart, 1966: (*Pseudorhinus*) E: SP (Balears)
impressicollis portusveneris Roudier, 1959b: 217 (*Pseudorhinus*) E: FR SP
impressicollis ventouxensis Roudier, 1959b: 217 (*Pseudorhinus*) E: FR
impressicollis vertacomiriensis Péricart, 1974: 61 (*Pseudorhinus*) E: FR
laesirostris bruckianus Desbrochers des Loges, 1911: 205 (*Rhytirrhinus*) [RN] E: SP N: MO
brucki Desbrochers des Loges, 1910b: 137 [HN]
laesirostris laesirostris Fairmaire, 1859d: 2768 (*Rhytirrhinus*) E: FR IT (Sardegna)
laesirostris Fairmaire, 1859d: 278 [NA]
laesirostris stenoderus Gemminger, 1871b: 122 (*Rhytidorhinus*) [RN] E: FR SP
angusticollis Rosenhauer, 1856: 254 (*Rhytirrhinus*) [HN]
desbrochersi F. Solari, 1940b: 92 (*Pseudorhinus*)

veyreti F. Solari, 1954b: 125 (*Pseudorhinus*)
longulus longulus Rosenhauer, 1856: 257 (*Rhytirrhinus*) E: SP N: AG MO TU
interstitialis Desbrochers des Loges, 1911: 190 (*Rhytirrhinus*)
longipennis Pic, 1907e: 275 (*Rhytirrhinus*)
plasoni Desbrochers des Loges, 1911: 190 (*Rhytirrhinus*) [NA]
plasoni F. Solari, 1940b: 91 (*Pseudorhinus*) [HN]
variabilis C. N. F. Brisout de Barneville, 1866b: 398 (*Rhytirrhinus*)
longulus subgracilipes Roudier, 1959a: 63 (*Pseudorhinus*) E: SP
moroderi Desbrochers des Loges, 1910b: 139 (*Rhytirrhinus*) E: SP
oberthueri Desbrochers des Loges, 1910b: 132 (*Rhytirrhinus*) E: SP
parallelipennis F. Solari, 1954b: 124 (*Pseudorhinus*) E: FR SP
perplexus Desbrochers des Loges, 1910b: 132 (*Rhytirrhinus*) E: SP N: MO
plasoni Pic, 1896f: 202 (*Rhytirrhinus*) [RN] N: AG
impressicollis Lucas, 1846a: pl. 36 (*Rhytirrhinus*) [HN]
kraatzi Schenkling, 1929: 15 (*Rhytirrhinus*) [URN]
ruteri Roudier, 1954g: 98 (*Pseudorhinus*) E: SP
stableau Aubryi Tempère, 1972b: 147 (*Pseudorhinus*) E: FR SP
stableau punctirostris A. Hoffmann, 1938a: 49 (*Pseudorhinus*) E: FR SP
stableau roudieri Tempère, 1972b: 147 (*Pseudorhinus*) E: FR SP
stableau stableau Fairmaire, 1862c: 554 (*Rhytirrhinus*) E: FR SP
tenuipes F. Solari, 1940b: 90 (*Pseudorhinus*) E: SP
varipes Desbrochers des Loges, 1892e: 10 (*Rhytirrhinus*) N: AG

genus *Gronops* Schoenherr, 1823: 1142 type species *Curculio lunatus* Fabricius, 1775

subgenus *Asperogronops* F. Solari, 1940b: 83 type species *Gronops inaequalis* Boheman, 1842

Brachygronops F. Solari, 1940b: 83 type species *Gronops sibiricus* Allard, 1870

inaequalis Boheman, 1842a: 135 E: BE CT CZ DE EN FI FR GB GE LA NL PL RO SK SL ST SV
 UK A: BEI ES FE SHA WS

angusticollis Boheman, 1845: 432 (*Rhytirrhinus*)

distinctus Voss, 1943c: 220

olmii Meregalli, 1983a: 182 (*Asperogronops*) E: IT

semenovi Faust, 1890f: 459 A: ES GAN

sibiricus Allard, 1870d: 203 A: ES MG

oberti Faust, 1887f: 165

sulcatus Boheman, 1842a: 136 E: RO UK A: WS

subgenus *Gronopidius* F. Solari, 1940b: 82 type species *Gronops jekeli* Allard, 1870

fasciatus Küster, 1851: 60 E: SP N: CI EG MO A: CY

jekeli Allard, 1870d: 203 N: AG EG MO A: AE SA AFR

fulvocretosus Fairmaire, 1883e: 215 (*Rhytirrhinus*)

parvicollis Desbrochers des Loges, 1897d: 17 (*Rhytirrhinus*)

subgenus *Gronops* Schoenherr, 1823: 1142 type species *Curculio lunatus* Fabricius, 1775

brandti Voss, 1943c: 220 A: AF IN

curtulus Desbrochers des Loges, 1911: 202 N: MO

luctuosus Chevrolat, 1861a: 120 E: PT SP N: AG CI LB MO TU A: CY

albonotatus Pic, 1920b: 12

andreinii F. Solari, 1940b: 89

lunatus Fabricius, 1775: 148 (*Curculio*) E: BE CT CZ DE EN FR GB GE GR HU IT LA LU MA
 NL PL PT SK SP SV SZ UK N: CI MO TU

amputatus Olivier, 1807: 364 (*Curculio*)

c-nigrum Rossi, 1790: 130 (*Curculio*)

costatus Gyllenhal, 1813: 89 (*Rhynchaenus*)

elevatus Fabricius, 1801: 524 (*Curculio*) [HN]

gyllenhalii Billberg, 1820: 45 (*Brachyrhinus*) [URN]

lateniger Pic, 1920b: 12

percussor Herbst, 1795: 250 (*Curculio*)

rubricus Ahrens, 1812: 16 (*Rhynchaenus*)

seminiger Allard, 1870d: 203

oranensis Faust, 1885d: 238 N: AG

pretiosus Tournier, 1873a: 172 E: PT N: MO

pygmaeus Stierlin, 1888b: 60 A: LE

syriacus Stierlin, 1890b: 246 A: IS

transversecollis Voss, 1936a: 38 A: IN

tristiculus Desbrochers des Loges, 1911: 200 N: EG

vaulogeri Pic, 1920b: 12 N: TU

subgenus *Pseudogronops* F. Solari, 1940b: 83 type species *Rhytirrhinus allardi* Faust, 1883
allardi Faust, 1883c: 99 (*Rhytirrhinus*) A: UZ "Taschkent"

7.6.3. Tribe Listroderini LeConte, 1876

genus *Listroderes* Schoenherr, 1826: 158 type species *Listroderes costirostris* Schoenherr, 1826
costirostris Schoenherr, 1826: 159 Ei: FR PT SP Ni: CI MO Ai: IS SC (Jeju-do) TAI NTR NARi
ORRi AFRi AURi

costirostris Gyllenhal, 1834a: 277 [HN]

difficilis Germain, 1895: 68 Ei: SP Ai: IS JA NTR NARi AURi

hypocrita Hustache, 1926h: 197

nocivus Lea, 1909: 174 (*Desiantha*) [HN]

novica French, 1908: 754 (*Desiantha*)

vicinus Hustache, 1926h: 197

genus *Listronotus* Jekel, 1865: 566 type species *Rhynchaenus caudatus* Say, 1824

Anchodemus LeConte, 1876: 181 [HN] type species *Anchodemus hubbardi* LeConte, 1876

Aulametopiellus Brèthes, 1926: 415 type species *Aulametopiellus dauci* Brèthes, 1926

Hyperodes Jekel, 1865: 566 type species *Listroderes humilis* Gyllenhal, 1834

Lixellus LeConte, 1876: 182 type species *Lixellus filiformis* LeConte, 1876

Macrops Kirby, 1837: 199 [HN] type species *Macrops maculicollis* Kirby, 1837

Mascarauxia Desbrochers des Loges, 1898i: 52 type species *Mascarauxia cyrtica* Desbrochers des Loges, 1898

Pseudhyperodes Hustache, 1939a: 49 type species *Pseudhyperodes elongatus* Hustache, 1939

Relistrodes Brèthes, 1910: 209 type species *Relistrodes breyeri* Brèthes, 1910

cyrticus Desbrochers des Loges, 1898i: 53 (*Mascarauxia*) Ei: FR NTR

7.6.4. Tribe Notiomimetini Wollaston, 1873

genus *Isonycholips* Chûjô & Voss, 1960: 12 type species *Isonycholips gotoi* Chûjô & Voss, 1960
gotoi Chûjô & Voss, 1960: 14 A: FE JA "Korea"

7.7. Subfamily Dryophthorinae Schoenherr, 1825

7.7.1. Tribe Cryptodermatini Bovie, 1908

genus *Cryptoderma* Ritsema, 1885:54 [RN] type-species *Calandra discors* Fabricius, 1801

Nosoxylon Gistel, 1848a: x [RN, UN]

Oxyrhynchus Schoenherr, 1823: 1137 [HN] type species *Calandra discors* Fabricius, 1801

formosense Kôno, 1934c: 279 A: TAI

fortunei G.R. Waterhouse, 1853:172 (*Oxyrhynchus*) A: FUJ GUI GUX HUB HUN JA JIX SC SCH
TAI ZHE

grande Fairmaire, 1891c: xxiv (*Oxyrhynchus*) A: CH

kuniyoshii Morimoto, 1978c: 106 A: JA

7.7.2. Tribe Dryophthorini Schoenherr, 1825

genus *Dryophthorus* Germar, 1823: 302 type species *Curculio lymexylon* Fabricius, 1792 (= *Curculio corticalis* Paykull, 1792)

Bulbifer Dejean, 1821: 99 [SNsuppressed] type species *Curculio lymexylon* Fabricius, 1792 (= *Curculio corticalis* Paykull, 1792)

Dryophora Berthold, 1827: 391 [URN] type species *Curculio lymexylon* Fabricius, 1792 (= *Curculio corticalis* Paykull, 1792)

Tetraspartus Pascoe, 1885: 309 type species *Tetraspartus bagooides* Pascoe, 1885

Tetratemnus Wollaston, 1873a: 9 type species *Tetratemnus sculpturatus* Wollaston, 1873

corticalis Paykull, 1792: 41 (*Curculio*) E: AU BU CT CZ DE EN FI FR GB GE GR HU IT LA LT
NL NR PL SB SK SL SP ST SZ UK A: ES FE GG JA SC AFR AUS NAR

lymexylon Fabricius, 1792: 420 (*Curculio*)

sculpturatus Kôno, 1938b: 144 (*Tetratemnus*) [NA]

japonicus Konishi, 1963: 126 A: JA

konishii Morimoto, 1985: 67 A: JA

kusuii Morimoto, 1985: 71 A: JA

ogasawarensis Morimoto, 1985: 69 A: JA

sculpturatus Wollaston, 1873a: 11 (*Tetratemnus*) A: ES FUJ JA

genus *Stenommatius* Wollaston, 1873b: 442 type species *Stenommatius fryi* Wollaston, 1873
nanus Champion, 1925: 270 **A:** UP
ocularis Konishi, 1963: 128 (*Dryophthorus*) **A:** JA

7.7.3. Tribe Orthognathini Lacordaire, 1865

7.7.3.1. Subtribe Orthognathina Lacordaire, 1865

genus *Sipalinus* G.A.K. Marshall, 1943: 119 typespecies *Calandra granulata* Fabricius, 1801 (= *Curculio gigas* Fabricius, 1775)
Hyposipalus Voss, 1962d: 356 type species *Curculio guineensis* Fabricius, 1798
Prosipalinus Voss, 1962d: 357 type species *Hyposipalus fallaciosus* Voss, 1962
Sipalus Schoenherr, 1825: 587 [HN] type species *Calandra granulata* Fabricius, 1801 (= *Curculio gigas* Fabricius, 1775)
***gigas gigas* Fabricius, 1775: 127 (*Curculio*) **A:** AP FE FUJ GUA GUI GUX HKG HUB HUN IN JA
JIA JIX MG NC PA SC SCH SD TAI UP YUN "Himalayas" **ORR****
chinensis Fairmaire, 1887a: 130 (*Sipalus*)
formosanus Kôno, 1934b: 7 (*Sipalus*)
granulatus Fabricius, 1801: 432 (*Calandra*)
hypocrita Boheman, 1845: 209 (*Sipalus*)
tinctus Walker, 1859b: 218 (*Sipalus*)
yunnanensis Vaurie, 1971: 40 **A:** YUN

7.7.4. Tribe Rhynchophorini Schoenherr, 1833

7.7.4.1. Subtribe Diocalandrina Zimmerman, 1993

genus *Diocalandra* Faust, 1894c: 353 type species *Calandra frumenti* Fabricius, 1801
elongata Roelofs, 1875b: 187 (*Calandra*) **A:** FUJ JA **NARi**
nigromaculata Voss, 1956b: 44
frumenti* Fabricius, 1801: 438 (*Calandra*) **Ei:** FR Ni: CI **A:** HKG JAi PA TAI **AFR AUR ORR*
bifasciata Boisduval, 1835: 445 (*Calandra*)
crucigera Motschulsky, 1858: 69 (*Sphaenophorus*)
punctigera Pascoe, 1885: 305 (*Calandra*)
sechellarum H.J. Kolbe, 1910: 46 (*Calandra*)
stigmaticollis Gyllenhal, 1838: 972 (*Sitophilus*)
subfasciata Boheman, 1838: 971 (*Sitophilus*)
subsignata Boheman, 1838: 973 (*Sitophilus*)
kamiyai Morimoto, 1978c: 109 **A:** JA
sasa Morimoto, 1978c: 108 **A:** JA

genus *Myocalandra* Faust, 1894c: 353 type species *Myocalandra discors* Faust, 1894
Paracalendra Chûjô & Morimoto, 1959a: 26 type species *Paracalendra saccharivora* Chûjô & Morimoto, 1959 (= *Sitophilus exaratus* Boheman, 1838)
exarata* Boheman, 1838: 970 (*Sitophilus*) **A:** ES JA PA TAI **ORR*
exquisita Walker, 1859b: 218 (*Sphaenophorus*)
porcata Pascoe, 1885: 306 (*Calandra*)
saccharivora Chûjô & Morimoto, 1959a: 26 (*Paracalendra*)

7.7.4.2. Subtribe Litosomina Lacordaire, 1865

genus *Autonopsis* Pascoe, 1874: 75 type species *Autonopsis lineata* Pascoe, 1874
agrana Heller, 1927b: 12 **A:** UP
tenuicornis Heller, 1927b: 12 **A:** TAI

genus *Fursovia* Alonso-Zarazaga & Lyal, 1999: 65 [RN] type species *Calandrella pashini* Fursov, 1935
Calandrella Fursov, 1935: 440 [HN] type species *Calandrella pashini* Fursov, 1935
pashini Fursov, 1935: 440 (*Calandrella*) **A:** TD

genus *Laogenia* Pascoe, 1874: 75 type species *Laogenia sorex* Pascoe, 1874
formosana Heller, 1926: 185 **A:** JA TAI

genus *Sitophilus* Schoenherr, 1838: 967 type species *Curculio oryzae* Linnaeus, 1763

Calandra Gistel, 1848a: 136 [HN] [URN] type species *Curculio oryzae* Linnaeus, 1763

glandium G.A.K. Marshall, 1920a: 277 (*Calandra*) **A: UP**

gotschi Hochhuth, 1847: 579 **E: ST UK A: AR GG**

granarius Linnaeus, 1758: 378 (*Curculio*) **E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IC IT LA LT LU MA NL NR PL PT RO SK SP ST SV SZ UK YU N: AG CI LB MO A: AF GAN GG HKG HUB HUN JIA KI PA SA TAI TD TR WS XIN ZHE COS**

contractus Geoffroy, 1785: 126 (*Curculio*) [SN, Op. 2192]

flavipes Panzer, 1798b: 55 (*Curculio*) [HN]

laevicosta R.A. Philippi & F. Philippi, 1864: 374 (*Calandra*)

pulicarius Panzer, 1798b: 54 (*Curculio*) [HN]

remotepunctatus Gyllenhal, 1838: 979

segetis Linnaeus, 1758: 381 (*Curculio*)

unicolor Marsham, 1802: 275 (*Curculio*) [HN]

kakourisi Alziar & Colonnelli, 2009: 112 **A: CY IS**

linearis Herbst, 1795: 5 (*Rhynchophorus*) **Ei: AB AU BE IT PL ST TR UK Ni: CI A: AR HAI IN IQ IS JO LE PA SA SI SY UP YUN AFR AUR NARi NTRi ORR**

striatus Thunberg, 1815: 112 (*Cordyle*)

tamarindi Christy, 1834: 36 (*Calandra*)

oryzae Linnaeus, 1763: 12 (*Curculio*) **E: AU BE BU BY CR CT CZ DE EN FI FR GB GR HU IC IT LA LU MA NL NR PL PT SK SP ST SV SZ TR UK N: CI EG MO A: AB AR CY FE FUJ GG GUA GUI GUX HAI HKG HUB HUN IN IQ IS JA JIA JO LE NMO PA SC SCH SHX SD SI SY TAI TD WS XIZ YE YUN COS**

bituberculatus Fabricius, 1781: 171 (*Curculio*)

frugilegus DeGeer, 1775: 273 (*Curculio*)

funebri Rey, 1895e: 50 (*Calandra*)

granarius Ström, 1783: 56 (*Curculio*) [HN]

minor Sasaki, 1899: 202 (*Calandra*)

orizae Masters, 1886: 684 (*Calandra*) [NA]

quadriguttatus Montrouzier, 1861a: 910 (*Sphenophorus*)

sasakii Takahashi, 1928: 164 (*Calandra*) [RN]

uniseriatus Dufour, 1843: 8 (*Calandra*)

quadrinotatus Wiedemann, 1823a: 121 (*Calandra*) **A: PA ORR**

rugicollis Casey, 1892: 687 (*Calandra*) **A: PA UP AFR NARi**

rugosicollis Hustache, 1921e: 192 (*Calandra*)

shoreae G.A.K. Marshall, 1920a: 276 (*Calandra*)

sculpturatus Gyllenhal, 1838: 974 **A: CY AFR ORR**

zeamais Motschulsky, 1855: 77 **E: AL AN AU AZ BE CZ DE FI GB GR HU IT MA PL SK SP ST SV SZ TR N: CI EG MR A: AB AR BT CY GUI GUX HEI HEN HKG HUB HUN JIX IN IQ IS JA JO LE NC NP PA SC SD SY COS**

chilensis R.A. Philippi & F. Philippi, 1864: 374 (*Calandra*)

platensis Zacher, 1921: 293 (*Calandra*)

quadrimaculus Walker, 1859b: 219 (*Cossonus*)

genus *Trypsetus* Faust, 1894c: 355 type species *Sitophilus incarnatus* Gyllenhal, 1838

nigromaculatus Voss, 1958b: 127 **A: FUJ**

7.7.4.3. Subtribe Ommatolampina Lacordaire, 1865

genus *Ommatolampes* Schoenherr, 1838: 837 type species *Calandra haemorrhoidalis* Wiedemann, 1819

Ommatolampus Pascoe, 1887a: 374 [UE] type species *Calandra haemorrhoidalis* Wiedemann, 1819

paratasiooides Heller, 1897: 245 **A: TAIi ORR**

7.7.4.4. Subtribe Polyтина Zimmerman, 1993

genus *Polytus* Faust, 1894c: 353 type species *Sitophilus mellerborgii* Boheman, 1838

mellerborgii Boheman, 1838: 976 (*Sitophilus*) **A: JA PA TAI UP AFR AUR ORR**

musaecola Fairmaire, 1898b: 489 (*Sphenophorus*)

remotus Sharp, 1885: 183 (*Calandra*)

7.7.4.5. Subtribe Rhynchophorina Schoenherr, 1833

genus *Cyrtotrachelus* Schoenherr, 1838: 833 type species *Curculio longipes* Fabricius, 1781 (= *Cyrtotrachelus thompsoni* Alonso-Zarazaga & Lyal, 1999)
Roelofsia Ritsema, 1891: 148 type species *Cyrtotrachelus buquetii* Guérin-Méneville, 1844
bipartitus Hartmann, 1899a: 29 **A: NP SD ORR**
buquetii borealis Jordan, 1894a: 493 (*Roelofsia*) **A: JA SCH SHG ORR**
buquetii buquetii Guérin-Méneville, 1844: 176 **A: FUJ GUA GUI GUX JA JIA SCH SD ORR**
dux Boheman, 1845: 221
nigrocinctus Faust, 1894c: 320
rex Chevrolat, 1883: 555
dauidis Fairmaire, 1878a: 127 **A: "Central China"**
himalayanus Heller, 1923c: 155 **A: SD**
rufopectinipes Chevrolat, 1883: 556 **A: HUB JIX SD YUN ORR**
birmanicus Faust, 1894c: 321
montanus Heller, 1923c: 154
subnotatus Voss, 1931a: 37
thompsoni Alonso-Zarazaga & Lyal, 1999: 64 [RN] **A: FUJ GUA GUI GUX HEN HKG HUB HUN JA JIA JIX PA SCH SD SHA TAI YUN ZHE AFR ORR**
longimanus Fabricius, 1775: 822 (*Curculio*) [HN]
longipes Fabricius, 1781: 162 (*Curculio*) [HN]

genus *Macrocheirus* Schoenherr, 1838: 831 type species *Macrocheirus praetor* Gyllenhal, 1838
Macrochirus Agassiz, 1846: 220 [HN] type species *Macrocheirus praetor* Gyllenhal, 1838
Macrochirus Gemminger, 1871c: 2640 [HN] type species *Macrocheirus praetor* Gyllenhal, 1838
longipes Drury, 1773: [Index, 2-1] (*Curculio*) **A: CH ORR**

genus *Omotemnus* Chevrolat, 1883: 559 type species *Calandra serrirostris* Fabricius, 1801
carnifex Faust, 1891f: 344 **A: CH**
caelirostris Heller, 1894: 98 **A: NP ORR**
compressirostris Jordan, 1894a: 492
fleutiauxi Faust, 1891f: 342 **A: HAI**
rhinocerus Chevrolat, 1883: 560 **A: CH**

genus *Otidognathus* Lacordaire, 1865: 273 [RN] type species *Litorhynchus westermanni* Boheman, 1845
Litorhynchus Schoenherr, 1845: 222 [HN] type species *Litorhynchus westermanni* Boheman, 1845
aphanes Günther, 1934: 454 **A: GUA**
tonkinensis Günther, 1934: 455
bifasciatus Chevrolat, 1882b: cxi (*Litorhynchus*) **A: SD ORR**
decemstriatus Chevrolat, 1883: 557
robustus Faust, 1894c: 324 (*Litorhynchus*)
subfasciatus Chevrolat, 1882b: cxi (*Litorhynchus*)
comptus Pascoe, 1887a: 373 **A: HKG ORR**
dauidis badius Günther, 1938: 85 **A: JIA JIX ZHE**
dauidis dauidis Fairmaire, 1878a: 127 (*Cyrtotrachelus*) **A: AHN FUJ GUA GUX HEN HUB HUN JA JIA JIX SCH SHG ZHE**
extraordinarius Günther, 1938: 80 **A: SD**
incertus Günther, 1938: 86 **A: FUJ**
obscurior Voss, 1958b: 120
jansoni Roelofs, 1875b: 186 **A: FUJ GUA GUI HAI HEN HUB HUN JA JIA JIX SC SCH ZHE**
maculipennis Voss, 1931a: 38
nigropictus Fairmaire, 1878a: 128
satteloides Voss, 1958b: 120
nemorivagus Günther, 1935a: 154 **A: BT**
pygidialis areolatus Fairmaire, 1900: 636 (*Cyrtotrachelus*) **A: FUJ SCH**
pygidialis intermedius Günther, 1938: 87 **A: FUJ**
pygidialis pygidialis Jordan, 1894a: 495 **A: FUJ JA JIX JIA XIN**
quadrinaculatus Buquet, 1844: 177 (*Cyrtotrachelus*) **A: FUJ GUA NP SD ORR**
assamensis Chevrolat, 1882c: cxxxviii [URN]
simplex Voss, 1958b: 119
rarus Günther, 1935a: 154 **A: SHG ORR**
rubriceps cantonensis Günther, 1938: 83 **A: GUA**
rubriceps melli Günther, 1938: 83 **A: SCH**
rubriceps notatus Voss, 1932d: 299 **A: YUN**

rubriceps rubriceps Chevrolat, 1882b: cxii (*Litorhynchus*) A: FUJ SCH SD **ORR**
celatus Pascoe, 1887a: 374
westermanni Boheman, 1845: 223 (*Litorhynchus*) A: SD **ORR**

genus *Protocerius* Schoenherr, 1838: 828 type species *Curculio colossus* Olivier, 1791
fervidus Pascoe, 1871a: 216 A: PA SD UP **ORR**
grandis Guérin-Méneville, 1844: 174 A: CH **ORR**

genus *Rhynchophorus* Herbst, 1795: pl. LX type species *Curculio palmarum* Linnaeus, 1758
Cordyle Thunberg, 1797: 44 type species *Curculio palmarum* Linnaeus, 1758
ferrugineus Olivier, 1791: 473 (*Curculio*) Ei: AL CR FR GR IT MA PT SL SP TR Ni: CI EG MO
A: AEi BAi GGi GUA HAI INi IQi ISi JAI JOi KUi NP OMi PAi QAI SAI TAI XIA YUN
AUR NTRi ORR
cinctus Faust, 1893d: 520
dimidiatus Faust, 1894c: 330
glabrirostris L.W. Schaufuss, 1885: 203
hemipterus Sulzer, 1776: 39 (*Curculio*) [NA]
indostanus Chevrolat, 1883: 562
pascha Boheman, 1845: 218
papuanus Kirsch, 1877: 156
semitiger Faust, 1894c: 330
signaticollis Chevrolat, 1883: 562
schach Fabricius, 1801: 433 (*Calandra*)
sexmaculatus Thunberg, 1797: 46 (*Cordyle*)
tenuirostris Chevrolat, 1883: 561

7.7.4.6. Subtribe Sphenophorina Lacordaire, 1865

genus *Adapanetus* Günther, 1936a: 77 type species *Adapanetus sericoclava* Günther, 1936
sericoclava fukienensis Voss, 1956b: 44 A: FUJ

genus *Anathymus* Pascoe, 1885: 299 type species *Anathymus singularis* Pascoe, 1885
tricolor Heller, 1931: 110 A: TAI

genus *Aplotes* Chevrolat, 1885b: 100 type species *Aplotes aliena* Chevrolat, 1885
roelofsi Chevrolat, 1882d: clix (*Sphenophorus*) A FUJ HAI JA SC
carinicornis Roelofs, 1875b: 187 [NA]
trapezicollis Voss, 1956b: 42 A: FUJ

genus *Cactophagus* LeConte, 1876: 331 type species *Sphenophorus validus* LeConte, 1858
Cactophagoides Champion, 1910: 89 type species *Cactophagoides verrucosus* Champion, 1910
Eucactophagus Champion, 1910: 96 type species *Calandra aurofasciata* Brême, 1844
Paradiaphorus Chevrolat, 1885c: 287 type species *Sphenophorus crenatus* Gyllenhal, 1838
Phyllerythrus Chevrolat, 1885a: 92 type species *Curculio sanguinolentus* Olivier, 1791
crenatus Gyllenhal, 1838: 876 (*Sphenophorus*) N: CIi **NTR**

genus *Cercidocerus* Guérin-Méneville, 1833c: pl. 39bis type species *Cercidocerus nigrolateralis* Guérin-Méneville, 1833
bimaculatus Boheman, 1845: 231 A: PA **ORR**
distinctus Faust, 1890b: 79 A: SD
erubescens Heller, 1931: 111 A: TAI
lateralis Fåhraeus, 1845: 232 A: SD **ORR**
pictus Faust, 1894c: 347 A: PA **ORR**
rufipes Günther, 1935b: 166 A: SD **ORR**
schoenherrii Guérin-Méneville, 1844: 179 A: SD **ORR**

genus *Cosmopolites* Chevrolat, 1885c: 289 type species *Calandra sordida* Germar, 1823
sordidus Germar, 1823: 299 (*Calandra*) Ei: SP Ni: CI MR A: FUJ GUA GUI GUX GUI HKG HAI
JA NP PA SD TAI YUN **AFR AUR NARi NTRi ORR**
cribricollis Walker, 1859b: 218 (*Sphenophorus*)
maderensis A. Hoffmann, 1938a: 48 (*Sphenophorus*)
mendicus Olivier, 1791: 480 (*Curculio*) [NO]
striatus Fåhraeus, 1845: 251 (*Sphenophorus*)

genus *Metaprodiocetes* Günther, 1937a: 281 type species *Prodiocetes dux* Faust, 1894

Metaprodiocetes Günther, 1937b: 181 [HN] type species *Prodiocetes dux* Faust, 1894

formosanus Heller, 1931: 110 (*Prodiocetes*) A: TAI

trilineatus Hope, 1831: 27 (*Calandra*) A: NP SD

tristis Faust, 1894c: 337 (*Prodiocetes*) A: SD

genus *Nassophasis* C.O. Waterhouse, 1879: 17 type species *Nassophasis foveata* C.O. Waterhouse, 1879

Hilipomorphus Desbrochers des Loges, 1891f: ccclx type species *Hilipomorphus subfasciatus* Desbrochers des Loges, 1891 (= *Nassophasis morreni* Roelofs, 1885)

aspericollis Heller, 1941b: 160 A: JAI **ORR**

cardoni Desbrochers des Loges, 1891f: ccclx (*Hilipomorphus*) A: SD **ORR**

klapperichi Voss, 1956b: 42 A: FUJ

subverrucosa Voss, 1958b: 123 A: FUJ

genus *Odoiporus* Chevrolat, 1885c: 288 type species *Calandra longicollis* Olivier, 1807

longicollis Olivier, 1807: 86 (*Calandra*) A: FUJ GUA GUI GUX HKG IN JA NP PA SD TAI UP XIZ YUN **ORR**

glabricollis Gyllenhal, 1838: 913 (*Sphenophorus*)

glabridiscus Walker, 1859b: 218 (*Sphenophorus*)

major Heller, 1899: 33

planipennis Gyllenhal, 1838: 911 (*Sphenophorus*)

genus *Prodiocetes* Pascoe, 1874: 66 type species *Prodiocetes quinarius* Pascoe, 1874

subgenus *Paraprodiocetes* Voss, 1958b: 121 type species *Prodiocetes chinensis* Voss, 1958

chinensis Voss, 1958b: 120 A: FUJ

genus *Rhabdoscelus* G.A.K. Marshall, 1943: 119 [RN] type species *Sphenophorus maculatus* Gyllenhal, 1838

Rhabdocnemis Faust, 1893a: 150 [HN] type species *Sphenophorus maculatus* Gyllenhal, 1838

Rhabdocnemis Faust, 1894c: 348 [HN] type species *Sphenophorus maculatus* Gyllenhal, 1838

fissicauda Chevrolat, 1885b: 104 (*Trachorhopalon*) A: JA **ORR**

pygidialis Faust, 1894c: 348 (*Rhabdocnemis*)

maculatus Gyllenhal, 1838: 881 (*Sphenophorus*) A: YUN **ORR**

carinicornis Voss, 1937c: 273 (*Rhabdocnemis*)

eucnemis Heller, 1899: 33 (*Rhabdocnemis*)

obscurus Boisduval, 1835: 448 (*Calandra*) A: JA JIX TAI **AUR ORR**

beccarii Pascoe, 1885: 301 (*Sphenophorus*)

insularis Boheman, 1859: 148 (*Sphenophorus*)

interruptecostatus L.W. Schaufuss, 1885: 204 (*Sphenophorus*)

maculatus Matsumura, 1915: 222, pl. 23 (*Sphenophorus*) [HN]

nudicornis Kirsch, 1877: 156 (*Sphenophorus*)

promissus Pascoe, 1885: 300 (*Sphenophorus*)

tincturatus Pascoe, 1885: 301 (*Sphenophorus*)

similis Chevrolat, 1883: 573 (*Cercidocerus*) A: JAI **ORR**

lineaticollis Heller, 1912b: 395 (*Rhabdocnemis*)

genus *Scyphophorus* Schoenherr, 1838: 855 type species *Scyphophorus acupunctatus* Gyllenhal, 1838

acupunctatus Gyllenhal, 1838 Ei: FR IT GR SP Ai: PA **NAR NTR**

anthracinus Gyllenhal, 1838: 858

asperulus LeConte, 1857: 58 (*Rhynchophorus*)

interstitialis Gyllenhal, 1838: 856

robustior Horn, 1873: 409

genus *Sipalomimus* Voss, 1958b: 125 type species *Sipalomimus singularis* Voss, 1958

singularis Voss, 1958b: 126 A: FUJ TAI

genus *Sphenocorynes* Schoenherr, 1838: 866 type species *Curculio quadripunctatus* Weber, 1801 (= *Rhynchophorus cinereus* Illiger, 1800)

cinereus Illiger, 1800: 115 (*Rhynchophorus*) A: TAI **ORR**

quadripunctatus Weber, 1801: 93 (*Curculio*) [HN]

quadripunctatus Fabricius, 1801: 431 (*Calandra*) [HN]

grandis Günther, 1936b: 107 A: MAC

kosempoensis Janczyk, 1964: 435 A: TAI
ocellatus Pascoe, 1887a: 376 A: JA TAI
perelegans Fairmaire, 1898c: 15
posthumus Günther, 1937b: 195 A: "India"
quattuordecimmaculatus Hope, 1831: 27 (*Calandra*) A: NP SD ORR
rubricosus Faust, 1894c: 335 (*Prodiocetes*) A: SD ORR

genus *Sphenophorus* Schoenherr, 1838: 874 type species *Curculio abbreviatus* Fabricius, 1787

Calandra [Clairville], 1798: pl. 2 [~~SNsupressed~~] type species *Curculio abbreviatus* Fabricius, 1787
Merothericus Chevrolat, 1885c: 290 type species *Sphenophorus rusticus* Gyllenhal, 1838
Nesorthognathus Voss, 1943d: 234 type species *Nesorthognathus pedestris* Voss, 1943 (= *Sphenophorus crassus* Blanchard, 1847)
Sitonobia Gistel, 1856a: 369 type species *Curculio decurtatus* Gmelin, 1790 (= *Curculio abbreviatus* Fabricius, 1787)
Trichischius LeConte, 1876: 426 type species *Trichischius crenatus* LeConte, 1876
abbreviatus Fabricius, 1787a: 99 (*Curculio*) E: AL AU BE BU CR CZ FR GR HU IT LU PL PT RO
SK SP ST SZ UK "Caucasus" A: CY GG IN KZ TM TR WS
brachypterus Gmelin, 1790: 1741 (*Curculio*)
brachypterus Olivier, 1791: 561 (*Curculio*) [NA]
decurtatus Gmelin, 1790: 1747 (*Curculio*)
denominatus Chevrolat, 1885b: 106 [RN]
elegans Geoffroy, 1785: 118 (*Curculio*)
inaequalis Allard, 1870e: 208 [HN]
paludicola Wärtl, 1835: 81 (*Calandra*)
porculus Fabricius, 1798: 166 (*Curculio*) [HN]
ragusae Stierlin, 1882b: 399
scotina Germar, 1823: 298 (*Calandra*)
kuatunensis Voss, 1958b: 122 A: FUJ
kuznetzovi Egorov, 1979b: 153 (*Calandra*) A: FE
meridionalis Gyllenhal, 1838: 934 E: AL FR GR IT SP N: AG
grandini Marseul, 1870: lvii [RN]
pumilus Allard, 1870e: 210 [HN]
sanguinipennis Chevrolat, 1885b: 107
uniseriatus Stierlin, 1882b: 401
parumpunctatus Gyllenhal, 1838: 931 E: AU BU FR GR IT MA PT SP N: AG A: CY
opacus Gyllenhal, 1838: 932
siculus Stierlin, 1876a: 476
piceus Pallas, 1771: 464 (*Curculio*) [NP] E: AL BU CR FR GE GR HU IT NL PL PT RO SK SP ST
SZ TR UK YU "Transcaucasus" N: AG A: CY KZ TD TR WS "Turkestan"
alaiensis Faust, 1887n: 318
eliconensis Vitale, 1906: 133 (*Calandra*)
nitens Allard, 1870e: 207
opacus Stierlin, 1882b: 399 [HN]
rubidus Rey, 1895e: 50 [NA]
rufus Szalay-Marszó, 1957: 408 [NA]
striatopunctatus Reitter, 1883b: 234 [HN]
placidus placidus Say, 1832: 22 (*Rhynchophorus*) Ni: CI AURi (Hawaii) NAR
confusus Gyllenhal, 1838: 944
fallax Boheman, 1845: 256
immunis Say, 1832: 23 (*Rhynchophorus*)
venatus Chittenden, 1904: 133 [NA]
placidus vestitus Chittenden, 1904: 134 Ei: FR GR SP Ni: MO Ai: ES JA QA SC TAI NAR
striatopunctatus Goeze, 1777: 410 (*Curculio*) E: AU BE BU BY CZ FR GE HU IT LU NL PL PT RO
SK SP ST SZ UK YU A: CY RU
abbreviatus Herbst, 1795: 11 (*Rhynchophorus*)
ardesia Olivier, 1807: 92 (*Calandra*)
elegans Geoffroy, 1785: 118 (*Curculio*)
fimbriatus Gmelin, 1790: 1804 (*Curculio*)
helveticus Stierlin, 1882b: 400
mutilatus Laicharting, 1781: 216 (*Curculio*)

genus *Tetratopos* Chevrolat, 1883: 569 type species *Calandra sericans* Wiedemann, 1823

Tetratopos Csiki, 1936: 29 [UE]
longicollis Faust, 1894c: 330 A: SD

genus *Trochorhopalus* Kirsch, 1877: 156 type species *Sphenophorus strangulatus* Gyllenhal, 1838

Trachorhopalon Chevrolat, 1885b: 101 [NA]
Trochorhopalus Rye, 1879: 74 [UE]
Trochorhopalus Champion, 1914: 492 [HN, UE]

balwanti G.A.K. Marshall, 1936: 224 A: SD
humeralis Chevrolat, 1885b: 103 A: YUN ORR
sacchari G.A.K. Marshall, 1932b: 213 A: PA ORR

genus *Trymatoderus* Fairmaire, 1889b: 55 type species *Trymatoderus spongiicollis* Fairmaire, 1889
carinicollis Günther, 1936a: 76 A: JIX ORR
spongiicollis Fairmaire, 1889b: 55 A: CH

7.7.5. Tribe Stromboscerini Lacordaire, 1865

genus *Allaeotes* Pascoe, 1885: 312 type species *Allaeotes griseus* Pascoe, 1885
niger He, R.-Zh. Zhang & Pelsue, 2003b: 127 A: FUJ GUA JIA ZHE

genus *Dexipeus* Pascoe, 1885: 311 type species *Dexipeus fumosus* Pascoe, 1885
uenoi Morimoto, 1978c: 105 A: JA

genus *Dryophthoroides* Roelofs, 1879b: liv type species *Dryophthoroides sulcatus* Roelofs, 1879
Elatticus Pascoe, 1885: 310 type species *Elatticus beccarii* Pascoe, 1885
Pembertonia Zimmerman, 1944: 202 type species *Pembertonia seftoni* Zimmerman, 1944
parvungulis G.A.K. Marshall, 1931b: 270 A: SD
sulcatus Roelofs, 1879b: liv A: FUJ JA

genus *Nephius* Pascoe, 1885: 308 [EA] type species *Nephius gestroi* Pascoe, 1885
Anius Pascoe, 1885: 312 type species *Anius pauperatus* Pascoe, 1885
acastus Grebennikov, 2018a: 383 A: TAI
salebrosus Voss, 1958b: 129 (*Anius*) A: FUJ

genus *Orthosinus* Motschulsky, 1863: 525 type species *Orthosinus velatus* Motschulsky, 1863
foveatus Voss, 1953b: 81 A: FUJ
japonicus Morimoto & Miyakawa, 1985: 82 A: JA
subulirostris G.A.K. Marshall, 1931b: 271 A: SD

genus *Synommatoides* Morimoto, 1978c: 104 type species *Synommatoides shirozui* Morimoto, 1978
scutellatus He, R. Zhang & Pelsue, 2003a: 123 A: ZHE
shirozui Morimoto, 1978c: 104 A: JA SC (Jeju)

genus *Synommatius* Wollaston, 1873b: 444 type species *Synommatius confluens* Wollaston, 1873
interruptus Pascoe, 1885: 311 A: FUJ JA ORR

genus *Tetrasynommatius* Morimoto, 1985: 73 type species *Tetrasynommatius thompsoni* Morimoto, 1985
thompsoni Morimoto, 1985: 75 A: JA

genus *Xerodermus* Lacordaire, 1865: 307 type species *Xerodermus porcellus* Lacordaire, 1865 (= *Orthosinus sculpticollis* Motschulsky, 1863)
himalayanus G.A.K. Marshall, 1931b: 272 A: UP

subfamily Dryophthorinae, species incertae sedis
Calandra quadrimaculata Hope, 1831: 27 A: NP
Calandra goliathus Hope, 1831: 27 A: NP

7.8. Subfamily Entiminae Schoenherr, 1823

7.8.1. Tribe Blosyrini Lacordaire, 1863

genus *Blosyrodes* Jekel, 1875: 157 type species *Blosyrodes quadrinodosus* Jekel, 1875
multinodosus Voss, 1937c: 253 A: YUN
nigricorporis Mukhopadhyay, 1984: 176 A: AP SD
pubescens G.A.K. Marshall, 1916b: 39 A: AF IN KA NP PA

quadrinodosus Jekel, 1875: 159 A: HP KA PA **ORR**
depressus Faust, 1886: 129 (*Blosyrus*)
testaceus Gandhi & Pajni, 1984a: 20 A: "Himalaya"
variegatus Kollar & L. Redtenbacher, 1844: 539 (*Blosyrus*) A: KA UP
costatus Kollar & L. Redtenbacher, 1844: 540 (*Blosyrus*)
interruptus Jekel, 1875: 161

genus *Blosyrus* Schoenherr, 1823: 1139 type species *Curculio oniscus* Olivier, 1807

Blosyridius Fairmaire, 1891b: ccxcviii type species *Blosyridius vestitus* Fairmaire, 1881
Blosyrinus Jekel, 1875: 149 type species *Blosyrus inaequalis* Boheman, 1845
Maes Fairmaire, 1888a: 28 type species *Maes transversicollis* Fairmaire, 1888
Nipponoblosyrus Korotyaev, 1996b: 513 type species *Blosyrus falcatus* Faust, 1882

amitinus Voss, 1937c: 253 A: YUN

asellus Olivier, 1807: 356 (*Curculio*) A: FUJ GUA GUX HP JA (Ryūkyū) TAI YUN **ORR**

philippinensis Jekel, 1875: 149
superciliosus Chevrolat, 1882e: 93

falcatus Faust, 1882a: 262 A: CH FE JA MG SC

japonicus Sharp, 1896: 88

herthus Herbst, 1797: 64 (*Curculio*) A: GUA GUX HKG JIA SCH YUN **ORR**

chinensis Boheman, 1859: 120

hystrix Boheman, 1833b: 553 A: GUA

oniscus Olivier, 1807: 355 (*Curculio*) A: YUN **ORR**

transversicollis Fairmaire, 1888a: 29 (*Maes*) A: YUN

genus *Dactylotus* Schoenherr, 1847: 21 type species *Dactylotus sedakoffi* Schoenherr, 1847

subgenus *Dactylotinus* Korotyaev, 1996b: 513 type species *Thylacites globosus* Gebler, 1829

globosus Gebler, 1829: 150 (*Thylacites*) A: ES KZ NC WS

koreanus Korotyaev, 1995b: 872 A: NC

orientalis Korotyaev & Egorov, 1992: 820 A: FE (South Primorie) NC

tshuktsha Lukjanovitsh, 1992: 818 A: ES (Yakutia) FE (Chukotka)

subgenus *Dactylotus* Schoenherr, 1847: 21 type species *Dactylotus sedakoffi* Schoenherr, 1847

bistriolatus R. Zhang, 1993: 212 A: QIN

calvus G.A.K. Marshall, 1934a: 2 A: GAN

concavus R. Zhang, 1993: 209 A: QIN

dsungariensis Pelletier, 1997a: 52 A: XIN (Karlik Tagh Mts.)

egenus Faust, 1887k: 252 A: QIN

expansus R. Zhang, 1993: 210 A: QIN

exsertus R. Zhang, 1993: 212 A: QIN

gonghensis R. Zhang, 1993: 214 A: QIN

hiekei Pelletier, 1997a: 51 A: XIN (Karlik Tagh Mts.)

koganae Roudier, 1963a: 63 A: "Himalaya"

krausei Pelletier, 1997a: 52 A: XIN (East Tien Shan Mt. Range)

ligulatus R. Zhang, 1993: 215 A: QIN

lubricus R. Zhang, 1993: 216 A: QIN

nepalensis Kapur, 1964: 299 A: NP

nitidulus Faust, 1895c: 96 A: QIN (Qinghai-hu)

polytrichus R. Zhang, 1993: 211 A: QIN

roborovskiyi Faust, 1887k: 253 A: QIN

rugosus Kapur, 1964: 298 A: NP

ruidus R. Zhang, 1993: 215 A: QIN

scrobiculus R. Zhang, 1993: 210 A: QIN

sedakoffi Schoenherr, 1847: 23 A: ES MG NMO QIN

popovii Jekel, 1875: 167

semipubens Faust, 1887k: 250 A: QIN

tibialis Voss, 1970: 446 A: NP

trisulcus R. Zhang, 1993: 210 A: QIN

trivalioides Pelletier, 1997a: 55 A: XIN (East Tien Shan Range)

trivialis Faust, 1885c: 162 (*Blosyrus*) A: KI KZ

trivialismoides Pelletier, 1997b: 449 A: XIN (Chan Tengri Mts.)

ventralis R. Zhang, 1993: 214 A: QIN

vossi Yunakov, 2013a: 64 [RN] A: NP

nepalensis Voss, 1970: 445 [HN]

xinghaiensis R. Zhang, 1993: 213 A: QIN XIZ

subgenus *Kamius* Korotyaev, 1996b: 513 type species *Dactylotus kozlovi* Korotyaev, 1979
kozlovi Korotyaev, 1979: 157 A: XIZ

genus *Proscaphaladeres* Schoenherr, 1840a: 892 type species *Proscaphaladeres punctifrons* Boheman, 1840

kashmirensis Gandhi & Pajni, 1984a: 18 A: KA

genus *Trachyphloeoides* Formánek, 1907b: 124 type species *Trachyphloeus sordidus* Faust, 1890

io Grebennikov, 2018b: 213 A: YUN

sordidus Faust, 1890f: 430 (*Trachyphloeus*) A: GAN

7.8.2. Tribe Brachyderini Schoenherr, 1826

genus *Achradidiomimus* Pelletier, 2001a: 278 type species *Achradidiomimus winkelmanni* Pelletier, 2001

winkelmanni Pelletier, 2001a: 280 A: TR

genus *Achradidiomorphus* Pelletier, 2001a: 278 type species *Achradidiomorphus lodosi* Pelletier, 2001

lodosi Pelletier, 2001a: 279 A: TR

genus *Achradidius* Kiesenwetter, 1864: 247 type species *Achradidius creticus* Kiesenwetter, 1864

argentatus Chevrolat, 1880b: clxix (*Pholicodes*) A: JO SY TR "Palestine"

boroveci Pelletier, 2003a: 44 A: TR

creticus Kiesenwetter, 1864: 248 E: GR (Gávdos, Kríti)

ghigii F. Solari, 1925: 29 (*Pholicodes*) N: LB

brevirostris F. Solari, 1925: 30 (*Pholicodes*) [NA]

insularis Voss, 1948a: 74 (*Pholicodes*) E: GR (Kríti)

letourneuxi Desbrochers des Loges, 1895d: 85 (*Thylacites*) N: EG LB

nigrosparus Reitter, 1909a: 31 (*Pholicodes*)

ochraceus Tournier, 1874f: cliii N: EG A: IS SY

conicollis Desbrochers des Loges, 1875a: 5 (*Pholicodes*)

ovalis Pelletier, 2003a: 42 A: TR

syriacus Boheman, 1842b: 231 (*Pholicodes*) E: GR N: LB A: LE TR

maculosus Desbrochers des Loges, 1889d: ccv (*Pholicodes*)

milleri Tournier, 1874f: cliii

murinus Chevrolat, 1880b: clxx (*Pholicodes*)

oertzeni Faust, 1889a: 73 (*Strophomorphus*)

subquadraticollis Desbrochers des Loges, 1900a: 12 (*Pholicodes*)

theresae Pic, 1910c: 82 (*Pholicodes*) E: KZ A: TR WS

altaicus Schilsky, 1912: 39

genus *Alatavia* Bajtenov, 1974a: 76 type species *Pholicodes alternans* Reitter, 1902 (= *Peritelus albidus* Ballion, 1878)

albida Ballion, 1878: 355 (*Peritelus*) A: XIN KI KZ

alternans Reitter, 1902b: 182 (*Pholicodes*)

demetrii Korotyaev, 1998b: 623 A: KZ

denticollis Korotyaev, 1979: 154 A: MG

elegans Korotyaev, 1979: 155 A: MG

hirta Korotyaev, 1998b: 630 A: KZ

kozlovi Korotyaev, 1998b: 625 A: GAN

medvedevi Korotyaev, 1998b: 631 A: MG

tenuicornis Korotyaev, 1979: 153 A: CH

valida Korotyaev, 1998b: 634 A: KZ

volkovitshi Korotyaev, 1998b: 635 A: KZ

zaslavskii Korotyaev & Yunakov, 2005: 101 A: KI

genus *Benediktellus* Pelletier, 2004a: 12 type species *Benediktellus flavisetosus* Pelletier, 2004

armeniacus Białooki & Szypula, 2006b: 460 A: TR

flavisetosus Pelletier, 2004a: 12 A: TR
nemrutensis Bialooki & Szypula, 2006b: 456 A: TR

genus *Brachyderes* Schoenherr, 1823: 1140 type species *Curculio incanus* Linnaeus, 1758
subgenus *Brachyderes* Schoenherr, 1823: 1140 type species *Curculio incanus* Linnaeus, 1758

Eumonima Gistel, 1856a: 374 type species *Curculio incanus* Linnaeus, 1758
Polyposes Gistel, 1848a: xi [URN]

albicans Desbrochers des Loges, 1896d: 36 N: AG MO

auriger Desbrochers des Loges, 1884: 79 N: AG

caudatus Hustache, 1923b: 69 N: MO

confusus Viedma, 1967: 582 E: SP

constrictus Boheman, 1833b: 563 [DA] A: IN

illaesus Boheman, 1833b: 559 E: FR IT PT SP N: MO

granadensis A. Hoffmann, 1963c: 281

grisescens Fairmaire, 1862c: 552

mogadorensis Pic, 1907b: 114

sparsutus Fairmaire, 1862c: 553

incanus Linnaeus, 1758: 385 (*Curculio*) E: BE BU BY CT CZ DE EN FI FR GE GR HU IT KZ LA

LT LU NL NR PL PT SK SP ST SZ UK Ai: JA

alboguttatus Chevrolat, 1866c: 321

analisis Desbrochers des Loges, 1875b: ccxxvi

brucki Tournier, 1874c: 455

chinensis Boheman, 1840a: 933

gracilis Boheman, 1833b: 557

griseoapterus DeGeer, 1775: 242 (*Curculio*)

heydeni Tournier, 1874c: 455

lepidopterus Gyllenhal, 1833b: 561

sabaudus Fairmaire, 1862b: 649

strasseni F. Solari, 1954c: 132

strictus Tournier, 1874c: 455

virgo Flach, 1907b: 48

ketamensis Antoine, 1962: 55 N: MO

lineolatus Fairmaire, 1862c: 551 E: PT SP

longicollis Hochhuth, 1851: 17 A: KI TM

palliditarsis Chevrolat, 1879a: 93 N: AG

pubescens Boheman, 1833b: 561 E: FR IT PT SP N: AG MO

angustus Fairmaire, 1871a: 396

aquilus Chevrolat, 1879a: 93

cribricollis Fairmaire, 1863: 97

gougeleti Fairmaire, 1871a: 395

nigrosparus Chevrolat, 1879a: 93

opaculus Fairmaire, 1883d: clviii

ovipennis Fairmaire, 1862c: 554

paulinoi Stierlin, 1886c: 285

quercus Bellier de la Chavignerie, 1870: xxvi

reitteri Stierlin, 1885a: 121

siculus Fairmaire, 1862c: 553

rugatus Wollaston, 1864: 379 N: CI

calvus Uyttenboogaart, 1940a: 59

hierroensis Har. Lindberg, 1953: 16

sculpturatus Wollaston, 1864: 379

suturalis Graells, 1851: 145 E: PT SP

circumcinctus Chevrolat, 1879g: cxix

insuturalis Pic, 1903b: 123

tazekensis Antoine, 1939: 151 N: MO

subgenus *Brachylophus* Fischer von Waldheim, 1829: 89 type species *Curculio lusitanicus* Fabricius, 1781

Echopus Desbrochers des Loges, 1909b: 58 type species *Curculio lusitanicus* Fabricius, 1781

Sulciurus Flach, 1907b: 42 type species *Curculio lusitanicus* Fabricius, 1781

lusitanicus Fabricius, 1781: 187 (*Curculio*) E: BEi FR PT SP

apicalis Chevrolat, 1879g: cxx

aurovittatus Fairmaire, 1862c: 551

laesicollis Fairmaire, 1871b: lxxiii

moratus Fabricius, 1798: 171 (*Curculio*)

opacus Boheman, 1833b: 558

quadripunctatus Fairmaire, 1871b: lxxiii

signatus Waltl, 1835: 80 (*Naupactus*)

subgenus *Gastraspis* Flach, 1907b: 44 type species *Brachyderes marginellus* Graells, 1858
marginellus Graells, 1858: 119 E: PT SP
cinctellus Chevrolat, 1879g: cxx
scutellaris Seidlitz, 1867a: 185

genus *Caulostrophilus* Desbrochers des Loges, 1905e: 13 type species *Brachyderes ophthalmicus*
Fairmaire, 1869 (= *Naupactus equestris* Boheman, 1833)
aberrans Fairmaire, 1871a: 397 (*Caulostrophus*) N: MO
breviusculus Desbrochers des Loges, 1905e: 14 (*Caulostrophus*)
alonsoi Pelletier, 2004b: 107 N: MO
equestris Boheman, 1833b: 581 (*Naupactus*) E: PT SP
cinereus Chevrolat, 1879g: cxxi (*Brachyderes*)
lineellus Desbrochers des Loges, 1905e: 15
ophthalmicus Fairmaire, 1869: 232 (*Brachyderes*)

genus *Caulostrophus* Fairmaire, 1859b: 55 type species *Caulostrophus delarouzei* Fairmaire, 1859
(= *Cneorhinus subsulcatus* Boheman, 1833)
caesipes A. Solari & F. Solari, 1905b: 89 E: IT N: AG TU
javeti Desbrochers des Loges, 1871: 353 (*Brachyderes*) A: CY LE TR
obsoletehispidus Lucas, 1854: 36 (*Strophosomus*) E: AL GR IT (Sicilia) A: SY TR
ottomanus Fairmaire, 1859f: civ
polygonius Pelletier, 1996a: 438 E: GR
ringenbachi Pelletier, 2006b: 72 N: LB
subsulcatus Boheman, 1833b: 545 (*Cneorhinus*) E: AL CR FR GR IT N: AG
delarouzei Fairmaire, 1859b: 55
stussineri Stierlin, 1888b: 53 (*Neliocarus*)
zancleanus Pesarini & Baviera, 2006: 140 E: IT (Sicilia)

genus *Epiphaneus* Schoenherr, 1842b: 232 type species *Epiphaneus malachiticus* Boheman, 1842
malachiticus Boheman, 1842b: 233 A: AR SY TR
heydeni Schilsky, 1912: 46 A: GG TR

genus *Epiphanops* Reitter, 1895j: 303 type species *Epiphaneus jucundus* Reitter, 1890
dauidiani Pelletier, 2002: 136 A: IQ SY TR
jucundus Reitter, 1890c: 156 (*Epiphaneus*) A: AB
persicus Chevrolat, 1880b: clxx (*Pholicodes*) A: AR GG IN TR
dohrni Faust, 1886c: 36
talamellii Białooki, 2007: 174 A: TR

genus *Kocheriellus* Pelletier, 2009d: 257 type species *Caulostrophus inhumeralis* Hustache, 1939
inhumeralis Hustache, 1939b: 193 (*Caulostrophus*) N: MO

genus *Mecheriostrophus* Pic, 1913e: 154 type species *Caulostrophus vaulogeri* Pic, 1896
vaulogeri Pic, 1896d: 101 (*Caulostrophus*) N: AG MO

genus *Neocnemis* Crotch, 1867: 389 type species *Neocnemis occidentalis* Crotch, 1867
occidentalis Crotch, 1867: 389 E: AZ

genus *Paracaulostrophus* Pelletier & Weill, 2008: 166 type species *Paracaulostrophus artemisiae*
Pelletier & Weill, 2008
artemisiae Pelletier & Weill, 2008: 167 N: MO
brunneus Pelletier & Weill, 2008: 169 N: MO

genus *Parapholicodes* Pelletier, 1999a: 258 type species *Parapholicodes kanakinensis* Pelletier, 1999
hirsutus Pelletier, 1999a: 260 A: IN
kanakinensis Pelletier, 1999a: 259 A: IQ

genus *Pholicodes* Schoenherr, 1826: 186 type species *Pholicodes plebejus* Schoenherr, 1826
subgenus *Pholicodes* Schoenherr, 1826: 186 type species *Pholicodes plebejus* Schoenherr, 1826
araxidis Reitter, 1895k: 306 (*Strophomorpha*) A: AB

armeniacus Davidian, 1992a: 614 A: AB AR GG
belousovi Davidian, 1992a: 619 E: ST
brunneomaculatus Pelletier, 2003b: 157 A: TR
bogossicus Davidian, 1992a: 620 E: ST A: GG
caspicus Stierlin, 1885a: 106 (*Strophomorphus*) E: ST A: AB AR IN
creticus Faust, 1889a: 74 (*Strophomorphus*) E: GR (Kriti)
elisabethae Pelletier, 2003b: 158 A: TR
ellipticus Reitter, 1895l: 313 A: AR
elongatus Tournier, 1878a: 284 E: "Armenien"
fausti Reitter, 1890c: 155 (*Strophomorphus*) A: IN IQ TR
karacaensis A. Hoffmann, 1954b: 282 (*Strophomorphus*)
oculatus Schilsky, 1912: 35
florae Pelletier, 2003b: 160 A: TR
fremuthi Pelletier, 2003b: 161 A: IN
giganteus Pelletier, 2003b: 162 A: IN
glaucinus Faust, 1886c: 38 E: ST A: AB
gubarevi Davidian, 1992a: 621 E: ST A: AB
inauratus inauratus Boheman, 1833b: 562 E: KZ ST A: WS
bellus Marseul, 1873b: 486
inauratus arzanovi Davidian, 1992a: 627 E: ST UK
inexpectatus Davidian, 1992a: 622 A: AB
insignitus Reitter, 1907d: 262 (*Strophosomus*) [DA] A: AR
korotyaevi Davidian, 1992a: 623 A: AB
lepidopterus Boheman, 1839a: 25 A: GG TR WS
kulzeri Penecke, 1935a: 111
lepidopterus Boheman, 1842b: 230 [HN]
rosti Stierlin, 1893a: 411
margaritae Davidian, 1992a: 614 A: AB AR
moestificus Davidian, 1992a: 623 A: AB GG
murinus Boheman, 1840a: 934 (*Brachyderes*) A: SA
nubiculosus Boheman, 1834b: 529 A: IN
pancaucasicus Davidian, 1992a: 611 E: ST A: AR GG TR
perdurus Reitter, 1895l: 314 E: UK (Krym) A: TR
persicus Faust, 1891e: 389 (*Strophomorphus*) A: IN
pholicoides Reitter, 1890c: 156 (*Strophomorphus*) A: AR
plebejus Schoenherr, 1826: 187 E: ST
plebejus Boheman, 1834b: 527 [HN]
trivialis Boheman, 1834b: 528
problematicus Davidian, 1992a: 608 A: AR
pubimicans Reitter, 1895l: 312 A: GG
pusillus Stierlin, 1885a: 109 A: AR GG TR
quadrivittatus Tournier, 1878a: 283 A: AR
semicalvus Reitter, 1881: 516 E: ST A: AB GG
virescens Faust, 1885c: 149 (*Strophomorphus*) E: KZ A: KI
viridescens Reitter, 1900a: 280 A: TR
vittatus Schilsky, 1912: 30 A: GG
subgenus *Pseudopholicodes* Davidian, 1992a: 601 type species *Brachyderes albidus* Boheman, 1840
albidus Boheman, 1840a: 935 (*Brachyderes*) E: ST A: AB AR GG
lateralis Faust, 1886c: 37

genus *Pseudocaulostrophus* Pelletier, 2009a: 87 type species *Caulostrophus laticollis* Bonnaire, 1893
laticollis Bonnaire, 1893: 317 (*Caulostrophus*) N: AG
stuebeni Pelletier, 2009a: 90 N: MO

genus *Strophocodes* Pelletier, 1999b: 738 type species *Strophomorphus perforatus* Pic, 1913
perforatus Pic, 1913d: 114 (*Strophomorphus*) A: TR

genus *Strophomorphus* Seidlitz, 1867a: 181 type species *Eucorynus porcellus* Schoenherr, 1832
Eucorynus Schoenherr, 1832: 213 [HN] type species *Eucorynus porcellus* Schoenherr, 1832
albarius Reiche & Saulcy, 1858a: 668 (*Strophosomus*) E: GR A: CY LE TR

lineolatus Fairmaire, 1859f: civ
sejugatus Desbrochers des Loges, 1875a: 3
semipurpureus Pic, 1910c: 81
algericus Tournier, 1874d: lxxxvii [DA] N: AG
behnei Pelletier, 1999b: 689 A: TR
benedikti Pelletier, 2001b: 347 A: SY
boroveci Pelletier, 1999b: 691 A: TR
brevipilis Desbrochers des Loges, 1875a: 3 A: IS JO SY
milleri Tournier, 1875f: 608
breviusculus Marseul, 1868a: 196 (*Pholicodes*) A: CY LE SY TR
brevithorax Pic, 1910c: 81
tessellatus Tournier, 1875f: 606
bruleriei Desbrochers des Loges, 1875a: 2 A: LE SY
desbrochersi Stierlin, 1885a: 109 (*Pholicodes*)
colonnellii Pelletier, 1999b: 698 A: IS JO
cretaceus *cretaceus* Tournier, 1875f: 608 A: IS SY
cretaceus aegyptiacus Pelletier, 1999b: 700 N: EG
creticus Faust, 1889a: 74 E: GR(Kriti)
ctenotoides Pelletier, 1999b: 702 E: GR (Sporades) A: CY LE TR
ctenotus Desbrochers des Loges, 1875a: 3 A: LE TR
adanensis Pic, 1910c: 81
demaisoni Desbrochers des Loges, 1907b: 96 A: TR
exophthalmus Pelletier, 1999b: 707 A: CY
fremuthi Pelletier, 1999b: 708 A: TR
friedmani Pelletier, 2008a: 173 A: IS
hebraeus Stierlin, 1885a: 108 A: LE
impressicollis Tournier, 1875f: 606 N: EG A: CY IS JO LE TR
abeillei Stierlin, 1885a: 109
bruleres Stierlin, 1885a: 105 [NA]
subciliatus Reitter, 1895k: 307
insquamosus Pic, 1905i: 178 A: TR
iranensis Pelletier, 1999b: 715 A: IN
levantinus Pelletier, 1999b: 716 A: LE
libanicus Desbrochers des Loges, 1875a: 3 A: LE SY
minutus Tournier, 1875f: 608
nigrinus Desbrochers des Loges, 1905e: 12 [DA] A: "Asie Mineure"
osellai Pelletier, 1999b: 721 A: TR
perrinae Pelletier, 1999b: 723 N: EG A: IS LE
ponticus Pelletier, 1999b: 725 A: GG
porcellus Schoenherr, 1832: 213 (*Eucorynus*) E: AL BH BU CR FR GR HU IT MA MC RO SL SP
ST UK N: EG A: AB AR CY GG IN IS JO LE SY TM TR UZ
comatus Boheman, 1840a: 884 (*Strophosomus*)
hispidus Boheman, 1833b: 544 (*Cneorhinus*)
porcellus Boheman, 1833b: 543 (*Cneorhinus*) [HN]
ursus Desbrochers des Loges, 1875a: 2
pseudoporcellus Pelletier, 2011: 276 A: IS
sublaevigatus Desbrochers des Loges, 1875a: 3 A: CY IS JO LE SY
barbarus Stierlin, 1885a: 108
brunneus Tournier, 1875f: 607
damascenus Pic, 1905i: 178
heydeni Schilsky, 1912: 92 (*Pholicodes*)
uniformis Desbrochers des Loges, 1892d: 117
syriacus Pelletier, 2001b: 350 A: SY
ventricosus Chevrolat, 1880g: v (*Aomus*) A: IS JO SY
irroratus Faust, 1887d: 65
zerchei Pelletier, 1999b: 731 A: TR

genus *Strophosoma* Billberg, 1820: 44 type species *Curculio coryli* Fabricius, 1775 (= *Curculio melanogrammus* Forster, 1771)

subgenus *Morphostrophus* Flach, 1907c: 206 type species *Strophosomus edmundi* Flach, 1907 *edmundi* Flach, 1907c: 206 (*Strophosomus*) E: SP

subgenus *Neliocarus* C. G. Thomson, 1859: 133 type species *Curculio faber* Herbst, 1784 *alonsoi* Pelletier, 1994a: 53 E: SP

arias Escalera, 1914: 410 (*Strophosomus*) N: MO
bardenense Ugarte San Vicente & Salgueira Cerezo, 2007: 78 E: SP
blascoi Pelletier, 1996b: 217 E: SP
burdigalense Escalera, 1928: 101 (*Strophosomus*) E: SP
cidacosense Ugarte San Vicente & Salgueira Cerezo, 2006: 1 E: SP
cobosi Pelletier, 1994c: 437 E: SP
cristatum Boheman, 1833b: 542 (*Cneorhinus*) E: PT SP
fageli A. Hoffmann, 1963c: 276 (*Strophosomus*)
heydeni Flach, 1907c: 216 (*Strophosomus*)
pusillum Stierlin, 1885a: 103
densepile Flach, 1907c: 215 (*Strophosomus*) N: AG
dumeei A. Hoffmann, 1954a: 52 (*Strophosomus*) N: MO
ebenista Seidlitz, 1870: 153 (*Strophosomus*) E: SP
rotundicolle Escalera, 1928: 100 (*Strophosomus*) [HN]
schrammi Pic, 1915c: 13 (*Strophosomus*)
ellipticum Hustache, 1936a: 77 (*Strophosomus*) N: MO
faber Herbst, 1784: 81 (*Curculio*) E: AU BE BU CR CT CZ DE FI FR GB GE HU IT LT LU NL
NR PL SK SP SV SZ UK
alpicola Krauss, 1893: 137 (*Strophosomus*)
asturiense A. Hoffmann, 1966: 58 (*Strophosomus*)
chaetophorum Stephens, 1831g: 129 (*Strophosomus*)
latirostre Gmelin, 1790: 1807 (*Curculio*) [HN]
limbatum Marsham, 1802: 301 (*Curculio*) [HN]
pilosellum Gyllenhal, 1813: 300 (*Curculio*) [RN, HN]
schaeferi A. Hoffmann, 1966: 58 (*Strophosomus*)
zebrina Flach, 1907c: 215 (*Strophosomus*)
falsum Hustache, 1938b: 30 (*Strophosomus*) N: MO
flavipes Chevrolat, 1869: 71 (*Strophosomus*) E: PT SP
aureolum Chevrolat, 1873c: 410 (*Strophosomus*)
canum Chevrolat, 1873c: 410 (*Strophosomus*)
ovulum Seidlitz, 1870: 154 (*Strophosomus*)
veladoi Pérez Arcas, 1874: 141 (*Strophosomus*)
formosum Seidlitz, 1870: 154 (*Strophosomus*) E: PT SP
gallicum Péricart, 1960: 161 (*Strophosomus*) E: FR
gonzalezi Pelletier, 1994b: 102 E: SP
jeani Pelletier, 2009d: 258 N: MO
ellipticum Hustache, 1941b: 168 (*Mecheriostrophus*) [HN]
kocheri A. Hoffmann, 1950b: 86 (*Strophosomus*) N: MO
laufferi Flach, 1907c: 216 (*Strophosomus*) E: SP
luciae Pelletier, 2000a: 246 E: SP
mercheae Ugarte San Vicente, 2006: 91 E: SP
mergallii Pelletier, 1994c: 435 E: SP
monachus Seidlitz, 1867a: 181 (*Strophosomus*) E: SP
moncayense Ugarte San Vicente & Salgueira Cerezo, 2015: 10 E: SP
monegrense Pelletier, 2000b: 408 E: SP
nebulosum Stephens, 1831g: 129 (*Strophosomus*) E: AU BE FR GB GE IR LU NL PT SP
altmans Boheman, 1833b: 537 (*Cneorhinus*)
dentista Flach, 1907c: 217 (*Strophosomus*)
oxyops Boheman, 1833b: 541 (*Cneorhinus*)
retusum Marsham, 1802: 306 (*Curculio*) [HN]
oblongum Hustache, 1941b: 167 (*Strophosomus*) N: MO
perfidum Flach, 1907c: 214 (*Strophosomus*) E: SP
perrinae Pelletier, 1991: 17 N: AG
poricolle Fairmaire, 1868: 493 (*Strophosomus*) E: SP N: MO
setarium Flach, 1907c: 214 (*Strophosomus*)
pseudoebenista Escalera, 1926a: 434 (*Strophosomus*) E: SP
puberulum Chevrolat, 1873c: 409 (*Strophosomus*) E: PT SP
elongatum Martínez y Sáez, 1873: 414 (*Strophosomus*)
huelvanum Kirsch, 1880a: 5 (*Strophosomus*)
seidlitzii Reitter, 1872: 183 (*Strophosomus*) N: AG
sus Stephens, 1831g: 130 (*Strophosomus*) E: AU BE DE FI FR GB GE IT LU NL NR PL PT SP SV
laterale Paykull, 1792: 95 (*Curculio*) [HN]
limbatum Fabricius, 1792: 468 (*Curculio*) [RN, HN]
reitteri Stierlin, 1885a: 103 (*Strophosomus*)

trapezicolle Flach, 1907c: 214 (*Strophosomus*) E: SP
conquense Escalera, 1928: 101 (*Strophosomus*)
uniseriatum Hustache, 1936a: 77 (*Strophosomus*) N: MO
urbionense Escalera, 1928: 101 (*Strophosomus*) E: SP
valderejoi Ugarte San Vicente & Salgueira Cerezo, 2007: 77 E: SP
valdejeroi Pelletier, 2013: 262 [NA]
zarazagai Ugarte San Vicente & Salgueira Cerezo, 2009: 73 E: SP
subgenus *Pelletierius* Alonso-Zarazaga & Lyal, 1999: 147 [RN] type species *Strophosomus albolineatus*
Seidlitz, 1867 (= *Strophosomus albosignatus* Boheman, 1840)
Leucostrophus Flach, 1907c: 206 [HN] type species *Strophosomus albolineatus* Seidlitz, 1867 (= *Strophosomus albosignatus*
Boheman, 1840)
albosignatum Boheman, 1840a: 879 (*Strophosomus*) E: RO ST UK A: IN KZ
albolineatum Seidlitz, 1867a: 184 (*Strophosomus*)
subgenus *Strophosoma* Billberg, 1820: 44 type species *Curculio coryli* Fabricius, 1775 (= *Curculio*
melanogrammus Forster, 1771)
Conchostrophus Flach, 1907c: 207 type species *Strophosomus hirsutum* Desbrochers des Loges, 1897
Strophosomum Gistel, 1856a: 374 [URN]
Strophosomus Schoenherr, 1823: 1139 type species *Curculio coryli* Fabricius, 1775 (= *Curculio melanogrammus* Forster, 1771)
alticola Seidlitz, 1867a: 181 (*Strophosomus*) E: SP
atlanticum Stierlin, 1885a: 100 (*Strophosomus*) N: AG MO
foveifrons Hustache, 1938b: 29 (*Strophosomus*)
ariasi Escalera, 1914: 410 (*Strophosomus*) N: MO
bisquamosum Voss, 1919b: 405 (*Strophosomus*) [DA] N: AG
boroveci Pelletier, 2010a: 88 N: MO
capitatum DeGeer, 1775: 245 (*Curculio*) E: AU BE CT CZ DE EN FR GB GE HU IR IT KZ LA LT
LU NL NR PL SK SP ST SV UK A: WS
affinis Stierlin, 1885a: 100 (*Strophosomus*)
asperifoliarum Stephens, 1831g: 127/[126] (*Strophosomus*)
atomarium Marsham, 1802: 312 (*Curculio*) [HN]
cognatum Stephens, 1831g: 127 (*Curculio*)
desbrocheri Tournier, 1876a: 11 (*Strophosomus*)
obesum Marsham, 1802: 304 (*Curculio*) [HN]
puncticolle Motschulsky, 1845b: 102 (*Peritelus*)
rufipes Stephens, 1831f: 126 (*Strophosomus*)
subrotundum Marsham, 1802: 304 (*Curculio*)
constrictum Seidlitz, 1867a: 183 (*Strophosomus*) E: SP
danieli A. Hoffmann, 1959b: 407 (*Strophosomus*) E: SP
denudatum Hustache, 1941b: 166 (*Strophosomus*) N: MO
ifranense A. Hoffmann, 1953b: 137 (*Strophosomus*)
erinaceus Chevrolat, 1865: 394 (*Strophosomus*) E: FR GB IT PT SP SZ
flachi Stierlin, 1891c: 326 (*Strophosomus*)
globosum Stierlin, 1885a: 100 (*Strophosomus*)
fulvicorne Walton, 1846b: 307 (*Strophosomus*) E: BE CT DE FI FR GB GE IT NL NR PL SV
baudueri Desbrochers des Loges, 1874d: cxcviii (*Strophosomus*)
curvipes C. G. Thomson, 1865: 138 (*Strophosomus*)
temperei A. Hoffmann, 1950a: 339 (*Strophosomus*)
ganglbaueri Flach, 1907c: 211 (*Strophosomus*) E: PT
globulicolle Escalera, 1926a: 432 (*Strophosomus*) E: SP
globulus Seidlitz, 1870: 153 (*Strophosomus*) E: PT SP
henoni Pic, 1899a: 25 (*Strophosomus*) N: AG MO
striaticeps Hustache, 1941b: 168 (*Strophosomus*)
hirsutum Desbrochers des Loges, 1897b: 7 (*Strophosomus*) N: AG MO
longimanus Escalera, 1928: 103 (*Strophosomus*) E: SP
gracilentum A. Hoffmann, 1959b: 407 (*Strophosomus*)
manzanalense Pelletier, 1995: 122 E: SP
melanogrammus melanogrammus Forster, 1771: 36 (*Curculio*) E: AL AU AZ BE BU CT CZ DE EN
FR GB GR HU IT LT LU MD NL NR PL PT RO SK SP ST SV SZ UK YU N: MR A: CY
J*A*i TR **NAR**i
aurora Brahm, 1790: 148 (*Curculio*)
coryli Fabricius, 1775: 148 (*Curculio*)
fagi Chevrolat, 1865: 394 (*Strophosomus*)
globulus Panzer, 1795b: 326 (*Curculio*)
illibatam Boheman, 1833b: 538 (*Cneorhinus*)
obesum C. G. Thomson, 1865: 138 (*Strophosomus*)
trunculus Bonsdorff, 1785: 33 (*Curculio*)

melanogrammum septentrionale Pelletier, 1995: 122 E: NR
palearius Pérez Arcas, 1872: 132 (*Strophosomus*) E: SP
pardoi A. Hoffmann, 1953b: 135 (*Strophosomus*) N: MO
pellitum Kirsch, 1880a: 6 (*Strophosomus*) E: SP
pericarti Pelletier, 1995: 121 E: SP
picticolle Seidlitz, 1867a: 183 (*Strophosomus*) E: SP
tangerianum A. Hoffmann, 1953b: 136 (*Strophosomus*) N: MO
tubericolle Fairmaire, 1852: 86 (*Cneorhinus*) E: FR SP
dispar Rey, 1894c: 89 (*Strophosomus*)
umbilicatum Flach, 1907c: 212 (*Strophosomus*) E: PT SP
franzi A. Hoffmann, 1959b: 406 (*Strophosomus*)
gandoni A. Hoffmann, 1956a: 45 (*Strophosomus*)
subgenus *Subcaulostrophus* Flach, 1907c: 218 type species *Strophosomus sagitta* Seidlitz, 1870
costulatum Pelletier, 2004b: 106 N: MO
lentisci A. Hoffmann, 1956a: 45 (*Strophosomus*) E: SP
sagitta Seidlitz, 1870: 155 (*Neliocarus*) E: FR SP
sagittiforme Desbrochers des Loges, 1895d: 81 (*Strophosomus*)

genus *Syriacodes* Pelletier, 2004a: 9 type species *Syriacodes weilli* Pelletier, 2004
semirectus Pelletier, 2004a: 11 A: TR
weilli Pelletier, 2004a: 10 A: SY

7.8.3. Tribe Byrsopagini Lacordaire, 1863

genus *Acanthalophus* Morimoto, 2015: 561 type species *Acanthalophus matobai* Morimoto, 2015
bicaudatus Colonnelli, 2018a: 169 A: SCH
matobai Morimoto, 2015: 564 A: JA
ozakii Morimoto, 2015: 565 A: JA
saitoi Morimoto, 2015: 566 A: JA
shigematsui Morimoto, 2015: 563 A: JA

genus *Byrsopages* Schoenherr, 1842a: 208 type species *Byrsopages villosus* Boheman, 1842
Kurilonus Sharp, 1896: 113 type species *Kurilonus insolitus* Sharp, 1896 (= *Byrsopages villosus* Boheman, 1842)
Strongylophthalmus Motschulsky, 1860b: pl. X type species *Byrsopages villosus* Boheman, 1842
Strongylophthalmus Faust, 1894e: 192 [HN]
dissimilis Faust, 1894e: 192 (*Strongylophthalmus*) A: FE NE
kiso kiso Nakane, 1963b: 36 A: JA
kiso rausuanus Morimoto, 2015: 575 A: JA
sachalinensis Egorov, 1976b: 122 A: FE
villosus Boheman, 1842a: 209 A: FE NAR
carinatus Motschulsky, 1860b: 168
insolitus Sharp, 1896: 113 (*Kurilonus*)
ventricosus Motschulsky, 1860b: 168

genus *Derelobus* Faust, 1890f: 456 type species *Derelobus apogaeus* Faust, 1890
apogaeus Faust, 1890f: 457 A: GAN

genus *Dyslobus* LeConte, 1869: 380 type species *Otiorynchus segnis* LeConte, 1857
Amnesia Horn, 1876: 48 type species *Dyslobus granicollis* LeConte, 1869
Cyriophthalmus Faust, 1887h: 166 type species *Cyriophthalmus inquinatus* Faust, 1887
Lepidosoma Agassiz, 1846: 205 [UE, HN]
Lepidosoma Gemminger, 1871c: 2299 [UE, HN]
Leposoma Motschulsky, 1845a: 105 [HN] type species *Leposoma californicum* Motschulsky, 1845
Melamomphus Horn, 1876: 40 type species *Melamomphus niger* Horn, 1876
Thricomigus Horn, 1876: 48 type species *Thricomigus luteus* Horn, 1876
variegatus Motschulsky, 1845c: 379 (*Leposoma*) A: FE JA
inquinatus Faust, 1887h: 166 (*Cyriophthalmus*)

genus *Graptus* Schoenherr, 1823: 1142 type species *Curculio triguttatus* Fabricius, 1775
Alophus Schoenherr, 1826: 166 type species *Curculio triguttatus* Fabricius, 1775
Lypius Gistel, 1856a: 373 type species *Curculio triguttatus* Fabricius, 1775
Rhytidoma Wollaston, 1865: App.: 50 type species *Alophus alternans* Wollaston, 1865
agrestis Boheman, 1842a: 206 (*Alophus*) E: ST (Daghestan)

alternans Wollaston, 1865: App. 50 (*Alophus*) N: CI (La Gomera)
apfelbecki Reitter, 1901i: 211 (*Alophus*) E: BH ME
armeniacus Hochhuth, 1847: 486 (*Alophus*) A: AB AR IN TR
asturiensis Stierlin, 1888c: 68 (*Alophus*) E: SP
austriacus Otto, 1894: 3 (*Alophus*) E: AU
 styriacus Apfelbeck, 1927: 77 (*Alophus*)
carpathicus Reitter, 1901i: 211 (*Alophus*) E: PL SK SL UK
circassicus F. Solari, 1945a: 12 (*Alophus*) E: ST UK A: GG
csikii Apfelbeck, 1927: 75 (*Alophus*) E: BU RO SB
elegans Stierlin, 1888c: 65 (*Alophus*) A: TR (Bursa: Uludagh)
epiroticus F. Solari, 1945a: 26 (*Alophus*) E: GR
giresunicus Davidian & Arzanov, 2004: 435 A: TR (Giresun Mt.)
hilfi Reitter, 1901i: 210 (*Alophus*) E: GR
 matzenaueri Lokay, 1908a: 60 (*Alophus*)
kaufmanni albidus Fiori, 1905: 57 (*Alophus*) E: IT
kaufmanni integer F. Solari, 1945a: 11 (*Alophus*) E: BH
kaufmanni kaufmanni Stierlin, 1884a: 43 (*Alophus*) E: AL AU BH BU CR CZ IT HU MD RO PL SB
 SK UK
kaufmanni puncticollis Reitter, 1901i: 213 (*Alophus*) E: CR SL
kaufmanni sequensi Reitter, 1901i: 213 (*Alophus*) E: CR
kaufmanni stierlini Reitter, 1885a: 211 (*Alophus*) E: BH
macedonicus F. Solari, 1945a: 27 (*Alophus*) E: MC
magnificus Wollaston, 1864: 326 (*Alophus*) N: CI (Tenerife)
malissorum Apfelbeck, 1927: 81 (*Alophus*) E: AL
nictitans nictitans Boheman, 1842a: 207 (*Alophus*) E: AL AU BH CR GR A: CY SA
 foraminosus Stierlin, 1861b: 221 (*Alophus*)
 hebraeus Stierlin, 1888c: 67 (*Alophus*)
 syriacus Capiomont, 1868a: 476 (*Alophus*)
nictitans singularis Jacquelin du Val, 1854a: 21 (*Alophus*) E: FR IT
pindicus F. Solari, 1945a: 11 (*Alophus*) E: GR NAR
purkynei Smreczyński, 1960: 5 (*Alophus*) E: MC
reitteri F. Solari, 1945a: 12 (*Alophus*) A: TR
rhodopensis Reitter, 1912c: 169 (*Alophus*) E: BU
 gorgjevici Apfelbeck, 1927: 81 (*Alophus*)
shardaghensis Apfelbeck, 1927: 79 (*Alophus*) E: MC (Šar Planina)
solarii Smreczyński, 1957a: 29 (*Alophus*) E: GR
squamiventris Reitter, 1901i: 209 (*Alophus*) E: GR A: TR
steppensis Davidian, Arzanov & Korotyaev, 2004: 427 E: ST UK
triguttatus triguttatus Fabricius, 1775: 148 (*Curculio*) E: AU BE CT CZ FR GB GE HU IT LU MD
 NT PL SP ST SZ UK A: CY
 adpersus Pic, 1931: 10 (*Alophus*)
 cordiger Fuessly, 1775: 11 (*Curculio*)
 cordiger Sulzer, 1776: 40 (*Curculio*) [HN]
 cordiger [Clairville], 1798: 86 (*Curculio*) [HN]
 immaculatus Desbrochers des Loges, 1871: 374 (*Alophus*) [NA]
 obsoletus Reitter, 1894g: 309 (*Alophus*)
 rufimanus Marsham, 1802: 270 (*Curculio*)
 striatirostris Marsham, 1802: 269 (*Curculio*)
 trinotatus Stephens, 1831e: 109 (*Alophus*)
 vau: Marsham, 1802: 299 (*Curculio*) [NA]
triguttatus inversus F. Solari, 1945a: 40 (*Alophus*) E: AU
triguttatus vau Schrank, 1781: 120 (*Curculio*) E: AU CZ HU PL SK UK
 haliciensis Reitter, 1902c: 196 (*Alophus*)
 pseudelegans Reitter, 1901i: 212 (*Alophus*)
 subcarinatus Reitter, 1894g: 308 (*Alophus*)
weberi italicus Fiori, 1905: 57 (*Alophus*) E: IT
 nigrans Fiori, 1905: 57 (*Alophus*)
weberi weberi Penecke, 1901: 11 (*Alophus*) E: AL AU BH CZ HU IT PL RO SK UK
 albanicus F. Solari, 1945a: 21 (*Alophus*)
 balcanicus Apfelbeck, 1927: 78 (*Alophus*)
 uniformis Reitter, 1894g: 308 (*Alophus*)

genus *Homalorhinus* Schoenherr, 1832: 215 type species *Homalorhinus tristis* Schoenherr, 1832

Homalirhinus Agassiz, 1846: 184 [UE]
tristis Schoenherr, 1832: 216 E: "Caucasus"
squamosus Fåhraeus, 1840a: 852 A: TM

genus *Lepidophorus* Kirby, 1837: 201 type species *Lepidophorus lineaticollis* Kirby, 1833

Lophalophus LeConte, 1876: 120 type species *Liophloeus inquinatus* Mannerheim, 1852
Vitavitus Kissinger, 1974 193 type species *Vitavitus thulius* Kissinger, 1974

inquinatus Mannerheim, 1852: 351 (*Liophloeus*) A: FE NAR

lineaticollis Kirby, 1837: 201 A: FE NAR

thulius Kissinger, 1974: 194 (*Vitavitus*) A: FE NAR

genus *Nipponalophus* Morimoto, 2015: 569 type species *Trichalophus nutakkanus* Kôno, 1938

nutakkanus Kôno, 1936: 99 (*Trichalophus*) A: JA

genus *Odontorhinus* Schoenherr, 1842a: 254 type species *Odontorhinus insperatus* Boheman, 1842

insperatus Boheman, 1842a: 255 A: IN

genus *Pseudalophus* Suvorov, 1915b: 338 type species *Pseudalophus tibetanus* Suvorov, 1915

asyae Davidian & Arzanov, 2019: 1299 A: SCH

bajtenovi Davidian & Arzanov, 2019: 1310 A: GAN SCH

ballioni ballioni Davidian & Arzanov, 2019: 1313 A: GAN

ballioni guttatus Davidian & Arzanov, 2019: 1314 A: GAN

belousovi Davidian & Arzanov, 2019: 1305 A: GAN

boleslavi Davidian & Arzanov, 2019: 1302 A: YUN

borisi Davidian & Arzanov, 2019: 1303 A: SCH

fausti Davidian & Arzanov, 2019: 1314 A: GAN

frontalis Davidian & Arzanov, 2019: 1308 A: GAN SCH

furcatus Davidian & Arzanov, 2019: 1300 A: SCH

kabaki Davidian & Arzanov, 2019: 1306 A: SCH

kandingianus Davidian & Arzanov, 2019: 1307 A: SCH

kozlovi Davidian & Arzanov, 2019: 1295 A: SCH

marginatus Faust, 1887k: 263 (*Alophus*) A: GAN MG

paratibetanus Davidian & Arzanov, 2019: 1298 A: SCH

przewalskii Davidian & Arzanov, 2019: 1315 A: GAN

reitteri Davidian & Arzanov, 2019: 1312 A: GAN SCH

rudigeri Davidian & Arzanov, 2019: 1296 A: SCH

rufimanus Davidian & Arzanov, 2019: 1310 A: GAN

scylla Grebennikov, 2015: 70 (*Trichalophus*) A: SCH

suvorovi Davidian & Arzanov, 2019: 1316 A: GAN

tibetanus Suvorov, 1915b: 338 A: SCH XIZ

tuberculatus Davidian & Arzanov, 2019: 1309 A: SCH

zherikhini Davidian & Arzanov, 2019: 1303 A: SHA

genus *Pseudobarynotus* Desbrochers des Loges, 1891e: 53 type species *Barynotus laticeps* Desbrochers
des Loges, 1875

laticeps Desbrochers des Loges, 1875b: ccxxvi (*Barynotus*) A: "Central Asia"

genus *Rhytideres* Schoenherr, 1823: 1142 type species *Curculio plicatus* Olivier, 1790

subgenus *Ilamania* Peyerimhoff, 1941: 103 type species *Ilamania tocquevillei* Peyerimhoff, 1941

tocquevillei Peyerimhoff, 1941: 103 (*Ilamania*) N: AG MO AFR

subgenus *Rhytideres* Schoenherr, 1823: 1142 type species *Curculio plicatus* Olivier, 1790

Diastochelus Jacquelin du Val, 1854a: 21 type species *Curculio plicatus* Olivier, 1790

Eucleonus Gistel, 1856b: 152 type species *Curculio plicatus* Olivier, 1790

Rhytidoderes Agassiz, 1846: 327 [UE]

Rhytidoderes Wollaston, 1864: 324 [UE, HN]

Rhytidoderes Gemminger, 1871c: 2394 [UE, HN]

albidus Petri, 1915: 337 A: TR

evrani Erbey, 2015: 241 A: TR

plicatus Olivier, 1790: 532 (*Curculio*) E: BE FR GR IT MA PT SP N: AG CI LB A: CY SA SY
NAR

siculus Fähræus, 1842: 61 (*Cleonus*)

genus *Seidlitzia* Desbrochers des Loges, 1891e: 53 type species *Liophloeus maroccanus* Faimaire, 1868
barynotoides Escalera, 1914: 414 N: MO
escalerai Pelletier & Borovec, 2013: 280 N: MO
latesparsa Antoine, 1953: 220 N: MO
maroccana Faimaire, 1868: 494 (*Liophloeus*) E: SP N: MO

genus *Trichalophus* LeConte, 1876: 118 type species *Alophus didymus* LeConte, 1854

Acmaegenius LeConte, 1876: 118 type species *Acmaegenius hylobinus* LeConte, 1876
albonotatus Motschulsky, 1860b: 166 (*Alophus*) A: ES FE JA MG
bistriola Reitter, 1913g: 456 [NA]
quadrimotatus Motschulsky, 1860b: 166 (*Alophus*)
rubripes Reitter, 1913g: 456 [NA]
arrogans Faust, 1883e: 120 (*Alophus*) A: KI (Dolon-Pass)
urbanus Faust, 1883e: 120 (*Alophus*) [NA]
boeberi Schoenherr, 1826: 152 (*Hypsonotus*) A: ES KZ WS
leucon Gebler, 1834a: 285 (*Alophus*)
caudiculatus Faimaire, 1886b: 353 (*Alophus*) A: YUN
compressicauda Faimaire, 1887a: 129 (*Alophus*)
cinereus Ballion, 1878: 361 (*Alophus*) A: KI KZ MG TD TM UZ
connexus Reitter, 1913g: 451 [NA]
setosus Faust, 1883e: 118 (*Alophus*)
eximius Faust, 1885b: 155 (*Alophus*) A: KI KZ TD UZ
aequalis Faust, 1887f: 146 (*Alophus*)
inopinus Faust, 1894a: 61 (*Alophus*)
pauperculus Faust, 1885b: 156 (*Alophus*)
ferganensis Reitter, 1913g: 451 A: KI KZ TD
globoicollis Reitter, 1913g: 453 A: KI
humeralis Gebler, 1834b: 297 (*Alophus*) A: KZ (East territories) WS
hylobinus LeConte, 1876: 188 (*Acmaegenius*) A: NC **NAR**
incarinatus Reitter, 1913g: 452 A: KZ (South-East territories)
inermis Reitter, 1913g: 450 A: FE (Ussuri)
juldusanus Reitter, 1913g: 448 A: KZ WS XIN
kashgarensis Faust, 1887l: 296 (*Alophus*) A: KI KZ XIN
korotyaei Zherikhin & Nazarov, 1990: 100 E: CT (Bashkortostan) A: ES
krauseanus Bajtenov, 1975b: 297 A: KZ UZ
latefasciatus Reitter, 1913g: 454 A: XIN
lentus Faust, 1883e: 119 (*Alophus*) A: KI KZ TD TM UZ
subarrogans Reitter, 1913g: 454 [NA]
lineatus Gebler, 1841a: 374 (*Alophus*) A: KZ
lituratus Faust, 1881: 309 (*Alophus*) A: KZ (South-East territories)
lixomorphus Bajtenov, 1974b: 35 A: KI KZ (South-East territories)
maklini Faust, 1890a: 70 (*Alophus*) A: ES FE MG NC NE SC WS XIN
multivittatus Reitter, 1913g: 452 A: MG XIN
nigrofemoralis Reitter, 1913g: 453 A: XIN
ocularis Reitter, 1913g: 450 A: XIN
pacatus Faust, 1890f: 444 (*Alophus*) A: MG NMO XIZ
plausibilis Faust, 1887f: 166 (*Alophus*) A: XIN
plagiatus Faust, 1887f: 145 (*Alophus*)
pubifer Reitter, 1913g: 447 A: TD UZ
quadrifasciatus Faust, 1881: 310 (*Alophus*) A: KI KZ
quadriguttatus Gebler, 1829: 167 (*Alophus*) A: ES WS
quadriguttatus Mannerheim, 1834: 288 (*Alophus*) [HN]
quadripunctatus Kraatz, 1884: 225 (*Alophus*) A: KI KZ TD TM UZ
brevilineatus Reitter, 1913g: 449 [NA]
compactus Reitter, 1913g: 449 [NA]
regularis Reitter, 1913g: 455 A: XIN
rubripes Zherikhin & Nazarov, 1990: 100 A: FE (South Primorie) JA (Hokkaido, Honshu) NC NE
SC
rubripes Reitter, 1913g: 456 [NA]
rudis Boheman, 1842a: 204 [NP] (*Alophus*) A: ES FE MG WS

biguttatus Gebler, 1832: 63 [NO] (*Alophus*)
cirriger Mannerheim, 1834: 289 (*Alophus*)
gibbulosus Motschulsky, 1860d: 495 (*Alophus*)
sexmaculatus Reitter, 1913g: 456 [NA]
subcostatus Ballion, 1878: 358 (*Alophus*) A: KZ (South-East territories) XIN
subnudus Faust, 1885b: 154 (*Alophus*) A: KI KZ UZ
sulcirostris Ballion, 1878: 360 (*Alophus*) A: KZ (South-East territories) XIN
vittatoides striola Reitter, 1913g: 455 A: KI XIN
interruptus Reitter, 1913g: 455 [NA]
uniformis Reitter, 1913g: 455 [NA]
vittatoides vittatoides Reitter, 1913g: 455 A: KZ XIN
lineatomaculatus Reitter, 1913g: 455 [NA]
vittatus Faust, 1881: 311 (*Alophus*) A: KZ (South-East territories) MG WS

genus *Tropiphorus* Schoenherr, 1842a: 257 type species *Curculio mercurialis* Fabricius, 1801 (=

Curculio elevatus Herbst, 1795)
Brius Dejean, 1821: 92 type species *Curculio mercurialis* Fabricius, 1801 (= *Curculio elevatus* Herbst, 1795)
Dochorhynchus Desbrochers des Loges, 1897b: 3 type species *Dochorhynchus caudulatus* Desbrochers des Loges, 1897 (= *Tropiphorus styriacus* Bedel, 1885)
Synirmus Bedel, 1883c: 61 [URN]
Tropidophorus Gistel, 1856b: 152 [RN]
Tropidophorus Gemminger, 1871c: 2307 [UE, HN]
albanticus Apfelbeck, 1928b: 79 E: AL
bertolinii Stierlin, 1894c: 117 E: IT
caesius J. Frivaldszky, 1879: 232 (*Tropidophorus*) E: BU
kiesenwetteri Tournier, 1889: 86 (*Liophloeus*)
cucullatus Fauvel, 1888: 163 E: AU BH CR FR GE IT HU PL RO SK SL SP SZ
elevatus Herbst, 1795: 235 (*Curculio*) [NP] E: AU BE BU CT CZ DE EN FI GB GE GR HU IT LA
 LT LU MC NL NR NT PL RO SK SL SV SZ UK NARi
abbreviatus Stierlin, 1880b: 78
aecidii Marsham, 1802: 307 (*Curculio*)
alophoides K. Daniel & J. Daniel, 1898: 56
lapidarius Paykull, 1800: 292 (*Curculio*)
mercurialis Fabricius, 1801: 530 (*Curculio*)
suturalis Gmelin, 1790: 1742 (*Curculio*) [HN]
suturatus Gmelin, 1790: 1803 (*Curculio*) [RN, NO]
fiorii Pedroni, 2006: 25 A: IT
imperator Pesarini, 1995: 169 E: IT
micans Boheman, 1842a: 258 E: AU BU CZ HU MD PL RO SK SL UK
obesus Fauvel, 1888: 162
moldavicus Penecke, 1924c: 110 E: RO UK
norici Yunakov, 2013b: 92 [RN] E: AU IT SL SZ
globatus Herbst, 1795: 354 (*Curculio*) [HN] ~~E: AU SL SZ~~
obtusus Bonsdorff, 1785: 37 (*Curculio*) E: AU GB BU CT CZ DE EN FR GE IC IT NT LT NR PL
 RO SV SZ UK NARi
borealis J. R. Sahlberg, 1921: 33
lepidotus Herbst, 1795: 233 (*Curculio*)
longicollis Stierlin, 1880b: 75
pedemontanus Stierlin, 1880b: 73
suecicus Gmelin, 1790: 1796 (*Curculio*) [URN]
ochraceosignatus Boheman, 1842a: 262 E: AU BH CR IT SK SL
paulae Pedroni, 2012b: 99 E: IT
serbicus Reitter, 1901i: 206 E: SB
styriacus Bedel, 1885c: 167 E: AU GE IT
caudulatus Desbrochers des Loges, 1897b: 3 (*Dochorhynchus*)
terricola Newman, 1838: 173 (*Barynotus*) E: AL AU BE BH BU CZ DE FI FR GB GE GR IT LS
 LU NL PL RO SK SL SV SZ UK NARi
cinereus Boheman, 1842a: 260
serdicanus K. Daniel & J. Daniel, 1898: 57
tomentosus Marsham, 1802: 270 (*Curculio*) [HN]
tricristatus Desbrochers des Loges, 1871: 348
transsylvanicus K. Daniel & J. Daniel, 1898: 55 E: RO
rotundatus K. Daniel & J. Daniel, 1898: 55

genus *Xeralophus* Korotyaev, 1992d: 887 type species *Alophus cretaceus* Reitter, 1894

cretaceus Reitter, 1894g: 309 (*Alophus*) A: ES MG

7.8.4. Tribe Celeuthetini Lacordaire, 1863

7.8.4.1. Subtribe Isopterina Morimoto & Kojima, 2001

genus *Arrhaphogaster* Roelofs, 1873: 163 type species *Arrhaphogaster pilosa* Roelofs, 1873
hachijoensis Morimoto & Miyakawa, 1985: 30 A: JA
inouei Morimoto, 2015: 209 A: JA
pilosa Roelofs, 1873: 163 A: JA

genus *Isopterus* Faust, 1895a: 4 type species *Isopterus signatus* Faust, 1895
Kotoshozo Kôno, 1942a: 23 type species *Kotoshozo kotoensis* Kôno, 1942
kotoensis Kôno, 1942a: 23 (*Kotoshozo*) A: TAI (Lányü I.)

genus *Neasphalmus* Nakane, 1963b: 35 type species *Neasphalmus okinawanus* Nakane, 1963
Borodinophilus Voss, 1971d: 46 type species *Borodinophilus ihai* Voss, 1971
ihai Voss, 1971d: 46 (*Borodinophilus*) A: JA (Ryūkyū)
okinawanus Nakane, 1963b: 35 A: JA (Ryūkyū)
rotundipennis Nakane, 1963b: 35 A: JA (Ryūkyū)

7.8.4.2. Subtribe Celeuthetina Lacordaire, 1863

genus *Eupyrgops* Berg, 1898: 17 [RN] type species *Eucyrtus subannulatus* Faust, 1897
Eucyrtus Faust, 1897c: 255 [HN] type species *Eucyrtus subannulatus* Faust, 1897
Kashotomus Kôno, 1942b: 28 type species *Kashotomus multipunctatus* Kôno, 1942 (= *Pachyrhynchus waltonianus* A. Adams, 1848)
subannulatus Faust, 1897c: 256 (*Eucyrtus*) A: JA **ORR**
waltonianus A. Adams, 1848: 468 (*Pachyrhynchus*) A: TAI (Lüdao I.)
multipunctatus Kôno, 1942b: 28 (*Kashotomus*)

genus *Ogasawarazo* Kôno, 1942c: 31 type species *Sphaerorhinus rugosicephalus* Kôno, 1928
subgenus *Ogasawarazo* Kôno, 1942c: 31 type species *Sphaerorhinus rugosicephalus* Kôno, 1928
anejimaensis Morimoto, 2015: 232 A: JA (Ogasawara Is.)
hahajimaensis hahajimaensis Morimoto, 1981c: 179 A: JA (Ogasawara Is.)
hahajimaensis sekimonensis Morimoto, 2015: 237 A: JA (Ogasawara Is.)
makiharai Morimoto, 2015: 230 A: JA (Ogasawara Is.)
mater griseus Morimoto, 2015: 234 A: JA (Ogasawara Is.)
mater mater Morimoto, 1981c: 180 A: JA (Ogasawara Is.)
mater rufipes Morimoto, 2015: 235 A: JA (Ogasawara Is.)
matsumotoi Morimoto, 2015: 231 A: JA (Ogasawara Is.)
rugosicephalus chinpeiyamaensis Morimoto, 2015: 241 A: JA (Ogasawara Is.)
rugosicephalus morimotoi Alonso-Zarazaga, 2017: 258 A: JA (Ogasawara Is.)
otohojimaensis Morimoto, 2015: 240 [HN]
rugosicephalus rugosicephalus Kôno, 1928: 163 (*Sphaerorhinus*) A: JA (Ogasawara Is.)
subgenus *Ogasawarazodes* Morimoto, 2015: 226 type species *Ogasawarazo nomurai* Morimoto, 2015
kishimotoi kishimotoi Morimoto, 2015: 227 A: JA (Ogasawara Is.)
kishimotoi otohojimaensis Morimoto, 2015: 229 A: JA (Ogasawara Is.)
nomurai Morimoto, 2015: 226 A: JA (Ogasawara Is.)

genus *Pyrgops* Schoenherr, 1842b: 240 type species *Pyrgops inops* Boheman, 1842
gibbifrons Kôno, 1942a: 22 A: TAI (Lányü I.)
inops Boheman, 1842b: 241 A: TAI (Lányü I.)

genus *Satozo* Morimoto & Kojima, 2003: 398 type species *Satozo minamiwoensis* Morimoto & Kojima, 2003
minamiwoensis Morimoto & Kojima, 2003: 400 A: JA (Minami-Iwojima Is.)

genus *Torishimazo* Morimoto, 1966: 141 type species *Torishimazo watanabei* Morimoto, 1966
daitoensis Voss, 1971d: 49 (*Ogasawarazo*) A: JA (Ryūkyū)

karubei Morimoto, 2015: 246 A: JA (Ogasawara Is.)
kawashitai Morimoto, 2015: 244 A: JA (Ogasawara Is.)
lineatus Kôno, 1928: 128 (*Sphaerorhinus*) A: JA (Ogasawara Is.)
minamiiwoensis Morimoto, 2015: 245 A: JA (Ogasawara Is.)
watanabei Morimoto, 1966: 142 A: JA (Torishima I.)

7.8.5. Tribe Cneorhinini Lacordaire, 1863

genus *Attactagenus* Tournier, 1876b: 143 type species *Curculio exaratus* Marsham, 1802 (= *Curculio plumbeus* Marsham, 1802)

Bornazon Gozis, 1881b: 159 type species *Cneorhinus pyriformis* Boheman, 1833
Bornazon Gozis, 1881c: cxx [HN] type species *Cneorhinus pyriformis* Boheman, 1833
Gessnerianus Pic, 1897e: 195 type species *Cneorhinus carinirostris* Boheman, 1840

albinus Boheman, 1833b: 531 (*Cneorhinus*) E: BY ST UK

boviei Desbrochers des Loges, 1907b: 98 (*Cneorhinus*) [DA] N: MO

antoinei Hustache, 1926f: 322 (*Cneorhinus*) [DA]

hustachei Winkler, 1932a: 1481 (*Cneorhinus*) [DA] [URN]

bulgaricus Formánek, 1912a: 49 (*Cneorhinus*) E: BU

carinirostris Boheman, 1840a: 863 (*Cneorhinus*) E: PT SP

baulnyi C. N. F. Brisout de Barneville, 1866b: 389 (*Cneorhinus*)

gypsiventer Graells, 1858: 80 (*Cneorhinus*)

oxyops Desbrochers des Loges, 1875a: 35 (*Cneorhinus*) [HN]

ceballosi Viedma, 1965: 471 E: SP

cordubensis Kirsch, 1870a: 173 (*Cneorhinus*) E: PT SP

escorialensis Desbrochers des Loges, 1875a: 36 (*Cneorhinus*)

hispanicus Desbrochers des Loges, 1871: 349 (*Cneorhinus*)

quinquecarinatus Desbrochers des Loges, 1875a: 1 (*Cneorhinus*)

sulcifrons Desbrochers des Loges, 1875a: 35 (*Cneorhinus*)

tumidus Desbrochers des Loges, 1874b: 224 (*Cneorhinus*)

tumidus Desbrochers des Loges, 1874d: cxcvii (*Cneorhinus*) [HN]

diecki Tournier, 1875d: clii (*Cneorhinus*) E: PT SP

cordicollis Desbrochers des Loges, 1891f: 75 (*Cneorhinus*)

diecki Tournier, 1876b: 148 (*Cneorhinus*) [HN]

dispar Graells, 1858: 78 (*Cneorhinus*) E: PT SP

graellsii C. N. F. Brisout de Barneville, 1866b: 387 (*Cneorhinus*)

meleagris Graells, 1858: 79 (*Cneorhinus*)

paulinoi Stierlin, 1886c: 286 (*Cneorhinus*)

globalatipennis Pic, 1897e: 194 (*Cneorhinus*) N: AG

gracilicornis Hustache, 1938b: 30 (*Cneorhinus*) N: MO

transversicollis Hustache, 1938b: 31 (*Cneorhinus*)

hypocyanus Boheman, 1833b: 529 (*Cneorhinus*) E: PT SP

angustus Desbrochers des Loges, 1875a: 36 (*Cneorhinus*)

maroccanus Tournier, 1875d: clii (*Cneorhinus*) N: MO

maroccanus Tournier, 1876b: 136 (*Cneorhinus*) [HN]

moralesi Viedma, 1965: 461 E: SP

molaesi Viedma, 1965: 460 [NA, IOS]

plumbeus Marsham, 1802: 302 (*Curculio*) E: BE DE FR GB GE IR NL SP SV

exaratus Marsham, 1802: 303 (*Curculio*) [HN]

pyriformis Boheman, 1833b: 528 (*Cneorhinus*) E: PT SP N: MO

lateralis Graells, 1850: 622 (*Cneorhinus*)

marmoratus Stierlin, 1900: 235 (*Neliocarus*)

marmoratus Stierlin, 1903a: 483 (*Neliocarus*) [HN]

modestus Pic, 1896c: 94

similaris Pic, 1896c: 94

spinipes Pérez Arcas, 1872: 112 (*Cneorhinus*) E: SP

tarsalis Tournier, 1875d: clii (*Cneorhinus*) E: PT SP

tarsalis Tournier, 1876b: 147 (*Cneorhinus*) [HN]

zarateae Viedma, 1965: 464 E: SP

zaratei Viedma, 1965: 464 [NA, IOS]

genus *Bletonius* A. Hoffmann, 1950b: 87 type species *Bletonius hustachei* A. Hoffmann, 1950
hustachei A. Hoffmann, 1950b: 87 N: MO

genus *Callirhopalus* Hochhuth, 1851: 54 type species *Callirhopalus sedakowii* Hochhuth, 1851

Heydenia Tournier, 1875d: cliii [HN] type species *Heydenia crassicornis* Tournier, 1875 (= *Callirhopalus sedakowii* Hochhuth, 1851)
Heydenia Tournier, 1876b: 158 [HN] type species *Heydenia crassicornis* Tournier, 1876 (= *Callirhopalus sedakowii* Hochhuth, 1851)
sedakowii Hochhuth, 1851: 56 A: ES GAN HEB MG NMO QIN SHA SHX
crassicornis Tournier, 1875d: cliii (*Heydenia*)
crassicornis Tournier, 1876b: 159 (*Heydenia*) [HN]

genus *Catapionus* Schoenherr, 1842a: 245 type species *Catapionus basilicus* Boheman, 1842

agrestis Faust, 1883a: 89 A: KI KZ UZ XIN
alatavicus Bajtenov, 1974b: 34 A: KZ
angulicollis Faust, 1877: 43 A: TM UZ
angusticollis Motschulsky, 1866a: 179 (*Cneorhinus*) A: JA
argentatus Gebler, 1829: 149 (*Thylacites*) A: KI KZ
argentatus Boheman, 1833b: 517 (*Cneorhinus*) [HN]
ballioni Heyden, 1880: 304 [RN] A: KZ WS UZ XIN
argentatus Ballion, 1878a: 348 [HN]
basilicus Boheman, 1842a: 247 A: HP KA PA
brevicornis Faust, 1883a: 93 A: KI KZ
calvus Reitter, 1902b: 183 A: KI KZ XIN
confidens Faust, 1894b: 140 A: KI KZ
confinis Faust, 1883a: 95 A: KI KZ
cuprescens Motschulsky, 1866a: 178 (*Cneorhinus*) A: JA
dshungaricus Bajtenov, 1971a: 95 E: KZ
dochturovi Faust, 1887f: 157 A: KI KZ TD UZ
duplex Formánek, 1913a: 170 A: KI
fossulatus Motschulsky, 1860b: 168 (*Cneorhinus*) A: FE
gebleri Faust, 1883a: 97 A: ES KI KZ
globosus Boheman, 1833b: 539 (*Cneorhinus*) A: WS
gracilicornis choukaizanus Morimoto, 2015: 500 A: JA
gracilicornis gracilicornis Roelofs, 1873: 157 A: FE JA LIA
subcostatus Formánek, 1922: 80
gracilicornis nishitsugarensis Morimoto, 2015: 502 A: JA
gracilicornis oblongus Kôno, 1930a: 173 A: FE (Kuril Is.) JA
gracilicornis obscurus Sharp, 1896: 90 A: FE JA LIA
gracilicornis tappiensis Morimoto, 2015: 501 A: JA
intermedius Tournier, 1875d: clii A: ES KI KZ TM
eximius Faust, 1885b: 151
insulsus Faust, 1885b: 151
intermedius Tournier, 1876b: 156 [HN]
maculatus Tournier, 1875d: clii
maculatus Tournier, 1876b: 156 [HN]
simplex Faust, 1883a: 96
sulcicollis Faust, 1883a: 96
iratus Faust, 1883a: 92 A: KI KZ
dispar Faust, 1883a: 94
inexpectatus Faust, 1883a: 92
molitor Faust, 1885b: 150
irresectus Faust, 1883a: 91 A: KI UZ
kraatzi Faust, 1883a: 88 A: KZ XIN
heydeni Faust, 1883a: 94
leonhardi Formánek, 1913a: 161 A: KZ
lineatus Faust, 1883a: 87 A: KZ
minutus Bajtenov, 1974b: 34 A: KZ
moderatus Faust, 1883a: 97 A: KI XIN
modestus Roelofs, 1873: 156 A: JA SC (Jeju)
mopsus Grebennikov, 2016: 247 A: SCH YUN
peregrinus Faust, 1885b: 150 A: KI KZ UZ
fausti Schilsky, 1912: 68
grummi Heyden, 1888a: 41
quadrilineatus Gebler, 1829: 150 (*Thylacites*) A: KI KZ WS
quadrilineatus Boheman, 1833b: 526 (*Cneorhinus*) [HN]
rugosicollis Desbrochers des Loges, 1871: 352 (*Cneorhinus*) A: NP WS

semiglabratus Faust, 1883a: 90 A: KI KZ TD UZ
magnini Pic, 1906d: 34
semivittatus G.A.K. Marshall, 1916b: 49 A: SD
tibetanus Suvorov, 1915a: 113 A: NP QIN
viridanus Tournier, 1875d: clii A: ES KI KZ UZ XIN WS
chrysochloris Ballion, 1878a: 349
viridanus Tournier, 1876b: 157 [HN]
viridimetallicus Motschulsky, 1861: 21 (*Cneorhinus*) A: ANH ES FE HEI JA LIA NC SC
frequens Kôno, 1930a: 172 [NA]
jezoensis Kôno, 1930a: 173 [NA]
naipoensis Kôno, 1930a: 173 [NA]

genus *Cneorhinus* Schoenherr, 1823: 1139 type species *Cneorhinus barcelonicus* Herbst, 1797

argentifer Marseul, 1866: 91 [RN] E: SP
argentatus Perris, 1864: 295 (*Cneorhinus*) [HN]
barcelonicus Herbst, 1797: 45 (*Curculio*) E: PT SP N: MO
innocuus Fabricius, 1801: 512 (*Curculio*)
rungsi A. Hoffmann, 1950b: 88
bletoni Hustache, 1941b: 169 N: MO
obscurus A. Hoffmann, 1938b: 104 [HN]
oceanicus Peyerimhoff, 1942: 219 N: MO
serranoi Alonso-Zarazaga, 1988a: 125 E: PT

genus *Dermatodes* Schoenherr, 1840a: 895 [RN] type species *Lagostomus paganus* Gyllenhal, 1833

Lagostomus Schoenherr, 1833b: 612 [HN] type species *Lagostomus paganus* Gyllenhal, 1833
grisescens Fairmaire, 1888a: 30 A: YUN
humerosus Voss, 1935c: 57 A: SCH
viriditinctus Fairmaire, 1888a: 30 A: YUN

genus *Dermatodina* Faust, 1895b: 81 type species *Dermatodina vitiosa* Faust, 1895

ashizuriana Morimoto, 2015: 477 (*Antinia*) A: JA
awajiana Morimoto, 2015: 482 (*Antinia*) A: JA (Awaji-shima I.)
awana Morimoto, 2015: 481 (*Antinia*) A: JA
inuyamana Morimoto, 2015: 479 (*Antinia*) A: JA
iseana Morimoto, 2015: 481 (*Antinia*) A: JA
kadeji Kania & Wiater, 2006: 328 (*Antinia*) A: GUA
kongosana Morimoto, 2015: 479 (*Antinia*) A: JA
szelagowiczi Kania & Wiater, 2006: 385 (*Antinia*) A: GUA HUN
variegata Voss, 1958b: 30 (*Antinia*) A: FUJ

genus *Dermatoxenus* G.A.K. Marshall, 1916b: 50 type species *Dermatodes vermiculatus* Gyllenhal, 1840

caesicollis Gyllenhal, 1833b: 619 (*Lagostomus*) A: ANH FUJ JA JIA JIX SC SCH TAI YUN ZHE
ORR

nodosus Motschulsky, 1860a: 21 (*Cneorhinus*)
carimulatus Motschulsky, 1866a: 179 (*Cneorhinus*) A: JA
clathratus Roelofs, 1873: 157 (*Cneorhinus*) A: JA
helleri G.A.K. Marshall, 1916b: 54 A: SD **ORR**
indicus G.A.K. Marshall, 1916b: 53 A: HAI SD **ORR**
interstitialis Motschulsky, 1866a: 179 (*Cneorhinus*) A: JA
montanus Morimoto, 2015: 486 A: JA
scutellatus Heller, 1915c: 212 (*Dermatodes*) A: GUA **ORR**
binodosus G.A.K. Marshall, 1916b: 51
sexnodosus Voss, 1932d: 60 A: SCH

genus *Eustalida* Faust, 1891d: 169 type species *Eustalida bomfordi* Faust, 1891

Menostoma Desbrochers des Loges, 1891g: ccclvi type species *Menostoma cardoni* Desbrochers des Loges, 1891 (= *Eustalida bomfordi* Faust, 1891)
bomfordi Faust, 1891d: 264 A: NP SD **ORR**
cardoni Desbrochers des Loges, 1891g: ccclvi (*Menostoma*)

genus *Heydeneonymus* Desbrochers des Loges, 1875a: 8 type species *Heydeneonymus seidlitzii*
Desbrochers des Loges, 1875 (= *Cneorhinus amplicollis* Boheman, 1840)
Heydeneonymus Fauvel, 1885: 300 [UE]
Trachyphloeocetus Desbrochers des Loges, 1909f: 3 type species *Trachyphloeocetus cneorhinoides* Desbrochers des Loges, 1909

amplicollis Boheman, 1840a: 867 (*Cneorhinus*) E: PT SP
seidlitzii Desbrochers des Loges, 1875a: 8

cneorhinoides Desbrochers des Loges, 1909f: 3 (*Trachyphloeocetus*) E: SP

spinimanus Hustache, 1923b: 70 (*Cneorhinus*) N: MO

genus *Leptolepurus* Desbrochers des Loges, 1873c: 424 type species *Leptolepurus olivieri* Desbrochers des Loges, 1873 (= *Cneorhinus meridionalis* Jacquelin du Val, 1854)

Rhinognathus Fairmaire, 1873a: 343 type species *Rhinognathus globulatus* Fairmaire, 1873 (= *Cneorhinus meridionalis* Jacquelin du Val, 1854)

meridionalis Jacquelin du Val, 1854a: 14 (*Cneorhinus*) E: FR GR IT MA SP N: AG MO TU A: CY
LE SA SY

bonnairei A. Hoffmann, 1950a: 379

globulatus Fairmaire, 1873a: 344 (*Rhinognathus*)

leptolepyroides Desbrochers des Loges, 1907b: 97 (*Cneorhinus*)

olivieri Desbrochers des Loges, 1873c: 425

pallidesquamosus Stierlin, 1888b: 55 (*Sciaphilus*)

siculus Rottenberg, 1872: 228 (*Cneorhinus*)

genus *Mutocneorrhinus* A. Hoffmann, 1961b: 34 type species *Mutocneorrhinus atlanticus* A.

Hoffmann, 1961

atlanticus A. Hoffmann, 1961b: 35 N: MO

genus *Philopedon* Schoenherr, 1826: 97 type species *Curculio geminatus* Fabricius, 1787 (= *Curculio plagiatus* Schaller, 1783)

Dactylorhinus Tournier, 1876b: 132 type species *Curculio globatus* Herbst, 1784 (= *Curculio plagiatus* Schaller, 1783)

camerosense Ugarte San Vicente & Salgueira Cerezo, 2012: 185 E: SP

consentaneum Desbrochers des Loges, 1907b: 96 (*Cneorhinus*) E: SP

cytisarium Ugarte San Vicente & Salgueira Cerezo, 2012: 188 E: PT SP

depilatum Desbrochers des Loges, 1904f: 105 (*Cneorhinus*) N: TU

espagnoli Viedma, 1965: 482 E: SP

lasierrae Viedma, 1965: 481 E: SP

plagiatum Schaller, 1783: 284 (*Curculio*) E: AZ BE CT CZ DE EN FI FR GB GE GR HU IR IT LA

LT LU NL NR NT PL PT SK SP ST SV SZ UK NARi

albicans Boheman, 1833b: 530 (*Cneorhinus*)

geminatum Fabricius, 1787a: 116 (*Curculio*)

globatum Herbst, 1784: 83 (*Curculio*)

maritimum Marsham, 1802: 307 (*Curculio*)

parapleurus Marsham, 1802: 306 (*Curculio*)

scrobiculatum Marsham, 1802: 307 (*Curculio*)

triste Stierlin, 1888a: 16 (*Dactylorhinus*)

tuniseum Desbrochers des Loges, 1908g: 67 (*Cneorhinus*) N: TU

vicinum Desbrochers des Loges, 1875a: 35 (*Cneorhinus*) E: PT SP N: AG MO

andalusicum Tournier, 1876b: 135 (*Cneorhinus*)

sericans F. Solari, 1945b: 78

genus *Philopedon*, nomen dubium

setarium Fairmaire, 1867: 408 (*Cneorhinus*) N: MO

genus *Polydius* Dejean, 1821: 96 type species *Curculio prodigus* Fabricius, 1798

Lacordaireus Desbrochers des Loges, 1875a: 2 type species *Curculio prodigus* Fabricius, 1798

Tretinus Jekel, 1875: 136 type species *Curculio prodigus* Fabricius, 1798

Tretinus Bedel, 1883c: 56 [HN] type species *Curculio prodigus* Fabricius, 1798

bellieri bellieri C. N. F. Brisout de Barneville, 1870b: 597 (*Cneorhinus*) E: FR PT SP

bellieri mirei A. Hoffmann, 1966: 60 (*Cneorhinus*) E: PT SP

heydenii grandis Stierlin, 1887: 398 (*Cneorhinus*) E: PT

heydenii heydenii Tournier, 1875d: clii (*Cneorhinus*) E: PT

heydeni Tournier, 1876b: 142 (*Cneorhinus*) [HN]

martini Fairmaire, 1880b: 242 (*Cneorhinus*)

hispanus hispanus Herbst, 1797: 41 (*Curculio*) E: PT SP

hispanus lepesmei Roudier, 1962b: 198 (*Cneorhinus*) E: PT
hispanus ludificator Gyllenhal, 1833b: 526 (*Cneorhinus*) E: PT SP
prodigus biungulatus Roudier, 1962b: 201 (*Cneorhinus*) E: SP
prodigus prodigus Fabricius, 1798: 170 (*Curculio*) N: MO
tingitanus Desbrochers des Loges, 1874b: 224 (*Cneorhinus*) [HN]
tingitanus Desbrochers des Loges, 1874d: cxcvii (*Cneorhinus*) [HN]
prodigus roudieri Viedma, 1965: 458 (*Cneorhinus*) E: SP

genus *Stigmatrachelus* Schoenherr, 1840b: 123 type species *Curculio cinctus* Olivier, 1807
Eugallus Fairmaire, 1896: 463 type species *Eugallus lacteocinctus* Fairmaire, 1896 (= *Stigmatrachelus fasciculatus* Faust, 1889)
Stigmatotrachelus Gemminger, 1871c: 2225 [UE]
pentacarinatus Pajni & Gandhi, 1984: 71 [EA] A: "India"

7.8.6. Tribe Cratopodini Hustache, 1919

genus *Hemicratopus* Voss, 1964b: 705 type species *Hemicratopus loeffleri* Voss, 1964
loeffleri Voss, 1964b: 706 A: IN

7.8.7. Tribe Cyphicerini Lacordaire, 1863

7.8.7.1. Subtribe Acanthotrachelina G.A.K. Marshall, 1944

genus *Allaeoptochus* Kojima & Morimoto, 2006: 212 type species *Heteroptochus globulus* Faust, 1892
nipponensis Kojima & Morimoto, 2006: 213 A: JA (Honsu)

genus *Calomycterus* Roelofs, 1873: 175 type species *Calomycterus setarius* Roelofs, 1873

Synolobus Faust, 1886e: 144 type species *Synolobus periteloides* Faust, 1886
brevicollis Voss, 1957c: 38 A: KA (Karakorum)
distans Faust, 1886e: 146 (*Synolobus*) A: XIN
jucundus Voss, 1943c: 208 A: AF HEI
similaris Voss, 1959a: 97 [NA]
modestus Faust, 1890f: 450 (*Synolobus*) A: GAN
obconicus Chao, 1974: 483 A: GUA HEB HEN HUB JIA SCH SHA SHX ZHE
periteloides Faust, 1886e: 145 (*Synolobus*) A: XIN
setarius Roelofs, 1873: 175 A: FE JA NE SC NARi
mithras Reitter, 1915e: 118 (*Prochus*)
strigiceps G.A.K. Marshall, 1934a: 10 A: GAN

genus *Gobinda* Pajni, Sidhu & Kumar, 1987: 107 type species *Gobinda frontosulcatus* Pajni, Sidhu & Kumar, 1987
frontosulcatus Pajni, Sidhu & Kumar, 1987: 109 A: SD ORR

genus *Heteroptochus* Faust, 1886e: 146 type species *Heteroptochus pascoei* Faust, 1886

devians Faust, 1886f: 363 A: SD
faber Faust, 1890f: 453 A: GAN
obesus Faust, 1888d: 286 A: BEI HEB
pascoei Faust, 1886e: 146 A: XIN
subsignatus Faust, 1890f: 452 A: GAN
temperans Faust, 1890f: 451 A: GAN QIN

genus *Konomycterus* Kojima & Morimoto, 2006: 207 type species *Calomycterus variabilis* Kôno, 1930
variabilis Kôno, 1930a: 224 (*Calomycterus*) A: TAI
yonagunianus Kojima & Morimoto, 2006: 208 A: JA (Ryūkyū)

genus *Lagenolobus* Faust, 1887b: 36 type species *Lagenolobus sieversi* Faust, 1887

adspersus Faust, 1897d: 382 A: HP
borupi G.A.K. Marshall, 1955a: 151 A: UP
collaris collaris Voss, 1959a: 96 A: AF
collaris dubius Voss, 1959a: 97 A: AF
forticornis Voss, 1960d: 237 A: AF

impar Faust, 1897d: 382 A: HP
lineolatus Hustache, 1928a: 12 A: XIZ
pubescens Hustache, 1928a: 11 A: KA
sieversi Faust, 1887b: 37 A: BEI HEB
tibetanus Formánek, 1916a: 32 (*Otiorhynchus*) A: XIZ
tutus Faust, 1897d: 382 A: KA PA

genus *Nirala* Pajni, Sidhu & Kumar, 1988: 2 type species *Nirala bengalensis* Pajni, Sidhu & Kumar, 1988
bengalensis Pajni, Sidhu & Kumar, 1988: 3 A: SD

genus *Prolobothrix* Voss, 1967: 271 type species *Prolobothrix mongolica* Voss, 1967 (= *Ptochus carinerostris* Boheman, 1843)
carinerostris Boheman, 1843: 105 (*Ptochus*) A: GAN MG NMO XIN
csikii Reitter, 1915e: 117 (*Ptochus*)
mongolica Voss, 1967: 272
suvorovi Suvorov, 1915b: 330 (*Ptochus*)
eurynota Reitter, 1915e: 117 (*Ptochus*) A: MG NMO XIN
kozlovi Suvorov, 1915b: 331 (*Ptochus*)

genus *Psidiopsis* Pascoe, 1872b: 443 type species *Psidiopsis filicornis* Pascoe, 1872
filicornis Pascoe, 1872b: 443 A: "India"

7.8.7.2. Subtribe Cyphicerina Lacordaire, 1863

genus *Amblyrhinus* Schoenherr, 1826: 183 type species *Amblyrhinus poricollis* Schoenherr, 1826
biformis Tournier, 1879a: 111 (*Myllocerus*) A: SA AFR
millingeni Tournier, 1879a: 111 (*Myllocerus*)
cylindricollis Magnano, 2009c: 237 A: AE
labilis Voss, 1962b: 194 A: YE ORR
maculatus A. Hoffmann, 1963a: 84 A: IN
maliriensis Ahmed, Rizvi, Siddiqui & Iqbal, 2009b: 33 (*Myllocerus*) A: PA
poricollis Schoenherr, 1826: 184 A: AE HP UP
poricollis Boheman, 1834b: 468 [HN]
posticus Walker, 1859a: 263 (*Myllocerus*) A: PA UP ORR
rabdetanus Hustache, 1934c: 141 (*Myllocerus*) N: EG
subcingulatus Voss, 1960c: 4 A: AF PA
remaudierei A. Hoffmann, 1961c: 650
subrecticollis G.A.K. Marshall, 1913b: 187 A: UP ORR

genus *Amrikus* Pajni & Sidhu, 1982a: 373 type species *Cyphicerus deplanatus* Faust, 1891
deplanatus Faust, 1891d: 273 (*Cyphicerus*) A: SD
glebosus G.A.K. Marshall, 1924: 287 (*Cyrtepestomus*) A: SD UP ORR

genus *Anosimus* Roelofs, 1873: 173 type species *Anosimus decoratus* Roelofs, 1873
decoratus Roelofs, 1873: 174 A: JA SC
pallidus Roelofs, 1873: 174
fasciatus Faust, 1887d: 66 (*Myllocerus*) A: FE
klapperichi Voss, 1941d: 249 A: FUJ JIA SHX ZHE

genus *Aspidomycter* G.A.K. Marshall, 1943: 108 type species *Aspidomycter lunatus* G.A.K. Marshall, 1943
lunatus G.A.K. Marshall, 1943: 109 A: SD

genus *Asporus* G.A.K. Marshall, 1944c: 441 type species *Asporus setarius* G.A.K. Marshall, 1944
acutidentatus Y-Q. Chen, 1985: 206 (*Drepanoderes*) A: YUN
leucofasciatus Voss, 1932b: 58 (*Drepanoderes*) A: YUN
setarius G.A.K. Marshall, 1944c: 441 A: HKG ORR

genus *Baryconorrhinus* Voss, 1959d: 4 type species *Baryconorrhinus richteri* Voss, 1959

richteri Voss, 1959d: 4 A: IN

genus *Canoixus* Roelofs, 1873: 172 type species *Canoixus japonicus* Roelofs, 1873
japonicus Roelofs, 1873: 172 A: FUJ JA TAI

genus *Cephaloptochus* Bajtenov, 1974a: 54 type species *Cephaloptochus dshungaricus* Bajtenov, 1974
dshungaricus Bajtenov, 1974a: 55 A: KZ

genus *Cnaphoscaphus* G.A.K. Marshall, 1944c: 451 type species *Cnaphoscaphus bisignatus* G.A.K. Marshall, 1944

decoratus Faust, 1890b: 69 (*Cyphicerus*) A: CH ORR
nigroclavatus Aurivillius, 1891: 214 (*Canoixus*)

genus *Corigetetus* Desbrochers des Loges, 1872b: 662 type species *Corigetetus marmoratus* Desbrochers des Loges, 1873

Corigiton Bedel, 1883c: 49 [UE]

Coriogiton Rye, 1876: 309 [UE]

Hercomycterus G.A.K. Marshall, 1944a: 86 type species *Corigetetus trepidus* Faust, 1885

Hypsedaphus G.A.K. Marshall, 1944a: 87 type species *Platytrachelus exquisitus* Faust, 1881

Stelorrhinoides Kôno & Morimoto, 1960: 78 type species *Stelorrhinus freyi* Zumpt, 1938 (= *Corigetetus marmoratus* Desbrochers des Loges, 1873)

exquisitus Faust, 1881: 305 (*Platytrachelus*) A: KI KZ TD TM UZ

marmoratus Desbrochers des Loges, 1873d: 746 A: ES FE HEB HEI JIL MG NMO SHA SHX

bulganensis Voss, 1967: 270

chinensis Zumpt, 1938b: 88 (*Stelorrhinus*)

freyi Zumpt, 1938b: 86 (*Stelorrhinus*)

kaszabi Voss, 1967: 269

priesneri Hustache, 1934c: 142 N: EG

ruftarsis Reitter, 1900e: 63 A: UZ

seistanicus Suvorov, 1915b: 329 (*Myllocerinus*) A: IN

sellatocollis Faust, 1885c: 170 A: UZ

setulifer Reitter, 1902b: 182 A: KI KZ UZ

fischerianus Sumakow, 1908: 162 (*Corigetetus*)

trepidus Faust, 1885c: 171 A: AF IN KI KZ TD TM UZ XIN

mus Reitter, 1900e: 66

yunnanicus Voss, 1932b: 59 A: YUN

genus *Crinorrhinus* G.A.K. Marshall, 1941b: 373 type species *Phytoscaphus crassirostris* Faust, 1897
crassirostris Faust, 1897d: 385 (*Phytoscaphus*) A: KA ORR

genus *Cyphicerinus* G.A.K. Marshall, 1928c: 538 type species *Myllocerus hirsutus* Desbrochers des Loges, 1891

czerskii Zherikhin, 1991b: 155 A: FE (Troitskoe near Khanka Lake)

nepalensis Faust, 1890b: 65 (*Cyphicerus*) A: NP SD

genus *Cyphicerus* Schoenherr, 1823: 1144 [NP] type species *Curculio orbitalis* Wiedemann, 1819 (= *Curculio novemlineatus* Olivier, 1807)

subgenus *Cyphicerus* Schoenherr, 1823: 1144 type species *Curculio orbitalis* Wiedemann, 1819 (= *Curculio novemlineatus* Olivier, 1807)

Cyphicerus Wiedemann, 1823b: 164 [NO] type species *Curculio orbitalis* Wiedemann, 1819 (= *Curculio novemlineatus* Olivier, 1807)

Cyphocerus Agassiz, 1846: 113 [UE]

alsus Pajni, 1990: 423 A: SD

bicolor Formánek, 1916b: 37 A: GUI HUN JIX SCH SHN

bidentipes Pajni, 1990: 427 A: SD

edmundi Formánek, 1916b: 37 A: JIX (Kiautschau)

kuchibutonus Kôno, 1930a: 219 (*Myllocerus*) A: JA (Ryūkyū)

labifer Pajni, 1990: 438 A: "India"

loochoensis Voss, 1971d: 51 A: JA

ornatus Faust, 1891d: 272 A: SD ORR

pardalis Pajni, 1990: 407 A: HP ORR

plumbeus Formánek, 1916c: 52 (*Myllocerops*) A: FUJ GUA GUI JIX SCH SHN YUN

subtuberculatus Voss, 1937c: 240 A: YUN
surdus Pajni, 1990: 421 A: SD
viridanus Voss, 1937c: 240 A: YUN
viridulus Roelofs, 1873: 171 (*Myllocerus*) A: JA
 aceri Kôno, 1930a: 217 (*Myllocerus*)
 tosanus Kôno, 1930a: 218 (*Myllocerus*)
subgenus *Neocyphicerus* Voss, 1937c: 239 type species *Cyphicerus patruelis* Voss, 1937
patruelis Voss, 1937c: 241 A: SCH

genus *Cyrtepistomus* G.A.K. Marshall, 1913b: 186 type species *Phyllobius jucundus* Kollar & L. Redtenbacher, 1844
castaneus Roelofs, 1873: 168 (*Myllocerus*) A: BEI FUJ GAN GUA GUX HEB HEI HUB HUN JA JIA JIL JIX LIA NC NMO SC SCH SHN SHX YUN NARi
 capito Faust, 1887b: 32 (*Myllocerus*)
 chlorizans Faust, 1887b: 33 (*Myllocerus*)
 fortis Reitter, 1915e: 120 (*Myllocerops*)
 mitis Reitter, 1915e: 121 (*Myllocerops*)
championi Pajni, 1990: 151 A: UP
chloris Pajni, 1990: 140 A: SD
frontalis Pajni, 1990: 153 A: UP
herbicola Pajni, 1990: 120 A: "West Himalayas"
himachalensis Pajni, 1990: 126 A: HP
infidelis Pajni, 1990: 130 A: UP
jucundus Kollar & L. Redtenbacher, 1844: 544 (*Phyllobius*) A: KA UP
pini G.A.K. Marshall, 1924: 285 A: UP
planus Pajni, 1990: 147 A: HP
ularis Pajni, 1990: 115 A: UP
sabulosus Magnano, 2009c: 241 A: AE

genus *Doliophron* G.A.K. Marshall, 1941b: 365 type species *Corigetetus gracilicornis* Faust, 1897
tenuicornis Faust, 1891d: 269 (*Corigetetus*) A: SD ORR

genus *Drymophoetus* G.A.K. Marshall, 1944c: 455 type species *Myllocerus saturatevirens* Boheman, 1834
komonoensis Kojima & Morimoto, 2006: 232 A: JA (Honshu)

genus *Echinomyllocerus* Yoro & Kojima, 2017: 291 type species *Echinomyllocerus niisatoi* Yoro & Kojima, 2017
gressitti Yoro & Kojima, 2017: 296 A: GUA

genus *Episomoides* Kôno, 1930a: 220 type species *Episomus albinus* Matsumura, 1910
albinus Matsumura, 1910: 33 (*Episomus*) A: JIX TAI
 albinus Matsumura, 1911b: 141 (*Episomus*) [HN]

genus *Eusomidius* Faust, 1885c: 176 type species *Corigetetus clavator* Faust, 1885
angustus Faust, 1885c: 177 (*Corigetetus*) A: KI KZ UZ
auliensis Reitter, 1901b: 80 (*Corigetetus*) A: KZ
clavator Faust, 1885c: 176 (*Corigetetus*) A: KI KZ UZ
fausti Nasreddinov, 1983: 102 A: UZ (Ak-Dschar)
hauseri Faust, 1887i: 178 (*Ptochus*) A: TD UZ
janetscheki A. Hoffmann, 1970: 442 (*Corigetetus*) A: NP
korotjaevi Nasreddinov, 1983: 103 A: TD (S slope of Gissarsky Range)
medvedevi Nasreddinov, 1983: 102 A: IN (Missune) TM (Kara-Kala)
profanus Voss, 1937c: 242 A: SCH
rostralis Kôno, 1930a: 214 (*Myllocerus*) A: TAI
saitoi Kôno & Morimoto, 1960: 81 A: SHX
subnudus Kôno & Morimoto, 1960: 80 A: SHX
zeraphschanicus Bajtenov, 1974a: 56 A: TD

genus *Hackeria* Lea, 1911: 67 type species *Hackeria viridivaria* Lea, 1911

isabellina Voss, 1960c: 5 A: PA
schoenfeldti Faust, 1890b: 72 (*Cyphicerus*) A: LIA SHN

genus *Himachala* Pajni, 1990: 208 type species *Himachala fulvescens* Pajni, 1990
fulvescens Pajni, 1990: 208 A: HP **ORR**
fulvescens Pajni, 1990: 208 [NA]
squamifrons Pajni, 1990: 211 A: HP

genus *Iranorrhinus* Voss, 1959d: 5 type species *Iranorrhinus schaeuffelei* Voss, 1959
schaeuffelei Voss, 1959d: 6 A: IN

genus *Kairakia* Nasreddinov, 1986: 374 type species *Kairakia zarudniana* Nasreddinov, 1986
fixa Nasreddinov, 1986: 376 A: TD (Kairakkum)
heikertingeri Reitter, 1915e: 123 (*Corigetus*) A: KZ (Taraz)
paradoxa Faust, 1885c: 170 (*Corigetus*) A: KI UZ
zarudniana Nasreddinov, 1986: 377 A: TD (Kairakkum)

genus *Myllocerinus* Reitter, 1900e: 62 type species *Myllocerinus heydeni* Faust, 1885
subgenus *Myllocerinus* Reitter, 1900e: 62 type species *Myllocerinus heydeni* Faust, 1885
arabicus Boheman, 1843: 7 (*Myllocerinus*) A: SA
aurolineatus Voss, 1937c: 245 A: ANH FUJ GUA GUI GUX HUB HUN JIA JIX SCH ZHE
capito Faust, 1885c: 169 A: KZ TD UZ
cephalotes Faust, 1891b: 116 (*Corigetus*) A: KZ UZ
magnificus Bajtenov, 1970: 48
christophi Stierlin, 1883b: 632 (*Myllocerinus*) A: AF
conirostris Formánek, 1925: 21 (*Myllocerops*) A: TD UZ
crassicornis Desbrochers des Loges, 1904: 105 (*Myllocerinus*) A: TR
cylindricollis Faust, 1894b: 143 (*Myllocerinus*) A: AF IN "Tien Shan"
latevittis Reitter, 1897h: 251 (*Corigetus*)
discrepans Voss, 1962b: 191 A: YE
dubius Voss, 1937c: 244 A: SCH
gussakovskii Nasreddinov, 1978d: 57 A: TD
heydeni Faust, 1885c: 169 (*Myllocerinus*) A: KI KZ TD
divisus Faust, 1894b: 142 (*Corigetus*)
innocuus Faust, 1887i: 181 (*Corigetus*) A: TD UZ
narzikulovi Nasreddinov, 1976: 107 A: TD
ochrolineatus Voss, 1937c: 245 A: FUJ GUA GUI GUX HUN SCH SHN
pici Reitter, 1906a: 250 (*Myllocerinus*) A: TD
subaequus Voss, 1962b: 192 A: YE **AFR**
viridilineatus Voss, 1937c: 246 A: SCH
viridiornatus Voss, 1934: 142 (*Myllocerinus*) [RN] A: GUA JIA JIX SCH YUN
amoenus Voss, 1932d: 287 (*Myllocerinus*) [HN]
vossi Lona, 1937b: 392 (*Myllocerinus*) [URN]
yunnanensis Voss, 1937c: 233 (*Myllocerops*)
weisei Faust, 1884c: 457 (*Corigetus*) A: IN TD TM UZ
subgenus *Pseudoplatymycterus* Voss, 1956g: 615 type species *Corigetus rubripes* Hustache, 1921
bampurensis Suvorov, 1915b: 330 A: IN
semenovi Faust, 1887k: 260 (*Corigetus*) A: KZ MG NMO XIN
coniceps Reitter, 1906b: 244 (*Corigetus*)

genus *Myosides* Roelofs, 1873: 164 type species *Myosides seriehispidus* Roelofs, 1873
amamianus Morimoto & Lee, 1993: 66 A: JA
chejuensis Morimoto & Lee, 1993: 69 A: SC (Jeju)
ejimai Morimoto & Lee, 1993: 67 A: JA
ishigakianus Morimoto & Lee, 1993: 65 A: JA
kiiensis Morimoto & Lee, 1993: 68 A: JA
marshalli Heller, 1931: 98 (*Trachyodes*) A: TAI
formosanus Morimoto & Lee, 1993: 64
morimotoi Borovec, 2014a: 35 A: TAI
nakijinensis Morimoto, 2015: 609 A: JA (Okinawa I.)

okinawanus Morimoto & Lee, 1993: 66 A: JA
pyrus Sharp, 1896: 93 A: JA
seriehispidus Roelofs, 1873: 165 A: FE JA NC SC NARi
tokarensis Morimoto & Lee, 1993: 67 A: JA
yonagunianus Morimoto & Lee, 1993: 65 A: JA

genus *Neomyllocerus* Voss, 1934a: 73 type species *Myllocerus cuspidaticollis* Voss, 1934 (= *Myllocerus hedini* G.A.K. Marshall, 1934)
Deiradolcus G.A.K. Marshall, 1941b: 371 type species *Corigetis moratus* Faust, 1891
hedini G.A.K. Marshall, 1934a: 11 (*Corigetis*) A: FUJ GUA GUI GUX HUB HUN JIX SCH SHX YUN
cuspidaticollis Voss, 1934a: 72 (*Myllocerus*)
moratus Faust, 1891d: 270 (*Corigetis*) A: SD ORR
rectirostris Pajni, 1990: 371 (*Deiradolcus*) A: UP

genus *Oedophrys* G.A.K. Marshall, 1941b: 361 type species *Myllocerus convexifrons* Faust, 1897
albofasciata Pajni, 1990: 111 A: FUJ
sakaguchii Kôno, 1930a: 212 (*Myllocerus*) A: JA SC

genus *Paramycter* G.A.K. Marshall, 1944a: 88 type species *Paramycter trivitticollis* G.A.K. Marshall, 1944
setiepistomus Pajni, 1990: 39 A: UP
trivitticollis G.A.K. Marshall, 1944a: 88 A: SD

genus *Parapoteriothorax* Ter-Minasian & Nasreddinov, 1978: 1102 type species *Parapoteriothorax kizilkumensis* Ter-Minasian & Nasreddinov, 1978
kerzhneri Nasreddinov, 1983: 104 A: UZ
kizilkumensis Ter-Minasian & Nasreddinov, 1978: 1102 A: UZ
kysilkumicus Bajtenov, 1979a: 71 (*Eusomidius*) A: UZ

genus *Parascaphus* G.A.K. Marshall, 1944c: 445 type species *Phytoscaphus dissimilis* G.A.K. Marshall, 1915
albosetosus Pajni, 1990: 260 A: UP
dalbergiae Pajni, 1990: 254 A: UP

genus *Peltotrachelus* G.A.K. Marshall, 1917a: 188 type species *Platytrachelus pubes* Faust, 1886
juvencus collinus Pajni, 1990: 463 A: PA UP ORR
juvencus juvencus Faust, 1891d: 271 (*Cyphicerus*) A: HP ORR
acaciae Stebbing, 1903: 184 (*Myllocerus*)
propinquus Faust, 1886c: 147 (*Platytrachelus*) A: HP ORR

genus *Peranosimus* Voss, 1943c: 210 type species *Peranosimus nasalis* Voss, 1943
nasalis Voss, 1943c: 211 A: HEI

genus *Peronaspis* Suvorov, 1915b: 337 type species *Peronaspis bucharica* Suvorov, 1915
Taurostomus G.A.K. Marshall, 1944a: 86 type species *Corigetis claviger* Faust, 1894
bucharica Suvorov, 1915b: 337 A: UZ
claviger Faust, 1894a: 56 (*Corigetis*) A: AF KI KZ TD UZ

genus *Phrixopogon* G.A.K. Marshall, 1941b: 366 type species *Corigetis filicornis* Faust, 1894
Platymycteropsis Voss, 1958b: 26 type species *Corigetis excisangulus* Reitter, 1900
angulicollis G.A.K. Marshall, 1948b: 697 A: CH ORR
armaticollis G.A.K. Marshall, 1948b: 694 A: GUA YUN ORR
epistomalis Voss, 1970: 454 (*Platymycteropsis*) A: NP
excisangulus Reitter, 1900e: 65 (*Corigetis*) A: FUJ GUA HUB HUN JIA SHG TAI ZHE ORR
filicornis Faust, 1894c: 199 (*Corigetis*) A: YUN ORR
herbeus G.A.K. Marshall, 1948b: 696 A: SD ORR
ignarus Faust, 1887b: 35 (*Corigetis*) A: FUJ GUA GUX HAI HKG SCH ORR
laticornis G.A.K. Marshall, 1948b: 703 A: CH ORR

latirostris G.A.K. Marshall, 1948b: 695 A: CH **ORR**
limbalis Fairmaire, 1889a: 368 (*Corigetus*) A: GUA HKG YUN **ORR**
mandarinus Fairmaire, 1889a: 367 (*Corigetus*) A: FUJ GUA GUX HEN HKG HUB HUN JIX SHA **ORR**

sikkimensis G.A.K. Marshall, 1948b: 693 A: SD
vicinus G.A.K. Marshall, 1948b: 700 A: GUX HAI
walkeri G.A.K. Marshall, 1948b: 701 A: GUX HUB HUN JIA SCH ZHE

genus *Piezophrys* G.A.K. Marshall, 1944a: 95 type species *Piezophrys hebes* G.A.K. Marshall, 1944
hebes G.A.K. Marshall, 1944a: 95 A: SD
patuloepistoma Pajni, 1990: 76 A: SD
superciliata Pajni, 1990: 73 A: SD

genus *Platymycterus* G.A.K. Marshall, 1918a: 245 type species *Corigetus feae* Faust, 1894
afghanistanicus Voss, 1937c: 248 A: AF (Kabul)
biimpressus Voss, 1959a: 98 A: AF
conjungens Voss, 1937c: 247 A: SCH
deceptor G.A.K. Marshall, 1918a: 248 A: UP
difficilis Voss, 1937c: 247 A: SCH
feae Faust, 1894c: 201 (*Corigetus*) A: NP SCH SD YUN **ORR**
himalayanus G.A.K. Marshall, 1918a: 247 A: KA UP **ORR**
himalayensis G.A.K. Marshall, 1918a: 249 [NA]
kashmirensis G.A.K. Marshall, 1918a: 251 A: KA
marmoratus Faust, 1881: 303 (*Platytrachelus*) A: KI KZ TD TM UZ
kirghisicus Faust, 1884c: 457 (*Corigetus*)
moestus G.A.K. Marshall, 1918a: 250 A: HAI HP KA UP **ORR**
peregrinus Bajtenov, 1980b: 125 A: UZ
sieversi Reitter, 1900e: 65 (*Corigetus*) A: FUJ GUX HAI
sjustedti G.A.K. Marshall, 1918a: 251 A: UP **ORR**
trapezicollis Ballion, 1878: 357 (*Myllocerus*) A: KI KZ TD TM UZ XIN
armiger Faust, 1885c: 169 (*Corigetus*)
turkestanicus Faust, 1885c: 170 (*Corigetus*) A: IN KZ TD UZ

genus *Platytrachelus* Schoenherr, 1842b: 48 type species *Platytrachelus pistacinus* Boheman, 1842
psittacinus Faust, 1893d: 511 (*Amblyrhinus*) A: SCH **ORR**

genus *Pollendera* Motschulsky, 1858: 86 type species *Pollendera atomaria* Motschulsky, 1858
Onychopoma Pascoe, 1872d: 445 type species *Onychopoma parda* Pascoe, 1872 (= *Pollendera atomaria* Motschulsky, 1858)
fuscofasciata Y.-Q. Chen, 1984: 104 (*Drepanoderes*) A: YUN

genus *Poteriothorax* Ter-Minasian, 1973c: 385 type species *Poteriothorax alimzhanovi* Ter-Minasian, 1973
alimzhanovi Ter-Minasian, 1973c: 385 A: UZ

genus *Pseudobarirrhinus* Magnano, 2009c: 241 type species *Pseudobarirrhinus conicus* Magnano, 2009
conicus Magnano, 2009c: 242 A: AE

genus *Pseudoparascaphus* Magnano, 2009c: 243 type species *Pseudoparascaphus maculatus* Magnano, 2009
maculatus Magnano, 2009c: 243 A: AE

genus *Ptochidius* Motschulsky, 1858: 87 type species *Ptochidius lineatus* Motschulsky, 1858
carinulatus Motschulsky, 1858: 90 A: "India"
cylindricollis Motschulsky, 1858: 88 A: "India"
impar Motschulsky, 1858: 89 A: "India"
impressicollis Motschulsky, 1858: 89 A: "India"
lineatus Motschulsky, 1858: 87 A: "India"
longicornis Motschulsky, 1858: 88 A: "India"
nigrosparsus Motschulsky, 1858: 89 A: "India"

simulator Voss, 1937a: 239 (*Cyphicerus*) A: SCH
subcarinatus Voss, 1937a: 239 (*Cyphicerus*) A: SCH
tessellatus Motschulsky, 1860b: 160 A: ES FE HEI JIL LIA NC SC SCH SHX
intelligens Faust, 1882a: 267
piriformis Faust, 1882a: 266
similis Tournier, 1879a: 112 (*Myllocerus*)

genus *Rhinospineus* A. Hoffmann, 1961c: 648 type species *Rhinospineus sericatus* A. Hoffmann, 1961
sericatus A. Hoffmann, 1961c: 648 A: AF IN

genus *Salbachia* Reitter, 1906a: 241 type species *Corigetetus dorsalis* Reitter, 1897
dorsalis Reitter, 1897h: 250 (*Corigetetus*) A: UZ

genus *Scaeorrhinus* G.A.K. Marshall, 1944c: 439 type species *Scaeorrhinus boops* G.A.K. Marshall,
1944
kashmirensis Formánek, 1925: 19 (*Otiorrhynchus*) A: KA

genus *Tanyscapus* G.A.K. Marshall, 1944c: 450 type species *Tanyscapus compressus* G.A.K.
Marshall, 1944
compressus G.A.K. Marshall, 1944c: 450 A: SD **ORR**

genus *Taractor* Pajni, 1990: 480 type species *Cyphicerus farinosus* Faust, 1893
farinosus Faust, 1893d: 510 (*Cyphicerus*) A: GUA HKG **ORR**
bohemani Reitter, 1906a: 243 (*Cyphicerus*) [RN]
brevicollis Boheman, 1859: 124 (*Myllocerus*) [HN]
indicus Pajni, 1990: 485 A: "India"

genus *Thlipsomerus* G.A.K. Marshall, 1944a: 89 type species *Cyrtepistomus subcosticollis* G.A.K.
Marshall, 1943
darjeelingensis Pajni & Sidhu, 1982a: 372 A: SD
quadrimaculatus Pajni, 1990: 47 A: SD
subcosticollis G.A.K. Marshall, 1943: 107 (*Cyrtepistomus*) A: SD **ORR**

genus *Thyraulus* G.A.K. Marshall, 1944c: 442 type species *Thyraulus prasinus* G.A.K. Marshall,
1944
subgenus *Thyraulinus* Voss, 1963b: 406 type species *Thyraulus conjunctulus* Voss, 1959
conjunctulus conjunctulus Voss, 1959a: 99 A: AF (Bazarak)
conjunctulus intermixtus Voss, 1959a: 100 A: AF (Sarobi)
subgenus *Thyraulus* G.A.K. Marshall, 1944c: 442 type species *Thyraulus prasinus* G.A.K. Marshall,
1944
prasinus G.A.K. Marshall, 1944c: 442 A: AF

7.8.7.3. Subtribe Mylacorrhinina Reitter, 1913

genus *Altonomus* Desbrochers des Loges, 1907b: 95 type species *Altonomus demaisonii* Desbrochers
des Loges, 1907 (= *Mylacus villosus* Reitter, 1906)
Mylacorrhina Reitter, 1913a: 13 type species *Mylacus villosus* Reitter, 1906
buglanensis Białooki & Szypuła, 2007: 144 A: TR
jelineki Borovec, 2003a: 25 A: IS (Rosh Pina)
modestus Iablokoff-Khnzorian, 1957: 178 (*Mylacorrhina*) A: AR TR
rahmei Borovec, 2007: 3 A: SY
reitteri Stierlin, 1884a: 36 (*Mylacus*) A: IS
vernalis Iablokoff-Khnzorian, 1957: 177 (*Mylacorrhina*) A: AR TR
villosus Reitter, 1906a: 217 (*Mylacus*) A: TR (Adana)
demaisonii Desbrochers des Loges, 1905d: 7 (*Cylomausus*) [HN]
demaisonii Desbrochers des Loges, 1907b: 95 [HN]

genus *Gyratogaster* K. Daniel & J. Daniel, 1903a: 319 type species *Gyratogaster comosa* K. Daniel &
J. Daniel, 1903
comosa K. Daniel & J. Daniel, 1903a: 319 A: TR (Eskişehir)
discreta Voss, 1943c: 212 A: SY TR

larinoides Reitter, 1896d: 237 (*Arammichnus*) A: TR
persica Borovec, 2014c: 45 A: IN
podlussanyi Borovec, 2003a: 12 A: TR
rufithorax Pesarini, 1975a: 45 A: TR

genus *Leianisorhynchus* Pic, 1905i: 178 type species *Leianisorhynchus brunnescens* Pic, 1905
Arammichnasus Reitter, 1912a: 66 type species *Otiorhynchus laminirostris* Reitter, 1912
brunnescens Pic, 1905i: 179 A: SY TR
friedmani Białooki, 2015b: 15 A: IS
laminirostris Reitter, 1912a: 66 (*Otiorhynchus*) A: TR
pubescens Pic, 1927a: 2 A: TR
wittmeri Pesarini, 1971b: 144 (*Gyratogaster*)

7.8.7.4. Subtribe Myllocerina Pierce, 1913

genus *Amyllocerus* Kojima & Morimoto, 2006: 201 type species *Myllocerus abnormalis* Sharp, 1896
abnormalis Sharp, 1896: 108 (*Myllocerus*) A: JA

genus *Arrhines* Schoenherr, 1834b: 465 type species *Arrhines languidus* Gyllenhal, 1834
Arrhines Agassiz, 1846: 33 [UE]
Arrhines Gemminger, 1871c: 2301 [UE]
hirtus Faust, 1893d: 506 A: FUJ GUX JIA SCH YUN ORR
lanugineus Faust, 1894c: 195
languidus Gyllenhal, 1834b: 466 A: KA UP ORR
brunneus Faust, 1886e: 142
tutus Faust, 1894c: 194 A: JIA GUA HAI SCH YUN ORR

genus *Corymacronus* Kojima & Morimoto, 2006: 203 type species *Myllocerus naso* Sharp, 1896
costulatus Motschulsky, 1860b: 159 (*Ptochidius*) A: BEI FE GAN GUA HEI HUB JA JIA JIL KA
LIA NC NMO SC SHX NARi
obliquesignatus Reitter, 1908c: 65 (*Cyphicerus*)
obliquesignatus Formánek, 1916c: 49 (*Myllocerops*) [HN]
pennatus Formánek, 1922: 78 (*Myllocerops*)
shansiensis Kôno & Morimoto, 1960: 79 (*Hackeria*)
naso Sharp, 1896: 106 (*Myllocerus*) A: JA (Kyushu)
dissimilis Voss, 1939e: 53 (*Myllocerus*)

genus *Emperorrhinus* G.A.K. Marshall, 1916a: 365 type species *Emperorrhinus defoliator* G.A.K.
Marshall, 1916
defoliator G.A.K. Marshall, 1916a: 366 A: HP SD ORR

genus *Eumyllocerus* Sharp, 1896: 109 type species *Eumyllocerus graciosus* Sharp, 1896
festivus Voss, 1952b: 191 A: HEI
graciosus Sharp, 1896: 109 A: HUB JA
longisetus Zhang & Han, 2005: 218 A: HUB
malignus Faust, 1887b: 34 (*Myllocerus*) A: FE HEI JIL LIA SC
filicornis Reitter, 1915e: 119 (*Myllocerops*)
longulus Egorov & Zherikhin, 1991b: 224
viridiaureus Suvorov, 1915b: 328 (*Myllocerus*)
rotundicarpus Han & Zhang, 2005: 220 A: ZHE
sectator Reitter, 1915e: 121 (*Myllocerops*) A: HEB HEI JIL LIA
sobrinus Voss, 1940c: 883 A: ZHE

genus *Hyperstylus* Roelofs, 1873: 171 type species *Hyperstylus pallipes* Roelofs, 1873
bhutanensis Nathan, 1992: 130 (*Myllocerus*) A: BT
chloris G.A.K. Marshall, 1916b: 353 A: HP ORR
lineatus G.A.K. Marshall, 1941c: 406 A: NP ORR
minutus Formánek, 1916c: 50 (*Myllocerops*) A: SHN
pallipes Roelofs, 1873: 172 A: BEI FUJ GUA GUX HUN JA SC
pruni Matsumura, 1915: 215 (*Phyllobius*)
pauculus Voss, 1934a: 71 (*Myllocerus*) A: SCH

richardi Nathan, 1992: 131 (*Myllocerus*) A: HP NP PA UP
setosus Formánek, 1916c: 50 (*Myllocerops*) A: GUA JIX SHN
*subcruciatu*s Voss, 1934a: 72 (*Myllocerus*) A: SCH

genus *Lepidepistomodes* Kojima & Morimoto, 2006: 187 type species *Myllocerus nigromaculatus*
Roelofs, 1873

fimosus Faust, 1882a: 261 (*Myllocerus*) A: FE JA NC SC
nipponensis Zumpt, 1938b: 85 (*Myllocerus*)
otsukai Kôno, 1930a: 218 (*Myllocerus*)

griseoides Zumpt, 1937a: 10 (*Myllocerops*) A: JA SC

kokurohoshi Kojima & Morimoto, 2006: 196 A: JA SC

kyushuensis Kojima & Morimoto, 2006: 197 A: JA (Kyushyu, Gotoh Isl.)

nigromaculatus Roelofs, 1873: 169 (*Myllocerus*) A: FUJ GUA GUI GUX HUN JA JIX NC SC SCH
SHG

scitus Voss, 1942b: 104 (*Myllocerus*)

togashii Kojima & Morimoto, 2006: 193 A: JA

genus *Lepidepistomus* Kojima & Morimoto, 2006: 165 type species *Myllocerus elegantulus* Roelofs,
1873

dimorphus Kojima & Morimoto, 2006: 169 A: JA (Ryūkyū)

elegantulus Roelofs, 1873: 170 (*Myllocerus*) A: JA NC SC

tokaranus Kojima & Morimoto, 2006: 171 A: JA (Tokara Is.)

genus *Macrocorynus* Schoenherr, 1823: 1144 type species *Curculio discoideus* Olivier, 1807

afghanistanensis Voss, 1937b: 187 (*Myllocerops*) A: AF

discoideus Olivier, 1807: 418 (*Curculio*) A: FUJ GUA GUX HKG HUB HUN JA JIA JIX SCH ZHE

ORR

hirsutus Morimoto, 1965: 43 A: TAI

genus *Myllocerus* Schoenherr, 1823: 1144 type species *Curculio curvicornis* Fabricius, 1792

subgenus *Calomylloceru*s Voss, 1959c: 408 type species *Myllocerus liesenfeldti* Voss, 1959

liesenfeldti Voss, 1959c: 407 A: UP

subgenus *Exmylloceru*s Voss, 1937c: 230 type species *Myllocerus ginfushanensis* Voss, 1933

ginfushanensis Voss, 1933e: 29 A: SCH

subgenus *Hypomylloceru*s Voss, 1937c: 231 type species *Myllocerops inflatus* Voss, 1937

inflatus Voss, 1937c: 231 (*Myllocerops*) A: YUN

subgenus *Isomylloceru*s G.A.K. Marshall, 1954a: 214 type species *Curculio dorsatus* Fabricius, 1798

strigilatus Voss, 1937c: 230 (*Myllocerops*) A: YUN

subnubilis Voss, 1952b: 193 (*Macrocorynus*) A: HEI

subgenus *Mylloceroversu*s A. Hoffmann, 1961c: 644 type species *Myllocerus acaciae* A. Hoffmann, 1961

acaciae A. Hoffmann, 1961c: 644 A: SA

subgenus *Mylloceru*s Schoenherr, 1823: 1144 type species *Curculio curvicornis* Fabricius, 1792

aidebus Hustache, 1934c: 140 N: EG

alternans Voss, 1932b: 57 A: YUN

benignus Faust, 1892c: 60 A: KZ TD TM

bidentatus Pic, 1926c: 230 N: EG

blandus Faust, 1894c: 197 A: PA **ORR**

brunneus Matsumura, 1910: 32 A: TAI

brunneus Matsumura, 1911b: 141 [HN]

canalistriatus Ramamurthy & Ghai, 1988: 450 A: NP

canoixoides Kôno, 1930a: 213 A: JA

cardoni G.A.K. Marshall, 1916b: 339 A: UP **ORR**

caspius Stierlin, 1883b: 632 A: IN

championi Ramamurthy & Ghai, 1998: 423 A: UP

chobauti Desbrochers des Loges, 1897d: 16 N: AG

cinereidorsum Desbrochers des Loges, 1903c: 115 A: TR

conoixoides Kôno, 1930a: 213 A: JA

conspersus G.A.K. Marshall, 1916b: 321 A: NP **ORR**

curtipennis Pic, 1903e: 163 A: SY TR

damascenus Miller, 1861: 208 A: AR CY LE SY TR **AFR**
dentifer Fabricius, 1792: 488 (*Curculio*) A: AF **ORR**
discolor Boheman, 1834b: 428 A: HP IN KA PA UP **ORR**
canescens G.A.K. Marshall, 1916b: 350
persicus Zumpt, 1938: 84
uniformis G.A.K. Marshall, 1916b: 349
variegatus Boheman, 1843: 9
dohrni Faust, 1890d: 262 A: SHG
exoletus Voss, 1958b: 21 (*Macrocorynus*) A: FUJ
fabricii Boheman, 1842a: 8 A: PA XIN **ORR**
exaptus Faust, 1886e: 143 (*Corigetis*)
fabricii Guérin-Méneville, 1843: 53
fotedari Ahmad & Dar, 1974: 92 A: KA
foveicollis Voss, 1932d: 286 A: SCH
grahami Ramamurthy & Ghai, 1998: 424 A: UP
guttulus Matsumura, 1910: 33 A: SCH TAI
guttulus Matsumura, 1911b: 141
hinmulus Faust, 1894a: 56 A: AF UZ
infaustus G.A.K. Marshall, 1946: 93 [RN] A: HP KA **ORR**
rusticus Faust, 1897d: 368 [HN]
inquietus Voss, 1937c: 236 A: YUN
kashmirensis G.A.K. Marshall, 1916b: 308 A: KA PA
laetivirens G.A.K. Marshall, 1916b: 330 A: PA **ORR**
lefroyi G.A.K. Marshall, 1916b: 340 A: UP **ORR**
lodosi G. Osella, 1977a: 9 A: TR
mundus Voss, 1932d: 288 A: YUN **ORR**
necopinus G.A.K. Marshall, 1916b: 335 A: PA **ORR**
nepalensis Ramamurthy & Ghai, 1988: 439 A: NP
nuristanicus Voss, 1959a: 93 A: AF
ochraceus Magnano, 2009c: 237 A: AE
pilifer Faust, 1897d: 367 A: HP PA **ORR**
plutus Voss, 1958b: 24 A: FUJ GUA
posthi Hustache, 1921c: 20 (*Corigetis*) N: AG LB **AFR**
prosubulosus Ramamurthy & Ghai, 1988: 446 A: NP
pulchellus Formánek, 1922: 76 A: SHN
raddensis Pic, 1904d: 35 A: FE
ravillus Voss, 1961c: 245 A: AF
reitteri Kirsch, 1878: 282 (*Polydrusus*) A: GG
reitteri Kirsch, 1879: 26 (*Polydrusus*)
robusticeps Pic, 1903e: 163 A: CY SY
rufescens Ramamurthy & Ghai, 1988: 454 A: "Himalaya"
sabulosus G.A.K. Marshall, 1916b: 336 A: UP **ORR**
satunini Suvorov, 1915b: 327 A: AR A: TR
sericeus Faust, 1897d: 362 A: HP PA **ORR**
setosus Kôno, 1930a: 214 A: TAI
setulifer Desbrochers des Loges, 1899b: 111 A: UP
sibiricus Tournier, 1879a: 112 A: "Siberia"
smaragdinus G.A.K. Marshall, 1916b: 323 A: SD
spinicollis G.A.K. Marshall, 1941c: 405 A: PA **ORR**
strangulaticollis Magnano, 2009c: 239 A: AE
suspiciens G.A.K. Marshall, 1916b: 306 A: UP **ORR**
szetschuanus Voss, 1933e: 28 A: SCH
transmarinus Herbst, 1795: 213 (*Curculio*) A: HP UP **ORR**
bengalensis Desbrochers des Loges, 1891g: ccclvi
molaris Faust, 1891d: 268
musculus Boheman, 1834b: 429
trifasciatus Voss, 1932d: 288 A: YUN **ORR**
trifolii A. Hoffmann, 1964a: 40 A: AF
undecimpustulatus Faust, 1891d: 266 A: AE PA UP **ORR NARI**
fausti Formánek, 1927: 45
maculosus Desbrochers des Loges, 1899b: 111

marmoratus Faust, 1897d: 360

pistor Faust, 1897d: 361

subgenus *Pachymyllocerus* Voss, 1937c: 235 type species *Myllocerus durus* Voss, 1937
durus Voss, 1937c: 237 (*Epimyllocerus*) A: SCH

neosordidus Ramamurthy & Ghai, 1988: 395 [RN] A: FUJ JIA SCH SHG

sordidus Voss, 1956b: 22 [HN]

subgenus *Pseudocanoixus* Voss, 1958b: 23 type species *Macrocorynus fallaciosus* Voss, 1958
fallaciosus Voss, 1958b: 23 (*Macrocorynus*) A: FUJ

genus *Myllocerus*, species incertae sedis

thandiyaniensis Rizvi, Ahmed & Naz, 2002: 25 A: PA

genus *Myllocerus*, nomen dubium

subcostatus Kolenati, 1858b: 86 E: "Caucasus"

genus *Nothomyllocerus* Kojima & Morimoto, 2006: 177 type species *Myllocerus griseus* Roelofs, 1873
griseus Roelofs, 1873: 170 (*Myllocerus*) A: JA NC SC SCH FE (Kuril Is.)

illitus Reitter, 1915e: 122 (*Myllocerus*) A: ANH FE FUJ GUA GUI GUX HUB JA JIA JIX SC SCH
SHN

laticollis Kojima & Morimoto, 2006: 186 A: JA (Ryūkyū)

laticornis Reitter, 1915e: 121 (*Myllocerus*) A: SHN

neglectus Voss, 1971a: 45 (*Myllocerus*) A: JA

pelidnus Voss, 1958b: 25 (*Myllocerus*) A: FUJ GUA GUX HAI HUB JIX

pini Kojima & Morimoto, 2006: 184 A: JA (Ōsumi, Ryūkyū)

ugennamgyeli Yoro & Kojima, 2009: 362 A: BT

genus *Onychophyllobius* Schilsky, 1908a: 1 type species *Phyllobius molitor* Schilsky, 1908
molitor Schilsky, 1908a: 1 (*Phyllobius*) A: SA

genus *Phyllolytus* Fairmaire, 1889b: 52 type species *Phyllolytus longicornis* Fairmaire, 1889 (= *Myllocerus variabilis* Roelofs, 1873)

Myllocerops Reitter, 1906a: 209 type species *Myllocerus psittacinus* L. Redtenbacher, 1868

apionoides Voss, 1939e: 52 A: XIN

cinereus Formánek, 1922: 77 (*Myllocerops*) A: PA

commaculatus Voss, 1958b: 22 (*Macrocorynus*) A: FUJ GUA GUX JIA JIX SCH ZHE

dissimilis Voss, 1937c: 233 (*Myllocerops*) A: YUN

griseus Voss, 1937c: 234 (*Myllocerops*) A: AF (Kabul)

holdhausi Formánek, 1916c: 56 (*Myllocerops*) A: SCH YUN

imbricatus Formánek, 1916c: 51 (*Myllocerops*) A: SHN

psittacinus L. Redtenbacher, 1868: 150 (*Myllocerus*) A: FUJ GUA GUI HAI HEB HEN HUB HUN

JIA JIX LIA SC (Jeju) SCH SHN TAI YUN ZHE **ORR**

costatipennis Morimoto, 1965: 42 (*Cyrtepiptomus*)

setarius Reitter, 1915e: 123 (*Myllocerops*) A: JIX SHN

splendens Formánek, 1925: 22 (*Myllocerops*) A: KA

variabilis Roelofs, 1873: 168 (*Myllocerus*) A: BEI FE JA JIX NC SC SHN YUN

longicornis Fairmaire, 1889b: 52

penecke Voss, 1936a: 37 (*Myllocerus*)

genus *Pseudoedophrys* Kojima & Morimoto, 2006: 153 type species *Myllocerus hilleri* Faust, 1889
hilleri Faust, 1889f: 222 (*Myllocerus*) A: HEN JA NC SC SHX **NARi**

genus *Pseudomyllocerinus* Voss, 1959a: 95 type species *Pseudomyllocerinus fimbriolatus* Voss, 1959
fimbriolatus Voss, 1959a: 95 A: AF

genus *Ptochella* Reitter, 1906a: 240 type species *Ptochus latirostris* Faust, 1891

gudini Reitter, 1916d: 120 A: TM

latirostris Faust, 1891b: 115 (*Ptochus*) A: UZ

genus *Ptochus* Schoenherr, 1826: 187 type species *Ptochus porcellus* Boheman, 1834

subgenus *Alloptochus* Iablokoff-Khnzorian, 1964: 173 type species *Ptochus perversus* Iablokoff-Khnzorian, 1964

perversus Iablokoff-Khnzorian, 1964: 171 **A:** AR

subgenus *Ptochus* Schoenherr, 1826: 187 type species *Ptochus porcellus* Boheman, 1834

Ectmetaspidus Formánek, 1908b: 224 type species *Ectmetaspidus daghestanicus* Formánek, 1916

afflictus Faust, 1886e: 141 **A:** PA **ORR**

anatolicus G. Osella, 1977a: 17 **A:** TR

antennalis Voss, 1922a: 173 **A:** SD

antoniae Reitter, 1895a: 28 (*Myllocerus*) **A:** AB AR TR

apicatus G.A.K. Marshall, 1916b: 268 **A:** SD

armeniacus G. Osella, 1977a: 17 **A:** TR

aurichalceus Faust, 1885c: 163 **A:** KZ

avaricus Ismailova, 2006: 615 **E:** ST

bengalensis Voss, 1922a: 173 **A:** SD

cephalotes Faust, 1894b: 142 **A:** KI

circumcinctus Boheman, 1834b: 481 **A:** AB AR IN TR

crinitus Kollar & L. Redtenbacher, 1844: 547 (*Omius*) **A:** KA

czikii Reitter, 1915e: 117 **A:** MG

daghestanicus Formánek, 1908b: 224 (*Ectmetaspidus*) **E:** ST

davidiani Ismailova, 2006: 615 **E:** ST (Daghestan)

gulnarae Ismailova, 2006: 614 **E:** ST (Daghestan)

impressicollis Faust, 1881: 300 **A:** ES

inaffectatus Voss, 1959a: 92 **A:** AF

indemnis Faust, 1890f: 431 **A:** QIN

iranensis A. Hoffmann, 1956d: 243 **A:** IN

koltzei Reitter, 1906a: 239 **A:** XIZ

korotyaevi Ismailova, 2006: 615 **E:** ST (Daghestan)

longicollis Boheman, 1834b: 482 **A:** IN

marquardti Reitter, 1916d: 119 **A:** XIN

melichari Formánek, 1922: 75 **A:** KA

nebulosus Egorov & Zherikhin, 1991b: 154 **A:** FE

nepalensis Voss, 1960c: 3 **A:** NP

nigropilosus Reitter, 1906a: 230 **A:** KI KZ

noxius Faust, 1897d: 353 **A:** HP **ORR**

obliquesignatus Reitter, 1906a: 232 **A:** QIN

obrieni Ismailova, 2006: 613 **E:** ST (Daghestan)

obscuripes Motschulsky, 1866a: 180 **A:** JA

percussus Faust, 1886e: 140 **A:** PA XIN **ORR**

piliferus Motschulsky, 1854a: 49 **A:** BEI

porcellus Boheman, 1834b: 483 **E:** BU KZ ST UK **A:** AB AR WS

deserticola Marseul, 1873b: 463 [URN]

desertus Motschulsky, 1860c: 312

lacteolus Motschulsky, 1860c: 313

latifrons Hochhuth, 1847: 504 (*Peritelus*)

perdix Boheman, 1834b: 484

sus Marseul, 1873b: 463 [URN]

potanini Reitter, 1906a: 232 **A:** NO

setosus Boheman, 1834b: 484 **A:** AR

sevanensis Iablokoff-Khnzorian, 1977b: 306 **A:** AR

shansiensis Kôno & Morimoto, 1960: 82 **A:** SHX

squamosus Reitter, 1906a: 235 **A:** AB

subcretaceus Faust, 1887f: 156 **A:** KI KZ

tigrinus Kollar & L. Redtenbacher, 1844: 546 **A:** KA

vittatus Reitter, 1898b: 20 **A:** AB

genus *Ptochus*, nomina dubia

fulvipes Hochhuth, 1851: 62 (*Peritelus*) **A:** UZ

fulvidipes Marseul, 1873b: 468 [URN]

rufipes Gebler, 1829: 169 **A:** WS

rufipes Gyllenhal, 1834b: 487 [HN] **E:** "Caucasus"

subacutus Stierlin, 1883b: 604 E: "Caucasus (?)"

genus *Sphaeroptochus* Egorov & Zherikhin, 1991b: 152 type species *Prochus deportatus* Boheman, 1834

fasciolatus Gebler, 1829: 169 (*Prochus*) E: CT ST A: ES FE GAN KZ MG WS

deportatus Boheman, 1834b: 485 (*Prochus*)

spiraeae Arnol'di, 1964a: 166 (*Prochus*)

strigirostris Hochhuth, 1851: 64 (*Peritelus*) A: ES

strigirostris Marseul, 1873b: 462 [URN]

tristis Egorov & Zherikhin, 1991b: 152 A: FE

7.8.7.5. Subtribe Phytoscaphina Lacordaire, 1863

genus *Chloebius* Schoenherr, 1826: 211 type species *Phytoscaphus immeritus* Schoenherr, 1826

aksuanus Reitter, 1915c: 106 A: KZ MG SHA XIN

angustirostris Reitter, 1895a: 27 (*Myllocerus*) A: KI KZ XIN

contractus Faust, 1885c: 184 A: KZ XIN

dshungaricus Bajtenov, 1974b: 35 A: KZ (Dzhungarsky Alatau Mts.)

immeritus Schoenherr, 1826: 212 (*Phytoscaphus*) E: ST A: AB AR GAN GG HEB KZ MG NIN

NMO SHA TD TM TR UZ XIN WS

glycyrrhizae Stierlin, 1864b: 495 (*Phyllobius*)

immeritus Boheman, 1834b: 645 [HN]

psittacinus Boheman, 1842b: 416

turkestanicus Schilsky, 1912: 72

juldusanus Reitter, 1915c: 106 A: KZ XIN

koshevmikovi Reitter, 1908c: 66 A: NE

latifrons Faust, 1885c: 185 A: KZ XIN

mandschuricus Reitter, 1915c: 108 A: NE

margelanicus Reitter, 1907b: 74 A: UZ

nasalis Reitter, 1915c: 108 A: KI KZ TD UZ

pamiricus Bajtenov, 1981f: 405 A: TD (Pamir)

semipilosus Reitter, 1907b: 76 A: KZ TD

sterbae Reitter, 1907b: 74 A: TD TM UZ

steveni Boheman, 1842b: 417 E: ST A: AB GG IN KZ TD TR

caucasicus Reitter, 1907b: 76

sequensi Reitter, 1907b: 76

sulcistrostris Hochhuth, 1851: 84 A: KZ TD UZ

viridis Voss, 1934a: 73 A: SCH

genus *Indophytoscaphus* Pajni & Sidhu, 1982b: 632 type species *Corigetus chandigarhensis* Pajni & Singhal, 1974

sensarmai Pajni & Sidhu, 1982b: 633 A: UP

genus *Phytoscaphus* Schoenherr, 1826: 210 type species *Phytoscaphus lixabundus* Schoenherr, 1826 (=

Curculio lanatus Fabricius, 1801)

Pseudphytoscaphus Pajni 1990: 281 type species *Phytoscaphus nubilus* Faust, 1894

Rhypochromus Motschulsky, 1858: 83 type species *Rhypochromus cruciger* Motschulsky, 1858

chloroticus Boheman, 1843: 413 A: UP **ORR**

cuprescens Aurivillius, 1892: 215

ciliatus Roelofs, 1873: 176 A: FUJ GUA GUI GUX HAI JA JIX SCH SHX TAI YUN ZHE **ORR**

dentirostris Voss, 1958b: 28

formosanus Matsumura, 1910: 34

formosanus Matsumura, 1911b: 142 [HN]

leporinus Faust, 1892d: 193

decorus Pajni, 1990: 310 A: SD **ORR**

elegans A. Hoffmann, 1963a: 82 A: AF

gossypii Chao, 1974: 482 A: BEI HEB HEN JIA JIX SHA NMO

himalayanus Faust, 1891d: 274 A: FUJ YUN **ORR**

inductus Boheman, 1842b: 411 A: NP **ORR**

nepalensis Boheman, 1842b: 412

lanatus Fabricius, 1801: 526 (*Curculio*) A: FUJ GUA GUX HAI JIX SCH SD UP YUN **ORR**

erro Pascoe, 1885: 217

lixabundus Schoenherr, 1826: 211
lixabundus Boheman, 1834b: 642 [HN]
triangularis Olivier, 1807: 420 (*Curculio*) [HN]
lineatus lineatus Faust, 1891d: 274 A: SD UP **ORR**
lobbichleri Voss, 1960c: 6 A: NP
orthideres Pajni, 1990: 314 A: SD
sinensis G.A.K. Marshall, 1934a: 13 A: SCH
subfasciatus Voss, 1932d: 290 A: SCH
tamarixus Pajni, 1990: 312 A: "India"
vicinus Voss, 1937c: 249 A: SCH
virgatus Pajni, 1990: 316 A: UP

tribe Cyphicerini, nomina dubia

genus *Oxyophthalmus* Hochhuth, 1847: 500 type species *Oxyophthalmus stevenii* Hochhuth, 1847
chinensis Voss, 1933e: 30 A: SCH
stevenii Hochhuth, 1847: 501 E: "Caucasus"

7.8.8. Tribe Episomini Lacordaire, 1863

genus *Episomus* Schoenherr, 1823: 1143 type species *Curculio lacerta* Fabricius, 1781
Simallus Pascoe, 1865: 420 type species *Simallus sulcicollis* Pascoe, 1865
albiguttatus Matsumura, 1910: 34 (*Cneorhinus*) A: TAI
albiguttatus Matsumura, 1911b: 142
andrewesi G.A.K. Marshall, 1916b: 229 A: HAI **ORR**
appendiculatus Faust, 1897b: 139 A: HUB SD XIZ **ORR**
chinensis Faust, 1897b: 124 A: ANH FUJ GAN GUA GUI GUX HKG HUB HUN JIX SCH SHA YUN ZHE
tristiculus Voss, 1958b: 29
fortior Voss, 1937c: 252 A: SCH YUN
frenatus G.A.K. Marshall, 1916b: 230 A: HAI **ORR**
freyi Zumpt, 1937a: 11 A: YUN
kwanhsiensis Heller, 1923a: 75 A: FUJ GAN GUI GUX HAI HUB HUN JIA JIX SCH YUN ZHE
lentus Erichson, 1834: 263 A: TAI **ORR**
mori Kôno, 1928: 166 A: JA (Ryūkyū)
mundus Sharp, 1896: 93 A: JA JIA SCH
obliquus G.A.K. Marshall, 1916b: 246 A: PA "India" **ORR**
omisiensis Heller, 1923a: 75 A: SCH YUN
quatuornotatus Desbrochers des Loges, 1890a: 212 A: SD UP **ORR**
pracuae Faust, 1891d: 265
prainae G.A.K. Marshall, 1916b: 228 [UE]
sennae Faust, 1894c: 186 A: HAI **ORR**
takahashii Kôno, 1928: 166 A: TAI
tristiculus Voss, 1958b: 29 A: FUJ
truncatirostris Fairmaire, 1889b: 51 A: GUI
turritus Gyllenhal, 1833b: 613 (*Lagostomus*) A: GUA GUX HEI JA JIA NC SC SHN
declivis Faust, 1897b: 124
tuberculatus Matsumura, 1907: 2 (*Dermatodes*) [NA]
yamamurai Kôno, 1928: 166
watanabei Kôno, 1932: 181 A: TAI
yunnanensis Voss, 1937c: 251 A: YUN

genus *Lachnotarsus* G.A.K. Marshall, 1916b: 248 type species *Lachnotarsus stevensi* G.A.K. Marshall, 1916
stevensi G.A.K. Marshall, 1916b: 249 A: SD

7.8.9. Tribe Geonemini Gistel, 1848

genus *Anomonychus* Faust, 1893c: 298 type species *Anomonychus henoni* Faust, 1893
henoni Faust, 1893c: 298 N: AG MO

genus *Barynotus* Germar, 1817c: 341 type species *Curculio obscurus* Fabricius, 1775

subgenus *Barynotus* Germar, 1817c: 341 type species *Curculio obscurus* Fabricius, 1775
Kissodontus Desbrochers des Loges, 1909e: 57 type species *Barynotus humeralis* Desbrochers des Loges, 1909 (= *Curculio sabulosus* Olivier, 1807)
Merionus Dejean, 1821: 90 type species *Curculio obscurus* Fabricius, 1775

affinis F. Solari, 1943b: 109 E: IT
alternans Boheman, 1834a: 310 E: AU FR GE LS RO SZ
squalidus Gyllenhal, 1834a: 311
tournieri Pic, 1925c: 9
balianii F. Solari, 1943b: 107 E: IT
cantabricus González, 1972a: 74 E: SP
dinaricus Delbol, 2018: 165 E: SL
ibericus González, 1972a: 72 E: SP
liguricus F. Solari, 1943b: 108 E: IT
mainardii alpicola Pesarini & Pedroni, 2011: 162 E: IT
mainardii mainardii F. Solari, 1943b: 106 E: IT
makolskii Smreczyński, 1955: 71 E: PL
mancinii F. Solari, 1943b: 110 E: IT
moerens Fabricius, 1792: 465 (*Curculio*) E: AU BE CTi CZ DE EN FI FR GB GE IR LA LS LU NL
NR NT PL SK SV SZ UK **NARi**
bohemani Gyllenhal, 1827: 611 (*Curculio*)
bohemanni Gyllenhal, 1827: 611 (*Curculio*) [NA]
elevatus Marsham, 1802: 306 (*Curculio*) [HN]
monguzzii Pesarini & Pedroni, 2011: 158 E: IT
montandoni Pic, 1899a: 26 E: RO
obscurus Fabricius, 1775: 150 (*Curculio*) [NP] E: AU BE BH BY CT CZ DE EN FI FR GB GE HU
IR IT LA LS LT LU NL NR NT PL RO SK SP SV SZ UK **NARi**
fallaciosus Desbrochers des Loges, 1909e: 53
honoris Herbst, 1797: 59 (*Curculio*)
hungaricus Tournier, 1876b: 10 (*Liophloeus*)
murinus O. F. Müller, 1764: 12 (*Curculio*) [NO]
pilosulus Marsham, 1802: 299 (*Curculio*) [HN]
vagus Laicharting, 1781: 206 (*Curculio*)
sabulosus Olivier, 1807: 347 (*Curculio*) E: FR SP
costatus Dufour, 1852: 343 (*Plinthus*)
humeralis Desbrochers des Loges, 1909d: 48
pyrenaeus C. N. F. Brisout de Barneville, 1867: 186
scutatus Desbrochers des Loges, 1892b: 99 E: FI
solariorum Mainardi, 1907: 214 E: IT
squamosus Germar, 1823: 340 E: AN DE FA FR GB IC IR NR SP SV **NARi**
costipennis Dufour, 1852: 342 (*Otiorhynchus*)
illaesirostris Fairmaire, 1859b: 58
parvulus Dufour, 1852: 342 (*Otiorhynchus*)
schoenherrii Zetterstedt, 1837: 187 (*Curculio*) [HN]
umbilicatus auronubilis Fairmaire, 1857a: 539 E: AN FR SP
umbilicatus umbilicatus Dufour, 1852: 342 E: FR
unipunctatus Dufour, 1852: 342 E: FR SP
viridanus Fairmaire, 1857a: 538

subgenus *Margaritius* Pesarini & Pedroni, 2011: 158 type species *Barynotus fairmairei* Tournier, 1876
conjux K. Daniel & J. Daniel, 1898: 59 E: IT
fairmairei Tournier, 1876a: 10 E: FR IT
maculatus Boheman, 1842a: 248 E: FR IT SZ
pedemontanellus E. Strand, 1917: 93 [RN]
pedemontanus K. Daniel & J. Daniel, 1898: 60 [HN]
margaritaceus Germar, 1823: 340 E: AU FR IT LS SZ
aurosparsus K. Daniel & J. Daniel, 1898: 59
subdivaricatus Pic, 1923b: 10
maritimus Hustache, 1920c: 194 E: FR IT

genus *Geonemus* Schoenherr, 1833a: 13 type species *Curculio flabellipes* Olivier, 1807
caudulatus Fairmaire, 1891a: vii E: SP (Mallorca)
flabellipes Olivier, 1807: 374 (*Curculio*) E: FR IT SP N: AG MO
illaetabilis Boheman, 1834a: 295
tergoratus Germar, 1823: 339 (*Barynotus*)
murinus Boheman, 1842a: 214 N: AG

olcesei Tournier, 1873a: 170 N: MO
palau Español, 1951: 295 E: SP (Ibiza)

tribe Geonemini, nomina dubia

Barynotus alpestris Gistel, 1848a: 189 E: "Tyrol"
Barynotus aridicola Gistel, 1857: 556 E: IT
Barynotus cuprifer Gistel, 1857: 548 E: "Montosa carpathica"
Barynotus hyles Gistel, 1857: 529 E: AU
Barynotus pedemontanus Gistel, 1857: 528 E: IT
Merionus grimmeri Grimmer, 1841: 42 E: AU

7.8.10. Tribe Gonipterini Lacordaire, 1863

genus *Gonipterus* Schoenherr, 1833b: 456 type species *Gonipterus lepidotus* Gyllenhal, 1833

Dacnirotatus Marelli, 1926a: 630 type species *Dacnirotatus bruchi* Marelli, 1926 (= *Gonipterus gibberus* Boisduval, 1835)
Dacnirotatus Marelli, 1926b: 35 type species *Dacnirotatus bruchi* Marelli, 1926b (= *Gonipterus gibberus* Boisduval, 1835)
Dacnirotatus Marelli, 1926c: 15 type species *Dacnirotatus bruchi* Marelli, 1926c (= *Gonipterus gibberus* Boisduval, 1835)
Gonipterus Agassiz, 1846: 165 [UE]
Gonipterus Gemminger, 1871c: 2377 [HN] [UE]

platensis Marelli, 1926a: 640 (*Dacnirotatus*) Ei: AZ PT SP Ni: CI AUR NARi NTRi

marellii Uyttenboogaart, 1928: 127
platensis Marelli, 1926b: 46 (*Dacnirotatus*) [HN]
platensis Marelli, 1926c: 22 (*Dacnirotatus*) [HN]

scutellatus Gyllenhal, 1833b: 458 Ei: FR IT AFRi AUR

7.8.11. Tribe Holcorhinini Desbrochers des Loges, 1898

genus *Acoenopsimorphus* Hustache, 1946a: 57 type species *Acoenopsimorphus antoinei* Hustache, 1946
antoinei Hustache, 1946a: 57 N: MO

genus *Aigelius* Desbrochers des Loges, 1898c: 20 type species *Cyclomaurus bonnairei* Faust, 1885
bonnairei Faust, 1885d: 233 (*Cyclomaurus*) N: AG

peyerimhoffi Pic, 1915d: 26
dilatipes Pic, 1896a: 43 (*Cyrtolepus*) N: AG
machadoi Pelletier, 2007b: 163 N: MO
mskalicus Escalera, 1914: 423 (*Cyclobarus*) N: MO
puncticollis Hustache, 1932b: 44 (*Cyclobarus*)
obscuricolor Pic, 1906e: 41 (*Cyrtolepus*) N: AG
submitidus Pic, 1915d: 25 (*Cyrtolepus*)
tenuitarsis Desbrochers des Loges, 1896c: 22 (*Cyclomaurus*) N: AG

genus *Aigelius*, nomen dubium

villosus Desbrochers des Loges, 1907b: 94 (*Cyrtolepus*) A: TR

genus *Antoineus* Pelletier, 2007a: 28 type species *Cyclobarus oribates* Peyerimhoff, 1922

oribates Peyerimhoff, 1922: 64 (*Cyclobarus*) N: MO
ornatus A. Hoffmann, 1950b: 84 (*Cyclobarus*) N: MO
puberulus Hustache, 1941b: 165 (*Cyrtolepus*) N: MO
rungsi A. Hoffmann, 1942a: 12 (*Cyclobarus*)

genus *Atoporhynchus* Desbrochers des Loges, 1895k: 160 [EA] type species *Atoporhynchus periteloides*
Desbrochers des Loges, 1896

periteloides Desbrochers des Loges, 1896c: 20 N: AG

genus *Coenopsimorphoides* Pelletier, 2008b: 171 type species *Coenopsimorphus kruegeri* F. Solari, 1940
kruegeri F. Solari, 1940b: 72 (*Coenopsimorphus*) N: LB

genus *Coenopsimorphus* Desbrochers des Loges, 1897a: 175 type species *Coenopsimorphus porculus*
Desbrochers des Loges, 1897

desbrochersi Pic, 1904h: 91 N: AG
europaeus Colonnelli, 2016: 142 E: GR (Gávdos)

porculus Desbrochers des Loges, 1897a: 175 N: AG LB TU
tenietensis Pic, 1904h: 91 N: AG
vaulogeri Desbrochers des Loges, 1892d: 119 N: AG TU

genus *Cyclobarellus* Pelletier, 2007c: 467 type species *Cyclobarus subpyriformis* A. Hoffmann, 1953
subpyriformis A. Hoffmann, 1953c: 190 (*Cyclobarus*) N: MO

genus *Cyclobarus* Faust, 1886d: 97 type species *Holcorhinus cyrtus* Fairmaire, 1866
antoinei Hustache, 1932b: 45 N: MO
cyrtus Fairmaire, 1866a: 64 (*Holcorhinus*) N: AG
hipponensis Pic, 1902c: 43["33"]
intermedius Hustache, 1941b: 164
lepitrei Hustache, 1946a: 54
major Desbrochers des Loges, 1898a: 17
labriquei Pelletier, 2009c: 133 N: MO
metallescens Lucas, 1846a: pl. 36 (*Otiorhynchus*) N: AG
armipes Seidlitz, 1868: 10 (*Cyclomaurus*)
gibbosus Desbrochers des Loges, 1907b: 93 (*Cyrtolepus*)
longipilis Pic, 1906e: 41
rotroui Peyerimhoff, 1925a: 18
moraguesi Desbrochers des Loges, 1892d: 117 (*Cyclomaurus*) E: SP (Balears) N: AG
bogahriensis Desbrochers des Loges, 1892d: 118 (*Cyclomaurus*)
kabylanus Desbrochers des Loges, 1896c: 22
oblitus Desbrochers des Loges, 1897a: 173 (*Cyclomaurus*)
persimilis Desbrochers des Loges, 1897a: 174 (*Cyclomaurus*) N: AG
similis Hustache, 1939b: 192 N: MO

genus *Cyclobater* Pelletier, 2010b: 189 type species *Cyclobarus richteri* Ter-Minasian, 1955
richteri Ter-Minasian, 1955: 242 (*Cyclobarus*) A: AR

genus *Cyclomaurus* Fairmaire, 1860d: xxxi [DA] type species *Cyclomaurus velutinus* Fairmaire, 1860
insidiosus Faust, 1885d: 234 (*Cyrtolepus*) N: AG
medianus Pic, 1898b: 46 N: AG
pumilus Pelletier, 2006a: 30 N: AG
subfuscus Pic, 1904h: 91 N: AG
velutinus Fairmaire, 1860d: xxxi N: AG
fairmairei Marseul, 1871c: 16
subconicirostris Pic, 1896e: 114

genus *Cycloptochus* Reitter, 1913a: 14 [EA] type species *Cyclomias ptochoides* Pic, 1906
ptochoides Pic, 1906f: 66 (*Cyclomias*) A: TR

genus *Cyrtolepus* Desbrochers des Loges, 1875a: 11 type species *Cyrtolepus lethierryi* Desbrochers des Loges, 1875 (= *Cyclomaurus piceus* Allard, 1869)
Cyrtolepis Desbrochers des Loges, 1907b: 93 [UE]
ericius Peyerimhoff, 1920: 43 (*Cyrtolepus*) [DA] N: AG
chobauti Hustache, 1932b: 46
parvicollis Seidlitz, 1868: 7 (*Holcorhinus*) N: AG
foveicollis Desbrochers des Loges, 1904a: 59
monilicornis Desbrochers des Loges, 1897e: 33 [corr. in 1898c: 26]
parvicollis Marseul, 1871c: 10
piceus Allard, 1869b: 324 (*Cyclomaurus*) N: AG TU
angustirostris Desbrochers des Loges, 1896c: 24
costulatus Fairmaire, 1866a: 64 (*Holcorhinus*)
lethierryi Desbrochers des Loges, 1875a: 11
punctatus Allard, 1869b: 325 (*Cyclomaurus*)
pierrei Roudier, 1954c: 53 N: AG
seidlitzii Tournier, 1875e: cxxi (*Holcorhinus*) N: AG
alternevitatus Desbrochers des Loges, 1905d: 6 (*Cyclobarus*)
assimilis Desbrochers des Loges, 1896c: 25
biskrensis Desbrochers des Loges, 1896c: 23
diecki Desbrochers des Loges, 1905d: 5 (*Cyrtolepus*)
tibialis Desbrochers des Loges, 1898c: 20

genus *Eptacus* Desbrochers des Loges, 1908g: 65 type species *Otiorhynchus arachnoides* Stierlin, 1861
arachniformis Reitter, 1908b: 52 (*Otiorhynchus*) A: IS JO LE SA SY N: EG
wohlberedti Emden, 1928: 120
arachnoides Stierlin, 1861a: 108 (*Otiorhynchus*) A: LE SY
otiorhynchoides Emden, 1928: 121
ventralis Marseul, 1868a: 194 (*Otiorhynchus*)
comatus Peyerimhoff, 1907: 41 A: SA
horni Lona, 1939b: 316 A: IS LE
kurdistanus Stierlin, 1861a: 108 (*Otiorhynchus*) A: IQ TR
hostilius Reitter, 1908b: 53
turgidus Peyerimhoff, 1907: 41 N: EG
weilli weilli Pelletier, 2006d: 217 A: SY
weilli magnanoi Pelletier, 2006d: 218 A: SY

genus *Holcophloeus* Borovec & Meregalli, 2013: 250 type species *Trachyphloeus cruciatus* Seidlitz, 1868
caldarai Borovec & Košťál, 2018: 578 N: MO
cruciatus Seidlitz, 1868: 103 (*Trachyphloeus*) N: AG
laurae Borovec & Meregalli, 2013: 255 N: MO
numidicus Perrin & Borovec, 2016: 464 N: AG
weilli Borovec & Meregalli, 2013: 256 N: LB

genus *Holcorhinus* Schoenherr, 1826: 194 type species *Holcorhinus hispidulus* Thon, 1833
gaheryi Hustache, 1932b: 42 (*Cyrtolepus*) N: MO
hispidulus Thon, 1833: 13 N: AG MO
albomarginatus Lucas, 1847a: pl. 37 (*Nastus*)
albopunctatus Lucas, 1847a: pl. 37 (*Nastus*)
caesicollis Desbrochers des Loges, 1871: 349 (*Cneorhinus*)
otiorhynchoides Fairmaire, 1873a: 344
pilosulus Chevrolat, 1860d: 450
querulus Boheman, 1834b: 520
seriehispidus Boheman, 1834b: 519
mutator Fairmaire, 1883b: xlvii N: AG

genus *Massimiellus* Borovec, 2009: 32 type species *Massimiellus atlanticus* Borovec, 2009
atlanticus Borovec, 2009: 34 N: MO

genus *Nucterocephalus* Desbrochers des Loges, 1897d: 20 [EA] type species *Nucterocephalus henoni*
Desbrochers (= *Cyclopterus spinifer* Marseul, 1872)
Cyclopterus Marseul, 1872a: 30 [HN] type species *Cyclopterus spinifer* Marseul, 1872
desbrochersi Reitter, 1906c: 377 (*Cyclopterus*) E: SP
spinifer Marseul, 1872a: 30 (*Cyclopterus*) N: AG TU
caroli Pic, 1896e: 114 (*Cyrtolepus*)
henoni Desbrochers des Loges, 1897e: 21[/20]
latenotatus Pic, 1903c: 129
squamans Desbrochers des Loges, 1896c: 20 (*Cyclomaurus*)
tuniseus Pic, 1903c: 129 (*Cyclopterus*) N: TU

genus *Paracyclomauroides* Pelletier, 2009b: 100 type species *Trachyphloeus coloratus* Allard, 1869
arenarius Hustache, 1937b: 240 (*Coenopsimorphus*) N: TU
coloratus Allard, 1869b: 325 (*Trachyphloeus*) N: AG
bonensis Formánek, 1907b: 131 (*Trachyphloeus*)
conglobatus Seidlitz, 1872: 14 (*Holcorhinus*) N: AG
meiraooides Hustache, 1946a: 56 (*Coenopsimorphus*) E: SP N: AG

genus *Paracyclomaurus* Desbrochers des Loges, 1898c: 6 type species *Holcorhinus pygmaeus* Seidlitz, 1868
glaber Normand, 1953: 119 N: TU
longisetus Pelletier, 2009b: 106 N: AG MO
opacus Desbrochers des Loges, 1897a: 172 (*Cyrtolepus*) N: AG MO
pygmaeus Seidlitz, 1868: 7 (*Holcorhinus*) N: AG MO
seriatellus Desbrochers des Loges, 1905c: 7 N: AG

genus *Periteloneus* Reitter, 1913a: 14 [EA] type species *Peritelus tauri* Schilsky, 1908
schilskyi Reitter, 1913a: 14 A: TR
tauri Schilsky, 1908a: 67 (*Peritelus*) A: TR

genus *Pseudoholcorhinus* Pelletier, 2006c: 188 type species *Holcorhinus arabicus*, 1896
arabicus Pic, 1896c: 95 (*Holcorhinus*) A: SA

genus *Ritelepus* Voss, 1956d: 291 [EA] type species *Ritelepus incertus* Voss, 1956
incertus Voss, 1956d: 292 N: EG

tribe Holcorhinini, species incertae sedis
Cyclobarus yemenensis Voss, 1971c: 534 [EA] A: YE
Holcorhinus siculus Seidlitz, 1868: 8 E: IT (Sicilia)

7.8.12. Tribe Laparocerini Lacordaire, 1863

genus *Laparocerus* Schoenherr, 1834b: 530 type species *Laparocerus morio* Boheman, 1834
subgenus *Amyntas* Wollaston, 1865: Appendix, 55 type species *Lichenophagus incomptus* Wollaston, 1865

Canopus Wollaston, 1864: 337 [HN] type species *Atlantis subnebulosa* Wollaston, 1864
arrochai Machado, 2009b: 190 N: CI (La Palma)
bellus Roudier, 1957a: 31 N: CI (Tenerife)
cristatus Machado, 2009b: 193 N: CI (La Palma)
fernandezii Roudier, 1957a: 34 N: CI (Tenerife)
incomptus Wollaston, 1865: Appendix, 55 (*Lichenophagus*) N: CI (El Hierro)
ruteri Roudier, 1957a: 33 N: CI (Tenerife)
subnebulosus Wollaston, 1864: 337 (*Atlantis*) N: CI (Gran Canaria)
tanausu Machado, 2009b: 195 N: CI (La Palma)
tetricus Boheman, 1834b: 542 (*Eremnus*) N: CI (Tenerife)
simplex Brullé, 1839: 71 (*Otiorhynchus*)
tibialis Wollaston, 1864: 338 (*Atlantis*) N: CI (Tenerife)
uyttenboogaarti Zumpt, 1940: 677 N: CI (Tenerife)

subgenus *Anillobius* Fauvel, 1907: 71 type species *Anillobius solifuga* Fauvel, 1907
solifuga Fauvel, 1907: 72 (*Anillobius*) N: MR (Madeira)
portosantoi Franz, 1970: 3 (*Anillobius*) N: MR (Porto Santo)

subgenus *Aridotrox* Machado, 2017: 33 type species *Laparocerus rasmus* Wollaston, 1864
colonnellii Machado, 2011b: 232 N: CI (Fuerteventura)
dispar Wollaston, 1864: 357 N: CI (Lanzarote)
rasmus betancor Machado, 2011b: 223 N: CI (Fuerteventura)
rasmus jandiensis Machado, 2011b: 224 N: CI (Fuerteventura)
rasmus rasmus Wollaston, 1864: 354 N: CI (Lanzarote)
susicus inexpectatus Machado, 2011b: 229 N: MO
tessellatus Hustache, 1932b: 43 (*Cyclomaurus*) [HN]
susicus montanus Machado, 2011b: 229 N: MO
susicus susicus Escalera, 1914: 424 (*Cyclobarus*) N: MO
xericola Machado, 2011b: 231 N: CI (Fuerteventura)

subgenus *Atlantis* Wollaston, 1854b: 361 type species *Atlantis lamellipes* Wollaston, 1854
calcatrrix Wollaston, 1854b: 366 (*Atlantis*) N: MR (Madeira)
calcator Marseul, 1873b: 546

clavatus Wollaston, 1854b: 363 (*Atlantis*) N: MR (Madeira)
hobbit Machado, 2008a: 318 N: MR (Madeira)
lamellipes Wollaston, 1854b: 364 (*Atlantis*) N: MR (Madeira)
lauripotens Wollaston, 1854b: 369 (*Atlantis*) N: MR (Madeira)
australis Wollaston, 1864: 370 (*Atlantis*)
lindbergi Roudier, 1963b: 133 N: MR (Madeira)
madeirensis Machado, 2008a: 316 N: MR (Madeira)
noctivagans Wollaston, 1854b: 367 (*Atlantis*) [NP] N: MR (Madeira)
piceus Boheman, 1834b: 531 [NO]

serrado Machado, 2008a: 319 N: MR (Madeira)
undulatus Wollaston, 1862c: 289 N: MR (Madeira)
vespertinus Wollaston, 1854b: 371 (*Atlantis*) N: MR (Madeira)
subgenus *Atlantodes* Machado, 2008a: 312 type species *Atlantis mendax* Wollaston, 1854
colasi Roudier, 1958b: 205 N: MR (Madeira)
inconstans Wollaston, 1854b: 375 (*Atlantis*) N: MR (Porto Santo)
instabilis Wollaston, 1854b: 377 (*Atlantis*) N: MR (Porto Santo)
lanatus Wollaston, 1854b: 372 (*Atlantis*) N: MR (Madeira)
mendax Wollaston, 1854b: 376 (*Atlantis*) N: MR (Porto Santo)
navicularis Wollaston, 1854b: 374 (*Atlantis*) N: MR (Porto Santo)
prainha Machado, 2008a: 323 N: MR (Madeira)
subgenus *Belicarius* Machado, 2017: 35 type species *Laparocerus mendicus* Wollaston, 1864
bentejui bentejui Machado, 2012: 7 N: CI (Gran Canaria)
bentejui delicatulus Machado, 2012: 8 N: CI (Gran Canaria)
bentejui robustus Machado, 2012: 10 N: CI (Gran Canaria)
exiguus Machado, 2007b: 11 N: CI (La Gomera)
exophthalmus Machado, 2007b: 12 N: CI (La Gomera)
felo Machado, 2009b: 203 N: CI (La Palma)
longiclava Har. Lindberg, 1953: 15 N: CI (Tenerife)
magnificus Machado, 2011a: 70 N: CI (La Gomera)
mateui mateui Roudier, 1954d: 85 N: CI (La Gomera)
mateui tuberosus Machado, 2011a: 74 N: CI (El Hierro)
mendicus Wollaston, 1864: 355 N: CI (El Hierro)
morrisi Machado, 2009b: 218 N: CI (La Palma)
oculatissimus Machado, 2007b: 14 N: CI (La Gomera)
rotundatus Machado, 2011a: 65 N: CI (La Gomera)
sanchezi arures Machado, 2016: 33 N: CI (La Gomera)
sanchezi sanchezi Roudier, 1957a: 24 N: CI (El Hierro)
nitidirostris Roudier, 1957a: 25
subgenus *Bencomius* Machado, 2017: 35 type species *Laparocerus grossepunctatus* Wollaston, 1864
bolivari Uyttenboogaart, 1937: 97 N: CI (Tenerife)
boticarius Machado, 2007a: 39 N: CI (Tenerife)
combrecentensis Roudier, 1957c: 90 [RN] N: CI (La Palma)
palmensis Roudier, 1957a: 20 [HN]
crassifrons Wollaston, 1864: 345 N: CI (Tenerife)
edaphicus Machado, 2008b: 1278 N: CI (Tenerife)
escaleraorum Uyttenboogaart, 1937: 96 N: CI (Tenerife)
escalera: Uyttenboogaart, 1937: 96 [IOS, NA]
gomerensis Har. Lindberg, 1953: 15 N: CI (La Gomera)
grossepunctatus Wollaston, 1864: 344 N: CI (Tenerife)
scapularis Wollaston, 1864: 347 N: CI (Tenerife)
wollastoni Marseul, 1873b: 521
subparallelus Machado, 2007a: 43 N: CI (Tenerife)
supranubius Machado, 2009b: 210 N: CI (La Palma)
tenuepunctatus oppositus Machado, 2016: 16 N: CI (Tenerife)
tenuepunctatus tenuepunctatus Roudier, 1957a: 20 N: CI (Tenerife)
undatus Wollaston, 1864: 342 N: CI (Tenerife)
subgenus *Canariotrox* Machado, 2017: 35 type species *Laparocerus inaequalis* Wollaston, 1864
abona Machado, 2016: 14 N: CI (Tenerife)
acyphus Machado, 2009b: 189 N: CI (La Palma)
aeneotinctus Machado, 2009b: 185 N: CI (La Palma)
affinis Wollaston, 1864: 358 N: CI
aguiari Machado, 2007a: 36 N: CI (Tenerife)
crassus Roudier, 1957a: 28 N: CI (Tenerife)
estevezi Machado, 2012: 13 N: CI (Gran Canaria)
femoralis Machado, 2009b: 188 N: CI (La Palma)
hirtus Wollaston, 1864: 348 N: CI (Gran Canaria)
doramasensis Uyttenboogaart, 1929b: 352
inaequalis globulipennis Wollaston, 1864: 349 N: CI (La Palma)

globosipennis Marseul, 1873b: 531
inaequalis inaequalis Wollaston, 1863: 220 N: CI (Tenerife)
occidentalis Wollaston, 1864: 350 N: CI (El Hierro)
rugosicollis Uyttenboogaart, 1937: 98 N: CI (Tenerife)
tauce Machado, 2016: 16 N: CI (Tenerife)
vestitus Wollaston, 1864: 358 N: CI
velatus Marseul, 1873b: 532

subgenus *Faycanius* Machado, 2012: 29 type species *Otiorhynchus squamosus* Brullé, 1839
alluaudi alluaudi Uyttenboogaart, 1940a: 55 N: CI (Gran Canaria)
alluaudi aytamis Machado, 2012: 33 N: CI (Gran Canaria)
anniversarius Machado, 2012: 37 N: CI (Gran Canaria)
arcanus Machado, 2012: 32 N: CI (Gran Canaria)
dissidens Machado, 2012: 35 N: CI (Gran Canaria)
squamosus squamosus Brullé, 1839: 71 (*Otiorhynchus*) N: CI (Gran Canaria)
seniculus Wollaston, 1864: 353
squamosus tasarticus Machado, 2012: 21 N: CI (Gran Canaria)

subgenus *Fernandezius* Roudier, 1957a: 40 type species *Lichenophagus tesserula* Wollaston, 1864
anagae Machado, 2015: 126 N: CI (Tenerife)
campestris Machado, 2015: 132 N: CI (Tenerife)
impressicollis Wollaston, 1864: 368 (*Lichenophagus*) N: CI (Tenerife)
 × *intermedius* Roudier, 1957a: 43 (*Lichenophagus*) N: CI (Tenerife)
macilentus Machado, 2015: 125 N: CI (Tenerife)
persimilis Wollaston, 1864: 365 (*Lichenophagus*) N: CI (Tenerife)
sculptipennis montivagans Machado, 2013: 69 [RN] N: CI (La Palma)
palmensis Roudier, 1957a: 43 (*Lichenophagus*) [HN]
sculptipennis sculptipennis Wollaston, 1864: 367 (*Lichenophagus*) N: CI (La Palma)
seriesetosus Wollaston, 1864: 365 (*Lichenophagus*) N: CI (La Palma)
sonchiphagus Machado, 2015: 120 N: CI (Tenerife)
subcalvus Wollaston, 1864: 336 (*Lichenophagus*) N: CI (El Hierro)
subnodosus Wollaston, 1864: 336 (*Lichenophagus*) N: CI (Tenerife)
tenicola Machado, 2015: 128 N: CI (Tenerife)
tesserula Wollaston, 1864: 364 (*Lichenophagus*) N: CI (Tenerife)

subgenus *Fortunotrox* Machado, 2011a: 58 type species *Laparocerus gracilis* Wollaston, 1865
acutipennis Machado, 2007b: 5 N: CI (La Gomera)
benchijigua Machado, 2007b: 6 N: CI (La Gomera)
confusus Machado, 2011a: 62 N: CI (La Gomera)
crotchi Machado, 2016: 30 N: CI (La Gomera)
decipiens Machado, 2009b: 214 N: CI (La Palma)
depressus Machado, 2007b: 7 N: CI (La Gomera)
gracilis Wollaston, 1864: 356 N: CI (La Gomera)
gomeracola Marseul, 1873b: 531
indutus Wollaston, 1865 Appendix: 53 N: CI (La Gomera)
tectus Marseul, 1873b: 535
juelensis Machado, 2011a: 64 N: CI (La Gomera)
orone aridane Machado, 2009b: 211 N: CI (La Palma)
orone hierrensis Machado, 2011a: 80 N: CI (El Hierro)
orone orone Machado, 2007b: 3 N: CI (La Gomera)
puncticollis Wollaston, 1864: 362 N: CI (El Hierro)
spinimanus Machado, 2007b: 9 N: CI (La Gomera)
subopacus Wollaston, 1865: Appendix: 52 N: CI (La Gomera)

subgenus *Guanchotrox* Alonso-Zarazaga & Lyal, 1999: 11 [RN] type species *Laparocerus canariensis*
 Boheman, 1843
Amphora Wollaston, 1864: 335 [HN] type species *Laparocerus canariensis* Boheman, 1843
amicorum Machado, 2009b: 212 N: CI (La Palma)
astralis Machado, 2009b: 206 N: CI (La Palma)
buenavistae Roudier, 1957a: 29 N: CI (Tenerife)
canariensis Boheman, 1842b: 228 N: CI (Tenerife)
cephalotes Machado, 2011a: 78 N: CI (El Hierro)
debilis Wollaston, 1865: Appendix, 53 N: CI (Tenerife)

dissimilis alticola Machado, 2016: 22 N: CI (Tenerife)
dissimilis dissimilis Har. Lindberg, 1950: 17 N: CI (Tenerife)
dissimilis infernalis Machado, 2016: 23 N: CI (Tenerife)
elongatus Machado, 2009b: 198 N: CI (La Palma)
gerodes Machado, 2016: 23 N: CI (La Gomera)
humeralis Machado, 2007b: 23 N: CI (La Gomera)
junonius Machado, 2007b: 19 N: CI (La Gomera)
marmoratus Machado, 2012: 22 N: CI (Gran Canaria)
mucronatus Machado, 2009b: 201 N: CI (La Palma)
obscurus daute Machado, 2016: 21 N: CI (Tenerife)
obscurus obscurus Wollaston, 1864: 355 N: CI (Tenerife)
obscurulus Marseul, 1873b: 529
obtriangularis Wollaston, 1864: 351 N: CI (Tenerife)
ornatus Machado, 2012: 20 N: CI (Gran Canaria)
palmensis Har. Lindberg, 1953: 16 N: CI (La Palma)
roudieri Machado, 2007b: 22 N: CI (La Gomera)
seminitens Har. Lindberg, 1950: 17 N: CI (Tenerife)
tafadensis Machado, 2016: 28 N: CI (Tenerife)
tarsalis Machado, 2009b: 205 N: CI (La Palma)
tenellus Wollaston, 1864: 362 N: CI (Tenerife)
tinguaro tabornoii Machado, 2016: 29 N: CI (Tenerife)
tinguaro tinguaro Machado, 2007a: 44 N: CI (Tenerife)
tirmensis Machado, 2012: 21 N: CI (Gran Canaria)
transversus Har. Lindberg, 1950: 16 N: CI (Tenerife)
subgenus *Laparocerus* Schoenherr, 1834b: 530 type species *Laparocerus morio* Boheman, 1834
Cyphoscelis Wollaston, 1854b: 356 type species *Cyphoscelis distorta* Wollaston, 1854
chaoensis cevadae Roudier, 1961a: 62 N: MR (Ilheu do Desembarcadouro)
chaoensis chaoensis Uyttenboogaart, 1940a: 57 N: MR (Ilheu de Chão)
vandeli Roudier, 1958b: 199
cryptus Machado, 2008a: 315 N: MR
distorta Wollaston, 1854b: 357 (*Cyphoscelis*) N: MR (Madeira)
morio Boheman, 1834b: 531 N: MR (Madeira)
obesulus Desbrochers des Loges, 1904a: 63
subgenus *Lichenophagus* Wollaston, 1854b: 389 type species *Lichenophagus fritillus* Wollaston, 1854
acuminatus Wollaston, 1854b: 391 N: MR (Porto Santo)
fritillus Wollaston, 1854b: 390 N: MR (Deserta Grande)
subgenus *Machadotrox* Alonso-Zarazaga & Lyal, 1999: 10 type species *Otiorhynchus sculptus* Brullé, 1839
aethiops aethiops Wollaston, 1864: 347 N: CI (El Hierro)
aethiops garajonay Machado, 2007b: 15 N: CI (La Gomera)
cavernarius Machado, 2011a: 84 N: CI (El Hierro)
chasnensis Machado, 2007a: 41 N: CI (Tenerife)
dacilae García, 1998: 45 N: CI (La Palma)
excavatus excavatus Wollaston, 1863: 219 N: CI (Tenerife)
excavatus lugubris Wollaston, 1864: 341 N: CI (Tenerife)
hupalupa Machado, 2007b: 16 N: CI (La Gomera)
hypogeus Machado, 2011a: 82 N: CI (El Hierro)
idafé García & Alonso-Zarazaga, 2011: 73 N: CI (La Palma)
inermis Machado, 2007b: 18 N: CI (La Gomera)
iruene Machado & García, 2010: 65 N: CI (La Palma)
laevis Roudier, 1957a: 18 N: CI (La Palma)
politus Roudier, 1957a: 19
oromii Machado, 2008b: 1282 N: CI (La Gomera)
sculptus Brullé, 1839: 71 (*Otiorhynchus*) N: CI (La Palma)
zarazagai subreflexus Machado & García, 2010: 68 N: CI (La Palma)
zarazagai zarazagai García & Oromí, 1997: 154 N: CI (La Palma)
subgenus *Mateuius* Roudier, 1957a: 40 type species *Lichenophagus auctus* Wollaston, 1864
amplificatus Wollaston, 1865: 330 (*Lichenophagus*) N: CI (La Gomera)
auctus Wollaston, 1864: 363 (*Lichenophagus*) N: CI (El Hierro)

buccatrix Wollaston, 1865: Appendix, 54 (*Lichenophagus*) N: CI (La Gomera)
dilutus Machado, 2015: 105 N: CI (La Gomera)
merigensis Machado, 2015: 108 N: CI (La Gomera)
notatus Machado, 2015: 105 N: CI (La Gomera)
quadratus Machado, 2015: 108 N: CI (La Gomera)
teselinde Machado, 2015: 106 N: CI (La Gomera)
subgenus *Pecoudius* Roudier, 1957a: 38 type species *Laparocerus cymbula* Roudier, 1957a (= *Cyphoscelis eliasenae* Uyttenboogaart, 1929)
auarita Machado, 2016: 9 N: CI (La Palma)
bimbache Machado, 2011a: 74 N: CI (El Hierro)
brunneus Har. Lindberg, 1953: 14 N: CI (Gran Canaria)
canescens Machado, 2016: 8 N: CI (Tenerife)
compactus Wollaston, 1864: 359 N: CI (Gran Canaria)
crassirostris Wollaston, 1864: 345 N: CI (Gran Canaria)
eliasenae Uyttenboogaart, 1929b: 353 (*Cyphoscelis*) N: CI (Gran Canaria)
cymbula Roudier, 1957a: 38
federico Machado, 2018: 11 N: CI (Gran Canaria)
franzi Machado, 2012: 10 N: CI (Gran Canaria)
fraudulentus Machado, 2012: 14 N: CI (Gran Canaria)
freyi Uyttenboogaart, 1940c: 675 N: CI (Tenerife)
garretai albosquamosus Machado, 2011b: 237 N: SG (Selvagem Pequena)
garretai garretai Uyttenboogaart, 1940a: 56 N: SG (Selvagem Grande)
grayanus Wollaston, 1865: 309 (*Atlantis*) [RN] N: CI (Gran Canaria)
angustus Wollaston, 1863: 219 (*Atlantis*) [HN]
hystricoides Machado, 2012: 16 N: CI
inconspectus Roudier, 1957a: 27 N: CI (Gran Canaria)
lepidopterus lepidopterus Wollaston, 1864: 352 N: CI
bellopterus Marseul, 1873b: 527
lepidopterus pecoudi Roudier, 1957a: 22 N: CI (Gran Canaria)
lopezi Machado, 2008b: 1285 N: CI (Gran Canaria)
microphthalmus Har. Lindberg, 1950: 16 N: CI (Gran Canaria)
mulagua Machado, 2007b: 25 N: CI (La Gomera)
obsitus Wollaston, 1864: 361 N: CI (Gran Canaria)
persitus Marseul, 1873b: 534
osorio Machado, 2012: 25 N: CI (Gran Canaria)
propinquus Har. Lindberg, 1953: 14 N: CI (Gran Canaria)
punctiger Machado, 2016: 6 N: CI (Tenerife)
rugosivertex Machado, 2012: 18 N: CI (Gran Canaria)
semipilosus Machado, 2012: 23 N: CI (Gran Canaria)
separandus Har. Lindberg, 1953: 14 N: CI (Gran Canaria)
soniae Machado, 2016: 35 N: CI (Gran Canaria)
sulcirostris Wollaston, 1864: 359 N: CI (Gran Canaria)
canalistrostris Marseul, 1873b: 537
teldensis Machado, 2012: 11 N: CI (Gran Canaria)
tessellatus Brullé, 1839: 72 (*Omiás*) N: CI (Tenerife)
tirajana Machado, 2012: 28 N: CI (Gran Canaria)
vicinus Har. Lindberg, 1953: 15 N: CI (Gran Canaria)
subgenus *Pseudatlantis* Machado, 2008a: 312 type species *Atlantis excelsa* Wollaston, 1854
abditus Roudier, 1963b: 136 N: MR (Madeira)
excelsus Wollaston, 1854b: 378 (*Atlantis*) N: MR (Madeira)
schaumii Wollaston, 1854b: 379 (*Atlantis*) N: MR
forae Wollaston, 1854b: 380 (*Atlantis*)
silvaticus Machado, 2008a: 319 N: MR (Madeira)
stuebeni Machado, 2008a: 321 N: MR (Madeira)
subgenus *Purpuranius* Machado, 2017: 33 type species *Laparocerus maxorata* Machado, 2011
calvus Machado, 2011b: 215 N: CI (Fuerteventura)
curvipes curvipes Har. Lindberg, 1950: 17 N: CI (Tenerife)
curvipes espanoli Roudier, 1954d: 84 N: CI (Fuerteventura, Lanzarote)
curvipes famarae Machado, 2011b: 219 N: CI (Lanzarote)

fraterculus Machado, 2011b: 211 N: CI (Fuerteventura)
longipennis Machado, 2011b: 213 N: CI (Fuerteventura)
maxorata Machado, 2011b: 208 N: CI (Fuerteventura)
subgenus *Wollastonius* Machado, 2008a: 313 type species *Omius ventrosus* Wollaston, 1854
aenescens Wollaston, 1854b: 383 (*Omius*) N: MR (Madeira)
angustulus Wollaston, 1857: 116 (*Omius*) N: MR (Madeira)
ventrosus Wollaston, 1854b: 382 (*Omius*) N: MR (Madeira)
waterhousei Wollaston, 1854b: 384 (*Omius*) N: MR

genus *Laparocerus*, species incertae sedis
bacalladoi Machado, 2005: 540 N: CI (Tenerife)
depilis Roudier, 1957a: 22 N: CI (Tenerife)
ellipticus Wollaston, 1863: 220 N: CI
heres heres Machado, 2007b: 29 N: CI (La Gomera)
heres jocoensis Machado, 2007b: 35 N: CI (Tenerife)
inflatus Wollaston, 1865: Appendix, 41 N: CI (La Gomera)
tumens Marseul, 1873b: 526
pilosiventris Machado, 2011a: 68 N: CI (La Gomera)
sanctaecrucis Machado, 2016: 11 N: CI (Tenerife)

genus *Moreiba* Alonso-Zarazaga, 2013f: 46 type species *Strophosomus canariensis* Franz, 1995
canariensis Franz, 1995: 37 (*Strophosomus*) N: CI

7.8.13. Tribe Mesostylini Reitter, 1913

genus *Amesostylus* Arnol'di, 1960: 284 type species *Mesostylus schelli* Reitter, 1913
amudarijensis Arnol'di, 1960: 286 A: UZ (Nukus, Amu-Darja)
schelli Reitter, 1913f: 279 (*Mesostylus*) A: KZ UZ
syrdarjensis Arnol'di, 1960: 286 A: KZ (Syr-Darja)

genus *Kasakhstania* Arnol'di, 1960: 286 type species *Kasakhstania romadinae* Arnol'di, 1960
romadinae Arnol'di, 1960: 286 A: KZ TD

genus *Mesostylus* Faust, 1894a: 57 type species *Mesostylus hauseri* Faust, 1894
hauseri Faust, 1894a: 58 A: IN KZ TM UZ
bangi Reitter, 1897i: 243
uzboicus Arnol'di, 1960: 281 A: TM

genus *Parakasakhstania* Magnano, 2009c: 244 type species *Parakasakhstania densesquamosa* Magnano, 2009
densesquamosa Magnano, 2009c: 245 A: AE

genus *Parastylus* Arnol'di, 1960: 281 type species *Mesostylus argentatus* Reitter, 1913
angulatus Arnol'di, 1960: 284 A: TM (SW from Kara-Bogaz to Uzboi)
argentatus Reitter, 1913f: 279 (*Mesostylus*) A: TM (West, Beki-Bent to Zakhmet)
porosus Arnol'di, 1960: 284 A: TD
spinidens Arnol'di, 1960: 283 A: TM (Bekherden)
truchmenus Faust, 1894a: 59 (*Mesostylus*) A: TM (Bairam-Ali, Kelif)

7.8.14. Tribe Myorhinini Marseul, 1863

genus *Apsis* Germar, 1820b: 13 type species *Apsis complicata* Germar, 1820 (= *Curculio albolineatus* Fabricius, 1792)
Cuphorhynchus Dejean, 1821: 89 type species *Apsis complicata* Germar, 1820 (= *Curculio albolineatus* Fabricius, 1792)
Cyphorhynchus Agassiz, 1846: 108 [URN]
Hapsis Agassiz, 1846: 30 [HN] [UE]
Myorhinus Schoenherr, 1826: 213 type species *Curculio albolineatus* Fabricius, 1792
Myorrhinus G.A.K. Marshall, 1908: 22 [UE]
albolineata Fabricius, 1792: 490 (*Curculio*) E: AU BU CZ GR HU RO SK ST TR UK A: KZ TR
complicata Germar, 1820b: 13

stevani Schoenherr, 1826: 214 (*Myorhinus*)
stevani Gyllenhal, 1836: 530 (*Myorhinus*) [HN]
hungarica Formánek, 1925: 26 (*Myorhinus*) E: HU
subvittata Fairmaire, 1866b: 267 (*Myorhinus*) A: TR

genus *Haptomerus* Faust, 1889d: 142 type species *Myorhinus lepidus* Brullé, 1832
lepidus Brullé, 1832b: 246 (*Myorhinus*) E: GR IT
brullei Chevrolat, 1844: 154 (*Myorhinus*)
siculus Kraatz, 1859a: 56 (*Myorhinus*)

genus *Malosomus* Faust, 1898c: 279 type species *Malosomus lineatus* Faust, 1898
arabicus G.A.K. Marshall, 1908: 29 A: YE

genus *Parhaptomerus* G. Osella & Lodos, 1979a: 76 type species *Haptomerus schneideri* Kirsch, 1878
schneideri pentheri Ganglbauer, 1906a: 281 (*Haptomerus*) A: TR
schneideri schneideri Kirsch, 1878: 288 (*Myorhinus*) A: AR
schneideri Kirsch, 1879: 32 (*Myorhinus*) [HN]

genus *Subhaptomerus* A. Hoffmann, 1960b: 164 type species *Subhaptomerus frieseri* A. Hoffmann, 1960
frieseri avilai Alonso-Zarazaga, 1983c: 313 E: SP
frieseri frieseri A. Hoffmann, 1960b: 165 E: PT

7.8.15. Tribe Nastini Reitter, 1913

genus *Nastus* Schoenherr, 1842b: 405 type species *Nastus goryi* Boheman, 1842
subgenus *Nastus* Schoenherr, 1842b: 405 type species *Nastus goryi* Boheman, 1842
albolineatus Formánek, 1909b: 205 A: KZ
amoebaeus Suvorov, 1912b: 479 A: KZ
beatus Faust, 1883e: 102 A: KZ (Tarbagatai Mt.)
concinus Faust, 1883e: 104 A: IN
costatus Formánek, 1909b: 211 A: KZ
goryi goryi Boheman, 1842b: 406 E: UK
goryi sareptanus Faust, 1883e: 102 E: ST A: KZ TD
helleri Formánek, 1909b: 213 A: UZ
heydeni Formánek, 1909b: 182 A: UZ
kaszabi Bajtenov, 1973a: 236 A: KZ (Balkhash Lake)
kraatzi Faust, 1891e: 390 A: KI KZ
kuschakewitschi Faust, 1883e: 105 A: KI KZ TM UZ
latifrons Formánek, 1909b: 209 A: KI
lineatus Faust, 1887i: 179 A: KI KZ TD
lokayi Formánek, 1909b: 203 A: UZ
longicornis Formánek, 1909b: 199 A: KZ UZ
luteosquamosus Heyden, 1885: 295 A: KI KZ UZ
mucoreus Formánek, 1909b: 210 A: KZ
oschanini Faust, 1894a: 55 A: KZ UZ
prolixus Faust, 1887d: 179 A: KZ UZ
relictus Bajtenov, 1980a: 109 A: KZ
seidlitzii Faust, 1883e: 105 A: KZ
sirdariensis Bajtenov, 1974b: 30 A: KZ (Syrdaria: Arys')
sulcifrons Formánek, 1909b: 206 A: TD
tigrinus fraternus Faust, 1883e: 107 A: UZ
tigrinus margelanicus Faust, 1894a: 54 A: IN KZ TD UZ
tigrinus speculator Faust, 1883e: 107 A: UZ
tigrinus tigrinus Faust, 1883e: 106 A: UZ
tigrinus turbatus Faust, 1894a: 55 A: UZ
tessellatus Suvorov, 1912b: 481 A: KZ
subgenus *Neonastus* Arzanov & Davidian, 1995: 624 type species *Nastus stierlini* Faust, 1883
albinae albinae Formánek, 1909b: 191 E: ST A: GG

albinae ovoideus Iablokoff-Khnzorian, 1984: 81 E: ST (Caucasus: Karachaevo-Cherkessia)
anatolicus anatolicus Smreczyński, 1970: 126 A: TR
anatolicus ikizderensis Braun, 1993: 77 A: TR
balkaricus Arzanov & Davidian, 1995: 636 E: ST (Caucasus: Kabardino-Balkaria)
carinicollis Braun, 1993: 75 A: TR
devians Faust, 1883e: 102 A: GG (Meskhetsky Range)
fausti fausti Reitter, 1888c: 260 E: ST A: GG
 circassicus Reitter, 1888c: 259
 lederi Reitter, 1888c: 259
fausti tayae Arzanov & Davidian, 1995: 631 E: ST A: GG
lajlensis Arzanov & Davidian, 1995: 634 A: GG (Svanetsky Range)
macedonicus Braun, 1993: 77 E: MC
nubiculosus Schoenherr, 1832: 218 (*Liophloeus*) A: AB AR GG IN TR
 kirschi Tournier, 1874e: cxv (*Liophloeus*)
 nubiculosus Gyllenhal, 1834b: 304 [HN]
 trapezicollis Faust, 1883e: 103
stierlini Faust, 1883e: 104 E: GG ST
trapezicollis Braun, 1993: 76 A: TR

genus *Nastus*, species incertae sedis
humatus Germar, 1823: 354 (*Otiorhynchus*) E: ST

7.8.16. Tribe Naupactini Gistel, 1848

genus *Naupactus* Dejean, 1821: 94 type species *Curculio rivulosus* Olivier, 1791
Archopactus Heller, 1921: 20 type species *Curculio rivulosus* Olivier, 1791
Asynonychus Crotch, 1867: 388 type species *Asynonychus godmani* Crotch, 1867 (= *Naupactus cervinus* Boheman, 1840)
Graphognathus Buchanan, 1939: 11 type species *Naupactus leucoloma* Boheman, 1840
Mimopactus Jekel, 1875: 138 type species *Naupactus albulus* Boheman, 1833
Squamodontus Richard, 1957: 61 type species *Squamodontus hamoni* Richard, 1957 (= *Naupactus leucoloma* Boheman, 1840)
cervinus Boheman, 1840b: 17 Ei: AZ DE FR IT MA PT SP SV Ni: CI MO MR Ai: GG IS JA
AFRi AURi NARi NTR
canariensis Uyttenboogaart, 1937: 107 (*Strophomorphus*)
fulleri Horn, 1876: 94 (*Aramigus*)
godmani Crotch, 1867: 389 (*Asynonychus*)
godmani Crotch, 1867: 389 (*Asynonychus*) [NA]
olindae Perkins, 1900: 130 (*Pantomorus*)
simplex Pascoe, 1881a: 39
leucoloma Boheman, 1840b: 62 Ei: AZ **AURi NARi NTR**
dubius Buchanan, 1942: 109 (*Pantomorus*)
fecundus Buchanan, 1947: 21 (*Graphognathus*)
hamoni Richard, 1957: 62 (*Squamodontus*)
imitator Buchanan, 1947: 21 (*Graphognathus*)
pilosus Buchanan, 1942: 107 (*Pantomorus*)
striatus Buchanan, 1942: 108 (*Pantomorus*)
peregrinus Buchanan, 1939: 14 (*Pantomorus*) Ei: AZ **NARi NTR**
brevicrinatus Hustache, 1947: 103

7.8.17. Tribe Nothognathini G.A.K. Marshall, 1916

genus *Lathrotiorrhynchus* Voss, 1964b: 703 type species *Lathrotiorrhynchus piffli* Voss, 1964
erberi Braun & Behne, 1994: 158 A: PA
gilgitensis Braun & Behne, 1994: 157 A: PA
globoicollis Braun & Behne, 1994: 159 A: PA
heinzi Braun & Behne, 1994: 156 A: PA
kunharensis Braun & Behne, 1994: 160 A: PA
piffli Voss, 1964b: 704 A: PA

genus *Nothognathus* G.A.K. Marshall, 1916b: 250 type species *Nothognathus schoutedeni* G.A.K. Marshall, 1916
schoutedeni G.A.K. Marshall, 1916b: 251 A: "N India" **ORR**
varius G.A.K. Marshall, 1916b: 252 A: "N India"

7.8.18. Tribe Omiini Shuckard, 1840

genus *Amicromias* Reitter, 1913a: 17 type species *Amicromias formaneki* Reitter, 1913 (= *Brachysomus rumelicus* Apfelbeck, 1899)

apricarius Białooki, 2007: 165 E: BU
borysthenicus Yunakov & Nazarenko, 2005: 154 E: UK
cephalotes Yunakov, 2005: 151 E: GR
cunevi Borovec, Kakiopoulos & Germann, 2017: 312 E: GR (Sýros)
euxinus Yunakov & Korotyaev, 2005a: 152 E: ST UK
fodori Yunakov, 2005: 147 E: GR MC
intermedius Yunakov, 2005: 153 E: GR HU UK
mimicus Yunakov, 2005: 155 E: CT
osellai Borovec, Kakiopoulos & Germann, 2017: 313 E: GR
pictus Yunakov, 2005: 154 E: TR
platanegrachei Borovec, Kakiopoulos & Germann, 2017: 314 E: GR
rhilensis Yunakov, 2005: 147 E: BU
rumelicus Apfelbeck, 1899: 800 (*Brachysomus*) E: BU HU RO TR
formaneki Reitter, 1913a: 17
thracicus Borovec, Kakiopoulos & Germann, 2017: 315 E: GR
tricholepis Yunakov & Germann, 2008: 183 E: GR (Lésbos)
yunakovi Borovec, Kakiopoulos & Germann, 2017: 316 E: GR
zellichi Formánek, 1907a: 23 (*Brachysomus*) E: HU RO

genus *Anemophilus* Wollaston, 1854b: 385 type species *Anemophilus crassus* Wollaston, 1854

crassus Wollaston, 1854b: 386 N: MR
gracilipes Borovec, 2006a: 9 N: MR
subtessellatus Wollaston, 1854b: 387 N: MR
trossulus Wollaston, 1854b: 388 N: MR

genus *Asphalmus* Sharp, 1896: 94 type species *Asphalmus japonicus* Sharp, 1896

Omoiotus Sharp, 1896: 95 type species *Omoiotus ovatus* Sharp, 1896
adataraiensis Morimoto, 2015: 298 A: JA
aomoriensis Morimoto, 2015: 283 A: JA
asamaensis Morimoto, 2015: 296 A: JA
ashiuensis Morimoto, 2015: 270 A: JA
chofuensis Morimoto, 2015: 284 A: JA
chomonkyoensis Morimoto, 2015: 286 A: JA
curvipenis Morimoto, 2015: 289 A: JA
daisenensis Morimoto, 2015: 279 A: JA
fujisanensis Morimoto, 2015: 292 A: JA
fukuokaensis Morimoto, 2015: 272 A: JA
gassanensis Morimoto, 2015: 297 A: JA
genkaiensis Morimoto, 2015: 280 A: JA
hiradoensis Morimoto, 2015: 282 A: JA
hirakuraensis Morimoto, 2015: 307 A: JA
hirasanensis Morimoto, 2015: 275 A: JA
hoshinai Morimoto, 2015: 276 A: JA
iimoriyamaensis Morimoto, 2015: 308 A: JA
ikiensis Morimoto, 2015: 304 A: JA (Iki I.)
izawai Morimoto, 2015: 290 A: JA
japonicus Sharp, 1896: 95 A: FE JA SC
kakarajimaensis Morimoto, 2015: 300 A: JA (Kakarajima I.)
kikuchiensis Morimoto, 2015: 270 A: JA
kinkazanensis Morimoto, 2015: 301 A: JA
kiyosumiensis Morimoto, 2015: 308 A: JA
koshikijimaensis Morimoto, 2015: 285 A: JA (Shimokoshikijima I.)
kostali Borovec, 2015c: 1 A: SC
matobai Morimoto, 2015: 277 A: JA

miyakei Morimoto, 2015: 303 A: JA
miyatai Morimoto, 2015: 310 A: JA
nankiensis Morimoto, 2015: 278 A: JA
nishikawai Morimoto, 2015: 305 A: JA
nomurai Morimoto, 2015: 287 A: JA
okayamaensis Morimoto, 2015: 295 A: JA
ovatus Sharp, 1896: 96 (*Omoiotus*) A: JA
reiganjiensis Morimoto, 2015: 285 A: JA
sawaraensis Morimoto, 2015: 309 A: JA
sharpi Borovec, 2010: 589 A: FUJ JIX
taradakensis Morimoto, 2015: 271 A: JA
terricolus Borovec, 2015c: 4 A: JA
tsubakiyamaensis Morimoto, 2015: 281 A: JA
tsushimaensis Morimoto, 2015: 299 A: JA
wakiensis Morimoto, 2015: 293 A: JA
wasamataensis Morimoto, 2015: 302 A: JA
yatsugatacensis Morimoto, 2015: 291 A: JA
yoshidai Morimoto, 2015: 294 A: JA

genus *Baromiamima* Borovec, 2006a: 21 type species *Omius concinnus* Boheman, 1834
concinna Boheman, 1834b: 508 (*Omius*) E: AU CR FR HU IT RO SL SP UK
mandibularis Chevrolat, 1863: 106 (*Omius*)
marqueti Gautier des Cottés, 1863: 489 (*Omius*)
oblonga Boheman, 1842b: 141 (*Omius*)
parvula Boheman, 1834b: 509 (*Omius*)
raymondi Gautier des Cottés, 1861a: 98 (*Omius*)
sericea Boheman, 1842b: 139 (*Omius*)
heydeni Stierlin, 1884: 96 (*Barypeithes*) E: FR IT
micans Seidlitz, 1868: 55 (*Omius*) E: FR
claviger Rey, 1893d: x (*Barypeithes*)

genus *Bryodaemon* Podlussány, 1998: 81 type species *Omius hanakii* J. Frivaldszky, 1865
boroveci Podlussány, 1998: 92 E: PL SK UK
brandisi Apfelbeck, 1903: 336 (*Omius*) E: BH
hanakii hanakii J. Frivaldszky, 1865: 205 (*Omius*) E: PL RO UK
hanakii montanus Petri, 1912a: 303 (*Omius*) E: RO UK
kocsirenae Podlussány, 1998: 96 E: PL RO SK
rozneri Podlussány, 1998: 90 E: PL RO SK UK

genus *Cherocephalus* Chevrolat, 1861a: 126 [RN] type species *Choerorhinus lanosimanus* Chevrolat, 1860
Choerorhinus Chevrolat, 1860d: 451 [HN] type species *Choerorhinus lanosimanus* Chevrolat, 1860
Felicienella Reitter, 1913a: 16 type species *Sciaphilus giganteus* Fairmaire, 1860
alternans Fairmaire, 1866a: 58 (*Sciaphilus*) E: SP N: MO
barbarus Desbrochers des Loges, 1905c: 1 (*Elytrodon*)
fasciolatus Fairmaire, 1866a: 59 (*Sciaphilus*)
maroccanus Desbrochers des Loges, 1893f: 12 (*Elytrodon*)
araneus Flach, 1907a: 16 (*Otiiorhynchus*) E: IT
baborensis Pic, 1914a: 2 N: AG
baudii Stierlin, 1892: 363 (*Elytrodon*) E: IT (Sicilia)
brevicollis Desbrochers des Loges, 1909f: 1 (*Elytrodon*) N: AG
carinifrons Desbrochers des Loges, 1892d: 116 (*Elytrodon*) N: AG
cloueti Desbrochers des Loges, 1896f: 63 (*Elytrodon*) N: AG
curtipennis Pic, 1913g: 177 N: AG
fallax Desbrochers des Loges, 1898d: 57 (*Elytrodon*) N: AG
giganteus angustatus Pic, 1914a: 2 N: AG
giganteus giganteus Fairmaire, 1860d: xxxi (*Sciaphilus*) N: AG MO
grandis Pic, 1904h: 92 N: AG
henoni Desbrochers des Loges, 1894c: 21 (*Elytrodon*) N: AG
immunis Desbrochers des Loges, 1905c: 4 N: AG

impressifrons depressifrons Pic, 1913g: 178 N: AG
impressifrons impressifrons Desbrochers des Loges, 1892d: 115 (*Elytrodon*) N: AG
lanosimanus Chevrolat, 1860d: 452 (*Choerorhinus*) N: AG
 lanuginosus Reitter, 1913a: 16 (*Felicienella*)
longipennis Pic, 1908i: 90 N: AG
multifoveolatus Desbrochers des Loges, 1875a: 10 (*Elytrodon*) N: AG
oblongus Hustache, 1941b: 166 N: MO
procerus Rottenberg, 1872: 230 (*Sciaphilus*) E: IT (Sicilia)
rufolimbatus Pic, 1911b: 138 N: AG
siculus Ragusa, 1904b: 100 E: IT (Sicilia)
tesselatus Desbrochers des Loges, 1875a: 10 (*Elytrodon*) N: AG
tuniseus Pic, 1906b: 11 N: TU

genus *Desbrochersella* Reitter, 1906a: 209 type species *Strophosomus baeticus* L.W. Schaufuss, 1862
 Chiloneonasmus Reitter, 1913a: 13 type species *Chiloneonasmus formaneki* Reitter, 1913
baetica L.W. Schaufuss, 1862a: 50 (*Strophosomus*) E: SP N: MO
 rhinolophus Seidlitz, 1868: 22 (*Mylacus*)
castiliana K. Daniel, 1900: 139 (*Omius*) E: SP
cobosi González, 1970b: 53 E: SP
diversepubens Pic, 1904h: 91 (*Sciaphilus*) N: AG
 curtipennis Pic, 1917b: 14 (*Sciaphilus*)
formaneki Reitter, 1913a: 13 (*Chiloneonasmus*) N: AG
microps Desbrochers des Loges, 1897b: 4 (*Sciaphilus*) N: AG
reyesae Alonso-Zarazaga, 1984: 214 E: SP

genus *Elytrodon* Schoenherr, 1826: 209 type species *Elytrodon bidentatus* Boheman, 1834
alepensis Pic, 1914h: 65 A: SY
bidentatus Boheman, 1834b: 638 E: BH BU CR GR HU IT RO SB ST UK A: TR
 bispinus Boheman, 1834b: 639
 bituberosus Desbrochers des Loges, 1894c: 19
chevrolati Reiche & Saulcy, 1858a: 5 A: IS JO SY
 dicatus Marseul, 1873b: 494
dilaticollis Pic, 1904b: 10 E: GR
distincticornis Pic, 1911b: 138 A: CY
fumosus Reitter, 1913e: 190 (*Chilodrosus*) [DA] A: SY
hyperoides Ragusa, 1904b: 99 (*Chaerocephalus*) E: IT (Sicilia)
inermis Boheman, 1842b: 404 E: GR
 imbellis Marseul, 1873b: 498
istrianus J. Müller, 1937: 9 E: CR
italicus Pesarini, 1980b: 114 E: IT
luigionii Desbrochers des Loges, 1900a: 1 E: IT
platalea Pesarini, 1980b: 113 E: GR (Ródos)
syriacus Stierlin, 1888b: 54 (*Cyclomaurus*) [DA] A: LE

genus *Euplatinus* Desbrochers des Loges, 1907b: 93 type species *Euplatinus tigrellus* Desbrochers des Loges, 1907 (= *Mylacus syriacus* Pic, 1898)
 Euplatinus Desbrochers des Loges, 1909f: 2 [HN] type species *Euplatinus otiorhynchoides* Desbrochers des Loges, 1909 (= *Mylacus syriacus* Pic, 1898)
ascripticus Białooki, 2007: 137 A: TR
boviei Melichar, 1922: 108 [EA] N: MO
cupripubens Reitter, 1906a: 222 (*Mylacus*) A: TR
edmundi Borovec, 2015b: 5 A: TR
graecus Stierlin, 1884a: 37 (*Mylacus*) E: GR IT (Sicilia)
 nitidulus Vitale, 1904c: 126 (*Mylacus*)
laevis Angelov, 1973b: 279 (*Mylacus*) E: BU
monstrabilis Białooki, 2007: 140 A: TR
ominatus Białooki, 2007: 138 A: TR
syriacus Pic, 1898d: 124 (*Mylacus*) A: IS SY TR
 otiorhynchoides Desbrochers des Loges, 1909f: 3
 tigrellus Desbrochers des Loges, 1907b: 93
temerarius Białooki, 2007: 140 A: TR

terrestris Białooki, 2015b: 37 A: TR

genus *Eurospalmus* Yunakov & Nadein, 2006: 84 type species *Brachysomus breiti* Formánek, 1909
subgenus *Eurospalmus* Yunakov & Nadein, 2006: 95 type species *Brachysomus breiti* Formánek, 1909
attilai Yunakov & Nadein, 2006: 90 E: RO
breiti Formánek, 1909a: 29 (*Brachysomus*) E: RO
hilfi Yunakov & Nadein, 2006: 95 E: BU
zerchei Yunakov & Nadein, 2006: 93 E: BU SB
subgenus *Rhinomiamima* Yunakov & Nadein, 2006: 95 type species *Rhinomias dieckmanni* Košťál, 1988
behnei Yunakov & Nadein, 2006: 96 E: BU
dieckmanni Košťál, 1988: 161 (*Rhinomias*) E: BU

genus *Hlavena* Reitter, 1913a: 15 type species *Otiorhynchus subconstrictus* Reitter, 1896
subconstricta Reitter, 1896b: 40 (*Otiorhynchus*) E: ST A: AR
lagoenicollis Pesarini, 1975a: 43 A: TR

genus *Humeromima* Podlussány, 1998: 81 type species *Omius rufipes* Boheman, 1834
nitida Boheman, 1842b: 138 (*Omius*) E: RO ST UK
senaci Desbrochers des Loges, 1875a: 10 (*Mylacus*)
rufipes Boheman, 1834b: 500 (*Omius*) E: PL RO UK
rufulipes Marseul, 1873b: 562 (*Omius*)

genus *Nanomias* Yunakov, 2003c: 855 type species *Nanomias terricola* Yunakov, 2003
terricola Yunakov, 2003c: 856 E: UK (Krym)

genus *Omiamima* Silfverberg, 1977b: 124 type species *Omius mollinus* Boheman, 1834
desbrochersi Reitter, 1906a: 222 (*Mylacus*) N: AG
elymorum Colonnelli & Paladini, 2015: 146 E: IT (Sicilia)
formanekei Tyl, 1912: 131 (*Omius*) E: BU
fulgida Formánek, 1909c: 624 (*Omius*) E: IT (Sardegna)
leonhardi Formánek, 1908a: 139 (*Omius*) A: TR
metallescens Seidlitz, 1868: 57 (*Omius*) E: IT N: AG TU
maurula Rottenberg, 1872: 228 (*Barypeithes*)
pilipes Normand, 1937: 245 (*Barypeithes*)
subplumbea Desbrochers des Loges, 1875a: 11 (*Mylacus*)
mollina Boheman, 1834b: 504 (*Omius*) E: AU BH BU CT CZ DE GB GE HU IT MD ME NL NR
PL RO SB SK ST SV UK
bohemani Zetterstedt, 1837: 188 (*Curculio*) [HN]
bohemanni Zetterstedt, 1837: 188 (*Curculio*) [NA]
pygmaea Hustache, 1937b: 241 (*Omius*) N: AG

genus *Omius* Germar, 1817c: 341 type species *Curculio rotundatus* Fabricius, 1792 (= *Omius puberulus* Boheman, 1834)
Mylacus Boheman, 1842b: 144 type species *Mylacus murinus* Boheman, 1842
Omorus Gistel, 1856a: 261 type species *Curculio seminulum* Fabricius, 1792
alboornatus Reitter, 1894f: 305 (*Mylacus*) E: BH CR
angelovi Borovec, 2015b: 12 E: BU
armatus Seidlitz, 1868: 13 (*Mylacus*) E: TR
armipotens Marseul, 1872a: 27 (*Mylacus*)
atticus Pic, 1902a: 25 (*Mylacus*) E: GR
behnei Borovec, 2015b: 15 E: GR
borysthenicus Korotyaev, 1992d: 878 E: MD UK
brancsiki Reitter, 1906a: 218 (*Mylacus*) E: BH CR IT
bulgaricus Purkyně, 1949: 41 (*Mylacus*) E: BU
chelmosensis Meschnigg, 1939: 342 (*Mylacus*) E: GR
compactus Angelov, 1973b: 285 (*Mylacus*) E: BU
crassirostris Borovec, 2015b: 19 E: GR
crinitoides Angelov, 1973b: 284 (*Mylacus*) E: BU A: TR
cylindrirostris Angelov, 1973b: 288 (*Mylacus*) E: BU
daghestanicus Iablokoff-Khnzorian, 1980: 124 (*Mylacus*) E: ST

focarilei Pesarini, 1972b: 412 (*Mylacus*) E: IT
formanekei Reitter, 1906a: 218 (*Mylacus*) E: AL GR (Kérkyra)
globulus Boheman, 1842b: 153 (*Peritelus*) [HN] E: AU BU HU IT MC PL RO SB SK SL ST A: ES
 KZ
glomeratus Schoenherr, 1826: 192 E: ST UK A: AR KI KZ
globosus Gyllenhal, 1834b: 499
glomeratus Boheman, 1834b: 498 [HN]
glomulus Schoenherr, 1832: 219
glomulus Boheman, 1834b: 498 [HN]
martini Pic, 1902a: 26 (*Mylacus*)
haematopus Rosenhauer, 1856: 261 [DA] E: IT
rubripes Marseul, 1872a: 23 (*Mylacus*)
helleri Reitter, 1906a: 220 (*Mylacus*) E: GR
indutus Kiesenwetter, 1864: 259 E: GR
graecus Stierlin, 1899a: 200 (*Cyclomaurus*)
inermis F. Solari, 1926: 106 (*Mylacus*) E: AL BU HU
punctatus Angelov, 1973b: 280 (*Mylacus*)
krueperi Stierlin, 1888a: 9 (*Mylacus*) E: GR
coniceps Reitter, 1906a: 221 (*Mylacus*)
macedonicus Meschnigg, 1939: 341 (*Mylacus*) E: MC
matejkai Purkyně, 1949: 41 (*Mylacus*) E: MC
microsetosus Białooki, 2015b: 35 A: TR
moczarskii Angelov, 1973b: 287 (*Mylacus*) E: UK (Krym)
montanus Angelov, 1973b: 282 (*Mylacus*) E: BU MC
moreanus Meschnigg, 1939: 341 (*Mylacus*) E: GR
murinus Boheman, 1842b: 145 (*Mylacus*) E: CT MD ST UK A: KZ WS
soricinus Marseul, 1872a: 21 (*Mylacus*)
sphaericus Boheman, 1842b: 128
vestitus Boheman, 1842b: 129
oertzeni Stierlin, 1887: 390 E: GR
ganglbaueri Formánek, 1908b: 225
ossae Purkyně, 1949: 43 (*Mylacus*) E: GR
pseudomurinus Borovec, 2015b: 25 E: GR
puberulus Boheman, 1834b: 502 E: AU BH CR CZ FR HU IT PL RO SK ST SZ UK A: AR ES KZ
 WS
debilis Faust, 1887l: 296 (*Mylacus*)
rotundatus Fabricius, 1792: 473 (*Curculio*) [HN]
pustulatus Seidlitz, 1868: 17 (*Mylacus*) E: BU TR
crinitus Reitter, 1906a: 215 (*Mylacus*)
rilensis Borovec, 2015b: 31 E: BU
sandneri Reitter, 1906a: 217 (*Mylacus*) E: AL BU GR MC
lonae F. Solari, 1926: 106 (*Mylacus*)
taygetanus Purkyně, 1949: 42 (*Mylacus*)
scrobithorax Borovec, 2015b: 29 E: GR
seidlitzii Kraatz, 1888b: 333 (*Mylacus*) [DA] N: EG
seminulum Fabricius, 1792: 470 (*Curculio*) E: AU BH BU GE GR HU ME RO SB SK SL TR
globulus Olivier, 1807: 421 (*Curculio*) [HN]
similis Meschnigg, 1939: 344 (*Mylacus*) E: GR
squamulatus Borovec, 1998b: 165 E: TR
turcicus Seidlitz, 1868: 21 (*Mylacus*) A: TR
turkestanus Schilsky, 1912: 6 (*Mylacus*) A: KI KZ
verruca Boheman, 1834b: 501 E: CT RO ST UK A: AR KZ TR WS
winkelmanni Borovec & Bahr, 2012: 1 E: GR

 genus *Omius*, nomen dubium
antiquarius Gistel, 1857: 530 E: AU

genus *Rhinomias* Reitter, 1894h: 314 type species *Omius forticornis* Boheman, 1842
austriacus Reitter, 1894h: 315 (*Omius*) E: AU HU SK
bulgaricus Angelov, 1990b: 173 E: BU
forticornis Boheman, 1842b: 142 (*Omius*) E: AU BH CR CZ FR GE HU IT PL RO SK SL
alpinus Grimmer, 1841: 42 (*Omius*)

eldae Passauro, 1934: 387
gracilipes Panzer, 1798a: 18 (*Curculio*)
illotus Hochhuth, 1847: 502 (*Omius*)
krajniki Roubal, 1931a: 3 (*Omius*)
robustus Roubal, 1937b: 198
rugicollis Boheman, 1842b: 131 (*Omius*)
validicornis Märkel, 1844: 250 (*Omius*)
gattereri Stierlin, 1884: 98 (*Omius*) E: AU
penecke Reitter, 1894h: 316 (*Omius*)
pygmaeus Stierlin, 1899a: 199 (*Peritelus*)
maxillosus Petri, 1891: 21 (*Omius*) E: HU RO
biharius Reitter, 1894h: 316 (*Omius*)
pyrorrhinus K. Daniel & J. Daniel, 1898: 69 E: RO
viertli Weise, 1886: 426 (*Omius*) E: AU CR HU RO

genus *Scoliolenus* Pesarini, 1980b: 116 type species *Elytrodon ferox* K. Daniel, 1904
ferox K. Daniel, 1904: 81 (*Elytrodon*) E: TR
lodosi Pesarini, 1980b: 118 E: TR

genus *Solarhinomias* Yunakov & Nadein, 2006: 79 type species *Meira caucasica* Stierlin, 1877
caucasicus Stierlin, 1877a: 183 (*Meira*) E: ST A: GG
cruciatus Stierlin, 1879a: 431 (*Platytarsus*)

genus *Turanomias* Yunakov & Nadein, 2006: 81 type species *Turanomias yuliae* Yunakov & Nadein, 2006
yuliae Yunakov & Nadein, 2006: 82 A: TM

genus *Urometopus* Formánek, 1904a: 17 type species *Omius imereticus* Reitter, 1897
Phyllobioides Formánek, 1923b: 109 type species *Phyllobioides crassicornis* Formánek, 1923
anatolicus Smreczyński, 1977b: 392 A: TR
angelinii Colonnelli, 2011b: 678 A: TR
asiaticus Formánek, 1910c: 242 (*Omius*) A: AR
circassicus Reitter, 1888c: 262 (*Omius*) E: ST
daghestanicus Korotyaev, 1992c: 817 E: ST
ferrugineus Formánek, 1904c: 299 (*Omius*) A: IN
georgicus Reitter, 1888c: 263 (*Omius*) E: ST A: AB AR GG
talyschensis Reitter, 1897d: 201 (*Omius*)
imereticus Reitter, 1897d: 202 (*Omius*) A: GG
inflatus Kolenati, 1859a: 421 (*Omius*) A: AB GG
korgei Smreczyński, 1970: 125 A: TR
longicollis Reitter, 1897d: 201 (*Omius*) E: ST A: GG
longicornis Stierlin, 1893a: 410 (*Omius*) A: GG
rosti Reitter, 1896a: 77 (*Omius*)
mungrelis Reitter, 1888c: 264 (*Omius*) A: GG
moczarskii Penecke, 1929: 139 (*Omius*) E: RO MD UK
nemorum Arnol'di, 1965: 521 E: CT ST UK A: KZi
penevi Behne, 1990: 137 E: BU
rugifrons Hochhuth, 1851: 52 (*Omius*) E: UK (Krym)
crassicornis Formánek, 1923b: 109 (*Phyllobioides*)
rugosifrons Marseul, 1873b: 567 (*Omius*) [URN]
strigifrons Gyllenhal, 1834b: 503 (*Omius*) E: ST UK
swaneticus Reitter, 1897d: 202 (*Omius*) A: GG

genus *Yunakovius* Borovec, 2010: 578 type species *Yunakovius orientalis* Borovec, 2010
koreanus Borovec, 2015c: 5 A: SC
orientalis Borovec, 2010: 582 A: FE HEB MG SHX

tribe Omiini, nomina dubia

Omius interruptopunctatus Ménériés, 1849: 260 E: CT
Omius scabripennis Ménériés, 1849: 261 A: TM
Ptochus interruptus Desbrochers des Loges, 1892d: 122 A: TR

7.8.19. Tribe Ophryastini Lacordaire, 1863

genus *Deracanthus* Schoenherr, 1823: 1139 type species *Curculio spinifex* Fabricius, 1787 (= *Curculio inderiensis* Pallas, 1771)

subgenus *Deracanthus* Schoenherr, 1823: 1139 type species *Curculio spinifex* Fabricius, 1787 (= *Curculio inderiensis* Pallas, 1771)

armatus Gebler, 1829: 148 **A:** KZ

armatus Gebler, 1833: 507 [HN]

costatus Heyden, 1885: 295 **A:** KI KZ

faldermanni Faldermann, 1835: 418 **A:** MG NMO

grandis Motschulsky, 1860e: 544 **A:** KZ

hamifer Suvorov, 1910b: 294 **A:** KZ

hastatus Suvorov, 1910b: 294 **A:** KZ XIN

hololeucus Faldermann, 1835: 417 **A:** MG

inderiensis Pallas, 1771: 464 (*Curculio*) **A:** KZ MG WS (Altai Rep.)

albicans Goeze, 1777: 399 (*Curculio*) [HN]

albidus Gmelin, 1790: 1801 (*Curculio*) [HN]

spinifex Fabricius, 1787a: 115 (*Curculio*)

jacobsoni Suvorov, 1908: 257 **A:** KZ

jakovlevi jakovlevi Suvorov, 1908: 257 **A:** MG XIZ

jakovlevi kozlovi Suvorov, 1908: 259 **A:** MG NMO

komarovi Faust, 1891e: 391 **A:** TD TM UZ

kukunorensis Suvorov, 1910b: 289 **A:** QIN XIZ

mongolicus Suvorov, 1910b: 295 **EA:** MG NMO

mucidus Boheman, 1845: 398 **EA:** MG

pallasi Faust, 1890f: 448 **EA:** MG NMO

potanini Faust, 1890f: 446 **A:** GAN QIN XIN

pulchellus Gyllenhal, 1840a: 846 **A:** MG NMO

roborowskii Suvorov, 1910b: 290 **A:** QIN

semenovi Faust, 1890f: 449 **A:** KZ MG NMO

sibericus Thunberg, 1799: 31 (*Brachycerus*) **A:** MG NMO

hirsutulus Gyllenhal, 1840a: 847

tianshanskyi Suvorov, 1908: 253 **A:** XIN

turfanus Suvorov, 1908: 255 **A:** MG NMO

subgenus *Odontocnemus* Zoubkoff, 1829: 151 type species *Odontocnemus fischeri* Zoubkoff, 1829

fausti Suvorov, 1910b: 283 **A:** KZ

fischeri Zoubkoff, 1829: 153 (*Odontocnemus*) **A:** KZ

grumi Suvorov, 1910b: 293 **A:** NMO XIN

karelini Gyllenhal, 1840a: 849 **A:** KZ

solskyi Faust, 1881: 306 **A:** KZ TM UZ

7.8.20. Tribe Otiorhynchini Schoenherr, 1826

genus *Amplotiorhynchus* Magnano, 2004a: 25 type species *Otiorhynchus meschniggi* Petri, 1928
meschniggi Petri, 1928: 172 (*Otiorhynchus*) **E:** GR

genus *Baldorhynchus* Di Marco & G. Osella, 2002: 257 type species *Troglorhynchus baldensis*
Czwalina, 1875

agostianus Bellò & G. Osella, 2016: 33 **E:** IT

amicalis G. Osella, 1983a: 111 (*Troglorhynchus*) **E:** IT

anachoreta Bellò & G. Osella, 2016: 58 **E:** IT

baldensis Czwalina, 1875a: 121 (*Troglorhynchus*) **E:** IT

blesioi G. Osella, 1968b: 146 (*Troglorhynchus*) **E:** IT

bodeianus Bellò & G. Osella, 2016: 33 **E:** IT

branchianus Bellò & G. Osella, 2016: 78 **E:** IT

brixiensis G. Osella, 1983a: 101 (*Troglorhynchus*) **E:** IT

caoduroi G. Osella, 1983a: 113 (*Troglorhynchus*) **E:** IT

carinatus G. Osella, 1983a: 117 (*Troglorhynchus*) **E:** IT

serradae Colonnelli & Magnano, 2003: 46 [URN]

chiarae Monguzzi, 1999: 233 (*Otiorhynchus*) E: IT
cohabitor Bellò & G. Osella, 2016: 80 E: IT
comottii G. Osella, 1983a: 100 (*Troglorhynchus*) E: IT
danzii Bellò & G. Osella, 2016: 50 E: IT
deceptor Bellò & G. Osella, 2016: 36 E: IT
ferrarii F. Solari, 1955b: 78 (*Troglorhynchus*) E: IT
adrianoi Magnano, 2001c: 70 (*Otiorhynchus*) [URN]
grottolo Bellò & G. Osella, 2016: 38 E: IT
judicariensis G. Osella, 1983a: 105 (*Troglorhynchus*) E: IT
clibbianus Colonnelli & Magnano, 2003: 39 (*Otiorhynchus*) [URN]
kahleni G. Osella, 1983a: 106 (*Troglorhynchus*) E: IT
lessinicus G. Osella, 1983a: 112 (*Troglorhynchus*) E: IT
cenomanus Colonnelli & Magnano, 2003: 10 (*Otiorhynchus*) [URN]
magasaensis Bellò & G. Osella, 2016: 60 E: IT
marianus Bellò & G. Osella, 2016: 41 E: IT
metallarius Bellò & G. Osella, 2016: 82 E: IT
moczarskii Breit, 1913: 238 (*Otiorhynchus*) E: IT
monguzzii Bellò & G. Osella, 2016: 53 E: IT
nardii Bellò & G. Osella, 2016: 44 E: IT
paladinii Bellò & G. Osella, 2016: 24 E: IT
pedersolii Bellò & G. Osella, 2016: 84 E: IT
pivai Bellò & G. Osella, 2016: 62 E: IT
regalini Bellò & G. Osella, 2016: 86 E: IT
ruzzieri Bellò & G. Osella, 2016: 26 E: IT
saccoi Bellò & G. Osella, 2016: 72 E: IT
settei Bellò & G. Osella, 2016: 64 E: IT
tedeschii Bellò & G. Osella, 2016: 46 E: IT
toscolanus G. Osella, 1983a: 110 (*Troglorhynchus*) E: IT
vailatii G. Osella, 1983a: 104 (*Troglorhynchus*) E: IT
valvestinus G. Osella, 1983a: 107 (*Troglorhynchus*) E: IT

genus *Cirrorhynchus* Apfelbeck, 1898a: 269 type species *Curculio plumipes* Germar, 1817

Cirrorhynchus Apfelbeck, 1899: 777 [HN] type species *Curculio plumipes* Germar, 1817
Cirrorhynchus Reitter, 1912a: 49 type species *Curculio plumipes* Germar, 1817
argenteus Stierlin, 1861a: 118 (*Otiorhynchus*) E: BU HU MD RO SB SK UK
valachiae Fuss, 1868: 171 (*Otiorhynchus*)
arrogans J. Frivaldszky, 1878: 111 (*Otiorhynchus*) E: CR HU SL
babensis Apfelbeck, 1895a: 597 (*Otiorhynchus*) E: BH CR ME
babensis Apfelbeck, 1896: 543 (*Otiorhynchus*) [HN]
bellicomus Reitter, 1902a: 7 (*Otiorhynchus*) E: BH CR
capricornis Apfelbeck, 1898a: 270 (*Otiorhynchus*) E: BH CR SL
capricornis Apfelbeck, 1899: 777 [HN]
chrysotrichus Apfelbeck, 1919c: 133 (*Otiorhynchus*) E: BH
chrysotrichus Apfelbeck, 1928a: 43 (*Otiorhynchus*) [HN]
plasensis Apfelbeck, 1928a: 54 (*Otiorhynchus*)
cribrosus cribrosus Germar, 1814: 14 (*Curculio*) E: AL BH BU CR SB SL
argutus Boheman, 1842b: 298 (*Otiorhynchus*)
melanopus Apfelbeck, 1919c: 131 (*Otiorhynchus*) [NA]
cribrosus mughus Apfelbeck, 1919c: 131 (*Otiorhynchus*) E: BH SL
cribrosus winneguthi Apfelbeck, 1907a: 524 (*Otiorhynchus*) E: AL
crinipes Miller, 1863a: 30 (*Otiorhynchus*) E: AL BH CR HU ME RO
herzegowinensis Stierlin, 1880a: 55 (*Otiorhynchus*)
culmacensis Lona, 1937a: 146 (*Otiorhynchus*) E: AL
falzonii F. Solari, 1947a: 2 (*Otiorhynchus*) E: IT
flecki Reitter, 1906b: 242 (*Otiorhynchus*) E: RO
karamani Apfelbeck, 1919c: 135 (*Otiorhynchus*) E: CR ME
kelecsenyii J. Frivaldszky, 1892b: 132 (*Otiorhynchus*) E: HU RO SK
lucidulus Apfelbeck, 1919c: 132 (*Otiorhynchus*) E: BH
lucidulus Apfelbeck, 1928a: 41 (*Otiorhynchus*) [HN]
niveipictus Apfelbeck, 1889: 70 (*Otiorhynchus*) E: BH
niveopictus Apfelbeck, 1894b: 517 [HN]

pilipes Leoni, 1907: 192 (*Otiorhynchus*) E: IT
pinivorus Apfelbeck, 1919c: 132 (*Otiorhynchus*) E: BH CR
plicirostris J. Müller, 1916: 108 (*Otiorhynchus*) E: CR
plumipes Germar, 1817a: 245 (*Curculio*) E: AU BH CR IT SB SL
tarnovensis Apfelbeck, 1928a: 50 (*Otiorhynchus*)
radusensis Apfelbeck, 1919c: 134 (*Otiorhynchus*) E: BH ME
sarajevensis Apfelbeck, 1889: 71 (*Otiorhynchus*) E: BH
sclanoi Abbazzi & Magnano, 2003: 74 E: IT
vastus livnensis Apfelbeck, 1898a: 270 (*Otiorhynchus*) E: BH CR
livnensis Apfelbeck, 1899: 778 (*Otiorhynchus*) [HN]
vastus vastus Apfelbeck, 1894a: 221 (*Otiorhynchus*) E: BH CR
vastus Apfelbeck, 1896: 544 (*Otiorhynchus*) [HN]

genus *Cyrtozemia* Pascoe, 1872b: 443 type species *Cyrtozemia dispar* Pascoe, 1872

Holcorrhinosoma Voss, 1939f: 262 type species *Holcorrhinosoma subtuberculatum* Voss, 1939

pilipes Morimoto, 2015: 253 A: JA (Ruykyus)
subtuberculata Voss, 1939f: 262 (*Holcorrhinosoma*) A: YUN

genus *Dodecastichus* Stierlin, 1861a: 18 type species *Otiorhynchus pulverulentus* Germar, 1823

atripes Apfelbeck, 1918: 168 (*Otiorhynchus*) E: AL BH ME SB

aurosignatus Apfelbeck, 1889: 72 (*Otiorhynchus*) E: BH BU CR MC ME SB

aurosignatus Apfelbeck, 1894a: 219 (*Otiorhynchus*) [HN]

aurosignatus Apfelbeck, 1894b: 518 (*Otiorhynchus*) [HN]

aurosignatus Apfelbeck, 1894c: 787 (*Otiorhynchus*) [HN]

aurosignatus Apfelbeck, 1895b: 653 (*Otiorhynchus*) [HN]

mokragorensis Apfelbeck, 1928b: 76 (*Otiorhynchus*)

rhodopensis Apfelbeck, 1894c: 791 (*Otiorhynchus*)

rhodopensis Apfelbeck, 1895b: 653 (*Otiorhynchus*) [HN]

vlasuljensis Apfelbeck, 1894a: 219 (*Otiorhynchus*)

vlasuljensis Apfelbeck, 1894b: 518 (*Otiorhynchus*) [HN]

vlasuljensis Apfelbeck, 1895b: 653 (*Otiorhynchus*) [HN]

brevipes brevipipes Apfelbeck, 1894c: 790 (*Otiorhynchus*) E: AL BH CR ME

bilekensis Apfelbeck, 1894c: 790 (*Otiorhynchus*)

bilekensis Apfelbeck, 1895b: 635 (*Otiorhynchus*) [HN]

brevipes Apfelbeck, 1895b: 635 (*Otiorhynchus*) [HN]

sinjamus Penecke, 1907: 17 (*Otiorhynchus*)

brevipes tarentinus A. Solari & F. Solari, 1915: 288 (*Otiorhynchus*) E: IT

cirrogaster Apfelbeck, 1928b: 75 (*Otiorhynchus*) E: MC

consentaneus Boheman, 1842b: 278 (*Otiorhynchus*) E: AU BH CR IT ME RO SL

alticola A. Solari & F. Solari, 1915: 283 (*Otiorhynchus*)

dimorphus A. Solari & F. Solari, 1915: 283 (*Otiorhynchus*)

florentinus Apfelbeck, 1894c: 790 (*Otiorhynchus*)

florentinus Apfelbeck, 1895b: 638 (*Otiorhynchus*) [HN]

latialis A. Solari & F. Solari, 1915: 283 (*Otiorhynchus*)

pentricus Di Marco & G. Osella, 2001: 17

trogilavensis Apfelbeck, 1922c: 45 (*Otiorhynchus*)

contractus Stierlin, 1861a: 32 (*Otiorhynchus*) E: HU MD RO

moldovensis Apfelbeck, 1894c: 793 (*Otiorhynchus*)

moldovensis Apfelbeck, 1895b: 654 (*Otiorhynchus*) [HN]

corallipes Stierlin, 1890a: 163 (*Otiorhynchus*) E: BH ME RO SB

dalmatinus Gyllenhal, 1834b: 559 (*Otiorhynchus*) E: BH CR IT ME SB

lauri Stierlin, 1861a: 35 (*Otiorhynchus*)

orni Apfelbeck, 1894b: 790 (*Otiorhynchus*)

orni Apfelbeck, 1895b: 642 (*Otiorhynchus*) [HN]

sutomorensis Apfelbeck, 1920: 16 (*Otiorhynchus*)

velezianus Apfelbeck, 1894c: 791 (*Otiorhynchus*)

velezianus Apfelbeck, 1895b: 644 (*Otiorhynchus*) [HN]

dolomitae crivoscianus Apfelbeck, 1894c: 791 (*Otiorhynchus*) E: AL BH CR ME

crivoscianus Apfelbeck, 1895b: 646 (*Otiorhynchus*)

dolichocephalus Apfelbeck, 1922c: 46 (*Otiorhynchus*)

metkovicensis Apfelbeck, 1922c: 46 (*Otiorhynchus*)

dolomitae dolomitae Stierlin, 1862: 368 (*Otiorhynchus*) E: AU BH CR IT

dolomitae dryadis Apfelbeck, 1894a: 218 (*Otiorhynchus*) E: BH ME

dryadis Apfelbeck, 1895b: 646 (*Otiorhynchus*) [HN]

ephialtes Apfelbeck, 1911: 220 (*Otiorhynchus*) E: BH CR

geniculatus Germar, 1817a: 240 (*Curculio*) E: AL AU BH BU CR CZ GE HU IT PL RO SB SL SZ

UK

aurotomentosus Csiki, 1913: 16 (*Otiorhynchus*) [RN]
eppelsheimi Apfelbeck, 1889: 72 (*Otiorhynchus*)
eppelsheimi Apfelbeck, 1894b: 519 (*Otiorhynchus*) [HN]
eppelsheimi Apfelbeck, 1895b: 640 (*Otiorhynchus*) [HN]
herbiphagus Apfelbeck, 1889: 73 (*Otiorhynchus*)
herbiphagus Apfelbeck, 1895b: 640 (*Otiorhynchus*) [HN]
gangelbaueri Apfelbeck, 1889: 72 (*Otiorhynchus*)
gangelbaueri Apfelbeck, 1894b: 519 (*Otiorhynchus*) [HN]
gangelbaueri Apfelbeck, 1895b: 640 (*Otiorhynchus*) [HN]
szorenyensis Csiki, 1913: 16 (*Otiorhynchus*)

heydenii Stierlin, 1861a: 39 (*Otiorhynchus*) E: AL BH CR GR HU IT ME RO SL

inflatoideus Reitter, 1913b: 29 (*Otiorhynchus*) E: CR

inflatus Gyllenhal, 1834b: 566 (*Otiorhynchus*) E: AU BH BU CR CZ GE HU IT PL RO SB SK SL
salebrosus Boheman, 1842b: 299 (*Otiorhynchus*)

mastix Olivier, 1807: 376 (*Curculio*) E: AL AU BH BU CR GE HU IT LT MC ME PL RO SB SK
SL SVi SZ

ambrosii Bertolini, 1893: 221 (*Otiorhynchus*)
dinaricus J. Müller, 1916: 106 (*Otiorhynchus*) [HN]
dulcis Germar, 1817a: 238 (*Curculio*)
muellerianus Winkler, 1932a: 1403 (*Otiorhynchus*) [RN]
nigrociliatus Reitter, 1913b: 26 (*Otiorhynchus*)
perlongus A. Solari & F. Solari, 1915: 287 (*Otiorhynchus*)
pruinus Germar, 1817a: 237 (*Curculio*)
reiseri Apfelbeck, 1894c: 792 (*Otiorhynchus*)
reiseri Apfelbeck, 1895b: 636 (*Otiorhynchus*) [HN]
scabricollis Germar, 1817a: 239 (*Curculio*)
scabrior Reitter, 1913b: 26 (*Otiorhynchus*)
turgidus Germar, 1817a: 236 (*Curculio*)
velebiticola Winkler, 1932a: 1403 (*Otiorhynchus*) [RN]
vranensis Apfelbeck, 1894a: 218 (*Otiorhynchus*)
vranensis Apfelbeck, 1894c: 787 (*Otiorhynchus*) [HN]
vranensis Apfelbeck, 1895b: 637 (*Otiorhynchus*) [HN]

montissancti J. Müller, 1946: 118 (*Otiorhynchus*) E: CR

obsoletus Stierlin, 1861a: 31 (*Otiorhynchus*) E: AU BH BU CR HU IT MD ME PL RO SL SB

aethiops Apfelbeck, 1894c: 791 (*Otiorhynchus*)
aethiops Apfelbeck, 1895b: 649 (*Otiorhynchus*) [HN]
bulgaricus Apfelbeck, 1894c: 791 (*Otiorhynchus*)
bulgaricus Apfelbeck, 1895b: 649 (*Otiorhynchus*) [HN]
hopffgarteni Stierlin, 1883b: 422 (*Otiorhynchus*) [HN]
speiseri Apfelbeck, 1894a: 219 (*Otiorhynchus*)
speiseri Apfelbeck, 1894c: 787 (*Otiorhynchus*) [HN]
speiseri Apfelbeck, 1895b: 649 (*Otiorhynchus*) [HN]
versipellis Apfelbeck, 1894c: 791 (*Otiorhynchus*)
versipellis Apfelbeck, 1895b: 649 (*Otiorhynchus*) [HN]
vicinus Apfelbeck, 1894a: 220 (*Otiorhynchus*)
vicinus Apfelbeck, 1894c: 791 (*Otiorhynchus*) [HN]
vicinus Apfelbeck, 1895b: 649 (*Otiorhynchus*) [HN]

oligostictus J. Müller, 1946: 119 (*Otiorhynchus*) E: AL

oligolepis J. Müller, 1946: 120 (*Otiorhynchus*) [NA]

ovoideus Reitter, 1913b: 26 (*Otiorhynchus*) E: IT

pulverulentus Germar, 1823: 352 (*Otiorhynchus*) E: AL AU BH BU CR CT HU IT ME PL RO SB SK
SL UK

adumbratus Stierlin, 1883b: 422 (*Otiorhynchus*)
interstitialis Germar, 1823: 353 (*Otiorhynchus*)
periscelis Gyllenhal, 1834b: 570 (*Otiorhynchus*)
preslicensis Apfelbeck, 1894c: 791 (*Otiorhynchus*)
preslicensis Apfelbeck, 1895b: 646 (*Otiorhynchus*) [HN]
rumicis Apfelbeck, 1894c: 790 (*Otiorhynchus*)
rumicis Apfelbeck, 1895b: 642 (*Otiorhynchus*) [HN]

genus *Himalotiorhynchus* Magnano, 2006d: 511 type species *Himalotiorhynchus nepalensis* Magnano, 2006

deosaicus Magnano, 2006d: 513 A: PA

nepalensis Magnano, 2006d: 512 A: KA NP

pakistanicus Magnano, 2006d: 513 A: PA

genus *Ioniorhynchus* Magrini, Meoli & Abbazzi, 2005b: 483 type species *Otiorhynchus doriae* Solari & Solari, 1904

doriae A. Solari & F. Solari, 1904: 168 (*Otiorhynchus*) E: GR (Zákynthos)

gasparoi G. Osella & Zuppa, 2006: 68 (*Otiorhynchus*) E: GR

henderickxi Hlaváč & Skuhrovec, 2016: 130 E: GR (Zákynthos)

loebli G. Osella, 1974: 791 (*Trogloorhynchus*) E: GR

vailatianus G. Osella, 2008a: 87 (*Otiorhynchus*) E: GR

winkleri F. Solari, 1955b: 79 (*Trogloorhynchus*) E: GR (Kérkyra)

imprevisus Magnano, 1998a: 71 (*Otiorhynchus*) [URN]

genus *Kirgizia* Magnano, 2009a: 50 type species *Kirgizia altomontanus* Magnano, 2009

altomontanus Magnano, 2009a: 52 A: KI

kirgisicus Bajtenov, 1978c: 71 (*Otiorhynchus*) A: KI

quadratiostris Magnano, 2009a: 55 A: KI

tianschanicus Magnano, 2009a: 57 A: KI

genus *Limatogaster* Apfelbeck, 1898a: 279 type species *Curculio rugicollis* Germar, 1817

subgenus *Dialonedus* Reitter, 1914b: 132 type species *Otorhynchus cribrirostris* Leoni, 1906

belloi Magnano, 1986: 653 (*Otiorhynchus*) E: GR

colonnellii Magnano, 1986: 659 (*Otiorhynchus*) E: IT

cribrirostris Leoni, 1906: 108 (*Otiorhynchus*) E: IT

geraldinae Csiki, 1940: 278 (*Otiorhynchus*) E: AL

moesiaca Apfelbeck, 1922b: 25 (*Otiorhynchus*) E: SB

thessalica Apfelbeck, 1922b: 26 (*Otiorhynchus*) E: GR

subgenus *Limatogaster* Apfelbeck, 1898a: 279 type species *Curculio rugicollis* Germar, 1817

Limatogaster Apfelbeck, 1899: 785 [HN] typ species *Curculio rugicollis* Germar, 1817

Limatogaster Reitter, 1912a: 54 [HN] type species *Curculio rugicollis* Germar, 1817

antennaria Apfelbeck, 1918: 174 (*Otiorhynchus*) E: BH ME

hopffgarteni Stierlin, 1880a: 54 (*Otiorhynchus*) E: BH CR ME RO

darius Reitter, 1903c: 214 (*Otiorhynchus*)

donabilis Reitter, 1903c: 214 (*Otiorhynchus*)

lasioscelis Reitter, 1903c: 215 (*Otiorhynchus*) E: BH CR IT ME

nyctelia nyctelia Reitter, 1903c: 215 (*Otiorhynchus*) E: BH CR ME SL

nyctelia podgoricensis Lona, 1936: 194 (*Otiorhynchus*) [RN] E: ME

pachyscelis Stierlin, 1861a: 268 (*Otiorhynchus*) E: AU BH CR GR HU ME RO SL

ruconii Lona, 1937a: 149 (*Otiorhynchus*) E: GR

rugicollis Germar, 1817a: 241 (*Curculio*) E: AL BH CR ME RO SB

paganettii Stierlin, 1899a: 198 (*Otiorhynchus*)

smolikana Magnano, 2005b: 215 E: GR

subsulcata Apfelbeck, 1919b: 128 (*Otiorhynchus*) E: AL ME

tumidipes Stierlin, 1861a: 269 (*Otiorhynchus*) E: AL BH CR ME SL

genus *Mirrorhynchus* Magnano, 2003c: 228 type species *Mirrorhynchus bellus* Magnano, 2003

bellus Magnano, 2003c: 228 A: GR (Kriti)

genus *Neotournieria* Apfelbeck, 1932: 155 type species *Otiorhynchus bureschi* Apfelbeck, 1932

ambigener Magnano & Sert, 2007: 357 A: TR

bureschi Apfelbeck, 1932: 155 (*Otiorhynchus*) E: BU GR TR

lodosiana Magnano, 1977c: 163 (*Otiorhynchus*) A: TR

szypulai Białooki, 2006b: 264 E: TR

witzgalli Braun, 1991b: 205 (*Otiorhynchus*) A: TR

genus *Otiorhynchomorphus* Magnano, 2001a: 153 type species *Otiorhynchus isfahanensis* Voss, 1964

isfahanensis Voss, 1964b: 702 (*Otiorhynchus*) A: IN

genus *Otiorhynchus* Germar, 1822: 12 type species *Curculio rhacusensis* Germar, 1822

subgenus *Acunotus* Reitter, 1912a: 54 type species *Otiorhynchus horridus* Stierlin, 1880

abbazzii Magnano, 1996b: 68 E: IT

horridus Stierlin, 1880a: 57 E: BH CR ME

cribellarius Stierlin, 1883b: 530 [URN]
ligneoides Stierlin, 1902: 426 E: IT
lutosus Stierlin, 1858: 297 E: AU BH CR FR HU IT RO SB SL SZ UK
sequensi Reitter, 1894c: 105
pseudoligineoides Magnano, 1996b: 70 E: IT
subgenus *Aequipennis* Magnano, 1998a: 65 type species *Otiorhynchus aksekianus* Magnano, 1977
aksekianus Magnano, 1977c: 167 A: TR
sbordonii Smreczyński, 1977a: 379 A: TR
spectativus Białooki, 2017: 406 A: TR
subgenus *Aleutinops* Reitter, 1912a: 54 type species *Otiorhynchus elegantulus* Germar, 1823
crepsensis J. Müller, 1922: 43 E: CR
elegantulus Germar, 1823: 367 E: BH CR IT ME RO SL
orologus Heyden, 1899: 176 [RN]
tenuis Stierlin, 1899a: 198 [HN]
subgenus *Altaivagus* Arnol'di, 1975: 277 type species *Otiorhynchus altajensis* Arnol'di, 1975 (= *Otiorhynchus unctuosus* Germar, 1823)
unctuosus Germar, 1823: 363 E: CT A: AB KZ WS
altajensis Arnol'di, 1975: 279
unctuosus Gebler, 1829: 171 [HN]
subgenus *Amosilnus* Reitter, 1912a: 58 type species *Otiorhynchus gracilicornis* Stierlin, 1893 (= *Otiorhynchus simulans* Stierlin, 1877)
Mitarodes Reitter, 1912a: 58 type species *Otiorhynchus lavandus* Germar, 1823
borshii Lona, 1922b: 135 E: AL GR
dauricus Stierlin, 1862: 365 A: ES
fasciculatus Ménétrés, 1849: 261 E: CT
grandineus Germar, 1823: 356 E: RU UK A: ES FE WS
psegnaticus Boheman, 1842b: 292
inductus Gyllenhal, 1834b: 596 E: CR
lavandus lavandus Germar, 1823: 354 E: AU BU CR GR HU IT MC RO SB
longicornis Stierlin, 1879b: 514
pityophilus Gistel, 1857: 530
lavandus taumerkanus Lona, 1943: 10 E: GR
midas Reitter, 1914b: 156 E: MC
oberti Faust, 1887f: 153 (*Brachyrhinus*) A: ES FE WS
pretiosus Stierlin, 1888e: 377 E: GR
simulans Stierlin, 1877a: 181 E: BU CR SL ST TR UK A: GG KZi WS
annulipes Apfelbeck, 1932: 158
gracilicornis Stierlin, 1893a: 408
subsignatus Gyllenhal, 1834b: 626 A: GG
subsigillatus Marseul, 1872b: 251 [URN]
subsigillatus Marseul, 1873a: 346 [URN] [HN]
trigradus Angelov, 1974a: 85 E: BU
subgenus *Anchorrhynchus* Reitter, 1914b: 135 type species *Otiorhynchus excellens* Kirsch, 1880
beieri Penecke, 1935a: 97 E: GR
bischoffianus Lona, 1937a: 148 E: GR
cypricola Reiche & Saulcy, 1858a: 688 A: CY
endroedii Angelov, 1964: 127 E: BU
epiroticus Apfelbeck, 1901a: 434 E: AL BH CR GR SL
epiroticus Apfelbeck, 1902: 466 [HN]
excellens Kirsch, 1880a: 4 E: GR MC
longirostris Stierlin, 1887: 391
lumensis gjallicanus Lona, 1939a: 30 E: AL
lumensis lumensis Apfelbeck, 1908a: 4 E: AL MC SB
lhumanus Reitter, 1914b: 183
maderi dajtitensis Lona, 1937a: 147 E: AL
maderi maderi Formánek, 1920: 95 E: AL
muellerorum Colonnelli, 2018b: 152 E: GR (Thásos)
munelensis Apfelbeck, 1907a: 521 E: AL
parnassius Apfelbeck, 1922b: 24 E: GR
pelionis Penecke, 1924a: 13 E: GR
pseudalbanicus Braun, 1990: 206 E: GR MC

sabbadinii Pesarini, 1985: 89 E: IT (Sicilia)
schlaeflini Stierlin, 1861a: 227 E: BU GR A: TR
solariorum Lona, 1922b: 136 E: AL
subfilum Reitter, 1884c: 94 E: GR MC
subgenus *Arammichnus* Gozis, 1882b: 203 [RN] type species *Otiorhynchus cribricollis* Gyllenhal, 1834
Eurychirus Stierlin, 1861a: 27 [HN] type species *Otiorhynchus cribricollis* Gyllenhal, 1834
Neobudemus Reitter, 1912a: 51 type species *Otiorhynchus mandibularis* W. Redtenbacher, 1842 (= *Otiorhynchus hystrix* Gyllenhal, 1834)
adrianus Baviera & Magnano, 2010: 51 E: IT (Sicilia)
aegatensis Magnano, 1992a: 404 E: IT (Egadi Is.)
apulus A. Solari & F. Solari, 1913a: 118 E: IT
auladalimus Koch, 1936: 388 N: EG LB
auladalimus Koch, 1938: 60 [HN]
bagnoli Stierlin, 1901: 364 E: IT
bullinii Magnano, 1992b: 106 N: TU
calabrensis Stierlin, 1891c: 325 E: IT
pustulatus Vitale, 1903a: 22
calabrolucanus Lona, 1958: 22 E: IT
catinensis Magnano, 1993a: 226 E: IT (Sicilia)
cerigensis Apfelbeck, 1922b: 28 E: GR (Kýthira I.)
championi Reitter, 1912b: 131 E: GR RO
concavirostris Boheman, 1842b: 308 E: GR (Ionia Nisiá)
convexicollis Stierlin, 1861a: 297 N: EG
aegyptiacus Magnano, 1993a: 225
cossyrensis Magnano, 1992a: 407 E: IT (Pantelleria)
cribricollis Gyllenhal, 1834b: 582 E: AL AZi BE BU CR FR GEi GR HU IT MA PLi PT RO SP SZ
N: AG Cii EG MO TU A: ES JAi WS AURi NARi
azoricus Uyttenboogaart, 1940b: 267
kairuanus Reitter, 1912b: 124
terrestris Marseul, 1873a: 385
trophonius Reitter, 1912b: 125
echidna K. Daniel & J. Daniel, 1898: 43 E: IT
ferdinandi Reitter, 1914c: 245 E: IT (Sicilia)
ferrarii Miller, 1863b: 85 E: AL GR IT
fiorii Magnano, 1975: 5 N: LB
flavimanus Stierlin, 1861a: 294 E: IT
gravidus Stierlin, 1872: 330 E: GR (Kefaloniá)
tritonis Reitter, 1912b: 126
hellenicus Stierlin, 1872: 330 E: GR
hyblaeicus Magnano, 1992b: 117 E: IT (Sicilia)
hystrix Gyllenhal, 1834b: 618 E: AU BU GR HU IT MD RO SB SK ST UK A: AB
dobrudschae Fauvel, 1885: 298 (*Brachyrhinus*) [UE]
dobrudschae Stierlin, 1882a: 250
granulosus Boheman, 1842b: 367
mandibularis W. Redtenbacher, 1842: 20
stoeckleini Zumpt, 1936d: 115
indefinitus Reitter, 1912b: 126 E: BE FR GBi GEi IT NLi PLi SVi SZ
dieckmanni Magnano, 1979b: 183
grandii Lona, 1931: 175
italicus Stierlin, 1888a: 11 E: IT
juvencus juvencus Gyllenhal, 1834b: 609 E: AL CR FR GR IT MA SP N: AG A: IN TR NTRi
deustus Blanchard, 1851: 381
tomentosus Gyllenhal, 1834b: 610
juvencus miramaruae L.W. Schaufuss, 1882a: 538 E: SP (Balears)
majoricanus A. Hoffmann, 1957b: 78
kochi F. Solari, 1940b: 71 N: LB
lacertosus Pesarini, 1975a: 41 E: IT (Sicilia)
linussae A. Solari & F. Solari, 1922c: 83 E: IT (Linosa I.)
lopadusae A. Solari & F. Solari, 1922e: 126 E: IT (Lampedusa I.)
lubricus ausonius Pesarini, 1975a: 43 E: IT
lubricus lubricus Boheman, 1842b: 298 E: IT (Sicilia)
elatior Stierlin, 1861a: 295
syracusanus Fiori, 1906a: 204

matutinus Reitter, 1912b: 127 E: IT
meligunensis Magnano, 1992a: 395 E: IT (Is. Eolie)
moriger Reitter, 1914c: 245 E: MA
noesskei Apfelbeck, 1922b: 22 E: BH CR ME
ocellifer Reitter, 1912b: 127 E: IT (Sicilia)
opimus Magnano, 1992b: 103 N: TU
ovatulus Boheman, 1842b: 351 E: MA (Gozo)
pelagosanus J. Müller, 1937: 6 E: CR (Mala Palagruža I.)
poggii Di Marco, G. Osella & Zuppa, 2002: 419 E: IT (Lampione I.)
proximophthalmus Reitter, 1914c: 244 N: MO TU
pseudohellenicus Magnano, 1993a: 223 E: GR (Kárpáthos I.)
pseudosetosulus Baviera & Magnano, 2010: 49 E: IT (Sicilia)
pseudoumbilicatoides Magnano, 1993b: 150 E: IT (Sicilia)
pulchellus Stierlin, 1861a: 299 E: IT (Sicilia)
neapolitanus Stierlin, 1861a: 298
reticollis Boheman, 1842b: 307 E: IT (Sicilia)
speziai Pesarini, 1975a: 40
rigidesetosus Magnano, 1996a: 387 E: IT (Sicilia)
scabrosoides Stierlin, 1877b: 188 E: IT (Sicilia)
schembrii Magnano, 1992a: 401 E: MA
setosulus Stierlin, 1861a: 293 E: GBi IT (Sicilia)
striatosetosus Boheman, 1842b: 309 E: IT (Sicilia)
umbilicatus Stierlin, 1861a: 291
sulcirostris Boheman, 1842b: 279 E: AL CR GR
comparabilis Boheman, 1842b: 309
torretassoii Koch, 1936: 386 N: EG LB
torretassoii Koch, 1938: 58 [HN]
tuscoinsularis Magnano, 1992a: 392 E: IT (Arcip. Toscano)
umbilicatoides Reitter, 1912b: 126 E: IT (Sicilia)
vagans Baviera & Magnano, 2010: 46 E: IT (Sicilia)
valdemosae L.W. Schaufuss, 1882a: 537 E: SP (Mallorca)
villosus Stierlin, 1872: 329 E: CR GR IT (Tremiti Is.)
volturinensis Magnano, 1999a: 148 E: IT
vulturensis Lona, 1931: 174 E: IT
subgenus *Aranihus* Reitter, 1912a: 52 type species *Otiorhynchus squamifer* Boheman, 1842
Cerdelcus Reitter, 1912a: 52 type species *Curculio ligneus* Olivier, 1807
Delhandus Reitter, 1912a: 52 type species *Otiorhynchus guttula* Fairmaire, 1859
Dolychorhynchotious Magnano, 2003b: 225 type species *Dolichorhynchotious spinipennis* Magnano, 2003
Rhynchotious Magnano, 1998a: 56 type species *Otiorhynchus vaucheri* Peyerimhoff, 1927
alluaudi Peyerimhoff, 1925b: 103 N: MO
almeriacus Magnano, 2009b: 70 (*Dolychorhynchotious*) E: SP
bialookii Magnano, 2009b: 68 (*Dolychorhynchotious*) E: SP
cobosi A. Hoffmann, 1957b: 77 E: SP
cobosorum Alonso-Zarazaga, 1984: 207 E: SP
dauidi Alonso-Zarazaga, 1984: 211 E: SP
decorus Stierlin, 1875a: 341 ["421"] E: SP
faucium Colonnelli & Forbicioni, 2014: 72 E: IT
felis Hustache, 1941b: 161 N: MO
frescati Boheman, 1842b: 384 E: AU BH CR HU IT SL SZ
tuberculatus Stierlin, 1885b: 272
guttula assimilis Gemminger, 1871a: 118 [RN] E: IT (Sardegna)
affinis Stierlin, 1861a: 115 [HN]
assimilis Marseul, 1872b: 250 [RN] [HN]
guttula guttula Fairmaire, 1859d: 281 E: FR (Corse)
kaci Peyerimhoff, 1908: 124 (*Brachyrhinus*) N: AG
ketamaensis Magnano & Germann, 2008: 11 N: MO
kocheri A. Hoffmann, 1950b: 83 N: MO
lecerfi Hustache, 1941b: 162 N: MO
ligneus colasi Roudier, 1954h: 123 E: SP
ligneus ligneus Olivier, 1807: 378 (*Curculio*) E: AU BE BH DE EN FR GB GE HU IC IR IT LA LU

MD NL NR RO SL SP SV SZ **NARi**
frisius O. Schneider, 1896: 178
gallicanus Gyllenhal, 1834b: 616
scabridus Stephens, 1831b: 119
setosus Stierlin, 1858: 270 [HN]
longiusculus Stierlin, 1888b: 49 **E: SP**
machadoi Germann, 2004b: 224 (*Dolychorhynchotious*) **N: MO**
maroccanus Magnano, 2000: 64 (*Rhynchotious*) **N: MO**
mesatlanticus Peyerimhoff, 1928: 42 **E: MO**
misellus Stierlin, 1861a: 139 **E: FR IT**
naudinii P. H. Lucas, 1855: 292 **N: AG**
nevadensis Stierlin, 1892: 357 **E: SP**
mulhacensis A. Hoffmann, 1936c: 147
parvicollis Gyllenhal, 1834b: 576 **E: AZi IT (Sardinia) PT SP N: AG MO**
paulinoi Stierlin, 1886c: 282 **E: PT**
rudis Stierlin, 1861a: 136 **N: AG MO**
rodus Marseul, 1873a: 220 [URN]
schaeferi A. Hoffmann, 1961a: 5 **E: FR**
sordidus Stierlin, 1861a: 159 **E: SP N: AG MO**
spinipennis Magnano, 2003b: 225 (*Dolychorhynchotious*) **N: MO**
squamifer Boheman, 1842b: 314 **E: SP N: AG**
fraternus Stierlin, 1861a: 160
squamulifer Marseul, 1872b: 250 [URN]
squamulifer Marseul, 1873a: 244 [URN, HN]
squamipes Reitter, 1913b: 110 **N: MO TU**
stuebeni Magnano, 2006c: 250 **N: MO**
tenuicostis Hustache, 1920a: 19 **E: FR SP**
vaucheri Peyerimhoff, 1927c: 240 **N: MO**
venarum Colonnelli & Casalini, 2014: 221 **E: IT**
villiersi Ruter, 1941: 55 **N: MO**
vitellus Gyllenhal, 1834b: 588 **E: FR**
priscus Reitter, 1913b: 113
subgenus *Arnoldinus* Davidian, Gültekin & Korotyaev, 2017: 4 type species *Otiorhynchus ceratoniae*
Davidian, Gültekin & Korotyaev, 2017
ceratoniae Davidian, Gültekin & Korotyaev, 2017: 6 **A: TR**
microcornis Białooki, 2017: 421 **A: TR**
subgenus *Bytosmesus* Reitter, 1912a: 54 type species *Otiorhynchus multicosstatus* Stierlin, 1861
multicosstatus Stierlin, 1861a: 284 **E: AU BH CR MC SB SL**
planirostris Stierlin, 1887: 399
subgenus *Cavernodes* Białooki, 2015b: 16 type species *Trogloorhynchus grenieri* Allard, 1868
arxfabae Magrini & Onnis, 2019: 557 **E: IT (Sardegna)**
degiovannii Magrini & Consorti, 2005: 127 **E: IT (Sardegna)**
doderoi A. Solari & F. Solari, 1904: 166 **E: IT (Sardegna)**
grenieri Allard, 1869c: 472 (*Trogloorhynchus*) **E: FR (Corse)**
pavesii Magrini, Magnano & Abbazzi, 2007: 407
poster Marseul, 1872b: 251 [URN]
poster Marseul, 1873a: 449 [URN] [HN]
hyacinthae Magrini & Onnis, 2019: 548 **E: IT (Sardegna)**
subgenus *Choilisanus* Reitter, 1912a: 50 type species *Otiorhynchus balcanicus* Stierlin, 1861
Asphaerorhynchus Reitter, 1912a: 50 type species *Curculio raucus* Fabricius, 1777
Lacocnesus Reitter, 1912a: 64 type species *Otiorhynchus latinasus* Reitter, 1898
affinis Hochhuth, 1847: 517 **A: ST**
analemmus Białooki, 2016: 158 **A: TR**
athosiensis Reitter, 1913b: 83 **E: GR**
aziziyensis Davidian & Gültekin, 2015b: 9 **A: TR**
balcanicus Stierlin, 1861a: 305 **E: BU GR RO SK ST TR UK A: AB AR GG IN SY TR**
brunneiformis Białooki, 2018: 283 **A: TR**
brunneus Gyllenhal, 1834b: 587 **E: AL AU BE BH BU BY CZ FR GEi GR HU MC MD RO SB SK**
SL ST TR UK A: AR CY IN KI SY TR
brunneus Krynicki, 1834: 169 [HN]
crispus Boheman, 1842b: 319
freyi Zumpt, 1933a: 3

fulvicornis Lona, 1922b: 139
jaqueti Stierlin, 1901: 365
monspeliensis A. Hoffmann, 1962a: 55
pubifer Boheman, 1842b: 316
constricticollis Stierlin, 1861a: 303 A: TR
convexipterus Białooki, 2015b: 23 A: TR
decussatus Hochhuth, 1851: 72 E: ST UK
ege Davidian & Gültekin, 2015a: 2 A: TR
elegantinus Angelov, 1974c: 975 E: BU CR
formanekei Reitter, 1913b: 79 E: TR UK A: TR
glebius Davidian & Keskin, 2010: 62 A: TR
grandicollis Boheman, 1842b: 312 E: BU A: IN TR
granicus Białooki, 2015a: 93 A: TR
granulatopunctatus Stierlin, 1883b: 549 E: TR
idhaeus Białooki, 2015a: 96 E: GR (Kriti)
imperspicabilis Białooki, 2016: 173 A: TR
impetrativus Białooki, 2016: 153 A: TR
inflatipes Białooki, 2015b: 27 A: TR
karadeniz Davidian & Gültekin, 2015b: 7 A: TR
laconicus Kirsch, 1880a: 14 E: GR
oertzeni Stierlin, 1883b: 544
latinasus Reitter, 1898d: 354 A: TR
lazorum Davidian & Savitsky, 2015c: 60 A: TR
leuthneri Smreczyński, 1977a: 378 A: SY TR
arabicus Mazur, 1983: 29
magnicollis Stierlin, 1888e: 374 E: GR A: TR
megapterygius Białooki, 2016: 155 A: TR
megareoides Smreczyński, 1977a: 377 A: TR
megareus Reitter, 1913b: 79 A: TR
meledanus Reitter, 1900c: 288 E: CR
mogulonoides Białooki, 2018: 286 A: TR
nigrescens Białooki, 2015b: 30 A: TR
octangularis Białooki, 2016: 151 A: TR
pectorosus Białooki, 2016: 149 A: TR
pelliceus Boheman, 1842b: 362 E: GR RO TR A: IN TR
bosphoramus Stierlin, 1880d: 568
petryszaki Mazur, 1983: 27 E: BU
pilosus pilosus Gyllenhal, 1834b: 586 E: CT MD ST UK A: AB GG
caucasicus Stierlin, 1872: 321
krasnajensis Magnano, 1999b: 283
kubanensis Reitter, 1888b: 235
querceti Arnol'di, 1965: 508
schoenherri Stierlin, 1877a: 180
viridisetosus Stierlin, 1903b: 56
pilosus samsunensis Smreczyński, 1977b: 387 A: TR
plagigerulus Białooki, 2016: 169 A: TR
podlussanyorum Białooki, 2018: 281 E: BU
pulverulus Boheman, 1842b: 317 A: ST TR
skorikovi Arnol'di, 1992: 811
raucus Fabricius, 1777: 226 (*Curculio*) E: AL AU AZi BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A:
GG KZ WS **NARi**
arenarius Herbst, 1784: 82 (*Curculio*)
bettinii Fiori, 1900: 109
fulvus Fabricius, 1787a: 113 (*Curculio*) [HN]
luctuosus Latreille, 1804: 171 (*Brachyrhinus*) [URN]
silvicola Mazur, 1993b: 503
tristis Fabricius, 1775: 149 (*Curculio*) [HN]
richteri Iablokoff-Khnzorian, 1959b: 75 A: AR
robustisetis Białooki, 2016: 163 A: TR
sculptiventris Białooki, 2016: 167 A: TR
sphaerosoma Apfelbeck, 1919a: 102 E: AL

strix Stierlin, 1891b: 271 E: GR
terrifer Stierlin, 1884a: 38 E: ST A: GG
theophrastus Białooki & Germann, 2016: 201 N: GR (Lésvos)
thermophilus Białooki, 2016: 160 A: TR
tournerioides Apfelbeck, 1932: 156 E: BU
tuberculifer Białooki, 2015b: 25 A: TR
umbraticus Białooki, 2016: 165 A: TR
valerii Davidian & Savitsky, 2015c: 58 A: TR
velutinus Germar, 1823: 361 E: AU BU CR CT CZ FR GE GR HU IT MD PL RO SB SK ST UK
A: AB AR GG IN KI KZ TD TR UZ WS XIN
cerdanensis Jacquet, 1888a: 4
desbrochersi Stierlin, 1896a: 44 [HN]
exilis Boheman, 1842b: 352
globithorax Boheman, 1842b: 318
godeti Gyllenhal, 1834b: 589
humilis Germar, 1823: 362
lhesgicus Kolenati, 1859a: 435
logesi F. Solari, 1940a: 34 [RN]
proraeus Reitter, 1889a: 39
simplex Stierlin, 1880a: 52 [HN]
simplex Stierlin, 1881b: 150 [HN]
vexator Reitter, 1900d: 57
weisei Reitter, 1895a: 21 A: AR GG TR
fontanensis Zumpt, 1933c: 82
pseudobrunneus Magnano, 1999a: 137
zhantievi Korotyaev, 1992c: 813 E: UK
subgenus *Clypeotiorhynchus* Yunakov & Arzanov, 2013: 71 [RN] type species *Otiorhynchus costulatus* Formánek, 1922
Clypeorhynchus Yunakov & Arzanov, 2002: 31 [HN] type species *Otiorhynchus costulatus* Formánek, 1922
avtandili Davidian & Yunakov, 2002a: 32 A: GG TR
costulatus Formánek, 1922: 73 E: ST A: GG
gracilipes Reitter, 1895a: 23 E: ST A: TR
subgenus *Crataegodes* Białooki, 2015b: 17 type species *Otiorhynchus crataegi* Germar, 1823
crataegi Germar, 1823: 366 E: AU BEi BH BU CR CZ DEi Fli FRi GBi GEi GR HU IT LS LU
NLi PLi RO SK SL ST SZ TR UK A: AR TR
deformis Stierlin, 1880d: 565
gazella Reitter, 1914b: 214
subgenus *Cryphiphoroides* Magnano, 1998a: 60 type species *Otiorhynchus ganglbaueri* Stierlin, 1888
galteri Apfelbeck, 1918: 175 E: ME
ganglbaueri Stierlin, 1888b: 51 E: AL BU GR MC ME SB
imitator Apfelbeck, 1894a: 220 E: AL BH GR MC ME SB
imitator Apfelbeck, 1896: 545 [HN]
korabensis Lona, 1943: 34 E: AL
koritnicensis Apfelbeck, 1919a: 104 E: AL MC SB
mendax mendax Apfelbeck, 1919b: 127 E: ME
mendax tenuiscapus Apfelbeck, 1919b: 127 E: ME
mendax tenuirostris Apfelbeck, 1919b: 127 E: AL
molytoides Reitter, 1901a: 24 E: GR MC
solitarius Apfelbeck, 1919b: 126 E: AL
titan Apfelbeck, 1907a: 524 E: AL RO
subgenus *Cryphiphorus* Stierlin, 1883b: 414 type species *Curculio ligustici* Linnaeus, 1758
Brachyrhinus Latreille, 1802: 200 [SNsuppressed] type species *Curculio ligustici* Linnaeus, 1758
concors F. Solari, 1932a: 190 E: GR SB
convexiusculus F. Solari, 1932a: 192 E: AL
depressipennis F. Solari, 1932a: 182 E: SB
dubitabilis Fairmaire, 1866b: 266 E: TR A: IN TR
griseolus F. Solari, 1932a: 189 E: BU
ligustici Linnaeus, 1758: 384 (*Curculio*) E: AL AU AZ BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL ST SV SZ UK A:
AR GG IN KZ TR WS NARi
agnatus Gyllenhal, 1834b: 592
asper Solari, 1932a: 184 [HN]
brachypterus F. Solari, 1932a: 173

bruckii Bach, 1854: 236 (*Liophloeus*)
collaris Fabricius, 1792: 486 (*Curculio*) [HN]
comes F. Solari, 1932a: 182
debilicornis F. Solari, 1932a: 180
hormuzachii Penecke, 1932: 349
hormuzachii Penecke, 1935a: 100 [HN]
incertus F. Solari, 1932a: 171
ledereri Marseul, 1873c: 759
ledereri Stierlin, 1874: 286 [HN]
levistici O. F. Müller, 1776: 87 (*Curculio*)
monopterus Geoffroy, 1785: 127 (*Curculio*)
muelleri Gmelin, 1790: 1777 (*Curculio*) [URN]
polonicus F. Solari, 1932a: 180
rugosus Harrer, 1784: 173 (*Curculio*) [HN]
similis F. Solari, 1932a: 176
vicarius F. Solari, 1932a: 185
xanthotrichus Apfelbeck, 1922b: 27
ligusticiformis Formánek, 1926: 146 **A:** GG
mancinii F. Solari, 1932a: 183 **E:** IT
nemorosus Iablokoff-Khnzorian, 1984: 79 **A:** AR
pindicus F. Solari, 1932a: 192 **E:** GR
subaequivestis F. Solari, 1932a: 193 **E:** AL
subcontractus F. Solari, 1932a: 186 **E:** GR
subrotundatus Stierlin, 1875a: 346 ["426"] **E:** BU GR RO ST UK **A:** GG TR
brevicollis F. Solari, 1932a: 189
cinerascens F. Solari, 1932a: 188
tauricus F. Solari, 1932a: 188
subseriatus F. Solari, 1932a: 178 **E:** BH IT ME
turbator F. Solari, 1932a: 175 **E:** AU
subgenus *Davidianaxius* Alonso-Zarazaga, 2013d: 77 type species *Otiorhynchus schelkovnikovi*
Davidian & Savitsky, 2005
fulliformis fulliformis Reitter, 1914b: 209 **E:** ST **A:** AB GG
fulliformis reclinatus Reitter, 1914b: 234 **E:** ST **A:** AB GG
pastoralis Davidian & Savitsky, 2005b: 1333 **E:** ST **A:** AB GG
pastoralis Reitter, 1914b: 209 [NA]
ptochoides Reitter, 1895a: 27 **A:** AB AR
pulvinatus Hochhuth, 1847: 518 **E:** ST **A:** AR GG
raddei Stierlin, 1877a: 178
schelkovnikovi Davidian & Savitsky, 2005b: 1334 **E:** ST **A:** AB
sieversi Faust, 1888c: 152 **E:** ST **A:** AB AR GG IN
subgenus *Delenegus* Magnano, 1998a: 66 type species *Otiorhynchus vaulogeri* Pic, 1900
laurenti Normand, 1953: 118 **N:** AG
tuniseus Pic, 1909b: 121 **N:** TU
vaulogeri Pic, 1900f: 316 **N:** AG TU
subgenus *Dibredus* Reitter, 1912a: 49 type species *Otiorhynchus foveicollis* Hochhuth, 1847
faldermanni Hochhuth, 1847: 515 **E:** ST **A:** GG
tristriatus Stierlin, 1879a: 427
fausti Stierlin, 1875a: 352 ["336"] **E:** ST **A:** AB AR
foveicollis Hochhuth, 1847: 521 **E:** ST **A:** AR GG TR
laeviusculus heterostictus K. Daniel & J. Daniel, 1902: 110 **E:** GR **A:** AR SY TR
laeviusculus laeviusculus Stierlin, 1861a: 287 **A:** TR
lucidicollis Smreczyński, 1970: 113 **A:** TR
nemrutensis Białooki, 2015b: 22 **A:** TR
nudiformis Reitter, 1914b: 202 **A:** LE TR
ortrudheinzae Braun, 1991a: 160 **A:** TR
phreatus Reitter, 1914b: 202 **A:** AB GG
ponticus ponticus Stierlin, 1872: 333 **E:** ST **A:** TR
ponticus pseudofausti Braun, 1991a: 159 **A:** TR
ponticus pseudoponticus Braun, 1991a: 159 **E:** TR
ponticus subponticus Braun, 1991a: 158 **E:** TR
rufimanus Hochhuth, 1851: 80 **A:** AR TR
nudus Stierlin, 1861a: 330
schuberti Davidian, 2016: 197 **A:** TR

subgenus *Ditrichosomus* Arnol'di, 1975: 272 type species *Otiorhynchus improbus* Arnol'di 1975
improbus Arnol'di, 1975: 273 A: ES MG WS

subgenus *Dorymerus* Seidlitz, 1890: 569 type species *Curculio sulcatus* Fabricius, 1775
Normotionus Reitter, 1912a: 57 type species *Curculio sulcatus* Fabricius, 1775

picenus G. Osella & Zuppa, 1994c: 390 E: IT

raffrayanus F. Solari, 1940a: 34 E: IT

sulcatus Fabricius, 1775: 155 (*Curculio*) E: AL AU AZi BE BU BY CR CT CZ DE EN FI FR GB
GE HU ICi IR IT LA LS LT LU NL NR NTi PL PT RO SK SL SP ST SV SZ UK A: JAi
AFRi AURi NARi NTRi

griseopunctatus DeGeer, 1775: 217 (*Curculio*)

linearis Stierlin, 1861a: 226

pseudolinearis Reitter, 1914b: 163

sayi Boheman, 1842b: 323

stritos Gmelin, 1790: 1779 (*Curculio*) [URN]

vignai G. Osella & Zuppa, 1994c: 391 E: IT

subgenus *Duphanastus* Reitter, 1914b: 136 type species *Otiorhynchus apfelbecki* Stierlin, 1887
Usipoconus Reitter, 1914b: 136 type species *Otiorhynchus eremicola* Rosenhauer, 1847

apfelbecki Stierlin, 1887: 390 E: AU BH CR IT PL UK

kotulae Smulikowski, 1922: 16

auricomus Germar, 1823: 363 E: AU CR FR GE IT RO SL SZ

nivalis Stierlin, 1862: 366

nivalis Stierlin, 1863: 62 [HN]

aurosparus Germar, 1823: 358 E: EN LA MD PL ST UK A: AR GG

heinzeli Reitter, 1888b: 231

heinzli: Reitter, 1888b: 231 [NA, IOS]

livonicus Seidlitz, 1875a: 400

roscidus Gyllenhal, 1834b: 578

burlinii F. Solari, 1947a: 8 E: IT

inopinatus Magnano, 1978: 71

eremicola Rosenhauer, 1847: 44 E: AU IT GE RO SL

tenuicornis Miller, 1870: 219

fraxini Germar, 1823: 364 E: AU BH CR GE IT SL ST

funicularis Gyllenhal, 1834b: 621

infaustus Gyllenhal, 1834b: 628

subquadratus Rosenhauer, 1847: 48 E: AU GE IT SL SZ

subgenus *Edelengus* Reitter, 1912a: 63 type species *Otiorhynchus gastonis* Fairmaire, 1867

allardi Stierlin, 1872: 334 N: AG MO

falsus Hustache, 1941b: 163

annibali Stierlin, 1872: 331 N: AG MO TU

atlasicus Escalera, 1914: 405 N: MO

antoini Hustache, 1923b: 65

dolabratus Peyerimhoff, 1925b: 105

granulipennis Hustache, 1932b: 40 [HN]

hustachei Lona, 1936: 171 [RN]

telueticus Escalera, 1914: 406

augusti Magnano, 2001b: 204 N: MO

cirtensis Magnano, 2008: 77 N: AG

dyris Peyerimhoff, 1925b: 104 N: MO

versatilis A. Hoffmann, 1950b: 84

edelenginus Reitter, 1913b: 114 E: SP N: AG

gastonis Fairmaire, 1867: 410 N: AG TU

martini Faust, 1887j: 207 [HN]

pachydermus Chevrolat, 1877: 157 [DA]

intrusicollis Rosenhauer, 1856: 262 E: SP N: MO

jendoubensis Magnano, 2008: 74 N: TU

nitidiventris Fairmaire, 1884a: 446 N: MO

mauritanicus Hustache, 1923b: 64

pittinoi Magnano & Pesarini, 2001: 182 E: IT (Sicilia)

planithorax Boheman, 1842b: 364 N: AG MO TU

brisouti Stierlin, 1884a: 40

carimulatus Stierlin, 1901: 365

pseudannibali Magnano, 2001b: 189 N: TU

scobinatus A. Solari & F. Solari, 1905b: 88 N: AG TU

microscabris Reitter, 1912b: 112

tornezyi rhaticus Antoine, 1937: 244 N: MO
tornezyi tornezyi Peyerimhoff, 1922: 63 (*Brachyrhinus*) N: MO
subgenus *Elechranus* Reitter, 1912a: 51 type species *Otiorhynchus chrysonus* Boheman, 1842
carnicus F. Solari, 1947a: 5 E: IT
chalceus Stierlin, 1861a: 127 E: AU GE IT SL
spoliatus Stierlin, 1872: 322
chrysonus Boheman, 1842b: 304 E: AU BU HU RO
banaticus Stierlin, 1861a: 121
densatus Boheman, 1842b: 300 E: FR IT SZ
grisescens Mulsant & Rey, 1859a: 286
grisescens Mulsant & Rey, 1859b: 28 [HN]
ormayi Stierlin, 1888a: 10 E: HU RO
relictus Apfelbeck, 1908a: 4 E: AL MC SB
remotegranulatus Stierlin, 1891b: 270 E: RO
peterfii Mallász, 1903: 83
roubali Penecke, 1931: 120 E: HU RO SK
splendidus Reitter, 1913b: 94 E: BU MC
vestitus Gyllenhal, 1834b: 584 E: AU GE IT
subgenus *Elendegus* Magnano, 1998a: 66 type species *Otiorhynchus micros* Hustache, 1932
micros Hustache, 1932b: 41 N: MO
subgenus *Elvandrinus* Reitter, 1912a: 64 type species *Otiorhynchus armeniacus* Hochhuth, 1847
abnormicollis Reitter, 1912b: 122 E: ST A: GG TR
armeniacus armeniacus Hochhuth, 1847: 510 E: TR A: AR IN
armeniacus amplicollis Stierlin, 1861a: 304 A: TR
latithorax boluensis Braun, 1992: 51 A: TR
latithorax latithorax Smreczyński, 1970: 122 A: TR
subgenus *Eprahenus* Reitter, 1912a: 61 type species *Otiorhynchus beckeri* Stierlin, 1875 (= *Otiorhynchus moestificus* Schoenherr, 1832)
aksudshabaglinus Bajtenov, 1974c: 170 A: KZ
albohirtus Faust, 1887i: 177 A: KI KZ UZ
alibekus Yunakov & Arzanov, 2002: 36 E: ST
arctos Reitter, 1914b: 220 A: TD
argonauta Davidian & Savitsky, 2006b: 308 A: GG
carcelliformis Stierlin, 1896b: 326 A: GG
conradti Faust, 1887l: 295 ~~E~~A: UZ XIN
cooteri Magnano & Colonnelli, 2014: 130 A: KZ UZ
dittae Davidian & Savitsky, 2016: 1095 A: GG
elongatus elongatus Hochhuth, 1847: 526 E: ST UK A: AB AR GG TR
alagoesus Reitter, 1895a: 26
elongatus ilgasicus Smreczyński, 1970: 115 A: TR
gilgitensis Braun, 1988b: 171 A: PA
gumistiensis Davidian & Arzanov, 2002: 35 A: GG
haplolophus Reitter, 1914b: 204 A: KZ
hebes Reitter, 1890e: 196 A: GG
incivilis hackeri Zumpt, 1933c: 86 A: TR
incivilis incivilis Gyllenhal, 1839b: 21 A: AR GG IN TR
incivilis radschensis Stierlin, 1894c: 112 A: GG
incivilis reclairei Zumpt, 1933c: 87 A: GG
incivilis somjlai Zumpt, 1933c: 86 A: GG
juldusanus Reitter, 1914b: 211 A: KZ XIN
ketmenicus Bajtenov, 1974c: 169 A: KZ
laticnemis Smreczyński, 1970: 115 A: TR
marshalli F. Solari, 1937a: 15 [RN] A: PA
peregrinus G.A.K. Marshall, 1916b: 257 [HN]
mikhaili Davidian & Savitsky, 2002: 37 (*Meiranella*) E: ST
mlokosevitshi Korotyaev, 2002a: 34 E: ST A: AB GG
moestificus Schoenherr, 1832: 221 E: ST
beckeri Stierlin, 1875a: 345 ["425"]
moestificus Gyllenhal, 1834b: 628 [HN]
olgae Davidian & Savitsky, 2006b: 308 A: GG

pertinax Faust, 1887l: 293 A: KI UZ XIN
planulus Braun, 1998: 333 A: PA
pseudobeckeri Davidian & Savitsky, 2006b: 296 E: ST
schmidtianus Behne, 2003: 231 A: NP
schneideri Stierlin, 1876b: 501 E: ST A: GG TR
 bidentatus Stierlin, 1879a: 429
segnis Gyllenhal, 1834b: 629 E: GE
subsquamulatus Stierlin, 1884a: 40 E: ST A: GG
swaneticus adalaidae Reitter, 1889b: 69 E: ST
swaneticus swaneticus Reitter, 1883a: 116 E: ST A: GG
 bifoveolatus Stierlin, 1885a: 149
zarioides Reitter, 1914b: 213 A: KI UZ
subgenus *Ergiferanus* Reitter, 1912a: 59 type species *Otiorhynchus nubilus* Boheman, 1842
coptocnemis Apfelbeck, 1919b: 126 E: MC
kopaonicensis Apfelbeck, 1908b: 531 E: MC SB
 kopaonicensis Apfelbeck, 1912: 653 [HN]
latitarsis Apfelbeck, 1919b: 125 E: MC
liburnicus Reitter, 1914b: 165 E: CR GR
marmota Stierlin, 1861a: 230 E: MC RO
monedula Stierlin, 1861a: 229 E: GR
mus Stierlin, 1862: 366 E: CR
nubilus nubilus Boheman, 1842b: 372 E: FR IT SZ
 bischoffi Stierlin, 1858: 301
 partialis Boheman, 1842b: 376
nubilus orsiera Apfelbeck, 1913: 324 E: IT
pedinorrhynchus Petri, 1928: 172 E: GR
 olympionicus Lona, 1943: 11
picitarsis Rosenhauer, 1856: 266 E: AU IT
pierinus florinensis Lona, 1943: 12 E: GR
pierinus kajmakalanensis Lona, 1939a: 29 E: MC
pierinus pierinus Reitter, 1914b: 168 E: GR MC
seriatosetulosus Hänel, 1934: 37 E: ST
subnivalis Mesaroš, 1990: 146 E: MC
tanycerus Apfelbeck, 1922b: 26 E: SB
tener bonvouloiri Stierlin, 1866b: 132 E: FR
tener tener Stierlin, 1861a: 265 E: FR IT
 grajus K. Daniel & J. Daniel, 1898: 52
valvasori Penecke, 1923: 143 E: SL
velebiticus Stierlin, 1893c: 56 E: CR GR
vermionensis Lona, 1943: 12 E: GR
zierisi Davidian & Savitsky, 2016: 1099 A: GG
subgenus *Eunihoides* Białooki, 2017: 349 type species *Otiorhynchus echinopterus* Białooki, 2017
agilis Białooki, 2017: 354 A: TR
echinopterus Białooki, 2017: 350 A: TR
pisidicus Magnano, 2003d: 245 (*Parameira*) A: TR
rhizophilus Białooki, 2017: 353 A: TR
subgenus *Eunihus* Reitter, 1912a: 52 type species *Otiorhynchus proximus* Stierlin, 1861
abruzzensis Stierlin, 1893b: 412 [RN] E: IT
 latifrons Stierlin, 1892: 358 [HN]
boroveci Magnano, 2002a: 24 E: GR
carpathicus K. Daniel & J. Daniel, 1898: 42 E: RO UK
 ardealicus Penecke, 1927a: 348
globulus Gredler, 1866: 333 E: AU IT
 globatus Marseul, 1873a: 250 [URN]
 teter Gredler, 1866: 334
grischunensis Germann, 2010b: 60 E: SZ
hypsibatus Ganglbauer, 1896: 184 E: RO UK
khatiparicus Davidian & Arzanov, 2006: 393 E: ST
leonhardi Reitter, 1903d: 229 E: BH
levasseuri Roudier, 1961b: 210 E: FR SP

meoticus Davidian & Arzanov, 2006: 390 E: ST A: TR
noskiewiczii Smreczyński, 1959: 9 E: RO UK
poianae Penecke, 1927a: 319 E: RO UK
praetutiorum Di Marco & G. Osella, 1998: 386 E: IT
proximus depauperatus Penecke, 1935a: 96 E: RO UK
proximus proximus Stierlin, 1861a: 163 E: AU CZ HU PL RO SK UK
brancsiki Stierlin, 1875a: 340 ["420"]
depilis Smreczyński, 1936: 81
iteratus Magnano, 2001c: 75 [RN]
oblongus Smreczyński, 1959: 7 [NA]
principalis Smreczyński, 1936: 81 [NA]
taticus Reitter, 1894c: 105
rhilensis Stierlin, 1888b: 50 E: BH BU CR ME SB ST UK A: TR
eduardi Pic, 1901a: 4 (*Tournieria*)
salassorum Magnano, 1979a: 67 E: IT
uludagicus Magnano, 2002a: 27 A: TR
winkelmanni Magnano, 2004c: 108 E: GR
subgenus *Fondajenus* Reitter, 1912a: 51 type species *Otiorhynchus stierlini* Gemminger, 1871
amplicornis Białooki, 2017: 374 A: TR
crocotillus Białooki, 2017: 379 E: GR
forficulatus Białooki, 2017: 376 A: TR
forticornis Stierlin, 1896b: 329 [RN] E: GR (Samos)
crassicornis Stierlin, 1888e: 378 [HN]
peristericus Apfelbeck, 1901a: 434 E: GR
peristericus Apfelbeck, 1902: 466 [HN]
stierlini leoninus Lona, 1939a: 21 E: GR
stierlini stierlini Gemminger, 1871a: 119 [RN] E: GR
crenatostriatus F. Solari, 1947a: 4 [NA]
tristis Stierlin, 1862: 364 [HN]
subgenus *Geneledus* Magnano, 1998a: 66 type species *Otiorhynchus pici* A. Solari & F. Solari, 1905
pici A. Solari & F. Solari, 1905b: 87 N: AG
bedeli Peyerimhoff, 1927c: 239
subgenus *Hanibotus* Reitter, 1912a: 65 type species *Otiorhynchus sulcibasis* Reitter, 1895
angustifrons Stierlin, 1883b: 539 A: AR IN
auripes Stierlin, 1875a: 351 ["335"] A: IN
brevinasus Reitter, 1910b: 273 A: IN
coeyi Marseul, 1868a: 196 A: IN IS LB SY
coeyi Marseul, 1868a: 196 [NA]
coyi Chevrolat, 1869: 75
paradoxus Stierlin, 1872: 338
danilewskii Davidian & Savitsky, 2006b: 326 A: AB
eques Reitter, 1895a: 24 A: AR IN TR
hajastani Arnol'di, 1967: 250 A: AR
heinzorum Braun, 2002: 130 A: LE SY
iranicus Arnol'di, 1964b: 254 A: IN
longipilis Smreczyński, 1970: 123 A: TR
mazdaranicus Magnano, 2006c: 248 A: IN TR
nabozhenkorum Davidian & Savitsky, 2015b: 31 A: TR
rebmanni Zumpt, 1933a: 4 A: AR GG
zajcevi Arnol'di, 1964b: 251
semigranulatus Stierlin, 1861a: 331 A: IN TR
semituberculatus Stierlin, 1872: 346 A: TR
subeques Reitter, 1912b: 132 A: AB AR IN TR
subopacus Petri, 1915: 340 A: SY
sulcibasis Reitter, 1895a: 24 A: AR IN TR
sunicensis Arnol'di, 1964b: 252 A: AB
subgenus *Holomrasus* Reitter, 1912a: 66 type species *Otiorhynchus hispidus* Stierlin, 1886 (= *Otiorhynchus ongon* Alonso-Zarazaga, 2013)
ongon Alonso-Zarazaga, 2013d: 76 [RN] A: ES KZ MG WS
hispidus Stierlin, 1886b: 227 [HN]
subocularis Arnol'di, 1975: 270 A: WS

sushkini Arnol'di, 1975: 271 A: WS

subgenus *Hyrorhynchus* Białooki, 2015b: 18 type species *Otiorhynchus curvidens* Voss, 1964

armicrus armicrus Fairmaire, 1866b: 267 E: TR A: TR

armicrus barlaiensis Lona, 1939a: 30 A: TR

curvidens Voss, 1964d: 163 A: TR

emirensis Białooki, 2007: 170 A: TR

subgenus *Italorrhynchus* Magrini, 2019: 506 type species *Otiorhynchus latirostris* Bargagli, 1871

andreinii F. Solari, 1932b: 21 E: IT

angelinii G. Osella, 1986b: 374 (*Trogloorhynchus*) E: IT

aquilanus G. Osella, 1977e: 192 (*Trogloorhynchus*) E: IT

avoni Magrini, Bastianini & Abbazzi, 2008: 334 E: IT

bartolozzii Magrini, Meoli, Cirocchi & Abbazzi, 2004: 107 E: IT

bastianinii Magrini, Meoli & Abbazzi, 2005a: 215 E: IT

benellii Magrini, 2015: 154 E: IT

camaldulensis Rottenberg, 1870: 40 (*Trogloorhynchus*) E: IT

cirocchii G. Osella & Abbazzi, 1985: 467 (*Trogloorhynchus*) E: IT

consortii Magrini, Abbazzi & Cirocchi, 2002: 46 E: IT (Sardegna)

daunia Magrini & Abbazzi, 2011b: 108 E: IT

emanuelae Magrini, Meoli & Abbazzi, 2005a: 222 E: IT

fioronii Magrini, Meoli, Cirocchi & Abbazzi, 2004: 110 E: IT

giaquinto F. Solari, 1932b: 17 E: IT

gigantium Magrini, Fancello & Petrioli, 2015: 34 E: IT (Sardegna)

giustii G. Osella, 1981b: 355 (*Trogloorhynchus*) E: IT (Elba)

hummleri cheminii G. Osella, 1977e: 183 (*Trogloorhynchus*) E: IT

hummleri hummleri Flach, 1899: 245 E: IT

latellai G. Osella, Marotta & Silvani, 2006: 73 E: IT

latirostris Bargagli, 1871: 37 (*Trogloorhynchus*) E: IT

laurae A. Solari & F. Solari, 1907b: 471 E: IT (Giglio I.)

leonii A. Solari & F. Solari, 1909: 265 E: IT

magrinii G. Osella, 1979b: 395 (*Trogloorhynchus*) E: IT

majusculus F. Solari, 1932b: 20 E: IT

melonii Magrini, Abbazzi, Leo & Fancello, 2003: 83 E: IT (Sardegna)

microphthalmus A. Solari & F. Solari, 1909: 264 E: IT

milazzo Magrini, Petrioli & Daino, 2011: 168 E: IT (Sicilia)

monteleonii G. Osella & Abbazzi, 1985: 471 (*Trogloorhynchus*) E: IT

pacci G. Osella, 1977e: 180 (*Trogloorhynchus*) E: IT

paulae Magrini, Bastianini & Abbazzi, 2008: 337 E: IT

pennisii G. Osella & Abbazzi, 1985: 470 (*Trogloorhynchus*) E: IT

petriolii Magrini & Degiovanni, 2016: 352 E: IT

sabinus Magrini, Meoli & Abbazzi, 2005a: 228 E: IT

sammiticus G. Osella, 1977e: 188 (*Trogloorhynchus*) E: IT

sardous F. Solari, 1932b: 22 E: IT (Sardegna)

sbordonianus G. Osella, 2008b: 171 [RN] E: IT

sbordonii G. Osella, Marotta & Silvani, 2006: 71 [HN]

stolzi Holdhaus, 1908: 311 (*Trogloorhynchus*) E: IT

taitii Abbazzi, Bartolozzi & G. Osella, 1992: 37 (*Trogloorhynchus*) E: IT

virginiae Magrini, Abbazzi & Cirocchi, 2002: 58 E: IT

subgenus *Jelenantus* Reitter, 1912a: 50 type species *Otiorhynchus affaber* Boheman, 1842

affaber Boheman, 1842b: 315 E: IT MA PT SP N: AG MO TU

avariae Español, 1979: 56 (*Trogloorhynchus*) E: SP

beauprei A. Solari & F. Solari, 1905a: 536 [RN] N: AG TU

vaulogeri A. Solari & F. Solari, 1904: 163 [HN]

hecarti A. Hoffmann, 1954a: 50 N: MO

henonii Fairmaire, 1867: 410 E: AG TU

hipponensis Pic, 1909b: 121

intermedius Hustache, 1923b: 66 (*Trogloorhynchus*) N: MO

mairei Peyerimhoff, 1913b: 474 (*Trogloorhynchus*) N: AG

muricatipennis Desbrochers des Loges, 1896b: 15 (*Meira*) N: AG
pardoi A. Hoffmann, 1954a: 50 N: MO
planophthalmus Heyden, 1870: 151 E: SP
pseudaffaber Reitter, 1913b: 88 N: MO TU
rotroi Peyerimhoff, 1949: 296
tiaretanus Reitter, 1913b: 88 N: AG
subgenus *Kreinidinus* Reitter, 1912a: 53 type species *Otiorhynchus kraussi* Ganglbauer, 1902 (= *Otiorhynchus planiceps* Daniel & Daniel, 1898)
planiceps K. Daniel & J. Daniel, 1898: 47 E: AU IT SL
kraussi Ganglbauer, 1902: 105
subgenus *Lixorrhynchus* Reitter, 1914b: 129 type species *Otiorhynchus gracilis* Gyllenhal, 1834
deceptorius Białooki, Germann & Pelletier, 2015: 64 N: MO
gracilis Gyllenhal, 1834b: 599 E: FR IT
provincialis Stierlin, 1861a: 266
gridellii bonretorni Español, 1952: 201 (*Troglorhynchus*) E: SP
gridellii gridellii Español, 1949: 9 (*Troglorhynchus*) E: SP
hystricis Casalini & Colonnelli, 2014: 149 E: IT
incisirostris Białooki, Germann & Pelletier, 2017: 265 N: MO
incisus Białooki, Germann & Pelletier, 2015: 67 [HN]
irenae A. Hoffmann, 1956a: 44 (*Troglorhynchus*) E: SP
martinii Fairmaire, 1862c: 555 (*Troglorhynchus*) E: FR
mayetii Fairmaire, 1878b: 178 (*Troglorhynchus*) E: FR
mayeti Fairmaire, 1878d: cxxxii (*Troglorhynchus*) [HN]
monoecirupis Lemaire, Ponel & Alziar, 2012: 284 E: FR (Monaco)
montigena Marseul, 1872b: 250 [RN] E: SP
montanus Chevrolat, 1866a: 25 [HN]
montigena Marseul, 1873a: 173 [HN]
protensus Stierlin, 1880d: 562
protensus Stierlin, 1880c: 301 [HN]
nicaeicivis Gozis, 1895: 80 (*Troglorhynchus*) E: FR
setiger Walzl, 1835: 78 (*Loborhynchus*) E: SP
sulcicollis A. Hoffmann, 1956a: 43 (*Troglorhynchus*) E: SP
terricola Linder, 1863: 109 (*Troglorhynchus*) E: FR SP
torressalai espanyoli Vives, 1976: 159 (*Troglorhynchus*) E: SP
torressalai torressalai Español, 1945: 99 (*Troglorhynchus*) E: SP
zariquieyi Clermont, 1949: 8 (*Troglorhynchus*) E: SP
subgenus *Lolatismus* Reitter, 1912a: 52 type species *Curculio porcatus* Herbst, 1795
antennatus Stierlin, 1861a: 156 E: BU RO
aratus K. Daniel & J. Daniel, 1898: 37 E: RO
bohemani Stierlin, 1877a: 184 E: BU TR
cosmopterus K. Daniel & J. Daniel, 1898: 38 E: RO
dacicus K. Daniel & J. Daniel, 1898: 39 E: RO SK UK
albensis Petri, 1912a: 292
obductus Petri, 1912a: 292
lasius Germar, 1817a: 232 (*Curculio*) E: AU CR HU IT SL
manellii G. Osella & Zuppa, 1994b: 315 E: IT
negoiensis Lona, 1923b: 82 E: RO
pirinicus Lona, 1939a: 21 E: BU
pirinus Angelov, 1974b: 686
porcatus Herbst, 1795: 358 (*Curculio*) E: AU BE BY CT CZ DE EN FI FR GBi GE HU IRi IT LS
LU NL NR NT PL RO SK SV SZ UK NARi
costatus Fabricius, 1801: 530 (*Curculio*) [HN]
elevatus: Fabricius, 1803b: 293 (*Curculio*) [NA, ISS]
elucatus Fabricius, 1803a: 41 (*Curculio*) [RN]
senex Olivier, 1807: 358 (*Curculio*) [HN]
sexcostatus Latreille, 1804: 172 (*Brachyrhinus*) [RN]
secretus Reitter, 1913b: 105 E: AU BH IT
skiperiae Csiki, 1943b: 1015 E: AL
troyeri Stierlin, 1883b: 464 E: AU CR GE IT
costipennis Rosenhauer, 1856: 264 [HN]
subgenus *Magnanotius* Alonso-Zarazaga & Lyal, 2002: 26 type species *Otiorhynchus kollari* Gyllenhal, 1834

amplus Petri, 1902a: 94 E: RO
auromaculatus Formánek, 1927: 44 A: AR
brandisi Apfelbeck, 1895a: 598 E: BH SL
brandisi Apfelbeck, 1896: 546 [HN]
buchtarmensis Bajtenov, 1977b: 226 A: KZ
deubeli Ganglbauer, 1896: 185 E: RO UK
equestris Richter, 1820: 2 (*Curculio*) E: AU BH BU CZ GE HU PL RO SK UK A: KZ WS
aerifer Germar, 1823: 356
elaboratus Gyllenhal, 1834b: 625
latipunctus Penecke, 1928c: 125
principalis Smreczyński, 1936: 83 [NA]
regularis Stierlin, 1861a: 260
kollari Gyllenhal, 1834b: 593 E: CZ HU PL RO SK SL UK
bielzii Küster, 1849a: 89
kuenburgi Stierlin, 1866b: 130 E: HU RO UK
granulipennis Formánek, 1926: 144
mehelii Stierlin, 1895b: 300 E: RO UK
norici Alonso-Zarazaga, 2013d: 76 [RN] E: AU BH BU CR GE HU IT ME PL RO SB SK SL UK
austriacus Fabricius, 1801: 539 (*Curculio*) [HN]
carinatus Gyllenhal, 1834b: 624 [HN]
costatus Stierlin, 1861a: 260 [HN]
obtusus Boheman, 1842b: 356 E: PL RO SK
graniventris Miller, 1859: 361
uhligii Łomnicki, 1894: 85
peneckianus Smreczyński, 1963: 18 E: HU RO UK
primigenius Apfelbeck, 1928b: 78 E: AL ME
reichei Stierlin, 1861a: 199 E: BU BY CR HU PL RO SK UK
rhododendroni Bajtenov, 1977b: 225 A: ES
rufomarginatus Stierlin, 1883b: 526 E: RO
schaumii Stierlin, 1861a: 255 E: HU RO UK
spumans Marseul, 1872b: 251 [URN]
spumans Marseul, 1873a: 344 [URN] [HN]
stephanimagni Penecke, 1926b: 7
verrucipes Apfelbeck, 1898a: 275 E: BU SB
verrucipes Apfelbeck, 1899: 782 [HN]
subgenus *Majetnecus* Reitter, 1912a: 58 type species *Curculio salicis* Strøm, 1783 (= *Curculio lepidopterus* Fabricius, 1794)
lepidopterus Fabricius, 1794: 454 (*Curculio*) E: AU BH BU CR CZ FI GE HU IT LS NR NT PL RO SK SL SV SZ UK
lepidopterus Herbst, 1795: 362 (*Curculio*) [HN]
pauperulus Stierlin, 1858: 281
salicis Strøm, 1783: 57 (*Curculio*) [HN]
squamatilis Marseul, 1872b: 250 [RN]
squamatilis Marseul, 1873a: 298 [URN, HN]
squameus Boheman, 1842b: 291
squamiger Fabricius, 1801: 540 (*Curculio*) [HN]
squamosus Miller, 1859: 360 [HN]
squamulatus Stierlin, 1861a: 211
subgenus *Melasemnus* Reitter, 1912a: 62 type species *Otiorhynchus ovalipennis* Boheman, 1842
Besobarvus Reitter, 1912a: 65 type species *Otiorhynchus expansus* Reitter, 1884 (= *Otiorhynchus bisphaericus* Reiche & Saulcy, 1858)
aloyisii Alonso-Zarazaga, 2013d: 75 [RN] A: PA
lepidus Magnano, 2003a: 125 [HN]
apschuanus Reitter, 1914b: 232 A: GG
attenuatus Stierlin, 1879a: 433 A: SY
bisphaericus Reiche & Saulcy, 1858a: 692 E: GR A: TR
expansus Reitter, 1884c: 94
scabripes Stierlin, 1888e: 375
brevipennis Stierlin, 1892: 359 E: GR
cruralis Stierlin, 1894c: 115 "Patria ignota"
ceviki Keskin, 2007b: 107 A: TR
cukalensis Apfelbeck, 1919b: 129 E: AL
euxinus Apfelbeck, 1898a: 281 E: BH BU GR
euxinus Apfelbeck, 1899: 787 [HN]
globipes Apfelbeck, 1919b: 129 E: AL

hindukuschensis Voss, 1959a: 91 A: AF
jugigradens Hänel, 1934: 39 A: TD
kulzeri Zumpt, 1933a: 6 A: GG
lagenaria Mulsant, 1878a: 75 A: TR
mersanicus Hustache, 1934c: 139 (*Tournieria*) N: EG
nitidus Reiche & Saulcy, 1858a: 690 E: GR MC A: SY TR
nitens Marseul, 1872b: 251 [URN]
nitens Marseul, 1873a: 436 [URN] [HN]
sesquidentatus K. Daniel & J. Daniel, 1902: 109
ovalipennis Boheman, 1842b: 288 E: BU **BY** GR MC ST TR UK A: AB AR CY GG IN IS SY TR
crucirostris Hochhuth, 1851: 67
granithorax Reitter, 1914b: 230
rufitarsis Stierlin, 1901: 366 A: SY
spinifer K. Daniel & J. Daniel, 1902: 112 E: GR A: TR
steindachneri Apfelbeck, 1907a: 525 E: AL
tetrarchus Reitter, 1914b: 231 A: IN TR
thaliarchus Reitter, 1914b: 236 E: GR TR
transsylvanicus Stierlin, 1861a: 320 E: RO A: SY TR
ukrainicus Korotyaev, 1984a: 123 E: UK
vossianus Magnano, 2001c: 68 [RN] E: GR (Kriti)
creticus Voss, 1948a: 71 [HN]
subgenus *Meriplodus* Reitter, 1912a: 65 type species *Otiorhynchus marquardtianus* Reitter, 1900
alatavicus Bajtenov, 1974c: 183 A: KZ
dauidiani Magnano, 2006b: 233 A: KI
dshyngaricus Bajtenov, 1974c: 184 A: KZ
duplopilosus Reitter, 1912b: 141 A: KI KZ
luigii Alonso-Zarazaga, 2013d: 75 [RN] A: KZ
mutilatus Magnano, 2006b: 235 [HN]
manderstjernae Ballion, 1878a: 354 A: KI KZ MG XIN
balassogloi Stierlin, 1883b: 550
marquardtianus Reitter, 1900d: 57 A: KI KZ
oldrici Magnano, 2006b: 232 A: KI
schawalleri Magnano, 2006b: 240 A: KI
supremus Reitter, 1912b: 138 A: KZ
tadzikstanicus Magnano, 2006b: 224 A: TD
ugamicus Bajtenov, 1974c: 170 A: KI KZ
yarodaricus Magnano, 2006b: 237 A: KI
subgenus *Mesaniomus* Reitter, 1912a: 59 type species *Otiorhynchus polycoccus* Gyllenhal, 1842
albanicus Apfelbeck, 1907a: 521 E: AL
torosus Reitter, 1914b: 183
alphonsi Lona, 1939a: 27 E: AL
cirrhocnemis Apfelbeck, 1908a: 5 E: AL MC
georgii Lona, 1922b: 134 E: AL
longipennis Stierlin, 1861a: 223 E: AU BH CR GR IT ME
polycoccus Gyllenhal, 1842b: 286 E: AL CR GR HU ME RO TR
skipetarus Csiki, 1940: 279
prisrensis Apfelbeck, 1922b: 24 E: MC SB
skoelsen Csiki, 1940: 278 E: AL
subgenus *Metopiorrhynchus* Reitter, 1912a: 53 type species *Curculio singularis* Linnaeus, 1767
axatensis A. Hoffmann, 1930b: 167 E: FR
breviclavatus Stierlin, 1883b: 482 E: CR MC
camunus Magnano, 1973: 350 E: IT
cancellatus Boheman, 1842b: 374 E: FR IT
clairi Stierlin, 1880d: 564
carmagnolae A. Villa & G. B. Villa, 1835: 49 (*Loborhynchus*) E: IT SZ
luganensis Stierlin, 1890a: 165
cesaraccioi G. Osella, Mammoli & Zuppa, 1991: 385 E: IT (Sardegna)
cornirostris Reitter, 1914b: 147 E: IT
tingens Reitter, 1914b: 147
cyclophthalmus F. Solari, 1946a: 22 E: IT
cyclopterus F. Solari, 1946a: 26 E: AU GE IT

delicatulus Stierlin, 1872: 337 E: FR IT
delicatulus Marseul, 1873a: 285 [HN]
rivierae Stierlin, 1883b: 484
diecki Stierlin, 1872: 327 E: IT
dieckidius Marseul, 1873c: 756 [URN]
difficilis Stierlin, 1858: 283 E: FR IT SZ
simplonicus Stierlin, 1886b: 226
diversicollis Lona, 1939b: 315 E: IT
dolichopterus Magnano, 1967: 141 E: IT
franciscoi F. Solari, 1947a: 7 E: IT
frigidus Mulsant & Rey, 1859a: 282 E: FR IT SZ
frigidus Mulsant & Rey, 1859b: 24 [HN]
plicicollis Reitter, 1914b: 148 [HN]
garibaldinus A. Solari & F. Solari, 1909: 264 E: IT
ianuargenti G. Osella, Mammoli & Zuppa, 1991: 388 E: IT (Sardegna)
impressiventris Fairmaire, 1859b: 60 E: FR SP
insolitus Magnano, 1967: 142 E: IT
intrusus Reiche, 1862: 297 E: FR (Corse) IT (Sardegna)
koziorowiczi Stierlin, 1883b: 481
labilis Stierlin, 1883b: 483 E: AU CZ GE HU RO SK
litigiosus Magnano, 1967: 154 E: IT
lostiai G. Osella, Mammoli & Zuppa, 1991: 390 E: IT (Sardegna)
nigrinus F. Solari, 1946a: 23 E: IT
pasubianus F. Solari, 1946a: 22 E: IT
pignoris Reitter, 1914b: 146 E: IT
procerus Stierlin, 1875a: 344 ["424"] E: FR GE SP
cazorlae Roudier, 1959a: 52
pupillatus Gyllenhal, 1834b: 597 E: AN AU BU BY CR CT CZ DE EN FI FR GB GE HU IT LS
 LT LU MD NR SK SL SP SV SZ **NARi**
angustipennis Stierlin, 1883b: 483
pasubianus F. Solari, 1946a: 22 [NA]
subdentatus Stierlin, 1858: 282 [HN]
venetus F. Solari, 1946a: 27
pusillus cottianus Magnano, 1967: 157 E: FR IT
pusillus pusillus Stierlin, 1861a: 196 E: FR IT
respersus Stierlin, 1861a: 186 E: CR HU IT SK
rhododendri Stierlin, 1861a: 192 E: IT RO
rosaemariae Magnano, 1973: 365 E: IT
singularis Linnaeus, 1767: 1066 (*Curculio*) E: AN AU AZi BE BH BU BY CR CT CZ DE EN FA FI
 FR GB GE HU IC IR IT LA LS LT LU MD NL NR NT PL PT RO SK SL SP SV SZ UK
NARi
asper Marsham, 1802: 301 (*Curculio*)
chevolati Gyllenhal, 1842b: 358
corniculatus Reitter, 1914b: 145
gemmulatus Gravenhorst, 1807: 212 (*Curculio*)
granulatus Herbst, 1784: 84 (*Curculio*) [HN]
marquardtii Faldermann, 1837b: 179
notatus Bonsdorff, 1785: 39 (*Curculio*)
picipes Fabricius, 1777: 229 (*Curculio*)
squamiger Marsham, 1802: 301 (*Curculio*) [HN]
vastator Marsham, 1802: 300 (*Curculio*)
subdentatus Bach, 1854: 279 E: AU BE CR FR GE IT LS LU PL SZ
iridescens F. Solari, 1946a: 26
teretirostris globosipennis F. Solari, 1946a: 15 E: IT
teretirostris teretirostris Stierlin, 1866b: 131 E: IT
baudii Stierlin, 1881a: 140
tiroloensis Stierlin, 1894c: 111 E: AU IT SZ
carmagnolae Stierlin, 1858: 288 [HN]
varius Boheman, 1842b: 380 E: AU FR IT SZ
maritimus Stierlin, 1883b: 478 [HN]
thoracicus Stierlin, 1892: 359
varians Marseul, 1872b: 250 [URN]
varians Marseul, 1873a: 282 [URN, HN]
vernalis Stierlin, 1861a: 199 E: IT

crassipes Stierlin, 1883b: 485
veterator Uyttenboogaart, 1932: 262 E: AU BE FR GE IT LU NL SP SZ
subgenus *Microhanibotus* Savitsky & Davidian, 2015: 174 type species *Otiorhynchus ghilarovi* Davidian & Savitsky, 2015
ghilarovi Davidian & Savitsky, 2015a: 176 A: TM
subgenus *Mierginus* Reitter, 1914b: 137 type species *Curculio clathratus* Germar, 1817
auricapillus Germar, 1823: 353 E: AU CR GE HU IT RO SL TR
affinis L. Redtenbacher, 1847: 423 [HN]
angustior Rosenhauer, 1847: 47
punctiscapus Boheman, 1842b: 375
clathratus Germar, 1817a: 241 (*Curculio*) E: AU CR IT SL
montivagus Boheman, 1842b: 378 E: AU CR IT SL
carniolicus Stierlin, 1862: 367
subgenus *Misenatus* Reitter, 1912a: 59 type species *Otiorhynchus spartanus* Kirsch, 1880
biroi Csiki, 1943b: 1018 E: GR (Kriti)
johannae Colonnelli, 2018b: 157 E: GR (Kriti)
lugens Germar, 1817a: 243 (*Curculio*) E: AL CR GR IT MA ME RO SPi N: LB A: IN SY TR
fabricii Stierlin, 1877a: 185
foveostrictis A. Villa & G. B. Villa, 1839: 58 (*Loborhynchus*) [URN]
impressipennis Brullé, 1832a: 239
pecoudi A. Hoffmann, 1957b: 78
scalptus Gyllenhal, 1834b: 591
tricarinatus Chevrolat, 1879f: 189
tricarinatus Chevrolat, 1880a: cxxxix [HN]
spartanus Kirsch, 1880a: 4 E: GR
trojanus Stierlin, 1861a: 250 E: CR GR A TR
helmosanus A. Hoffmann, 1957b: 78
subgenus *Mitadileus* Reitter, 1912a: 56 type species *Otiorhynchus flavoguttatus* Stierlin, 1888 (= *Otiorhynchus kiesenwetteri* Stierlin, 1861)
euboicus Apfelbeck, 1922b: 23 E: GR
kiesenwetteri Stierlin, 1861a: 253 E: GR
flavoguttatus Stierlin, 1888e: 378
guttatus Petri, 1915: 338
olympicola Penecke, 1928b: 38 E: GR
pachycerus Csiki, 1943b: 1019 E: AL MC
subgenus *Mitomiris* Reitter, 1912a: 65 type species *Otiorhynchus setidorsis* Reitter, 1898 (= *Otiorhynchus esau* Stierlin, 1883)
akinini Stierlin, 1883a: 96 A: KZ TD UZ
astutus Faust, 1887f: 155 (*Brachyrhinus*) A: KI KZ TD
esau Stierlin, 1883b: 559 A: ES KI KZ UZ XIN
setidorsis Reitter, 1898c: 124
subpustulatus Reitter, 1912b: 136
furiosus Reitter, 1916c: 60 A: ES KZ XIN
hellerianus Reitter, 1912b: 135 A: UZ
inhabilis Reitter, 1912b: 137 A: KZ
laniger Faust, 1887l: 294 A: KI KZ UZ
lumenifer Reitter, 1895a: 25 A: KZ TD UZ
maidantalensis Bajtenov, 1974c: 180 A: KZ
perlucens Reitter, 1912b: 134 A: KZ TD UZ
psalidiformis Reitter, 1895a: 25 A: KI KZ UZ
refrigeratus Stierlin, 1883b: 541 A: KI
sairamensis Bajtenov, 1974c: 179 A: KZ
subsedulus Bajtenov, 1974c: 167 A: KZ
subsedulus Bajtenov, 1974b: 30 [HN]
tardipes Reitter, 1912b: 134 A: KZ UZ
tianschanicus Bajtenov, 1974c: 178 A: KZ
zumpti Lona, 1933: 156 A: TD
subgenus *Mongolorrhynchus* Arnol'di, 1975: 273 type species *Otiorhynchus pupilliger* Arnol'di, 1975
mordkovitschi Arnol'di, 1975: 275 A: ES
pupilliger Arnol'di, 1975: 274 A: MG
rectipilosus Arnol'di, 1975: 275 A: WS
tuvensis Korotyaev, 1995a: 65 A: ES

subgenus *Motilacanus* Reitter, 1913b: 96 type species *Otiorhynchus conspiciabilis* Gyllenhal, 1839
conspiciabilis Gyllenhal, 1839b: 22 E: ST A: GG IN TR
calcaratus Stierlin, 1875a: 337
kaszabi Arnol'di, 1963: 413
madari Formánek, 1926: 142 A: AR GG
titarenkoi Davidian & Savitsky, 2016: 1092 A: GG
validicornis Gyllenhal, 1839b: 24 A: IN

subgenus *Namertanus* Reitter, 1912a: 61 type species *Otiorhynchus pseudomias* Hochhuth, 1847
Meiranella Reitter, 1913a: 11 type species *Parameira caucasica* Stierlin, 1876 (= *Otiorhynchus pseudomeiranella* Davidian & Savitsky, 2006)
argus Reitter, 1896e: 291 (*Trogloorhynchus*) E: ST A: GG TR
glebi Davidian & Savitsky, 2006a: 70 E: ST
juno Davidian & Savitsky, 2006a: 63 E: ST
kurbatovi Davidian & Savitsky, 2006a: 64 A: GG
laminatus Davidian & Savitsky, 2006a: 58 E: ST A: GG
nairicus Iablokoff-Khnzorian, 1957: 176 A: AR
nasutus Stierlin, 1876b: 503 E: ST UK A: AB AR GG IN TR
pseudomeiranella Davidian & Savitsky, 2006a: 59 [RN] E: ST A: AB GG
caucasicus Stierlin, 1876b: 509 (*Parameira*) [HN]
pseudomias Hochhuth, 1847: 524 E: BH CR SL ST TR UK A: AB AR GG TR
vargovitchi Davidian, 2007: 193 E: ST

subgenus *Necotaleus* Reitter, 1914b: 137 type species *Otiorhynchus croaticus* Stierlin, 1861
contarinii G. Osella & Zuppa, 1994c: 379 E: IT
croaticus Stierlin, 1861a: 258 E: BH CR ME
argenteosparus Stierlin, 1891c: 323
hawelkae Apfelbeck, 1920: 25 E: BH ME
hawelkae Apfelbeck, 1929: 91 [HN]
sirentensis campanus G. Osella & Zuppa, 1994c: 383 E: IT
sirentensis sirentensis D'Amore-Fracassi, 1906a: 117 E: IT
vestinus Magnano, 1977b: 179 E: IT

subgenus *Nehrodistus* Reitter, 1912a: 57 type species *Curculio corruptor* Host, 1790
Athenardus Reitter, 1912a: 57 type species *Otiorhynchus kraatzii* Stierlin, 1861 (= *Otiorhynchus populeti* Boheman, 1842)
Dostacabus Reitter, 1912a: 57 type species *Otiorhynchus obesus* Stierlin, 1861
adspersus Boheman, 1842b: 329 E: BU ST TR A: GG TR
armatus armatus Boheman, 1842b: 284 E: AL FR CR GR HU IT MAi ME RO SZ A: GG TR
cornutus Stierlin, 1888a: 11
granatus Stierlin, 1861a: 217
minor Vitale, 1904a: 24
romanus Boheman, 1842b: 285
armatus pseudoturcicus Magnano, 2001c: 66 [RN] A: TR
turcicus Smreczyński, 1977b: 388 [HN]
bruckensis Marseul, 1873c: 757 E: GR
brucki Stierlin, 1874: 281 [HN]
pseudobrucki Magnano, 2001c: 67 [URN]
caviventris Angelov, 1973a: 131 E: BU
corruptor corruptor Host, 1790: 296 (*Curculio*) E: AL AU BEi BH BU CR DEi FRi GE GR HU IT
RO SL SZ TR A: TR
giraffa Germar, 1817a: 244 (*Curculio*)
ornatus Stierlin, 1861a: 213
politus Stierlin, 1861a: 213 [HN]
corruptor rhamnivorus Apfelbeck, 1907a: 525 E: AL ME
gallopavo Pesarini, 1971b: 143 A: TR
goebli Reitter, 1914b: 159 E: GR
graecus graecoinsularis Reitter, 1914b: 158 E: GR (Kefaloniá)
graecus graecus Stierlin, 1861a: 222 E: AL GR
innominatus F. Solari, 1940a: 34 [RN] "Patria ignota"
punctirostris Stierlin, 1894d: 159 [HN]
leorum Yunakov, 2001: 669 E: ST UK A: GG
obesus Stierlin, 1861a: 218 E: GR
obesulus Marseul, 1872b: 251 [URN]
obesulus Marseul, 1873a: 305 [URN] [HN]
pesarinii Diotti, 2008: 4 E: IT
populeti Boheman, 1842b: 373 E: AU BU HU IT RO SB TR SZ

kraatzii Stierlin, 1861a: 222
stierlinianus Reitter, 1914b: 159 [URN]
rhamni Apfelbeck, 1895a: 598 E: BH ME
rhamni Apfelbeck, 1896: 547 [HN]
rhinoceros F. Solari, 1940a: 35 E: IT
scitoides Pesarini, 1975a: 39 E: GR A: TR
scitus Gyllenhal, 1842b: 303 E: BH BU GR TR A: IN TR
tarnieri Stierlin, 1861a: 219
sorbivorus Reitter, 1914b: 157 E: BH BU MC SB
tiflensis Reitter, 1915g: 160 A: GG TR
kartheliamus Csiki, 1943b: 1016
turca Boheman, 1842b: 283 E: BU CR GR IT ST TR UK A: GG IN KZ SY TR WS
subgenus *Neobudemoides* Magnano, 1996c: 73 type species *Otiorhynchus carcelloides* Stierlin, 1888
bosdaghensis Lona, 1937a: 145 E: GR
carcelloides Stierlin, 1888e: 376 E: GR
cornacchiai Magnano, 1996c: 76 E: IT
subgenus *Nihus* Reitter, 1912a: 52 type species *Curculio scaber* Linnaeus, 1758 *sensu* Reitter, 1912a (= *Curculio carinatopunctatus* Retzius, 1783)
Lithocryptus Desbrochers des Loges, 1871: 344 [HN] type species *Lithocryptus arvernicus* Desbrochers des Loges, 1871 (= *Curculio carinatopunctatus* Retzius, 1783)
azaleae Penecke, 1894: 17 E: AU IT SL
claviger Penecke, 1901: 17
carinatopunctatus Retzius, 1783: 156 (*Curculio*) [RN] E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LS LT LU NR NT PL RO SB SK SL ST SV SZ UK **NARi**
ambigener Penecke, 1922b: 172
arvernicus Desbrochers des Loges, 1871: 345 (*Lithocryptus*)
ecchelii Gredler, 1882: 230
echinatus Herbst, 1795: 377 (*Curculio*) [HN]
fuscatus Stierlin, 1885a: 147 [NA]
gemmellatus Beck, 1817: 24 (*Curculio*)
griseopunctatus DeGeer, 1775: 244 (*Curculio*) [HN]
helveticus Desbrochers des Loges, 1875a: 13 (*Lithocryptus*) [HN]
multicolor Gmelin, 1790: 1805 (*Curculio*) [RN]
principalis Smreczyński, 1936: 80 [NA]
septemtrionis Herbst, 1795: 360 (*Curculio*)
setosus Fabricius, 1801: 527 (*Curculio*) [HN]
gredleri K. Daniel & J. Daniel, 1898: 46 E: AU GE IT SZ
hypocrita Rosenhauer, 1847: 46 E: FR IT
muffi Germann, 2014: 48 E: IT SL SZ
spaethi Reitter, 1913b: 107 E: IT
subcostatus Stierlin, 1866b: 129 E: AU FR GE IT SL SZ
uncinatus Germar, 1823: 366 E: AU BE CZ DE FR GB GE IR IT LS LU PL RO SL SP SV SZ
setifer Boheman, 1842b: 368
venustus Stierlin, 1880d: 563 E: FR IT
subgenus *Nilepolemis* Reitter, 1912a: 52 type species *Otiorhynchus foraminosus* Boheman, 1842 (= *Loborhynchus alpestris* Comolli, 1837)
alpestris Comolli, 1837: 33 (*Loborhynchus*) E: AU CR GE IT LS SL SZ
alpestris Stierlin, 1858: 296 [HN]
foraminosus Boheman, 1842b: 366
insculptus Stierlin, 1858: 295
articulatus K. Daniel & J. Daniel, 1898: 45 E: IT
breiti Franz, 1938: 605 E: IT
cadoricus K. Daniel & J. Daniel, 1891: 57 E: IT
coniceps K. Daniel & J. Daniel, 1898: 44 E: IT
decipiens Franz, 1938: 602 E: IT
dieneri Csiki, 1943b: 1012 [RN] E: IT
muelleri Rosenhauer, 1856: 265 [HN]
distincticornis Rosenhauer, 1847: 45 E: IT
focarilei Pesarini, 1970b: 138 E: IT
hadrocerus K. Daniel & J. Daniel, 1898: 50 [RN] E: IT
validicornis K. Daniel & J. Daniel, 1891: 56 [HN]
kuennemanni Reitter, 1917: 7 E: IT
lessinicus Franz, 1938: 590 E: IT

lombardus Stierlin, 1866b: 129 E: IT SZ
nocturnus Reitter, 1913b: 100 E: AU GE IT
 peezi Magnano, 2003e: 11 [NA]
 petzi Franz, 1938: 584 [NA]
pigrans Stierlin, 1861a: 148 E: AU GE
schaubegeri Lona, 1923a: 64 E: AU
 maderianus Penecke, 1923: 140
sulcatellus inermis Franz, 1938: 601 E: IT
sulcatellus sulcatellus K. Daniel & J. Daniel, 1898: 45 E: IT
tagenioides obirensis Franz, 1938: 597 E: AU CR
tagenioides ravasinii Lona, 1922a: 114 E: IT
 montaschensis Meschnigg, 1938: 117
tagenioides serniensis Franz, 1938: 597 E: AU IT
tagenioides tagenioides Stierlin, 1861a: 149 E: CR IT SL
 obtusoides Stierlin, 1885b: 272
 provocator Reitter, 1913b: 102
subgenus *Nubidanops* Białooki, 2017: 423 type species *Otiorhynchus tumidicollis* Stierlin, 1861
torosicus Davidian & Gültekin, 2016: 13 A: TR
tumidicollis Stierlin, 1861a: 329 A: TR
subgenus *Nubidanus* Reitter, 1912a: 66 type species *Otiorhynchus hebraeus* Stierlin, 1861
atricolor Reitter, 1912b: 148 A: KI KZ
crassiceps Reitter, 1912b: 146 A: KZ XIN
densicollis Reitter, 1912b: 148 A: AB IN TR
hebraeus Stierlin, 1861a: 301 A: LE SY
impexus Schoenherr, 1832: 220 E: ST A: AB
 impexus Gyllenhal, 1834b: 609 [HN]
jarpachlinus Reitter, 1912b: 143 A: AB AR IN TR
juvenilis Schoenherr, 1832: 221 E: ST A: AB
 juvenilis Gyllenhal, 1834b: 610 [HN]
marseuli Stierlin, 1872: 339 A: WS
messenicus Stierlin, 1872: 332 E: GR
minutus Stierlin, 1875a: 350 ["334"] E: KZ ST A: KZ
poricollis Schoenherr, 1832: 220 E: ST A: AR IN TR UZ
 breviusculus Stierlin, 1875a: 349 ["333"]
 poricollis Gyllenhal, 1834b: 604 [HN]
punctirostris Stierlin, 1883b: 548 A: AB AR IN KI TR
transparentis Fischer von Waldheim, 1821: 15 (*Curculio*) E: ST A: KZ TM
subgenus *Obvoderus* Reitter, 1912a: 56 type species *Otiorhynchus aurosquamulatus* Retowski, 1887
abchasicus Rost, 1892: 402 A: GG
aurosquamulatus Retowski, 1887: 132 E: ST A: GG
romantsovi Davidian & Savitsky, 2002: 26 A: GG
solodovnikovi Davidian & Savitsky, 2002: 28 E: ST
subgenus *Odelengus* Reitter, 1912b: 112 type species *Otiorhynchus aberrans* Stierlin, 1876
 Lengedeus Magnano, 1998a: 66 type species *Otiorhynchus pipitzi* Stierlin, 1884
aberrans Stierlin, 1876b: 512 E: CR GR A: SY TR
agmentosus Białooki, 2017: 395 A: TR
angustirostris Smreczyński, 1977a: 382 A: AR TR
armentalis Białooki, 2017: 392 A: TR
cappadocicus Białooki, 2017: 385 A: TR
crepuscularis Białooki, 2017: 387 A: TR
dudkoi Davidian & Gültekin, 2016: 10 A: TR
fracticornis Białooki, 2017: 401 A: TR
hebetes Białooki, 2017: 404 A: TR
heinzi Smreczyński, 1970: 124 A: TR
judaicus Stierlin, 1875a: 350 ["334"] A: GG TR
 amanus Reitter, 1904c: 159
malinkai Białooki, 2017: 399 A: TR
maximi Davidian & Gültekin, 2016: 8 A: TR
phrygius Reitter, 1912b: 139 A: TR
porculus Białooki, 2017: 390 A: TR

pipitzi Stierlin, 1884a: 39 A: AR TR
vavrai Białooki, 2017: 397 A: TR
wanati Białooki, 2017: 383 A: TR
subgenus *Osmobodes* Reitter, 1912a: 66 type species *Otiorhynchus mongolicus* Reitter, 1912
angelovi Bajtenov, 1976g: 183 A: KZ
bardus Boheman, 1842b: 348 A: "Siberia"
beatus Faust, 1890a: 65 A: ES MG WS
abakanensis Arnol'di, 1975: 263
sharanuri Arnol'di, 1975: 267
brevilatus Arnol'di, 1975: 266 A: ES
confluens Reitter, 1912b: 150 A: ES MG
cribrosicollis Boheman, 1842b: 345 A: ES FE JIA MG
rutilipes Hochhuth, 1851: 75
curvimanus Reitter, 1912b: 150 A: ES MG
emeljanovi Arnol'di, 1975: 265 A: MG
kerzhneri Korotyaev, 1995a: 67 A: MG
khentzensis Arnol'di, 1975: 259 A: ES MG
kozlovi Arnol'di, 1975: 261 A: MG
havtagi Arnol'di, 1975: 281 A: MG
innocuus Boheman, 1842b: 350 A: ES
medvedevi Korotyaev, 1995a: 69 A: MG
mongolicus Reitter, 1912a: 66 A: ES JIA MG
mongolicus Reitter, 1912b: 150 [HN]
relicinus Arnol'di, 1975: 280 A: KZ
strebloffii Stierlin, 1880a: 53 A: ES MG WS
streblowi Stierlin, 1881b: 152
tenuimanus Faust, 1890a: 64 A: ES
venalis Faust, 1888c: 153 A: ES MG
subgenus *Otirolehus* Reitter, 1914b: 139 type species *Otiorhynchus rugosogranulatus* Stierlin, 1888
anthracinus Scopoli, 1763: 30 (*Curculio*) E: AL AU BH BU FR GR IT MC RO SB SL SP ST SZ TR
calabrus Stierlin, 1880a: 59
coenobita Emery, 1874: clxxxvi
cratoscelis Reitter, 1912b: 120
deleticollis Reitter, 1914b: 184
helveticus Fauvel, 1885: 298 (*Brachyrhinus*) [UE] [HN]
helveticus Boheman, 1842b: 370
lazarevici Csiki, 1904c: 591
loricatus Stierlin, 1858: 303
rugulipennis A. Costa, 1858: 16
bononii Lona, 1943: 34 E: GR
brasavolae Lona, 1943: 16 E: GR
etropolensis Apfelbeck, 1898a: 277 E: BU GR TR
etropolensis Apfelbeck, 1899: 784 [HN]
inunctus Stierlin, 1861a: 224 E: BH BU GR MC ME SB TR
oligolepis Apfelbeck, 1919b: 124 E: MC SB
plagiator Apfelbeck, 1919b: 127 E: GR MC
rambouseki Apfelbeck, 1919b: 126 E: BU GR MC SB
rugosogranulatus chionophilus Apfelbeck, 1908a: 6 E: AL MC ME SB
rugosogranulatus rugosogranulatus Stierlin, 1888b: 51 E: BH BU GR
schatzmayri Lona, 1922b: 138 E: AL
sculptirostris Hochhuth, 1847: 511 E: BU GR ST A: AR GG TR
spinidens Apfelbeck, 1919b: 125 E: AL
tristis Scopoli, 1763: 31 (*Curculio*) E: AU BU BY CT CZ DE EN FI GE HU LA LT LU MC MD
NT PL RO SB SK SL ST SV UK A: ES KZ TM WS
aeneopunctatus Gyllenhal, 1813: 314 (*Curculio*)
cupreus Laicharting, 1781: 208 (*Curculio*) [HN]
cuprifer Stierlin, 1861a: 270
lugubris Gmelin, 1790: 1777 (*Curculio*) [URN]
nigrita Fabricius, 1781: 197 (*Curculio*)
sulcatus Paykull, 1800: 276 (*Curculio*) [HN]
turbatus Schoenherr, 1834b: 635 [URN]
veluchiensis A. Hoffmann, 1957b: 78 E: GR
wernerianus Reitter, 1914b: 185 E: AL GR MC

subgenus *Otiomimus* Reitter, 1912a: 51 type species *Otiorhynchus carcelii* Gyllenhal, 1842
alemdaghensis Reitter, 1913b: 91 A: TR
carcelii Gyllenhal, 1842b: 355 E: GR TR A: LE SY TR
cepelarus Angelov, 1974b: 685 E: BU
desbrochersi Stierlin, 1883b: 457 E: GR
graniger Reiche & Saulcy, 1858a: 694 E: GR
setosellus Zumpt, 1936d: 116 E: GR
subspinosus Stierlin, 1861a: 127 E: GR (Kyklades Is.) A: CY
subgenus *Otiorhynchus* Germar, 1822: 12 type species *Curculio rhacusensis* Germar, 1822
aequus Casalini & Magnano, 2005: 85 E: IT
amplipennis Fairmaire, 1860a: clxxxv E: CR IT SZ
amabilis Stierlin, 1861a: 85
olieri A. Hoffmann, 1950a: 52
amputatus Chevrolat, 1872c: cxxxii E: SP
amputatus Chevrolat, 1873b: 174 [HN]
caunicus Stierlin, 1872: 336
angelae Magrini, Abbazzi, Magnano & Baviera, 2007: 23 E: IT (Sicilia)
armadillo Rossi, 1792: 43 (*Curculio*) [RN] E: AU BE CR CZi FR GBi GE GR HU IT LS LT NL NR
PLi RO SKi SL SZ TR
apenninus Stierlin, 1883b: 426
halbherri Stierlin, 1890b: 243
latissimus Stierlin, 1861a: 79
nigrita Rossi, 1790: 133 (*Curculio*) [HN]
obsitus Gyllenhal, 1834b: 567
rhaeticus Stierlin, 1862: 358
rhaeticus Stierlin, 1863: 61 [HN]
salicis Stierlin, 1861a: 77 [HN]
scabripennis Gyllenhal, 1834b: 565
sulphurifer Herbst, 1797: 62 (*Curculio*)
ventricola Weise, 1894a: 249
wellschmiedi Frieser, 1975: 5
aurifer Boheman, 1842b: 262 E: BEi BH BU CR FR GBi GE GR HU IT MC ME NLi SL SP TR
UK
lefebvrei Gyllenhal, 1842b: 263
morulus Boheman, 1842b: 274
auropunctatus Gyllenhal, 1834b: 564 E: FR GB IR SP
coryly Chevrolat, 1863: 107
fossor Boheman, 1842b: 280
obsimulatus Dufour, 1843: 80
rufipes Boheman, 1842b: 269 [HN]
tumefactus Stierlin, 1861a: 90
auropupillatus Stierlin, 1861a: 47 E: IT
bertarini Stierlin, 1894c: 109 E: IT
binaghii Luigioni, 1931: 173 E: IT
bisulcatus Fabricius, 1781: 198 (*Curculio*) E: AU BH BU CR CZ HU IT LS ME PL RO SB SK SL
UK
carinthiacus Germar, 1817a: 246 (*Curculio*)
cinifer Germar, 1817a: 245 (*Curculio*)
istriensis Germar, 1823: 350
longicollis Gyllenhal, 1834b: 557
viennensis Stierlin, 1861a: 50
vochinensis Stierlin, 1861a: 49
brattiensis J. Müller, 1904: 209 E: CR
brigantii Pesarini, 1980a: 16 E: IT
cancasanus Reitter, 1913b: 62 E: SP
cardiniger brevitarsis Apfelbeck, 1922b: 21 E: BH CR
cardiniger cardiniger Host, 1790: 295 (*Curculio*) E: AL BH CR HU IT ME SL
goertzensis Herbst, 1797: 52 (*Curculio*)
goertzensis Fabricius, 1801: 522 (*Curculio*)
cardiniger catarvensis Stierlin, 1861a: 45 E: BH CR IT SL
caudatus Rossi, 1792: 40 (*Curculio*) E: BH CR IT SL SZ
lima Marsham, 1802: 298 (*Curculio*)
transpadanus Gortani, 1903: 128
civis Stierlin, 1861a: 59 E: FR
coecus coecus Germar, 1823: 351 E: AU BH BU CR CZ DE FR GBi GE HU IT LT PL RO SK SL

SV SZ UK

- angustatus* Stierlin, 1861a: 88
ater Herbst, 1795: 332 (*Curculio*) [RN, HN]
haematopus Boheman, 1842b: 266 [HN]
montanus Boheman, 1842b: 306
niger Fabricius, 1775: 150 (*Curculio*) [HN]
perlatus Richter, 1820: 3 (*Curculio*) [HN]
rugipennis Boheman, 1842b: 265
scrobiculatus Gyllenhal, 1834b: 561
villosopunctatus Gyllenhal, 1834b: 560
coecus mequignoni A. Hoffmann, 1938e: 387 E: FR
coespes Mulsant & Rey, 1859a: 279 E: FR IT
coespes Mulsant & Rey, 1859b: 21 [HN]
comatus Petri, 1912a: 290 E: RO
concinus Gyllenhal, 1834b: 573 E: CT ST A: KZ WS
steppensis Faust, 1888c: 147
corticalis Lucas, 1846a: pl. 36 E: FR IT SP (Balears) N: AG
curletti Meregalli, 1991: 90 E: SP
fortis Rosenhauer, 1847: 43 E: IT
valarsae Reitter, 1913b: 47
friulicus Herbst, 1797: 60 (*Curculio*) E: AU CR HU IT SL
sulphurifer Fabricius, 1801: 522 (*Curculio*) [NA]
ghiliani Fairmaire, 1857a: 540 E: FR IT
grouvellei Stierlin, 1883b: 433 E: FR IT
gylippus Reitter, 1898d: 352 E: BH CR
hungaricus hospitellensis Hustache, 1923a: 54 E: FR
hungaricus hungaricus Germar, 1823: 351 E: BH BU CR CT GE HU MD RO SB SK UK
insubricus Comolli, 1837: 33 (*Loborhynchus*) E: AU FR IT SZ
lanuginosus Boheman, 1842b: 301
neglectus Stierlin, 1858: 276
issensis J. Müller, 1916: 108 E: CR
jaenensis fernandezcortesi Alonso-Zarazaga, 1987a: 57 E: SP
jaenensis jaenensis Stierlin, 1874: 268 E: SP
latinus Casalini & Magnano, 2005: 82 E: IT
lirus Schoenherr, 1834b: 634 [RN] E: AU BH BU CR CT CZ DE FR GE HU IT MD NR PL RO
 SK SL ST SZ UK A: WS
cornicinus Stierlin, 1861a: 75
laevigatus Fabricius, 1792: 473 (*Curculio*) [HN]
laevigatus Gyllenhal, 1834b: 572 [HN]
lugdunensis Boheman, 1842b: 268 E: BE DE EN FR GE IT LA LU NL PL SP SV SZ
dilatipes Guillebeau, 1885a: 2
elongatus Stierlin, 1861a: 65 [HN]
francolinus L.W. Schaufuss, 1867a: 22 [RN]
guillebeaui Desbrochers des Loges, 1894h: 89
longulus Marseul, 1872b: 250 [RN]
longulus Marseul, 1873a: 143 [RN, HN]
luigionii A. Solari & F. Solari, 1909: 259 E: IT
margaritifera Reitter, 1913b: 46 E: IT
martinensis C. Müller, 1898: 378 E: IT
crissolensis Reitter, 1914a: 44
grissolensis Reitter, 1913b: 53
meridionalis Gyllenhal, 1834b: 571 E: BE FR GEi IT NLi SP SZ UK N: AG NARi NTRi
oleae Stierlin, 1861a: 60
peyrissaci Stierlin, 1886c: 282
subglobosus Blanchard, 1849: pl. 24
subvestitus Reitter, 1913b: 44
mesnili A. Hoffmann, 1936c: 147 E: SP
metokianus Apfelbeck, 1895a: 597 E: AL BH ME
metokianus Apfelbeck, 1896: 543 [HN]
minutesquamosus A. Solari & F. Solari, 1909: 258 E: IT
mirei cornonensis Meregalli, 1991: 96 E: SP
mirei mirei A. Hoffmann, 1964b: 40 E: SP
multipunctatus Fabricius, 1792: 471 (*Curculio*) E: AU BH BY CR CZ GE HU IT MD PL RO SB SK
 SL SZ UK
irritans Herbst, 1795: 363 (*Curculio*)

schwiegeri Reitter, 1908c: 65
orientalis Gyllenhal, 1834b: 556 E: GR TR
osellai Magnano, 1969: 354 E: IT
pajarensis evanescens A. Solari & F. Solari, 1922a: 28 E: SP
pajarensis pajarensis Reitter, 1913b: 48 E: SP
paradisiacus Pesarini, 1968b: 76 E: FR IT
prae nestinus Casalini & Magnano, 2005: 81 E: IT
pseudonothus Apfelbeck, 1897: 450 E: AU BEi FRi GBi GEi IT NLi SL SVi SZ
liguricus Apfelbeck, 1897: 451
liguricus Apfelbeck, 1901b: 534 [HN]
pseudonothus Apfelbeck, 1901b: 533 [HN]
salicicola Heyden, 1908: 46 [RN]
salicis Stierlin, 1858: 266 [HN]
pyrenaeus occidentalis Hustache, 1923a: 36 E: FR SP
pyrenaeus pyrenaeus Gyllenhal, 1834b: 554 E: AN FR SP
femoralis Boheman, 1842b: 272
granuligerus Dufour, 1843: 79
travnikanus Stierlin, 1891c: 322
repletus Boheman, 1842b: 302 E: BY HU PL SK SL UK
rhacusensis rhacusensis Germar, 1822: 12 (*Curculio*) E: BH CR ME
ragusensis Boheman, 1834b: 552 [URN]
rhacusensis siculus Stierlin, 1861a: 44 E: IT (Sicilia)
nigripes Ragusa, 1904a: 21 [HN]
roudieri González, 1963: 89 E: SP
ruffoi Magnano, 1969: 357 E: IT
salinellensis Casalini & Magnano, 2005: 83 E: IT
sanguinipes Boheman, 1842b: 296 E: FR IT
stierlini Uyttenboogaart, 1931: 295 [HN]
stierlinianus Uyttenboogaart, 1933: 229 [RN] [HN]
scaberrimus Stierlin, 1861a: 52 E: IT
sellae falteronae Pesarini, 1968b: 74 E: IT
sellae judicariensis Reitter, 1913b: 51 E: IT
sellae nigerrimus A. Solari & F. Solari, 1904: 160 E: IT
sellae sellae Stierlin, 1881a: 132 E: FR IT
sellae vesulianus Reitter, 1913b: 51 E: FR IT LU SZ
clavipes Boheman, 1842b: 297 [HN]
griseopunctatus Boheman, 1842b: 259 [HN]
insubricus Uyttenboogaart, 1933: 240 [HN]
joachim Merceron, 1994: 84
reitzei Uyttenboogaart, 1933: 240 [RN]
shatorensis Apfelbeck, 1928b: 77 E: BH
sibillanicus Magnano, 1969: 352 E: IT
spalatrensis biocovensis J. Müller, 1922: 36 E: CR
spalatrensis cardinigeroides Reitter, 1895c: 203 E: CR
spalatrensis risnjakensis Depoli, 1940: 252 E: CR
spalatrensis spatatrensis Boheman, 1842b: 257 E: BH CR ME SB
fabrilis Reitter, 1898d: 352
stomachosus Gyllenhal, 1834b: 586 E: FR IT
ariasi Stierlin, 1861a: 72
ariasi Marseul, 1873a: 149 [HN]
nigripes Boheman, 1842b: 264
pseudopicipes F. Solari, 1950a: 30 [RN]
pubens Boheman, 1842b: 312
stricticollis juniperi Tempère, 1939: 38 E: FR SP
stricticollis moncayoanus Roudier, 1954d: 83 E: SP
stricticollis stricticollis Fairmaire, 1859i: clxiv E: FR
gallicus Stierlin, 1861a: 74
sulcogemmatum Boheman, 1842b: 339 E: SP
frigidus Stierlin, 1895a: 74 [HN]
frigidus Stierlin, 1895b: 300 [HN]
tenebricosus Herbst, 1784: 81 (*Curculio*) E: AU BE CR CZ DEi EN FR GB GE HU IR IT LS LU NL
 PL RO SK SP SZ UK **NARi**
clavipes Bonsdorff, 1785: 40 (*Curculio*)
erythropus Boheman, 1842b: 267

evertsi Uyttenboogaart, 1931: 292
fagi Gyllenhal, 1834b: 563
fuscipes Olivier, 1807: 372 (*Curculio*) [HN]
haematopus Schrank, 1798: 490 (*Curculio*) [RN, HN]
heynei Voss, 1919b: 405
maritimus Donovan, 1811: 63 (*Curculio*) [HN]
olivieri Abbazzi & G. Osella, 1992a: 294 [RN]
rufipes Sturm, 1792: pl. 17 (*Curculio*) [HN]
subglaber Reitter, 1913b: 50
substriatus Silbermann, 1833: no. 7
substriatus Gyllenhal, 1834b: 563 [HN]
tenebricosus Herbst, 1795: 333 (*Curculio*) [HN]
waltoni F. Smith, 1869: 136
transadriaticus Reitter, 1913b: 40 E: IT
trichophorus Meregalli, 1991: 96 E: SP
truncatellus Graells, 1858: 82 E: SP
vehemens Boheman, 1842b: 270 E: IT SZ
ticinensis Stierlin, 1858: 265
voriseki Meregalli, 1991: 92 E: SP
wittmeri Legalov, 1999d: 382 A: WS
subgenus *Otismotilus* Reitter, 1912a: 51 type species *Otiorhynchus granulatostrriatus* Stierlin, 1876
abashae Davidian & Yunakov, 2002b: 167 A: GG
akibae Davidian & Yunakov, 2002b: 169 A: GG
auroguttatus Stierlin, 1879b: 512 A: TR
belousovi Davidian & Yunakov, 2002b: 155 A: GG
chaudoirii Hochhuth, 1851: 77 E: ST A: AB AR GG TR
crassiphallicus Białooki, 2017: 380 A: TR
depressus Stierlin, 1875a: 338["418"] E: ST A: GG
digitalis Yunakov & Davidian, 2002: 373 A: AB
dvaleticus Davidian & Yunakov, 2002b: 152 E: ST A: GG
granulatostrriatus granulatostrriatus Stierlin, 1876b: 495 E: ST A: GG
granulatostrriatus khetagi Davidian & Yunakov, 2002b: 147 E: ST
granulatostrriatus mamisonicus Davidian & Yunakov, 2002b: 147 E: ST A: GG
granulatostrriatus ronchettinus Reitter, 1909f: 304 E: ST
kataevi Davidian & Yunakov, 2002b: 129 A: TR
madinae Davidian & Yunakov, 2002b: 170 A: GG
maganicus Davidian & Yunakov, 2002b: 167 A: GG
oezbeki Davidian & Yunakov, 2002b: 162 A: TR
quadratopunctatus Stierlin, 1884a: 38 E: ST A: GG
foveolatostrriatus Stierlin, 1896b: 326
luridus Stierlin, 1893c: 57
svetgaricus Davidian & Yunakov, 2002b: 159 A: GG
tatyanae Davidian & Yunakov, 2002b: 157 A: GG
titae Davidian & Yunakov, 2002b: 168 A: GG
tshistyakovae Davidian & Yunakov, 2002b: 152 A: GG
subgenus *Padilehus* Reitter, 1912a: 59 type species *Curculio pinastri* Herbst, 1795
hickeri Penecke, 1931: 117 E: RO
pinastri Herbst, 1795: 358 (*Curculio*) E: AU BH CR CZ DE GE HU IT PL RO SK SL SZ UK
subgenus *Panorosemus* Reitter, 1912a: 60 type species *Otiorhynchus gibbicollis* Boheman, 1842
gibbicollis Boheman, 1842b: 336 E: AU CR RO SL
liebmanni Lona, 1943: 36 E: CR MC
ottomanus Stierlin, 1861a: 325 E: GR TR A: TR
acuminatus Stierlin, 1881c: 159
porcellus K. Daniel & J. Daniel, 1898: 48 E: IT
subgenus *Paracryphiphorus* Magnano, 1998a: 59 type species *Curculio orbicularis* Herbst, 1795 (= *Curculio catenulatus* Panzer, 1795)
alutaceus alutaceus Germar, 1817a: 235 (*Curculio*) E: BH CR GR IT RO SL
angustior J. Müller, 1902: 116 [HN]
parcestrriatus Heyden, 1909: 610
punctatissimus Gyllenhal, 1834b: 579
vittatus Germar, 1836b: 18
alutaceus coarctaticornis A. Solari & F. Solari, 1907a: 117 E: IT

bicostatus Boheman, 1842b: 337 E: BU GR RO TR
carbo Pesarini, 1980a: 13 E: IT (Sardegna)
catenulatus Panzer, 1795b: 330 (*Curculio*) E: AU BH BU CR CZ GE HU IT LT ME PL RO SB SK
 UK
orbicularis Herbst, 1795a: 340 (*Curculio*)
droveniki Braun, 1996: 191 E: GR
edentatus Seidlitz, 1891b: 631 E: HU MD RO UK
barcensis Csiki, 1943a: 1007
emiliae Apfelbeck, 1889: 68 E: BH CR
emiliae Apfelbeck, 1894d: 515 [HN]
kyllinensis Apfelbeck, 1922b: 28 E: GR
liophloeoides Apfelbeck, 1889: 70 E: BH
liophloeoides Apfelbeck, 1894b: 516 [HN]
luteus Stierlin, 1862: 361 E: GR
atticus Stierlin, 1889b: 230 [HN]
magnanoi Keskin, 2007a: 63 A: TR
modestus Stierlin, 1875a: 343 ["423"] E: GR
montandoni A. Solari & F. Solari, 1904: 164 E: MD RO
nuncius Faust, 1890e: 321 E: GR
petrensis gyriticollis Stierlin, 1861a: 106 E: BH CR
nevesinjensis Reitter, 1912b: 117
petrensis ludovici Reitter, 1912b: 117 E: BH ME
petrensis petrensis Boheman, 1842b: 338 E: BH CR HU SL
henschi Apfelbeck, 1889: 69
henschi Apfelbeck, 1894b: 515 [HN]
picimanus cribratostratus Stierlin, 1872: 326 E: GR
picimanus koracensis Stierlin, 1888e: 376 E: GR
picimanus koronae Stierlin, 1889b: 229 E: GR
picimanus oxyanus Apfelbeck, 1920: 23 E: GR
oxyanus Apfelbeck, 1929: 103 [HN]
picimanus picimanus Stierlin, 1861a: 168 E: GR (Kefaloniá)
pindicola Braun, 1996: 189 E: GR
strumosus Heller, 1884: 146 E: BH MC ME SB
subnudus Stierlin, 1888d: 80 E: BH GR
wankae renominatus Magnano, 2013: 76 [RN] E: BU GR
gemellatus Stierlin, 1875a: 339 ["419"] [HN]
pseudogemellatus Reitter, 1912b: 118 [NA]
wankae wankae Reitter, 1909f: 307 (*Cryphiphorus*) E: GR
subgenus *Paradoxidis* Arnol'di, 1975: 276 type species *Otiorynchus mongolicola* Arnol'di, 1975
mongolicola Arnol'di, 1975: 276 A: MG
subgenus *Pavesiella* Pesarini, 1996: 41 type species *Pavesiella xenophthalma* Pesarini, 1996
aemulus Marseul, 1878a: 43 [RN] E: ST A: AB AR GG IN TR
caucasicus Stierlin, 1877a: 182 (*Peritelus*) [HN]
kirschi Stierlin, 1876b: 505 [HN]
parameioides Reitter, 1895a: 21
caroli Stierlin, 1893a: 408 A: GG TR
compressus Stierlin, 1861a: 150 E: ST A: AR GG TR
cataphractus Mazur, 1983: 30 A: GG TR
diotus Reitter, 1895a: 25 A: TR
erivanensis Reitter, 1894e: 245 A: AR GG KI TR UZ
horasanicus Davidian & Gültekin, 2007: 197 A: TR
karsavurani Davidian & Gültekin, 2006: 484 A: TR
lederi Stierlin, 1876b: 498 E: ST UK A: AB AR GG TR
temeli Davidian & Gültekin, 2006: 483 A: TR
xenophthalmus Pesarini, 1996: 42 (*Pavesiella*) A: TR
subgenus *Pendragon* Gozis, 1885: 127 type species *Curculio ovatus* Linnaeus, 1758
clemens Gyllenhal, 1834b: 632 E: ST UK A: GG TR
cinereus Stierlin, 1879a: 430
desertus Rosenhauer, 1847: 52 E: AL AU BH BU CR CZ DE EN FI FR GB GE IR IT LA LT LU
 ME NR NT PL RO SB SP SV SZ **NARi**
abietinus Apfelbeck, 1898a: 282

abietinus Apfelbeck, 1899: 788 [HN]
globithorax Fiori, 1912: 61 [HN]
muscorum C. N. F. Brisout de Barneville, 1863a: 109
pellucidus J. R. Sahlberg, 1900a: 18
flavopilosus Apfelbeck, 1922a: 19 E: AL BH ME
janovskii Korotyaev, 1990a: 221 A: ES WS
kuraicus Korotyaev, 1998c: 857 A: WS
kytherus Reitter, 1914b: 237 E: GR (Kýthira I.)
merklii Stierlin, 1880d: 569 E: BH BU MC ME RO SB
ovatus glacialis Apfelbeck, 1898a: 282 E: BH
glacialis Apfelbeck, 1899: 787 [HN]
ovatus ovatus Linnaeus, 1758: 384 (*Curculio*) E: AU AZ BE BH BU BY CR CT CZ DE EN FI FR
GB GE GR HU ICi IR IT KZ LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST
SV SZ UK A: ES KI KZ MG UZ WS AURi NARi
globulipennis Gyllenhal, 1834b: 632 [DA]
pabulinus Panzer, 1798a: 19 (*Curculio*)
rosae DeGeer, 1775: 219 (*Curculio*) [URN]
rufipes Scopoli, 1763: 32 (*Curculio*) [HN]
scopolii Gmelin, 1790: 1777 (*Curculio*) [RN]
testipes Schrank, 1798: 495 (*Curculio*)
vorticosus Gyllenhal, 1834b: 630
punctipennis Smreczyński, 1977a: 380 E: GR A: TR
schusteri Stierlin, 1897: 479 E: RO
pristodon K. Daniel, 1897: 65
serbicus Apfelbeck, 1922a: 17 E: BU SB
serdicanus Apfelbeck, 1922a: 18 E: BU MC
subellipticus Apfelbeck, 1922a: 18 E: BH BU
subgenus *Phalantorrhynchus* Reitter, 1912a: 49 type species *Curculio morio* Fabricius, 1781
Harpinorrhynchus Reitter, 1912a: 48 type species *Otiorhynchus dentipes* Graells, 1858
Microphalantus Reitter, 1913b: 62 type species *Curculio arcticus* O. Fabricius, 1780
Petalorrhynchus Reitter, 1912a: 48 type species *Otiorhynchus validus* Stierlin, 1881
allomorphus Meregalli, 1986a: 325 E: SP
alonsoi Meregalli, 1989b: 278 E: SP
altaepeniae Meregalli, 1986a: 327 E: SP
analis A. Solari & F. Solari, 1922a: 30 E: SP
andarensis Reitter, 1913b: 60 E: SP
arcticus arcticus O. Fabricius, 1780: 188 (*Curculio*) E: AN AU CZ DE FA FI FR GB GE IC IR NR
NT PL RO SK SP SV TR UK NAR
alpinus Richter, 1820: 4 (*Curculio*)
blandus Gyllenhal, 1834b: 603
arcticus catalumus Meregalli, 1992b: 168 E: SP
arcticus jugicola Stierlin, 1861a: 175 E: FR SP
arcticus monticola Germar, 1823: 361 E: FR SP
baraudi Tempère, 1977: 46 E: FR
bigoti Tempère & Ponel, 1983: 307 E: FR
chobauti Hustache, 1920a: 18 E: FR
coachei Delaunay, 2005: 272 E: FR
collectivus Reitter, 1890c: 153 E: SP
corsicus Fairmaire, 1859d: 280 E: FR (Corse)
balachowskyi A. Hoffmann, 1934a: 88
cupreosparsus Fairmaire, 1859g: cl E: FR IT
criterarsis Stierlin, 1861a: 100
daphnes Meregalli, 1986a: 334 E: SP
demandae Meregalli, 1986a: 341 E: SP
dentipes ancarensis Meregalli, 1987a: 40 E: SP
dentipes areolatus Stierlin, 1881a: 136 E: SP
dentipes asturiensis Chevrolat, 1869: 74 E: SP
dentipes dentipes Graells, 1858: 85 E: SP
dentipes donostiae Meregalli, 1987a: 39 E: SP
dentipes pericarti Meregalli, 1987a: 31 E: SP
ehlersi Stierlin, 1881a: 135 E: SP
fulvipes Gyllenhal, 1834b: 611 E: FR IT

gertraudae Zumpt, 1934: 291 E: SP
getschmanni getschmanni Stierlin, 1880d: 560 E: SP
 getschmanni Stierlin, 1880c: 300
 kricheldorffi Zumpt, 1934: 269
getschmanni mansillae Meregalli, 1987a: 47 E: SP
glabricollis Boheman, 1842b: 282 E: CT KZ ST A: KZ
hirticulus Meregalli, 1992b: 176 E: SP
johannis Stierlin, 1881a: 137 E: FR SP
maleficus Gyllenhal, 1834b: 601 E: FR SP
 planidorsis Fairmaire, 1857a: 541
 praelongus Fairmaire, 1863: 108
melanopus Zumpt, 1934: 279 E: SP
 nigripedes F. Solari, 1940a: 34 [URN]
morio cabroli Costessèque, 2007: 98 E: FR
morio diversesculptus Pic, 1920d: 22 E: FR
morio estrellaiensis Zumpt, 1934: 281 E: PT
morio morio Fabricius, 1781: 198 (*Curculio*) E: AN AU BE BU CR CZ DE EN FR GE GR HU IT
 LA PL RO SK SP SZ UK
 ebeninus Gyllenhal, 1834b: 581
 imus Boheman, 1842b: 295
 mennonius Gyllenhal, 1834b: 580
 principalis Smreczyński, 1936: 78 [NA]
 unicolor Herbst, 1795: 334 (*Curculio*)
morio navaricus Gyllenhal, 1834b: 600 E: FR SP
 hispanicus: Zumpt, 1934: 279 [NA, ISS]
 hispanus Stierlin, 1862: 360
 intricatus Stierlin, 1866b: 135
 nitidicollis Dufour, 1852: 343
morio sublaevigatus Zumpt, 1934: 278 E: FR
 sublaevigatus Reitter, 1913b: 58 [NA]
nimius Meregalli, 1986a: 345 E: SP
noui Fairmaire, 1862c: 556 E: FR SP
 noui Stierlin, 1862: 369 [HN]
oliveri Meregalli, 1992a: 191 E: SP
pascuorum Peyerimhoff, 1901a: 60 (*Brachyrhinus*) E: FR
patruelis Stierlin, 1861a: 175 N: AG
peyerimhoffi Hustache, 1920a: 17 E: FR
pourtoyi aubryi Tempère, 1972a: 90 E: FR
pourtoyi pourtoyi Tempère, 1972a: 85 E: FR
praecellens julicus Lona, 1937a: 145 E: CR
praecellens lejensis Reitter, 1913b: 69 E: BH
praecellens lonae J. Müller, 1922: 42 E: BH CR
praecellens pentheri Reitter, 1913b: 66 E: BH CR ME
praecellens praecellens Stierlin, 1886c: 282 E: BH CR HU
 mossorensis Reitter, 1913b: 65
praecellens pseudobosnarum J. Müller, 1922: 41 E: BH ME
praecellens puncticollis Stierlin, 1891c: 322 E: BH CR ME
 bosnarum Csiki, 1906: 599 [URN]
putoni Stierlin, 1891a: 143 E: FR
reynosae reynosae C. N. F. Brisout de Barneville, 1866b: 410 E: SP
reynosae subreynosae A. Hoffmann, 1964b: 44 E: SP
sagax Reitter, 1915g: 160 E: SP
seriehispidus Stierlin, 1872: 325 E: FR SP
 mascarauxi Roudier, 1977: 51
 seriehirtus Marseul, 1873c: 754 [URN]
simoni Bedel, 1874a: 58 E: FR
sparsiridis Reitter, 1890c: 154 E: SP
sylvestris sylvestris Chevrolat, 1866a: 26 E: SP
 gossipiipes Chevrolat, 1873c: 410 [DA]
 pseudandarensis Zumpt, 1934: 289
sylvestris telenoensis Meregalli, 1986a: 340 E: SP
urbionensis Meregalli, 1989b: 281 E: SP
uyttenboogaarti Zumpt, 1936c: 92 E: SP

validus Stierlin, 1881a: 139 E: PT SP
weiratherianus Lona, 1937a: 144 E: AL
subgenus *Pinduchus* Reitter, 1912a: 60 type species *Otiorhynchus tarphiderus* Reitter, 1914
kuschakewitschi Stierlin, 1883a: 97 A: KZ XIN
tarphiderus Reitter, 1914b: 205 A: KZ XIN WS
subgenus *Pirostovedus* Reitter, 1912a: 55 type species *Otiorhynchus bosnicus* Stierlin, 1888
bosnicus bosnicus Stierlin, 1888b: 52 E: BH BU CR SB
bosnicus obtusidens Apfelbeck, 1928b: 77 E: AL ME
retifer Apfelbeck, 1928b: 77 E: ME
subgenus *Pliadonus* Reitter, 1912a: 62 type species *Otiorhynchus brachialis* Boheman, 1842
abagoensis Reitter, 1888b: 235 E: ST
brachialis Boheman, 1842b: 293 E: ST A: GG TR
ciscaucasicus Korotyaev, 1992c: 814 E: ST
dolmenicus Davidian & Savitsky, 2006b: 319 E: ST
decoratus Stierlin, 1877a: 179 E: ST A: GG
dentitibia Reitter, 1888b: 234 E: ST A: AB AR GG
fortispinus Reitter, 1909f: 304
dispar Stierlin, 1879a: 428 E: ST A: GG
frater Stierlin, 1861a: 321 E: BU GR RO UK A: TR
creticus Stierlin, 1861a: 275
gajirbeki Davidian & Savitsky, 2006b: 325 E: ST
gегicus Davidian & Savitsky, 2006b: 321 A: GG
granulatissimus Reitter, 1914b: 224 A: GG
helenae Reitter, 1914b: 225 E: ST
impressiceps Reitter, 1888b: 236 E: ST
isaevi Davidian & Geliskhanova, 2006: 105 E: ST
lilligi Keskin & Cevik, 2007: 494 E: GR A: TR
longipes Stierlin, 1872: 335 E: ST A: TR
mingrelicus Davidian & Savitsky, 2006b: 321 A: GG
omanensis Magnano, 2002b: 415 A: OM
osseticus Korotyaev, 1992c: 814 A: GG
pseudobrachialis Reitter, 1914b: 224 E: ST A: GG
reitteri Stierlin, 1876b: 500 A: AB GG IN
schamylianus Reitter, 1888b: 234 E: ST A: GG
starcki Retowski, 1885: 10 E: ST UK
tbatanicus Reitter, 1914b: 225 A: GG
zherikhini Davidian & Savitsky, 2006b: 317 E: ST A: GG
subgenus *Pocodalemes* Reitter, 1912a: 60 type species *Otiorhynchus frivaldszkyi* Rosenhauer, 1856
brevipilosus Białooki, 2017: 257 A: TR
frivaldszkyi Rosenhauer, 1856: 263 A: TR
subbidentatus Stierlin, 1895b: 301 A: GG
vitis theodosianus Retowski, 1887: 133 E: UK
vitis vitis Gyllenhal, 1834b: 578 E: UK
strongylus Retowski, 1887: 133
yurii Savitsky & Davidian, 2006: 312 E: ST
subgenus *Pocusogetus* Reitter, 1912a: 57 type species *Otiorhynchus rosti* Stierlin, 1881
albinae Formánek, 1922: 74 A: GG
fischtensis Reitter, 1889e: 101 E: ST
gusakovi Savitsky & Davidian, 2007: 198 E: ST
obsulcatus Stierlin, 1861a: 277 E: ST
ronchettii Reitter, 1909f: 305
rosti Stierlin, 1891c: 324 A: GG
schapovalovi Davidian & Yunakov, 2002a: 29 A: GG
subgenus *Podonebistus* Reitter, 1912a: 60 type species *Otiorhynchus prolongatus* Stierlin, 1861
acatium Gyllenhal, 1834b: 590 E: UK
alaianus Stierlin, 1886a: 191 A: KI
altaicus Stierlin, 1861a: 330 A: KZ WS
amissus Reitter, 1914b: 150 E: GR
beroni Angelov, 1985: 73 (*Trogloorhynchus*) E: BU

chalciditanus Reitter, 1914b: 198 E: GR
curiosus Białooki, 2017: 416 E: GR(Évvia)
discretus Stierlin, 1861a: 236 E: UK A: GG TR
georgievi Angelov, 1985: 74 (*Troglogorhynchus*) E: BU
holdhausi A. Solari & F. Solari, 1913b: 121 E: IT
jovis Miller, 1862b: 352 E: AL GR MC
lodosi A. Hoffmann, 1954b: 281 A: TR
pavelangelovi Guéorguiev & Magnano, 2007: 215 [RN] E: BU
angelovi Guéorguiev, 2004: 455 (*Troglogorhynchus*) [HN]
perdixoides Reitter, 1914b: 196 E: GR
phasma Rottenberg, 1872: 225 E: IT
heteromorphus Rottenberg, 1872: 226
prolongatus Stierlin, 1861a: 235 E: GR A: IN TR
prostratus Heyden, 1886b: 280 [RN] A: TM UZ
tenuis Stierlin, 1885c: 294 [HN]
pseudomecops Reitter, 1914b: 195 A: GG
rhinostris Białooki, 2017: 414 E: GR
schuhmacheri Stierlin, 1883b: 572 A: LE
trichopterus Białooki, 2015a: 86 E: GR (Kríti)
zoiai Magnano, 2005d: 308 A: TR
subgenus *Podorhynchus* Białooki, 2015a: 90 type species *Otiorhynchus cylindricus* Stierlin, 1877
cylindricus Stierlin, 1877a: 177 E: ST A: GG
subparallelus Stierlin, 1893a: 409
fortiscapus Arnol'di, 1972: 130 A: GG
glolae Arnol'di, 1972: 131 A: GG
korotyaevi Davidian & Gültekin, 2006: 488 E: ST A: GG TR
ritsae Arnol'di, 1972: 129 A: GG
subgenus *Podoropelmus* Reitter, 1912a: 61 type species *Curculio fullo* Schrank, 1781
Podomincus Reitter, 1912a: 61 type species *Otiorhynchus juglandiformis* Reitter, 1912 (= *Otiorhynchus juglandis* Apfelbeck, 1895)
Proremus Reitter, 1912a: 61 type species *Otiorhynchus coarctatus* Stierlin, 1861
Rhinotourneria F. Solari, 1947c: 75 type species *Otiorhynchus scopularis* Hochhuth, 1847
albidus Stierlin, 1861a: 315 E: AU BU GR MC MD ME NTi RO SB ST TR UK A: KZi
elegans Stierlin, 1895a: 75
illustris Apfelbeck, 1898a: 281
illustris Apfelbeck, 1899: 786 [HN]
strictipennis Magnano, 1999b: 295
alius Magnano, 1999b: 281 E: GR
coarctatus Stierlin, 1861a: 313 E: AL BU HU PL SB RO SK TR UK
crassicollis Stierlin, 1861a: 311 A: CY TR
diversus Magnano, 1999b: 284 A: MC
fullo Schrank, 1781: 116 (*Curculio*) E: AU BU CZ FR GE HU MD PL RO SB SK SL ST SV UK A:
AR KZ WS
carinatus Paykull, 1792: 83 (*Curculio*) [HN]
picus Turton, 1800: 275 (*Curculio*) [URN, HN]
subsetulosus Stierlin, 1891b: 270
zebra Fabricius, 1792: 484 (*Curculio*)
georgianus Magnano, 1999b: 292 E: UK A: GG
goetzi Angelov, 1964: 129 E: BU
granosus Magnano, 1999b: 287 E: GR
imparisetosus Smreczyński, 1977a: 373 A: TR
incurvipes Magnano, 1999b: 289 A: TR
juglandis Apfelbeck, 1895a: 598 E: AL AU BH BU GR HU RO SB TR
juglandiformis Reitter, 1912a: 61
juglandis Apfelbeck, 1896: 548 [HN]
korgei Smreczyński, 1970: 114 A: TR
lutzi Magnano, 2006c: 246
liberto Magnano, 1999b: 297 E: GR (Evvoía)
metsovensis Magnano, 1999b: 279 E: AL GR
minutegramulatus Magnano, 1999b: 291 A: TR
pauxillus Rosenhauer, 1847: 50 E: AU BH BU CR CZ FR GE GR IT PL RO SB SK SL SP SZ TR
UK

hampei Stierlin, 1861a: 200
mazuræ Formánek, 1910a: 17
pygmaeus Stierlin, 1883b: 562
rubiginosus Stierlin, 1861a: 140
rugirostris Stierlin, 1879b: 514
prioniensis Magnano, 1999b: 286 E: GR
pseudosuramensis Magnano, 1999b: 302 A: GG
rotundus Marseul, 1872b: 251 [RN] E: BY CZ HU LT MD NTi PL RO SK UK
dzieduszyckii A.M. Lomnicki, 1881: 433
rotundatus Siebold, 1847: 431 [HN]
rotundus Marseul, 1873a: 444 [URN, HN]
rotundus Marseul, 1873c: 759 [URN, HN]
scopularis Hochhuth, 1847: 506 E: BU CT GR IT RO ST UK A: AB AR GG IN
chrysopterus Stierlin, 1861a: 312
kaltakkirani Voss, 1936b: 55
oculatus F. Solari, 1947c: 75
parnassicola F. Solari, 1947c: 76
smreczynskii Cmoluch, 1968: 25 E: BYi CTi DEi ENi GEi LAi LTi MD NTi PLi RO ST SVi SZi
UK A: WS
suramensiformis Magnano, 1999b: 301 A: AR
suramensis Reitter, 1914b: 210 A: GG
subgenus *Pontotiorhynchus* Yunakov, 2003b: 418 type species *Otiorhynchus asphaltinus* Germar, 1823
achaeus Stierlin, 1861a: 242 E: UK
asphaltinus Germar, 1823: 360 E: CT MD NTi ST UK A: GG
asphaltinus Krynicki, 1834: 168 [HN]
creticola Arnol'di, 1964c: 570
kasbekianus Stierlin, 1876c: 497
atronitens Formánek, 1925a: 20 E: UK
brauneri Smirnov, 1910: 402 E: UK
edithae Reitter, 1887c: 526 E: ST
peregrinus Stierlin, 1861a: 225 E: TR UK A: GG SY TR
subgenus *Postaremus* Reitter, 1912a: 50 type species *Curculio dubius* Strøm, 1783 (= *Curculio nodosus*
O. F. Müller, 1764)
dinaricus Apfelbeck, 1898a: 272 E: BH CR
dinaricus Apfelbeck, 1899: 779 [HN]
necessarius Stierlin, 1861a: 141 E: HU RO
necessus Marseul, 1872b: 250 [URN]
necessus Marseul, 1873a: 225 [URN] [HN]
nodosus O. F. Müller, 1764: 12 (*Curculio*) E: AU BH BU BY CR CT CZ DE EN FA FI FR GB GE
IC IR IT LA LT NR NT PL RO SK SL ST SV SZ UK "Transcaucasia" A: WS NAR
adscitus Germar, 1823: 358
aurosus Mulsant & Rey, 1859a: 284
aurosus Mulsant & Rey, 1859b: 26 [HN]
bructeri Germar, 1823: 360
comosellus Boheman, 1842b: 340
demotus Boheman, 1842b: 347
dubius Strøm, 1783: 57 (*Curculio*)
gelidus Gistel, 1857: 530
maurus Gyllenhal, 1813: 293 (*Curculio*) [HN]
morio: Bonsdorff, 1785: 36 (*Curculio*) [NA]
pauper Boheman, 1842b: 341
pseudopauper Reitter, 1913b: 85 [NA]
pseudopauper Zumpt, 1938c: 114
tournieri Stierlin, 1875a: 342 ["422"]
wiesurii Boheman, 1842b: 347
plebejus Stierlin, 1861a: 142 E: BH CR SL
vulgaris Marseul, 1872b: 250 [URN]
vulgaris Marseul, 1873a: 226 [URN] [HN]
schmidtii schmidtii Stierlin, 1861a: 167 E: AU IT SL
gobanzi Gredler, 1868: 74
schmidtii tridentinus K. Daniel & J. Daniel, 1891: 59 E: IT
tomentifer Boheman, 1842b: 321 E: ST UK A: AB
subgenus *Postupatus* Reitter, 1912a: 56 type species *Otiorhynchus brusinae* Stierlin, 1888
brusinae Stierlin, 1888a: 9 E: CR IT
subgenus *Presolanus* Pesarini, 2001: 304 type species *Otiorhynchus diottii* Pesarini, 2001
diottii Pesarini, 2001: 306 E: IT

subgenus *Prilisvanus* Reitter, 1912a: 58 type species *Curculio gemmatus* Scopoli, 1763
Acalorhynchus Reitter, 1912a: 55 type species *Otiorhynchus longiventris* Küster, 1849
Ecestomus Reitter, 1912a: 59 type species *Otiorhynchus alpigradus* Miller, 1859
Egydelemus Reitter, 1912a: 52 type species *Otiorhynchus punctifrons* Stierlin, 1888
Obrasilus Reitter, 1912a: 58 type species *Otiorhynchus corvus* Boheman, 1842

alpigradus Miller, 1859: 362 E: HU RO SK UK
asplenii asplenii Miller, 1868: 26 E: UK
asplenii seriepunctatus Petri, 1912a: 296 E: RO
cirrorrhynchoides Reitter, 1912b: 121 E: BU
hospes Apfelbeck, 1932: 160
rhodopicola Apfelbeck, 1932: 160
confinis J. Frivaldszky, 1875: 198 E: RO UK
corvus Boheman, 1842b: 325 E: CR CZ HU PL RO SK UK
cymophanus Germar, 1839: 13 E: AU BH HU RO SB
demirkapensis Apfelbeck, 1898a: 278 E: BU GR
demirkapensis Apfelbeck, 1899: 784 [HN]
dives Germar, 1839: 12 E: AU BU HU RO SB SL UK
fussianus Csiki, 1901b: 489 E: RO
fussii fussii Küster, 1849a: 88 E: RO
fussii weberi E. Merkl, 1897: 208 E: RO
gemmatus Scopoli, 1763: 30 (*Curculio*) E: AU BH BU CR CZ FR GE HU IT RO SB SL SZ
chlorophanus Germar, 1823: 347 [URN]
germari Stierlin, 1877b: 187
religiosus Schrank, 1781: 118 (*Curculio*)
squamiger: Olivier, 1807: 409 (*Curculio*) [NA]
vagus Zschach, 1788: 23 (*Curculio*) [HN]
germanni Alonso-Zarazaga, 2013d: 75 [RN] E: AU
styriacus Stierlin, 1886c: 283 [HN]
granicolis Boheman, 1842b: 369 E: HU RO UK
paringii Petri, 1912a: 295
sulcator Endrödi, 1959: 537
krattereri Boheman, 1842b: 289 E: BU CT CZ HU NT PL RO SK SL ST TR UK A: TR
curvipes Stierlin, 1861a: 241
curviscelis Marseul, 1872b: 251 [URN]
curviscelis Marseul, 1873a: 333 [URN] [HN]
egregius Miller, 1870: 220
kratteri Miller, 1868: 25 [UE]
kratteri Smreczyński, 1936: 87 [UE] [HN]
rugosus Hummel, 1827: 12 (*Pachygaster*) [HN]
longiventris Küster, 1849c: 87 E: RO
ormayanus Csiki, 1943b: 1017
malissorum Apfelbeck, 1918: 173 E: BH ME
marthae Reitter, 1889e: 102 E: ST
müllerianus Reitter, 1914b: 177 E: RO SK UK
mocsaryi Csiki, 1899: 247 [RN] E: RO
montigena J. Frivaldszky, 1889: 161 [HN]
obliteratus F. Solari, 1943a: 101 E: RO
obsidianus Boheman, 1842b: 324 E: AU HU PL RO SK UK
perforatus L. Redtenbacher, 1847: 423
opulentus Germar, 1836a: 6 E: HU PL RO UK
parreyssii Stierlin, 1861a: 187 E: BU GR TR
bulgaricus Apfelbeck, 1898a: 274 [HN]
bulgaricus Apfelbeck, 1899: 781 [HN]
rhilicola Reitter, 1912b: 120
piceus Stierlin, 1895a: 75 E: "Banat"
piceus Stierlin, 1895b: 299 [HN]
punctifrons Stierlin, 1888b: 50 E: AU GE IT
riessi Fuss, 1868: 175 E: RO
simplicatus Stierlin, 1861a: 243 E: HU A: TR
sulcifrons Gyllenhal, 1834b: 577 E: "Illyria"
treskaensis Voss, 1964d: 162 E: CR MC
wolffi Braun, 1998: 331 E: GR

subgenus *Prodeminus* Reitter, 1912a: 62 type species *Otiorhynchus maxillosus* Gyllenhal, 1834
fernandoi Magnano, 2001c: 65 [RN] E: IT

angelinii Magnano, 1998b: 155 [HN]
maxillosus Gyllenhal, 1834b: 598 E: AU BH CR HU IT ME RO SL
osellanus Smreczyński, 1977a: 378 A: TR
ropotamus Angelov, 1974c: 976 E: BU
subgenus *Protarammichnus* Voss, 1960d: 236 type species *Otiorhynchus lindbergi* Voss, 1960
lindbergi Voss, 1960d: 236 A: AF
subgenus *Prototis* Arnol'di, 1975: 267 type species *Otiorhynchus popovi* Faust, 1888
michnoi Korotyaev, 1996b: 511 A: ES
popovi Faust, 1888c: 154 A: ES MG
subgenus *Provadilus* Reitter, 1912a: 55 type species *Otiorhynchus alpicola* Boheman, 1842
alpicola Boheman, 1842b: 327 E: AL AU BH CR FR GE HU IT MC ME RO SB SK SL SZ
aterrimus Boheman, 1842b: 328
binominatus Fauvel, 1885: 289 (*Brachyrhinus*) [RN]
brancsiki Stierlin, 1883b: 518 [HN]
calvus Fiori, 1899: 163
gautardi Stierlin, 1861a: 273
javeti Stierlin, 1866b: 133
pantherinus Apfelbeck, 1898a: 278
pantherinus Apfelbeck, 1899: 784 [HN]
prenjus Apfelbeck, 1895a: 598
prenjus Apfelbeck, 1896: 549 [HN]
strigirostris Boheman, 1842b: 377
coriarius Stierlin, 1861a: 278 "Patria ignota"
coriarioides Reitter, 1914b: 170
fagniezi Ruter, 1945a: 51 E: FR
farinosus Formánek, 1925a: 18 E: AL MC SB
liliputanus Apfelbeck, 1908a: 5 E: AL MC
merditanus Apfelbeck, 1907a: 522 E: AL MC
moestus Gyllenhal, 1834b: 627 E: FR IT
elongatus Stierlin, 1866b: 135 [HN]
grandifrons Reitter, 1898d: 352
planidorsis Stierlin, 1886c: 283 [HN]
pseudocoriarius F. Solari, 1950a: 30 [RN]
raymondi Gautier des Cottés, 1861b: cxiii
renovatus Magnano, 2006a: 80 [NA]
pedemontanus Stierlin, 1861a: 276 E: FR IT
piliger Apfelbeck, 1895a: 595 E: BH ME SB
piliger Apfelbeck, 1896: 539 [HN]
rugifrons Gyllenhal, 1813: 319 (*Curculio*) E: AU BE BH CZ DE EN FI FR GB GE HU IC IR IT LA
LS NR NT PL RO SK SP SV SZ **NARi**
ambiguus Schoenherr, 1842b: 387 [URN]
dillwynii Stephens, 1831b: 116
ghestleri Stierlin, 1861a: 281
impoticus Boheman, 1842b: 383
piochardi Stierlin, 1866b: 134
rugicollis Stephens, 1831b: 120
sitonoides Apfelbeck, 1907a: 523 E: AL ME
trichographus Stierlin, 1861a: 169 E: BH CR
subgenus *Pseudocryphiphorus* Magnano, 1998a: 62 type species *Otiorhynchus argillosus* Hochhuth, 1851
argillosus Hochhuth, 1851: 73 E: ST A: AB GG
babughanicus Yunakov, 2003a: 36 E: UK
chrysostictus Gyllenhal, 1834b: 585 E: AU BU CR CZ GE HU IT LA MC MD PL RO SB SK ST SZ
UK A: AR GG KZ TR WS
conspersus Herbst, 1795: 364 (*Curculio*) [HN]
histrion Gyllenhal, 1834b: 568 E: ST N: EG A: AB TR
histrioides Reitter, 1912b: 115 A: AR
infensus Faust, 1888c: 149 E: UK
jaltensis Formánek, 1926: 145
irritabilis Faust, 1887f: 154 (*Brachyrhinus*) A: ES MG WS
pullus Gyllenhal, 1834b: 606 A: ES WS
semitarius Reitter, 1913b: 97 E: UK
zebei Stierlin, 1861a: 122 E: BU GR SB
argentifer Stierlin, 1891b: 269

subgenus *Pseudoprovadilus* Magnano, 2005a: 100 type species *Otiorhynchus carbonarius* Hochhuth, 1847

atrohippus Davidian & Yunakov, 2002a: 24 E: ST
buccatus Davidian & Yunakov, 2002a: 24 E: ST
carbonarius Hochhuth, 1847: 519 E: ST A: AR GG
carbonicolor Reitter, 1914b: 169 E: ST A: GG
gratshevi Savitsky & Davidian, 2006: 287 E: ST
henrici Arzanov, 2004: 119 E: ST
obcaecatus Schoenherr, 1832: 220 E: GR ST A: GG TR
indubitus Reitter, 1914b: 168
obcaecatus Gyllenhal, 1834b: 602 [HN]
pabulator Reitter, 1914b: 169
paralleliceps Reitter, 1913b: 86 E: ST
subcoriaceus Reitter, 1882b: 222 E: ST A: GG
verrucicollis Stierlin, 1861a: 242 E: ST
viridiporus Davidian & Yunakov, 2002a: 25 A: GG

subgenus *Pseudotiorhynchus* Magnano, 2004b: 28 type species *Arammichmus ruminalis* Faust, 1894
Crassorhynchus Magnano, 2004b: 27 type species *Crassorhynchus capitatus* Magnano, 2004

arnoldianus Nasreddinov, 1976: 106 A: TD
atamuradovi Davidian & Korotyaev, 2012: 365 A: TM
balchashensis Bajtenov, 1974c: 174 A: KZ
capitatus Magnano, 2004b: 28 (*Crassorhynchus*) A: IN
christophi Stierlin, 1876b: 510 A: KZ UZ
conicirostris Stierlin, 1886b: 227 E: ST A: IN KZ TM
iranensis Magnano, 2004b: 32 A: IN TM
jelineki Magnano, 2004b: 29 (*Pseudotiorhynchus*) A: IN TM
karakalensis Davidian & Savitsky, 2015a: 159 A: TM
khorasanus Savitsky & Davidian, 2015: 165 A: IN
khurshedi Davidian & Korotyaev, 2012: 364 A: KZ UZ
konstantini Davidian & Savitsky, 2015a: 164 A: TM
kopetdagicus Savitsky & Davidian, 2015: 171 A: TM
lukarevskayae Davidian, 2015: 155 A: TM
morosus Faust, 1889c: 129 A: KZ TM TR UZ
muratovi Savitsky & Davidian, 2015: 169 A: TM
olegi Davidian & Korotyaev, 2012: 366 A: TM
podlussanyi Magnano, 2004b: 30 (*Pseudotiorhynchus*) A: TM
ruminalis Faust, 1894a: 53 (*Arammichmus*) A: KZ TM
saraevi Davidian & Korotyaev, 2012: 367 A: KZ
schmorli Stierlin, 1876b: 507 A: KZ TM
shakhensis Savitsky & Davidian, 2015: 173 A: TM

subgenus *Pterygodontoides* Białooki, 2015b: 21 type species *Trogloorhynchus triantisi* Alziar & Makris, 2006

triantisi Alziar & Makris, 2006: 76 (*Trogloorhynchus*) A: CY

subgenus *Pterygodontus* Białooki, 2015b: 19 type species *Otiorhynchus bleusei* Faust, 1889

anabolicus Białooki, 2017: 409 A: TR
atticus Stierlin, 1887: 391 E: GR
rhyncoloides Stierlin, 1887: 392
bleusei Faust, 1899a: 173 E: GR (Rhodos) A: IN TR
dawricus Lona, 1931: 173 A: TR
muglae Magnano, 2005d: 313 A: TR
naldoekensis Magnano, 2005d: 310 A: TR
nefandus Faust, 1888c: 151 E: UK A: AB AR GG TR
mecops K. Daniel & J. Daniel, 1902: 105
pulcher Białooki & Fremuth, 2017: 411 A: TR

subgenus *Rimenostolus* Reitter, 1912a: 60 type species *Otiorhynchus globicollis* Hochhuth, 1847

avaricus Davidian & Savitsky, 2005a: 439 E: ST
eugeni Reitter, 1896b: 41 E: ST A: GG
gamzatovi Korotyaev & Davidian, 2005: 444 E: ST A: AB
globicollis Hochhuth, 1847: 513 E: ST A: AR GG

serenus Reitter, 1914b: 171
laevipennis Stierlin, 1888e: 373 E: GR (Kriti)
pilifer Stierlin, 1896b: 328 E: ST A: GG
semiopacus Reitter, 1914b: 202 A: TR
subgenus *Rosvolestus* Reitter, 1912a: 54 type species *Otiorhynchus globus* Boheman, 1842
globus Boheman, 1842b: 386 E: AU GE HU IT SZ
manfredi Magnano, 2001c: 71 [URN]
kahleni Magnano, 1991: 115 [HN]
subgenus *Rusnepranus* Reitter, 1912a: 51 type species *Otiorhynchus arenosus* Stierlin, 1861 (= *Otiorhynchus bergamascus* Stierlin, 1894)
bergamascus Stierlin, 1894c: 110 E: IT
arenosus Stierlin, 1861a: 139 [HN]
heerii Stierlin, 1858: 289 E: IT SZ
permundus Reitter, 1913b: 98 E: IT
subgenus *Satnalistus* Reitter, 1912a: 56 type species *Otiorhynchus duinensis* Germar, 1823
duinensis Germar, 1823: 365 E: AU BH CR GBi HU IT SB SL
novaki J. Müller, 1922: 37 E: CR
novellae Lona, 1925: 7 E: BH CR PL SL UK
paulinus Lona, 1925: 4 E: CR IT
rhinocerulus Penecke, 1928a: 265 E: RO
signatipennis Gyllenhal, 1834b: 597 E: AL AU BH CR IT SL
aureolus Gyllenhal, 1834b: 623
confusus Boheman, 1842b: 359
eusomioides Stierlin, 1894c: 110
illyricus Stierlin, 1861a: 204
ludyi Stierlin, 1884a: 37
stenorostris Apfelbeck, 1898b: 372 E: AU CR HU IT SL
virginalis Apfelbeck, 1922b: 22 E: AL BH CR ME SB
subgenus *Spodocellinus* Reitter, 1912a: 53 type species *Otiorhynchus subpubescens* Stierlin, 1894
subpubescens Stierlin, 1894c: 111 E: AU IT SL
subgenus *Stierlinellus* Reitter, 1913b: 78 type species *Otiorhynchus rotundicollis* Stierlin, 1876
rotundicollis Stierlin, 1876b: 513 A: TR
subgenus *Stupamacus* Reitter, 1912a: 65 type species *Otiorhynchus ruscicus* Stierlin, 1883
Piopsisidus Reitter, 1912a: 55 type species *Otiorhynchus danieli* Apfelbeck, 1895
angusticollis Boheman, 1842b: 344 A: TM UZ
anomalus F. Solari, 1937a: 8 E: GR MC
bistrae Angelov, 1979: 314
arnoldii Iablokoff-Khnzorian, 1959b: 76 A: AR
biformatus Mazur, 1993a: 492 E: BU GR
blanchardi Apfelbeck, 1895a: 595 E: BH
blanchardi Apfelbeck, 1896: 540 [HN]
clavalis Apfelbeck, 1922b: 21 E: GR
pilosulus Penecke, 1928b: 37
commixtus Bajtenov, 1974c: 179 A: KZ
danieli Apfelbeck, 1895a: 596 E: BH MC
danieli Apfelbeck, 1896: 541 [HN]
dorymeroides F. Solari, 1937a: 9 E: GR
erroneus Faust, 1887f: 141 A: UZ
falsarius Reitter, 1912b: 138 E: GR
fleischeri Stierlin, 1896b: 327 A: KZ TD UZ
fodori Mesaroš, 1996: 7 E: MC
hospitus corvinus F. Solari, 1937a: 7 E: BU
hospitus hospitus Reitter, 1912b: 140 E: BU GR SB
jakupicensis Mesaroš, 1991: 136 E: MC
joakimoffi Apfelbeck, 1932: 157 E: BU
krueperi armipes Apfelbeck, 1908a: 5 E: AL GR MC
angulipes Apfelbeck, 1920: 21
iskrae Angelov, 1979: 311
krueperi krueperi Stierlin, 1887: 393 E: BU GR
lithantracius Boheman, 1842b: 346 E: AU BH BU CR GR HU IT MC RO SB SK SL TR UK
corvulus Reitter, 1913b: 68
denigrator Boheman, 1842b: 343

macedonicus conorhynchus F. Solari, 1937a: 12 E: MC SB
macedonicus macedonicus Reitter, 1913b: 68 E: GR MC SB
macedonicus novakianus Lona, 1943: 8 E: GR MC
macedonicus visitoriensis Lona, 1943: 7 E: AL ME
maculiscapus Reitter, 1914b: 203 A: KI TD UZ
perrinae Bajtenov, 1980b: 123 A: KZ
politus Gyllenhal, 1834b: 606 E: CT EN FI LA NR NT A: ES KI KZ MG WS
borealis Stierlin, 1872: 342
borealis Stierlin, 1883b: 476 [HN]
problematicus Mesaroš, 1996: 10 E: MC
proletarius Boheman, 1842b: 385 A: WS
puncticornis Gyllenhal, 1834b: 605 E: RO ST UK A: GG TR
glabratus Krynicki, 1834: 168
regliae F. Solari, 1937a: 10 E: AL GR MC ME
regliae Reitter, 1913b: 67 [NA]
russicus Stierlin, 1883b: 544 A: KI KZ TD TM UZ XIN XIZ
badakschanensis Voss, 1959a: 91 [NA]
badakschanicus Ulmen, Newzella, Hubweber, Schmitt, Klug & Ahrens, 2010: 16 [NA]
scintillus Reitter, 1912b: 138 A: KZ
shardaghensis arammichnoides Lona, 1943: 36 E: MC
shardaghensis shardaghensis Apfelbeck, 1908a: 5 E: AL ME
siccensis Peyerimhoff, 1930b: 257 N: TU
tomoricensis Lona, 1922b: 138 E: AL
turcicus Arnol'di, 1963: 411 A: TR
winkleri djalicae Csiki, 1940: 277 E: AL
winkleri grebensis Lona, 1943: 6 E: AL ME
winkleri winkleri F. Solari, 1937a: 7 [RN] E: AU BH BU CR GR HU IT MC ME RO SB SK SL ST
UK
bastarnicus Csiki, 1943b: 1013 [URN]
glabratus Stierlin, 1861a: 183 [HN]
zaisanicus Bajtenov, 1974c: 182 A: KZ
subgenus *Sulcorhynchus* Magnano, 1998a: 64 type species *Otiorrhynchus circassicus* Reitter, 1888
circassicus Reitter, 1888b: 233 E: ST A: GG
emrei Avgin & Colonnelli, 2011: 296 A: TR
inclinataesetis Magnano, 1999c: 134 E: ST
planipennis Magnano, 1999c: 132 E: ST
pseudocircassicus Magnano, 1999c: 130 E: ST
teberdensis Reitter, 1909b: 58 E: ST A: GG
subgenus *Tecutinus* Reitter, 1912a: 63 type species *Otiorrhynchus escherichi* Reitter, 1898
adopertus Białooki, 2017: 370 A: TR
brevicornis Boheman, 1842b: 342 A: TR
caesareus K. Daniel, 1906a: 281 A: TR
caesareus Reitter, 1912b: 113
catonii Lona, 1943: 26 A: TR
charleshuberi Germann, 2016: 2 A: TR
corpusculus Białooki, 2017: 373 A: TR
crassicornis Gyllenhal, 1839b: 23 A: IN
cribripennis Hochhuth, 1851: 81 E: ST A: AB AR GG IN TR
crinitellus K. Daniel & J. Daniel, 1902: 108 A: TR
escherichi Reitter, 1898d: 353 A: TR
flavosetosus Białooki, 2017: 364 A: TR
fremuthi Braun, 1989b: 329 A: TR
gultekini Germann, 2017: 2 A: TR
gymnopterus K. Daniel & J. Daniel, 1902: 105 A: TR
heinzianus Braun, 1988a: 33 A: TR
ikisderensis Smreczyński, 1970: 119 A: TR
implicatus Białooki, 2017: 359 A: TR
karagolensis Smreczyński, 1970: 120 A: TR
kindermanni Stierlin, 1861a: 177 A: LE TR
fallax Marseul, 1868a: 195

lacunosus Białooki, 2017: 368 A: TR
latifrons Stierlin, 1890a: 164 A: TR
lefkaoriensis Germann & Colonnelli, 2015: 2 E: GR (Kriti)
marggii Germann, 2017: 5 A: TR
nigrosetosus Białooki, 2017: 366 A: TR
paracrinittelus Braun, 1989a: 41 A: TR
pseudocribripennis Braun, 1988a: 34 A: TR
riedeli Braun, 1989a: 44 A: TR
salbakosanus Lona, 1943: 32 A: TR
sculptipterus Białooki, 2017: 362 A: TR
soganliensis Smreczyński, 1977a: 383 A: TR
staveni Braun, 2000: 98 A: TR
tmolosensis Lona, 1943: 29 A: IN TR
torulensis Benedikt, 2000: 1 A: TR
subgenus *Thalycrynychus* Reitter, 1912a: 48 type species *Otiorhynchus sturanyi* Apfelbeck, 1906 (= *Curculio perdix* Olivier, 1807)
adonis Apfelbeck, 1906b: 1673 E: AL BH CR ME RO SL UK
carpathorum Csiki, 1913: 16
cephalonicus Pic, 1902f: 57 E: GR (Kefaloniá)
conjungens Apfelbeck, 1918: 169 E: AL GR ME
vodenensis Formánek, 1920: 94
perdix Olivier, 1807: 375 (*Curculio*) E: AL AU BH BU CR CZ GE GR HU IT MC ME PL RO SB SK SL UK
brachyscelis Apfelbeck, 1911: 221
brutius Reitter, 1913b: 34
dorotkanus Reitter, 1913b: 35
eugubinus F. Solari, 1932d: 129
hypsobius Apfelbeck, 1906a: 251
hypsobius Apfelbeck, 1907b: 644 [HN]
kiorensis Apfelbeck, 1919a: 104
perdix Germar, 1823: 359 [HN]
sanctus F. Solari, 1932d: 130
squamiperdix Reitter, 1913b: 33
striginurus Reitter, 1913b: 36
sturanyi Apfelbeck, 1906b: 1673
thalassinus Apfelbeck, 1906a: 250
thalassinus Apfelbeck, 1907b: 644 [HN]
prokletiensis Apfelbeck, 1918: 171 E: AL ME
dukatiensis Apfelbeck, 1919c: 154
valonensis Apfelbeck, 1919a: 103
subgenus *Tithonus* Germar, 1823: 355 type species *Otiorhynchus chrysocomus* Germar, 1823
Timalphis Gozis, 1885: 127 type species *Otiorhynchus chrysocomus* Germar, 1823
chrysocomus Germar, 1823: 355 E: AU BU CR FR GE HU IT RO SL SZ
laevigaticollis Gredler, 1857: 132
ostrovus Angelov, 1961: 3
viridicomus Stierlin, 1891c: 325
subgenus *Tournieria* Stierlin, 1861a: 27 type species *Otiorhynchus anadolicus* Boheman, 1842
Odopadus Reitter, 1912a: 62 type species *Otiorhynchus anadolicus* Boheman, 1842
adanensis Smreczyński, 1977b: 390 A: TR
anadolicus Boheman, 1842b: 287 E: AL GR A: TR
anatolicus Fauvel, 1885: 299 (*Brachyrhinus*) [UE]
annaerosae Magnano, 2005c: 299 A: TR
brenskaei Reitter, 1884c: 95 E: AL BU CR GR IT TR
corneolus Weise, 1906: 607 [RN]
cornicinus Stierlin, 1861a: 323 [HN]
callicnemis Apfelbeck, 1919b: 128 E: AL
emgei Stierlin, 1887: 392 E: GR
europaeus Stierlin, 1883b: 571 E: TR A: TR
lauraecristinae Magnano, 2005c: 300 A: TR
lubriculus Faust, 1890e: 322 E: GR TR
mergallii Magnano, 1977a: 58 E: IT
omonimus F. Solari, 1950a: 31 [RN] A: GG
caroli Stierlin, 1894c: 114 [HN]
osmanlis Stierlin, 1883b: 570 E: ST A: TR

othryades Reitter, 1914b: 228 E: GR
pilosellus Apfelbeck, 1919b: 129 E: AL
sengleti Smreczyński, 1977b: 391 E: GR
teucus Reitter, 1914b: 228 [RN] E: GR
erroneus Faust, 1890e: 323 [HN]
veluchianus Apfelbeck, 1908b: 531 E: GR
veluchianus Apfelbeck, 1912: 654 [HN]
subgenus *Trichosmobodes* Arnol'di, 1975: 276 type species *Otiorhynchus obscurus* Gyllenhal, 1834
lasiosemius Bajtenov, 1978d: 187 A: MG
obscurus Gyllenhal, 1834b: 607 A: ES KZ WS
perplexus Gyllenhal, 1834b: 608 A: ES KZ WS
subgenus *Troglonamertanus* Davidian & Savitsky, 2006a: 72 type species *Otiorhynchus golovatchi*
Davidian & Savitsky, 2005
golovatchi Davidian & Savitsky, 2006a: 77 A: AB
gusarovi Davidian & Savitsky, 2006a: 80 A: GG
inaliparum Rost, 1893: 342 (*Troglorhynchus*) E: ST A: GG
myops Reitter, 1882a: 31 (*Troglorhynchus*) A: GG
victori Davidian & Savitsky, 2006a: 83 A: GG
subgenus *Troglorhynchus* F. Schmidt, 1854: 25 type species *Troglorhynchus anophthalmus* F. Schmidt,
1854
Tirolius Arnol'di, 1972: 128 type species *Otiorhynchus prolixus* Rosenhauer, 1847
anophthalmoides Reitter, 1914b: 240 E: AU CR IT SL
celejensis J. Müller, 1924: 78
istriensis F. Solari, 1955b: 84 (*Troglorhynchus*) [HN]
omeros Colonnelli, 2003a: 10 [RN]
pretneri F. Solari, 1955b: 80 (*Troglorhynchus*)
anophthalmus F. Schmidt, 1854: 25 (*Troglorhynchus*) E: AU CR IT SL
bericus Magnano, 1977a: 55 E: IT
prolixus Rosenhauer, 1847: 53 E: GEi IT
radjai Di Marco & G. Osella, 2002: 259 E: CR (Vis I.)
subgenus *Udonedus* Reitter, 1912a: 54 type species *Otiorhynchus diabolicus* Reitter, 1895
Udosellus Reitter, 1912a: 54 type species *Otiorhynchus koenigi* Faust, 1888
aibgae Davidian & Yunakov, 2002b: 134 E: ST
alexeevi Korotyaev & Davidian, 2002: 138 E: ST A: GG TR
diabolicus Reitter, 1895a: 22 A: TR
galinae Arzanov, 2002: 126 E: ST
koenigi koenigi Faust, 1888c: 150 E: ST A: GG TR
opertosus Reitter, 1889e: 101
koenigi validiscapus Stierlin, 1894c: 113 E: ST A: GG
kovali Davidian & Yunakov, 2002b: 137 E: ST A: GG
leventi Davidian & Yunakov, 2002b: 141 A: TR
makarovi Savitsky & Davidian, 2006: 294 A: GG
subgenus *Ulozenus* Reitter, 1912a: 59 type species *Curculio infernalis* Germar, 1817
funebri Apfelbeck, 1922b: 23 E: BH CR SL
infernalis Germar, 1817a: 242 (*Curculio*) E: BH CR IT SL
subgenus *Urorrhynchus* Reitter, 1912a: 48 type species *Otiorhynchus truncatus* Stierlin, 1861
nobilis Germar, 1823: 357 E: AU CR IT RO SL
sabulosus complanatus J. Müller, 1937: 4 E: CR
sabulosus latipennis Boheman, 1842b: 271 E: BH CR SL
sabulosus sabulosus Gyllenhal, 1834b: 555 E: AU BH CR CZ HU RO SL
sensitivus Scopoli, 1763: 32 (*Curculio*) E: AU BH CR GE HU IT ME SB SK SL
hilfi Reitter, 1902a: 7
planatus Herbst, 1795: 295 (*Curculio*)
planatus Fabricius, 1801: 522 (*Curculio*) [HN]
stichopterus Apfelbeck, 1911: 221 E: AL
truncatus Stierlin, 1861a: 53 E: AL BH CR CZ ME SB SK SL
laetificator Reitter, 1902a: 7
viridilimbatus Apfelbeck, 1889: 73
viridilimbatus Apfelbeck, 1894b: 520 [HN]
subgenus *Vedopranus* Reitter, 1912a: 58 type species *Otiorhynchus retowskii* Reitter, 1885
luigimagnanoi Davidian & Savitsky, 2006b: 291 E: ST

retowskii Reitter, 1885b: 387 E: ST
tatarchani perdurus Reitter, 1890e: 196 E: ST UK
tatarchani tatarchani Reitter, 1882b: 222 E: ST UK A: AB AR GG IN TR
felicitanae Reitter, 1887c: 525
subgenus *Vicoranius* Reitter, 1912a: 55 type species *Otiorhynchus fusciventris* Fuss, 1868
fusciventris Fuss, 1868: 173 E: RO
subgenus *Viroprius* Reitter, 1912a: 62 type species *Otiorhynchus asiaticus* Stierlin, 1861
asiaticus Stierlin, 1861a: 324 E: GR (Naxos, Paros, Santorini, Sýros) A: IN TR
formicarius Stierlin, 1861a: 314 E: GR
lucae Stierlin, 1881a: 134
hirsutus Stierlin, 1880d: 567 E: GR (Kíti)
kirschi Marseul, 1873a: 430 [RN] E: GR
griseus Kirsch, 1872: 43 [HN]
saevus Boheman, 1842b: 335 A: TR
subgenus *Zadrehus* Reitter, 1912a: 64 type species *Curculio atroapterus* DeGeer, 1775
atroapterus DeGeer, 1775: 243 (*Curculio*) E: BE CT DE FA FI FR GB GE IC IR LT NL NR PL PT
SP SV
arenosus Gyllenhal, 1834b: 603
cantabricus López Seoane, 1878: 11
perezi Stierlin, 1862: 361
pilicornis Chevrolat, 1877: 157
rotundatus Gmelin, 1790: 1805 (*Curculio*) [URN]
subgenus *Zariedus* Reitter, 1912a: 60 type species *Otiorhynchus sedulus* Faust, 1894
bajtenowi Angelov, 1976: 79 A: KI
boroldaicus Bajtenov, 1974c: 166 A: KZ
haedillus Reitter, 1914b: 199 A: KZ UZ
hastilis Reitter, 1914b: 199 A: XIN
hystericus Faust, 1892c: 61 A: KI KZ UZ
iliensis Bajtenov, 1974c: 163 A: KZ
karkaralensis Bajtenov, 1974c: 164 A: KZ
kasachstanicus Arnol'di, 1964a: 164 A: KZ
maschaticus Bajtenov, 1974c: 166 A: KZ
piliporus Reitter, 1914b: 200 A: KZ
saturnus Reitter, 1914b: 199 A: KZ TD UZ
secundarius Reitter, 1914b: 200 A: KZ UZ
sedulus Faust, 1894a: 54 A: KI KZ
sugatensis Bajtenov, 1974c: 164 A: KZ
subgenus *Zavodesus* Reitter, 1912a: 61 type species *Otiorhynchus glabellus* Rosenhauer, 1847
bodemeyeri K. Daniel & J. Daniel, 1902: 111 A: TR
glabellus Rosenhauer, 1847: 51 E: BH CR IT SL TR
irregularis Stierlin, 1872: 327 E: GR TR
miser Kirsch, 1880a: 3 E: GR TR
parvulus Stierlin, 1882a: 251 [HN]
subgenus *Zelotomelus* Reitter, 1912a: 61 type species *Otiorhynchus erinaceus* Stierlin, 1876
erinaceus Stierlin, 1876b: 506 E: ST A: AB GG
parerinaceus Davidian & Savitsky, 2002: 30 E: ST
subgenus *Zustalestus* Reitter, 1912a: 51 type species *Curculio rugosostriatus* Goeze, 1777
brevipilis Apfelbeck, 1919a: 103 E: AL GR
consobrinus Reitter, 1913b: 92 E: CR
rugosostriatus Goeze, 1777: 395 (*Curculio*) E: AL AU AZi BE BH BU CR CZ DE FA FR GB GE
GR HU ICi IR IT LU ME NL NR PL PT RO SB SK SL SP ST SV SZ UK N: MO A: TR
AURi NARi NTRi
corrugatus Gmelin, 1790: 1778 (*Curculio*)
rugosissimus Geoffroy, 1785: 127 (*Curculio*)
scabrosus Marsham, 1802: 298 (*Curculio*) [HN]

genus *Otiorhynchus*, species incertae sedis
amoenus Faust, 1886e: 139 A: KA or XIN
bugnioni Stierlin, 1893a: 410 N: TU
civicus Gistel, 1857: 518 E: "Karpathen"

clavicus Marseul, 1878b: 76 A: TR
coriaceus Panzer, 1795b: 330 (*Curculio*) E: GE
echinatoides Reitter, 1913b: 77 E: ST A: GG TR
hochhuthi Marseul, 1872b: 250 [RN] E: ST A: AB
 echinatus Hochhuth, 1847: 523 [HN]
 hochhuthi Marseul, 1873a: 248 [RN] [HN]
 lencoramus Reitter, 1894d: 128
 sus Stierlin, 1894c: 114
intercalaris Boheman, 1842b: 313 E: HU RO
iratus Reitter, 1913b: 77 E: GR (Kýthira I.)
karataviensis Bajtenov, 1974c: 175 A: KZ
lothari Alonso-Zarazaga, 2013d: 75 [RN] E: BU
 dieckmanni Petryszak, 1983: 38 (*Trachyphloeus*) [HN]
malyi Obenberger, 1914: 141 (*Urometopus*) A: UZ
maurus Schrank, 1781: 122 (*Curculio*) E: AU
milleri Stierlin, 1862: 364 E: CR
mucronatus Paykull, 1792: 81 (*Curculio*) [HN] E: GE
nebulosus Motschulsky, 1861: 20 (*Tyloderes*) A: JA
ovinus Penecke, 1928b: 39 E: GR
pawlowskii Mazur, 1983: 32 A: TR
petiginosus Stierlin, 1861a: 251 E: CR GR
pimelioides Olivier, 1807: 370 (*Curculio*) E: FR
pinetorum Schrank, 1781: 124 (*Curculio*) E: AU
piperatus Grimmer, 1841: 42 (*Loborhynchus*) E: AU
puberulus Hochhuth, 1851: 70 A: AR
pubescens Boheman, 1837a: 216 E: "Trans-Caucasia"
sciaphilus Gistel, 1857: 518 E: AU
seductor Stierlin, 1861a: 206 E: HU RO
striolaticeps G.A.K. Marshall, 1916: 258 A: KA
stussineri Stierlin, 1880a: 58 E: CR IT SL
 vestitus Küster, 1848b: 61 (*Cathormiocerus*) [HN]
styriacus Grimmer, 1841: 41 (*Loborhynchus*) E: AU
subdepressus Stierlin, 1872: 323 "Patria ignota" [maybe TR]
 depressior Marseul, 1873c: 752 [URN]
tenuis Stierlin, 1883a: 98 A: "Turkestan"
thracicus Stierlin, 1861a: 158 A: TR
ursus Gebler, 1844: 104 A: KZ
vellicatus Germar, 1823: 364 E: "Europa meridionali"
virgo Reitter, 1913b: 76 A: GG

genus *Parameira* Seidlitz, 1868: 26 type species *Stomodes rudis* Boheman, 1842

subgenus *Parameira* Seidlitz, 1868: 26 type species *Stomodes rudis* Boheman, 1842

rudis Boheman, 1842b: 147 (*Stomodes*) E: RO TR A: TR

hispidata Stierlin, 1861a: 163 (*Otiiorhynchus*)

hispidosa Marseul, 1873d: [816] (*Otiiorhynchus*) [URN]

styphloides Stierlin, 1883b: 465 (*Otiiorhynchus*)

subgenus *Stierlinia* Desbrochers des Loges, 1909f: 4 type species *Cathormiocerus syriacus* Stierlin,

1885, sensu Desbrochers des Loges, 1909 (= *Parameira taurica* Magnano & G. Osella, 1971)

Lepidostomodes Yunakov, 2004: 1284 type species *Parameira setosa* Seidlitz, 1868

baidarica Yunakov, 2004: 1287 E: UK

coronata Stierlin, 1872: 324 (*Otiiorhynchus*) E: GR

gebleri Faust, 1893b: 202 E: CT ST A: ES KZ MG WS

volgensis Korotyaev, 1992c: 816

krueperi Faust, 1894d: 191 E: GR

peritelina Pesarini, 1970b: 139 (*Otiiorhynchus*) E: IT

setosa Seidlitz, 1868: 27 E: BU GR MD RO TR UK

islamita Marseul, 1872b: 251 [URN]

taurica Magnano & G. Osella, 1971: 252 E: UK

syriaca Desbrochers des Loges, 1909f: 4 (*Cathormiocerus*) [NA]

genus *Parotiorhynchus* Magnano, 1998a: 57 type species *Brachyrhinus antistes* Peyerimhoff, 1923

antistes Peyerimhoff, 1923b: 80 (*Brachyrhinus*) N: MO

genus *Parvorhynchus* Colonnelli, 2014: 339 [EA] type species *Parvorhynchus sordidus* Colonnelli, 2014
sordidus Colonnelli, 2014: 341 A: YE (Suqutra)

genus *Stomodes* Schoenherr, 1826: 188 type species *Stomodes tolutarius* Schoenherr, 1826
Opitomorphus Motschulsky, 1845a: 104 type species *Opitomorphus brevirostris* Motschulsky, 1845
benedikti Borovec & Hlaváč, 2018: 114 E: GR
convexicollis Miller, 1881: 226 E: BH
dodocunevi Borovec & Hlaváč, 2018: 115 E: GR (Kříti)
ganglbaueri Wagner, 1912d: 275 E: RO UK
gyrosicollis Boheman, 1842b: 146 E: AU BH BU CR CZ FRi GE GR HU IT MD PL RO SB SK SL
SZ UK **NARi**
gracilior Brancsik, 1874b: 230
leonhardi Wagner, 1912d: 270 E: GR
letzneri Reitter, 1889g: 375 E: GR
angustatus Stierlin, 1872: 335 (*Otiorrhynchus*) [HN]
marocanus A. Hoffmann, 1957b: 79 N: MO
muelleri Lona, 1922b: 140 E: AL BH GR MC
periteliformis Reitter, 1915g: 161 A: IN
puncticollis amarei Desbrochers des Loges, 1904a: 64 E: IT
puncticollis lanzae Solari, 1947b: 17 E: IT
puncticollis puncticollis Tournier, 1864: 268 E: BH CR GR IT (Sicilia) RO
krueperi Faust, 1890e: 323
rotundicollis J. Frivaldszky, 1880: 264 E: BU RO SB TR
tolutarius Schoenherr, 1826: 189 E: BU GR MC RO ST UK A: AR GG SY TR
brevirostris Motschulsky, 1845a: 104 (*Opitomorphus*)
elongatus Hochhuth, 1847: 503 (*Omius*)
tolutarius Boheman, 1834b: 511 [HN]

genus *Stomodesops* Reitter, 1913a: 11 type species *Otiorrhynchus schaufussii* Miller, 1863
schaufussii Miller, 1863a: 31 (*Otiorrhynchus*) E: BH CR GR

genus *Tylotus* Schoenherr, 1823: 1145 type species *Curculio chrysops* Herbst, 1797
Tyloderes Schoenherr, 1826: 206 type species *Curculio chrysops* Herbst, 1797
chrysops Herbst, 1797: 63 (*Curculio*) E: AU CR GE IT SL
dejeanii Boheman, 1842b: 390 (*Tyloderes*) E: AU
meyerlaei Fabricius, 1801: 521 (*Curculio*) E: AU IT SL
lacernatus Reitter, 1912b: 150 (*Otiorrhynchus*)

7.8.21. Tribe Pachyrhynchini Schoenherr, 1826

genus *Metapocyrtus* Heller, 1912a: 337 type species *Apocyrtus rugicollis* Chevrolat, 1881
subgenus *Trachycyrtus* Heller, 1912a: 303 type species *Apocyrtus profanus* Erichson, 1834
hederaeophilus Yoshitake, 2012: 262 A: JA
immaritus Boheman, 1845: 395 (*Apocyrtus*) A: TAI (Lányü, Lüdão Is.) **ORR**
yonagunianus Chûjô, 1971: 35 A: JA (Ryūkyū)

genus *Pachyrhynchus* Germar, 1823: 336 type species *Pachyrhynchus moniliferus* Germar, 1823
chlorites Chevrolat, 1881d: 360 A: TAI (Lányü & Lüdão Is.) **ORR**
insularis Kano, 1929: 238
infernalis Fairmaire, 1879: 70 A: JA (Ryūkyū)
niger Sakaguchi, 1927: 24
jitanasaius Y-T. Chen & C-P. Lin, 2017: 807 A: TAI (Lüdão I.)
sarcitis kotoensis Kôno, 1930a: 193 A: TAI (Lányü & Lüdão Is.)
sonani Kôno, 1930a: 194 A: TAI (Lányü & Lüdão Is.)
tobafolius Kano, 1929: 237 A: TAI (Lányü & Lüdão Is.)
yamianus Kano, 1929: 237 A: TAI (Lányü & Lüdão Is.)

7.8.22. Tribe Peritelini Lacordaire, 1863

genus *Borovecia* Pierotti & Bellò, 2001b: 177 type species *Borovecia gadorensis* Pierotti & Bellò, 2001
gadorensis Pierotti & Bellò, 2001b: 178 E: SP

genus *Centricnemus* Germar, 1827b: 49 type species *Peritelus leucogrammus* Germar, 1823
Ctenochirus Seidlitz, 1890: 578 type species *Peritelus leucogrammus* Germar, 1823
leucogrammus Germar, 1823: 408 (*Peritelus*) E: AU CZ FR GE GR HU IT PL RO SK ST SZ TR UK
A: KZ WS

genus *Dodomeira* Bellò & Baviera, 2017: 11 type species *Otiorhynchus exiguus* Stierlin, 1861

adrianae Bellò & Baviera, 2017: 22 E: IT (Sicilia)
alta Bellò & Baviera, 2017: 24 E: IT (Sicilia)
angelae Bellò & Baviera, 2017: 83 E: IT (Sicilia)
asinelliensis Bellò & Baviera, 2017: 78 E: IT (Sicilia)
belicensis Bellò & Baviera, 2017: 25 E: IT (Sicilia)
bertoni Bellò & Baviera, 2017: 85 E: IT (Sicilia)
calatina Bellò & Baviera, 2017: 28 E: IT (Sicilia)
caoduroi Bellò & Baviera, 2017: 49 E: IT (Sicilia)
confusa Pierotti, 2012b: 3 (*Pseudomeira*) E: IT (Sicilia)
elima Bellò & Baviera, 2017: 87 E: IT (Sicilia)
enzoii Bellò & Baviera, 2017: 30 E: IT (Sicilia)
exigua Stierlin, 1861a: 133 (*Otiorhynchus*) E: IT (Sicilia)
ficuzzensis Bellò & Baviera, 2011: 39 (*Pseudomeira*) E: IT (Sicilia)
forbicionii Bellò & Baviera, 2017: 32 E: IT (Sicilia)
fossor Bellò & Baviera, 2017: 89 E: IT (Sardegna)
genistae Bellò & Baviera, 2017: 63 E: IT (Sicilia)
giustoi Bellò & Baviera, 2017: 91 E: IT (Sicilia)
hiemalis Bellò & Baviera, 2017: 34 E: IT (Sicilia)
himerensis Bellò & Baviera, 2011: 39 (*Pseudomeira*) E: IT (Sicilia)
ibleiensis Bellò & Baviera, 2017: 36 E: IT (Sicilia)
illuminatae Bellò & Baviera, 2017: 93 E: IT (Sicilia)
juliae Bellò & Baviera, 2017: 38 E: IT (Sicilia)
laliaensis Bellò & Baviera, 2017: 40 E: IT (Sicilia)
magrini Bellò & Baviera, 2017: 96 E: IT (Sicilia)
margheritae Bellò & Baviera, 2017: 65 E: IT (Sicilia)
maritimaensis Bellò & Baviera, 2017: 73 E: IT (Marettimo I.)
montivaga Bellò & Baviera, 2017: 98 E: IT (Sicilia)
nobilis Bellò & Baviera, 2017: 100 E: IT (Sicilia)
paladinii Bellò & Baviera, 2017: 102 E: IT (Sicilia)
petrensis Bellò & Baviera, 2011: 40 (*Pseudomeira*) E: IT (Sicilia)
pfisteri Stierlin, 1864a: 150 (*Cathormiocerus*) E: IT (Sicilia)
sabellai Bellò & Baviera, 2017: 104 E: IT (Sicilia)
saccoi Bellò & Baviera, 2017: 110 N: TU
sicana Bellò & Baviera, 2017: 42 E: IT (Sicilia)
sicelidis Bellò & Baviera, 2017: 45 E: IT (Sicilia)
siderea Bellò & Baviera, 2017: 47 E: IT (Sicilia)
silvanae Bellò & Baviera, 2017: 71 E: IT (Sicilia)
trinacriae Bellò & Baviera, 2011: 47 (*Pseudomeira*) E: IT (Sicilia)
zingara Bellò & Baviera, 2017: 107 E: IT (Sicilia)

genus *Dolichomeira* F. Solari, 1955a: 39 type species *Meira seidlitzii* Desbrochers des Loges, 1889

abdita Pierotti, 2015: 6 E: IT (Sardegna)
amorei A. Solari & F. Solari, 1905a: 526 (*Meira*) E: IT
apula Pierotti, 2015: 9 E: IT
arbarensis Pierotti & Bellò, 2000: 163 E: IT (Sardegna)
calabrica Pierotti & Bellò, 2000: 164 E: IT
caralitana Pierotti & Bellò, 2000: 165 E: IT (Sardegna)
caroli Pierotti & Bellò, 2000: 166 E: IT (Sardegna)

circumcincta Pierotti & Bellò, 2000: 167 E: IT (Sardegna)
colonnellii Pierotti & Bellò, 1994a: 118 E: IT
dubia Pierotti & Bellò, 1994a: 119 E: IT (Sicilia)
francisci Pierotti & Bellò, 2000: 167 E: IT (Sardegna)
ichnusae Pierotti & Bellò, 2000: 168 E: IT (Sardegna)
jana Pierotti & Bellò, 2000: 169 E: IT (Sardegna)
jugurtha Pierotti & Bellò, 2000: 170 E: IT (Sicilia) N: TU
lentisci Pierotti & Bellò, 2000: 171 E: IT (Sardegna)
longior Pic, 1908d: 45 (*Peritelus*) N: TU
marci Pierotti & Bellò, 2000: 172 E: IT (Sardegna)
marcosellai Pierotti & Bellò, 2000: 172 E: IT (Sardegna)
melonii Pierotti & Bellò, 2000: 173 E: IT (Sardegna)
michaelis Pierotti & Bellò, 2000: 174 E: IT (Sardegna)
microphthalma Seidlitz, 1868: 32 (*Peritelus*) E: IT (Sicilia)
minor Pic, 1908d: 44 (*Peritelus*) N: TU
nasuta Péricart, 1963: 43 (*Peritelus*) E: IT (Sardegna)
nugorensis Pierotti & Bellò, 2000: 175 E: IT (Sardegna)
numidica Pierotti & Bellò, 2000: 176 N: TU
nuragica Pierotti & Bellò, 2000: 176 E: IT (Sardegna)
occidentalis Pierotti & Bellò, 2000: 178 E: IT (St. Pietro Is.)
olearia Pierotti & Bellò, 2000: 179 E: IT (Sardegna)
oppidana Pierotti & Bellò, 2000: 180 E: IT (Sardegna)
parvula Pierotti, 2013b: 6 E: IT (Sardegna)
philippi Pierotti & Bellò, 2000: 180 E: IT (Sardegna)
plumbariae Pierotti & Bellò, 2000: 183 E: IT (Sardegna)
sassariensis Desbrochers des Loges, 1889d: ccvi (*Meira*) E: IT(Sardegna)
scodinai Pierotti & Bellò, 2000: 183 E: IT (Sardegna)
seidlitz Desbrochers des Loges, 1889d: ccvi (*Meira*) E: IT (Sardegna)
sulcitana Pierotti & Bellò, 2000: 185 E: IT (Sardegna)
tubaedicata Pierotti & Bellò, 2000: 188 E: IT (Sardegna)
vagnonii Pierotti & Bellò, 2000: 188 E: IT (Sardegna)

genus *Dolichomeira*, nomen dubium

minuscula Desbrochers des Loges, 1905f: 17 (*Meira*) [DA] N: TU

genus *Drouetius* Méquignon, 1942: 10 [DA] type species *Laparocerus azoricus* Drouet, 1859

azoricus azoricus Drouet, 1859: 256 (*Laparocerus*) E: AZ

azoricus nitens Machado, 2009a: 33 E: AZ

azoricus parallelirostris Machado, 2009a: 34 E: AZ

azoricus separandus Machado, 2009a: 34 E: AZ

borgesi borgesi Machado, 2009a: 38 E: AZ

borgesi centralis Machado, 2009a: 41 E: AZ

borgesi sanctimichaelis Machado, 2009a: 41 E: AZ

oceanicus oceanicus Machado, 2009a: 35 E: AZ

oceanicus tristis Machado, 2009a: 36 E: AZ

genus *Epactus* G.A.K. Marshall, 1955b: 293 [DA] type species *Epactus coenosus* G.A.K. Marshall, 1955

auromaculatus Colonnelli, 2014: 349 A: YE (Suqutra)

hirticornis Colonnelli, 2014: 345 A: YE (Suqutra)

hispidus Colonnelli, 2014: 347 A: YE (Suqutra)

genus *Ericiates* Colonnelli, 2014: 349 [DA] type species *Ericiates cinereus* Colonnelli, 2014

cinereus Colonnelli, 2014: 350 A: YE (Suqutra)

genus *Euplister* Pierotti, Bellò & Alonso-Zarazaga, 2010: 34 type species *Peritelus susanae* Seidlitz, 1866

andalusicus Pierotti, Bellò & Alonso-Zarazaga, 2010: 39 E: SP

frater Pierotti, Bellò & Alonso-Zarazaga, 2010: 39 E: SP
hybridus Seidlitz, 1872: 39 (*Peritelus*) E: SP
magnicollis Desbrochers des Loges, 1897a: 182 (*Peritelus*) N: AG
megalophthalmus Pierotti, Bellò & Alonso-Zarazaga, 2010: 40 E: SP
mimus Pierotti, Bellò & Alonso-Zarazaga, 2010: 41 E: SP
moroderi Pierotti, Bellò & Alonso-Zarazaga, 2010: 42 E: SP
setabensis Hustache, 1921b: 5 (*Peritelus*) E: SP
susanae Seidlitz, 1865: 26 (*Peritelus*) E: SP
trifolii Pierotti, Bellò & Alonso-Zarazaga, 2010: 43 E: SP
velazquezi Pierotti, Bellò & Alonso-Zarazaga, 2010: 43 E: SP

genus *Gymnomorphus* Seidlitz, 1866: 349 type species *Peritelus nigrans* Fairmaire, 1862
mononychus Seidlitz, 1865: 75 (*Peritelus*) E: SP
nigrans Fairmaire, 1862c: 555 (*Peritelus*) E: FR SP
albocoronatus Stierlin, 1895a: 74 (*Otiorhynchus*)
albocoronatus Stierlin, 1895b: 299 (*Otiorhynchus*) [HN]

genus *Heteromeira* F. Solari, 1955a: 40 type species *Meira variegata* A. Solari & F. Solari, 1904
apruitiensis Pierotti, 2011b: 225 E: IT
brachyrhina Pierotti, 2011b: 219 E: IT (Sardegna)
caprasiae A. Solari & F. Solari, 1933a: 161 (*Peritelus*) E: FR (Corse) IT (Capraia Is.)
damryi Tournier, 1876a: 10 (*Peritelus*) E: FR (Corse)
sulcatula Desbrochers des Loges, 1896b: 19 (*Meira*)
laticrobs Desbrochers des Loges, 1871: 345 (*Peritelus*) E: FR (Corse) IT (Sardegna)
hamata Seidlitz, 1872: 91 (*Peritelus*)
uniformis Desbrochers des Loges, 1875a: 12 (*Peritelus*)
margheritae Bellò & Pierotti, 1992: 381 E: IT
marianii Pesarini, 1972a: 76 (*Pseudomeira*) E: IT
neapolitana Faust, 1890e: 329 (*Pseudomeira*) E: IT
pacei Bellò & Pierotti, 1992: 384 E: IT (Sicilia)
poggii Pierotti, 2011b: 229 E: IT (Sardegna)
proxima F. Solari, 1955a: 56 E: IT (Sardegna)
raffrayi Pic, 1908d: 44 (*Peritelus*) E: IT
sicula Desbrochers des Loges, 1892e: 4 (*Meira*) E: IT (Sicilia)
logesi Pic, 1908d: 44 (*Peritelus*)
variegata A. Solari & F. Solari, 1904: 171 (*Meira*) E: FR IT

genus *Heteromeiopsis* Pierotti & Bellò, 2004a: 586 type species *Heteromeira zariqueyi* F. Solari, 1955
loebli Pierotti & Bellò, 2004a: 592 E: FR
valentiana Pierotti & Bellò, 2004a: 596 E: SP
zariqueyi F. Solari, 1955a: 58 (*Heteromeira*) E: SP

genus *Leptreius* Pierotti & Bellò, 1997: 164 type species *Peritelus poutiersi* A. Hoffmann, 1945
coniceps Desbrochers des Loges, 1897b: 1 (*Peritelus*) N AG
noxius Boheman, 1834b: 515 (*Peritelus*) E: AU CR FR IT
poutiersi A. Hoffmann, 1945: 49 (*Peritelus*) E: FR

genus *Leptomeira* Pierotti & Bellò, 1997: 168 type species *Leptomeira meregallii* Pierotti & Bellò, 1997
mergallii Pierotti & Bellò, 1997: 170 E: IT (Sardegna)
nupta Pierotti & Bellò, 2001a: 32 E: FR (Corse)
squamulata Reiche, 1862: 297 (*Cathormiocerus*) E: FR (Corse)
corsica Desbrochers des Loges, 1871: 345 (*Peritelus*)
minutissima Desbrochers des Loges, 1873d: 748 (*Peritelus*)
squamans Marseul, 1872b: 250 (*Peritelus*) [RN]

genus *Leptosphaerotus* Seidlitz, 1866: 351 type species *Otiorhynchus aquilus* Chevrolat, 1860
agglutinatus Hustache, 1935c: 239 N: AG
aquilus Chevrolat, 1860b: 134 (*Otiorhynchus*) N: AG TU
furinus Chevrolat, 1860b: 135 (*Otiorhynchus*)
aureolus Hustache, 1935c: 236 N: AG

brevipennis Hustache, 1935c: 235 N: AG
delicatulus Hustache, 1935c: 229 N: AG
diversipennis Pic, 1908d: 44 (*Meira*) N: AG
djurjurenensis Pic, 1897e: 195 (*Meira*) [DA] N: AG
fallaciosus Desbrochers des Loges, 1896b: 16 (*Meira*) N: AG
gracilis Chevrolat, 1861a: 121 (*Peritelus*) N: AG
subplanus Desbrochers des Loges, 1892e: 4 (*Meira*)
granulosus A. Hoffmann, 1953c: 189 (*Peritelus*) N: AG
humeralis Hustache, 1935c: 225 N: AG
infuscatus Hustache, 1935c: 228 N: AG
intermedius Hustache, 1935c: 222 N: AG
intersetosus Chevrolat, 1860a: 80 (*Otiiorhynchus*) N: AG TU
gracilentus Desbrochers des Loges, 1905f: 17[16] (*Meira*)
lameyi Hustache, 1935c: 236 N: AG
latithorax Desbrochers des Loges, 1870b: 77 (*Peritelus*) N: AG
mixtus Hustache, 1935c: 222 N: AG
moissoni Hustache, 1935c: 226 N: AG
muricatus Chevrolat, 1860a: 78 (*Cathormiocerus*) N: AG TU
oliverii Desbrochers des Loges, 1870b: 76 (*Meira*)
separatus Desbrochers des Loges, 1907b: 99 (*Meira*)
normandi Hustache, 1935c: 223 N: AG
obesus Hustache, 1935c: 229 N: AG
peyerimhoffi Pic, 1907e: 274 (*Meira*) N: AG
rubripes Desbrochers des Loges, 1897e: 21 (*Meira*) N: AG TU
rudicollis Desbrochers des Loges, 1897a: 181 (*Meira*) N: AG
ruficolor Pic, 1936: 22 N: AG
rufus Hustache, 1935c: 226 N: TU
setuliferus Desbrochers des Loges, 1870b: 75 (*Peritelus*) N: AG
edoughensis Desbrochers des Loges, 1875a: 12 (*Meira*)
setulosus Desbrochers des Loges, 1897a: 180 (*Meira*) N: AG TU
conicirostris Hustache, 1935c: 234
simoni Hustache, 1935c: 224 N: AG TU
sordidus Hustache, 1935c: 238 N: AG
stagnalis Hustache, 1935c: 221 N: AG
subconiceps Desbrochers des Loges, 1892e: 5 (*Meira*) N: AG
subcylindricus Hustache, 1935c: 228 N: AG
testaceicornis Pic, 1908d: 44 (*Peritelus*) N: AG
villosicollis Hustache, 1935c: 227 N: AG

genus *Meira* Jacquelin du Val, 1853: 711 type species *Meira crassicornis* Jacquelin du Val, 1853

allemandi Rouault, 2013: 119 E: FR
alpina Pierotti, 2016a: 464 E: FR
baudii Stierlin, 1892: 362 E: IT
calanquensis Pierotti & Germann, 2019: 275 E: FR
coironensis Delaunay & Melle, 2013: 3 E: FR
crassicornis Jacquelin du Val, 1853: 713 E: FR
chobauti Delaunay & Melle, 2013: 6
crassulicornis Marseul, 1872a: 90 (*Peritelus*) [URN]
curvipes Pierotti, 2011c: 505 E: FR
diottii Pierotti, 2013c: 595 E: IT
echinoides Pierotti, 2016a: 465 E: FR
etrusca Pierotti, 2012a: 1 E: IT
fagniezi Desbrochers des Loges, 1908g: 63 E: FR
germanni Pierotti, 2016a: 465 E: FR
gerundana Pierotti, Bellò & Alonso-Zarazaga, 2010: 13 E: SP
gourvesi Pierotti, 2011c: 506 E: FR
lata komezai Delaunay & Melle, 2013: 14 E: FR
lata lata Delaunay & Melle, 2013: 12 E: FR
lavagnei Pierotti & Bellò, 1994b: 294 E: FR
lempereuri Pierotti, 2016b: 175 E: FR

mariaesilvanae Bellò & Baviera, 2014: 488 E: IT
medae Pierotti, Bellò & Alonso-Zarazaga, 2010: 14 E: SP (Meda Mayor I.)
mellei Delaunay, 2011: 114 E: FR
moraguesi Pierotti & Rouault, 2010: 387 E: FR
oenotria Pierotti, 2013a: 1 E: IT
osellai Pierotti, 2016a: 466 E: IT
perezi Pierotti & Rouault, 2010: 390 E: FR
rolandi Delaunay & Melle, 2013: 8 E: FR
ronani Delaunay & Melle, 2013: 10 E: FR
rouaulti Pierotti, 2011c: 506 E: FR
sabina Pierotti, 2012a: 4 E: IT
sedilloti C. N. F. Brisout de Barneville, 1883a: clxxix E: FR
stierlini Sainte-Claire Deville, 1906: 259 (*Peritelus*) E: FR IT
minuta Stierlin, 1881c: 163 (*Pseudomeira*) [DA]
straneoi F. Solari, 1955a: 60 E: IT
tarraconensis Pierotti, Bellò & Alonso-Zarazaga, 2010: 15 E: SP
tedeschii Pierotti, 2014a: 293 E: IT (Elba)
teloniensis Pierotti, 2016a: 467 E: FR
umbra Pierotti, 2013a: 4 E: IT
vauclusiana Desbrochers des Loges, 1898e: 63 E: FR
vallisclusae Abeille de Perrin, 1905b: 209

genus *Meira*, nomina dubia

amplicolis Desbrochers des Loges, 1905f: 18 N: TU
fallens Desbrochers des Loges, 1905f: 19 N: AG
leptosphaeroides Seidlitz, 1868: 32 (*Peritelus*) E: SP (Mallorca) N: AG

genus *Meirella* Pierotti & Bellò, 1997: 159 type species *Meira suturella* Fairmaire, 1859

elongatula Fairmaire, 1859f: civ (*Meira*) E: FR
grouvellei Stierlin, 1882a: 255 (*Meira*)
florentina Stierlin, 1885a: 149 (*Meira*) E: FR IT SP
minima Stierlin, 1861a: 134 (*Otiorynchus*) E: IT (Sardegna)
secqorum Pierotti, 2018a: 55 E: FR
suturella Fairmaire, 1859b: 59 (*Meira*) E: FR
balachowskyi A. Hoffmann, 1938a: 51 (*Peritelus*)

genus *Nematocerus* Reiche, 1850: 384 [DA] type species *Nematocerus metallicus* Reiche, 1850

Platyscapus Hustache, 1921a: 28 type species *Platyscapus oblongus* Hustache, 1921
adenensis Voss, 1962b: 188 A: YE
barbitibia Colonnelli, 2014: 354 A: YE (Suqutra)
spinifemur Colonnelli, 2014: 356 A: YE (Suqutra)

genus *Nesotocerus* Colonnelli, 2014: 358 [DA] type species *Nesotocerus rectus* Colonnelli, 2014

complanatus Colonnelli, 2014: 360 A: YE (Suqutra)
griseovestitus Colonnelli, 2014: 364 A: YE (Suqutra)
labeculatus Colonnelli, 2014: 362 A: YE (Suqutra)
rectus Colonnelli, 2014: 358 A: YE (Suqutra)

genus *Peritelus* Germar, 1823: 407 type species *Peritelus sphaeroides* Germar, 1823

Pedanus Fischer von Waldheim, 1829: 96 type species *Peritelus sphaeroides* Germar, 1823
biimpressus Hustache, 1935c: 209 N: AG
confusus Pierotti, 2006: 23 N: TU
familiaris Boheman, 1834b: 514 E: AU BU CZ HU PL RO SB SK SL UK A: KZ
famularis Gyllenhal, 1834b: 514
sphaeroides Germar, 1823: 408 E: AU BE FR GE IT LU NL PL SP SZ UK N: AG
laetus Rey, 1894h: 139
nigripes Rey, 1894h: 139
tenietensis Pic, 1896e: 113

genus *Pseudomeira* Stierlin, 1881c: 160 type species *Pseudomeira nicaeensis* Stierlin, 1881

Neoperitelinus O'Brien & Wibmer, 1982: 4 [RN] type species *Peritelus angulicollis* Desbrochers des Loges, 1896

Peritelimus F. Solari, 1955a: 39 [HN] type species *Peritelus angulicollis* Desbrochers des Loges, 1896
abbazzii Pierotti & Forbicioni, 2015: 35 E: IT (I. Pianosa)
adusticornis Kiesenwetter, 1852: 635 (*Peritelus*) E: SP
aeolica Bellò, Pesarini & Pierotti, 1997: 71 E: IT (Is. Eolie)
alonsoi Pierotti & Bellò, 1994b: 290 E: SP
anachoreta Meloni, Pierotti & Bellò, 2001: 119 E: IT (Sardegna)
andreae Desbrochers des Loges, 1902a: 105 (*Peritelus*) E: IT
andrae: Desbrochers des Loges, 1902a: 105 (*Peritelus*) [IOS, NA]
angelinii Pierotti, 2011a: 15 E: IT
angulicollis Desbrochers des Loges, 1897b: 1 (*Peritelus*) N: TU
annaedicata Pierotti, 2014b: 1 E: IT
apula Bellò & Pierotti, 1992: 372 E: IT
baetica Pierotti, Bellò & Alonso-Zarazaga, 2010: 27 E: SP
barbaricina Pierotti, 2013b: 2 E: IT (Sardegna)
bartolii Bellò, Pesarini & Pierotti, 1997: 69 E: IT (I. Gorgona)
behnei Pierotti, 2006: 30 N: TU
belloi Pierotti, 2006: 31 N: TU
binaghii F. Solari, 1955a: 50 E: IT
cosyrica Pierotti & Bellò, 1994a: 108 E: IT (I. Pantelleria)
crassirostris F. Solari, 1955a: 48 E: IT
doderoi F. Solari, 1955a: 52 E: IT
echidna Seidlitz, 1865: 56 (*Peritelus*) E: IT
eleonora Pierotti & Bellò, 1996: 531 E: IT (Sardegna)
eremita Pierotti, Bellò & Alonso-Zarazaga, 2010: 28 E: SP (Balears)
erinacea Bellò & Baviera, 2011: 45 E: IT (Sicilia)
euryomia Pierotti, 2018b: 15 E: SP (Mallorca)
fancelloi Meloni, Pierotti & Bellò, 2001: 120 E: IT (Sardegna)
ferdinandi Sainte-Claire Deville, 1914: 410 (*Peritelus*) E: FR (Corse)
flavipennis Jacquelin du Val, 1853: 713 (*Peritelus*) E: FR
leveillei C. N. F. Brisout de Barneville, 1883c: vi (*Peritelus*)
subdepressa: Seidlitz, 1865: 46 (*Peritelus*) [NA]
foveithorax Desbrochers des Loges, 1875a: 12 (*Peritelus*) E: FR (Corse)
gougeletii Seidlitz, 1865: 62 (*Peritelus*) E: SP
hispana Chevrolat, 1866b: 105 (*Myllocerus*)
grenierii Seidlitz, 1865: 60 (*Peritelus*) E: SP
holdhausi A. Solari & F. Solari, 1907a: 118 (*Peritelus*) E: IT (I. Elba)
incognita G. Osella & Gregori, 1989: 413 E: IT (Sardegna)
inopinata Pierotti & Bellò, 1996: 541 E: IT (Sardegna)
insularis Desbrochers des Loges, 1871: 345 (*Peritelus*) E: FR (Corse)
curticollis Marseul, 1872a: 86 (*Peritelus*)
inviridis Pic, 1908h: 82 (*Peritelus*) E: SP (Balears)
kapleri Pierotti & Bellò, 2004b: 916 E: GR
kiesenwetterii Seidlitz, 1865: 50 (*Peritelus*) E: SP
hispalensis Marseul, 1872b: 250 (*Peritelus*) [RN]
leoi Pierotti & Bellò, 1996: 539 E: IT (Sardegna)
lepida Pierotti, Bellò & Alonso-Zarazaga, 2010: 29 E: SP
ligurica A. Solari & F. Solari, 1907a: 119 (*Peritelus*) E: IT
lostiae Desbrochers des Loges, 1892j: 88 (*Peritelus*) E: FR (Corse) IT (Sardegna)
lucana Bellò & Pierotti, 1992: 370 E: IT
macrocephala Meloni, Pierotti & Bellò, 2001: 125 E: IT (Sardegna)
mancinii F. Solari, 1955a: 46 E: IT
meles Bellò & Pierotti, 1992: 376 E: IT
melonii Pierotti, 2013b: 4 E: IT (Sardegna)
montisalbi Pierotti & Bellò, 1996: 535 E: IT (Sardegna)
muscorum Desbrochers des Loges, 1871: 346 (*Peritelus*) E: FR (Corse)
muscolica Desbrochers des Loges, 1873d: 748 (*Peritelus*) [URN]
muscorum Desbrochers des Loges, 1873d: 748 (*Peritelus*) [HN]
nebrodensis Pierotti, 2009: 486 E: IT (Sicilia)
natalii Bellò & Baviera, 2011: 46
necessaria Gyllenhal, 1834b: 516 (*Peritelus*) E: FR

nicaeensis Stierlin, 1881c: 160 E: FR IT
clairi Stierlin, 1881c: 162
obscura A. Solari & F. Solari, 1907a: 117 (*Peritelus*) E: AL GR IT
obscurilla Pierotti & Bellò, 1994a: 112
ochsi F. Solari, 1955a: 45 E: FR
osellai Pierotti & Bellò, 1994a: 115 E: IT (Sicilia)
paganettii A. Solari & F. Solari, 1907a: 120 (*Peritelus*) E: IT
parvula Seidlitz, 1865: 55 (*Peritelus*) E: IT
italica Marseul, 1872b: 250 (*Peritelus*) [URN]
permixta Pierotti, 2017: 292 E: FR
pici Desbrochers des Loges, 1894l: cclxvii (*Peritelus*) N: AG
prolixa Kiesenwetter, 1852: 636 (*Peritelus*) E: FR SP
promissa Marseul, 1872b: 250 (*Peritelus*) [URN]
pseudobscura Bellò & Pierotti, 1992: 377 E: IT
pulcherrima Pierotti, 2016c: 47 E: IT
quadraticollis Desbrochers des Loges, 1905f: 22 (*Peritelus*) E: SP
reitteri Vitale, 1903a: 23 (*Peritelus*) E: IT (Sicilia)
mutata Pic, 1908d: 44 (*Peritelus*)
robusticornis F. Solari, 1955a: 45 E: FR
rudis Boheman, 1842b: 152 (*Peritelus*) E: IT
bruckii Seidlitz, 1865: 53 (*Peritelus*)
rusadirensis Pierotti, 2018c: 195 N: MO
mauritanica: Pierotti, 2018c: 147 [IOS]
rustica Boheman, 1842b: 148 (*Peritelus*) E: FR
oblonga Dejean, 1836: 290 (*Peritelus*)
ruteri Péricart, 1963: 36 (*Peritelus*) E: FR
sardoa A. Costa, 1884: 168 (*Peritelus*) E: IT (Sardegna)
[silyanaedicata Bellò, Forbicioni & Ruzzier, 2019: 34 E: IT \(Is. Toscane\)](#)
silvestrii A. Solari & F. Solari, 1907a: 120 (*Peritelus*) E: IT
sinuariae G. Osella & Gregori, 1989: 415 E: IT (I. Asinara)
sinuata Chevrolat, 1860a: 79 (*Peritelus*) N: AG
oranensis Hustache, 1935c: 208
subargentatus Desbrochers des Loges, 1870b: 75 (*Peritelus*)
solarii Péricart, 1963: 40 (*Peritelus*) E: IT (Sicilia)
soror Pierotti & Bellò, 2001a: 27 E: FR (Corse)
stuebeni Pierotti, 2006: 32 N: TU
subsetosa Rey, 1894h: 139 (*Peritelus*) E: FR
tenuicornis L.W. Schaufuss, 1882a: 539 (*Peritelus*) E: SP (Balears)
balearica Desbrochers des Loges, 1896d: 35 (*Peritelus*)
theryi Pic, 1908d: 44 (*Meira*) N: AG
transversicollis F. Solari, 1955a: 53 E: IT (Sardegna)
tunicensis Desbrochers des Loges, 1892e: 6 (*Meira*) N: TU
virgo Pierotti & Bellò, 2001a: 27 E: FR (Corse)
vitalei Desbrochers des Loges, 1892e: 7 (*Peritelus*) E: IT (Sicilia)
[zanichelliae Bellò, Forbicioni & Ruzzier, 2019: 42 E: IT \(Capraia Is.\)](#)

genus *Pseudomeira*, nomen dubium
sicula Seidlitz, 1865: 46 (*Peritelus*) E: IT (Sicilia)

genus *Pseudoperitelus* Pierotti, Bellò & Alonso-Zarazaga, 2010: 39 type species *Peritelus globulicollis* Seidlitz, 1872

spanoli Roudier, 1958a: 26 (*Peritelus*) E: SP (I. Columbreta Mayor)
globulicollis Seidlitz, 1872: 39 (*Peritelus*) E: SP
lopezi A. Hoffmann, 1961b: 32 (*Peritelus*) E: SP (Mallorca)
ruficornis C. N. F. Brisout de Barneville, 1863a: 106 (*Peritelus*) E: FR
senex Boheman, 1834b: 516 (*Peritelus*) E: FR IT SL SP
marqueti Gautier des Cottés, 1858: cxxxvi (*Peritelus*)

genus *Pseudosimo* Pierotti & Bellò, 1999: 413 type species *Peritelus juniperi* Desbrochers des Loges, 1889

juniperi Desbrochers des Loges, 1889d: ccv (*Peritelus*) E: IT (Sardegna)

sardonius Reitter, 1913b: 74 (*Otiorhynchus*)

genus *Ripetelus* F. Solari, 1950a: 28 type species *Peritelus henoni* Desbrochers des Loges, 1897
henoni Desbrochers des Loges, 1897a: 181 (*Peritelus*) N: AG

genus *Simmeiropsis* Pierotti & Bellò, 2013: 80 [RN] type species *Otiorhynchus astragali* Stierlin, 1861

Simopsis Pierotti & Bellò, 2006: 41 [HN] type species *Otiorhynchus astragali* Stierlin, 1861

algharbensis Pierotti, Germann & Braunert, 2013: 274 E: PT

anachoreta Pierotti & Bellò, 2006: 57 E: IT (Sardegna)

astragali Stierlin, 1861a: 130 (*Otiorhynchus*) E: IT (Sardegna)

cremieri Boheman, 1842b: 363 (*Otiorhynchus*) E: FR IT

maroccana Pic, 1920b: 11 (*Peritelus*)

germanni Pierotti & Bellò, 2006: 58 E: IT (Sardegna)

ignorata A. Solari & F. Solari, 1922b: 57 (*Peritelus*) E: IT (Sardegna)

lusitana Pierotti, Germann & Braunert, 2013: 278 E: PT

melonii Pierotti & Bellò, 2006: 59 E: IT (Sardegna)

montana A. Solari & F. Solari, 1922b: 54 (*Peritelus*) E: IT (Sardegna)

mulasi Pierotti & Bellò, 2006: 60 E: IT (Sardegna)

osellai Pierotti & Bellò, 2006: 61 E: IT (Sardegna)

ottonis Reitter, 1913b: 74 (*Otiorhynchus*) E: IT (Sardegna)

planidorsis Seidlitz, 1865: 69 (*Peritelus*) E: FR

subimpressus Pic, 1920b: 11

schoenherri Boheman, 1842b: 149 (*Peritelus*) E: FR IT

subdepressa Mulsant & Rey, 1859a: 277 (*Peritelus*) E: FR

platysoma Seidlitz, 1865: 57 (*Peritelus*)

subdepressa Mulsant & Rey, 1859b: 19 (*Peritelus*) [HN]

supramontana Pierotti & Bellò, 2006: 61 E: IT (Sardegna)

tenuisetis Pierotti & Bellò, 2006: 62 E: IT (Sardegna)

teucarii Pierotti & Bellò, 2006: 63 E: IT (Sardegna)

vatia Pierotti & Bellò, 2006: 64 E: IT (Sardegna)

virginum Pierotti & Bellò, 2006: 65 E: IT (Sardegna)

genus *Simo* Dejean, 1821: 92 type species *Curculio hirticornis* Herbst, 1795

Homorhythmus Bedel, 1883b: 38 type species *Curculio hirticornis* Herbst, 1795

grandis Desbrochers des Loges, 1889d: ccvi (*Peritelus*) E: IT (Sicilia)

hirticornis Herbst, 1795: 327 (*Curculio*) E: AU BE CR CZ DE FR GBi GE GR HU IT LS LU PL SP

SV SZ UK YU

depubes Boheman, 1842b: 361 (*Otiorhynchus*)

setulifer Reitter, 1913b: 75 (*Otiorhynchus*)

simo Olivier, 1807: 361 (*Curculio*)

kabylanus Pic, 1896e: 113 (*Peritelus*) N: AG

roseomicans Pic, 1908j: 263 (*Peritelus*)

variegatus Boheman, 1842b: 360 (*Otiorhynchus*) E: AU BE CZ DE FR GE GR HU IT LU NL PL SK

SZ N: MO A: "Turkestan"

major Desbrochers des Loges, 1896d: 34 (*Peritelus*)

genus *Simo*, nomen dubium

pusio Gyllenhal, 1834b: 612 (*Otiorhynchus*) A: GG

genus *Socotracerus* Colonnelli, 2014: 366 [DA] type species *Socotracerus delumbis* Colonnelli, 2014

contortipes Colonnelli, 2014: 368 A: YE (Suqutra)

delumbis Colonnelli, 2014: 367 A: YE (Suqutra)

genus *Socotractus* Colonnelli, 2014: 370 [DA] type species *Systates angusticollis* Taschenberg, 1883

angusticollis Taschenberg, 1883: 179 (*Systates*) A: YE (Suqutra)

micans Colonnelli, 2014: 375 A: YE (Suqutra)

peteri Colonnelli, 2014: 372 A: YE (Suqutra)

genus *Solariola* Flach, 1908a: 56 [RN] type species *Troglorhynchus paganettii* Flach, 1905

Solariella Flach, 1905: 319 [HN] type species *Troglorhynchus paganettii* Flach, 1905

angelae Baviera, 2015: 424 E: IT (Sicilia)

[angelinii](#) Bellò, Osella & Baviera, 2019: 109 E: IT
[benellii](#) Bellò, Osella & Baviera, 2019: 38 E: IT (Sicilia)
[bucolorum](#) Bellò, Osella & Baviera, 2019: 42 E: IT (Sicilia)
[cajetanibelloi](#) Bellò, Osella & Baviera, 2019: 112 E: IT
[calida](#) Bellò, Osella & Baviera, 2019: 117 E: IT
[clermonti](#) Normand, 1908: 227 (*Trogloorhynchus*) E: FR
[comata](#) Bellò, Osella & Baviera, 2019: 183 E: IT (Sicilia)
[diottii](#) Bellò, Osella & Baviera, 2019: 121 E: IT
[doderoi](#) A. Solari & F. Solari, 1923: 55 E: IT (Sicilia)
[fancelloi](#) Bellò, Osella & Baviera, 2019: 125 E: IT
[forbixi](#) Bellò, Osella & Baviera, 2019: 46 E: IT (Sicilia)
[fraterna](#) Baviera, 2015: 410 E: IT
~~[gestroi-clermonti](#) Normand, 1908: 227 (*Trogloorhynchus*) E: FR~~
[gestroi gestroi](#) A. Solari & F. Solari, 1904: 169 (*Otiorhynchus*) E: IT
[gratiensis](#) Bellò, Osella & Baviera, 2019: 188 E: IT (Sicilia)
~~[graziaensis](#): Bellò, Osella & Baviera, 2019: 189, 192 [IOS, NA] #⁵~~
[hirtula](#) A. Solari & F. Solari, 1923: 52 E: IT
[hyblensis](#) Bellò, Osella & Baviera, 2019: 50 E: IT (Sicilia)
[ientilei](#) Bellò, Osella & Baviera, 2019: 54 E: IT (Sicilia)
[margaritae](#) Bellò, Osella & Baviera, 2019: 195 E: IT
[mariaeclarae](#) Bellò, Osella & Baviera, 2019: 58 E: IT (Sicilia)
[mariaesilvanae](#) Bellò, Osella & Baviera, 2019: 71 E: IT (Sicilia)
[mariaetheresiae](#) Bellò, Osella & Baviera, 2019: 199 E: IT
[melonii](#) Bellò, Osella & Baviera, 2019: 203 E: IT
[nemoralis](#) Bellò, Osella & Baviera, 2019: 210 E: IT (Sicilia)
[normanna](#) Bellò, Osella & Baviera, 2019: 130 E: IT
[obsoleta](#) Bellò, Osella & Baviera, 2019: 134 E: IT
[pacei](#) Bellò, Osella & Baviera, 2019: 215 E: IT
[paganettii](#) Flach, 1905: 318 (*Trogloorhynchus*) E: IT
~~[flachi](#) Weise, 1906: 608 (*Otiorhynchus*) [URN]~~
[paulimagrini](#) Bellò, Osella & Baviera, 2019: 76 E: IT (Sicilia)
[pentaphyllica](#) Bellò, Osella & Baviera, 2019: 219 E: IT
[pesarini](#) Baviera, 2015: 417 E: IT (Sicilia)
[petrioli](#) Bellò, Osella & Baviera, 2019: 80 E: IT (Sicilia)
[poggii](#) Bellò, Osella & Baviera, 2019: 138 E: IT
[raphaelis](#) Bellò, Osella & Baviera, 2019: 223 E: IT (Sicilia)
[rosae](#) Bellò, Osella & Baviera, 2019: 226 E: IT (Sicilia)
[ruffoi](#) G. Osella & Di Marco, 1996: 349 E: IT (Sicilia)
[sabellai](#) Bellò, Osella & Baviera, 2019: 84 E: IT (Sicilia)
[saccoi](#) Bellò, Osella & Baviera, 2019: 88 E: IT (Sicilia)
[sbordonii](#) Bellò, Osella & Baviera, 2019: 142 E: IT
[selinusia](#) Bellò, Osella & Baviera, 2019: 92 E: IT (Sicilia)
[tedeschii](#) Bellò, Osella & Baviera, 2019: 146 E: IT
[venusta](#) Bellò, Osella & Baviera, 2019: 150 E: IT
[vitalei](#) A. Solari & F. Solari, 1923: 53 E: IT (Sicilia)
[zoiai](#) Bellò, Osella & Baviera, 2019: 154 E: IT

genus *Systates* Gerstaecker, 1871: 71 [DA] type species *Systates pollinosus* Gerstaecker, 1871

[brancuccii](#) Rheinheimer, 2003: 314 A: SA
[buettikeri](#) Rheinheimer, 2003: 317 A: SA
[burckhardti](#) Rheinheimer, 2003: 317 A: SA
[hlavaci](#) Colonnelli, 2014: 378 A: YE (Suqutra)
[omanicus](#) Rheinheimer, 2003: 313 A: OM
[spinipennis](#) Colonnelli, 2014: 379 A: YE (Suqutra)

genus *Trogloorhythmus* Alziar & Lemaire, 2008: 73 [DA] type species *Trogloorhynchus augustae* Alziar, 1977

[augustae](#) Alziar, 1977: 2 (*Trogloorhynchus*) E: FR
[raffaldii](#) Alziar, 1977: 4 (*Trogloorhynchus*)

curtii Alziar & Lemaire, 2010: 96 E: FR
raffaldianus giordani Alziar & Lemaire, 2008: 74 E: FR
raffaldianus raffaldianus Alziar & Lemaire, 2008: 74 E: FR

genus *Tuberates* Colonnelli, 2014: 382 [DA] type species *Tuberates pustulatus* Colonnelli, 2014
pustulatus Colonnelli, 2014: 382 A: YE (Suqutra)

tribe Peritelini, nomina dubia

Peritelus kraatzii Tournier, 1864: 268 E: IT
Peritelus puncticollis Motschulsky, 1845b: 102 [DA] E: LA
Peritelus sulcirostris Ballion, 1878: 356 A: NO
Strophosomus ocularis Chevrolat, 1879f: 188 E: "Hungary"
Strophosomus ocularis Chevrolat, 1880a: cxxxix [HN]

7.8.23. Tribe Phyllobiini Schoenherr, 1826

genus *Argoptochus* Weise, 1883b: 255 type species *Peritelus bisignatus* Germar, 1823

subgenus *Argoptochus* Weise, 1883b: 255 type species *Peritelus bisignatus* Germar, 1823

albisetia Borovec, 1998a: 154 (*Omiamima*) E: GR A: TR
bisignatus Germar, 1823: 410 (*Peritelus*) E: AU BH CR GE GR HU IT ME RO SL UK
bulgaricus Angelov, 1987b: 109 E: BU GR
cretensis Pic, 1904a: 4 (*Ptochus*) E: GR (Kriti)
emgei Stierlin, 1887: 396 (*Ptochus*) E: GR
bellus Faust, 1889a: 69 (*Foucartia*) [HN]
graecus Stierlin, 1887: 395 (*Ptochus*) E: GR
hystricus Borovec, 1998a: 156 (*Omiamima*) E: BU
innotatus Pic, 1907a: 106 E: GR
leonhardi Schilsky, 1912: 10 E: GR
markovenski Angelov, 1987b: 111 E: BU
megacephalus F. Solari, 1926: 107 E: AL
moraveci Borovec, 2006b: 58 E: MC
muralis Białoński & Szypuła, 2007: 172 A: TR
pelletieri Borovec, 2006b: 56 E: GR
pericarti Borovec & Pelletier, 1998: 85 E: GR
quadrisignatus Bach, 1856: 242 (*Ptochus*) E: CR CZ GE PL RO SK UK
robustus Borovec, 2006b: 54 E: GR
russelli Borovec, 2006b: 50 E: GR
sappho Germann, Borovec & Braunert, 2015: 346 E: GR (Lésvos)
schwarzi ophthalmicus K. Daniel, 1904: 83 (*Ptochus*) E: IT
schwarzi schwarzi Reitter, 1888a: 71 (*Foucartia*) E: AL GR TR
albanicus Apfelbeck, 1901a: 435 (*Ptochus*)
albanicus Apfelbeck, 1902: 467 (*Ptochus*) [HN]
vindobonensis Formánek, 1908b: 223 E: AU HU SK UK
latirostris Penecke, 1928b: 43 (*Omius*)
voriseki Borovec, 2006b: 52 E: MC
subgenus *Foucartidius* Pesarini, 1981: 85 type species *Ptochus minimus* Formánek, 1905
championi championi Reitter, 1891c: 214 (*Foucartia*) E: GR
notatipennis Pic, 1904f: 50 (*Foucartia*)
championi ravasinii F. Solari, 1926: 108 E: AL
longisetis F. Solari, 1926: 109 E: TR
minimus Formánek, 1905b: 261 (*Ptochus*) E: CR
osellai Pesarini, 1981: 86 A: TR
schatzmayri F. Solari, 1926: 108 E: GR
unicolor Penecke, 1935a: 106
subsignatus Boheman, 1834b: 489 (*Ptochus*) E: BU HU RO SL UK
subgenus *Mylacoptochus* Pesarini, 1981: 78 type species *Mylacus bifoveolatus* Stierlin, 1897
bifoveolatus Stierlin, 1897: 480 (*Mylacus*) E: BU RO
bifoveolatus Stierlin, 1899a: 199 (*Mylacus*) [HN]
strobli Reitter, 1900a: 278
viridilimbatus Apfelbeck, 1898a: 284 (*Ptochus*) E: AL BU HU SB SK SL

- viridilimbatus* Apfelbeck, 1899: 789 (*Ptochus*) [HN]
subgenus *Neohenschia* Korotyaev, 1992d: 879 [RN] type species *Ptochus periteloides* Fuss, 1861
Henschia Reitter, 1906a: 227 [HN] type species *Ptochus periteloides* Fuss, 1861
lodosi Pesarini, 1981: 92 A: TR
lukjanovitschi Arnol'di, 1965: 518 E: ST UK
periteloides Fuss, 1861: 171 (*Ptochus*) E: CR HU MD RO SB UK
henschi Reitter, 1901h: 200 (*Foucartia*)
serbicus Apfelbeck, 1898a: 297 (*Brachysomus*)
serbicus Apfelbeck, 1899: 801 (*Brachysomus*) [HN]
- genus** *Brachymerinthus* Faust, 1886f: 338 type species *Brachymerinthus helferi* Faust, 1886
helferi Faust, 1886f: 338 A: "Euphrat"
- genus** *Brachyxystus* Faust, 1897d: 355 type species *Brachyxystus subsignatus* Faust, 1897
subsignatus gulmargicus Thompson, 1977: 454 A: KA
subsignatus subsignatus Faust, 1897d: 356 A: HP SD UP
- genus** *Catorygma* G.A.K. Marshall, 1916b: 279 type species *Catorygma curvipes* G.A.K. Marshall, 1916
spinipenne Pajni, Kukreja & Gandhi, 1995: 35 A: KA
- genus** *Dichorhynchus* Desbrochers des Loges, 1875a: 9 type species *Dichorhynchus pseudoscythropus*
Desbrochers des Loges, 1875
alziari Germann, 2013: 6 A: CY
creticus Faust, 1889b: 92 (*Phyllobius*) E: GR (Kriti)
freyi F. Solari, 1940b: 74 N: LB
geiseri Germann, 2013: 3 E: GR (Samos I.) A: TR
korbi Schilsky, 1911: 54 A: SY TR
pseudoscythropus Desbrochers des Loges, 1875a: 9 A: CY LE
- genus** *Euphyllobiomorphus* Morimoto, 1962c: 386 type species *Euphyllobiomorphus kurosawai*
Morimoto, 1962
kurosawai Morimoto, 1962c: 386 A: JA (Yakushima I.)
- genus** *Metacinops* Kraatz, 1862a: 117 type species *Metacinops rhinomacer* Kraatz, 1862
rhinomacer Kraatz, 1862a: 118 E: BU GR IT
calabrus Stierlin, 1892: 361
illustris Stierlin, 1887: 394
siculus G. Osella & Di Marco, 1996: 354 E: IT (Sicilia)
- genus** *Oarius* Desbrochers des Loges, 1905f: 20 type species *Oarius grisescens* Desbrochers des Loges, 1905
Mazuranella Formánek, 1923b: 108 type species *Mazuranella parnassica* Formánek, 1923
grisescens Desbrochers des Loges, 1905f: 20 A: TR
parnassicus Formánek, 1923b: 108 (*Mazuranella*) E: GR
- genus** *Oedecnemidius* K. Daniel, 1903b: 252 type species *Phyllobius gloriosus* K. Daniel, 1903 (= *Phyllobius varius* Brullé, 1832)
Phyllerastes Schilsky, 1908a: 5 [HN] type species *Phyllobius pictus* Gyllenhal, 1834 (= *Phyllobius varius* Brullé, 1832)
saltuarius Heyden, 1888b: 46 (*Phyllobius*) A: TR
varius Brullé, 1832a: 238 (*Phyllobius*) E: AU BU GR HU IT MC MD RO SB SK ST TR UK A: AB
CY GG IN TR
curvipes Pic, 1919a: 1 (*Phyllobius*)
gloriosus K. Daniel, 1903b: 252
lividianus Pic, 1919a: 2 (*Phyllobius*)
monstruosus Tournier, 1879c: iii (*Phyllobius*)
pallipes Gyllenhal, 1834b: 450 (*Phyllobius*)
pictus Fischer von Waldheim, 1829: 95 (*Polydrusus*) [NA]
pictus Gyllenhal, 1834b: 456 (*Phyllobius*)
rhodosicus Faust, 1899a: 174 (*Phyllobius*)

genus *Ophryophyllobius* Morimoto & Kojima, 2006: 75 type species *Phyllobius polydrusoides* Sharp, 1896
polydrusoides Sharp, 1896: 102 (*Phyllobius*) A: JA

genus *Parascythopus* Desbrochers des Loges, 1875a: 6 type species *Phyllobius apollinis* Miller, 1862
abeillei Guillebeau, 1897a: 23 (*Phyllobius*) A: TR
apollinis Miller, 1862b: 350 (*Phyllobius*) E: BU GR
taygetanus Reitter, 1884c: 96 (*Phyllobius*)
baudii Stierlin, 1892: 361 E: IT
intrusus Kôno, 1948: 169 (*Phyllobius*) Ei: GE NL NR A: JA SC NARi
exsulans Heijerman & Magnano, 2000: 198
kadleci Borovec & Magnano, 2004: 19 A: IS LE SY
mirandus Desbrochers des Loges, 1875a: 7 A: LE TR
pinicola Kiesenwetter, 1864: 260 (*Phyllobius*) E: AL BH BU GR MC ME SB
desbrochersi Stierlin, 1883b: 625 (*Phyllobius*)
holtzi Schilsky, 1908a: 3 (*Phyllobius*)
saltinii Colonnelli, 2013: 175 A: SY

genus *Phyllobius* Germar, 1823: 447 type species *Curculio pyri* Linnaeus, 1758
subgenus *Alsus* Motschulsky, 1845a: 104 type species *Phyllobius suratus* Gyllenhal, 1834 (= *Phyllobius brevis* Gyllenhal, 1834)
Platycnemidius Apfelbeck, 1915: 226 type species *Phyllobius pseudonothus* Apfelbeck, 1915 (= *Phyllobius dispar* L. Redtenbacher, 1847)
Platycnemidius Apfelbeck, 1916: 403 [HN] type species *Phyllobius pseudonothus* Apfelbeck, 1916 (= *Phyllobius dispar* L. Redtenbacher, 1847)
Udanellus Reitter, 1916a: 41 type species *Phyllobius brevis* Gyllenhal, 1834
brevis Gyllenhal, 1834b: 461 E: BY CT CZ GE HU LT PL RO SK SL ST UK A: AB AR ES GG
IN KI KZ MG TR WS XIN
cinereus Gyllenhal, 1834b: 455
collaris Motschulsky, 1860b: 162 (*Alsus*)
farinosus Motschulsky, 1860b: 161 (*Alsus*)
flavipes Motschulsky, 1860b: 161 (*Alsus*)
indriensis Motschulsky, 1860b: 161 (*Alsus*)
irroratus Boheman, 1842b: 37
macrocerus Motschulsky, 1860b: 162 (*Alsus*)
omioides Hochhuth, 1851: 50
planirostris Gyllenhal, 1834b: 462
seriehispidus Gyllenhal, 1834b: 464
sulcirostris Boheman, 1834b: 462
suratus Gyllenhal, 1834b: 463
dispar dispar L. Redtenbacher, 1847: 433 E: AL AU BH CR CZ GE GR HU IT ME SB SK SL
bratislavensis Roubal, 1935b: 246
hypsibatus Apfelbeck, 1915: 227
hypsibatus Apfelbeck, 1916: 404 [HN]
pseudonothus Apfelbeck, 1915: 227
pseudonothus Apfelbeck, 1916: 404 [HN]
dispar meriditanus Apfelbeck, 1915: 227 E: AL
meriditanus Apfelbeck, 1916: 404 [HN]
emgei Stierlin, 1887: 393 E: GR
potanini Korotyaev, 1979: 136 A: SCH
subgenus *Angarophyllobius* Korotyaev & Egorov, 1977: 395 type species *Phyllobius fumigatus* Boheman, 1842
baicalicus Korotyaev, 1979: 137 A: ES
claviger Faust, 1889f: 234 A: FE
femoralis Boheman, 1842b: 36 A: ES FE MG NMO WS
jakovlevi Faust, 1893b: 201
fumigatus Boheman, 1842b: 18 A: ES FE MG WS
lugubris Motschulsky, 1860b: 162
grubovi Korotyaev, 1984c: 360 A: MG
helenae Korotyaev & Egorov, 1977: 411 A: MG
hochhuthi Faust, 1883e: 108 A: ES FE MG
gracilipes Schilsky, 1911: 13
similis Schilsky, 1911: 14
kaszabi Arnol'di & Korotyaev, 1977: 376 A: ES MG
kerzhneri Korotyaev & Egorov, 1977: 413 A: MG

kolymensis Korotyaev & Egorov, 1977: 403 A: FE
logunovi Korotyaev, 1995b: 890 A: ES
lukjanovitshi Korotyaev & Egorov, 1977: 415 A: ES
maculosus Motschulsky, 1860b: 162 A: FE
mongolicus Korotyaev & Egorov, 1977: 404 A: ES MG
parvicollis Korotyaev & Egorov, 1977: 405 A: MG
przewalskii Korotyaev, 1979: 140 A: NMO
profanus Faust, 1881: 302 A: ES
sahlbergi Faust, 1890a: 66 A: ES
 jacobsoni Suvorov, 1915b: 331 [HN]
 suvorovi Smirnov, 1916: 16 [RN]
sauricus Korotyaev & Egorov, 1977: 416 A: KZ
solarii Schilsky, 1911: 9 A: MG
tuvensis Korotyaev & Egorov, 1977: 412 A: ES
verae Korotyaev, 1984c: 357 A: ES
virens Faust, 1890a: 68 (*Argoptochus*) A: ES MG
 svetlanae Korotyaev & Egorov, 1977: 409
subgenus *Aprepes* Schoenherr, 1847: 57 type species *Aprepes micans* Schoenherr, 1847 (= *Phyllobius*
altaicus Gebler, 1833)
 Paraphyllobius Schilsky, 1911: B type species *Phyllobius gyratus* Gyllenhal, 1834 (= *Phyllobius altaicus* Gebler, 1833)
altaicus Gebler, 1833: 299 A: ES KZ WS
 gyratus Gyllenhal, 1834b: 444
 inflatus Motschulsky, 1860b: 163
 micans Schoenherr, 1847: 58 (*Aprepes*)
 splendens Marseul, 1872b: 251 (*Aprepes*) [URN]
crassus crassus Motschulsky, 1860b: 163 A: ES FE WS
 corpulentus Schilsky, 1911: 7
 crassior Desbrochers des Loges, 1873d: 718
 crassior Desbrochers des Loges, 1900a: 3 [HN]
 motschulskyi Faust, 1895c: 97
crassus platyomus Korotyaev & Egorov, 1977: 393 A: ES WS
kozlovi Korotyaev & Egorov, 1977: 394 A: MG
roseipennis Pesarini, 1973: 80 A: IN
subgenus *Chauliophyllobius* Morimoto & Kojima, 2006: 92 type species *Diallobius lewisi* Sharp, 1896
lewisi Sharp, 1896: 105 (*Diallobius*) A: JA (Honshu)
subgenus *Diallobius* Sharp, 1896: 104 type species *Phyllobius mundus* Sharp, 1896 (= *Phyllobius*
incomptus Sharp, 1896)
 Ceratophyllobius Pesarini, 1969: 58 type species *Phyllobius mundus* Sharp, 1896 (= *Phyllobius incomptus* Sharp, 1896)
incomptus Sharp, 1896: 103 A: GUX JA NC SC SCH
 inornatus Sharp, 1896: 104 (*Diallobius*)
 japonicus Schilsky, 1911: 11 [HN]
 leechi Sharp, 1896: 103
 mundus Sharp, 1896: 104 (*Diallobius*)
 schilskyi Kôno, 1930a: 207 [RN]
subgenus *Dieletus* Reitter, 1916a: 40 type species *Curculio argentatus* Linnaeus, 1758
argentatus argentatus Linnaeus, 1758: 384 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI
 FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SP ST SV
 SZ UK A: ES KZ WS
 argenteus Turton, 1800: 277 (*Curculio*)
 argentatus Gmelin, 1790: 1779 (*Curculio*) [HN]
 atripes A. Hoffmann, 1950a: 194 [NA]
 auratus A. Hoffmann, 1950a: 194 [NA]
 croaticus Stierlin, 1884a: 42
 pineti L. Redtenbacher, 1847: 432
 sericeus Piller & Mitterpacher, 1783: 68 (*Curculio*) [HN] [DA]
 sutorinensis Apfelbeck, 1898a: 286
 sutorinensis Apfelbeck, 1899: 791 [HN]
 tenuior Rey, 1894h: 139
 tephreus Schilsky, 1908a: 51 [NA]
 tereticollis Gyllenhal, 1834b: 457
 viridans Boheman, 1842b: 22
*argentatus mediatu*s Reitter, 1888b: 238 E: ST UK A: AB AR GG TR
subgenus *Dolichophyllobius* Pesarini, 1981: 209 [RN] type species *Phyllobius solskyi* Faust, 1885
 Trichorrhinus Pesarini, 1969: 58 type species *Phyllobius solskyi* Faust, 1885
solskyi Faust, 1885b: 163 A: KI KZ MG TD UZ XIN

auliensis Reitter, 1902d: 215

subgenus *Ectomogaster* Apfelbeck, 1915: 248 type species *Polydrusus fulvago* Gyllenhal, 1834
Ectomogaster Apfelbeck, 1916: 426 [HN] type species *Polydrusus fulvago* Gyllenhal, 1834

festae F. Solari, 1925: 28 N: LB
cyrenaicus F. Solari, 1940b: 73

fulvago Gyllenhal, 1834b: 442 E: BH BU GR RO ST UK A: GG IS LE SY TR
akbesianus Desbrochers des Loges, 1895e: 97[/96]
brisouti Desbrochers des Loges, 1872b: 681
davydovi Suvorov, 1915b: 332
fulvipes Gyllenhal, 1834b: 441 [HN]
sanctus Faust, 1882a: 260

fulvagoides Reitter, 1885b: 387 E: GR (Kriti)
marginalis Faust, 1889a: 69

granicollis Pesarini, 1970a: 78 A: IS
insidiosus Pesarini, 1981: 191 E: GR (Kriti)

karamanensis Voss, 1964d: 164 A: TR
gentilis Voss, 1964d: 166 [NA]
karamanensis Voss, 1962a: 5 [NA]

perspicillatus Pesarini, 1971a: 74 A: TR

pilidorsum Desbrochers des Loges, 1895d: 95 A: LE SY
undatus Schilsky, 1911: 15

schatzmayri Pesarini, 1981: 189 E: GR (Ródos)

subgenus *Italoscythrops* Pesarini, 1981: 195 type species *Phyllobius raverae* A. Solari & F. Solari, 1904
raverae A. Solari & F. Solari, 1904: 175 E: IT

subgenus *Metaphyllobius* Smirnov, 1913a: 101 type species *Curculio glaucus* Scopoli, 1763
Hoplophyllobius Apfelbeck, 1915: 245 type species *Phyllobius pilicornis* Desbrochers des Loges, 1872
Hoplophyllobius Apfelbeck, 1916: 426 [HN] type species *Phyllobius pilicornis* Desbrochers des Loges, 1872

alternans Bajtenov, 1974b: 32 A: KZ
circassicus Reitter, 1888b: 237 E: ST A: GG
dahli Korotyaev, 1984c: 363 E: CT KZ NT ST
derjugini Smirnov, 1913a: 95 A: GG
deyrollei Tournier, 1877a: 4 E: ST A: GG TR
pallidipes Reitter, 1890c: 154

fessus Boheman, 1842b: 14 A: ES FE MG WS
illibatus Tournier, 1877a: 6
tournieri Smirnov, 1913a: 26 [URN]

ganglbaueri Apfelbeck, 1915: 247 E: BH MC
ganglbaueri Apfelbeck, 1916: 425 [HN]

glaucus Scopoli, 1763: 31 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR
IT LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ UK N: AG A: AB GG IN KZ
TR WS NARi
atrovirens Gyllenhal, 1834b: 436
caesius Marsham, 1802: 318 (*Curculio*)
calcaratus Fabricius, 1792: 485 (*Curculio*) [HN]
carniolicus Gmelin, 1790: 1777 (*Curculio*) [URN]
coelestinus Scopoli, 1763: 31 (*Curculio*)
densatus Schilsky, 1886: 95
fuscofumosus Reitter, 1906a: 243 [NA]
maculatus Tournier, 1877a: 5
nigripes Gerhardt, 1900a: 7
nigrofemoratus Gerhardt, 1900b: 71
nudus Westhoff, 1882: 198
pseudodensatus Reitter, 1916a: 42 [NA]
pyri Fabricius, 1775: 155 (*Curculio*) [NA]
tibialis Schilsky, 1908a: 64 [NA]

grunini Korotyaev & Egorov, 1977: 422 A: KZ

jacobsoni Smirnov, 1913a: 85 E: BY NT CT KZ PL ST UK

litoralis Faust, 1887h: 165 A: FE

medvedevi Korotyaev & Egorov, 1977: 429 A: KZ

noesskei Apfelbeck, 1915: 247 E: BH
noesskei Apfelbeck, 1916: 425 [HN]

obovatus Gebler, 1834c: 445 A: ES WS
auratus Motschulsky, 1860b: 163 [HN]

pilicornis Desbrochers des Loges, 1872b: 686 E: AL AU BH BU CZ GR HU MC MD ME NLi PL
RO SB SK TR UK A: TR

ater Stierlin, 1883b: 610
hungaricus Stierlin, 1886c: 284
pomaceus Gyllenhal, 1834b: 438 **E:** AU BE BU BY CT CZ DE EN FI FR GB GE HU IR LA LT
 LU MD NL NR NT PL RO SB SK SP ST SV SZ UK **A:** IN KZ UZ
alneti Fabricius, 1792: 487 (*Curculio*) [HN]
anomastus Tournier, 1877a: 8
auratus Geoffroy, 1785: 127 (*Curculio*) [HN]
brevitalus C. G. Thomson, 1865: 114
cnides Marsham, 1802: 318 (*Curculio*) [RN]
gyllenhali Tournier, 1877a: 7
lindemanni Lindemann, 1871: 171
prasinus Olivier, 1791: 559 (*Curculio*)
pyri Herbst, 1795: 259 (*Curculio*) [NA]
ribesii Brahm, 1790: 98 (*Curculio*) [DA]
serbicus Apfelbeck, 1915: 245
serbicus Apfelbeck, 1916: 426 [HN]
urticae DeGeer, 1775: 219 (*Curculio*) [HN]
verecundus Boheman, 1842b: 17
rochati Pesarini, 1981: 177 **E:** GR MC ME
valonensis Apfelbeck, 1915: 232 **E:** AL
valonensis Apfelbeck, 1916: 409 [HN]
subgenus *Nanoschetus* Reitter, 1916a: 40 type species *Phyllobius cylindricollis* Gyllenhal, 1834
cylindricollis Gyllenhal, 1834b: 458 **E:** ST UK **A:** KZ WS
crassicollis Stierlin, 1864b: 496
hebes Boheman, 1842b: 26
subgenus *Nemoicus* Dillwyn, 1829: 46 type species *Curculio oblongus* Linnaeus, 1758
oblongus Linnaeus, 1758: 384 (*Curculio*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB
 GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK
A: KZ TR WS **NARi**
aceris Apfelbeck, 1915: 228
aceris Apfelbeck, 1916: 405 [HN]
biformis Reitter, 1888b: 238
floricola Herbst, 1784: 86 (*Curculio*)
fuscus Laicharting, 1781: 211 (*Curculio*) [HN]
mali Fabricius, 1782: 499 (*Curculio*)
mandibularis Gerhardt, 1911a: 337
mandibularis Gerhardt, 1911b: 1 [HN]
pruni Scopoli, 1763: 31 (*Curculio*)
querneus Geoffroy, 1785: 128 (*Curculio*)
rufescens Marsham, 1802: 316 (*Curculio*) [HN]
subgenus *Nipponophyllobius* Korotyaev & Egorov, 1977: 417 type species *Phyllobius picipes*
 Motschulsky, 1860
occidentalis Morimoto & Miyakawa, 2006: 98 **A:** JA
picipes Motschulsky, 1861: 20 **A:** FE JA (Hokkaido, Honshu)
galloisi Hustache, 1920b: 115
tonnaiensis Kôno, 1928: 165
shigematsui Morimoto & Miyakawa, 2006: 97 **A:** JA (Honshu)
subgenus *Odontophyllobius* Pesarini, 1968a: 38 type species *Phyllobius armatus* Roelofs, 1876
annectens Sharp, 1896: 99 **A:** FE JA SC
daisetsuzanus Kôno, 1928: 164
doii Kôno, 1927b: 59
armatus Roelofs, 1876: cxxviii **A:** FE (Kuril Is.) JA SC
subgenus *Otophyllobius* Pesarini, 1968a: 38 type species *Phyllobius rotundicollis* Roelofs, 1873
globicollis Morimoto & Miyakawa, 2006: 103 **A:** JA (Honshu)
gomadanensis Morimoto & Miyakawa, 2006: 109 **A:** JA (Honshu)
hiurai Morimoto & Miyakawa, 2006: 115 **A:** JA (Honshu)
ichihashii Morimoto & Miyakawa, 2006: 112 **A:** JA (Honshu)
kannohi Morimoto, 2015: 611 **A:** JA
kantoensis Morimoto & Miyakawa, 2006: 110 **A:** JA (Honshu)
kumanoensis Morimoto & Miyakawa, 2006: 105 **A:** JA (Honshu)
prolongatus Motschulsky, 1866a: 180 **A:** FE HEN JA SC
longicornis Roelofs, 1873: 166
rotundicollis Roelofs, 1873: 167 **A:** JA SC
nigritus Sharp, 1896: 100
subgenus *Parnemoicus* Schilsky, 1911: B type species *Curculio viridicollis* Fabricius, 1792

roboretanus Gredler, 1882: 231 **E**: AU BE CT EN FR GB GE HU IR IT LT LU MD ME NL PL
RO SZ
[cinereus Schilsky, 1908a: 25 \[NA\]](#)
[parvulus Olivier, 1807: 381 \(Curculio\) \[NA\]](#)
subdentatus Boheman, 1842b: 30 **E**: IT
logesi Ragusa, 1883a: 303
ragusae Stierlin, 1883b: 619
siculus Stierlin, 1892: 369
tersus Desbrochers des Loges, 1872b: 667 [URN]
viridicollis Fabricius, 1792: 469 (*Curculio*) **E**: AU BH BY CT CZ DE EN FI FR GB GE HU IT LA
LS LT NR NT PL RO SK ST SV SZ UK **A**: WS
subgenus *Phyllobius* Germar, 1823: 447 type species *Curculio pyri* Linnaeus, 1758
Mylacomias Reitter, 1913a: 16 type species *Mylacomias eques* Reitter, 1913
Neripletenus Reitter, 1916a: 41 type species *Phyllobius singularis* Reitter, 1916 (= *Phyllobius kuldzhanus* Suvorov, 1915)
Phyllobidius Pesarini, 1969: 60 type species *Curculio arborator* Herbst, 1797
Phyllobiomorphus Hajóss, 1938: 657 type species *Phyllobius strandi* Hajóss, 1938 (= *Phyllobius bulgaricus* Apfelbeck, 1915)
Ustavenus Reitter, 1916a: 40 type species *Curculio pyri* Linnaeus, 1758
[alpinus Stierlin, 1859: 269 **E**: AU CZ FR IT PL RO SK SZ UK](#)
[pallens A. Hoffmann, 1950a 207 \[NA\]](#)
arborator Herbst, 1797: 51 (*Curculio*) **E**: AU BH BY CT CZ EN FI FR GE HU IT LA LS LT NL NT
PL RO SK SL SP ST SZ UK
acuminatus Boheman, 1842b: 24
apfelbecki Stierlin, 1888a: 13
psittacinus Germar, 1823: 448
signaticornis Desbrochers des Loges, 1872b: 690
betulinus betulinus Bechstein & Scharfenberg, 1805: 886 (*Curculio*) **E**: AL AU BE BH BU BY CR CZ
FR GE GR HU LA LT LU MC MD ME NL PL PT RO SB SK SP ST SZ TR UK **A**: KZ
aurifer Boheman, 1842b: 29
betulae Fabricius, 1801: 543 (*Curculio*) [HN]
brachicornis Desbrochers des Loges, 1872b: 670 [NA]
brachycornis Desbrochers des Loges, 1872b: 700
pseudoetruscus F. Solari, 1931: 86
trivialis Boheman, 1842b: 32
betulinus hellenicus Apfelbeck, 1915: 240 **E**: AL GR
hellenicus Apfelbeck, 1916: 416 [HN]
kiorensis Apfelbeck, 1915: 240
kiorensis Apfelbeck, 1916: 417 [HN]
betulinus pseudohellenicus Depoli, 1940: 262 **E**: CR
brenskaei Schilsky, 1911: 33 **E**: GR
breviculus Morimoto & Miyakawa, 2006: 120 **A**: JA (Honshu, Shikoku)
brevitarsis Kôno, 1930a: 205 **A**: JA (Honshu)
bulgaricus Apfelbeck, 1915: 233 **E**: BU GR RO
bulgaricus Apfelbeck, 1916: 419 [HN]
rumelicus Apfelbeck, 1915: 233
rumelicus Apfelbeck, 1916: 410 [HN]
strandii Hajóss, 1938: 657
delagrangei Desbrochers des Loges, 1892e: 3 **A**: IN TR
emeryi Desbrochers des Loges, 1873d: 703 **E**: IT
eques Reitter, 1913a: 16 (*Mylacomias*) **A**: AB
etruscus Desbrochers des Loges, 1872b: 670 **E**: CR IT SL
[nudus Stierlin, 1883b: 624 \[HN\]](#)
euchromus Reitter, 1885b: 392 **E**: GR
flecki Reitter, 1906b: 243 **E**: RO
italicus A. Solari & F. Solari, 1904: 173 **E**: IT
japonicus Faust, 1889f: 221 **A**: JA (Honshu)
kajigamori Morimoto & Miyakawa, 2006: 127 **A**: JA (Shikoku)
korbi Schilsky, 1908a: 98 **E**: SP
kuldzhanus Suvorov, 1915b: 332 **A**: KZ XIN
singularis Reitter, 1916a: 41
kurosonensis Morimoto & Miyakawa, 2006: 128 **A**: JA (Shikoku)
lateralis Reiche & Saulcy, 1858a: 682 **E**: AL AU BU CR GR MC RO SB
smaragdifer Kiesenwetter, 1864: 262
stierlinensis Desbrochers des Loges, 1872b: 671
stierlini Desbrochers des Loges, 1873d: 747 [NA]
lederi Schilsky, 1911: 28 **E**: ST

lenkoranus Schilsky, 1911: 27 A: AB IN
leonhardi Schilsky, 1908a: 56 E: BH
leonisi Pic, 1902g: 75["65"] E: GR
lodosi Pesarini, 1975a: 48 A: TR
longipilis Boheman, 1842b: 15 E: IT
fulvipilis Desbrochers des Loges, 1872b: 669
maroccanus Peyerimhoff, 1921: 26 N: MO
nigrofasciatus Pesarini, 1975a: 47 A: TR
nudiamplus nudiamplus Reitter, 1916a: 44 A: TR
nudiamplus pinkeri Voss, 1964d: 164 E: MC
pallidipennis Hochhuth, 1847: 496 E: ST A: AB IN
caspicus Stierlin, 1883b: 618
frontalis Schilsky, 1908a: 58
rufipennis Kirsch, 1878: 280
rufipennis Kirsch, 1879: 24 [HN]
parviceps Desbrochers des Loges, 1872b: 668 E: GR ST TR A: GG TR
pellitus Boheman, 1842b: 16 E: FR (Corse) IT (Sardegna)
peneckeii F. Solari, 1931: 82 E: AL CR MD RO
pesarinii Borovec & Magnano, 2004: 16 A: LE SY TR
pilipes Desbrochers des Loges, 1872b: 692 E: IT (Sardegna)
pubipennis Pesarini, 1981: 150 A: TR
pyri Linnaeus, 1758: 384 (*Curculio*) E: AL AU BE BH BU BY CT CZ DE EN FI FR GB GE GR
HU IR IT LA LS LT LU MD ME NL NR NT PL RO SB SK SP ST SV SZ UK A: ES FE GG
IN KI KZ WS
aeruginosus Bonsdorff, 1785: 23 (*Curculio*)
amaurus Marsham, 1802: 319 (*Curculio*)
artemisiae Desbrochers des Loges, 1872b: 664
denudatus A. Hoffmann, 1950a: 198 [NA]
elegans Gravenhorst, 1807: 214 (*Curculio*)
erythropus Gmelin, 1790: 1776 (*Curculio*) [HN]
fulvipes Fabricius, 1787a: 116 (*Curculio*)
irroratus Seidlitz, 1867a: 187 [HN]
irrorellus Gemminger, 1871b: 122 [RN]
lar Panzer, 1795b: 335 (*Curculio*) [DA]
mutus Gyllenhal, 1834b: 454
padi Bonsdorff, 1785: 26 (*Curculio*)
rufipes Bonsdorff, 1785: 25 (*Curculio*) [HN]
sanguinicollis Gravenhorst, 1807: 214 (*Curculio*)
sparti Illiger, 1808a: 316 (*Curculio*) [NA]
vespertinus Fabricius, 1792: 487 (*Curculio*)
reicheidius Desbrochers des Loges, 1872b: 670 E: IT
claroscutellatus Vitale, 1905b: 205
depilis Fiori, 1912: 64
rhodopensis Apfelbeck, 1898a: 288 E: BU MC
rhodopensis Apfelbeck, 1899: 793 [HN]
seladonius Brullé, 1832a: 238 E: AL AU BH BU CR CZ GR HU MC MD ME PL RO SB SK TR
UK A: TR
breviatus Desbrochers des Loges, 1872b: 670
celadonius Brullé, 1832a: 238 [NA]
nigrofemoratus Apfelbeck, 1915: 238
nigrofemoratus Apfelbeck, 1916: 414 [HN]
squamosus C. N. F. Brisout de Barneville, 1866b: 409 E: SP
hirtus Seidlitz, 1867a: 187
squarrosus Desbrochers des Loges, 1872b: 669 [URN]
subnudus Kôno, 1928: 165 A: JA SC
thalassinus Gyllenhal, 1834b: 445 E: AU BY CT CZ HU LT MD NT PL RO SB SK ST TR UK A:
ES FE KZ WS
impressifrons Boheman, 1842b: 19
mutabilis Desbrochers des Loges, 1872b: 666
scutellaris L. Redtenbacher, 1847: 432
transsylvanicus Stierlin, 1894c: 115 E: MD RO UK
tuberculifer Chevrolat, 1866a: 27 E: PT SP
versipellis Apfelbeck, 1915: 230 E: GR
versipellis Apfelbeck, 1916: 407 [NA]
wittmeri Pesarini, 1971b: 145 A: IS LE

xanthocnemus Kiesenwetter, 1852: 634 E: AN ~~AU CZ FR IT PL RO SK SP SZ UK~~
alpinus Stierlin, 1859: 269
pallens-griseus A. Hoffmann, 1950a: 207196 [NA]
varicolor A. Hoffmann, 1950a: 196 [NA]

subgenus *Plagiatus* Desbrochers des Loges, 1873d: 710 type species *Phyllobius incanus* Gyllenhal, 1834
(= *Curculio pallidus* Fabricius, 1792)

insulanus Schilsky, 1911: 22 E: GR
vagus Schilsky, 1911: 23

montanus Miller, 1862b: 351 E: AL BH CR GR HU ME SK
euboicus Apfelbeck, 1916: 422
krueperi Stierlin, 1888a: 12
seidlitzi Schilsky, 1911: 24

pallidus Fabricius, 1792: 488 (*Curculio*) E: AL AU BH BU CR CZ GE GR HU IT MC MD ME PL
RO SB SK ST TR UK
incanus Gyllenhal, 1834b: 455
maculifer Desbrochers des Loges, 1872b: 665
ruficornis L. Redtenbacher, 1847: 432

quercicola Apfelbeck, 1916: 421 E: AL BH CR GR ME

subgenus *Pterygorrhynchus* Pesarini, 1969: 61 type species *Phyllobius maculicornis* Germar, 1823

achardi Desbrochers des Loges, 1872b: 675 E: BU TR A: TR
bonvouloiri Stierlin, 1883b: 620
rufitarsis Pic, 1911a: 98

aetolicus aetolicus Apfelbeck, 1901a: 435 E: BU GR MC
aetolicus Apfelbeck, 1902: 467 [HN]

aetolicus albanicus Apfelbeck, 1915: 235 E: AL
albanicus Apfelbeck, 1916: 411 [NA]

canus Gyllenhal, 1834b: 439 E: BU GR MC MD SB ST TR UK A: TR
faeculentus Gyllenhal, 1834b: 440
piliferus Gyllenhal, 1834b: 443

contemptus Schoenherr, 1832: 219 E: CT GR MD PL RO SB ST UK A: IN KZ UZ WS
contemptus Gyllenhal, 1834b: 447 [HN]
sibiricus Gebler, 1833: 299
valgus Gyllenhal, 1834b: 442

crassipes Motschulsky, 1860d: 495 E: CT ST A: ES FE KZ MG WS

cupreo aureus Stierlin, 1861b: 222 E: AL GR SB

haberhaueri Apfelbeck, 1915: 235 E: BU
haberhaueri Apfelbeck, 1916: 412 [NA]

maculicornis Germar, 1823: 449 E: AL AU BE BH BU BY CT CZ DE EN FI FR GB GE GR HU
IR IT LA LS LT MC MD ME NL NR NT PL RO SB SK SP ST SV SZ UK A: ES GG KZ WS
griseolus Schilsky, 1908a: 43 [NA]
heydeni Stierlin, 1884a: 42
lucanus A. Solari & F. Solari, 1904: 174
pygmaeolus Reitter, 1916a: 43
tibialis A. Hoffmann, 1950a: 208 [NA]

meschniggi F. Solari, 1938a: 27 E: GR

romanus Faust, 1890e: 330 E: IT

zherichini Korotyaev & Egorov, 1977: 427 A: FE

subgenus *Subphyllobius* Schilsky, 1911: C type species *Curculio virideaeris* Laicharting, 1781

armeniacus Kirsch, 1878: 281 E: ST A: AR GG TR
armeniacus Kirsch, 1879: 25 [HN]

banghaasi Schilsky, 1908a: 29 A: KI KZ TD UZ

cambyses Pesarini, 1981: 132 A: IN

cervinus Hochhuth, 1847: 498 E: ST A: TR

confusus Schilsky, 1912: 12 [RN] E: ST
hochhuthi Stierlin, 1883b: 628 [HN]

exaequatus Faust, 1885b: 162 A: KZ

obscuripes Schilsky, 1911: 12 A: XIN

russicus Stierlin, 1884a: 41 A: AB IN

variabilis Morimoto & Miyakawa, 2006: 86 A: JA

virideaeris cinereipennis Gyllenhal, 1834b: 459 E: ST UK
ulmi Becker, 1864: 482

virideaeris pedestris Schilsky, 1911: 26 E: BU IT
aspromontis Apfelbeck, 1915: 229
aspromontis Apfelbeck, 1916: 406 [NA]

virideaeris virideaeris Laicharting, 1781: 211 (*Curculio*) E: AU BE BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD NL NR NT PL RO SK SP ST SV SZ UK N: AG A: ES FE GAN GG HEB HEI HUB JIL KI KZ MG NMO SCH SHA SHX TD TR UZ XIN WS
albidus Stephens, 1831c: 150
brevicollis Boheman, 1842b: 34
carinicollis Motschulsky, 1859: 573
chloris Boheman, 1842b: 21
chlorizans Boheman, 1842b: 33
fulvipes Paykull, 1792: 114 (*Curculio*) [NA]
impressirostris Schoenherr, 1842b: 35
latithorax Desbrochers des Loges, 1872b: 672
malachiticus Illiger, 1808a: 156 (*Curculio*)
minutus Stephens, 1831c: 150
muchi Voss, 1967: 266
narynensis Reitter, 1902d: 216
pacificus Motschulsky, 1860b: 163
padanus Pesarini, 1975a: 46
~~*parvulus* Olivier, 1807: 381 (*Curculio*) [NA]~~
pomona Olivier, 1807: 380 (*Curculio*)
~~*pseudochlorizans* Reitter, 1916a: 45 [NA]~~
pseudopomona Reitter, 1902d: 216
uniformis Marsham, 1802: 311 (*Curculio*)

genus *Phyllobius*, species incertae sedis
atlasicus Hustache, 1933c: 142 N: MO
ballionis Starck, 1889: 54 E: ST
emmrichi Bajtenov, 1980a: 110 A: KZ
harlachingensis Gistel, 1857: 531 E: GE
mixtus Hochhuth, 1847: 494 E: ST
reitteri Stierlin, 1884a: 41 E: ST
tridentinus Stierlin, 1894c: 116 E: IT

genus *Pseudomylocerus* Desbrochers des Loges, 1872b: 662 type species *Curculio mus* Fabricius, 1801 (= *Phyllobius invreae* F. Solari, 1948)

canescens Germar, 1823: 451 (*Phyllobius*) E: AU FR GE SL SZ
caucasicus Stierlin, 1883b: 616 (*Phyllobius*) E: ST A: GG TR
dorsalis Mannerheim, 1825: 34 (*Polydrusus*) A: KZ WS
fallax Stierlin, 1888a: 13 E: CR GR
albidus Miller, 1884: 265 (*Phyllobius*) [HN]
invreae F. Solari, 1948c: 75 (*Phyllobius*) E: AU HU IT LT PL RO SK UK
cinerascens Fabricius, 1792: 467 (*Curculio*) [HN]
magnanoi Alonso-Zarazaga & Lyal, 1999: 174 [RN]
marchii F. Solari, 1948c: 75 (*Phyllobius*)
mus Fabricius, 1801: 524 (*Curculio*) [RN, HN]
libycus Magnano, 1975: 8 (*Phyllobius*) N: LB
neapolitanus Pic, 1902a: 26 (*Ptochus*) E: GR IT
paganettii Schilsky, 1911: 5 (*Phyllobius*)
ophthalmicus Stierlin, 1888a: 12 (*Phyllobius*) E: AU CR RO UK
schneideri Schilsky, 1911: 4 (*Phyllobius*) E: ST A: AB AR GG IN TR
sinuatus Fabricius, 1801: 528 (*Curculio*) E: AU BE BH CR CZ FR GE GR HU IT LU MC MD ME NL PL RO SB SK SP SZ UK A: AB AR GG
brachyrhynchus Illiger, 1808a: 314 (*Curculio*) [NA]
obliquatus Illiger, 1808a: 314 (*Curculio*) [NA]
spini Illiger, 1808a: 314 (*Curculio*) [NA]

genus *Rhinoscythrops* Desbrochers des Loges, 1895e: 97 type species *Rhinoscythrops asiaticus*

Desbrochers des Loges, 1895
Osmichanes Reitter, 1916a: 40 type species *Phyllobius serripes* Desbrochers des Loges, 1873
asiaticus Desbrochers des Loges, 1895e: 97 A: TR
eibesensis Reitter, 1902c: 195 (*Phyllobius*) A: SY TR
obliquus Desbrochers des Loges, 1875a: 7 (*Phyllobius*) A: IQ LE SY
serripes Desbrochers des Loges, 1872b: 671 E: AL BH CR GR MC
uniseriatus Pesarini, 1981: 108 A: TR
vespertilio Faust, 1884c: 449 (*Phyllobius*) E: UK A: AR GG
quercetorum Arnol'di, 1965: 522 (*Phyllobius*)

7.8.24. Tribe Polydrusini Schoenherr, 1823

genus *Auchmeresthes* Kraatz, 1862a: 119 type species *Auchmeresthes kiesenwetteri* Kraatz, 1862
hustachei Normand, 1937: 241 (*Polydrusus*) N: TU
kiesenwetteri Kraatz, 1862a: 119 E: GR IT
siccensis Normand, 1937: 243 (*Polydrusus*) N: TU

genus *Bremondiscytropus* A. Hoffmann, 1942a: 16 type species *Bremondiscytropus bifasciatus* A.
Hoffmann, 1942
bifasciatus A. Hoffmann, 1942a: 16 N: MO
maroccanus A. Hoffmann, 1956c: 165 N: MO

genus *Gobidrusus* Korotyaev, 1979: 161 type species *Gobidrusus desertorum* Korotyaev, 1979
desertorum Korotyaev, 1979: 162 A: MG

genus *Homapterus* Fairmaire, 1857c: 1x type species *Strophosomus subnudus* Fairmaire, 1857
affinis Chevrolat, 1865: 395 E: SP
chevrolati Desbrochers des Loges, 1902e: 156 (*Polydrusus*)
brevipennis Kirsch, 1880b: 302 (*Metallites*) E: SP
asturianus Stierlin, 1884c: 66 (*Polydrusus*)
nevadensis A. Hoffmann, 1936c: 149 E: SP
punctulatus C. N. F. Brisout de Barneville, 1866b: 392 (*Metallites*) E: SP
subnudus Fairmaire, 1857a: 537 (*Strophosomus*) E: FR SP
danieli Stierlin, 1888a: 15 (*Neliocarus*)

genus *Liophloeus* Germar, 1817c: 341 type species *Curculio nubilus* Fabricius, 1777 (= *Curculio*
tessulatus O.F. Müller, 1776)

subgenus *Liophloeodes* Weise, 1894b: 258 type species *Liophloeus lentus* Germar, 1823

gibbus Boheman, 1842a: 241 E: HU PL RO SK UK

chrysopterus Herbst, 1795: 339 (*Curculio*) [HN]

herbstii Gyllenhal, 1834a: 305 E: PL RO SL UK

obsequiosus Gyllenhal, 1834a: 304

laevifrons Petri, 1912a: 306 E: RO

lentus Germar, 1823: 343 E: AU BU CZ HU IT PL RO SB SK SZ UK

aureopilis Tournier, 1874e: cxv

chrysopserus Boheman, 1842a: 237

laticollis Tournier, 1876a: 10

ovipennis Fairmaire, 1859a: 878

viridanus Tournier, 1874e: cxv

liptoviensis Weise, 1894b: 265 E: HU PL RO SK UK

sulcifrons Petri, 1912a: 306 [DA]

pupillatus Apfelbeck, 1928b: 80 E: BH HU

subgenus *Liophloeus* Germar, 1817c: 341 type species *Curculio nubilus* Fabricius, 1777 (= *Curculio*
tessulatus O.F. Müller, 1776)

Gastrodus Dejean, 1821 90 type species *Curculio nubilus* Fabricius, 1777 (= *Curculio tessulatus* O. F. Müller, 1776)

Oligocys Gistel, 1856a: 373 type species *Curculio nubilus* Fabricius, 1777 (= *Curculio tessulatus* O. F. Müller, 1776)

ophthalmicus Stierlin, 1889a: 84 E: AU BH CR IT

paulinoi Desbrochers des Loges, 1875a: 34 E: PT

tessulatus O. F. Müller, 1776: 87 (*Curculio*) E: AU BE BU CT CZ DE EN FI FR GB HU IT LA LS

LT LU ME NR PL RO SB SK SL SP ST SV SZ TR UK

alpestris Tournier, 1874e: cxvii

amplipennis Tournier, 1874e: cxvi

aquisgranensis Förster, 1849: 26

argentosparsus Trappen, 1935: 313

atricornis Desbrochers des Loges, 1871: 353

cyanescens Fairmaire, 1859b: 57

denudatus Gozis, 1886b: 224

floccosus Marsham, 1802: 314 (*Curculio*)

geminatus Boheman, 1842a: 238

heydeni Stierlin, 1889a: 85

ineditus Tournier, 1874e: cxiv

maurus Marsham, 1802: 316 (*Curculio*) [HN]

minutus Tournier, 1874e: cxvi

modestus Tournier, 1874e: cxvi
nigricornis Chevrolat, 1871c: xliii
nubilus Fabricius, 1777: 228 (*Curculio*)
nudus Rey, 1894f: 118
opacus Chevrolat, 1863: 100
opacus Gozis, 1886a: 26 [HN]
pictus Stierlin, 1889a: 85
pulverulentus Boheman, 1842a: 239
pulverulentus Tournier, 1874e: cxiv [HN]
quadricollis Tournier, 1876a: 10
robusticornis Tournier, 1876a: 10
rotundicollis Tournier, 1874e: cxvii
schmidtii Boheman, 1842a: 242
sparsutus Tournier, 1874e: cxiv
sulcatulus Desbrochers des Loges, 1892a: 89
terrenus Rey, 1894f: 118
verticalis Rey, 1894f: 118

genus *Liophloeus*, nomina dubia

schach Gistel, 1857: 547 E: UK

schach Gistel, 1857: 525 (*Gastrodus*) [HN]

genus *Metadrosus* Schilsky, 1910: K type species *Foucartia bella* Kraatz, 1859

Chaerodrosus Reitter, 1916a: 57 type species *Foucartia karamani* Stierlin, 1892 (= *Foucartia depilis* Kraatz, 1859)

bellus bellus Kraatz, 1859b: 78 (*Foucartia*) E: GR TR A: CY TR

capito Weise, 1891a: 282 (*Polydrosus*) [RN]

elegans Faust, 1890e: 336 (*Chaerodrys*)

bellus convexifrons Desbrochers des Loges, 1872a: 233 (*Polydrosus*) E: GR

bletoni Hustache, 1946a: 49 (*Polydrosus*) N: MO

depilis Kraatz, 1859b: 77 (*Foucartia*) E: AL BH CR MC ME

karamani Stierlin, 1892: 364 (*Foucartia*)

schilskyi Winkler, 1932a: 1464 (*Polydrosus*) [RN]

dodoneus Apfelbeck, 1901a: 436 (*Polydrosus*) E: GR A: CY

dodoneus Apfelbeck, 1902: 467 (*Polydrosus*) [HN]

nanus Desbrochers des Loges, 1875a: 5 (*Polydrosus*) N: MO

svetlanae Korotyaev & Meleshko, 1997: 285 (*Polydrosus*) A: UZ

urali A. Hoffmann, 1964a: 39 (*Polydrosus*) A: TR

viridis Stierlin, 1897: 477 (*Chaerodrys*) N: MO

genus *Pachyrhinus* Schoenherr, 1823: 1141 type species *Curculio mustela* Herbst, 1797 (= *Curculio squamulosus* Herbst, 1795)

subgenus *Diachelus* Desbrochers des Loges, 1902c: 137 type species *Diachelus laticeps* sensu Desbrochers des Loges, 1902 (= *Polydrosus grandiceps* Desbrochers des Loges, 1894)

auriceps Desbrochers des Loges, 1903a: 113 (*Scythropus*) N: MO

grandiceps grandiceps Desbrochers des Loges, 1894l: cclxviii (*Polydrosus*) N: AG

henoni Tournier, 1895b: clx (*Scythropus*) [UE]

laticeps: Desbrochers des Loges, 1902d: 151 (*Diachelus*) [ISS, NA]

grandiceps sefrensis Pic, 1896f: 202 (*Scythropus*) N: AG

subgenus *Eustolomorphus* Desbrochers des Loges, 1902b: 122 type species *Scythropus phaeniceus* Fairmaire, 1883

phaeniceus Fairmaire, 1883b: xlv (*Scythropus*) N: AG

aegenus Schilsky, 1910: xlvii (*Scythropus*)

oberthuri Desbrochers des Loges, 1884: 76 (*Polydrosus*)

unicolor Schilsky, 1911: 56 (*Scythropus*)

subgenus *Pachyrhinus* Schoenherr, 1823: 1141 type species *Curculio mustela* Herbst, 1797 (= *Curculio squamulosus* Herbst, 1795)

Carpomanes Gistel, 1856a: 373 type species *Curculio mustela* Herbst, 1797

Parisodrosus Voss, 1936b: 57 type species *Polydrosus balearicus* Voss, 1936

Scythropus Schoenherr, 1826: 140 type species *Curculio mustela* Herbst, 1797

callizonatus Fairmaire, 1873b: 392 (*Arhines*) N: AG MO

rubrivittis Chevrolat, 1878a: 245 (*Polydrosus*)

warioni Marseul, 1876a: lxxxvii (*Scythropus*)

cedri Chevrolat, 1866c: 324 (*Scythropus*) N: AG

cedri Marseul, 1868a: 193 (*Polydrosus*)

dentipes Seidlitz, 1867a: 185 (*Scythropus*) E: SP

desbrochersi Raffray, 1873: 382 (*Scythropus*) N: AG TU

breviceps Peyerimhoff, 1929: 38 (*Scythropus*)
distinctus A. Hoffmann, 1942a: 14 (*Scythropus*) N: MO
eusomoides Desbrochers des Loges, 1904f: 107 (*Scythropus*) E: SP N: MO
glabratus Chevrolat, 1866c: 322 (*Scythropus*) E: PT SP
nodicollis Chevrolat, 1879d: 126 (*Scythropus*)
inermis Desbrochers des Loges, 1897d: 15 (*Scythropus*) N: AG
javeti Desbrochers des Loges, 1872a: 237 (*Scythropus*) E: SP (Balears)
balearicus L. W. Schaufuss, 1876b: 409 (*Scythropus*)
balearicus Voss, 1936b: 57 (*Polydrusus*) [HN]
juniperi Hustache, 1938b: 33 (*Scythropus*) N: MO
kocheri A. Hoffmann, 1961b: 33 (*Scythropus*) N: MO
lethierryi Desbrochers des Loges, 1875a: 9 (*Scythropus*) E: BEi CZi FR GBi GEi IT LUi MAi NLi
NRi SPi SZi TRi UKi A: TRi
lateralis Schilsky, 1911: 51 (*Scythropus*)
lostiae Desbrochers des Loges, 1903a: 113 (*Scythropus*)
lopezi A. Hoffmann, 1956c: 165 (*Scythropus*) E: SP (Mallorca)
marginipennis Morimoto, 2015: 608 A: JA
metallicus Desbrochers des Loges, 1884: 91 (*Scythropus*) N: AG
minutioculatus Gandhi & Pajni, 1984c: 143 (*Scythropus*) A: HP
oxycedri Fairmaire, 1884b: lxxviii (*Scythropus*) N: AG
longus Desbrochers des Loges, 1884: 89 (*Scythropus*)
pineti Fairmaire, 1884b: lxxviii (*Scythropus*) N: AG
socius Desbrochers des Loges, 1884: 90 (*Scythropus*)
raffrayi Desbrochers des Loges, 1872a: 232 (*Scythropus*) N: AG
confusus Desbrochers des Loges, 1890c: ccxvi (*Scythropus*)
simulator Schilsky, 1911: 52 (*Scythropus*)
scutellaris Roelofs, 1873: 179 (*Scythropus*) A: JA
pini Matsumura, 1915: 218 (*Polydrusus*)
squamosus Kiesenwetter, 1852: 631 (*Scythropus*) E: FR PT SP
argenteolus Chevrolat, 1866c: 323 (*Scythropus*)
squamulosus Herbst, 1795: 216 (*Curculio*) E: AL AU BU CR CT CZ FR GE GR HU IT MC PL RO
SK SP SZ TR UK A: TR
mustela Herbst, 1797: 35 (*Curculio*)
squamulatus Stierlin, 1884c: 81 (*Scythropus*) [NA]
villosulus Herbst, 1795: 253 (*Curculio*) [HN]
villosus Stierlin, 1884: 14 (*Scythropus*)
variabilis Desbrochers des Loges, 1890c: ccxv (*Scythropus*) N: AG
cupreoides Schilsky, 1911: QQ (*Scythropus*)
logesi Pic, 1902g: 75["65"] (*Scythropus*)
similis Schilsky, 1911: 50 (*Scythropus*)
vidali Hustache, 1946a: 50 (*Scythropus*) N: MO
yasumatsui Kôno & Morimoto, 1960: 77 (*Scythropus*) A: HEB HEN JIA LIA SHA SHN SHX

genus *Polydrusus* Germar, 1817c: 341 type species *Curculio undatus* Fabricius, 1781 (= *Curculio tereticollis* DeGeer, 1775)

subgenus *Caenotyloddrosus* Kôno & Morimoto, 1960: 76 type species *Polydrusus chinensis* Kôno & Morimoto, 1960

analis Schilsky, 1910: 33 A: QIN XIZ

longiceps Schilsky, 1912: 15 A: QIN

obesulus Faust, 1882a: 261 A: FE NC SC

jacobsoni Suvorov, 1915b: 329 (*Myllocerus*)

obscuripes Schilsky, 1910: 29

sichuanicus Korotyaev & Meleshko, 1997: 279 A: SCH

subgenus *Chaerodryas* Jacquelin du Val, 1854a: 18 type species *Polydrusus setifrons* Jacquelin du Val, 1853

derosasi Zumpt, 1933e: 88 E: IT (Sardegna)

manteroi A. Solari & F. Solari, 1904: 176 (*Chaerodryas*) E: FR IT

minutus Stierlin, 1884c: 62 N: MO

seidlitzii Schilsky, 1910: 86 E: GR (Kriti)

setifrons kashmirensis Voss, 1959a: 82 A: KA

setifrons praevius Voss, 1959a: 81 A: AF

setifrons setifrons Jacquelin du Val, 1853: 710 E: AN BH CR IT FR MC SP N: MO

vagepictus Desbrochers des Loges, 1892d: 123 (*Ptochus*) E: GR
subgenus *Chlorodrosus* K. Daniel & J. Daniel, 1898: 86 type species *Metallites amoenus* Germar, 1823
abeillei abeillei Desbrochers des Loges, 1869a: [2] E: BH CR FR IT MC ME SB SL SP
abeillei Desbrochers des Loges, 1869c: 394 [HN]
abeillei focarilei Pesarini, 1975b: 123 E: IT
alchemillae Hustache, 1929a: 24 E: AN BH CR FR IT MC SL
amoenus Germar, 1823: 457 (*Metallites*) E: AN AU CR CT CZ FR GE HU IT NT PL RO SK SL SZ
UK A: ES FE WS
hopffgarteni Stierlin, 1884c: 65
sibiricus Hochhuth, 1851: 31
bartolii bartolii Pesarini, 1975b: 121 E: BH CR IT
bartolii gardinii Bartoli, 1977: 198 E: IT
castilianus K. Daniel & J. Daniel, 1898: 86 E: SP
emmae J. Müller, 1925: 28 E: AU BH
pyrenaeus Tempère, 1976: 181 E: FR
subgenus *Chomatocryptus* Desbrochers des Loges, 1902e: 157 type species *Polydrosus xanthopus*
Gyllenhal, 1834
xanthopus Gyllenhal, 1834a: 142 E: FR PT SP N: AG MO
martinezii Pérez Arcas, 1868: 513
vaucheri Desbrochers des Loges, 1897b: 6
subgenus *Conocetus* Desbrochers des Loges, 1875a: 5 type species *Conocetus grandiceps* Desbrochers
des Loges, 1875
angustus Lucas, 1854: 38 (*Eusomus*) E: GR IT A: CY TR
angusticollis Lucas, 1854: 39
femoratus Stierlin, 1888b: 56 (*Conocetus*)
rotundicollis Desbrochers des Loges, 1902b: 126 (*Conocetus*)
virens Kiesenwetter, 1864: 252
bardus Gyllenhal, 1834a: 143 E: BU GR ~~HU~~ TR A: CY IN SY TR
cylindricollis: Schilsky, 1910: 23 [NA, ISS]
cylindrocollis: Yunakov, 2013c: 368 [NA, ISS]
cylindrithorax Desbrochers des Loges, 1900a: 14
gracilicornis Kiesenwetter, 1864: 253
graecus Stierlin, 1884c: 81
quadraticollis Desbrochers des Loges, 1902b: 123 (*Conocetus*)
quadicollis: Schilsky, 1910: U [NA, ISS]
baudii Faust, 1889a: 73 (*Conocetus*) E: GR A: CY TR
calabricus Faust, 1890e: 330 (*Conocetus*) E: GR IT MA A: CY
crinipes Germann, 2018: 7 E: BU GR ~~HU~~
festae F. Solari, 1925: 29 E: GR N:LB
grandiceps Desbrochers des Loges, 1875a: 5 (*Conocetus*) N: EG A: IS JO LE SY TR
zurcheri Schilsky, 1912: 18
marcidus Kiesenwetter, 1864: 253 E: AL BU GR TR A: CY IN TR
bardus Desbrochers des Loges, 1902b: 124 [HN]
dubius Schilsky, 1910: 18
gracilis Stierlin, 1884: 14
rhodiacus Schilsky, 1912: 17 A: CY TR
stierlini Schilsky, 1910: 24 E: GR A: CY
transjordanus Germann, 2018: 9 A: IS JO
subgenus *Denticonocetus* Germann, 2018: 4 type species *Polydrosus kahri* Kirsch, 1865
kahri Kirsch, 1865: 122 E: AU BH CR FR GR IT MC ME A: CY
baldensis Stierlin, 1884c: 69
florentinus Chevrolat, 1869: 73
gentilis Bertolini, 1868: 120
siculus Desbrochers des Loges, 1872a: 233
vodozi Desbrochers des Loges, 1903b: 114
subgenus *Eudipnus* C. G. Thomson, 1859: 131 type species *Curculio micans* Fabricius, 1792 (= *Curculio mollis* Strøm, 1768)
Chrysoyphis Gozis, 1882a: 153 type species *Polydrosus lateralis* Gyllenhal, 1834
Eudipnoidius Apfelbeck, 1898a: 291 type species *Polydrosus sciaphiliformis* Apfelbeck, 1898
Neodrosus Apfelbeck, 1922d: 55 type species *Polydrosus thalassinus* Gyllenhal, 1834
Thomsononymus Desbrochers des Loges, 1902b: 113 type species *Curculio sericeus* Schaller, 1783 (= *Curculio formosus*
Mayer, 1779)
ampliocollis Desbrochers des Loges, 1902b: 119 (*Thomsononymus*) E: IT
apfelbecki F. Solari, 1926: 110 E: AL

aurocupreus Gandhi & Pajni, 1984c: 145 A: PA
auronitens D'Amore-Fracassi, 1906b: 198 (*Eudipnus*) E: BH CR IT SL
brevipes Kiesenwetter, 1864: 245 (*Sciaphilus*) E: AU BH CR ME SB SL
karamani Stierlin, 1884c: 67
rufescens Stierlin, 1884c: 67 [NA]
subpilosus Desbrochers des Loges, 1875a: 5
bulgaricus Leonhard, 1912: 339 E: BU
cephalonicus Apfelbeck, 1922d: 57 E: GR A: CY
cocciferae cocciferae Kiesenwetter, 1864: 245 E: BU GR TR A: CY TR
pindicus Apfelbeck, 1922d: 56
cocciferae creticus Kiesenwetter, 1864: 246 E: GR (Kriti)
formosus Mayer, 1779: 183 (*Curculio*) E: AN AU BE BH BU BY CR CZ DE GB GE GR HU FR IT
LS LT LU MC MD ME NL NTi PL RO SB SK SL SP SV SZ TR UK **NARi**
sericeus Schaller, 1783: 286 (*Curculio*) [HN]
speciosus Curtis, 1829: pl.278
splendidus Herbst, 1784: 82 (*Curculio*)
squamosus Germar, 1823: 452 [RN]
virens Schrank, 1798: 496 (*Curculio*) [HN]
frater Rottenberg, 1872: 231 E: BH IT
emeryi Desbrochers des Loges, 1872a: 234
solarii Schilsky, 1910: 73
freyi Zumpt, 1933e: 86 A: GG (Tsageri)
hoppei Apfelbeck, 1922d: 56 E: AL ME
jucundus Miller, 1862b: 349 E: GR A: CY TR
juniperi Desbrochers des Loges, 1873c: 421 E: FR IT (Sardegna) MC
lateralis Gyllenhal, 1834a: 150 E: AU BH CR FR GR IT MC SP
lucianae Francia, 1986: 65 E: IT
mollis Strøm, 1768: 321 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU
IT LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL ST SZ TR UK A: ES FE TR WS
chlorophamus Westhoff, 1882: 199
chrysopterus Schrank, 1781: 125 (*Curculio*)
cupreus Schilsky, 1910: 82
micans Fabricius, 1792: 463 (*Curculio*) [HN]
neapolitanus Desbrochers des Loges, 1872a: 234 E: BH CR IT MA
raverae A. Solari & F. Solari, 1904: 177 E: BH CR IT
sciaphiliformis Apfelbeck, 1898a: 291 E: BU GR TR
splendens A. Solari & F. Solari, 1909: 267 E: BH CR IT
thalassinus Gyllenhal, 1834a: 149 E: AU BH BU CR CZ GR HU MD ME PL RO SB SK TR UK
merkli Kaufmann, 1883: 170
pulchellus Stierlin, 1892: 363 [HN]
subgenus Eurodrusus Korotyaev & Meleshko, 1997: 282 type species *Polydrusus confluens* Stephens, 1831
Neoestolus Alonso-Zarazaga & Lyal, 1999: 175 type species *Curculio cervinus* Linnaeus, 1758
alveolus Desbrochers des Loges, 1869a: [2] E: SP
alveolus Desbrochers des Loges, 1870d: 157 [HN]
andalusicus F. Solari, 1954c: 130 E: SP
armipes Brullé, 1832a: 237 E: BU GR IT MA TR A: CY TR
armipes Gyllenhal, 1834a: 139 [HN]
dentipes Chevrolat, 1869: 73
faillae Desbrochers des Loges, 1890d: ccxxv
nigripes Schilsky, 1910: 58
schoenherri Faust, 1889a: 69
secretus Faust, 1889a: 69
tibiellus Desbrochers des Loges, 1875a: 4
bedeli Stierlin, 1884c: 71 N: AG
bohemani Kiesenwetter, 1852: 632 E: SP
bohemani: Kiesenwetter, 1852: 632 [NA, IOS]
dichrous Fairmaire, 1880c: xxvii
purpureus Stierlin, 1884c: 74 [NA]
brevicollis Desbrochers des Loges, 1872a: 233 E: BH CR IT MA
curtulus Schilsky, 1911: 34 [HN]
cervinus Linnaeus, 1758: 384 (*Curculio*) E: AN BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU LA LS LT LU MC ME NL NR NT PL PT RO SB SK SP SV SZ TR UK A: WS **NARi**
ballioni Lindemann, 1871: 174
capricola Stierlin, 1884c: 75

griseoaeus DeGeer, 1775: 220 (*Curculio*)
iris Fabricius, 1792: 486 (*Curculio*)
maculosus Herbst, 1795: 232 (*Curculio*)
melanotus Stephens, 1831h: 143
messor Herbst, 1795: 222 (*Curculio*)
subnudus Everts, 1918: 46
virens Boheman, 1842a: 25 (*Phyllobius*)
chrysocephalus Chevrolat, 1859a: 298 N: AG
nigrofemoratus Schilsky, 1910: 66
chrysomela Olivier, 1807: 415 (*Curculio*) E: FR PT SP
aequalis Schilsky, 1912: 58 (*Eusomus*)
vanvolxemi Tournier, 1877b: lxxii
viridilimbatus Zumpt, 1933e: 90
confluens Stephens, 1831g: 142 E: AN AU BE BH BU BY CR CT CZ DE GB GE GR FR HU IT LS
LU MC MD NL PL PT RO SK SP ST SZ TR UK
atripes Schilsky, 1910: 62
perplexus Gyllenhal, 1840b: 448
rubi Stierlin, 1884c: 75
dilutus Motschulsky, 1849: 141 E: SP
pallidivestis Desbrochers des Loges, 1872a: 233
curtulus C.N.F. Brisout de Barneville, 1880: 232
falsosus A. Hoffmann, 1963d: 399 E: SP
fuscroseus Desbrochers des Loges, 1872a: 232 E: SP N: MO
cinctus Desbrochers des Loges, 1872a: 235
confusus Desbrochers des Loges, 1897d: 9[8]
deliciosus Tournier, 1874d: lxxxvii
leucomarmoratus Desbrochers des Loges, 1872a: 235
roseus Tournier, 1874d: lxxxvii
griseomaculatus Desbrochers des Loges, 1869a: [2] E: FR
griseomaculatus Desbrochers des Loges, 1869c: 390 [HN]
ibericus Stierlin, 1884c: 70 E: SP
mogadoricus Escalera, 1914: 408 N: MO
pallipes Lucas, 1846b: pl. 35 E: FR N: AG MO TU
dorsalis Stierlin, 1884c: 70 [NA]
erubescens Stierlin, 1884c: 70 [NA]
pilosulus Chevrolat, 1865: 396 E: PT SP
alampis Gozis, 1882a: 105
mollis Boheman, 1840b: 451 [HN]
pilosellus Chevrolat, 1865: 396
villosulus Chevrolat, 1865: 397
pilosus italicus Schilsky, 1910: 51 E: IT
pilosus pilosus Gredler, 1866: 313 E: AN BH BU BY CR CT CZ EN FI FR GB GE GR IT HU LA
LS LT LU MC MD NL NR NT PL PT RO SK SL SP SW SZ TR UK A: ES MG WS
arvernicus Desbrochers des Loges, 1869c: 393
arvernicus Schilsky, 1910: 51
bimotatus C. G. Thomson, 1868: 340
melanostictus Chevrolat, 1869: 74
mongolicus Bajtenov, 1978d: 187
nodulosus Chevrolat, 1869: 73
peragalloi Desbrochers des Loges, 1869c: 392
planifrons berberus Peyerimhoff, 1937: 269 N: AG TU
planifrons planifrons Gyllenhal, 1834a: 138 E: AU BE BH BU CR FR GE GR IT LU MC PT SZ TR
UK
alpinus Stierlin, 1884c: 75
pulchellus baeticus Roudier, 1963c: 198 E: SP
pulchellus maroccanus Schilsky, 1912: 56 (*Eusomus*) N: MO
pulchellus pulchellus Stephens, 1831g: 142 E: BE BY DE GB GE FR MC NL TR
burchanensis Schilsky, 1912: 60
dorsalis Schilsky, 1912: 60 (*Eusomus*)
insquamosus Everts, 1921: 319 (*Eusomus*)
salsicola Fairmaire, 1853: 689
pulchellus roudierianus Yunakov, 2017: 359 [RN] E: PT
lusitanicus Roudier, 1963c: 197 [HN]
smaragdulus Fairmaire, 1859h: cli (*Eusomus*) E: PT SP
aurovittatus Stierlin, 1885a: 114 (*Eusomus*)
solarii Pesarini, 1975a: 51 E: CR BH IT ~~SK~~
subglaber Desbrochers des Loges, 1870d: 157 E: SP

variegatus Desbrochers des Loges, 1870d: 157
tinauti Alonso-Zarazaga, 2013a: 176 [RN] E: SP
korbi Stierlin, 1890b: 241 [HN]
subgenus *Eustolus* C. G. Thomson, 1859: 131 type species *Curculio flavipes* DeGeer, 1775
Tylodrusinus Reitter, 1916a: 56 type species *Polydrusus julianus* Reitter, 1916
Tylodrusus Stierlin, 1884c: 61 type species *Polydrusus pterygomalis* Boheman, 1840
asniensis Hustache, 1933c: 140 N: MO
constellatus Voss, 1959d: 2 A: IN
caucasicus Desbrochers des Loges, 1872a: 231 A: GG
cephalotes Desbrochers des Loges, 1872a: 232 E: BU HU TR
corruscus Germar, 1823: 454 E: AU BE BH BY CR CT CZ EN FR GE GR HU LA LT MC MD
ME MG PL PT SB SK SL SP ST SZ TR UK A: ES FE GAN KG KZ MG TM TR WS
herbeus Gyllenhal, 1834a: 141
ligurinus Gyllenhal, 1834b: 450 (*Phyllobius*)
kirgicus Csiki, 1922: 34 (*Phyllobius*)
orientalis Desbrochers des Loges, 1896d: 39
setiger Leonhard, 1912: 340
xanthopus Gozis, 1882a: 123 [HN]
demoflysi Normand, 1951: 29 N: TU
deplanatus Schilsky, 1910: 60 A: IN SY
flavipes flavipes DeGeer, 1775: 245 (*Curculio*) [NP] E: AN AU BE BU BY CR CT CZ DE EN FI FR
GB GE HU IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR
UK A: GG WS
ochropus Gmelin, 1790: 1805 (*Curculio*) [URN]
gyllenhali Desbrochers des Loges, 1895g: 127
flavipes flavipilis Voss, 1959d: 2 A: IN
gemmifer Guillebeau, 1897b: 165 (*Phyllobius*) A: SY
impressifrons Gyllenhal, 1834a: 140 E: AU BE BH BU CR CT CZ FR GE HU IC IT LA LS LT LU
MC MD PL PT RO SK SL SP ST SZ TR UK A: MG NARi
angustipennis Stierlin, 1890b: 241
curtirostris Gozis, 1882a: 104
flavovirens Gyllenhal, 1834a: 142
funicularis Schilsky, 1910: 36
hispanicus Desbrochers des Loges, 1872a: 231
reyi Gozis, 1882a: 104
sericeus Herbst, 1797: 37 [HN] (*Curculio*)
interstitialis Perris, 1864: 296 E: PT SP
aceris Chevrolat, 1866a: 24
danieli A. Hoffmann, 1960b: 164
japonicus Hustache, 1920b: 116 (*Scythropus*) A: JA SC
julianus Reitter, 1916a: 56 A: HEI XIN
lepineyi Hustache, 1946a: 48 N: MO
luctuosus Desbrochers des Loges, 1875a: 4 (*Eustolus*) N: AG A: SY TR
pterygomalis Boheman, 1840b: 445 E: AN AU BE BH BU CR CT CZ DE EN FR GB GE GR HU
IT LA LS LT LU MC MD ME NL PL PT SB SK SL SP ST SV SZ TR UK A: AB AR GG IN
WS
cuprifulgens Schilsky, 1910: 27
mixtus Stierlin, 1884c: 76
subalpinus Petri, 1912a: 300 E: RO
subcyaneus Desbrochers des Loges, 1872a: 236 N: AG
subgenus *Leucodrusus* Stierlin, 1884c: 60 type species *Polydrusus tibialis* Gyllenhal, 1834
Leucodrusus Seidlitz, 1890: 582 [UE]
clermonti Pic, 1919a: 1 E: SP
diversirostris Pic, 1919a: 1
henoni Allard, 1869c: 471 (*Sciaphilus*) N: AG TU
mariae Faust, 1882b: 430 (*Phyllobius*) E: ST UK A: KZ TR
fulvus Stierlin, 1884c: 66
mus Desbrochers des Loges, 1897d: 14 E: "Ural" "Caucasus"
pauper Stierlin, 1890b: 244 (*Leucodrusus*) E: HU
senex Chevrolat, 1866a: 24 E: SP
sicanus Chevrolat, 1860e: 505 E: GR IT (Sicilia)
talamellii Pesarini, 1999: 27 N: TU
tibialis Gyllenhal, 1834a: 156 (*Metallites*) E: AU BH BU CR IT GR HU ME MK SB SK SL SP TR
A: TR

candidatus Perris, 1866a: 509 (*Phyllobius*)
cylindricollis Boheman, 1840b: 459 (*Metallites*)
intermedius Löden, 1909: 80
robustus Stierlin, 1884c: 66 [NA]

subgenus *Metallites* Germar, 1823: 455 type species *Metallites mollis* Germar, 1823 (= *Polydrusus impar* Gozis, 1882)

Fatuellus Gistel, 1848a: 134 [URN]

Phyllocola Gistel, 1848a: xi [URN]

Phylloecetes Gistel, 1856a: 373 type species *Metallites mollis* Germar, 1823

aeratus aeratus Gravenhorst, 1807: 214 (*Curculio*) E: AN AU BE BH CR CT CZ EN FR GE GR HU
IT LA LS LT LU MC PL RO SK SL SZ UK

atomarius Olivier, 1807: 424 (*Curculio*) [HN]

laricis Chevrolat, 1863: 99

melanopus Schilsky, 1910: 12

pallidus Gyllenhal, 1834a: 155 (*Metallites*)

aeratus geminatus Chevrolat, 1863: 99 (*Metallites*) E: AU FR (Hautes-Alpes)

aeratus inermis Apfelbeck, 1898a: 290 E: BH

anchoralifer anchoralifer Chevrolat, 1859b: 386 (*Metallites*) N: AG

rutilipennis Stierlin, 1884c: 63

anchoralifer pruinus Chevrolat, 1869: 71 (*Metallites*) N: AG

elegantulus Boheman, 1840b: 457 (*Metallites*) E: BH CR GR IT

signatus Stierlin, 1884c: 64 [NA]

fuscipectus Desbrochers des Loges, 1908g: 66 (*Metallites*) [DA] E: CZ

inopinatus Binaghi, 1968: 143 E: BH CR IT

lusitanicus Chevrolat, 1880a: cxxxix (*Metallites*) E: PT

marginatus Stephens, 1831g: 142 E: AU BE BH CR CZ FR GB GE HU IT LU NL NR PL RO SK
SP SV SZ TR

ambiguus Gyllenhal, 1834a: 157 (*Metallites*)

flavipes Panzer, 1795b: 329 (*Curculio*) [HN]

iris Olivier, 1807: 417 (*Curculio*) [NA]

maurus Peyerimhoff, 1925a: 18 N: AG

modestus Stierlin, 1864a: 150 (*Metallites*) E: BH CR GR IT MA

mollicomus Peyerimhoff, 1919c: 234 (*Metallites*) N: AG

parallellus Chevrolat, 1860e: 507 (*Metallites*) E: BH CR FR IT MC

pici Schilsky, 1910: O E: GR (Zákynthos)

pirazzolii Stierlin, 1857: 62 E: BH CR IT

pistaciae Kiesenwetter, 1864: 249 (*Metallites*) E: GR

privatus Normand, 1949: 99 N: TU

scutellaris Chevrolat, 1860e: 506 (*Metallites*) E: BH CR IT

viridipubens Marseul, 1889: 383

spiniger Desbrochers des Loges, 1897d: 15 (*Metallites*) A: SY TR

subnotatus Schilsky, 1910: 14 E: BH IT

villosithorax Apfelbeck, 1922d: 51 E: BH CR

torcolensis Apfelbeck, 1922d: 51

viridinitens Gravenhorst, 1807: 214 (*Curculio*) E: AN AU BE BH CZ FR GB GE HU IT LA LS LT
LU MC ME NL PL RO SB SK SL SP SZ UK

impar Gozis, 1882a: 106

mollis Germar, 1823: 456 (*Metallites*) [HN]

vranicensis Reitter, 1905b: 247

subgenus *Nipponodrusus* Morimoto & Kojima, 2006: 137 type species *Scythropus isshikii* Kôno, 1930
isshikii Kôno, 1930a: 169 (*Scythropus*) A: JA

subgenus *Orodrusus* Korotyaev & Meleshko, 1997: 282 type species *Polydrusus obliquatus* Faust, 1884
alaiensis Faust, 1891e: 389 A: KI TD

davatchii A. Hoffmann, 1956d: 244 A: IN TM

djarkentensis Voss, 1940b: 49 A: KI KZ

dohrni Faust, 1882b: 431 A: TD KI KZ UZ

marmoreus Reitter, 1899d: 207

iliensis Bajtenov, 1974b: 32 A: KZ (Ili River valley)

kiesenwetteri Faust, 1887l: 315 A: KI KZ TD TM UZ XIN

obliquatus Faust, 1884c: 456 A: IN KI KZ TM TD UZ

piligerus Stierlin, 1884c: 71 A: UZ

sirdariensis Bajtenov, 1974b: 32 A: TD

tscharynensis Bajtenov, 1971: 91 A: KZ (Charin River valley)
turanensis Faust, 1891e: 388 A: KI KZ TD TM UZ
virginalis Faust, 1888a: 43 A: KI KZ TD UZ
subgenus *Parthodrusus* Meleshko & Korotyaev, 2005: 293 type species *Polydrusus lopatini* Meleshko & Korotyaev, 2005
lopatini Meleshko & Korotyaev, 2005: 294 A: IN
subgenus *Piezocnemus* Chevrolat, 1869: 72 type species *Polydrusus paradoxus* Stierlin, 1859
carpathicus Brancsik, 1874b: 229 E: SK
paradoxus Stierlin, 1859: 270 E: AU BH CR FR IT MC SK SL SZ
carinthiacus K. Daniel & J. Daniel, 1898: 68
cejikai Roubal, 1928a: 29
chaerodrysius Gredler, 1866: 314
pedemontanus Chevrolat, 1869: 72 (*Piezocnemus*) E: BH FR IT SZ
maritimus K. Daniel & J. Daniel, 1898: 85
subgenus *Poecilodrusus* Korotyaev & Meleshko, 1997: 275 type species *Polydrusus viridicinctus* Gyllenhal, 1834
viridicinctus Gyllenhal, 1834a: 138 E: AL AU BH BU CR CZ GR HU IT MC MD ME RO SB SK SL ST TR UK A: CY
viertli Schilsky, 1910: 25
yunakovi Alonso-Zarazaga, 2013c: 66 [RN] E: BG GR TR A: CY TR
elegans Reitter, 1887c: 526 [HN]
subgenus *Polydrusus* Germar, 1817c: 341 type species *Curculio undatus* Fabricius, 1781 (= *Curculio tereticollis* DeGeer, 1775)
Cyphomimus Horn, 1876: 105 type species *Cyphomimus dorsalis* Horn, 1876 (= *Polydrusus americanus* Gyllenhal, 1834)
Mesacanthus Desbrochers des Loges, 1875a: 7 type species *Curculio picus* Fabricius, 1792
Phyllerastes Schoenherr, 1823: 1141 type species *Curculio undatus* Fabricius, 1781 (= *Curculio tereticollis* DeGeer, 1775)
Polyphon Gistel, 1848a: 134 [URN]
Phyllomanes Gistel, 1848a: xi [URN, HN]
Polydrosus Schoenherr, 1823: 1144 [UE]
Polydrosus Gemminger, 1871c: 2211 [URN, HN]
akreanus Akrawi & Mahmoud, 2019: 2 A: IQ
augustalisi Pic, 1910a: 2 A: TR
bisphaericus Desbrochers des Loges, 1897d: 13 N: AG
bodemeyeri Reitter, 1908a: 32 A: TR
cressius Pic, 1904a: 4 E: GR (Kriti)
eusomoides Desbrochers des Loges, 1899a: 78 N: TU
ferrugineus Boheman, 1840b: 443 E: MD RO ST UK A: TR
bithynicus K. Daniel & J. Daniel, 1903b: 323
ornatus Gyllenhal, 1834a: 137 [HN]
pliginskii Reitter, 1910b: 274
fulvicornis fulvicornis Fabricius, 1792: 468 (*Curculio*) E: AU BH BY CR CT CZ EN FI FR GE HU IT LA LT MC MD NR PL NT RO SK SL ST SV SZ UK A: ES FE GG WS "Korea"
fasciatus Ström, 1768: 321 (*Curculio*) [HN]
fulvicornis Herbst, 1795: 223 (*Curculio*) [HN]
intermedius Zetterstedt, 1828: 337 (*Curculio*) [HN]
penninus Bremi-Wolf, 1855: 196
undulatus Gmelin, 1790: 1803 (*Curculio*) [RN, NO]
fulvicornis obizo Kojima & Morimoto, 2006: 135 [RN] A: FE (Sakhalin) JA SC (Jeju)
ornatus Matsumura, 1911a: 132 (*Scythropus*) [HN]
glabratus Gyllenhal, 1834a: 148 A: IN
hirsutipennis Pic, 1908e: 51 A: TR
sulcatirostris Pic, 1910a: 2
kadleci Borovec & Germann, 2013: 76 A: IN TR
korbi Stierlin, 1888b: 55 (*Chaerodryus*) A: SY TR
korbi Reitter, 1908a: 32 [HN]
korbianus Yunakov, 2013a: 64 [RN]
leucaspis Boheman, 1840b: 453 E: FR (Corse) IT (Sardegna)
damryi Desbrochers des Loges, 1892e: 2 (*Metallites*)
suturellus Chevrolat, 1860e: 507
mecedanus Reitter, 1908a: 34 (*Chaerodryus*) E: GR
moricei Pic, 1903b: 123 E: GR (Kefallinia, Zakynthos)
pictus Stierlin, 1884c: 62 E: GR MC
reitteri Stierlin, 1884c: 61 [HN]

picus picus Fabricius, 1792: 490 (*Curculio*) E: AU BH BU BY CR CT CZ FR GE GR HU IT LS LT
 LU MC MD ME PL RO SB SK SL ST SZ TR UK
dalmatinus Stierlin, 1884c: 77
ornatus Herbst, 1795: 215 (*Curculio*) [HN]
picus viridimaculatus Pic, 1919a: 2 A: TR
rubicundus Pesarini, 1973: 80 A: TR
rufulus Hochhuth, 1847: 479 E: ST A: AB AR GG TR
scapularis Pesarini, 1975a: 52 A: SY TR
schwiegeri Reitter, 1908a: 33 (*Chaerodrys*) E: BH BU CR ME SL
sparsus Gyllenhal, 1834a: 147 E: AU BH BU CR FR GE GR HU IT MC RO SZ TR
jonicus Chevrolat, 1880a: cxxxix
tereticollis DeGeer, 1775: 246 (*Curculio*) [NP] E: AU BE BH BU BY CT CZ DE EN FI FR GB GE
 HU LA LS LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK A: ES FE IN KZ
 WS
albofasciatus Herbst, 1795: 220 (*Curculio*) [HN]
cinereus Schaller, 1783: 285 (*Curculio*) [HN]
niveopictus Reiche, 1864: 248
rufipes Linnaeus, 1758: 385 (*Curculio*) [NO]
seleneus Marsham, 1802: 269 (*Curculio*)
undatus Fabricius, 1781: 189 (*Curculio*)
undatus Dillwyn, 1829: 46 (*Nemoicus*) [RN]
uniformis Stierlin, 1884c: 77
tonsus Desbrochers des Loges, 1897b: 5 (*Chaerodrys*) A: TR
insignis K. Daniel, 1900: 139
insignis K. Daniel & J. Daniel, 1903b: 321[/320] [HN]
tonsus Desbrochers des Loges, 1897d: 9 (*Chaerodrys*) [HN]
transalpinus K. Daniel & J. Daniel, 1906: 182 E: AU BH CR IT
wymanni Borovec & Germann, 2013: 78 E: GR (Samos I.)
subgenus *Rhinocoetus* Desbrochers des Loges, 1902b: 122 type species *Polydrusus desbrochersi* Stierlin,
 1884
desbrochersi Stierlin, 1884c: 81 E: SP
subgenus *Scythodrusus* Korotyaev & Meleshko, 1997: 280 type species *Polydrusus inustus* Germar,
 1823
astutus Gyllenhal, 1834a: 145 E: ST TR UK A: TR
starcki Reitter, 1888c: 261
inustus Germar, 1823: 453 E: BU CT FR HU IT NT PL ST SZ TR UK A: AB AR GG IN KI KZ
 TR UZ WS
martinii Hummel, 1827: 12 (*Eusomus*)
picticornis Reitter, 1899d: 207
vilis Gyllenhal, 1834a: 146
obrieni Korotyaev, Ismailova & Meleshko, 2003: 438 E: ST (Dagestan)
piliferus Hochhuth, 1847: 477 E: ST UK A: AB IN KI KZ TD TM
prasinooides Bovie, 1907: 326 [URN]
prasinus Reitter, 1899d: 207
talyschensis Reitter, 1899d: 206
ponticus Faust, 1888b: 46 E: BU TR A: IN SY TR
delagrangi Desbrochers des Loges, 1892e: 1
pseudocervinus Desbrochers des Loges, 1907b: 99
roseiceps Pesarini, 1975a: 50 A: TR
turcicus Meleshko & Korotyaev, 2003: 1129 A: TR
virbius Reitter, 1899d: 206 A: IN TM
subgenus *Stenodrusus* Meleshko & Korotyaev, 2005: 289 type species *Polydrusus nadaii* Meleshko &
 Korotyaev, 2005
nadaii Meleshko & Korotyaev, 2005: 291 A: IN

 genus *Polydrusus*, species incertae sedis
adonis Gistel, 1857: 529 (*Metallites*) E: AU
alniarius Gistel, 1857: 532 E: AU
carbonarius Grimmer, 1841: 41 E: AU
coeruleus Grimmer, 1841: 41 E: AU
festalis Gistel, 1857: 532 E: AU
lineatus Grimmer, 1841: 41 E: AU
longus Stierlin, 1884c: 80 N: MO

raffrayi Desbrochers des Loges, 1870b: 74 N: AG
solidarius Gistel, 1857: 532 E: AU
veris Gistel, 1857: 532 E: AU
sticticus Grimmer, 1841: 41 E: AU
viridipennis Grimmer, 1841: 41 E: AU

genus *Rungsythropus* A. Hoffmann, 1953c: 191 type species *Rungsythropus elongatus* A. Hoffmann, 1953 (= *Scythropus princeps* Peyerimhoff, 1925)
princeps Peyerimhoff, 1925e: 269 (*Scythropus*) N: MO
elongatus A. Hoffmann, 1953c: 191

genus *Sitonapterus* Reitter, 1913a: 21 type species *Sitonapterus sitonoides* Reitter, 1913
sitonoides Reitter, 1913a: 21 A: IN

genus *Synaptorhinus* Faust, 1889h: 227 type species *Synaptorhinus simplex* Faust, 1889
Cyclomias Desbrochers des Loges, 1892d: 120 type species *Cyclomias mylacoides* Desbrochers des Loges, 1892
albolineatus Pic, 1905j: 187 (*Cyclomias*) A: TR
mylacoides Desbrochers des Loges, 1892d: 120 (*Cyclomias*) A: TR
simplex Faust, 1889h: 227 A: "Asia minor"

7.8.25. Tribe Psallidiini Lacordaire, 1863

genus *Mesagroicus* Schoenherr, 1840b: 281 type species *Thylacites piliferus* Boheman, 1833
Lepidocricus Pierce, 1910: 362 type species *Lepidocricus herricki* Pierce, 1910
Mesagroecus Agassiz, 1846: 231 [UE]
affaber Faust, 1885b: 152 A: KZ TD UZ
amicalis Magnano, G. Osella & Abbazzi, 2008: 64 E: IT
angustirostris Faust, 1882a: 263 A: ES FE HEI JIL MG NMO
analisis Reitter, 1903b: 37 A: TR
anatolicus K. Daniel & J. Daniel, 1903b: 324 A: TR
auliensis Reitter, 1903b: 38 A: KZ
auratus Korotyaev, 1979: 141 A: NMO
conicirostris Reitter, 1903b: 40 A: KZ TD UZ
depressipennis Pic, 1897f: 203 A: SY TR "Mésopotamie"
elongatus Reitter, 1915a: 69 A: TR
erinaceus Faust, 1883e: 110 A: KI KZ
fasciatus Reitter, 1903b: 39 A: UZ
fuscus Y-Q. Chen, 1991c: 468 A: SHA SHX.
graecus Stierlin, 1890a: 165 E: GR
hauseri Reitter, 1903b: 39 A: KI KZ
helleri Reitter, 1903b: 39 A: TD UZ
hofferi Penecke, 1917: 219 E: RO
lederi Faust, 1887c: 30 A: IN TM
manifestus Faust, 1883e: 108 A: AF UZ
terrestris Faust, 1883e: 110
obscurus Boheman, 1840b: 282 E: BH BU CR HU KZ MD RO SB SK SL ST UK A: KZ
occipitalis Germar, 1847: 11 E: BH CR ME
petraeus Faust, 1885b: 153 A: IN KZ TM UZ
piliferus Boheman, 1833b: 522 (*Thylacites*) E: GR ST UK A: GG KZ WS
poriventris Reitter, 1903b: 37 E: ST UK A: GG KZ
rusticanus Faust, 1883e: 109 A: KZ UZ
insipidus Faust, 1885b: 153
stierlini Reitter, 1903b: 37 E: GR
sulcicollis Reitter, 1903b: 38 A: UZ
sus Faust, 1883e: 111 A: KI KZ TM UZ
viduatus Faust, 1883e: 112 A: TD UZ

genus *Psallidium* Herbst, 1795: 342 type species *Curculio maxillosus* Fabricius, 1792

subgenus *Axyraeus* Kiesenwetter, 1864: 257 type species *Axyraeus kraatzi* Kiesenwetter, 1864

Trachyphilodes Voss, 1948a: 72 type species *Trachyphilodes wettsteini* Voss, 1948
kraatzi Kiesenwetter, 1864: 257 (*Axyraeus*) E: GR (Kíti)
cressa Marseul, 1873b: 657 (*Axyraeus*) [URN]
talparum Bahr & Winkelmann, 2015: 1 E: GR
villosum Reiche, 1861c: 8 (*Axyraeus*) A: SY
wettsteini Voss, 1948a: 72 (*Trachyphilodes*) E: GR
subgenus *Coeliopus* Faust, 1889j: 285 type species *Psallidium spinimanum* Reiche, 1861
cribricolle Faust, 1894d: 190 (*Coeliopus*) A: TR
pactolum Reiche & Saulcy, 1858a: 662 A: IS LE SY
forcipatum Reiche & Saulcy, 1858a: 663
reichei Faust, 1889a: 77 E: GR
spinimanum Reiche, 1861c: 7 E: GR (Évvoia, Ikaría, Kéa, Kíti, Ródos, Sými) A: IS
kiesenwetteri Faust, 1889c: 77
subfasciatum Chevrolat, 1879e: 133 A: SY
undulatum Fleischer, 1914: 215
subgenus *Psallidium* Herbst, 1795: 342 type species *Curculio maxillosus* Fabricius, 1792
affine Fleischer, 1914: 224 A: SY TR
anatolicum *anatolicum* Boheman, 1840a: 830 E: GR A: SY TR
anatolicum *tauricola* Marseul, 1871b: xcvi A: LE
aurigerum Desbrochers des Loges, 1875b: ccxxvii A: CY SY
vittatum Faust, 1889c: 76
auxiliare Faust, 1889c: 80 E: BU GR
chionistae Alziar, 2006: 185 A: CY
cilicicum Fleischer, 1914: 225 A: TR
concinnum Faust, 1889b: 306 E: BU GR
creticum Faust, 1889c: 82 E: GR (Kíti)
cumulatum Faust, 1889c: 79 E: GR
desbrochersi Faust, 1894d: 189 E: GR A: SY
difficile Faust, 1889j: 300 E: GR (Kastellórizo, Ródos) A: SY TR
incolpatum Faust, 1889j: 288
frivaldszkyi Faust, 1889j: 303 E: GR
holdhausi Fleischer, 1914: 224 A: TR
latifrons Faust, 1894d: 189 A: TR
levrati Reiche & Saulcy, 1858a: 665 E: GR (Ródos, Sámos) A: SY
rugicolle Faust, 1889a: 78
maxillosum *maxillosum* Fabricius, 1792: 472 (*Curculio*) E: AL AU BH BU CZ GE GR HU IT MD
ME RO SB SE SK SL ST SZ UK A: AB AR GG IN KZ SY TD TM TR UZ
articulatum Fabricius, 1792: 461 (*Curculio*)
interstitiale Boheman, 1840a: 829
neglectum Faust, 1889j: 295
tenuipes Faust, 1889j: 295
maxillosum *parnassicum* Faust, 1889b: 94 E: GR
minutum Desbrochers des Loges, 1875a: 6 A: SY
oertzeni Reitter, 1885b: 388 (*Axyraeus*) E: GR (Kíti)
paradoxum Zumpt, 1937a: 13 A: TR
planicolle Chevrolat, 1879e: 133 E: GR (Ródos)
redtenbacheri Faust, 1889j: 297 A: SY TR
reitteri Fleischer, 1914: 220 E: SB TR A: TR
rufescens Chevrolat, 1879e: 133 A: "Oriens (Levant)"
sculpturatum Boheman, 1840a: 828 E: GR TR A: SY TR
intermedium Fleischer, 1914: 225
parvosculptum Fleischer, 1914: 225
senectum Faust, 1889j: 298 A: IS SY
separandum Desbrochers des Loges, 1875a: 6 A: LE SY
separadum Desbrochers des Loges, 1875a: 6 [NA]
simile Desbrochers des Loges, 1875a: 6 A: SY
strenuum Faust, 1889j: 288 A: LE SY
syriacum Miller, 1861: 207 A: IS SY
vestitum Walzl, 1838: 468 E: BU GR TR
vittatum Boheman, 1840a: 831 E: GR (Kíti) A: TR
ruficolle Faust, 1889a: 78 A: SY

genus *Sphingorrhinotus* Voss, 1957c: 40 type species *Sphingorrhinotus marussii* Voss, 1957
marussii gilgitensis Braun, 1996: 104 A: PA
marussii kaschmirensis Braun, 1996: 105 A: KA
marussii marussii Voss, 1957c: 40 A: KA PA
ortrudheinzae Braun, 1996: 106 A: PA

7.8.26. Tribe Sciaphilini Sharp, 1891

genus *Aomus* Schoenherr, 1834b: 532 type species *Aomus pubescens* Boheman, 1834
Anomus Laporte, 1840: 328 [URN]
Chilodrosus Reitter, 1913a: 24 type species *Otiorynchus phyllobiiformis* Reitter, 1895 (= *Aomus pubescens* Boheman, 1834)
afyonicus Białooki, 2005: 139 A: TR
aleppensis Reitter, 1913e: 189 (*Chilodrosus*) A: SY
bashi Fremuth & Lodos, 1987: 77 A: TR
cypricus Seidlitz, 1868: 56 (*Omius*) A: CY
elongatus Pic, 1901g: 87 [DA] A: SA
haifensis Formánek, 1904c: 298 (*Omius*) A: IS JO SY
otiorynchoides Reitter, 1913e: 189 (*Chilodrosus*)
minutissimus Pic, 1901g: 87 [DA] A: SA
podlussanyi Białooki, 2007: 175 A: TR
politus Pic, 1901g: 87 [DA] A: SA
pubescens Boheman, 1834b: 533 A: AB IN
phyllobiiformis Reitter, 1895a: 22 (*Otiorynchus*) [NA]
phyllobiiformis Reitter, 1895a: 22 (*Otiorynchus*)
similaris Pic, 1901g: 88 [DA] A: SA
subdentatus Pic, 1901g: 88 [DA] A: SA

genus *Aomidius* Białooki, 2005: 135 type species *Aomidius digoriensis* Białooki, 2005
digoriensis Białooki, 2005: 136 A: TR

genus *Araxia* Iablokoff-Khnzorian, 1957: 179 type species *Araxia mucronata* Iablokoff-Khnzorian, 1957
crisofaroi Gültekin & Borovec, 2008: 10 A: TR
mucronata Iablokoff-Khnzorian, 1957: 180 A: AB AR TR

genus *Archeophloeus* Iablokoff-Khnzorian, 1959b: 77 type species *Archeophloeus hypocrita* Iablokoff-Khnzorian, 1959 (= *Trachyphloeus inermis* Boheman, 1842)
inermis Boheman, 1842b: 119 (*Trachyphloeus*) E: AU CT CZ GE HU PL RO SK ST UK A: AB AR ES KI TR
hypocrita Iablokoff-Khnzorian, 1959b: 77
microphthalmus Penecke, 1939: 10 (*Brachysomus*)
sabulosus L. Redtenbacher, 1847: 431 (*Trachyphloeus*)

genus *Balcanomias* Białooki, 2015b: 45 type species *Barypeithes bosnicus* Apfelbeck, 1899
bosnicus Apfelbeck, 1899: 802 (*Barypeithes*) E: BH
niviphilus Apfelbeck, 1899: 802 (*Barypeithes*)
noesskei Apfelbeck, 1911: 222 (*Barypeithes*) E: BH ME
virguncula Seidlitz, 1868: 66 (*Barypeithes*) E: BH CR IT

genus *Balchaschia* Bajtenov, 1974a: 70 type species *Balchaschia deserti* Bajtenov, 1974
deserti Bajtenov, 1974a: 71 A: KZ

genus *Barypeithes* Jacquelin du Val, 1854a: 13 type species *Barypeithes rufipes* Jacquelin du Val, 1854
(= *Omius sulcifrons* Boheman, 1842)
Moroderia Reitter, 1915d: 115 type species *Moroderia inflaticeps* Reitter, 1915
hispanus Formánek, 1908a: 138 E: SP
inflaticeps Reitter, 1915d: 116 (*Moroderia*) E: SP
nitidulus Faust, 1885d: 236 (*Barypeithes*) [DA] N: AG
paganettii F. Solari, 1948a: 32 E: SP
sulcifrons andalusicus Seidlitz, 1868: 77 E: SP

sulcifrons sulcifrons Boheman, 1842b: 143 (*Omiias*) E: FR GB PT SP

asturiensis Kirsch, 1880b: 303

meridionalis Mulsant & Rey, 1864a: 28

meridionalis Mulsant & Rey, 1864b: 28 [HN]

rhytidiceps Chevrolat, 1873c: 411

rufipes Jacquelin du Val, 1854a: 13

sulcatifrons Marseul, 1873b: 586

genus *Brachysomus* Schoenherr, 1823: 1144 type species *Curculio hirsutulus* Fabricius, 1792 (= *Curculio echinatus* Bonsdorff, 1785)

subgenus *Brachysomus* Schoenherr, 1823: 1144 type species *Curculio hirsutulus* Fabricius, 1792 (= *Curculio echinatus* Bonsdorff, 1785)

Pavrosomus Fischer von Waldheim, 1829: 94 type species *Curculio hirsutulus* Fabricius, 1792 (= *Curculio echinatus* Bonsdorff, 1785)

Platytarsus Schoenherr, 1840a: 919 type species *Platytarsus setiger* Gyllenhal, 1840

Thricolepoides O'Brien, 1979: 71 type species *Thricolepoides clavisetis* O'Brien, 1979 (= *Curculio echinatus* Bonsdorff, 1785)

bohemicus Benedikt, 2009: 170 E: CZ

deceptorius Białooki & Krátký, 2015: 42 E: MC

dispar Penecke, 1910: 245 E: CZ HU PL RO SK UK

dubius Yunakov, 2006b: 297 E: BH

echinatus Bonsdorff, 1785: 33 (*Curculio*) E: BE BH CT CZ DE EN FI FR GB HU IT LA LS LT LU

NL NR NT PL RO SK ST SV SZ UK A: ES FE KZ WS NARi

clavisetis O'Brien, 1979: 72 (*Thricolepoides*)

hirsutulus Fabricius, 1792: 468 (*Curculio*) [URN]

erinaceus Fabricius, 1801: 527 (*Curculio*) E: AU CZ HU MD PL RO SK UK

villosulus Germar, 1823: 406 (*Trachyphloeus*)

fasciatus Stierlin, 1899a: 201 E: BH CR ME SL

fremuthi Košťál, 1991a: 84 E: HU RO SK

frivaldszkyi Reitter, 1884f: 259 (*Platytarsus*) E: HU RO SB

hegyessyi Yunakov, 2006b: 300 E: HU

hirsutus Iablokoff-Khnzorian, 1959b: 78 A: AR

hirtus Boheman, 1845: 399 (*Strophosomus*) E: AU BE BH BU CZ FR GB GE GR HU IT LS LU PL

RO SB SK SP ST SZ UK

bensai Stierlin, 1893c: 57

setulosus Boheman, 1845: 400 (*Strophosomus*)

hispidus L. Redtenbacher, 1847: 455 (*Sciaphilus*) E: AU CZ GE HU IT RO SK UK

banaticus Formánek, 1922: 79

kratkyi Białooki, 2007: 154 E: HU

mihoki Penecke, 1914: 36 E: HU

mucronatus Yunakov, 2006b: 297 E: ME

ornatus Stierlin, 1892: 366 E: RO

rokosensis Benedikt, 2001: 140 E: SK

setiger Gyllenhal, 1840a: 921 (*Platytarsus*) E: AU CR CZ GE HU IT MD PL RO SB SK SZ UK

antoni Reitter, 1895c: 204 (*Barypithes*)

pruinosis Boheman, 1842b: 133 (*Omiias*)

simplex Yunakov, 2006b: 296 E: MC

slovacicus Košťál, 1991b: 108 E: HU SK

strawinskii Cmoluch, 1960: 111 E: HU PL UK

styriacus Formánek, 1905a: 183 E: AU IT SL

subnudus Seidlitz, 1868: 88 (*Platytarsus*) E: AU HU SK UK

subtilis Yunakov, 2006b: 299 E: ME

turpificatus Białooki, 2015b: 42 E: RO

subgenus *Hippomias* Yunakov, 2006b: 302 type species *Platytarsus kubanensis* Reitter, 1888

albanicus Apfelbeck, 1911: 222 E: AL GR MC

alexeevi Yunakov, 2006b: 310 E: ST

armatus Yunakov, 2006b: 305 A: TR

argutus Yunakov, 2006b: 308 E: SB

assingi Yunakov, 2006b: 304 A: TR

boroveci Yunakov, 2006b: 303 E: GR

carpathicus Košťál, 1992: 40 E: RO

commutatus Košťál, 1992: 47 A: TR

cribrarius Białooki & Szypuła, 2007: 158 E: BU

curvimanus Yunakov, 2006b: 306 A: TR
ellipticus Yunakov, 2006b: 312 E: ST
fallax Yunakov, 2006b: 307 E: GR
kovali Yunakov, 2006b: 315 A: GG
kubanensis Reitter, 1888b: 236 (*Platytarsus*) E: ST A: GG
laticollis Košťál, 1992: 42 E: RO
machaerophorus Białoeki, 2007: 156 E: RO
merkli Yunakov, 2006b: 310 E: RO
mikati Košťál, 1992: 45 E: BU GR
oertzeni Faust, 1889a: 70 (*Platytarsus*) E: GR
moczarskii Penecke, 1924a: 14
pelex Yunakov, 2006b: 302 E: GR
podolicus Białoeki, 2007: 157 E: UK
polonicus Wanat & Mazur, 2005: 292 E: PL RO UK
ponticus Apfelbeck, 1899: 800 E: BU TR
anatolicus Smreczyński, 1977b: 394
rhinomioides Košťál, 1992: 47 E: UK A: TR
samos Yunakov & Germann, 2012: 60 E: GR (Sámos)
simulans Yunakov, 2006b: 305 E: GR
sulcatus Yunakov, 1999: 13 E: UK (Krym)
tannourinensis Szénási & Németh, 2019: 390 A: LE #⁶
tenuicollis Yunakov, 2006b: 312 E: HU SK UK
transsylvanicus Seidlitz, 1868: 90 (*Platytarsus*) E: RO
solarii Formánek, 1906: 38
verae Košťál, 1992: 44 E: RO SK UK
xanthianus Germann, Braunert & Kakiopoulos, 2016: 178 E: GR

genus *Brachysomus*, species incertae sedis
bonnairei A. Hoffmann, 1942a: 14 N: AG
longipterus Białoeki, 2007: 162 E: MC
skodai Białoeki, 2007: 160 E: RO

genus *Chiloneus* Schoenherr, 1842b: 234 type species *Chiloneus siculus* Boheman, 1842 (= *Sciaphilus meridionalis* Boheman, 1840)

subgenus *Chiloneus* Schoenherr, 1842b: 234 type species *Chiloneus siculus* Boheman, 1842 (= *Sciaphilus meridionalis* Boheman, 1840)

Chilonorrhinus Reitter, 1915i: 187 type species *Chilonorrhinus sitonoides* Reitter, 1915
Microelytrodon Pic, 1945: 2 type species *Microelytrodon theresae* Pic, 1945 (= *Chiloneus brevithorax* Desbrochers des Loges, 1875)
Rhinochrosis Desbrochers des Loges, 1892d: 121 type species *Rhinochrosis subglobata* Desbrochers des Loges, 1892 (= *Chiloneus chevrolati* Tournier, 1874)

aliquoi Pesarini, 1974: 250 (*Chilonorrhinus*) E: IT
barbaricus González, 1970b: 55 (*Desbrochersella*) N: AG
vaulgeri Desbrochers des Loges, 1897a: 176 (*Platytarsus*) [HN]
belloi Borovec & Weill, 2016: 33 E: SP
brevipilis Desbrochers des Loges, 1893f: 13 N: AG TU
tuniseus Desbrochers des Loges, 1897b: 4 (*Sciaphilus*)
brevithorax Desbrochers des Loges, 1875b: ccxxvi A: CY
theresae Pic, 1945: 2 (*Microelytrodon*)
carinidorsum Desbrochers des Loges, 1871: 354 N: AG
chevrolati Tournier, 1874d: lxxxvi E: PT SP N: MO
parvus Stierlin, 1899a: 200 (*Holcorhinus*)
subglobatus Desbrochers des Loges, 1892d: 122 (*Rhinochrosis*)
tingitanus González, 1970: 56 (*Desbrochersella*)
chobauti Desbrochers des Loges, 1897d: 11 (*Sciaphilus*) N: AG
inhumeralis Pic, 1903b: 124 (*Sciaphilus*)
cinerascens Rosenhauer, 1856: 261 (*Omiás*) E: SP N: AG MO
nitens Pic, 1904h: 92 (*Sciaphilus*)
semimiditus Hustache, 1941b: 163 (*Rhinochrosis*) [NA]
semimitidus Hustache, 1941b: 163 (*Rhinochrosis*)
corcyreus Penecke, 1935a: 107 E: GR (Kérkyra)
corpulentus Kiesenwetter, 1864: 244 (*Sciaphilus*) E: GR

cyrenaicus Borovec & Weill, 2016: 31 N: LB
franzi González, 1970b: 57 (*Desbrochersella*) E: SP
gabrielii Reitter, 1915i: 189 E: GR
globulus Borovec & Perrin, 2016: 137 N: AG
hispidus González, 1972b: 75 (*Desbrochersella*) A: JO
hoffmanni González, 1970b: 63 (*Desbrochersella*) E: IT (Lampedusa) MA
deluccai Pesarini, 1970c: 375
infuscatus Chevrolat, 1861a: 118 (*Sciaphilus*) N: AG TU
algericus Desbrochers des Loges, 1871: 349
innotatus Pic, 1927a: 2 (*Sciaphilus*) A: CY
insulanus González, 1970: 61 (*Desbrochersella*)
jonicus Kraatz, 1859a: 56 E: GR
maculatus Hampe, 1870: 334 (*Sciaphilus*) E: BH CR
maroccanus A. Hoffmann, 1954a: 51 (*Desbrochersella*) N: MO
mediterraneus González, 1970b: 59 (*Desbrochersella*) E: SP
meridionalis Boheman, 1840a: 913 (*Sciaphilus*) E: IT (Sicilia)
championi González, 1970: 62 (*Desbrochersella*)
siculus Boheman, 1842b: 235
minutissimus Pic, 1904h: 92 (*Sciaphilus*) N: AG
nitidipennis Pic, 1927: 168 (*Desbrochersella*)
subannulipes Pic, 1917b: 14 (*Sciaphilus*)
omiasformis Borovec & Weill, 2016: 36 E: SP
ottomanus Desbrochers des Loges, 1892d: 113 A: TR
pallidus Bajtenov, 1974b: 33 A: KZ
pennatus Faust, 1885d: 235 (*Mylacus*) E: SP N: AG
dividius Pic, 1904h: 91 (*Sciaphilus*)
pruinus Desbrochers des Loges, 1896d: 39 (*Sciaphilus*)
pertusicollis Faimaire, 1868: 494 (*Sciaphilus*) N: AG EG
nasutus Desbrochers des Loges, 1897d: 10 (*Sciaphilus*)
ruficornis Allard, 1869c: 471 (*Foucartia*)
sphaeropterus Allard, 1869c: 475 (*Eusomus*)
sahlbergi Reitter, 1915i: 191 A: IS
scythropoides Reitter, 1915i: 190 A: CY
sitoniformis Reitter, 1915i: 190 A: IS
sitonoides Reitter, 1915i: 191 N: AG
solarii Pesarini, 1970c: 378 E: IT (Linosa) MA
submaculatus Pic, 1917b: 14 (*Sciaphilus*) N: AG TU
alboscuteellaris Pic, 1917c: 22 (*Sciaphilus*)
syriacus Stierlin, 1886b: 228 (*Sciaphilus*) A: IS
tenietensis Borovec & Perrin, 2016: 144 N: AG
vaulogeri Pic, 1896b: 93 (*Sciaphilus*) N: LB TU
alluaudi Pic, 1903b: 124 (*Sciaphilus*)
pilosulus Normand, 1953: 120
veneriatus Normand, 1937: 244 N: TU
subgenus *Mylaconeus* Pesarini, 1970c: 381 type species *Chiloneus lonai* Pesarini, 1970
lonai Pesarini, 1970c: 382 E: IT

genus *Chionostagon* Alonso-Zarazaga, 1988b: 160 type species *Mylacus albosquamulatus* Reitter, 1907
albosquamulata Reitter, 1907f: 323 (*Mylacus*) E: SP

genus *Edmundia* Faust, 1891a: 58 [RN] type species *Sciaphilus claviceps* Reitter, 1890

subgenus *Edmundia* Faust, 1891a: 58 [RN] type species *Sciaphilus claviceps* Reitter, 1890

Reitteria Faust, 1891c: 250 [HN] type species *Sciaphilus claviceps* Reitter, 1890

claviceps Reitter, 1890c: 155 (*Sciaphilus*) A: AB AR TR

subgenus *Sphaeropteromus* Białooki, 2007: 152 type species *Edmundia giganticeps* Białooki, 2007

giganticeps Białooki, 2007: 152 A: TR

micropunctata Białooki, 2015b: 39 A: TR

genus *Eusomatus* Krynicki, 1834: 169 type species *Eusomatus taeniatus* Krynicki, 1834

Eusomatulus Reitter, 1904b: 86 type species *Eusomus laticeps* Stierlin, 1885 (= *Eusomatus taeniatus* Krynicki, 1834)

claviger Schilsky, 1912: 51 (*Eusomus*) A: FE

obovatus Boheman, 1840a: 939 (*Eusomus*) E: ST A: ES KZ WS

taeniatus Krynicki, 1834: 169 E: RO ST UK
laticeps Stierlin, 1885a: 111 (*Eusomus*)
virens Boheman, 1833b: 566 (*Eusomus*) E: RO ST UK A: KI KZ WS
elegans Stierlin, 1885a: 112 (*Eusomus*)

genus *Eusomomorphus* K. Daniel, 1906a: 281 type species *Eusomus oligops* K. Daniel, 1906
oligops K. Daniel, 1906a: 281 (*Eusomus*) A: TR
pulcher Pic, 1905a: 98 (*Sciaphilus*) A: TR
ilerii Fremuth & Lodos, 1987: 79 (*Aomus*)

genus *Eusomostrophus* Tournier, 1878b: xviii type species *Eusomostrophus viridis* Tournier, 1878
Euidosomus Reitter, 1904b: 89 type species *Eusomus acuminatus* Boheman, 1840
Taureusomus Arnol'di, 1958: 127 type species *Eusomus elongatus* Boheman, 1833
acuminatus Boheman, 1840a: 941 (*Eusomus*) E: ST UK A: KZ UZ WS
furcillatus Motschulsky, 1853: 80 (*Eusomus*)
mucronatus Hochhuth, 1851: 20 (*Eusomus*)
pauper Schilsky, 1912: 61 (*Eusomus*)
uralensis Schilsky, 1912: 61 (*Eusomus*)
elongatus Boheman, 1833b: 566 (*Eusomus*) E: RO ST UK
griseus Desbrochers des Loges, 1904e: 104 (*Eusomus*) E: ST
griseus Desbrochers des Loges, 1904g: 130 (*Eusomus*) [HN]
jailensis Arnol'di, 1965: 532 (*Eusomus*) E: UK (Krym)
lenkoranus Korotyaev, 1995a: 71 (*Euidosomus*) A: AB
mirabilis Formánek, 1912c: 311 (*Eusomus*) E: ST UK
piliferus Schoenherr, 1832: 216 (*Eusomus*) A: AB AR IN KZ TR
piliferus Boheman, 1833b: 565 (*Eusomus*) [HN]
armeniacus Kirsch, 1871c: 44 (*Eusomus*)
pilosus Schoenherr, 1832: 217 (*Eusomus*) E: ST A: AB AR IN
pulcher Kirsch, 1878: 285 (*Eusomus*)
pulcher Kirsch, 1879: 29 (*Eusomus*) [HN]
sandneri Reitter, 1904b: 90 (*Eusomus*) A: "Transkaukasien"
semidesertus Arnol'di, 1964a: 168 (*Euidosomus*) A: KZ
viridis Tournier, 1878b: xviii A: TR

genus *Eusomus* Germar, 1823: 457 type species *Eusomus ovulum* Germar, 1823
Chrysoloma A. Villa & G. B. Villa, 1833: 25 type species *Eusomus ovulum* Germar, 1823
Eusomum Gistel, 1856a: 374 type species *Eusomus ovulum* Germar, 1823
Hallucinatrix Gistel, 1848a: xi [URN]
affinis Lucas, 1846b: pl. 35 N: AG
chloris Chevrolat, 1878b: 281
convexior Desbrochers des Loges, 1871: 235
koenigi Desbrochers des Loges, 1904e: 104 A: TR
ovulum Germar, 1823: 459 E: AL AU BE BH BU CZ FR GR HU IT LU ME PL RO SB SK SP ST
SZ UK A: ES IN KZ TD TR WS
beckeri Tournier, 1874d: lxxxvi
cineraceus Grimmer, 1841: 42
griseus Hochhuth, 1851: 19
persicus Desbrochers des Loges, 1904e: 104 A: IN
rostri Schilsky, 1912: 53
planidorsum Desbrochers des Loges, 1904e: 104 E: ST
richteri Motschulsky, 1845a: 105 A: XIN
sphaeropterus Allard, 1869c: 475 [DA] N: AG
stierlini Schilsky, 1912: 65 E: RO
unicolor Zumpt, 1933e: 85 A: AR

genus *Eusomus*, nomen dubium
phytonius Gistel, 1857: 525 E: AU

genus *Exomias* Bedel, 1883b: 43 type species *Omias pellucidus* Boheman, 1834
albinae Formánek, 1903: 140 (*Barypeithes*) E: CZ SK
araneiformis araneiformis Schrank, 1781: 125 (*Curculio*) E: AU BE BH CZ DE EN FR GB GE HU IT
LU NL NR IT PL SV SZ
brunnipes Olivier, 1807: 384 (*Curculio*) [HN]
ebeninus Boheman, 1842b: 137 (*Omias*)

gracilis Beck, 1817: 25 (*Curculio*)
piceus Marsham, 1802: 305 (*Curculio*) [HN]
araneiformis setosus Formánek, 1904b: 162 (*Barypeithes*) E: FR
pseudopyrenaeus A. Hoffmann, 1939a: 81 (*Barypeithes*)
armiger K. Daniel & J. Daniel, 1898: 68 (*Barypeithes*) E: RO
austriacus Fremuth, 1979: 39 (*Barypeithes*) E: AU
carpathicus Reitter, 1885b: 387 (*Barypeithes*) E: RO UK
companyonis Boheman, 1842b: 141 (*Omiias*) E: FR SZ
curvimanus Jacquelin du Val, 1854b: 35 (*Omiias*) E: FR GB
djurdjurenensis Pic, 1897g: 298 [EA] N: AG
formaneki Fremuth, 1971: 12 (*Barypeithes*) E: AU HU SK
gobiensis Voss, 1967: 262 (*Barypeithes*) A: MG
graecus Stierlin, 1888b: 52 (*Barypeithes*) E: GR
holosericeus Fabricius, 1801: 526 (*Curculio*) E: AU BH BU CR CZ FR GE HU IT ME PL RO SB SK
 SL SV SZ UK
chevolati Boheman, 1842b: 135 (*Omiias*)
ruficollis Fabricius, 1787a: 116 (*Curculio*) [HN]
subnitidus Boheman, 1842b: 136 (*Omiias*)
indigena indigena Boheman, 1834b: 508 (*Omiias*) E: PT SP
indigena navaricus Tempère, 1952: 28 (*Pleurodirus*) E: FR
interpositus interpositus Roubal, 1920: 207 (*Barypeithes*) E: HU PL SK UK
interpositus siliciensis Fremuth, 1971: 17 (*Barypeithes*) E: HU SK
lebedevi Roubal, 1926: 247 (*Barypeithes*) E: CT ST UK
liptoviensis Weise, 1894a: 249 (*Barypeithes*) E: HU SK UK
maritimus Formánek, 1904c: 297 (*Barypeithes*) E: FR GE IT
dissimilis A. Hoffmann, 1939a: 80 (*Barypeithes*)
metallicus Stierlin, 1884: 95 (*Barypeithes*) E: IT (Sardegna, Sicilia)
mollicomus Ahrens, 1812: 17 (*Curculio*) E: AU BH CR CT CZ DE EN FI FR GE HU IT LU NL NR
 NT PL RO SK ST SV SZ UK
punctirostris Boheman, 1842b: 134 (*Omiias*)
montanus Chevrolat, 1863: 105 (*Omiias*) E: GE FR SZ
anthracinus Rey, 1894h: 139 (*Barypeithes*)
osmanilis Apfelbeck, 1903: 336 (*Barypeithes*) E: BH
paratenex Fremuth, 1981: 70 (*Barypeithes*) E: AU HU
pellucidus pellucidus Boheman, 1834b: 507 (*Omiias*) E: AU BE BU BY CT CZ DE EN FI FR GB GE
 HU LA LU MD NL NR NT PL RO SK ST SV SZ UK **AURi NARi**
budensis Csiki, 1943c: 66 (*Barypeithes*)
gabrielii Penecke, 1928b: 41 (*Barypeithes*)
rufiventris Stierlin, 1902a: 427 (*Otiiorhynchus*)
rutilus Boheman, 1834b: 507 (*Omiias*)
pellucidus duplicatus Keys, 1911: 130 (*Barypeithes*) E: FR GB GE
purkynei Fremuth, 1965: 323 (*Barypeithes*) E: SK
pyrenaeus Seidlitz, 1868: 73 (*Barypeithes*) E: FR GB SP SZ
scheuerni Dieckmann, 1987: 13 (*Barypeithes*) E: FR
scydmaenoides Seidlitz, 1868: 72 (*Barypeithes*) E: IT SZ
pirazzollii Stierlin, 1884: 94 (*Barypeithes*)
styriacus Seidlitz, 1868: 69 (*Barypeithes*) E: AU BH CR HU SL
ganglbaueri Apfelbeck, 1899: 803 (*Barypeithes*)
tenex Boheman, 1842b: 140 (*Omiias*) E: AU CZ FR GE HU NL
trichopterus Gautier des Cottes, 1863: 490 (*Omiias*) E: AU CT DE EN FR GE LA LT LU NL PL SV
SZ, NARi
violatus Seidlitz, 1868: 70 (*Barypeithes*)
vallestris Hampe, 1870: 334 (*Barypeithes*) E: AU CZ
validus Stierlin, 1884: 93 (*Barypeithes*)

genus *Foucartia* Jacquelin du Val, 1854a: 14 type species *Foucartia cremieri* Jacquelin du Val, 1854

Parafoucartia F. Solari, 1948a: 26 type species *Curculio squamulatus* Herbst, 1795

behnei Borovec & Pelletier, 2009: 6 E: GR

chloris Kiesenwetter, 1864: 244 E: GR

similaris Tournier, 1876a: 11

cremieri Jacquelin du Val, 1854a: 15 E: FR SP

dieckmanni Angelov, 1986: 187 E: BU RO A: TR

elegans Kraatz, 1859b: 77 E: GR A: CY
elongata Tournier, 1876a: 11 E: SP N: AG
 kricheldorffi Reitter, 1915a: 67
helenae Borovec & Pelletier, 2009: 14 E: MC
lepidota Perris, 1866b: 190 (*Omius*) [DA] N: AG
lethierryi Desbrochers des Loges, 1875a: 4 N: AG
liturata Stierlin, 1884: 35 E: CZ HU PL SK ST UK A: TR
podlussanyi Borovec & Pelletier, 2009: 17 A: TR
ptochioides Bach, 1856: 244 (*Sciaphilus*) E: AU CZ GE HU SK
reitteri Formánek, 1908a: 137 (*Argoptochus*) A: AB AR TR
sacarensis Angelov, 1987a: 11 E: BU GR
squamulata Herbst, 1795: 353 (*Curculio*) E: AU BH BU CR CT CZ FR GE GR HU IT MC MD PL
 RO SK SL SP ST SV SZ TR UK A: AR IN KI KZ TR UZ WS
 burghauseri Reitter, 1905b: 247
 conicollis Reitter, 1892b: 153
 carsiana J. Müller, 1937: 7

genus *Holcolydoprus* Yunakov & Korotyaev, 2008: 43 type species *Holcolydoprus bimaculatus*
 Yunakov & Korotyaev, 2008
bimaculatus Yunakov & Korotyaev, 2008: 46 A: TM
griseus Yunakov & Korotyaev, 2008: 46 A: AB AR TR

genus *Kuglerius* Borovec & Friedman, 2009: 182 type species *Kuglerius sitonimorphis* Borovec &
 Friedman, 2009
marismortui Borovec & Friedman, 2009: 187 A: IS
sitonimorphis Borovec & Friedman, 2009: 185 A: IS

genus *Mylacomorphus* F. Solari, 1948a: 23 type species *Mylacomorphus macedonicus* F. Solari, 1948
behnei Białooki, 2015b: 40 E: BU
bulgaricus Angelov, 1992: 151 (*Barypeithes*) E: BU
globus Seidlitz, 1868: 65 (*Barypeithes*) E: HU RO UK
 sphaeroides Seidlitz, 1868: 65 (*Barypeithes*)
macedonicus F. Solari, 1948a: 23 E: MC

genus *Myochlamys* Fairmaire, 1876b: 50 type species *Myochlamys acutipennis* Fairmaire, 1876
acutipennis Fairmaire, 1876b: 50 N: AG MO
 biovatus Desbrochers des Loges, 1897d: 12 (*Polydrusus*)
convexiceps Desbrochers des Loges, 1896d: 40 (*Sciaphilus*) N: AG

genus *Omiocratus* Nasreddinov, 1978a: 100 type species *Omiocratus terminassianae* Nasreddinov,
 1978
terminassianae Nasreddinov, 1978a: 100 A: TD

genus *Paophilus* Faust, 1891c: 249 type species *Sciaphilus afflatus* Boheman, 1833
afflatus Boheman, 1833b: 550 (*Sciaphilus*) E: AU CZ HU PL RO SK UK
albilaterus Faust, 1882b: 431 (*Sciaphilus*) A: ES KZ WS
asiaticus Desbrochers des Loges, 1902a: 107 (*Sciaphilus*) A: SY TR
dshungaricus Bajtenov, 1974b: 33 A: KZ
hampei Seidlitz, 1867b: 432 (*Sciaphilus*) E: CR HU RO UK
hispidus Faust, 1882b: 432 (*Sciaphilus*) A: ES KZ WS
indutus Faust, 1894b: 141 A: KI KZ
ketmenicus Bajtenov, 1974b: 33 A: KZ
meschniggi Penecke, 1935a: 109 E: GR

genus *Pareusomus* Arnol'di, 1964a: 170 type species *Pareusomus dentitibia* Arnol'di, 1964
australis Bajtenov, 1980b: 126 A: KZ
dentitibia Arnol'di, 1964a: 170 A: KZ
karatavicus Bajtenov, 1971: 93 A: KZ
kashgaricus Korotyaev, 1979: 163 A: XIN
orientalis Bajtenov, 1980b: 126 A: KZ

tuberculus Bajtenov, 1981d: 123 A: KZ

genus *Pleurodirus* Chevrolat, 1878b: 281 type species *Curculio carinula* Olivier, 1807
subgenus *Pleurodirus* Chevrolat, 1878b: 281 type species *Curculio carinula* Olivier, 1807
carinula Olivier, 1807: 420 (*Curculio*) E: FR PT SP

cristatus Graells, 1851: 147 (*Metallites*)

lineola Chevrolat, 1878b: 281

oblongus Boheman, 1833b: 549 (*Sciaphilus*)

fairmairii Kiesenwetter, 1852: 633 (*Metallites*) E: FR PT SP

ovipennis C. N. F. Brisout de Barneville, 1862b: 604 (*Metallites*)

subgenus *Pseudometallites* D'Amore-Fracassi, 1907: 162 type species *Metallites murinus* Gyllenhal, 1834

aquisextanus Abeille de Perrin, 1905a: 280 (*Metallites*) E: FR

doderoi D'Amore-Fracassi, 1907: 161 (*Metallites*) E: CR IT

murinus Gyllenhal, 1834a: 157 (*Metallites*) E: CR FR IT SP

globosus Gyllenhal, 1834a: 158 (*Metallites*)

obesus Guillebeau, 1897b: 165 (*Metallites*) E: FR

fulvipilis Hustache, 1926c: 307

pubescens Allard, 1869c: 470 (*Cneorhinus*) E: FR SP

gavoyi Desbrochers des Loges, 1909a: 20 (*Chaerodrys*)

javeti Desbrochers des Loges, 1871: 236 (*Metallites*)

genus *Pseudoptochus* Formánek, 1905a: 171 type species *Platytarsus aurohirtus* Seidlitz, 1868

aurohirtus Seidlitz, 1868: 85 (*Platytarsus*) E: BU MD RO TR A: TR

osmanlis Reitter, 1900a: 279 (*Foucartia*)

saphanensis Białooki, 2007: 148 A: TR

crepuscularis Białooki, 2007: 150 A: TR

genus *Ptochomorphus* F. Solari, 1948a: 30 type species *Ptochus lateralis* Chevrolat, 1881 (= *Sciaphilus laticrobs* Hochhuth, 1847)

laticrobs Hochhuth, 1847: 468 (*Sciaphilus*) E: ST A: AB IN

lateralis Chevrolat, 1881a: cxxxv (*Ptochus*)

genus *Sauromates* Korotyaev, 1992d: 879 type species *Sauromates arnoldii* Korotyaev, 1992

arnoldii Korotyaev, 1992d: 880 E: ST UK

villosus Formánek, 1911: 203 (*Omiias*) E: BY UK

genus *Sciaphilus* Schoenherr, 1823: 1139 type species *Curculio muricatus* Fabricius, 1792 (= *Curculio asperatus* Bonsdorff, 1785)

Elevatosomus Zumpt, 1933e: 83 type species *Eusomus freyi* Zumpt, 1933 (= *Sciaphilus costulatus* Kiesenwetter, 1852)

Lygophilus Fischer von Waldheim, 1829: 89 [HN] type species *Curculio muricatus* Fabricius, 1792 (= *Curculio asperatus* Bonsdorff, 1785)

Sphaerilethmus Gistel, 1848c: [2] type species *Curculio muricatus* Fabricius, 1792 (= *Curculio asperatus* Bonsdorff, 1785)

asperatus Bonsdorff, 1785: 34 (*Curculio*) E: AU BE BH BY CR CT CZ DE EN FI FR GB GE HU IT

LA LS LT LU MD NL NR NT PL RO SK SP ST SV SZ UK YU A: AB AR GG KZ TR WS

NARi

lucidulus Boheman, 1840a: 913

muricatus Fabricius, 1792: 489 (*Curculio*) [HN]

planirostris Gmelin, 1790: 1806 (*Curculio*) [HN]

pusillus Stephens, 1831g: 131

costulatus Kiesenwetter, 1852: 629 E: FR SP

freyi Zumpt, 1933e: 83 (*Eusomus*)

ebeninus Chevrolat, 1873c: 411 (*Platytarsus*) E: SP

helenae Schilsky, 1912: 27 A: "Kleinasien"

humeralis Desbrochers des Loges, 1902a: 107 N: AG

genus *Sciaphobus* K. Daniel, 1904: 86 [RN] type species *Eusomus scitulus* Germar, 1823

subgenus *Neosciaphobus* Apfelbeck, 1922d: 60 type species *Curculio rubi* Gyllenhal, 1813 (= *Thylacites ningnidus* Germar, 1823)

angustus Borovec & Skuhrovec, 2015: 752 E: AL

globipennis Apfelbeck, 1922d: 63 E: AL

ningnidus Germar, 1823: 412 (*Thylacites*) E: AL AU BH CR CT CZ GE ME PL RO SK ST SV UK

rubi Gyllenhal, 1813: 329 (*Curculio*) [HN]

rasmus Seidlitz, 1867b: 433 (*Sciaphilus*) E: BH CR
reitteri Stierlin, 1884: 86 (*Sciaphilus*) E: BH CR
scheibeli Apfelbeck, 1922d: 66 E: SB
squalidus Gyllenhal, 1834a: 151 (*Polydrusus*) E: BH BU CR GR HU KZ MD ME PL RO SB SK SL
 ST UK
alternans Apfelbeck, 1922d: 64
balcanicus Apfelbeck, 1922d: 65
beckeri Stierlin, 1864b: 494 (*Sciaphilus*)
ovalipennis Apfelbeck, 1922d: 64
subnudus Desbrochers des Loges, 1892d: 114 (*Sciaphilus*) E: GR
vittatus Gyllenhal, 1834a: 152 (*Polydrusus*) E: CR
subgenus *Sciaphobus* K. Daniel, 1904: 86 [RN] type species *Eusomus scitulus* Germar, 1823
heliophilus Faust, 1891c: 249 [HN] type species *Eusomus scitulus* Germar, 1823
abbreviatus Desbrochers des Loges, 1871: 234 (*Polydrusus*) E: IT
psittacinus K. Daniel, 1904: 85
barbatulus Germar, 1823: 460 (*Eusomus*) E: AL AU BH CR HU IT ME RO SB SL SZ
dalmatinus Stierlin, 1884: 87 (*Sciaphilus*)
smaragdinus Boheman, 1840a: 915 (*Sciaphilus*)
subdentatus Schilsky, 1911: 68
caesius Hampe, 1870: 335 (*Sciaphilus*) E: AL BH BU HU MD ME RO SB SK UK
haagi Stierlin, 1884: 86 (*Sciaphilus*)
merkli Stierlin, 1884: 86 (*Sciaphilus*)
vigo Yunakov, 1998: 44
curvimanus Apfelbeck, 1922d: 68 E: AL ME
muelleri Penecke, 1928c: 127
dorsualis Gyllenhal, 1840b: 452 (*Polydrusus*) E: GR
formanekei Borovec & Skuhrovec, 2015: 774 E: ME
heteromorphus Apfelbeck, 1922d: 67 E: BH
megalopsis Apfelbeck, 1922d: 71 E: AL
paliuri Apfelbeck, 1908b: 532 E: ME
pelikani Borovec & Skuhrovec, 2015: 776 E: ME
polydrosinus Apfelbeck, 1922d: 69 E: ME
scitulus Germar, 1823: 459 (*Eusomus*) E: AL AU BH CR CZ GE HU IT SK SL SZ
setosulus Germar, 1823: 461 (*Eusomus*) E: AU BH CR IT MD ME RO SB SL

genus *Sericopholus* Desbrochers des Loges, 1893d: 2 type species *Sericopholus sicardi* Desbrochers des Loges, 1893
alophinus Desbrochers des Loges, 1903g: 181 type species *Alophinus triangulifer* Desbrochers des Loges, 1903
murinus Desbrochers des Loges, 1896d: 41 (*Chiloneus*) N: TU
subuniformis Pic, 1904b: 11 (*Alophinus*)
triangulifer Desbrochers des Loges, 1903g: 181 (*Alophinus*)
sicardi Desbrochers des Loges, 1893d: 2 N: TU
tunisiensis Desbrochers des Loges, 1899a: 80 (*Pholicodes*)

genus *Stasioidis* Gozis, 1886a: 29 type species *Sciaphilus viridis* Boheman, 1833 (= *Curculio parvulus* Fabricius, 1792)
elegans Stierlin, 1884: 85 (*Sciaphilus*) E: GR
parvulus Fabricius, 1792: 469 (*Curculio*) E: AU CR FR GE IT SZ
bellus Rosenhauer, 1847: 39 (*Sciaphilus*)
forticornis Gravenhorst, 1807: 215 (*Curculio*)
kraatzi Reitter, 1891c: 215 (*Foucartia*)
rivierae Stierlin, 1895b: 302 (*Sciaphilus*)
subcostatus Desbrochers des Loges, 1902a: 108 (*Sciaphilus*)
viridis Boheman, 1833b: 548 (*Sciaphilus*)

genus *Wittmerella* Pesarini, 1973: 81 type species *Wittmerella viridisetosa* Pesarini, 1973
sciaphilomorphus Alonso-Zarazaga & Lyal, 1999: 177 type species *Sciaphilus aurosus* Boheman, 1845
aurosa Boheman, 1845: 404 (*Sciaphilus*) E: IT
aurosa Germar, 1847: 12 (*Platyarsus*) [HN]
sulcirostris Chevrolat, 1860b: 130 (*Sciaphilus*) N: AG TU
viridisetosa Pesarini, 1973: 82 A: IN TR

7.8.27. Tribe Sitonini Gistel, 1848

genus *Andrion* Velázquez de Castro, 2007: 325 type species *Curculio regensteinensis* Herbst, 1797
regensteinense Herbst, 1797: 46 (*Curculio*) E: AU BE CT (Kaliningrad) CZ DE FI FR GB GE IR IT
LU NL NR PL PT SP SV SZ N: AG MO
femorale Stephens, 1831g: 134 (*Sitona*)
globulicolle Gyllenhal, 1834a: 102 (*Sitona*)
pleuriticum Stephens, 1831g: 134 (*Sitona*)
spartii Stephens, 1831g: 133 (*Sitona*)
ulicis Stephens, 1831g: 133 (*Sitona*)

genus *Charagmus* Schoenherr, 1826: 135 type species *Curculio gressorius* Fabricius, 1792

Clyptus A. Villa & G. B. Villa, 1833: 25 type species *Curculio gressorius* Fabricius, 1792
Sitonidius J. Müller, 1913: 87 type species *Curculio gressorius* Fabricius, 1792
cachectus Gyllenhal, 1834a: 108 (*Sitona*) E: FR GR IT PT SP N: AG ClI LB MO MR TU
albolineatus Reitter, 1902c: 195 (*Sitona*)
alternatus Desbrochers des Loges, 1897b: 7 (*Sitona*)
subcostatus Allard, 1864: 340 (*Sitona*)
vestitus Waltl, 1835: 79 (*Sitona*)
gressorius Fabricius, 1792: 465 (*Curculio*) E: AU AZi BE BH CR CT (Kaliningrad) CZ DE FR GB
GE GR HU IT KZ LA LT LU MA NL PL PT SK SL SP SV SZ UK N: AG ClI EG LB MO
MR TU A: AF IS SY TM TR
giganteus Fairmaire, 1871a: 399 (*Sitona*)
grissonus: Fabricius, 1801: 523 (*Curculio*) [NA, ISS]
ulicis Bory de St. Vincent, 1798: 73 (*Curculio*) [HN]
griseus Fabricius, 1775: 148 (*Curculio*) E: AU BE BY CT CZ DE EN FR GB GE GR HU IR IT LA
LT LU MD NL NR PL PT SK SP SV SZ UK N: AG LB MO A: CY SY TR
cupreosquamosus Goeze, 1777: 410 (*Curculio*)
fuscus Marsham, 1802: 313 (*Curculio*) [HN]
hinnullus Schrank, 1781: 124 (*Curculio*)
infossor Herbst, 1795: 248 (*Curculio*)
intersectus Geoffroy, 1785: 120 (*Curculio*)
squamosus Gmelin, 1790: 1804 (*Curculio*)
suturaalba Olivier, 1791: 572 (*Curculio*) [RN]
suturalis Herbst, 1784: 84 (*Curculio*) [HN]
vaucheri Stierlin, 1899a: 202 (*Sitona*)
intermedius Küster, 1847a: 66 (*Sitona*) E: BE BH BU CR FR GE GR IT LU MA MC ME PT SP SZ
TR UK N: AG MO MR TU A: CY IN IS LE SY TR
pictus Stierlin, 1885a: 123 (*Sitona*)
stierlini Reitter, 1903b: 12 (*Sitona*) E: GR N: AG MO A: IS LE SY
variegatus Fähræus, 1840a: 265 (*Sitona*) E: FR GR IT MA PT SP N: AG CI LB MO TU A: TR
conspectus Fähræus, 1840a: 268 (*Sitona*)
formaneki Reitter, 1903b: 13 (*Sitona*)
setuliferus Fähræus, 1840a: 273 (*Sitona*)

genus *Coelositona* González, 1971c: 53 type species *Sitona ribesi* González, 1971

cambricus Stephens, 1831g: 140 (*Sitona*) E: AU BE BU CZ DE EN FR GB GE HU IT LU NL PL
PT RO SK SP SZ N: MO A: TR
constrictus Fähræus, 1840a: 257 (*Sitona*)
cribricollis Gyllenhal, 1834a: 101 (*Sitona*)
solarii Magnano, 1959: 160 (*Sitona*)
cinerascens Fähræus, 1840a: 256 (*Sitona*) E: AU BE BU CR CZ DE FR GB GE GR HU IT LA LU
NL PL PT SB SK SP SV SZ N: AG TU A: TR
latipennis Gyllenhal, 1834a: 99 (*Sitona*) N: CI MR
verrucosus Brullé, 1839: 72 (*Sitona*)
limosus Rossi, 1792: 42 (*Curculio*) E: FR GR IT PT SP N: AG EG LB MO TU A: CY IS LE SY
TR
ambulans Gyllenhal, 1834a: 99 (*Sitona*)
bisphaericus Reiche & Saulcy, 1858a: 669 (*Sitona*)
mauritanicus Fähræus, 1840a: 258 (*Sitona*)
ocellatus Küster, 1849b: 69 (*Sitona*) E: GR (Kriti) IT MA PT SP N: AG CI EG LB MO TU A: CY
IN IS JO SY TR
bituberculatus Motschulsky, 1849: 142 (*Sitona*)
punctiger Wollaston, 1863: 220 (*Sitona*)
palmensis Har. Lindberg, 1953: 16 (*Sitona*) N: CI (La Palma)
puberulus Reitter, 1903b: 14 (*Sitona*) E: AL AZi BU FR GB GR IR IT MA PT SP ST N: AG ClI
MO MRi SGi A: IN
brevirostris F. Solari, 1948b: 71 (*Sitona*)

ribesi González, 1971c: 53 (*Sitona*) E: SP
vanharteni Magnano, 2009c: 257 A: AE
villosus Allard, 1869a: 323 (*Sitona*) A: CY IS SY TR
damascenus Stierlin, 1885a: 125 (*Sitona*)
horrens Desbrochers des Loges, 1900a: 5 (*Sitona*)

genus *Eugnathus* Schoenherr, 1834a: 132 type species *Eugnathus viridanus* Gyllenhal, 1834
Catachaenus Schoenherr, 1840b: 305 type species *Catachaenus cinctellus* Fähræus, 1840 (= *Lagostomus circulus* Eydoux & Souleyet, 1839)
Eugnathus Schoenherr, 1833a: 12 [NA]
cleroides Voss, 1925c: 215 A: TAI
curvus Faust, 1897d: 339 A: SD ORR
bellus Voss, 1922a: 169 (*Sitona*)
distinctus Roelofs, 1873: 179 A: ANH FUJ HUB JA JIA JIX NMO SC SCH SHX TAI ZHE
chloroticus Pascoe, 1874: 23 (*Catachaenus*)
bracteatus Pascoe, 1874: 23 (*Catachaenus*)
heydeni Schilsky, 1911: 87
intermedius Voss, 1925c: 218 A: "East India"
meyeri Voss, 1937c: 254 A: YUN
nigrofasciatus Voss, 1925c: 221 A: FUJ GUA

genus *Schelopius* Desbrochers des Loges, 1872a: 243 type species *Tanymecus planifrons* Fähræus, 1840
Schelopius: Sharp, 1886b: 109 [ISS, NA]
Tanycnemus Faust, 1881: 291 type species *Tanycnemus akinini* Faust, 1881 (= *Tanymecus planifrons* Fähræus, 1840)
Thelopius: Weise, 1891: 580 [ISS, NA]
planifrons planifrons Fähræus, 1840b: 223 (*Tanymecus*) E: ST A: AF FE IN IS JO KI KZ PA TD
TM UZ WS
akinini Faust, 1881: 294 (*Tanycnemus*)
planifrons caspicus Faust, 1881: 296 A: AB AR

genus *Sitona* Germar, 1817c: 341 type species *Curculio lineatus* Linnaeus, 1758
Clytus Dejean, 1821: 94 [NA, HN]
Parasitones Sharp, 1896: 113 type species *Parasitones gravidus* Sharp, 1896 (= *Sitona aberrans* Faust, 1887)
Sitones Schoenherr, 1840b: 253 [UE]
abchasicus Korotyaev, 2016a: 207 E: ST A: GG
aberrans Faust, 1887h: 168 A: FE JA NC SC
gravidus Sharp, 1896: 113 (*Parasitones*)
adanensis Reitter, 1908c: 66 A: TR
aemulus A. Hoffmann, 1942a: 12 N: MO
albovittatus Chevrolat, 1860d: 448 N: AG
aliciae Velázquez de Castro, 2011: 85 A: IS
ambiguus Gyllenhal, 1834a: 116 E: AN AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU
IR IT LA LT MC MD ME NL NR NT PL RO SB SK SP SZ SV UK A: ANH ES FUJ GAN
HEN HUB JIA KZ SCH SHA WS ZHE
amurensis Faust, 1882a: 263 A: ES FE GAN HEB HEI JA LIA NC NIN NMO QIN SHA SHX
XIN
preambulus Faust, 1890f: 445
anchora Gyllenhal, 1834a: 118 E: UK
antonii Korotyaev, 2013b: 85 [RN] A: KI
modestus Korotyaev, 1979: 146 [HN]
argenteomontanus Korotyaev, 1979: 144 A: ES
assimilis Desbrochers des Loges, 1900a: 5 N: MO
atlasticus Hustache, 1937a: 15 N: MO
bedeli Faust, 1885b: 157 A: KI KZ
bicolor Fähræus, 1840b: 275 E: AL CR GR MC A: IS TR UZ
bispilotus Hope, 1831: 26 A: NP
blanchardi Allard, 1864: 337 E: SP N: AG MO
borealis Korotyaev, 1979: 143 A: ES FE
bosnicus alpinus Apfelbeck, 1899: 811 E: BH FR
bosnicus bosnicus Apfelbeck, 1899: 810 E: AU BH IT
brachypterus Israelson, 1980: 196 N: CI

brucki Allard, 1870c: 156 E: PT SP N: AG MO A: IS PS
burchatensis Legalov, 1999d: 380 A: KZ
callosus Gyllenhal, 1834a: 105 E: AL BH BU CZ GR HU IT KZ MC MD ME PL RO SB SK SP ST
 UK A: AF AR FE HP IN IQ KA KI KZ MG NW PA SY TD TM TR UZ WS XIN
asellus Faust, 1883e: 113
caucasicus Stierlin, 1886b: 227
canus Gyllenhal, 1834a: 119 E: UK
cephalotes Hustache, 1946a: 53 N: MO
cinnamomeus Allard, 1863: 98 E: AL AZi BU CR FR GR IT MA ME PT SP N: AG MO MR TU
 A: TR AFR
corcyreus Apfelbeck, 1899: 808
concavirostris Hochhuth, 1851: 27 E: BU CR GR MC MD ME RO TR UK A: AB CY IN IQ IS SY
 TR
circumductus Desbrochers des Loges, 1870c: 193
separandus F. Solari, 1948b: 66
cornutus Velázquez de Castro, 2009: 80 N: LB
correctus Faust, 1889c: 130 A: KZ UZ
costatus Fischer von Waldheim, 1842: 24 A: ES WS
costipennis Faust, 1883e: 114 A: KZ TD UZ
crinitoides Reitter, 1903b: 28 E: ST A: AB TR
cylindricollis cylindricollis Fähræus, 1840b: 269 E: AL AU AZ BE BH BU BY CR CT CZ DE EN FI
 FR GB GE GR HU IT KZ LA LS LT LU MC MD ME MK NL NR NT PL PT RO SB SK SL
 SP ST SV SZ TR UK N: AG A: AB AF AR CY ES FE GAN GG IN IS JAi JO KI KZ MG
 TD TM TR UZ WS XIN XIZ NARi
alpinensis Tanner, 1987: 170
meliloti Walton, 1846a: 232
procerus Casey, 1888: 284
sieversi Reitter, 1903b: 34
varians Desbrochers des Loges, 1895k: 154 [HN]
vicinus Rey, 1894d: 98
cylindricollis maculosus Allard, 1865: 378 E: SP
cylindricollis molitor Faust, 1888a: 44 A: TM
 davidiani Korotyaev, 2016a: 205 E: ST A: AB TR
delicatulus Hustache, 1946a: 51 N: MO
demoflysi Normand, 1949: 100 N: LB TU A: IN IS
deubeli Krauss, 1902: 91 E: AL BH CR GR ME SB A: TR
discoideus Gyllenhal, 1834a: 112 E: AU AZi BE FR GR IT MA PT SP SZ N: AG CIi MO MR TU
 AFRi AURi NTRi
allardi Chevrolat, 1866c: 322
biseriatus Allard, 1864: 337
kraussei Formánek, 1911: 204
maculatus Motschulsky, 1849: 143
dudkoi Legalov, 1999d: 378 A: KZ
ellipticus Allard, 1864: 337 N: AG
fairmairei Allard, 1869a: 322 E: GR N: AG EG LB TU A: AR CY IN IS JO PA PS TR
araxidis Formánek, 1898: 129
festae F. Solari, 1922a: 7
unicolor Formánek, 1898: 129
fronto Faust, 1883e: 112 A: AF IN KI KZ TD TM UZ
gemellatus Gyllenhal, 1834a: 100 E: BE BU BY CR FR GB GE GR IT LU MC NL PT SP ST SZ
 TR N: AG MO SY A: TR
giraudi A. Hoffmann, 1938d: 125 E: FR SP
goetzelmanni Reitter, 1909c: 87 E: IT
hirsutus Desbrochers des Loges, 1884: 4 E: FR (Corse) IT N: AG
laticeps Stierlin, 1885a: 126
hispidulus Fabricius, 1777: 226 (*Curculio*) E: AL AN AU AZ BE BH BU BY CR CT CZ DE EN FI
 FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP
 ST SV SZ TR UK N: TU A: AB AR BEI CY GAN GG HEB IN IQ IS JAi JO KZ LE MG
 NMO PS QIN SCi SHA SI SY TD TR WS NARi NTRi
foedus Gyllenhal, 1834a: 120
geoffroaei Gmelin, 1790: 1804 (*Curculio*)
griseus Goeze, 1777: 410 (*Curculio*) [HN]
haemorrhoidalis Gyllenhal, 1834a: 115

hirtus Gmelin, 1790: 1807 (*Curculio*)
humilis Olivier, 1791: 553 (*Curculio*)
modestus Geoffroy, 1785: 120 (*Curculio*) [HN]
nitidulus Schrank, 1781: 108 (*Curculio*) [HN]
pallipes Stephens, 1831g: 135
pilosellus Gravenhorst, 1807: 213 (*Curculio*)
rufipes Walton, 1837: 37 [NA]
tibiellus Gyllenhal, 1834a: 121
trisulcatus Gyllenhal, 1840b: 276
humeralis Stephens, 1831g: 138 **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LS LT LU MC MD NL NR PL PT RO SB SK SL SP ST SV SZ TR UK **N:** MR **A:** AB AR CY GG IN IQ KI KZ LE MG SI SY TD TK TM TR UZ WS
attritus Gyllenhal, 1834a: 107
burlini F. Solari, 1948b: 67
pisi Stephens, 1831g: 139
promptus Gyllenhal, 1834a: 113
ignavus Faust, 1883e: 113 **A:** TD KZ UZ
inops Schoenherr, 1832: 217 **E:** AU CR CT CZ FR GE HU IT KZ LA LS LU MD NL PL PT RO SB SK SP ST SZ UK **A:** ES IN KZ MG WS
curviscelis Desbrochers des Loges, 1900a: 8
inops Gyllenhal, 1834a: 110 [HN]
ishkovi Korotyaev, 1995a: 76 **A:** KZ
japonicus Roelofs, 1873: 160 **A:** JA SC
kirgisticus Korotyaev, 1979: 148 **A:** KI
languidus Gyllenhal, 1834a: 116 **E:** AU BE BU CR CZ FR GE GR HU IT LU MC MD NL PL RO SB SK ST SZ UK
flecki Csiki, 1906: 625
obscuripes Gyllenhal, 1834a: 122
lateralis Gyllenhal, 1834a: 105 **E:** AL AU BE BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD NL NR NT PL RO SB SK SL SP ST SV SZ UK **A:** ES IN KZ WS
guttulatus Chevrolat, 1871c: xlii
ononidis Sharp, 1867: 438
lineatus Linnaeus, 1758: 385 (*Curculio*) **E:** AL AN AU AZi BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N:** AG CI EG LB MO MRi TU **A:** AB AF AR CY ES FEi GG IN IQ IS JO KZ LE PS SC SI SY UZ WS TR **NARi**
caninus Fabricius, 1792: 467 (*Curculio*)
geniculatus Fåhraeus, 1840b: 263
neophytis Herbst, 1795: 218 (*Curculio*)
ocularis Desbrochers des Loges, 1895k: 153
pisivorus Stephens, 1831g: 135
ruficlavis Marsham, 1802: 312 (*Curculio*)
stricticollis Desbrochers des Loges, 1900a: 7
turbatus Stephens, 1840: 279
viridifrons Motschulsky, 1849: 142
lineellus lineellus Bonsdorff, 1785: 30 (*Curculio*) **E:** AU BE CT DE EN FI FR GB GE IR IT KZ LA LS LT LU NL NR NT ST SV SZ TR UK **A:** AF BEI CT ES FE GAN HEB HEI HUB IN JA KI KZ MG NMO QIN SC SHA SHX TR UZ WS XIN XIZ **NAR**
decipiens Håk. Lindberg, 1933: 111
indifferens Say, 1832: 10
occator Herbst, 1795: 219
scissifrons Say, 1832: 10
staudingeri Desbrochers des Loges, 1900a: 7
vittatus Couper, 1865: 63 (*Grypidius*)
lineellus samniticus F. Solari, 1948b: 71 **E:** IT
lividipes hipponensis Desbrochers des Loges, 1884: 2 **N:** AG
lividipes lividipes Fåhraeus, 1840b: 259 **E:** BU FR GR IT MC PT SP **N:** AG EG LB MO TU **A:** IN IS SI SY TR
longulus Gyllenhal, 1834a: 108 **E:** AU BH BU CT CZ EN FR GE GR HU IT KZ LA MD NT PL RO SB SK SP ST SZ TR UK **A:** ES IN KZ MG TD TR WS
bucephalus Apfelbeck, 1899: 807
lukjanovitshi Egorov & Korotyaev, 1986: 83 **A:** BEI FE NE
macularius hebraeus Stierlin, 1885a: 127 **A:** SY
macularius macularius Marsham, 1802: 312 (*Curculio*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MA MC MD NL NT PL PT RO SB SK SL SP ST SZ

TR UK **N**: AG Cii EG LB MO TU **A**: AB AF AR CY ES GG IN IQ IS JO KI KZ LE PA PS
SA SI SY TD TR WS
albescens Stephens, 1831g: 140
alboerinitus Reitter, 1903b: 28
crinitus Herbst, 1795: 245 (*Curculio*) [HN]
densatus Reitter, 1903b: 28
dispersus Mulsant & Rey, 1859a: 275
dispersus Mulsant & Rey, 1859b: 17 [HN]
nanus Gyllenhal, 1834a: 123
parallelipennis Desbrochers des Loges, 1869c: 398
seniculus Mannerheim, 1843: 290
seriesetosus Fähræus, 1840b: 277
setiger Wollaston, 1863: 221
macularius nigrocrinitus Reitter, 1903b: 28 **E**: ST **A**: IN
maroccanus Stierlin, 1886b: 228 **E**: SP **N**: MO
hermanni Stierlin, 1899a: 203
mateui Roudier, 1959a: 57 **E**: SP **N**: MO
medvedevi Korotyaev, 2009: 247 **A**: TM
minutus Velázquez de Castro, 2009: 81 **N**: AG
mongolicus Korotyaev, 1979: 145 **A**: MG
munganasti Reitter, 1903b: 23 **E**: ST
negletus Hustache, 1946a: 52 **N**: MO
niger Allard, 1864: 338 **E**: SP **N**: AG MO
obscuratus Faust, 1882b: 430 **A**: ES KZ MG WS
obsoletus obsoletus Gmelin, 1790: 1807 (*Curculio*) **E**: AL AU AZi BE BH BU BY CR CT CZ DE EN
FI FR GB GE GR HU IC IR IT KZ LA LS LT LU MC MD NL NR NT PL PT RO SB SK SL
SV SP ST SZ TR UK **N**: CI MR **A**: AF ES FE IN IS Jai KZ MG NC NE SC TD TR WS
NARi AURi
caninus: Gyllenhal, 1813: 277 (*Curculio*) [NA]
carmelita Schoenherr, 1840b: 270 [NA]
flavescens Marsham, 1802: 311 (*Curculio*) [HN]
lepidus Gyllenhal, 1834a: 104
longiclavis Stephens, 1831g: 137
longicollis Fähræus, 1840b: 271
nigriclavis Marsham, 1802: 312 (*Curculio*)
octopunctatus Germar, 1823: 416
persulcatus Desbrochers des Loges, 1900a: 6
subrufus Gmelin, 1790: 1807 (*Curculio*)
sulcifrons Schoenherr, 1834a: 104 [HN]
obsoletus subcordatus Desbrochers des Loges, 1909c: 27 **N**: MO
onerousus Faust, 1890a: 71 **E**: UK **A**: ES KZ MG NMO SHX WS XIZ
altaicus Iablokoff-Khinzorian, 1970: 74
uralensis Arnol'di, 1965: 538
ophthalmicus Desbrochers des Loges, 1869a: [2] **E**: AL BH BU CR FR GR IT MC ST **N**: AG **A**: AF
KZ TM TR
caviceps Rey, 1894d: 98
reitteri Stierlin, 1886b: 228
ovipennis Hochhuth, 1851: 23 **A**: ES FE GAN KZ MG NC SHA WS
audax Allard, 1864: 345
serpentarius Allard, 1864: 338
pallidicornis Faust, 1890e: 332 **N**: AG
parvulus Hustache, 1941b: 173 **N**: MO
ponomarenkoi Korotyaev, 1995a: 74 **A**: KZ WS
lebedevi Legalov, 1999d: 382
pseudohispidulus Franz, 1987: 84 **A**: CY LE TR
pulcherrimus Korotyaev, 1979: 146 **A**: KI
puncticeps J. R. Sahlberg, 1921: 35 **E**: FI
puncticollis Stephens, 1831g: 137 **E**: AL AU AZi BE BH BU BY CR CT CZ DE EN FA FI FR GB
GE GR HU IR IT KZ LA LS LT LU MD MK NL NR NT PL PT RO SB SK SL SP ST SV SZ UK
N: AG EG LB MO TU **A**: AB CY GG IN IS KZ SY TD TR UZ
fuscopilosus Apfelbeck, 1899: 808
griseus Walton, 1837: 37 [NA]
insulsus Gyllenhal, 1834a: 103
punctiger C. G. Thomson, 1868: 167 [HN]
pyripennis Korotyaev, 1979: 147 **A**: KZ

ragusae Reitter, 1903b: 29 E: IT
remaudieri A. Hoffmann, 1950b: 92 N: MO
sekeræ Reitter, 1903b: 29 E: IT GR
sghiwer Velázquez de Castro, 2009: 82 N: AG
simillimus Korotyaev, 1979: 145 A: ES FE HEI NC
striatellus Gyllenhal, 1834a: 106 E: AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR
IT KZ LA LT LU MC MD NL PL PT RO SB SK SL SP ST SZ TR UK A: IN KZ TR
affinis Walton, 1837: 19 [NA]
albescens Walton, 1837: 19 [NA]
arcticollis Gyllenhal, 1834a: 121
brevicollis Gyllenhal, 1834a: 114
exilis Rey, 1894d: 97
hispanicus Allard, 1870a: 50
lineatulus Walton, 1837: 19 [NA]
tibialis Herbst, 1795: 217 (*Curculio*) [HN]
subovatus Desbrochers des Loges, 1895k: 156 N: TU
subvicarius A. Hoffmann, 1953b: 137 N: MO
~~*sulcifrons argutulus* Gyllenhal, 1834a: 119 E: AU CZ FR GE GR HU IT PL PT SK SP SZ~~
~~— *angustifrons* Reitter, 1903b: 19~~
~~*sulcifrons assimilis* Desbrochers des Loges, 1900a: 5 N: MO~~
~~*sulcifrons deubeli* Krauss, 1902: 91 E: AL BH CR GR ME SB A: TR~~
sulcifrons ~~*sulcifrons*~~ Thunberg, 1798: 113 (*Curculio*) [NP] E: AU BE BU BY CR CT CZ DE EN FI FR
GB GE GR HU IR IT KZ LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ TR
UK A: AF ES IN KZ TD TR WS
~~*angustifrons* Reitter, 1903b: 19~~
~~*argutulus* Gyllenhal, 1834a: 119~~
breviculus A. Hoffmann, 1956c: 169
campestris Herbst, 1797: 36 (*Curculio*) [NO]
maculipennis Waltl, 1839: 223
medicaginis L. Redtenbacher, 1847: 452
pleuriticus Stephens, 1831g: 134
rasilis Hochhuth, 1851: 25
subauratus Stephens, 1831g: 138
suturalis Stephens, 1831g: 138 E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT
KZ LA LS LT LU MD NL NR NT PL RO SB SK SP ST SV SZ UK A: AF ES FE HEI IN JA
KZ MG TR UZ WS
albarius Fåhraeus, 1840b: 274
elegans Gyllenhal, 1834a: 117
gutulatus Chevrolat, 1871c: xlii
vicinus Desbrochers des Loges, 1895k: 155 [HN]
syriacus Stierlin, 1885a: 127 E: GR (Ródos) N: EG A: CY IS PS SY
albus Stierlin, 1885a: 127
allardi Kirsch, 1871: 390 [HN]
temperei A. Hoffmann, 1957a: 50 N: AG
tenietensis Voss, 1919a: 171 N: AG
tenuis Rosenhauer, 1847: 40 E: AU FR GR IT PL SB SK SP SZ UK N: AG MO TU
montanus Smreczyński, 1966: 171 [HN]
tessellatus Korotyaev, 1979: 149 A: ES FE GAN JA KZ MG NC QIN
tibetanus Korotyaev, 1979: 145 A: QIN
transcaucasicus Korotyaev, 2016a: 203 A: AB
treneri F. Solari, 1948b: 69 E: IT
turkestanicus Formánek, 1922: 81 A: KZ
ursus Desbrochers des Loges, 1895k: 154 E: UK
verecundus Rossi, 1790: 129 (*Curculio*) E: BU FR GR IT ME SB TR A: SY
chloroloma Fåhraeus, 1840b: 260
versicolor Faust, 1887i: 180 A: IN KI KZ TD UZ
virgatus Fåhraeus, 1840b: 261 E: IT MA SP N: AG MO TU
argentellus Desbrochers des Loges, 1884: 5
faillai Desbrochers des Loges, 1887: 160
fallax Rosenhauer, 1856: 248
luridus Waltl, 1835: 79
melitensis Reitter, 1894b: 83
viridis Velázquez de Castro, 2009: 84 [RN] N: AG MO
maroccanus Desbrochers des Loges, 1895k: 157 [HN]
volkovitshi Korotyaev & Velázquez de Castro, 2011: 86 A: IS

wahrmani Velázquez de Castro & Friedman, 2011: 101 A: IS PS
waterhousei schaeferi Ruter, 1945b: 55 E: FR
waterhousei waterhousei Walton, 1846a: 234 E: AL AU BE BH BU CR CT CZ DE FR GB GE GR
HU IR IT LS LU ME NL PL RO SB SK SP ST SZ UK N: MO TU
setosus L. Redtenbacher, 1847: 453

genus *Sitona* incertae sedis

Sitona chloropus Walton, 1837: 20 [NA]

Sitona rugulosus Walton, 1837: 20 [NA]

genus *Velazquezia* Alonso-Zarazaga & Lyal, 1999: 178 [RN] type species *Platyrrhamphus akini* Faust, 1885

Platyrrhamphus Faust, 1885b: 158 [HN] type species *Platyrrhamphus akini* Faust, 1885

akini Faust, 1885b: 159 (*Platyrrhamphus*) A: KI KZ TD

kirgisica Bajtenov, 1974a: 84 (*Platyrrhamphus*) A: KZ

talassica Bajtenov, 1974b: 34 (*Platyrrhamphus*) A: KZ

tribe Sitonini, species incertae sedis

Sitona constrictus L. Redtenbacher, 1849: 807 [HN] E: AU

Sitona maculatus Gistel, 1857: 535 [HN] E: GE

Sitona piliger Gistel, 1857: 583 E: GE

7.8.28. Tribe Tanymericini Lacordaire, 1863

7.8.28.1. Subtribe Piazomiina Reitter, 1913

genus *Achlainomus* G. R. Waterhouse, 1853: 178 type species *Achlainomus ebeninus* G. R.

Waterhouse

Achlainomus Gemminger, 1871c: 2243 [UE]

bazinus Aslam, 1966b: 411 A: UP

curvipes G.A.K. Marshall, 1916b: 190 (*Leptomias*) A: UP

ebeninus G. R. Waterhouse, 1853: 179 A: UP

fausti Aslam, 1966b: 409 A: HP

litoratus Kollar & L. Redtenbacher, 1844: 543 (*Cneorhinus*) A: KA UP

mundali G.A.K. Marshall, 1933b: 565 (*Leptomias*)

longulus Faust, 1897d: 345 (*Parisomias*) A: HP UP **ORR**

squamulosus Hustache, 1928a: 7 A: HP PA

tabindus Aslam, 1966b: 408 A: UP

genus *Aphaeromias* Nasreddinov, 1978c: 361 type species *Aphaeromias lopatini* Nasreddinov, 1978

lopatini Nasreddinov, 1978c: 361 A: TD

muminovi Nasreddinov, 1978c: 363 A: TD

sapozhnikov Nasreddinov, 1978c: 362 A: TD

genus *Atmetonychus* Schoenherr, 1840b: 213 type species *Curculio peregrinus* Olivier, 1807

Agrestus Wiedemann, 1823b: 164 [UN] type species *Curculio rugosus* Wiedemann, 1821 (= *Curculio peregrinus* Olivier, 1807)

peregrinus Olivier, 1807: 324 (*Curculio*) A: HP UP **ORR**

inaequalis Boheman, 1840b: 214

rugosus Wiedemann, 1821: 155 (*Curculio*) [HN]

genus *Dereodus* Schoenherr, 1826: 125 type species *Hypomeces denticollis* Schoenherr, 1826

subgenus *Dereodus* Schoenherr, 1826: 125 type species *Hypomeces denticollis* Schoenherr, 1826

Grypnus Desbrochers des Loges, 1891d: 49 type species *Grypnus indicus* Desbrochers des Loges, 1891 (= *Dereodus sparsus* Boheman, 1840)

albofasciatus Magnano, 2009c: 248 A: AE

macularius Pascoe, 1883a: 85 (*Dyscheres*) A: YE

marginellus Boheman, 1834a: 72 (*Hypomeces*) N: EG A: SA **AFR**

limbalis Fairmaire, 1886a: 453 (*Cimbus*)

mastos Herbst, 1797: 17 (*Curculio*) A: GUA UP **ORR**

guttulatus Desbrochers des Loges, 1891g: ccclv (*Hypomeces*)

mesopotamicus Pic, 1896a: 42 (*Cimbus*) A: "Mesopotamien"

phasianellus Fairmaire, 1886a: 453 (*Cimbus*) A: YE AFR
pollinosus Kollar & L. Redtenbacher, 1844: 545 (*Hypomeces*) A: HP KA NP PA UP ORR
bengalensis Desbrochers des Loges, 1891d: 50 (*Cataponus*)
himalayanus Faust, 1891d: 262
pulverosus G.A.K. Marshall, 1916b: 125 A: PA "India"
sitonoides Pic, 1896a: 42 (*Cimbus*) A: SA
sparsus Boheman, 1840b: 208 (*Hypomeces*) A: HP ORR
indicus Desbrochers des Loges, 1891d: 49 (*Cataponus*)
prasimus Heller, 1902: 340

genus *Dyscheres* Pascoe, 1883a: 83 type species *Dyscheres agrestis* Pascoe, 1883
rugosus Pascoe, 1883a: 85 A: HAI ORR

genus *Farsomias* G.A.K. Marshall, 1944b: 138 type species *Farsomias cyanosparsus* G.A.K. Marshall, 1944
cyanosparsus G.A.K. Marshall, 1944b: 138 A: IN

genus *Geotragus* Schoenherr, 1845: 411 type species *Geotragus himalayanus* Boheman, 1845
Taphrorhynchus Schoenherr, 1847: 33 type species *Taphrorhynchus assamensis* Schoenherr, 1847
assamensis Schoenherr, 1847: 34 (*Taphrorhynchus*) A: SD ORR
assamensis Lacordaire, 1863: 91 (*Piazomias*) [HN]
assamensis Faust, 1891d: 260 (*Taphrorhynchus*) [HN]
subfasciatus Desbrochers des Loges, 1890a: 212 (*Brachyaspistes*)
bituberosus Desbrochers des Loges, 1891g: cccliv (*Brachyaspistes*) A: BT SD ORR
brevicens Ren, Alonso-Zarazaga & Zhang, 2013: 167 A: YUN
declivis Ren, Alonso-Zarazaga & Zhang, 2013: 170 A: YUN
granulatus Chao, 1980b: 29 (*Leptomias*) A: SCH
chenae Alonso-Zarazaga & Ren, 2013: 89 (*Leptomias*) [URN]
himalayanus Boheman, 1845: 412 A: SD XIZ
rugosus Ren, Alonso-Zarazaga & Zhang, 2013: 173 A: YUN
tuberculatus Y-Q. Chen, 1990: 149 A: YUN

genus *Herpisticus* Germar, 1823: 413 type species *Herpisticus laeicollis* Germar, 1823
Herpisticus Schoenherr, 1833b: 555 [UE]
Herpisticus Gemminger, 1871c: 2216 [UE] [HN]
calvus Wollaston, 1864: 372 N: CI
hierrensis Franz, 1979: 52 N: CI (El Hierro)
laeicollis Germar, 1823: 413 N: CI
eremita Olivier, 1807: 321 (*Curculio*) [HN]
oculatus Wollaston, 1864: 373 N: CI (Lanzarote)
subvestitus Wollaston, 1864: 371 N: CI (Gran Canaria)
grancanariensis Palm, 1974: 35
lanatus Wollaston, 1864: 371

genus *Hyperomias* G.A.K. Marshall, 1916b: 194 type species *Hyperomias aenescens* G.A.K. Marshall, 1916
adustus Y-Q. Chen, 1980: 94 A: XIZ
aenescens G.A.K. Marshall, 1916b: 195 A: SD
albosetosus Gandhi & Pajni, 1995: 31 A: HP KA
babaulti Hustache, 1928a: 9 (*Achlainomus*) A: KA XIZ
bruneolineatus Zhang, 1996: 150 A: QIN
convexus Zhang, 1996: 151 A: QIN
curvatus Zhang, 1996: 151 A: QIN
dattai Kapur, 1964: 300 A: NP
densus Y-Q. Chen, 1980: 93 A: XIZ
erectosetosus Y-Q. Chen, 1992: 838 A: YUN
erectatus Y-Q. Chen, 1992: 849 [NA]
flavus Y-Q. Chen, 1980: 92 A: XIZ
foveatus Chao, 1980c: 91 A: XIZ
fraxinus Y-Q. Chen, 1980: 93 A: XIZ
gracillius Y-Q. Chen, 1980: 95 A: XIZ

guinanensis Y-Q. Chen, 1980: 95 A: QIN
hengduanensis Y-Q. Chen, 1992: 839 A: SCH
himalayensis Gandhi & Pajni, 1995: 29 A: HP KA
 himlayensis Gandhi & Pajni, 1995: 29 [NA]
hoffmanni Voss, 1970: 452 A: NP
immarginatus Y-Q. Chen, 1980: 94 A: XIZ
inordinatus Aslam, 1966b: 413 A: XIZ
jiggyobensis Ren, Alonso-Zarazaga & Zhang, 2007: 7 A: XIZ
lacteolus Y-Q. Chen, 1980: 92 A: XIZ
lineolus Y-Q. Chen, 1980: 93 A: XIZ
marginatus Aslam, 1966b: 414 A: XIZ
menyuanensis Y-Q. Chen, 1980: 95 A: QIN
mimicus Voss, 1970: 451 A: NP
montarum G.A.K. Marshall, 1916b: 203 (*Achlainomus*) A: SD
morulineolus Y.-Q. Chen, 1980: 93 A: XIZ
obscurus Y.-Q. Chen, 1980: 94 A: XIZ
rongbukensis Aslam, 1966b: 415 A: XIZ
roonwali Kapur, 1964: 302 A: NP
rotundicollis Chao, 1980c: 92 A: XIZ
sejugatus Voss, 1970: 452 A: NP
squamoopacus Y-Q. Chen, 1980: 95 A: XIZ
subdensus Y-Q. Chen, 1980: 93 A: XIZ
tadshikicus Bajtenov, 1980b: 127 A: TD
 tadshikicus Bajtenov, 1980a: 110
validus Chen, Y-Q. 1980: 95 A: XIZ
yushuensis Y-Q. Chen, 1980: 94 A: QIN

genus *Hypomeces* Schoenherr, 1823: 1141 type species *Curculio squamosus* Fabricius, 1792 (= *Curculio pulviger* Herbst, 1795)
pulviger Herbst, 1795: 480 (*Curculio*) [RN] A: ANH FUJ GAN GUA GUI GUX HAI HEN HKG HUB HUN JA JIA JIL JIX SC SCH SD TAI YUN ZHE **ORR**
 auricephalus Faust, 1893d: 506
 aurulentus Herbst, 1797: 13 (*Curculio*)
 dispar Faust, 1894c: 184
 fabricii Faust, 1893d: 506
 gossypi Matsumura, 1915: 221 (*Atmetonychus*)
 orientalis Olivier, 1807: 321 (*Curculio*)
 pulverulentus Fabricius, 1792: 452 (*Curculio*) [HN]
 squamosus Fabricius, 1792: 452 (*Curculio*) [HN]
rusticus Weber, 1801: 95 (*Curculio*) A: GUA **ORR**
 rusticus Fabricius, 1801: 510 (*Curculio*) [HN]
 unicolor Weber, 1801: 95 (*Curculio*) [HN]
 unicolor Fabricius, 1801: 511 (*Curculio*) [HN]

genus *Indomias* G.A.K. Marshall, 1941b: 348 type species *Brachyaspistes prasinus* Boheman, 1845
albizziae Ramamurthy, 2010: 9 A: "India"
menoni Ramamurthy, 2010: 39 A: "India"

genus *Kirgisomias* Bajtenov, 1974a: 101 type species *Kirgisomias ferganensis* Bajtenov, 1974
ferganensis Bajtenov, 1974a: 101 A: KI

genus *Lepidospyris* G.A.K. Marshall, 1916b: 153 type species *Astycophobus cretaceus* Faust, 1897
cretacea Faust, 1897d: 348 (*Astycophobus*) A: UP **ORR**
demissa G.A.K. Marshall, 1916b: 154 A: KA UP **ORR**

genus *Lepropus* Schoenherr, 1823: 1140 type species *Curculio lateralis* Fabricius, 1792 (= *Curculio rutilans* Olivier, 1807)
subgenus *Lepropus* Schoenherr, 1823: 1140 type species *Curculio lateralis* Fabricius, 1792 (= *Curculio rutilans* Olivier, 1807)
 Anosius Fairmaire, 1888b: 199 type species *Anosius angustulus* Fairmaire, 1888
 Astycophilus Faust, 1897d: 348 type species *Curculio chrysochlorus* Wiedemann, 1823 (= *Curculio adultus* Olivier, 1807)

Astycus Schoenherr, 1823: 1141 [HN] type species *Curculio adultus* Olivier, 1807
Lepidastycus Faust, 1894c: 175 type species *Lepidastycus doriae* Faust, 1894
Paromias Voss, 1931a: 35 type species *Paromias sulphurifer* Voss, 1931 (= *Astycus chinensis* Fairmaire, 1889)
adultus Olivier, 1807: 310 (*Curculio*) A: SD UP **ORR**
chrysochlorus Wiedemann, 1823a: 122 (*Curculio*)
variabilis Gyllenhal, 1834a: 91 (*Astycus*)
chinensis Fairmaire, 1889b: 51 (*Astycus*) A: CHQ GUX SCH
sulphurifer Voss, 1931a: 35 (*Paromias*)
christopherei Poorani & Ramamurthy, 1997: 21 A: UP **ORR**
flavovittatus Pascoe, 1881b: 588 (*Astycus*) A: AP FUJ GAN GUA GUI GUX HAI HUN JIX SCH
SD UP YUN **ORR**
quadrivirgatus Desbrochers des Loges, 1891g: cccliv (*Astycus*)
gestroi G.A.K. Marshall, 1916b: 138 (*Astycus*) A: HAI **ORR**
janakiramani Poorani & Ramamurthy, 1997: 29 A: "India"
rutilans Olivier, 1807: 333 (*Curculio*) A: GUA GUX HAI JIX PA SCH SD UP YUN **ORR**
lateralis Fabricius, 1792: 454 (*Curculio*) [HN]
obtusus Gravenhorst, 1807: 215 (*Curculio*) [HN]
subacuminatus Faust, 1893d: 505

genus *Leptomias* Faust, 1886e: 132 type species *Pachynotus angustatus* Kollar & L. Redtenbacher, 1844
subgenus *Leptomias* Faust, 1886e: 132 type species *Pachynotus angustatus* Kollar & L. Redtenbacher, 1844
Formanekia Fleischer, 1923: 15 type species *Formanekia sibirica* Fleischer, 1923 (= *Piazomias humilis* Faust, 1882)
Heteromias Faust, 1888d: 285 type species *Piazomias schoenherri* Faust, 1881
Parisomias Faust, 1897d: 342 type species *Parisomias costatus* Faust, 1897
acuminatus Aslam, 1961: 333 A: PA XIZ
acutus acutus Aslam, 1961: 328 A: XIZ
acutus zayuensis Chao, 1981: 538 A: XIZ
aeneus G.A.K. Marshall, 1955a: 150 A: XIZ
alternans Chao, 1980c: 100 A: XIZ
angustatus Kollar & L. Redtenbacher, 1844: 542 (*Pachynotus*) A: KA UP
pictus Kollar & L. Redtenbacher, 1844: 543 (*Cneorhinus*)
aphelocnemius Aslam, 1961: 330 A: XIZ
arcuatus Y-Q. Chen, 1987: 407 A: YUN
argenteus A. Hoffmann, 1963a: 80 [DA] A: IQ
artus Aslam, 1969: 551 (*Parisomias*) A: UP
aslami Alonso-Zarazaga & Ren, 2013: 89 [RN] A: UP
monticola Aslam, 1969: 557 (*Parisomias*) [HN]
audax Faust, 1886e: 134 A: PA UP **ORR**
bhatiai Aslam, 1969: 558 (*Parisomias*) A: KA
bicaudatus Y-Q. Chen, 1987: 409 A: YUN
bimaculatus Faust, 1886e: 132 A: KI PA TD **ORR**
bipustulatus Faust, 1897d: 342 A: HP UP
bispiculatus Y-Q. Chen, 1987: 408 A: YUN
bituberculatus G.A.K. Marshall, 1916b: 179 A: "Himalaya"
brevicornutus Chao, 1981: 540 A: XIZ
cavus Aslam, 1969: 553 (*Parisomias*) A: UP
chagyabensis Chao & Y-Q. Chen, 1981: 542 A: XIZ
chaoi Y-Q. Chen, 1983: 397 A: QIN XIZ
clarus Chao, 1980c: 99 A: XIZ
clavellatus Y-Q. Chen, 1992: 839 A: YUN
clavipes Faust, 1890f: 438 (*Heteromias*) A: GAN NMO
costatus Faust, 1897d: 345 (*Parisomias*) A: HP **ORR**
crinitarsus Aslam, 1961: 328 A: XIZ
curtus G.A.K. Marshall, 1916b: 180 A: UP
dalhousiensis Aslam, 1969: 553 (*Parisomias*) A: HP
damxungensis Y-Q. Chen, 1981: 530 A: XIZ
depressus Aslam, 1969: 550 (*Parisomias*) A: HP
dilatipes Gandhi & Pajni, 1989: 131 A: UP
elongatoides Y-Q. Chen, 1987: 405 A: YUN

elongatulus G.A.K. Marshall, 1916b: 181 A: "N India"
elongitus Chao, 1981: 543 A: SCH XIZ
erectus Chao, 1981: 539 A: XIZ
errans Faust, 1887f: 158 A: KZ
exilis Aslam, 1969: 552 (*Parisomias*) A: UP
ferganensis Bajtenov, 1980b: 127 A: UZ
fletcheri Aslam, 1969: 549 (*Parisomias*) A: KA
foveicollis Voss, 1935c: 58 (*Xylinophorus*) A: HEI LIA SCH XIZ
foveolatus Chao, 1981: 536 A: XIZ
gibbus Aslam, 1961: 335 A: HP
globicollis Aslam, 1961: 332 A: XIZ
globosus Y-Q. Chen, 1987: 409 A: SCH YUN
granulatus Aslam, 1969: 556 (*Parisomias*) A: HP
griseus Chao, 1980b: 29 A: GAN
hazaraensis Aslam, 1969: 558 (*Parisomias*) A: PA
hirsutus Chao, 1981: 540 A: XIZ
huangi Chao, 1981: 537 A: XIZ
humilis Faust, 1882a: 264 (*Piazomias*) A: FE GAN NC SC SHA
 korbi Pic, 1905a: 98
 sibiricus Fleischer, 1923: 16 (*Formanekia*)
includens Voss, 1970: 448 A: NP
indicus Gandhi & Pajni, 1988c: 235 A: KA
inquinatus Voss, 1959a: 87 A: AF
interruptus Aslam, 1969: 556 (*Parisomias*) A: HP
invidus Faust, 1886e: 136 A: KA
irrisus Faust, 1890f: 434 (*Eutinopus*) A: GAN
jekeli Faust, 1886e: 135 A: HP UP **ORR**
 cylindricus G.A.K. Marshall, 1916b: 186
kamdeschanus Voss, 1959a: 88 A: AF
kangmarensis Chao, 1981: 535 A: XIZ
kashmirensis Aslam, 1961: 337 A: KA
kingdonwardi G.A.K. Marshall, 1955a: 149 A: XIZ
laoshanensis Chao, 1980b: 30 A: SHN
laticnemius Aslam, 1961: 331 A: XIZ
lhazeensis Y-Q. Chen, 1991b: 259 A: XIZ
lineatus Aslam, 1961: 326 A: XIZ
lineostriatus Gandhi & Pajni, 1988c: 236 A: KA
lobatus Aslam, 1961: 334 A: AP
lolabensis Aslam, 1969: 559 (*Parisomias*) A: KA
longicollis Chao, 1981: 542 A: XIZ
longiscapus Aslam, 1961: 337 A: PA UP
longisetosus Chao, 1981: 534 A: XIZ
mainlingensis Chao, 1981: 541 A: XIZ
mangkamensis Chao & Y-Q. Chen, 1981: 543 A: XIZ
marshalli Hustache, 1928a: 4 A: HP
micans Chao, 1981: 544 A: XIZ
midlineatus Chao, 1981: 536 A: XIZ
migo Alonso-Zarazaga & Ren, 2013: 89 [RN] A: XIZ
 depressus Chao, 1981: 546 [HN]
minutisquomus Gandhi & Pajni, 1988a: 133 (*Parisomias*) A: KA
montanus Aslam, 1969: 548 (*Parisomias*) A: KA
monticola Voss, 1959a: 89 A: AF IN
moxiensis Y-Q. Chen, 1992: 843 A: SCH
nagarzeensis Y-Q. Chen, 1991b: 258 A: XIZ
 nagrzeensis Y-Q. Chen, 1991b: 263 [NA]
niger Y-Q. Chen, 1983: 398 A: XIZ
nigroguttatus Gandhi & Pajni, 1988b: 151 A: KA
nigronitidus Y-Q. Chen, 1992: 840 A: YUN
 nigrinitidus Y-Q. Chen, 1992: 850 [NA]

nubilus Y-Q. Chen, 1983: 397 A: SCH XIZ
obconicus Chao, 1981: 541 A: XIZ
obesus Aslam, 1969: 554 (*Parisomias*) A: UP
ochrolineatus Y-Q. Chen, 1987: 406 A: SCH
opacus Chao, 1981: 543 A: XIZ
pandus Y-Q. Chen, 1981: 528 A: XIZ
persicus Zumpt, 1937a: 15 [DA] A: IN
persimilis G.A.K. Marshall, 1916b: 187 A: "N India"
pilosus Aslam, 1961: 338 A: HP
pinguis Aslam, 1969: 552 (*Parisomias*) A: UP
pinnatus Y-Q. Chen, 1981: 530 A: XIZ
planocollis Chao, 1981: 535 A: XIZ
planus Aslam, 1969: 559 (*Parisomias*) A: UP
porcellus G.A.K. Marshall, 1916b: 180 A: "Himalaya" **ORR**
posttibialis Voss, 1970: 449 A: NP
praetermissus G.A.K. Marshall, 1916b: 187 A: HP **ORR**
puncticollis Voss, 1956e: 296 A: AF
qamdoensis Chao & Y-Q. Chen, 1981: 542 A: XIZ
qomolangmaensis Y-Q. Chen, 1981: 530 A: XIZ
ramosus Y-Q. Chen, 1981: 531 A: QIN
rubiginosus Y-Q. Chen, 1983: 399 A: XIZ
rufus Aslam, 1969: 549 (*Parisomias*) A: PA
sabulosus Faust, 1897d: 341 A: HP **ORR**
sagaensis Y-Q. Chen, 1981: 531 A: XIZ
gerensis Y-Q. Chen, 1981: 531
schoenherr Faust, 1881: 296 (*Piazomias*) A: FE GAN HEI JA JIL LIA SC SHA SHX
ampliocollis Nakane, 1963b: 36 (*Sympiezomias*)
scrobicollis G.A.K. Marshall, 1916b: 181 A: HP KA
semicircularis Chao, 1981: 538 A: XIZ
seriatosetulus Voss, 1940b: 50 A: HEI JIL LIA
setulosus G.A.K. Marshall, 1916b: 177 A: KA
shanlong Alonso-Zarazaga & Ren, 2013: 89 [RN] A: XIZ
ampliocollis Chao, 1981: 534 [HN]
siahus Aslam, 1969: 551 (*Parisomias*) A: XIZ
solani Aslam, 1969: 555 (*Parisomias*) A: HP
spinifer G.A.K. Marshall, 1916b: 176 A: KA
squamosetosus Y-Q. Chen, 1981: 539 A: QIN XIZ
stoliczkae Faust, 1886e: 137 A: KA PA **ORR**
strictus Y-Q. Chen, 1981: 528 A: XIZ
striolatus Aslam, 1969: 554 (*Parisomias*) A: HP
stultus Faust, 1897d: 340 A: HP **ORR**
subaeneus Y-Q. Chen, 1981: 527 A: XIZ
subcostatus Aslam, 1969: 557 (*Parisomias*) A: KA
subgranulatus Aslam, 1969: 555 (*Parisomias*) A: UP
sublongicollis Y-Q. Chen, 1987: 404 A: SCH YUN
submarginatus Chao, 1980c: 100 A: XIZ
submidlineatus Y-Q. Chen, 1988: 362 A: XIZ
submidlineatus Y-Q. Chen, 1988: 367 [NA]
subundulans Y-Q. Chen, 1988: 364 A: XIZ
sulcicollis G.A.K. Marshall, 1916b: 187 A: PA UP **ORR**
sulcus Y-Q. Chen, 1992: 842 A: YUN
tenuis Y-Q. Chen, 1992: 840 A: YUN
thibetanus Faust, 1888d: 285 (*Heteromias*) A: GAN SCH XIZ
tirthanensis Aslam, 1969: 550 (*Parisomias*) A: HP
transversicollis Voss, 1940b: 49 A: KI
triangulus Chao, 1981: 527 A: QIN
trilineatus Chao, 1980c: 99 A: XIZ
tsanghoensis Aslam, 1961: 329 A: XIZ
simulans Chao, 1981: 541

tuberculatus Chao & Y-Q. Chen, 1980: 99 A: XIZ
tuberosus Y-Q. Chen, 1984: 104 A: YUN
undulans G.A.K. Marshall, 1955a: 147 A: AP XIZ
uniseriis Y-Q. Chen, 1983: 400 A: XIZ
varians Y-Q. Chen, 1987: 405 A: SCH
verrucicollis Faust, 1886e: 138 A: PA **ORR**
verrucithorax Voss, 1940b: 50 A: TD UZ
verticalis Ren, Zhang & Song, 2017: 99 A: SCH
viridicantis Y-Q. Chen, 1988: 364 A: XIZ
viridilinearis Y-Q. Chen, 1984: 103 A: YUN
viridirostris Voss, 1961d: 185 A: AF
waltersi Aslam, 1961: 333 A: HP
wenchuanensis Y-Q. Chen, 1992: 843 A: SCH
yuhuensis Y-Q. Chen, 1992: 842 A: YUN
yulongshanensis Y-Q. Chen, 1992: 841 A: YUN
zheduoshanensis Y-Q. Chen, 1992: 842 A: SCH
zumpti Günther, 1933: 16 (*Piazomias*) [RN] A: IN TD UZ
vermiculosus Faust, 1885b: 180 (*Piazomias*) [HN]
subgenus *Neoleptomias* Voss, 1961d: 183 type species *Leptomias clavicus* G.A.K. Marshall, 1955
clavicus G.A.K. Marshall, 1955a: 147 A: XIZ
obfuscatus Voss, 1961d: 183 A: AF

genus *Meteutinopus* Zumpt, 1931: 125 type species *Xylinophorus mongolicus* Faust, 1881
guentheri Zumpt, 1936a: 14 (*Xylinophorus*) A: SHX
heydeni Faust, 1887l: 317 (*Eutinopus*) A: KI TD
hirtus Voss, 1956e: 295 (*Xylinophorus*) A: AF
mongolicus Faust, 1881: 290 (*Thylacites*) A: BEI ES FE GAN HEB HEI HEN JIL LIA MG NC NIN
 NMO QIN SC SCH SHA SHN SHX
mus Faust, 1888d: 285 (*Eutinopus*) A: ES SHN
opalescens Faust, 1887k: 256 (*Eutinopus*) A: AF TD XIN

genus *Molybdotus* Fairmaire, 1882: 88 [DA] type species *Molybdotus laxepunctatus* Fairmaire, 1882
minor Colonnelli, 2014: 386 A: YE (Suqutra)
mixtus Colonnelli, 2014: 392 A: YE (Suqutra)
vermiculosus C. O. Waterhouse, 1881: 478 (*Piazomias*) A: YE (Suqutra)
viridiaureus Colonnelli, 2014: 390 A: YE (Suqutra)

genus *Odontomias* Y-Q. Chen, 1991b: 261 type species *Leptomias parvilatus* Y-Q. Chen, 1983
crassus Y-Q. Chen, 1981: 533 (*Leptomias*) A: XIZ
planus Y-Q. Chen, 1981: 533 (*Leptomias*)
pusillus Y-Q. Chen, 1981: 533 (*Leptomias*)
dentatus Y-Q. Chen, 1981: 533 (*Leptomias*) A: XIZ
latus Chao, 1981: 532 (*Leptomias*) A: XIZ
minutus Y-Q. Chen, 1991b: 262 A: XIZ
nigrolatus Chao & Y-Q. Chen, 1981: 532 (*Leptomias*) A: XIZ
odontocnemus Chao, 1981: 532 (*Leptomias*) A: XIZ
orbiculatus Y-Q. Chen, 1983: 399 (*Leptomias*) A: XIZ
parvilatus Y-Q. Chen, 1983: 399 (*Leptomias*) A: XIZ
subparvilatus Y-Q. Chen, 1991b: 262 A: XIZ

genus *Orthomias* Faust, 1885e: 72 type species *Orthomias seriatus* Faust, 1885
notaexcavatus Gandhi & Pajni, 1990: 37 [DA] A: SD

genus *Pachynotus* Kollar & L. Redtenbacher, 1844: 541 type species *Pachynotus globicollis* Kollar & L. Redtenbacher, 1844
globicollis Kollar & L. Redtenbacher, 1844: 541 A: HP KA UP **ORR**
obscurus Kollar & L. Redtenbacher, 1844: 544 (*Cneorhinus*)
kumaonensis Mahendiran & Ramamurthy, 2013: 83 A: UP
lampoglobus Chao & Y-Q. Chen, 1980: 88 A: XIZ

mayarami Mahendiran & Ramamurthy, 2013: 82 A: UP

genus *Parageotragus* Magnano, 2009c: 246 type species *Parageotragus griseus* Magnano, 2009
griseus Magnano, 2009c: 246 A: AE

genus *Piazomias* Schoenherr, 1840a: 936 type species *Piazomias virescens* Boheman, 1840

Pseudohadronotus Voss, 1931a: 37 type species *Pseudohadronotus hauseri* Voss, 1931

abdominisulcus Chao, 1980d: 283 A: SHA

baeckmanni Suvorov, 1915b: 334 A: KZ

brevisulcus Chao, 1980d: 283 A: GAN

breviusculus Fairmaire, 1888c: 132 A: BEI NMO SHN

bruneolineatus Chao, 1980d: 282 A: BEI HEB SHA SHX

bucharicus Suvorov, 1915b: 334 A: UZ

cinerascens Chao, 1980d: 281 A: NE

depressonotus Chao, 1980d: 282 A: NIN

desgodinsi J. Frivaldszky, 1892a: 115 A: XIZ

dilaticollis Chao, 1980d: 284 A: HUN JIX SHA SHX ZHE

dshungaricus Ballion, 1878a: 351 (*Psallidium*) A: KZ XIN

elongatus Chao, 1980d: 283 A: HEB SHA SHN SHX

faldermanni Faust, 1890f: 435 A: GAN NIN SHA

fausti J. Frivaldszky, 1892a: 116 A: ANH HEB HEN HUB HUN JIA JIX ZHE

femoralis Kôno & Morimoto, 1960: 72 A: SHX

flavidus Chao, 1980d: 281 A: SHX

globulicollis Faldermann, 1835: 422 (*Naupactus*) A: ANH BEI GAN HEB HEI HEN JIA JIL JIX

LIA NMO SCH SHN

griseistrius H.J. Kolbe, 1886: 217 A: SC

hauseri Voss, 1931a: 37 (*Pseudohadronotus*) A: CHQ

hummeli G.A.K. Marshall, 1934a: 3 A: GAN SCH

herbeus G.A.K. Marshall, 1934a: 4

imitator Faust, 1890f: 437 A: GAN

inauratus Gebler, 1842: 39 A: KZ XIN

kamicus Suvorov, 1915b: 336 A: QIN

karelini Gebler, 1842: 39 A: KZ

kozlovi Suvorov, 1915b: 335 A: QIN

lampoglobus Chao, 1980d: 283 A: BEI HEB HEN NIN SHA SHN SHX

lineatus Kôno & Morimoto, 1960: 73 A: SHX

lineicollis Kôno & Morimoto, 1960: 74 A: HEB HEN NMO SHX

longicollis Chao, 1980d: 282 A: SHA

micantibus Chao, 1980d: 284 A: BEI

modestus Faust, 1885c: 178 A: KI UZ

nanus Faust, 1885c: 181 A: KI KZ

manus Faust, 1885c: 181 [NA]

naupactoides Desbrochers des Loges, 1902a: 110 A: NC "Turkestan"

obsoletus Desbrochers des Loges, 1902a: 110 A: "Turkestan"

opacus Chao, 1980d: 283 A: BEI

parumstriatus Fairmaire, 1888c: 132 A: BEI

peregrinus Faust, 1894a: 59 (*Eutinopus*) A: TM

redikorzevi Suvorov, 1915b: 333 A: KZ

robustus Chao, 1980d: 284 A: SHA

rotundicollis Desbrochers des Loges, 1902a: 109 A: KZ

schrenckii Boheman, 1845: 410 A: KZ

semenovi Suvorov, 1915b: 333 A: IN KI KZ WS

shaanxiensis Chao, 1980d: 281 A: SHA

shansianus Voss, 1943c: 214 A: SHX

squamulosus Ballion, 1878a: 353 (*Psallidium*) A: KZ XIN

subcruciatus Desbrochers des Loges, 1902a: 111 A: "Turkestan"

sunwukong Alonso-Zarazaga & Ren, 2013: 89 [RN] A: NIN

griseus Chao, 1980d: 282 [HN]

tibetanus Suvorov, 1915b: 336 A: QIN

tomentosus Ballion, 1878a: 352 (*Psallidium*) A: KZ XIN
trapezicollis J. Frivaldszky, 1892a: 117 A: JIA
tristiculus Fairmaire, 1888a: 29 A: YUN
ulmi Chao, 1980d: 282 A: NMO
validus Motschulsky, 1854a: 49 A: ANH BEI HEB HEN SHN SHX
virescens Boheman, 1840a: 937 A: BEI ES FE HEB HEI JIL NMO SHN SHX
yuanquensis Chao, 1980d: 284 A: SHX
yuxianensis Chao, 1980d: 281 A: HEB

genus *Polyclaeis* Boheman, 1840b: 215 type species *Polyclaeis equestris* Boheman, 1840
subgenus *Polyclaeis* Boheman, 1840b: 215 type species *Polyclaeis equestris* Boheman, 1840
Polyclaeis Gemminger, 1871c: 2221 [UE]
Polyclaeis G.A.K. Marshall, 1916b: 127 [HN] [UE]
confossus Fairmaire, 1888a: 29 (*Hypomeces*) A: JIX SCH

genus *Strophosomoides* Aslam, 1966b: 416 type species *Strophosomoides kaghanensis* Aslam, 1966
championi Aslam, 1966a: 135 A: HP
fastigatus Aslam, 1966a: 136 A: HP UP
gulmargensis Aslam, 1966a: 132 A: KA
kaghanensis Aslam, 1966a: 130 A: PA
kohistani Aslam, 1966a: 131 A: PA
kumaonensis Aslam, 1966a: 134 A: HP UP
niger Aslam, 1966a: 133 A: KA
pahalgamensis Pajni & Gandhi, 1988: 640 A: KA
rugosus Aslam, 1966a: 131 A: PA

genus *Sympiezomias* Faust, 1887b: 29 type species *Brachyaspistes velatus* Chevrolat, 1845
chenggongensis Chao, 1977: 226 A: YUN
cicatricollis Voss, 1932b: 63 A: YUN
consobrinus Voss, 1932b: 63
citri Chao, 1977: 225 A: ANH FUJ GUA GUX HUB HUN JIA JIX SCH SHA ZHE
clarus Chao, 1977: 224 A: YUN
cribricollis Kôno, 1930a: 189 A: GUA JA (Ryūkyū) TAI SC (Jeju)
elongatus Chao, 1977: 224 A: YUN
gemmius R-Zh. Zhang, 1992a: 201 A: YUN
guangxiensis Chao, 1977: 225 A: GUX HUN
herzi Faust, 1887b: 30 A: BEI HEB HEI HEN HGK JIL SC (Jeju) SHA SHN SHX TAI
lewisi albidus Nakamura & Morimoto, 2015: 517 A: JA
lewisi lewisi Roelofs, 1879b: liii (*Piazomias*) A: FE (Kuril Is.) JA SC (Jeju)
lewisi Sharp, 1896: 87 (*Piazomias*) [UE]
menglongensis Chao, 1977: 225 A: YUN
menzhehensis Chao, 1977: 224 A: YUN
shanghaiensis Chao, 1977: 226 A: JIA SHG
subserratis Ramamurthy, 2010: 46 A: HP
unicolor Chao, 1977: 224 A: YUN
variabilis Voss, 1932b: 62 A: YUN
velatus Chevrolat, 1845: 98 (*Brachyaspistes*) A: ANH BEI GAN GUA GUI GUX HEB HEI HEN
HKG HUB JIL LIA MAC NMO SCH SHA SHN SHX
maculatus Yamada, 1918: 29 (*Amystax*)

genus *Triangulomias* Y-Q. Chen, 1991b: 259 type species *Leptomias trianguloplatus* Chao, 1980
acutiangulus Y-Q. Chen, 1991b: 260 A: XIZ
angularus Y-Q. Chen, 1991b: 261 A: XIZ
dicaris Chao, 1980c: 98 (*Leptomias*) A: XIZ
foveocollis B. Chen & Lan, 1997: 25 A: XIZ
impar Chao & Y-Q. Chen, 1980: 98 (*Leptomias*) A: QIN XIZ
linopennis B. Chen & Lan, 1997: 26 A: XIZ
microdentatus Chao & Y-Q. Chen, 1981: 529 (*Leptomias*) A: XIZ
rotundus Y-Q. Chen, 1991b: 260 A: XIZ

trianguloplatus Chao, 1980c: 98 (*Leptomias*) A: XIZ
nitor Chao, 1980c: 98 (*Leptomias*)
waltoni G.A.K. Marshall, 1916b: 189 (*Leptomias*) A: SD XIZ

genus *Xizanomias* Chao, 1980c: 86 type species *Xizanomias latifrons* Chao, 1980
acutiangulus Chao, 1980c: 88 A: XIZ
altus Chao, 1980c: 87 A: XIZ
hohxilensis Zhang, 1996: 154 A: QIN XIN
hoxhiliensis Zhang, 1996a: 152 [NA]
latifrons Chao, 1980c: 87 A: XIZ
magnus Chao, 1980c: 88 A: XIZ
amplifrons Chao, 1981: 541 (*Leptomias*)
nyalamensis Chao, 1980c: 88 A: XIZ

genus *Xylinophorus* Faust, 1885c: 177 type species *Thylacites scobinatus* Kolenati, 1858

subgenus *Eutinopus* Faust, 1887k: 254 type species *Thylacites glaucus* Faust, 1881
Eutinopus Faust, 1887f: 158 [HN] type species *Thylacites glaucus* Faust, 1881

fortimanus Reitter, 1916b: 43 A: TM UZ
glaucus Faust, 1881: 288 (*Thylacites*) A: IN
laetus Faust, 1887k: 256 (*Eutinopus*) A: QIN
obscurus Voss, 1964b: 707 A: IN
occultus Faust, 1887k: 256 (*Eutinopus*) A: IN KZ
pallidosparsus Fairmaire, 1888c: 135 (*Eutinopus*) A: BEI
procerus Faust, 1887k: 257 (*Eutinopus*) A: IN
stoeckleini Voss, 1943c: 215 A: KA XIZ
subaeneus L. Redtenbacher, 1850: 49 (*Psallidium*) A: IN NMO
tonsus Faust, 1887k: 258 (*Eutinopus*) A: KA QIN
visseri Uyttenboogaart, 1935c: 327

subgenus *Subxylinophorus* Zumpt, 1931: 125 type species *Thylacites massagetus* Faust, 1887

esenovi Bajtenov, 1972: 69 A: KZ
massagetus Faust, 1887c: 30 (*Thylacites*) A: TM
satpaevi Bajtenov, 1972: 69 A: KZ

subgenus *Xylinophorus* Faust, 1885c: 177 type species *Thylacites scobinatus* Kolenati, 1858

Xylinophorus Faust, 1887f: 158 [HN] type species *Thylacites scobinatus* Kolenati, 1858
affinis Hustache, 1928a: 5 A: HP
minutus Hustache, 1928a: 6 A: HP
penicillatus G.A.K. Marshall, 1916b: 193 A: HP UP **ORR**
peregrinus Faust, 1897d: 346 A: HP **ORR**
persianus Voss, 1936a: 38 A: AF IN
prodromus Faust, 1885c: 177 A: AF HP IN KI KZ TD XIN XIZ
scobinatus Kolenati, 1858a: 177 (*Thylacites*) E: GR ST UK A: AB AR GG IN KZ TD TM TR UZ
superciliatus Stierlin, 1887: 396 (*Mesagroicus*)
strigifrons Faust, 1897d: 347 A: UP
srigifrons Faust, 1897d: 347 [NA]
verrucicollis Faust, 1881: 288 (*Thylacites*) A: IN

7.8.28.2. Subtribe Tainophthalmina Desbrochers des Loges, 1873

genus *Amystax* Roelofs, 1873: 159 type species *Amystax fasciatus* Roelofs, 1873

amamianus Nakamura & Morimoto, 2015: 532 A: JA (Amami-Oshima I.)
fasciatus Roelofs, 1873: 160 A: FE (Kuril Is.) JA ZHE
dispar Voss, 1939e: 56 (*Enaptorhimus*)
hikosanus Nakamura & Morimoto, 2015: 528 A: JA
honguanus Nakamura & Morimoto, 2015: 529 A: JA
iwasetoanus Nakamura & Morimoto, 2015: 526 A: JA
koshikianus Nakamura & Morimoto, 2015: 529 A: JA (Shimo-Koshiki I.)
okinawanus Nakamura & Morimoto, 2015: 535 A: JA (Ryūkyū)
sasanus Nakamura & Morimoto, 2015: 531 A: JA
satanus Nakane, 1963b: 36 A: JA
shikokuanus Nakamura & Morimoto, 2015: 525 A: JA

susamianus Nakamura & Morimoto, 2015: 532 A: JA
yakushimanus Nakamura & Morimoto, 2015: 530 A: JA (Osumi, Tokara Is.)
yamato Nakamura & Morimoto, 2015: 524 A: JA

genus *Aspidiotes* Schoenherr, 1847: 26 type species *Aspidiotes westringii* Schoenherr, 1847
subgenus *Aspidiotes* Schoenherr, 1847: 26 type species *Aspidiotes westringii* Schoenherr, 1847
Amomphus Schoenherr, 1848: 359 [URN]

cottyi Lucas, 1858: cxxiv (*Amomphus*) N: AG MO
setulifer Reitter, 1890c: 157 (*Amomphus*)
gonzalezi Sánchez-Ruiz & Alonso-Zarazaga, 1994: 289 E: SP
larbii Escalera, 1914: 439 (*Amomphus*) N: MO
westringii Schoenherr, 1847: 28 E: SP
concinus Küster, 1849c: 77 (*Amomphus*)
dissimilis Desbrochers des Loges, 1873c: 422 (*Amomphus*)

subgenus *Phaenognathus* Schoenherr, 1847: 29 type species *Phaenognathus thalassinus* Schoenherr, 1847
anatolicus Colonnelli, 1978a: 3 (*Amomphus*) A: TR
candani Erbey & Gürler, 2014: 134 A: TR
thalassinus Schoenherr, 1847: 31 (*Phaenognathus*) E: GR A: IS TR
dohrmii Küster, 1849c: 75 (*Amomphus*)

genus *Aspidiotes*, incertae sedis
reichei Desbrochers des Loges, 1872a: 246 (*Phaenognathus*) E: GR

genus *Enaptorhinus* G. R. Waterhouse, 1853: 179 type species *Enaptorhinus sinensis* G. R. Waterhouse, 1853
Platyamomphus Voss, 1922a: 170 type species *Platyamomphus reinecki* Voss, 1922 (= *Enaptorhinus sinensis* G. R. Waterhouse, 1853)
alini Voss, 1941b: 110 A: HEI HEN JIL LIA
argentellus Voss, 1939e: 54 A: BEI HAI JIX ZHE
convexiusculus Heller, 1930b: 108 A: ANH BEI HEB LIA SC SHN
fallax Voss, 1958b: 133 A: FUJ
granulatus Pascoe, 1881b: 588 A: HUB LIA NC SC SHN
pseudocrocodylus Han & Zhang, 2013: 125 A: SC SHN
shanshiensis Han & Zhang, 2007: 130 A: SHX
sinensis G. R. Waterhouse, 1853: 180 A: BEI GUA GUX HEB HEN HUN JIA JIX SHN ZHE
reinecki Voss, 1922a: 170 (*Platyamomphus*)

genus *Lechrioderus* Faust, 1890f: 442 type species *Lechrioderus imbellus* Faust, 1890
Sablones Reitter, 1913a: 30 type species *Sablones setosus* Reitter, 1913 (= *Lechrioderus imbellus* Faust, 1890)
imbellus Faust, 1890f: 443 A: GAN NMO QIN
setosus Reitter, 1913a: 30 (*Sablones*)

genus *Psalidimomphus* Reitter, 1913a: 28 type species *Psalidimomphus breiti* Reitter, 1913
breiti Reitter, 1913a: 28 E: CR (Lastovo I.)

genus *Tainophthalmus* Desbrochers des Loges, 1873c: 426 type species *Tainophthalmus crotchi* Desbrochers des Loges, 1873
subgenus *Protaenophthalmus* Voss, 1961d: 182 type species *Tainophthalmus griseopunctatus* Voss, 1956
griseopunctatus Voss, 1956e: 292 A: AF
lindbergi Voss, 1961d: 182 A: AF
volki Voss, 1961c: 242 A: AF
subgenus *Pseudotaenophthalmus* Suvorov, 1915b: 343 type species *Pseudotaenophthalmus hohlbecki* Suvorov, 1915
hohlbecki Suvorov, 1915b: 343 (*Pseudotaenophthalmus*) A: UZ
persicus Suvorov, 1915b: 344 (*Pseudotaenophthalmus*) A: IN
subgenus *Tainophthalmus* Desbrochers des Loges, 1873c: 426 type species *Tainophthalmus crotchi* Desbrochers des Loges, 1873
Heterotylus Faust, 1883e: 115 type species *Tainophthalmus crotchi* Desbrochers des Loges, 1873
Taenophthalmus Rye, 1874b: 289 [UE]
bucharicus Suvorov, 1915b: 341 A: TD TM UZ

carinatus Suvorov, 1915b: 342 A: KI TD
costifer Heyden, 1892: 108 A: UZ
crotchi Desbrochers des Loges, 1873c: 426 A: AB IN TM UZ
harzyniae Reitter, 1913a: 29 (*Heterotylus*)
desbrochersi Faust, 1883c: 115 A: IN
kraatzi Faust, 1883c: 117 A: KI KZ TD UZ
rufipes Zumpt, 1939: 418 A: UZ
semenovi Suvorov, 1915b: 342 A: IN
subcarinatus Faust, 1883e: 117 A: UZ XIZ

7.8.28.3. Subtribe Tanymecina Lacordaire, 1863

genus *Acrocoelopus* G.A.K. Marshall, 1916b: 67 type species *Acrocoelopus cretaceus* G.A.K. Marshall, 1916

cretaceus G.A.K. Marshall, 1916b: 67 A: "Bengalen"

genus *Anemeroides* G.A.K. Marshall, 1916b: 110 type species *Anemeroides erinaceus* G.A.K. Marshall, 1916

erinaceus G.A.K. Marshall, 1916b: 110 A: "India"

lutosus Hochhuth, 1847: 467 (*Homalorhinus*) E: ST

genus *Cercophorus* Chevrolat, 1880f: 259 type species *Esamus floccosus* Chevrolat, 1880 (= *Macropterus verloreinii* Snellen van Vollenhoven, 1871)

Burmanicus Supare, 1990: 74 type species *Macropterus verloreinii* Snellen van Vollenhoven, 1871

pseudoverloreinii Rizvi, Ahmed & Naz, 2006: 11 (*Burmanicus*) A: PA

sindhiliensis Ahmed, Rizvi, Siddiqui & Iqbal, 2009a: 16 (*Burmanicus*) A: PA

genus *Chlorophanus* C. R. Sahlberg, 1823a: 24 type species *Chlorophanus fallax* C. R. Sahlberg, 1823 (= *Curculio excisus* Fabricius, 1801)

Chlorima Germar, 1817c: 341 [rejected ICZN] type species *Curculio viridis* Linnaeus, 1758

Chlorophanus Schoenherr, 1823: 1136 [HN] type species *Curculio viridis* Linnaeus, 1758

Chlorophanus Germar, 1823: 440 [HN] type species *Chlorophanus fallax* Germar, 1823 (= *Curculio excisus* Fabricius, 1801)

Parix Gistel, 1848a: 134 [URN] type species *Curculio viridis* Linnaeus, 1758

Phaenodes Schoenherr, 1826: 54 type species *Chlorophanus fallax* Germar, 1823 (= *Curculio excisus* Fabricius, 1801)

Phoenodus Schoenherr, 1834a: 69 type species *Chlorophanus rufomarginatus* Gebler, 1829

algiricus Desbrochers des Loges, 1905e: 9 N: AG

almorensis Gandhi & Pajni, 1984b: 65 A: UP

anatolicus Reitter, 1915h: 182 A: TR

apterus Korotyaev, 1995a: 78 A: MG

argentatus Reitter, 1915h: 173 A: XIN

auripes Faust, 1897a: 94 A: BEI GAN GUA HAI HEB HEI HEN HUB JA NMO QIN SC SHX

caudatus Fähræus, 1840b: 432 E: CT KZ ST A: AF IN KI KZ MG TD TM UZ XIN

appendiculatus Ménériés, 1849: 250

disjunctus Faust, 1887f: 162 A: KI KZ

dorsiger Faust, 1897a: 86 E: FR GE HU

excisus Fabricius, 1801: 531 (*Curculio*) E: BU GR HU MD RO SB SK ST TR UK A: IN SY TR

fallax C. R. Sahlberg, 1823: 24

fallax Germar, 1823: 442 [HN]

nobilis Germar, 1839: 10

ferghanensis Faust, 1887f: 160 A: KI KZ TD UZ

flavescens Fabricius, 1787a: 112 (*Curculio*) E: AU BU BY CR CT CZ EN FR GE HU IT LA LS LT MD NT PL RO SK ST SZ UK A: IN KZ

graminicola Schoenherr, 1832: 214

graminicola Gyllenhal, 1834a: 67 [HN]

fumigatus Reitter, 1915h: 173 A: TR

funicularis Heller, 1930b: 106 A: SCH

grandis Roelofs, 1873: 162 A: ANH FE GUA GUI HEB HEN HUB HUN JA JIA JIX LIA NC NIN SC SCH SHX

konoï Günther, 1933: 70 [RN]

konumensis Kôno, 1930a: 182 [NA]

lugubris Sharp, 1896: 111

metallescens Sharp, 1896: 111

rugicollis Kôno, 1930a: 182 [HN]
kansuanus G.A.K. Marshall, 1934a: 5 **A:** GAN HUN SCH SHX XIZ YUN
lineolus Motschulsky, 1854b: 64 **A:** ANH FUJ GAN GUA GUI GUX HEB HEN HUB HUN JIA
 JIX LIA SCH SHA SHN TAI YUN
magnificus Faust, 1887f: 164 **A:** KI KZ XIN
major Morimoto, 2015: 543 **A:** JA
merkli Holdhaus, 1902: 209 **E:** BU TR
micans Krynicki, 1832: 149 **E:** BU BY CT KZ RO ST UK **A:** KZ WS
micans Fähræus, 1840b: 433 [HN]
nitidulus Desbrochers des Loges, 1873c: 423
piliferus Fähræus, 1840b: 434
sellatus Fabricius, 1798: 171 (*Curculio*) [HN]
separandus Desbrochers des Loges, 1873c: 424
mimus Heller, 1930b: 106 **A:** SCH
miyakawai Morimoto, 2015: 544 **A:** JA
mordkovitschi Legalov, 1998: 62 **A:** ES
nigrocupreus Gandhi & Pajni, 1984b: 66 **A:** KA
notabilis Faust, 1887f: 159 **A:** KI KZ TD
viduus Faust, 1887f: 163
planus Sharp, 1896: 111 **A:** JA SC
pollinosus Fabricius, 1792: 454 (*Curculio*) **E:** AU BU BY CZ EN FR GE HU IT KZ MD PL PT RO
 SK ST SV SZ UK **N:** TU **A:** KZ
gibbosus Paykull, 1792: 108 (*Curculio*) [HN]
montanus Rey, 1894e: 109
sparsus Rey, 1894e: 109
ullrichi Faust, 1897a: 80
roseipes roseipes Heller, 1930b: 106 **A:** GAN SCH SHA XIZ YUN
roseipes ruficlava Voss, 1934a: 74 **A:** SCH
rubripes Reitter, 1915h: 174 **A:** NE NMO
rufipes Voss, 1931a: 36 **A:** CHQ GUX SCH
rufomarginatus Gebler, 1829: 147 **A:** KZ MG WS XIN
decorus Fähræus, 1840b: 431
rufomarginatus Gyllenhal, 1834a: 69 [HN]
vestitus Fähræus, 1840b: 430
rugicollis Gyllenhal, 1834a: 63 **E:** FR SP
schoenherri Faust, 1897a: 91 **A:** ES FE MG
sibiricus Gyllenhal, 1834a: 65 **A:** BEI ES FE GAN HEB HEI HUB HUN JA JIL KZ LIA MG NC
 NIN NMO QIN SCH SHA SHX TD WS XIN ZHE
aurifemoratus Reitter, 1915h: 175
bidens Motschulsky, 1860d: 496
brachythorax Motschulsky, 1860d: 496
circumcinctus Gyllenhal, 1834a: 64
distinguendus Hochhuth, 1851: 29
foveolatus Motschulsky, 1860d: 496
parallellocollis Motschulsky, 1860d: 496
peregrinus Reitter, 1915h: 176
plicatirostris Reitter, 1915h: 175
scabricollis Motschulsky, 1860b: 166
submarginalis Fähræus, 1840b: 427
simulans Faust, 1897a: 89 **A:** AF KZ TD UZ XIN
solarii Zumpt, 1937b: 23 **A:** HEB JIL LIA NMO QIN SHA SHX XIN
tokatensis Reitter, 1915h: 178 **A:** TR
tuvensis Korotyaev, 1992c: 822 **A:** ES MG
viridis balcanicus Behne, 1989: 122 **E:** AL AU BH BU CR GR HU IT SB SL
viridis viridis Linnaeus, 1758: 384 (*Curculio*) **E:** AU BE BU BY CT CZ DE EN FI FR GE HU IT KZ
 LA LT LU MD NL NT PL RO SK SP ST SV SZ UK **A:** KZ WS
hompari Rey, 1894e: 109
brevicollis Gyllenhal, 1834a: 62
cinerascens Penecke, 1927a: 323
flavocinctus DeGeer, 1775: 256 (*Curculio*) [URN]
germari Faust, 1897a: 88
inermis Gyllenhal, 1834a: 62
salicicola Germar, 1823: 441
vittatus Schoenherr, 1832: 214 **E:** ST **A:** AB AR GG IN
araxicola Reitter, 1915h: 178

bivittatus Reitter, 1915h: 177
circassicus Reitter, 1915h: 180
crotchi Desbrochers des Loges, 1873c: 423
irregularis Hochhuth, 1847: 475
kubanensis Reitter, 1915h: 178
splendens Hochhuth, 1847: 474
vittatus Gyllenhal, 1834a: 68 [HN]
voluptificus Gyllenhal, 1834a: 66

genus *Cycloderes* C. R. Sahlberg, 1823a: 21 type species *Cycloderes catarractus* C. R. Sahlberg, 1823
subgenus *Aramorius* Desbrochers des Loges, 1908k: 8 type species *Thylacites guinardi* Jacquelin du Val, 1853

affinis F. Solari, 1954a: 96 E: FR SP
amaurus Antoine, 1949: 109 N: MO
atlasicus Escalera, 1914: 435 (*Thylacites*) N: MO
auricollis auricollis Desbrochers des Loges, 1872a: 240 (*Thylacites*) N: AG
auricollis aurithorax Desbrochers des Loges, 1884: 119 (*Thylacites*) E: SP
brevipennis Hustache, 1935c: 147 (*Thylacites*) N: MO
buculus Antoine, 1949: 117 N: MO
cernitus Antoine, 1949: 103 N: MO
cinguliger Antoine, 1949: 100 N: MO
dispar Desbrochers des Loges, 1895d: 86 (*Thylacites*) E: SP N: AG
exiguus Faust, 1887j: 208 (*Thylacites*) E: PT SP N: AG
franzi A. Hoffmann, 1960b: 166 E: SP
fuentei Desbrochers des Loges, 1903e: 138 (*Thylacites*) E: SP
geophanes Antoine, 1949: 108 N: MO
glabellus A. Hoffmann, 1964a: 41 A: NP
guinardi Jacquelin du Val, 1853: 708 (*Thylacites*) E: FR SP
hirticulus Desbrochers des Loges, 1884: 118 (*Thylacites*) N: AG
hirtus Escalera, 1914: 436 (*Thylacites*) N: MO
escaleraei Winkler, 1932a: 1495 [URN]
hustachei Antoine, 1949: 99 N: MO
luxuriosus Antoine, 1949: 101 N: MO
manueli Alonso-Zarazaga, 2013e: 89 [RN] N: MO
alhauadi Antoine, 1949: 104 [HN]
maroccanus Desbrochers des Loges, 1895d: 85 (*Thylacites*) N: MO
marraquensis Escalera, 1914: 434 (*Thylacites*) N: MO
mediatlantis Antoine, 1949: 113 N: MO
minutulus Antoine, 1949: 110 N: MO
mirus Antoine, 1949: 120 N: MO
otini Antoine, 1949: 114 N: MO
pardoi Antoine, 1949: 110 N: MO
pusillus Seidlitz, 1867a: 186 (*Thylacites*) E: PT SP
quintilis Antoine, 1949: 111 N: MO
rhabbensis Antoine, 1949: 102 N: MO
rolphii Fairmaire, 1867: 409 (*Thylacites*) N: MO
olcesei Desbrochers des Loges, 1884: 131 (*Thylacites*)
sitonoides Escalera, 1914: 431 (*Thylacites*) N: MO
susicus Escalera, 1914: 433 (*Thylacites*) N: MO
tenuiscapus Escalera, 1914: 432 (*Thylacites*) N: MO
zarcoi Antoine, 1949: 97 N: MO
zemensis Antoine, 1949: 105 N: MO
subgenus *Cycloderes* C. R. Sahlberg, 1823a: 21 type species *Cycloderes catarractus* C. R. Sahlberg, 1823
Cycloderes Schoenherr, 1823: 1139 [HN] type species *Curculio robiniae* Herbst, 1795 (= *Curculio canescens* Rossi, 1792)
adjectus Desbrochers des Loges, 1903i: 37 (*Thylacites*) N: AG
adonis Antoine, 1949: 95 N: MO
aenescens Desbrochers des Loges, 1884: 121 (*Thylacites*) N: AG MO
brevinasus Desbrochers des Loges, 1896f: 63 (*Thylacites*)
aequalis Desbrochers des Loges, 1903e: 130 (*Thylacites*) N: AG
alhauadi Pic, 1903b: 125 (*Thylacites*) N: TU
angustus Desbrochers des Loges, 1872a: 238 (*Thylacites*) N: AG

antoini Escalera, 1924b: 373 (*Thylacites*) N: MO
crassicornis Hustache, 1938b: 32
araneiformis Chevrolat, 1866a: 25 (*Thylacites*) E: SP
argenteus argenteus Perris, 1866b: 190 (*Thylacites*) E: SP
argenteus persulcatus Fairmaire, 1871a: 399 (*Thylacites*) E: IT (Sicilia) SP N: AG MO TU
sefrensis Desbrochers des Loges, 1903h: 11 (*Thylacites*)
armeniacus Iablokoff-Khznorian, 1957: 181 A: AR
artemisiae A. Hoffmann, 1950a: 419 E: FR
asperulus Fairmaire, 1871a: 398 (*Thylacites*) N: AG
depilatus Desbrochers des Loges, 1884: 119 (*Thylacites*)
auliensis Desbrochers des Loges, 1903e: 132 (*Thylacites*) [DA] A: KZ
auliensis Pic, 1903a: 19 (*Thylacites*) [HN]
aurovittatus Desbrochers des Loges, 1884: 112 (*Thylacites*) N: AG TU
pallidisetis Desbrochers des Loges, 1897a: 179 (*Thylacites*)
barrosi Desbrochers des Loges, 1904h: 38 (*Thylacites*) E: PT
belonis Desbrochers des Loges, 1872a: 242 (*Thylacites*) E: GR (Kriti) IT (Sicilia) MA
biskrensis Desbrochers des Loges, 1884: 111 (*Thylacites*) N: AG
camusi Antoine, 1953: 219 N: MO
candidulus Desbrochers des Loges, 1872a: 236 (*Thylacites*) E: SP
canescens Rossi, 1792: 40 (*Curculio*) E: BU CR FR GR HU IT MD ME RO SP TR UK A: CY IN
TR
hoepfneri Gyllenhal, 1833b: 517 (*Thylacites*) [DA]
insularis Desbrochers des Loges, 1872a: 242 (*Thylacites*)
lapidarius Gyllenhal, 1833b: 517 (*Thylacites*)
robiniae Herbst, 1795: 288 (*Curculio*)
castaneipes Antoine, 1949: 88 N: MO
chalcogrammus Boheman, 1833b: 521 (*Thylacites*) E: SP
albidus F. Solari, 1954a: 92 [NA]
laufferi Desbrochers des Loges, 1904h: 37 (*Thylacites*)
championi F. Solari, 1954a: 93 E: SP (Gibraltar)
comatus Erichson, 1841: 186 (*Thylacites*) N: AG
congener Desbrochers des Loges, 1872a: 237 (*Thylacites*) N: AG
corsicus Perris, 1866b: 188 (*Thylacites*) E: FR (Corse)
costulatus Desbrochers des Loges, 1893d: 2 (*Thylacites*) N: TU
cretaceus Desbrochers des Loges, 1892d: 111 (*Thylacites*) N: AG
cribricollis Desbrochers des Loges, 1872a: 238 (*Thylacites*) N: AG A: IN
crotchii Fairmaire, 1871a: 398 (*Thylacites*) N: AG MO
tigratus Desbrochers des Loges, 1872a: 237 (*Thylacites*)
depilis Fairmaire, 1863: 97 (*Thylacites*) E: FR IT SP
doriae Desbrochers des Loges, 1903e: 133 (*Thylacites*)
desbrochersi F. Solari, 1954a: 69 [RN] N: TU
proximus Desbrochers des Loges, 1900a: 8 (*Thylacites*) [HN]
distinctus Desbrochers des Loges, 1903f: 165 (*Thylacites*) E: SP
distinguendus Desbrochers des Loges, 1897a: 179 (*Thylacites*) E: IT (Sicilia)
humilis Vitale, 1906: 132 (*Thylacites*)
sicanus Desbrochers des Loges, 1903e: 133 (*Thylacites*)
doderoi F. Solari, 1954a: 85 E: IT (Sardegna)
dubius Desbrochers des Loges, 1872a: 242 (*Thylacites*) E: FR (Corse) IT (Sardegna)
elongatus Pérez Arcas, 1872: 117 (*Thylacites*) E: SP
subvittatus Desbrochers des Loges, 1892d: 110 (*Thylacites*)
espanoli Roudier, 1954d: 87 E: SP (Ibiza)
exclusus Peyerimhoff, 1943: 29 N: AG
fausti Desbrochers des Loges, 1903e: 131 (*Thylacites*) N: MO
foveolatus Escalera, 1914: 425 (*Thylacites*) N: MO
fritillum Panzer, 1794a: 19 (*Curculio*) E: PT SP
fullo Erichson, 1841: 186 (*Thylacites*) E: SP N: AG MO
fulvipilis Hustache, 1941b: 171 N: MO
gattefossei Antoine, 1937: 244 (*Thylacites*) N: MO
bletoni Hustache, 1939b: 194 (*Thylacites*)
naudei Hustache, 1939b: 195 (*Thylacites*)
glabratus Gyllenhal, 1833b: 517 (*Thylacites*) E: PT SP
oblongus Graells, 1850: 621 (*Thylacites*)

turbatus Gyllenhal, 1833b: 519 (*Thylacites*)
gossypii A. Hoffmann, 1963a: 81 **A**: IN
granithorax Desbrochers des Loges, 1896e: 45 (*Thylacites*) **E**: SP
gredosensis A. Hoffmann, 1959b: 405 **E**: SP
gregarius Antoine, 1949: 80 **N**: MO
gundaficus Escalera, 1914: 430 (*Thylacites*) **N**: MO
henoni Pic, 1897d: 42 (*Thylacites*) **N**: AG
hirtellus Desbrochers des Loges, 1872a: 239 (*Thylacites*) **E**: PT SP
humeralis Chobaut, 1903: 130 (*Thylacites*) **N**: AG
ifranensis Hustache, 1941b: 172 **N**: MO
inflaticollis Fairmaire, 1879: 243 (*Thylacites*) **E**: SP
insidiosus Fairmaire, 1859h: cli (*Thylacites*) **E**: PT SP
emarginatus Desbrochers des Loges, 1873c: 422 (*Thylacites*)
heliophilus Chevrolat, 1866a: 24 (*Thylacites*)
perezi Desbrochers des Loges, 1884: 141 (*Thylacites*)
intermedius Desbrochers des Loges, 1884: 128 (*Thylacites*) **E**: PT
intermissus Desbrochers des Loges, 1903i: 33[/32] (*Thylacites*) **N**: AG
irregularis Hustache, 1939b: 194 (*Thylacites*) **N**: MO
amulae Hustache, 1941b: 170
kandaharensis Voss, 1959a: 84 (*Thylacites*) **A**: AF
kocheri Antoine, 1949: 86 **N**: MO
lasius Boheman, 1833b: 521 (*Thylacites*) **E**: PT SP
ahenus Desbrochers des Loges, 1874b: 224 (*Thylacites*)
ahenus Desbrochers des Loges, 1874d: cxviii (*Thylacites*) [HN]
gallaecianus Desbrochers des Loges, 1893d: 1 (*Thylacites*)
longipilis Seidlitz, 1867a: 186 (*Thylacites*)
uhagonis Desbrochers des Loges, 1872a: 239 (*Thylacites*)
latitarsis Desbrochers des Loges, 1903e: 135 (*Thylacites*) **N**: AG
latithorax Desbrochers des Loges, 1872a: 240 (*Thylacites*) **E**: PT SP
schoenherri Desbrochers des Loges, 1872a: 241 (*Thylacites*)
lecerfi Hustache, 1933c: 139 (*Thylacites*) **N**: MO
lucens Hustache, 1933c: 140 (*Thylacites*)
lixensis Peyerimhoff, 1913c: 521 (*Thylacites*) **N**: MO
cneorrhynoides Escalera, 1914: 437 (*Thylacites*)
lostiae Desbrochers des Loges, 1895h: 137 (*Thylacites*) **E**: IT (Sardegna)
lusitanicus Desbrochers des Loges, 1884: 125 (*Thylacites*) **E**: PT
marmoratus Desbrochers des Loges, 1872a: 237 (*Thylacites*) **N**: MO
microdactylus Antoine, 1949: 91 **N**: MO
mideltensis bremondi A. Hoffmann, 1965a: 23 **N**: MO
mideltensis mideltensis Antoine, 1949: 81 **N**: MO
modestus Desbrochers des Loges, 1897a: 178 (*Thylacites*) **E**: IT (Sicilia) **N**: AG
mozabensis Chobaut, 1903: 136 (*Thylacites*) **N**: AG TU
multiseriatus Desbrochers des Loges, 1884: 114 (*Thylacites*) **N**: AG
mus Herbst, 1797: 53 (*Curculio*) **E**: PT SP
catarractus C. R. Sahlberg, 1823a: 21
catarractus C.R. Sahlberg, 1823a: 21 [NA]
rattus Sturm, 1826: 202 (*Thylacites*) [URN]
musculus Pesarini, 1980a: 21 **E**: IT (Sicilia)
nigropictus mogadoricus Antoine, 1949: 84 **N**: MO
nigropictus mundus Antoine, 1949: 84 **N**: MO
nigropictus nigropictus Hustache, 1926f: 323 (*Thylacites*) **N**: MO
nigropictus pexus Antoine, 1949: 84 **N**: MO
obesulus Wollaston, 1864: 734 (*Thylacites*) **N**: CI
oblongiusculus Desbrochers des Loges, 1872a: 238 (*Thylacites*) **N**: AG
olivieri Desbrochers des Loges, 1874b: 224 (*Thylacites*) **N**: AG
olivieri Desbrochers des Loges, 1874d: cxviii (*Thylacites*) [HN]
parallelus Escalera, 1914: 429 (*Thylacites*) **N**: MO
pilosulus Herbst, 1795: 292 (*Curculio*) [RN] **E**: AU BU BY CR CZ GE HU KZ LT MD PL RO SK
ST UK A: AR ES IN KI KZ TD TM TR UZ WS
licinus Herbst, 1795: 299 (*Curculio*)
pilosus Fabricius, 1792: 468 (*Curculio*) [HN]
sareptanus Desbrochers des Loges, 1884: 130 (*Thylacites*)

planicollis Pérez Arcas, 1872: 114 (*Thylacites*) E: SP
pominii F. Solari, 1954a: 74 E: IT
preciosus L.W. Schaufuss, 1862a: 49 (*Thylacites*) E: PT SP
pulchellus F. Solari, 1954a: 95 E: SP
punicus Desbrochers des Loges, 1872a: 239 (*Thylacites*) E: PT N: AG MO
reitteri Desbrochers des Loges, 1903d: 128 (*Thylacites*) N: MO
rotroui Hustache, 1935b: 148 (*Thylacites*) N: MO
schrammi Antoine, 1949: 80 N: MO
seriepunctatus Reiche & Saulcy, 1858a: 666 (*Thylacites*) A: LE
seriesetulosus Desbrochers des Loges, 1874c: 254 (*Thylacites*) A: LE SY
seriesetulosus Desbrochers des Loges, 1875b: ccxxvii (*Thylacites*) [HN]
serripes Desbrochers des Loges, 1872a: 237 (*Thylacites*) E: SP
setulosus Halbherr, 1896: 3 (*Thylacites*) E: AU BH CR IT SL
minimus Desbrochers des Loges, 1904h: 39 (*Thylacites*)
sicardi Desbrochers des Loges, 1895d: 87 (*Thylacites*) N: TU
siculus Desbrochers des Loges, 1872a: 241 (*Thylacites*) E: IT (Sicilia)
squameus Desbrochers des Loges, 1884: 127 (*Thylacites*) E: SP
subahenus Desbrochers des Loges, 1892d: 112 (*Thylacites*) N: AG
submetallicus Desbrochers des Loges, 1872a: 243 (*Thylacites*) E: SP
subpunicus Escalera, 1924b: 372 (*Thylacites*) N: MO
substriatus Desbrochers des Loges, 1884: 131 (*Thylacites*) E: SP
tadschikicus Bajtenov, 1981f: 406 A: TD
tessellatus requirendus Günther, 1933: 37 N: AG
tessellatus tessellatus Gyllenhal, 1833b: 518 (*Thylacites*) E: PT SP
tetuanicus Escalera, 1914: 426 (*Thylacites*) N: MO
theryi Hustache, 1932b: 42 (*Thylacites*) N: MO
tomentosus Desbrochers des Loges, 1872a: 241 (*Thylacites*) E: SP
hirsutus Fuente, 1901: 133 (*Thylacites*)
tonsus Chevrolat, 1866b: 103 (*Thylacites*) E: SP
trapezicollis Escalera, 1914: 427 (*Thylacites*) N: MO
umbrinus Gyllenhal, 1833b: 520 (*Thylacites*) E: PT
variegatus Lucas, 1846b: pl. 35 (*Thylacites*) N: AG TU
proximus Desbrochers des Loges, 1884: 105 (*Thylacites*)
varus Antoine, 1949: 89 N: MO
vicinus Desbrochers des Loges, 1896e: 46 (*Thylacites*) N: AG
vittatus Boheman, 1840a: 857 (*Thylacites*) E: SP
vitticollis Desbrochers des Loges, 1896d: 42 (*Thylacites*) E: SP
zaianus Antoine, 1951: 100 N: MO

genus *Diglossotrox* Lacordaire, 1863: 86 type species *Diglossotrox mannerheimii* Lacordaire, 1863
alashanicus Suvorov, 1912b: 481 A: NIN NMO
auridorsis Reitter, 1903a: 7 A: KI KZ UZ
chinensis Zumpt, 1937b: 21 A: SHX
mannerheimii Lacordaire, 1863: 87 A: ES BEI GAN JIL LIA MG NMO SHA
steveni Gyllenhal, 1840b: 229 (*Tanymecus*) E: KZ ST A: KZ TM UZ
tibetanus Suvorov, 1912b: 482 A: XIZ

genus *Esamus* Chevrolat, 1880d: 58 [RN] type species *Curculio circumdatus* Wiedemann, 1821
Asemus Wiedemann, 1823b: 164 [HN] type species *Curculio chloroleucus* Wiedemann, 1819
Asemus Schoenherr, 1823: 1141 [HN] type species *Curculio circumdatus* Wiedemann, 1821
albomarginatus Gyllenhal, 1834a: 81 (*Tanymecus*) N: AG EG A: IN IQ SA AFR ORR
confinis Gyllenhal, 1834a: 83 (*Tanymecus*)
chlorophanus Reitter, 1903a: 18 (*Megamecus*) A: IN TD UZ
circumdatus Wiedemann, 1821: 156 (*Curculio*) A: AF GUA HUB HUN NP PA SCH SD TAI UP
YUN ORR
albicinctus Chevrolat, 1880f: 258
falsus Chevrolat, 1880f: 257
leucocephalus Chevrolat, 1880f: 258
polygrammus Chevrolat, 1880f: 258
subaureus Desbrochers des Loges, 1891g: ccclv (*Tanymecus*)

cylindricollis Reitter, 1889d: 123 A: AF IN KZ TD TM UZ
hercules Desbrochers des Loges, 1891g: cclv (*Tanymericus*) A: YUN **ORR**
lefroyi G.A.K. Marshall, 1916b: 88 (*Tanymericus*) A: UP **ORR**
luteocinctus Chevrolat, 1880f: 257 N: EG
mnischekii Hochhuth, 1851: 22 (*Tanymericus*) A: AR GG IQ TM
niloticus Schoenherr, 1826: 28 (*Tanymericus*) E: IT (Sicilia) N: EG A: "Mesopotamien" **AFR**
niloticus Gyllenhal, 1834a: 77 (*Tanymericus*)
pakistanensis Ahmed, Rizvi, Khatri & Arien, 2010: 97 (*Tanymericus*) A: PA
planus Tournier, 1874c: 456 (*Tanymericus*) A: "Arabien"
plurisetosus Pajni & Gandhi, 1987b: 2 A: KA **ORR**
productus Chevrolat, 1880f: 256 N: EG
simplex G.A.K. Marshall, 1916b: 83 (*Tanymericus*) A: PA UP **ORR**
spinitibialis Pajni & Gandhi, 1987b: 4 A: UP
subpilosus Reitter, 1903a: 20 (*Asemus*) E: ST A: AB AR GG TM
versicolor G.A.K. Marshall, 1916b: 93 (*Tanymericus*) A: SD **ORR**

genus *Hauserella* Reitter, 1903a: 6 type species *Hauserella elliptica* Reitter, 1903
elliptica Reitter, 1903a: 6 A: TM

genus *Krauseus* Supare, 1990: 78 type species *Tanymericus agrestis* Faust, 1899
agrestis Faust, 1899b: 394 (*Tanymericus*) A: HAI UP **ORR**

genus *Megamecus* Reitter, 1903a: 5 type species *Tanymericus cinctus* Faust, 1887
subgenus *Acercomecus* Reitter, 1903a: 18 type species *Tanymericus argentatus* Gyllenhal, 1840
argentatus Gyllenhal, 1840b: 224 (*Tanymericus*) E: KZ MD ST UK A: AB AF AR ES IN KI KZ QIN
 TD UZ WS XIN
bidentulus Desbrochers des Loges, 1874c: 254 (*Tanymericus*)
bidentulus Desbrochers des Loges, 1875c: ccxxvii (*Tanymericus*) [HN]
fae Faust, 1894c: 182 (*Asemus*) A: AF SD **ORR**
plumeus Faust, 1894c: 183 (*Asemus*)
subvittatus Faust, 1897d: 352 (*Asemus*)

subgenus *Megamecus* Reitter, 1903a: 5 type species *Tanymericus cinctus* Faust, 1887
cinctus Faust, 1887l: 304 (*Tanymericus*) E: ST A: AB AF KZ TD TM UZ
funicularis Reitter, 1915a: 69 A: KZ
marginalis Gyllenhal, 1834a: 87 (*Tanymericus*) A: NP "Bengalen" **ORR**
lateralis Fåhraeus, 1840b: 221 (*Tanymericus*)
viridiventris Chevrolat, 1880f: 259 (*Asemus*)
misellus Heller, 1931: 97 (*Tanymericus*) A: TAI
urbanus Gyllenhal, 1834a: 81 (*Tanymericus*) E: KZ ST A: AB AR GAN HEB HEN IN KI KZ MG
 NIN NMO QIN SCH TD TM UZ XIN
variegatus Gebler, 1829: 152 (*Tanymericus*) E: KZ ST A: AB AR ES IN KI KZ MG TD TM UZ XIN
ocularis Reitter, 1903a: 17
robustus Fåhraeus, 1840b: 233 (*Tanymericus*)

subgenus *Gnathomecus* Reitter, 1903a: 17 type species *Megamecus cervulus* Reitter, 1903
cervulus Reitter, 1903a: 17 A: IN KI TD TM
mandibularis G.A.K. Marshall, 1916b: 96 (*Tanymericus*) A: IN PA
subgenus *Hypesamus* Reitter, 1903d: 18 type species *Tanymericus viridans* Ménétrés, 1849
albilateralis Faust, 1885c: 183 (*Tanymericus*) A: AF KI KZ TD TM UZ
nattereri Voss, 1939e: 58 A: KZ XIN
nothus Faust, 1885c: 184 (*Tanymericus*) A: KZ UZ
sciurus Olivier, 1807: 323 (*Curculio*) A: PA UP **ORR**
protervus Gyllenhal, 1834a: 80 (*Tanymericus*)
sheveti Marshall & Lodos, 1979: 218 A: TR
viridans Ménétrés, 1849: 251 (*Tanymericus*) E: CT A: TD TM UZ
beatus Reitter, 1903a: 18

subgenus *Pseudasemus* Voss, 1933e: 32 type species *Chlorophanus dubius* Voss, 1933
dubius Voss, 1933e: 31 (*Chlorophanus*) A: CHQ SCH

genus *Meotiorhynchus* Sharp, 1896: 85 type species *Meotiorhynchus querendus* Sharp, 1896
insularis Faust, 1881: 297 (*Copanopachys*) A: FE (Sakhalin) #⁷
fausti Günther, 1933: 40 (*Scepticus*) [URN]

querendus Sharp, 1896: 86 A: FE JA NC SC
lateralis Matsumura, 1911a: 130 (*Scepticus*)

genus *Mythecops* Reitter, 1916b: 42 type species *Thylacites gracilipes* Faust, 1881
aereus G.A.K. Marshall, 1944b: 136 A: IN
araxis Reitter, 1916b: 42 A: AB AR IN
gracilipes Faust, 1881: 286 (*Thylacites*) A: IN KZ TD TM
kermanus G.A.K. Marshall, 1944b: 136 A: IN
ruficornis Reitter, 1916b: 43 A: TM
scaber G.A.K. Marshall, 1944b: 137 A: IN

genus *Phacephorus* Schoenherr, 1840b: 244 type species *Phacephorus vilis* Fåhraeus, 1840
alternus Voss, 1943c: 217 A: IQ
argyrostomus Gyllenhal, 1840b: 231 (*Tanymecus*) E: KZ ST UK A: AF AR GG IN IQ KI KZ PA
TD TM UP UZ
russicus Faust, 1885c: 181
zuberi Desbrochers des Loges, 1873c: 422 (*Tanymecus*)
decipiens Faust, 1890f: 441 A: GAN QIN
dicristinae Magnano & Colonnelli, 2005: 19 A: TR
hirtellus Faust, 1885c: 182 E: ST A: KI KZ
inuus Faust, 1887l: 297 A: KI KZ TD
lethierryi Desbrochers des Loges, 1872a: 245 (*Tanymecus*) N: AG TU
nasutus Reitter, 1903a: 8 A: KI KZ TD UZ
nebulosus Fåhraeus, 1840b: 230 (*Tanymecus*) E: ST UK A: AF ES GAN KI KZ MG QIN SHX TD
TM UZ WS XIN
beckeri Desbrochers des Loges, 1875a: 33 (*Tanymecus*)
comparabilis Faust, 1894a: 60
niveus Gyllenhal, 1840b: 228 (*Tanymecus*)
nubeculosus Fairmaire, 1866a: 60 (*Tanymecus*) E: GR N: AG EG MO TU A: AB CY IN IQ JO KZ
TD TM UZ
rotundicollis Tournier, 1875c: lxxxviii (*Tanymecus*) E: ST
setosus Zumpt, 1937b: 22 A: KI XIN
sibiricus Gyllenhal, 1840b: 225 (*Tanymecus*) E: KZ ST A: ES KZ TM WS
variatus Desbrochers des Loges, 1875a: 34 (*Tanymecus*)
tessellatus Voss, 1936a: 39 A: IN
umbratus Faldermann, 1835: 421 (*Tanymecus*) A: BEI ES GAN HEB KZ MG NIN NMO QIN SHX
WS XIN
vilis Fåhraeus, 1840b: 246 A: ES GAN QIN XIZ
arcuatipennis Desbrochers des Loges, 1872a: 244 (*Tanymecus*)
turbatus Faust, 1890f: 440

genus *Phaenoderus* Péringuey, 1892: 69 type species *Phaenoderus distinctus* Péringuey, 1892
Hadronotus Faust, 1886f: 342 [HN] type species *Siderodactylus adstringatus* Gyllenhal, 1834
viridulus Faust, 1886f: 343 (*Hadronotus*) [DA] A: SD

genus *Protenomus* Schoenherr, 1826: 131 type species *Protenomus saisanensis* Schoenherr, 1826
saisanensis Schoenherr, 1826: 133 A: KZ MG NMO WS XIN
saisanensis Gebler, 1829: 153 [HN]
saisanensis Boheman, 1834a: 94 [HN]

genus *Pseudotanymecus* Voss, 1932d: 290 type species *Pseudotanymecus foveipennis* Voss, 1932
foveipennis Voss, 1932d: 291 A: CHQ SCH

genus *Scepticus* Roelofs, 1873: 158 type species *Scepticus insularis* Roelofs, 1873
Copanopachys Roelofs, 1880a: 7 type species *Piazomias tigrinus* Roelofs, 1873
caesius G.A.K. Marshall, 1916b: 65 A: PA
callosus Hustache, 1928a: 2 A: HP
ermischi Voss, 1969a: 57 A: AF
~~*fausti* Günther, 1933: 40 [RN] A: FE (Sakhalin) #⁸~~
~~— *insularis* Faust, 1881: 297 (*Copanopachys*) [HN]~~
griseolus Voss, 1959a: 85 A: AF

griseus Roelofs, 1873: 162 (*Piazomias*) A: JA SC TAI
minowai Kôno, 1930a: 185
uniformis Kôno, 1930a: 186
insularis Roelofs, 1873: 158 A: FE (Sakhalin) GUI JA JIA SC SCH ZHE
hachijoensis Kôno, 1930a: 187
kashmirensis G.A.K. Marshall, 1916b: 65 A: KA
konoi Nakamura & Morimoto, 2015: 549 A: JA
noxius Faust, 1886e: 130 (*Thylacites*) A: AF HP KA PA TD UP XIN XIZ
nubifer Faust, 1886e: 131 (*Thylacites*) A: AF HP KA KI KZ XIN
alaiensis Faust, 1888a: 42 (*Thylacites*)
pakistanus Voss, 1964b: 708 A: PA
rotundicollis Morimoto, 1963: 149 A: UP
sungbogi Han, 2014: 74 A: SC
tigrinus Roelofs, 1873: 161 (*Piazomias*) A: FE JA TAI "Korea"
tristis Voss, 1943c: 216 A: KA

genus *Tanymecus* Germar, 1817c: 341 type species *Curculio palliatus* Fabricius, 1787
subgenus *Episomecus* Reitter, 1903a: 10 type species *Tanymecus dilaticollis* Gyllenhal, 1834
dilaticollis Gyllenhal, 1834a: 89 E: AL AU BU GR HU MD RO SB SK ST UK A: AR GG CY IN
 IQ TR
dilatatus L.W. Schaufuss, 1862b: 311
vittiger Gyllenhal, 1834a: 90
subgenus *Geomecus* Reitter, 1903a: 10 type species *Tanymecus fausti* Desbrochers des Loges, 1884
alboscutellatus Chevrolat, 1869: 74 N: AG MO TU
bonnairei Chevrolat, 1878a: 245
subvelutinus Desbrochers des Loges, 1872a: 245
breviformis Reitter, 1903a: 13 N: AG TU
excursor Faust, 1890f: 439 A: QIN XIZ
fausti Desbrochers des Loges, 1884: 96 E: IT (Sicilia) SP N: AG TU
insipidus Chevrolat, 1878a: 245 N: EG A: SY
kolenatii Reitter, 1903a: 12 N: EG A: "Euphrat" AFR
migrans Fåhraeus, 1840b: 238 N: EG A: "Mesopotamia" AFR
musculus Fåhraeus, 1840b: 240 N: EG A: IQ IS SA SY
obsoletus Reitter, 1890b: 146 [RN] A: TM
fausti Reitter, 1889d: 122 [HN]
sitonoides A. Solari & F. Solari, 1909: 269 E: RO
montandoni Reitter, 1915a: 68
submaculatus Chevrolat, 1860b: 131 E: IT SP N: AG MO AFR
griseus Rottenberg, 1872: 231
siculus Tournier, 1860b: lxxxix
telephus Reitter, 1903a: 12 A: AB AR
tenuis Reitter, 1903a: 11 E: ST A: AB AR GG TR
subgenus *Tanymecus* Germar, 1817c: 341 type species *Curculio palliatus* Fabricius, 1787
Hymulus A. Villa & G. B. Villa, 1833: 24 type species *Curculio palliatus* Fabricius, 1787
Indomecus Pajni & Gandhi, 1987a: 11 type species *Tanymecus princeps* Faust, 1891
albicans Rosenhauer, 1856: 246 E: SP
albus Gebler, 1829: 151 A: KZ
albus Gebler, 1834a: 78 [HN]
ariasi Escalera, 1914: 439 N: MO
bidentatus Gebler, 1829: 151 A: KZ WS
bidentatus Gebler, 1834a: 76 [HN]
brevis Chevrolat, 1860b: 131 E: IT (Sicilia) N: AG MO
cinereus Desbrochers des Loges, 1872a: 245
bulgaricus Angelov, 1990a: 139 E: BU
indicus indicus Faust, 1894a: 177 A: PA UP ORR
kricheldorffi Reitter, 1915a: 67 A: TR
metallinus Fairmaire, 1866a: 60 E: SP N: MO
femoralis Desbrochers des Loges, 1872a: 244
nevadensis Desbrochers des Loges, 1872a: 244 E: SP
obconicicollis Voss, 1937c: 256 A: YUN

*palliatu*s Fabricius, 1787a: 178 (*Curculio*) **E:** AU BE BH BU BY CT CZ DE EN FI FR GB GE HU
IT KZ LA LS LT LU MD NL NT PL RO SB SK SP ST SV SZ UK **A:** AR ES GG IN KI KZ
TD TM TR UZ WS

affinis Stephens, 1831c: 152

angustulus Fairmaire, 1879: 243

canescens Herbst, 1795: 240 (*Curculio*) [HN]

convexifrons Ménétriés, 1849: 250

diffinis Marsham, 1802: 309 (*Curculio*)

glis Rossi, 1794: 93 (*Curculio*)

graminicola Olivier, 1807: 336 (*Curculio*)

sareptamus Desbrochers des Loges, 1872a: 244

setulosus Chevrolat, 1879d: 126

parkiensis Ahmed, Rizvi, Akhter & Yasir, 2006: 19 **A:** PA

ponticus Arnol'di & Blinštejn, 1971: 655 **E:** UK

princeps Faust, 1891d: 263 (*Esamus*) **A:** UP **ORR**

pseudohispidus Rizvi, Ahmed & Naz, 2003: 21 **A:** PA

pubirostris Reitter, 1903a: 15 **A:** GG

revelierei Tournier, 1875c: lxxxviii **E:** IT

crassicornis A. Solari & F. Solari, 1905a: 527

vagabundus Chevrolat, 1880c: 51 **E:** PT **N:** AG

vagabundus Chevrolat, 1880h: xxxviii [HN]

xanthurus Chevrolat, 1880f: 260 **A:** PA **ORR**

genus *Tanymecus*, species incertae sedis

discolor Gyllenhal, 1834a: 86 Patria ignota

genus *Xerodelphax* Korotyaev, 1992d: 882 type species *Xerodelphax karacumicus* Korotyaev, 1992

subgenus *Hemidelphax* Korotyaev, 1992d: 882 type species *Xerodelphax parthicus* Korotyaev, 1992

parthicus Korotyaev, 1992d: 882 **A:** TM

subgenus *Xerodelphax* Korotyaev, 1992d: 882 type species *Xerodelphax karacumicus* Korotyaev, 1992

karakumicus Korotyaev, 1992d: 885 **A:** TM

7.8.29. Tribe Trachyphloeini Gistel, 1848

genus *Caenopsis* Bach, 1854: 268 type species *Caenopsis bachii* Bach, 1854 (= *Otiorhynchus fissirostris* Walton, 1847)

Cataphorticus Jacquelin du Val, 1855b: [216] type species *Trachyphloeus waltoni* Boheman, 1842

andalusiensis Behne, 2008: 115 **E:** SP

assmanni Behne, 2008: 117 **E:** SP

bermejaensis Behne, 2008: 120 **E:** SP

breviscapus Behne, 2008: 122 **E:** SP

brevisetis Desbrochers des Loges, 1896c: 26 **E:** PT SP

crestellinensis Behne, 2008: 126 **E:** SP

fissirostris Walton, 1847: 452 (*Otiorhynchus*) **E:** BE FR GB GE LU PT SP

bachii Bach, 1854: 269

impressicollis Stierlin, 1899a: 197 (*Otiorhynchus*)

formaneki Leonhard, 1912: 338 **E:** PT SP **N:** MO

gracilicornis Behne, 2008: 133 **E:** SP

larraldi Perris, 1858: 140 (*Trachyphloeus*) **E:** FR SP

rigida Rey, 1894h: 138

longirostris Behne, 2008: 138 **N:** MO

peyerimhoffi Hustache, 1935c: 203 **N:** MO

pici Desbrochers des Loges, 1896j: 175 **N:** AG MO TU

angustior Pic, 1906a: 3

confusa Hustache, 1935c: 203

reichei Tournier, 1874d: lxxxix **E:** PT SP **N:** MO

marocana Stierlin, 1885a: 139 (*Trachyphloeus*)

marocana A. Solari & F. Solari, 1905a: 525

stuebeni Behne, 2008: 149 **E:** SP

waltoni Boheman, 1842b: 115 (*Trachyphloeus*) **E:** AZ BE FR GB GE LU NL PT SP **N:** MR

maderiensis Pic, 1906a: 3

zerchei Behne, 2008: 156 **E:** SP

genus *Cathormiocerus* Schoenherr, 1842b: 120 type species *Trachyphloeus horrens* Gyllenhal, 1834
Cathormiocerinus Escalera, 1918b: 8 type species *Cathormiocerus globulosus* Escalera, 1918
Chaetechus Horn, 1876: 77 type species *Chaetechus setiger* Horn, 1876 (= *Curculio spinosus* Goeze, 1777)
Mitomermus Jacquelin du Val, 1854b: 33 type species *Mitomermus hystrix* Jacquelin du Val, 1854 (= *Cathormiocerus variegatus* Küster, 1849)
Schaumius C. N. F. Brisout de Barneville, 1866b: 411 type species *Schaumius vuillefroyi* C. N. F. Brisout de Barneville, 1866 (= *Cathormiocerus lapidicola* Chevrolat, 1866)
Scoliocerus Wollaston, 1854b: 391 type species *Scoliocerus maderae* Wollaston, 1854

acalophilus Borovec & Bahr, 2006: 81 E: SP
agadiriensis Borovec & Bahr, 2008: 180 N: MO
angustulus Pic, 1896e: 115 N: AG
aristatus Gyllenhal, 1827: 613 (*Curculio*) E: AU BE BH BU CR CT CZ DE **ENS** FI FR GB GE GR HU EN IT LA LT LU NL NR NT PL RO SK SP ST SV SZ UK WS YU N: AG A: AR **ES**-KI KZ TR WS **NARi**
asphaltinus Gyllenhal, 1834b: 496 (*Trachyphloeus*)
setosus Marsham, 1802: 304 (*Curculio*) [HN]
stipulatus Germar, 1827a: 15 (*Trachyphloeus*)
sulculus Rey, 1894h: 139 (*Trachyphloeus*)

atlanticus Escalera, 1918b: 13 N: MO
hystrix Escalera, 1914: 416 [HN]
marraquensis Escalera, 1918b: 13

atlasicus Borovec & Bahr, 2008: 186 N: MO
attaphilus C. N. F. Brisout de Barneville, 1880: 233 E: FR GB PT
fageli A. Hoffmann, 1963d: 400

avenionensis Hustache, 1924a: 87 E: FR
bacaresensis Escalera, 1918b: 50 E: SP
palmaensis A. Hoffmann, 1957b: 79

barrosi Pic, 1909c: 162 E: PT SP
behnei Borovec & Bahr, 2008: 193 E: SP
bolivarii Uhagón, 1885: 370 E: SP
brevirostris C. N. F. Brisout de Barneville, 1866b: 407 (*Peritelus*) E: SP
picturatus Fuente, 1902: 106 (*Trachyphloeus*)

brevis Hustache, 1923b: 68 N: MO
calviclavus Borovec & Bahr, 2008: 198 N: AG MO
cancellatus Desbrochers des Loges, 1899a: 78 [DA] N: MO
carpetanus Uhagón, 1885: 365 E: PT SP
estrellanus Escalera, 1918b: 25

championi Escalera, 1918b: 36 E: SP
chevrolati Seidlitz, 1868: 135 E: SP
mutandus Marseul, 1873b: 647
socius Chevrolat, 1866a: 25 (*Trachyphloeus*) [HN]

churchevillei Desbrochers des Loges, 1900c: 44 [DA] E: FR SP
cobosi Roudier, 1959a: 53 E: SP
cordatus Desbrochers des Loges, 1896c: 27 N: AG MO
curvipes Wollaston, 1854b: 393 (*Scoliocerus*) E: AZ PT SP N: MO MR **AURi**
fastidiosus Fairmaire, 1883e: 210

cylindrus Borovec & Bahr, 2006: 89 E: SP
diecki Seidlitz, 1873: 647 E: SP
discors Desbrochers des Loges, 1875a: 13 E: FR IT PT SP N: MO MR TU **NARi**
alveolatus Desbrochers des Loges, 1900a: 15
reitteri Stierlin, 1885a: 143

elongatulus Uhagón, 1885: 374 E: PT SP
densestriatus Reitter, 1901h: 201

escalerae Hustache, 1946a: 46 E: SP N: MO
excursor Stierlin, 1862: 363 (*Otiiorhynchus*) E: PT SP N: MO
lusitanicus Stierlin, 1885a: 145

funtei Desbrochers des Loges, 1896c: 28 E: SP N: MO
gadorensis Borovec & Bahr, 2006: 98 E: SP
gigas Borovec & Bahr, 2008: 214 E: SP
globoicollis Stierlin, 1896a: 43 (*Trachyphloeus*) E: SP
globulosus Escalera, 1914: 420 N: MO
gracilior Fairmaire, 1871a: 400 E: SP N: AG MO

gracilis Seidlitz, 1868: 140 E: SP
gracens Marseul, 1873b: 653
tenuepilosus Cobos, 1955: 59
hircus Desbrochers des Loges, 1896d: 31 E: FR IT (Sardegna, Sicilia) SP N: AG MO MR
inhumeralis Pic, 1905g: 155
latinus Desbrochers des Loges, 1910a: 110
nodiscapus Escalera, 1914: 418
ragusai Vitale, 1904c: 127
hirticulus Seidlitz, 1873: 652 E: SP
beterensis Escalera, 1918b: 46
hoffmanni Normand, 1953: 118 [DA] N: AG
horrens Gyllenhal, 1834b: 495 (*Trachyphloeus*) E: FR PT SP N: AG
alternans Desbrochers des Loges, 1896d: 32
sulcirostris Chevrolat, 1866b: 104 (*Peritelus*)
hustachei Borovec & Bahr, 2008: 213 [RN] E: SP
escalerae Borovec & Bahr, 2006: 91 [HN]
impunctatus Escalera, 1918b: 14 N: MO
inflatipennis Escalera, 1926b: 467 E: SP
espanoli Roudier, 1959a: 54
inflaticapus Escalera, 1918b: 56 E: SP
jeani Borovec, 1989a: 413 (*Trachyphloeus*) E: FR PT SP
jeanneli Ruter, 1941: 64 N: MO
kostali Germann, Borovec & Braunert, 2015: 353 N: MO
lapidicola Chevrolat, 1866c: 322 E: SP N: AG
curtipilis Escalera, 1926b: 469
korbi Stierlin, 1888a: 15 [HN]
vuillefroyi C. N. F. Brisout de Barneville, 1866b: 412 (*Schaumius*)
lethierryi Chevrolat, 1866b: 104 (*Otiiorhynchus*) E: PT SP N: MO
aragonicus Escalera, 1918b: 42
cantabricus Escalera, 1918b: 42
capiomonti Seidlitz, 1868: 141
irrasus Seidlitz, 1868: 142
janetscheki Roudier, 1957d: 253
rotroui Peyerimhoff, 1949: 296
salinus Escalera, 1918b: 40
transmontanus Escalera, 1918b: 43
longithorax Borovec & Bahr, 2006: 119 E: PT
longiscapus Pic, 1912c: 66 N: MO
maderae Wollaston, 1854b: 392 (*Scoliocerus*) E: FR SP N: AG CI (Gran Canaria) MO MR
balearicus Desbrochers des Loges, 1910a: 111
curviscapus Seidlitz, 1868: 134
gaditanus Escalera, 1918b: 21
insularis Escalera, 1918b: 20
malacensis Escalera, 1918b: 23 E: SP N: MO
marqueti Desbrochers des Loges, 1875a: 13 N: AG MO
maroccanus Stierlin, 1885a: 144 (*Trachyphloeus*)
martinezi Escalera, 1918b: 39 E: SP
meregallii Borovec & Bahr, 2006: 121 E: SP
meyeri Germann, Borovec & Braunert, 2015: 354 E: PT
minutus Pic, 1908i: 90 E: SP
cordubensis Escalera, 1926b: 467
pozuelensis Escalera, 1918b: 38
seguranus Escalera, 1918b: 37
mogadoricus Escalera, 1918b: 18 N: AG MO
morrissi Borovec & Bahr, 2008: 229 E: PT
myrmecophilus Seidlitz, 1868: 125 (*Trachyphloeus*) E: BE FR GB PT SP N: AG MO MR
brevithorax Desbrochers des Loges, 1896d: 29
britannicus Blair, 1934: 26
latirostris Pic, 1905f: 147
viennoti A. Hoffmann, 1937: 46
nanus Borovec & Bahr, 2007: 200 N: MO
nevadensis Escalera, 1918b: 32 E: SP N: MO
oblongicollis Hustache, 1923b: 67 N: MO
peteri Borovec & Bahr, 2008: 236 E: PT
porculus Uhagón, 1885: 367 E: PT SP

proximus Uhagón, 1885: 372 E: SP
pseudogracilis Borovec & Bahr, 2006: 123 E: SP
pygmaeus Seidlitz, 1868: 143 E: SP
liliputanus Marseul, 1873b: 655
quezeli A. Hoffmann, 1953b: 134 N: MO
raymondi Gautier des Cottés, 1861a: 99 (*Mitomermus*) [DA] E: FR
rectiscapus Desbrochers des Loges, 1910a: 109 [DA] N: MO
rotundipennis Escalera, 1914: 417 N: MO
rufescens Pic, 1908h: 82 N: AG
sagrensis Escalera, 1918b: 49 E: SP
sardous G. Osella & Gregori, 1989: 420 E: IT (Tavolara Is.)
serrator Peyerimhoff, 1927b: 218 N: MO
sinuatiscapus Pic, 1915d: 26 E: SP
crassiscapus Escalera, 1918b: 57
sinuosiscapus Escalera, 1914: 417 N: MO
difficilis A. Hoffmann, 1942a: 13
socius Boheman, 1842b: 121 E: FR GB N: AG
armoricus Escalera, 1918b: 17
maritimus Rye, 1874a: 176
stierlini Desbrochers des Loges, 1896d: 30
solarii Cobos, 1952: 1 E: SP
spalatensis Ulanowski, 1887: 337 [EA] E: CR
spinus Goeze, 1777: 412 (*Curculio*) E: AN AU BE BH CR CZ FR GB GE HU IR LS LU NL IT
 PL RO SB SK SP SZ **NARi**
alleni Donisthorpe, 1948: 50 (*Trachyphloeus*)
asperatus Boheman, 1842b: 116 (*Trachyphloeus*)
elegantulus Apfelbeck, 1898a: 309 (*Trachyphloeus*)
moroderi Escalera, 1918b: 34
olivieri Bedel, 1883b: 41 (*Trachyphloeus*)
setiger Horn, 1876: 78 (*Chaetechus*)
spinifer Geoffroy, 1785: 125 (*Curculio*)
spinus Gmelin, 1790: 1805 (*Curculio*) [HN]
sulcatus Schrank, 1781: 126 (*Curculio*) [HN]
stuebeni Borovec & Bahr, 2006: 131 E: SP
tarragonensis Borovec & Bahr, 2005: 29 E: SP
tenuicornis Escalera, 1918b: 40 E: SP
tenuiscapus Fairmaire, 1884c: cxxi E: SP N: AG MO
pici Desbrochers des Loges, 1896d: 32
simplex Desbrochers des Loges, 1910a: 108
terolensis Escalera, 1918b: 45 E: SP
baraudi A. Hoffmann, 1953c: 191
tizintesti Escalera, 1914: 419 N: MO
alticola Escalera, 1918b: 34
pauper A. Hoffmann, 1950a: 85
validiscapus Rouget, 1858: 210 E: FR SP N: MO
aurasiacus Peyerimhoff, 1932b: 287
cordicollis Seidlitz, 1868: 132
notatipennis Pic, 1912c: 66
variegatus Küster, 1849c: 85 E: FR IT (Sardegna) SP N: AG MO MR
grandini Desbrochers des Loges, 1871: 343
hystrix Jacquelin du Val, 1854b: 33 (*Mitomermus*)
mequignoni A. Hoffmann, 1930b: 166
moraguesi Desbrochers des Loges, 1896d: 33
perforatus A. Hoffmann, 1954a: 52
porculus Desbrochers des Loges, 1910a: 111 [HN]
similipictus Desbrochers des Loges, 1910a: 109
vaulogeri Pic, 1904h: 93 E: SP N: AG
biseriatus Escalera, 1918b: 47
viedmai Alonso-Zarazaga, 1983b: 70 [RN] E: SP
cobosi Viedma, 1961: 45 [HN]

genus *Pelletierellus* Borovec, 2009: 36 type species *Trachyphloeus ventricosus* Germar, 1823
alens Angelov, 1980: 51 (*Trachyphloeus*) E: BU GR MC SB
anatolicus Fremuth, 1992: 51 (*Trachyphloeus*) A: TR
bialooki Borovec, 2015a: 3 A: TR

bosnicus Apfelbeck, 1898a: 310 (*Trachyphloeus*) E: BH MC ME SB
brevithorax Borovec, 2015a: 4 E: GR
bryophilus Germann, Borovec & Braunert, 2015: 350 E: GR (Lésvos)
calabricus Borovec, 1986: 243 (*Trachyphloeus*) E: AL GR MC IT
championi Formánek, 1907b: 171 (*Trachyphloeus*) E: GR
danbartai Borovec, 2015a: 8 E: GR
fleischeri Formánek, 1911: 204 (*Trachyphloeus*) E: RO A: TD TR
formaneki Borovec, 2015a: 12 E: GR
gracilicornis Seidlitz, 1868: 115 (*Trachyphloeus*) A: CY LE TR
hellenicus Borovec, 1988: 177 (*Trachyphloeus*) E: GR
macedonicus Petryszak, 1983: 35 (*Trachyphloeus*) E: BU GR MC SB
neglectus Borovec, 1992b: 117 (*Trachyphloeus*) E: MC
osellai Fremuth, 1992: 52 (*Trachyphloeus*) A: TR
suomalaineni Petryszak, 1990: 93 (*Trachyphloeus*) E: BU GR
thessalicus Penecke, 1924b: 85 (*Trachyphloeus*) E: AL BU GR MC TR
turcicus Seidlitz, 1868: 116 (*Trachyphloeus*) E: BU MD RO UK A: TR
gibbifrons Apfelbeck, 1898a: 311 (*Trachyphloeus*)
ventricosus Germar, 1823: 405 (*Trachyphloeus*) E: AU HU SK UK
ypsilon Seidlitz, 1868: 115 (*Trachyphloeus*) E: BU GR RO A: TR

genus *Pseudocneorhinus* Roelofs, 1873: 177 type species *Pseudocneorhinus obesus* Roelofs, 1873 #9

adamsi Roelofs, 1879b: liii A: GAN HEI JA JIL LIA SC
alternans G.A.K. Marshall, 1934a: 7 A: BEI GAN HEI
angustus Ren, Borovec & R. Zhang, 2019: 59 A: SCH
bifasciatus Roelofs, 1880a: 12 A: FE FUJ JA JIA SC ZHE NARi
glaber Ren, Borovec & R. Zhang, 2019: 62 A: ZHE
hirsutus Formánek, 1916a: 33 (*Rhinodontus*) A: QINXIZ
hlavaci Ren, Borovec & R. Zhang, 2019: 65 A: BEI
longisetosus Morimoto, 2015: 339 A: FE JA
meshimanus Morimoto, 2015: 329 A: JA (Meshima I.)
minimus Roelofs, 1879b: liii A: ANH BEI FUJ HEB JA JIA JIL JIX SC SCH SHA
obesus Roelofs, 1873: 177 A: ANH FE FUJ HUB JA JIA SC ZHE
trifasciatus Voss, 1958b: 29
obliquehumeralis Ren, Borovec & R. Zhang, 2019: 66 A: GAN SHA
sellatus G.A.K. Marshall, 1934a: 8 A: BEI GAN SCH
setosicallus Ren, Borovec & R. Zhang, 2019: 69 A: CHO, SCH
setosus Roelofs, 1879b: liii A: BEI FE FUJ HEI JA SC SHX ZHE
soheuksandoensis Han & Yoon, 2000: 257 A: SC (Soheuksan)
squameus Morimoto, 2015: 336 A: ~~CH~~ BEI HEB JA SHX “Korea”
squamosus G.A.K. Marshall, 1934a: 6 A: GAN
subcallosus Voss, 1956b: 23 (*Callirhopalus*) A: FUJ

genus *Rhinodontodes* Voss, 1967: 276 type species *Rhinodontodes subsignatus* Voss, 1967
subsignatus Voss, 1967: 277 A: MG

genus *Rhinodontus* Faust, 1890f: 455 type species *Rhinodontus ignarus* Faust, 1890

crassiscapus Borovec, 2003b: 38 A: GAN XIN
ignarus Faust, 1890f: 455 A: GAN MG
centralis Voss, 1967: 276
mongolicus Borovec, 2003b: 36 A: MG
proximus Voss, 1967: 275 A: GAN MG XIN
sawadai Borovec, 2003b: 40 A: XIN

genus *Romualdius* Borovec, 2009: 44 type species *Curculio bifoveolatus* Beck, 1817 (= *Curculio scaber* Linnaeus, 1758)

algerinus Seidlitz, 1868: 119 (*Trachyphloeus*) N: AG MO
angustisetulus Hansen, 1915: 329 (*Trachyphloeus*) E: AU BE CT CZ DE FR GB GE HU IT LA LU
NT PL PT RO SK SP ST SV SZ N: CI MR NARi
canariensis Har. Lindberg, 1953: 13 (*Trachyphloeus*)

ascendens Peyerimhoff, 1919a: 258 (*Trachyphloeus*) N: AG
beauprei Pic, 1905g: 155 (*Trachyphloeus*) N: AG
canaliculatus L.W. Schaufuss, 1867: 20 (*Mitomermus*) E: FR IT SP N: AG MO TU
maculatus Perris, 1869: 21 (*Trachyphloeus*) [HN]
setermis Marseul, 1873b: 627 (*Trachyphloeus*)
setiger Seidlitz, 1868: 118 (*Trachyphloeus*)
fremuthi Borovec & G. Osella, 1996: 2 (*Trachyphloeus*) E: IT
leprosus A. Hoffmann, 1938b: 101 (*Trachyphloeus*) N: AG
longirostris Formánek, 1910c: 243 (*Trachyphloeus*) N: AG
pardoi A. Hoffmann, 1953b: 135 (*Trachyphloeus*) N: MO
peyerimhoffi Formánek, 1910b: 199 (*Trachyphloeus*) E: FR (Corse) IT SP N: AG
rhinodontooides A. Hoffmann, 1953b: 135 (*Trachyphloeus*) N: MO
scaber Linnaeus, 1758: 379 (*Curculio*) E: AN AU BE BH BU CZ DE EN FI FR GB GE GR HU IT
LA LS LT LU MD NL NR NT PL PT RO SK SP ST SV SZ UK A: KZ WS NARi
bifoveolatus Beck, 1817: 24 (*Curculio*)
confinis Stephens, 1831f: 121 (*Trachyphloeus*)
davisi Blatchley, 1916: 115 (*Trachyphloeus*)
maculatus Boheman, 1842b: 117 (*Trachyphloeus*)
nigricans Stephens, 1831g: 128 (*Strophosomus*)
squamosus Gyllenhal, 1834b: 491 (*Trachyphloeus*)
rostratus C. G. Thomson, 1868: 175 (*Trachyphloeus*)
tessellatus Marsham, 1802: 307 (*Curculio*) [HN]

genus *Stuebenius* Borovec, 2009: 48 type species *Trachyphloeus granulatus* Seidlitz, 1868

amplithorax Formánek, 1907b: 179 (*Trachyphloeus*) E: CT RO ST UK
amicalis Borovec & G. Osella, 1993b: 179 (*Trachyphloeus*) E: IT N: TU
apuanus A. Solari & F. Solari, 1905b: 93 (*Trachyphloeus*) E: IT
caenopsiformis Formánek, 1908a: 140 (*Trachyphloeus*) E: ST A: TR
frivaldszkyi Kuthy, 1887: 27 (*Trachyphloeus*) E: HU RO SB SK
granulatus Seidlitz, 1868: 127 (*Trachyphloeus*) E: FR IT
granulus Marseul, 1873b: 635 (*Trachyphloeus*)
strictirostris Rey, 1894h: 139 (*Trachyphloeus*)
magnanoi Borovec, 1994: 59 (*Trachyphloeus*) A: TR
mamillosus Formánek, 1909c: 625 (*Trachyphloeus*) E: IT
mirabilis Borovec, 1992a: 51 (*Trachyphloeus*) E: MC
rambouseki Purkyně, 1930: 119 (*Trachyphloeus*) E: MC ME SB
latitarsis Penecke, 1936: 206 (*Trachyphloeus*)
romani Fremuth, 1992: 54 (*Trachyphloeus*) E: BU GR A: TR
skopljensis Purkyně, 1930: 120 (*Trachyphloeus*) E: MC
zitae Borovec, 1986: 239 (*Trachyphloeus*) A: TR

genus *Tokara* Morimoto, 2015: 349 type species *Tokara rotundipennis* Morimoto, 2015
rotundipennis Morimoto, 2015: 350 A: JA (Nakanoshima I.)

genus *Trachyphilus* Faust, 1887h: 164 type species *Trachyphilus saluber* Faust, 1887

Trachyrhinus Sharp, 1896: 91 [HN] type species *Trachyrhinus sordidus* Sharp, 1896
akagiyamanus Morimoto, 2015: 458 A: JA
amagianus Morimoto, 2015: 471 A: JA
ashizurianus Morimoto, 2015: 440 A: JA
awajianus Morimoto, 2015: 411 A: JA (Awajishima I.)
awanus Morimoto, 2015: 468 A: JA
babai Morimoto, 2015: 425 A: JA
boreojapanus Morimoto, 2015: 465 A: JA
buzenboanus Morimoto, 2015: 419 A: JA
chinensis Borovec, 2003b: 46 A: SCH
daisenicus Nakane, 1963b: 36 (*Trachyrhinus*) A: JA
daisenzanus Morimoto, 2015: 409 A: JA
fujimotoi Morimoto, 2015: 386 A: JA
fujisanus Morimoto, 2015: 457 A: JA
gomadanus Morimoto, 2015: 424 A: JA
hakusanus Morimoto, 2015: 448 A: JA

hamatamanus Morimoto, 2015: 379 A: JA
hasamianus Morimoto, 2015: 415 A: JA
hibasanus Morimoto, 2015: 405 A: JA
hikosanus Morimoto, 2015: 443 A: JA
hiraodaianus Morimoto, 2015: 438 A: JA
homanus Morimoto, 2015: 388 A: JA
ibukianus Morimoto, 2015: 450 A: JA
ichihashii Morimoto, 2015: 463 A: JA
ikianus Morimoto, 2015: 390 A: JA (Iki I.)
inugatakeanus Morimoto, 2015: 441 A: JA
inunakiyamanus Morimoto, 2015: 396 A: JA
isemontanus Morimoto, 2015: 462 A: JA
izumoanus Morimoto, 2015: 403 A: JA
johyamanus Morimoto, 2015: 397 A: JA
kamimuranus Morimoto, 2015: 461 A: JA
kanayamanus Morimoto, 2015: 382 A: JA
kannohi Morimoto, 2015: 460 A: JA
kantoanus Morimoto, 2015: 459 A: JA
kantomontanus Morimoto, 2015: 457 A: JA
kanzakianus Morimoto, 2015: 378 A: JA
kasaokanus Morimoto, 2015: 442 A: JA
katsuragianus Morimoto, 2015: 437 A: JA
kawaradakeanus Morimoto, 2015: 400 A: JA
kidoi Morimoto, 2015: 387 A: JA
kitakyushuanus Morimoto, 2015: 402 A: JA
kiyosatoanus Morimoto, 2015: 455 A: JA
koinouranus Morimoto, 2015: 435 A: JA
korasanus Morimoto, 2015: 444 A: JA
kujuanus Morimoto, 2015: 420 A: JA
kumei Morimoto, 2015: 408 A: JA
kurohimeyamanus Morimoto, 2015: 427 A: JA
kusenbuanus Morimoto, 2015: 377 A: JA
kyogatakeanus Morimoto, 2015: 389 A: JA
matobai Morimoto, 2015: 423 A: JA
nagisoanus Morimoto, 2015: 449 A: JA
nakashikokuanus Morimoto, 2015: 418 A: JA
nishiiyanus Morimoto, 2015: 470 A: JA
nomurai Morimoto, 2015: 421 A: JA
norikuranus Morimoto, 2015: 447 A: JA
nukumitogeanus Morimoto, 2015: 410 A: JA
okamotoi Morimoto, 2015: 430 A: JA
okianus Morimoto, 2015: 434 A: JA (Oki Is.)
okinoshimianus Morimoto, 2015: 375 A: JA (Okinoshima I.)
ontakesanus Morimoto, 2015: 446 A: JA
raizanus Morimoto, 2015: 381 A: JA
rishirianus Morimoto, 2015: 451 A: JA
ryumonzanus Morimoto, 2015: 422 A: JA
saluber Faust, 1887h: 164 A: FE NC
sasakiae Morimoto, 2015: 385 A: JA (Shodoshima I.)
sechibaruanus Morimoto, 2015: 399 A: JA
senbutsuanus Morimoto, 2015: 440 A: JA
shimadai Morimoto, 2015: 473 A: JA
shiragayamanus Morimoto, 2015: 412 A: JA
shuzenjianus Morimoto, 2015: 471 A: JA
sobosanus Morimoto, 2015: 419 A: JA
sordidus Sharp, 1896: 91 (*Trachyrhinus*) A: FE JA
tachibanayamanus Morimoto, 2015: 431 A: JA
tagawanus Morimoto, 2015: 402 A: JA

taishakuanus Morimoto, 2015: 405 A: JA
taishanus Morimoto, 2015: 405 A: JA
takakurai Morimoto, 2015: 398 A: JA
taradakeanus Morimoto, 2015: 416 A: JA
togakushianus Morimoto, 2015: 433 A: JA
tokunoshimanus Morimoto, 2015: 394 A: JA (Tokunoshima I.)
touhokuanus Morimoto, 2015: 445 A: JA
troglyodytes Morimoto, 1959d: 247 (*Trachyrhinus*) A: JA
tsubakiyamanus Morimoto, 2015: 383 A: JA
tsushmanus Morimoto, 2015: 392 A: JA
unzenanus Morimoto, 2015: 415 A: JA
vulgaris Morimoto, 2015: 452 A: JA
yamaganus Morimoto, 2015: 416 A: JA
yamamotoi Morimoto, 2015: 429 A: JA
yasuoi Morimoto, 2016: 147 [RN] A: JA
takakurai Morimoto, 2015: 436 [HN]
yatsuanus Morimoto, 2015: 466 A: JA
yokozekeii Morimoto, 2015: 461 A: JA
yoshidai Morimoto, 2015: 409 A: JA

genus *Trachyphloeosoma* Wollaston, 1869: 414 type species *Trachyphloeosoma setosum* Wollaston, 1869
Trachyphloeophana Heller, 1929: 108 type species *Trachyphloeophana buruana* Heller, 1929
Trachyphloeops Roelofs, 1873: 165 type species *Trachyphloeops setosus* Roelofs, 1873 (= *Trachyphloeosoma setosum* Wollaston, 1869)
advena Zimmerman, 1956: 28 A: HAI JA SC (Jeju) YUN ZHE AURi NARi
sawadai Nakane, 1963b: 35
ryukyuese Morimoto, 2015: 348 A: JA (Ryūkyū)
setosum Wollaston, 1869: 415 A: JA TAI AFRi
roelofsi Sharp, 1896: 92 [RN]
setosum Roelofs, 1873: 166 (*Trachyphloeops*) [HN]

genus *Trachyphloeus* Germar, 1817c: 341 type species *Curculio scabriculus* Linnaeus, 1771
subgenus *Lacordairius* C. N. F. Brisout de Barneville, 1866b: 413 type species *Lacordairius seidlitzii* C. N. F. Brisout de Barneville, 1866
Paratrachyphloeus Desbrochers des Loges, 1895c: 80 type species *Paratrachyphloeus variegatus* Desbrochers des Loges, 1895 (= *Trachyphloeus reichei* Seidlitz, 1868)
algesiranus Escalera, 1923: 439 E: SP N: MO MR (Porto Santo)
walkeri Escalera, 1923: 439
antoinei Escalera, 1924a: 353 (*Lacordairius*) N: MO
denticulatus Escalera, 1914: 414 N: MO
muralis Bedel, 1893: 103 N: AG MO
pici Formánek, 1907b: 139 N: AG MO
herrerai Escalera, 1924a: 354 (*Lacordairius*)
reichei Seidlitz, 1868: 102 N: MO MR (Porto Santo)
lucensis Escalera, 1923: 437
reicheianus Marseul, 1873b: 609
variegatus Desbrochers des Loges, 1895d: 81[/80] (*Paratrachyphloeus*)
seidlitzii C.N.F. Brisout de Barneville, 1866b: 413 (*Lacordairius*) E: PT SP
complutensis Escalera, 1923: 436
ontigolensis Escalera, 1923: 436
uhagomi Escalera, 1923: 435
subsetulosus Escalera, 1923: 441 E: SP
subgenus *Osmanotrachyphloeus* Borovec, 2009: 60 type species *Trachyphloeus planophthalmus* Reitter, 1896
planophthalmus Reitter, 1896: 41 A: AB AR TR
subgenus *Pseudolacordairius* Escalera, 1923: 434 type species *Trachyphloeus pustulatus* Seidlitz, 1868
orbipennis Desbrochers des Loges, 1901d: 136 E: PT SP
pseudodenticulatus Borovec, 2014b: 264 E: SP
pustulatus Seidlitz, 1868: 101 E: SP N: MO TU
alicantinus Escalera, 1923: 443
centralis Escalera, 1923: 443

pustulifer Marseul, 1873b: 609
valentinus Escalera, 1923: 443
solitus Borovec, 1999: 88 E: SP
subgenus *Trachyphloeus* Germar, 1817c: 341 type species *Curculio scabriculus* Linnaeus, 1771
Phyllastolus Gistel, 1856a: 372 type species *Curculio scabriculus* Linnaeus, 1771
alternans Gyllenhal, 1834b: 493 E: AU BE BH BU CR CT CZ DE FR GB GE GR HU IT LU MC
ME NL PL RO SB SK SP ST SV SZ UK N: AG A: AB AR IN TR
bilekensis Apfelbeck, 1898a: 310
angustus Borovec, 1991a: 67 E: FR
atlasicus Hustache, 1941b: 163 N: MO
belloi Borovec & G. Osella, 1993c: 401 E: IT
brevicornis A. Solari & F. Solari, 1905b: 92 N: TU
caldarai Borovec & G. Osella, 2002: 306 E: IT (Sardegna)
caussenardus Péricart, 1964: 3 E: FR
cinereus A. Solari & F. Solari, 1905b: 90 N: TU
colasi Ruter, 1941: 60 N: MO
colonnellii Borovec & G. Osella, 2002: 303 E: IT
confusus Formánek, 1907b: 161 N: TU
corniculatus A. Hoffmann, 1956c: 166 N: MO
corsicus Borovec, 1999: 83 E: FR (Corse)
crassicornis Borovec, 1996: 3 E: SP
digitalis Gyllenhal, 1827: 615 (*Curculio*) E: CT DE EN GB LA SV SZ
distinguendus Formánek, 1907b: 152 N: TU
elongatus Borovec, 1992c: 47 E: SP
erikae Borovec, 1993b: 162 E: FR
escalerae Lona, 1937b: 322 [RN] N: MO
parallelus Escalera, 1914: 413 [HN]
euphorbiae Borovec, 2003c: 178 N: MO
fairmairei Reitter, 1874: 12 N: AG
fusciscapus Desbrochers des Loges, 1909g: 89 E: FR IT (Sardegna)
gallicus Borovec, 1989b: 124 E: FR
godarti Seidlitz, 1868: 102 N: AG TU
diformis Formánek, 1907b: 149
impressicollis Stierlin, 1884: 136
gonzalezi Borovec, 2014b: 258 E: SP
heymesii Hubenthal, 1934: 177 E: AU BE CT CZ DE FR GB GE IT LU NL PL SP SV SZ UK A:
WS
spinimanus C. G. Thomson, 1865: 133 [HN]
hispanicus Borovec, 1989b: 122 E: SP
hoffmanni Normand, 1953: 118 N: AG
ifranensis Borovec, 2014b: 261 N: MO
ilvensis Borovec & G. Osella, 2008: 49 E: IT
italicus A. Hoffmann, 1956c: 166 E: IT N: TU
kocheri Hustache, 1938b: 33 N: MO
laticollis Boheman, 1842b: 118 E: AL CR FR GR IT MA SP SZ N: CI MO MR TU A: IS LE TR
AURi
anoplus Förster, 1849: 30
auveocruciatus Desbrochers des Loges, 1871: 342
proletarius Vitale, 1906: 132
lothari Borovec, 1991a: 63 E: FR IT
margheritae Borovec & G. Osella, 1993a: 87 E: IT (Sardegna)
melitensis Borovec & G. Osella, 1993c: 408 E: IT (Lampedusa, Sicilia) MA
melonii Borovec & G. Osella, 2003: 54 E: IT (Sardegna)
meregallii Borovec, 1989b: 126 E: FR
monspeliensis Hustache, 1932c: 137 [RN] E: FR IT
confusus Hustache, 1923c: 246 [HN]
hustachei Winkler, 1932a: 1437 [RN, HN]
nodipennis Chevrolat, 1860d: 450 E: IT SP N: AG MO TU
notatipennis Pic, 1903c: 130 E: FR (Corse) N: TU
nuragicus Borovec & G. Osella, 2003: 57 E: IT (Sardegna)
oranensis Borovec, 2013: 242 N: AG MO

orbitalis Seidlitz, 1868: 104 N: AG
parallelus Seidlitz, 1868: 106 E: AU BH CT CZ GE HU PL RO SB SK ST UK
pelletieri Borovec, 1999: 86 N: AG
pericarti Borovec, 1991a: 65 E: FR (Corse) IT (Sardegna)
pierottii Borovec, 1992c: 50 E: IT
pollicatus Formánek, 1907b: 151 N: AG MO
proximus A. Solari & F. Solari, 1905b: 91 N: TU
recognitus A. Hoffmann, 1932a: 242 E: FR
rectus C. G. Thomson, 1865: 132 E: AU CZ DE FI FR GB GE HU IT LS NR SK SV SZ
distans Rey, 1894h: 139
hustachei A. Hoffmann, 1932a: 240
romanifilii Borovec, 2014b: 267 N: AG
rouaulti Borovec, 2014b: 269 E: FR
scabriculus Linnaeus, 1771: 531 (*Curculio*) E: AU BE BU CT CZ DE EN FR GB GE HU IT LS LT
LU NL NT PL SK SP ST SV SZ UK
erinaceus L. Redtenbacher, 1847: 430
setarius Gyllenhal, 1834b: 492
spinosulus Gautier des Cottes, 1861a: 99
viverra Herbst, 1784: 83 (*Curculio*)
waltonianus Gistel, 1848a: 135 [RN]
solariorum Formánek, 1907b: 147 N: TU
spinimanus Germar, 1823: 405 E: AU BE BH BU CR CT CZ DE FR GB GE GR HU IT LA LU
MC MD ME NL PL RO SB SK SP ST SV SZ UK N: CI A: AR KZ TR WS
lanuginosus Gyllenhal, 1834b: 494
retusus Rey, 1894h: 139
stierlini Guillebeau, 1890a: 166
vicinus A. Hoffmann, 1945: 50
staiifi Borovec, 1993a: 23 N: TU
stuebeni Borovec, 2003c: 180 N: MO
svatavae Borovec, 2013: 244 N: AG TU
tarunahensis Borovec & Weill, 2013: 2 N: LB
tenuipes Formánek, 1909a: 30 E: SP (Balears)
tenuis Borovec, 1999: 84 E: SP (Balears)
truquii Seidlitz, 1868: 109 A: CY

genus *Trachyphloeus*, incertae sedis
alpinus Hustache, 1937c: 301 E: FR
argentatus Pic, 1908b: 29 N: AG
desbrochersi Stierlin, 1885a: 141 N: AG
guadarramus Seidlitz, 1868: 125 E: SP
muricatus Stierlin, 1885a: 141 E: SP
syriacus Seidlitz, 1868: 128 A: SY
syriacus Marseul, 1873b: 635

genus *Zarazagaia* Borovec, 2009: 64 type species *Trachyphloeus rugicollis* Seidlitz, 1868
elephas Reitter, 1890f: 394 (*Trachyphloeus*) E: GR
globipennis Reitter, 1894c: 106 (*Trachyphloeus*) E: BU A: TR
mazurai Formánek, 1925: 23 (*Trachyphloeus*) E: BH
rugicollis Seidlitz, 1868: 114 (*Trachyphloeus*) E: BH CR
rugicollis Marseul, 1873b: 622

tribe Trachyphloeini, nomina dubia
Curculio formicarius Herbst, 1795: 297 "Patria ignota"
Cathormiocerus semidepressus Pic, 1904h: 92 N: AG
Cathormiocerus theryi Ruter, 1941: 62 N: MO
Trachyphloeus biskrensis Pic, 1903c: 130 N: AG
Trachyphloeus ovipennis Formánek, 1907b: 165 N: AG

subfamily Entiminae, taxa incertae sedis

genus *Bosporomias* Yunakov & Korotyaev, 2005b: 370 type species *Bosporomias pruinosulus* Yunakov & Korotyaev, 2005
pruinosulus Yunakov & Korotyaev, 2005b: 371 E: ST

genus *Myogalus* Desbrochers des Loges, 1875a: 9 type species *Myogalus bruleriei* Desbrochers des Loges, 1875
bruleriei Desbrochers des Loges, 1875a: 9 A: "Vallée du Jourdain"

subfamily Entiminae, nomina dubia
Brius styriacus Grimmer, 1841: 42 E: AU
Strophosomus areolatus Desbrochers des Loges, 1897: 28 E: "Andalousie"

7.9. Subfamily **Hyperinae** [MarseulLacordaire](#), 1863 (1848)

7.9.1. Tribe Ceperini Capiomont, 1867

genus *Fronto* Petri, 1901: 7 type species *Fronto bimaculatus* Petri, 1901 (= *Cepurus capiomonti* Faust, 1882)
capiomonti Faust, 1882a: 268 (*Cepurus*) A: ES FE
bimaculatus Petri, 1901: 8

7.9.2. Tribe Hyperini [MarseulLacordaire](#), 1863 (1848)

genus *Adonus* Zaslavskij, 1999: 265 type species *Tanyrhynchus asiaticus* Ménétris, 1849
asiaticus Ménétris, 1849: 262 (*Tanyrhynchus*) E: KZ ST A: KZ
tychiodes Capiomont, 1868c: 168 (*Phytonomus*)

genus *Basilypera* Korotyaev, 2017b: 247 type species *Basilypera tatyanae* Korotyaev, 2017
tatyanae Korotyaev, 2017b: 248 A: UZ

genus *Brachypera* Capiomont, 1868b: 73 type species *Phytonomus crinitus* Boheman, 1834
subgenus *Antidonus* Bedel, 1886b: 255 type species *Curculio punctatus* Fabricius, 1775 (= *Curculio zoilus* Scopoli, 1763)
Heteromorphus Petri, 1901: 109 type species *Phytonomus tripolitanus* Petri, 1901 (= *Phytonomus parvithorax* Desbrochers des Loges, 1896)
Spongifer Petri, 1901: 108 type species *Curculio fasciculatus* Herbst, 1795 (= *Rhynchaenus dauci* Olivier, 1807)
apfelbecki Petri, 1901: 123 (*Phytonomus*) E: BH IT
brevirostris Capiomont, 1868b: 117 (*Phytonomus*) E: SP
dauci Olivier, 1807: 124 (*Rhynchaenus*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT MA MD NL NT PL PT RO SB SK SL SP SV SZ TR UK N: AG EG LB MO MR TU A: AB AR GAN GG IN IQ IS QIN SY TD TR XIZ WS
curtithorax Pic, 1925b: 6 (*Phytonomus*)
danubialis Schrank, 1781: 113 (*Curculio*) [NO]
fasciculata Herbst, 1795: 289 (*Curculio*) [HN]
fasciculosa Gyllenhal, 1813: 107 (*Rhynchaenus*) [RN]
fasciculosa Desbrochers des Loges, 1897d: 19 (*Hypera*) [HN]
gimmerthali Motschulsky, 1845b: 101 (*Phytonomus*)
rostrata Faust, 1890f: 461 (*Donus*)
variegata Bach, 1854: 254 (*Phytonomus*) [HN]
externesinuata Desbrochers des Loges, 1896n: 168 (*Phytonomus*) E: PT N: AG
gracilitarsis Pic, 1925b: 6 (*Phytonomus*) N: AG
grandini Capiomont, 1868b: 131 (*Phytonomus*) N: AG MO
horvathi Csiki, 1904c: 592 (*Phytonomus*) E: SB
integrissquamis Voss, 1967: 306 (*Hypera*) A: MG
isabellina Boheman, 1834b: 400 (*Phytonomus*) E: IT (Sicilia) N: AG CI EG LB MO MR TU A: IN IQ IS JO KU SA SY TR
irrorata Wollaston, 1864: 327 (*Hypera*)
vittulata Fairmaire, 1875: 532 (*Hypera*)
leprieuri Capiomont, 1868b: 125 (*Phytonomus*) N: AG MO

lunata Wollaston, 1854b: 398 (*Hypera*) E: FR GR IT MA PT SP ST TR N: AG CI EG LB MO MR
 TU A: CY IN IS LE SY TM TR
multifida Israelson, 1984: 153 (*Hypera*) E: AZ
parvithorax Desbrochers des Loges, 1896f: 68 (*Phytonomus*) E: MA N: AG EG LB MO TU A: IS
tripolitana Petri, 1901: 98 (*Phytonomus*)
pseudodauci Legalov, 2011a: 36 (*Donus*) A: KI KZ
subfasciculata Zaslavskij, 1967: 234 (*Hypera*) E: UK (Krym)
subsulcata Hochhuth, 1847: 491 (*Phytonomus*) A: AB
stupidata Desbrochers des Loges, 1898f: 14 (*Phytonomus*) N: TU
terminassianae Legalov, 2011c: 185 (*Donus*) A: AF
theresae Pic, 1929a: 9 (*Phytonomus*) E: FR (Mont-Dore)
vidua Gené, 1837: 32 (*Hypera*) E: BH CZ FR GE IT NT SV (Gotland I.) SZ
nigrovelutina Fairmaire, 1859b: 56 (*Phytonomus*)
zherikhini Legalov, 2011c: 183 (*Donus*) A: AF
zoilus Scopoli, 1763: 33 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
 HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ
 TR UK N: MO A: AB AR CH CY GG IN IS JAI LB TR SC SY NARi
austriaca Schrank, 1781: 123 (*Curculio*)
fallaciosa Desbrochers des Loges, 1896f: 67 (*Phytonomus*)
lineella Gerhardt, 1910: 557 (*Phytonomus*)
linzensis Gmelin, 1790: 1799 (*Curculio*) [URN]
media Marsham, 1802: 302 (*Curculio*)
opima J. LeConte, 1876: 124 (*Phytonomus*)
picta Geoffroy, 1785: 117 (*Curculio*) [HN]
punctata Fabricius, 1775: 150 (*Curculio*) [HN]
rufa Boheman, 1834b: 402 (*Phytonomus*)
subgenus *Brachypera* Capiomont, 1868b: 73 type species *Phytonomus crinitus* Boheman, 1834
Pseudhypera Capiomont, 1868b: 111 type species *Hypera reichei* Capiomont, 1868
Sibirodonus Legalov, 2010b: 121 type species *Hypera scapularis* Gebler, 1833
amalek Petri, 1901: 105 (*Hypera*) A: IS
amelek Petri, 1901: 105 (*Hypera*) [NA]
audax Faust, 1887d: 68 (*Hypera*) E: GR A: IN
crinita Boheman, 1834b: 403 (*Phytonomus*) E: BU CR FR GR IT MA PT SP SZ UK N: AG TU A:
 IN
corcyrea Faust, 1887d: 69 (*Hypera*)
scapularis Chevrolat, 1860d: 449 (*Phytonomus*) [HN]
socialis Boheman, 1842a: 364 (*Phytonomus*)
striata Fabricius, 1787a: 117 (*Curculio*) [HN]
visnagae Capiomont, 1868b: 102 (*Hypera*)
deyrollei Capiomont, 1868b: 99 (*Hypera*) E: PT
fallax Capiomont, 1868b: 124 (*Phytonomus*) E: MA PT SP N: AG CI MO
fausti Petri, 1901: 104 (*Hypera*) A: IS
freyi Zumpt, 1938a: 11 (*Phytonomus*) A: IQ
hierichontica albosquamosa Pic, 1914h: 66 (*Hypera*) A: IS
hierichontica hierichontica Capiomont, 1868b: 109 (*Hypera*) A: IS
hispidula Boheman, 1834b: 404 (*Phytonomus*) N: AG EG LB TU
judaica Petri, 1901: 98 (*Hypera*) A: IS
lhostei A. Hoffmann, 1938d: 125 (*Hypera*) E: FR (Cantal)
libanica Pic, 1914h: 66 (*Hypera*) A: LE
lukjanovitshi Zaslavskij, 1964: 172 (*Hypera*) A: KZ
marmottani Capiomont, 1868b: 107 (*Hypera*) N: AG MO TU
perplexa Capiomont, 1868b: 105 (*Hypera*) E: PT SP N: AG MO
proxima Capiomont, 1876b: 467 (*Hypera*) E: PT
barrosi Guérin, 1894: 161 (*Hypera*)
bawosi Guérin, 1894: 161 (*Hypera*) [NA]
reichei Capiomont, 1868b: 111 (*Hypera*) A: IS SY
reitteri Faust, 1887d: 67 (*Hypera*) A: IS
rufimembris Pic, 1925a: 3 (*Hypera*) E: GR (Kýthira)
saulcyi Capiomont, 1868a: 559 (*Hypera*) A: IS LE SY
scapularis Gebler, 1833: 298 (*Phytonomus*) A: ES MG NMO WS
solarii Roudier, 1959a: 68 (*Donus*) E: FR SP (Pirineos)
taurica Zaslavskij, 1967: 235 (*Hypera*) E: UK (Krym) A: TR

tumida Capiomont, 1868a: 559 (*Hypera*) E: SP
vossi Legalov, 2011a: 37 (*Sibirodonus*) A: MG

genus *Bubalocephalus* Capiomont, 1868a: 485 type species *Bubalocephalus kiesenwetteri* Capiomont, 1868

espagnoli González, 1965a: 72 E: SP
kiesenwetteri Capiomont, 1868a: 488 E: SP
bison Marseul, 1873b: 500
rotundicollis Capiomont, 1868a: 486 E: SP
vivesi González, 1965a: 70 E: SP

genus *Coniaticrichus* Reitter, 1901f: 162 type species *Coniaticrichus euchromus* Reitter, 1901
euchromus Reitter, 1901f: 162 A: TM

genus *Coniatus* Germar, 1817c: 340 type species *Curculio tamarisci* Fabricius, 1787

subgenus *Bagoides* Capiomont, 1868c: 265 type species *Coniatus suavis* Gyllenhal, 1834

bellus Faust, 1883c: 102 A: TD UZ
iranensis Voss, 1943e: 70 A: IN
kuntzei Voss, 1943e: 68 N: EG
laetus L. Miller, 1866: 819 E: GR N: EG
ionicus Capiomont, 1868c: 271
minutus Korotyaev, 1984b: 336 A: ES MG
modestus Pic, 1914g: 59 A: "Mesopotamia"
osellai Bajtenov, 1980a: 406 A: KZ XIN
ovalipennis Korotyaev, 1984b: 342 A: MG
patrizii F. Solari, 1933b: 266 N: LB
rufirostris Voss, 1960a: 113 A: AF IN
schrenkii Gebler, 1841a: 374 E: KZ ST TR A: AB AF AR GG IN KZ MG TD TR TM
caspicus Boheman, 1842a: 388
cupreus Petri, 1901: 196
splendidulus Fabricius, 1781: 186 (*Curculio*) E: BU GR HU RO ST UK A: GG IN IS KZ SY TD TR
"Siberia" NARi
elegans Capiomont, 1868c: 268
griseus Petri, 1901: 198
steveni Capiomont, 1868a: 559 E: RO ST UK A: AR KZ MG TD TM
hauseri Petri, 1907b: 58
hilaris Penecke, 1922b: 178
suavis Gyllenhal, 1834b: 407 E: CR FR IT PT SP N: AG A: IN TM TR
chrysochlorus Lucas, 1848: xvii
elegantulus Faust, 1887f: 147
triangulifer Chevrolat, 1860d: 455
zaslavskii Korotyaev, 1984b: 339 A: MG
subgenus *Coniatus* Germar, 1817c: 340 type species *Curculio tamarisci* Fabricius, 1787
belutschistanensis Voss, 1959d: 10 A: IN
deyrollei Capiomont, 1868a: 559 E: FR PT SP
gracilis Holdhaus, 1920: 57 A: IQ
repandus Fabricius, 1792: 456 (*Curculio*) E: FR IT PT SP SZ N: AG EG MO
brevicornis Rey, 1894g: 130
damryi Petri, 1901: 196
saulyi aegyptiacus Capiomont, 1868c: 262 N: EG LB A: IS
saulyi saulyi Capiomont, 1868a: 559 N: EG
setosulus Petri, 1907b: 57 A: MG UZ
tamarisci Fabricius, 1787a: 113 (*Curculio*) E: AL BEi CR FR GR IT MA SP TR N: AG CI EG LB
MO TU A: IN KZ TR
tamarisci Villers, 1789a: 217 (*Curculio*) [HN]
iffensis Escalera, 1914: 446
mimonti Boieldieu, 1859: 474
vanus Herbst, 1797: 26 (*Curculio*)
wenckeri Capiomont, 1868c: 260 E: FR GE SZ
subgenus *Pseudogeranorhinus* Pic, 1914g: 58 type species *Coniatus nigronotatus* Pic, 1914
nigronotatus Pic, 1914g: 58 A: IQ

genus *Donus* Jekel, 1865: 562 type species *Rhynchaenus philanthus* Olivier, 1807
Altaiodonus Legalov, 1999e: 189 [RN] type species *Glanis cupreus* Legalov, 1997
Asiodonus Legalov, 2010b: 122 type species *Donus sajanicus* Korotyaev, 1998
Glanis Jekel, 1865: 562 [HN] type species *Phytonomus velutinus* Boheman, 1842
Lepidoglanis Legalov, 1997b: 473 [HN] type species *Glanis cupreus* Legalov, 1997
Neoglanis Alonso-Zarazaga & Lyal, 1999: 189 [RN] type species *Phytonomus velutinus* Boheman, 1842

aequabilis G.A.K. Marshall, 1934a: 14 (*Hypera*) A: XIN
albonotatus Pic, 1925c: 9 (*Hypera*) N: AG
anjumanensis Voss, 1963b: 406 (*Hypera*) A: AF
mutatorius Voss, 1959a: 112 (*Hypera*) [HN]
antoinei A. Hoffmann, 1957b: 82 N: MO
amasiensis Faust, 1890e: 328 (*Hypera*) A: TR
angustulus Reitter, 1915b: 71 (*Hypera*) A: XIN
arnoldii Zaslavskij, 1967: 237 (*Hypera*) E: UK (Krym)
auliensis Petri, 1901: 76 (*Hypera*) A: KZ
austerus austerus Boheman, 1834b: 376 (*Phytonomus*) E: FR IT (Sardegna, Sicilia) SP N: AG LB MO
TU
corpulentus L.W. Schaufuss, 1862a: 50 (*Phytonomus*)
fuscatus Boheman, 1842a: 368 (*Phytonomus*)
tigrinus Waltl, 1835: 78 (*Hypera*)
vicinus Capiomont, 1868a: 522 (*Hypera*)
austerus lusitanicus Capiomont, 1868b: 89 (*Hypera*) E: PT
barnevillei Capiomont, 1868b: 79 (*Hypera*) E: FR (Pyrénées)
dubius Capiomont, 1868b: 82 (*Hypera*)
belokobyski Legalov, 2011a: 38 (*Asiodonus*) A: WS
biglobosus Kirsch, 1880b: 303 (*Hypera*) E: PT SP
bosnicus Petri, 1901: 49 (*Hypera*) E: BH IT SL
bravardi Pic, 1925a: 2 (*Hypera*) E: MC
brucki Capiomont, 1868a: 551 (*Hypera*) E: IT
burjaticus Korotyaev, 1998c: 848 A: ES
bucovinensis Penecke, 1928c: 133 (*Hypera*) E: RO UK
callosus Petri, 1901: 47 (*Hypera*) A: IS JO SY
capiomonti Petri, 1901: 51 (*Hypera*) E: GR
caucasicus Faust, 1887d: 69 (*Hypera*) E: "Caucasus"
chevrolati Capiomont, 1868b: 97 (*Hypera*) E: SP N: AG MO
guttipes Capiomont, 1868b: 97 (*Hypera*)
chlorocomus Boheman, 1842a: 359 (*Phytonomus*) E: ST A: GG IN TR
circassicola Reitter, 1888c: 264 (*Hypera*) E: ST A: AR GG
circumvagus Boheman, 1842a: 367 (*Phytonomus*) E: IT (Sicilia) N: AG EG MO TU
mauritanicus Capiomont, 1868b: 95 (*Hypera*)
comatus Boheman, 1842a: 361 (*Phytonomus*) E: AU BE CH CR CZ FR GE HU IT PL RO SK SZ
UK A: IN
biharius Petri, 1901: 61 (*Hypera*)
borealis Krauss, 1900: 196 (*Hypera*)
carpathicus Petri, 1901: 62 (*Hypera*)
cordicollis Petri, 1901: 75 (*Hypera*) A: TR
corrosus Desbrochers des Loges, 1900a: 2 (*Hypera*) E: PT
cupreus Legalov, 1997b: 474 (*Glanis*) A: WS
curtirostris Pic, 1941: 1 (*Hypera*) E: GR (Kýthira)
cypris Reiche & Saulcy, 1858a: 679 (*Phytonomus*) A: CY JO SY
cyrtus Germar, 1821: 345 (*Hypera*) E: AL BH BU CR GR HU IT TR UK A: TR
turbatus Boheman, 1842a: 356 (*Phytonomus*)
damascenus Stierlin, 1888b: 58 (*Hypera*) A: SY
decipiens Capiomont, 1868b: 144 (*Phytonomus*) E: ST
delarouzei Capiomont, 1868b: 87 (*Hypera*) E: FR (Pyrénées) SP (Pirineos)
diversisquamosus Legalov, 2012a: 161 (*Asiodonus*) A: UZ
dubatolovi Legalov, 2011c: 187 (*Donus*) A: KI
dudkoi Legalov, 1999c: 284 A: ES
duplopunctatus Petri, 1901: 72 (*Hypera*) E: BH IT SL
elegans Boheman, 1842a: 358 (*Phytonomus*) E: AU FR HU PL RO SP UK
bonvouloiri Capiomont, 1868a: 549 (*Hypera*)
eos Suvorov, 1912b: 477 (*Hypera*) A: KZ

pruinus Suvorov, 1912b: 478 (*Hypera*)
fairmairei Capiomont, 1868b: 81 (*Hypera*) [DA] E: FR
falakronensis Winkelmann, 2006: 154 E: GR (Falakró Oros)
favarcqi Pic, 1925b: 6 (*Hypera*) N: AG
ferganicus Zaslavskij, 1963: 49 (*Glanis*) A: KI
fumanus Petri, 1901: 90 (*Hypera*) E: BH CR FR IT
ganglbaueri Petri, 1901: 59 (*Hypera*) E: SL
geminus Zaslavskij, 1967: 238 (*Hypera*) E: UK (Krym)
globosus globosus Fairmaire, 1859a: 879 (*Phytonomus*) E: FR IT PT SP SZ
rotundatus Capiomont, 1868a: 553 (*Phytonomus*)
globosus longior Pic, 1941: 1 (*Hypera*) E: FR
gobiensis Voss, 1967: 303 (*Glanis*) A: MG
gordyaeus anatolicus Smreczyński, 1970: 128 A: TR
gordyaeus gordyaeus Petri, 1901: 39 (*Hypera*) A: TR
hertshensis Legalov, 2008d: 56 A: ES
hispanicus Capiomont, 1868b: 86 (*Hypera*) E: PT SP
ibericus Capiomont, 1868b: 76 (*Hypera*) E: SP
imbecillus Faust, 1886e: 150 (*Hypera*) A: XIN
insularis Capiomont, 1868a: 527 (*Hypera*) A: LE SY TR
intermedius aubei Capiomont, 1868a: 521 (*Hypera*) E: FR (Pyrénées) SP (Pirineos)
intermedius intermedius Boheman, 1842a: 352 (*Phytonomus*) E: AU BE BU CR CZ FR GE HU IT LU
NL PL RO SK SP SZ UK
fuscescens Boheman, 1842a: 370 (*Phytonomus*)
marmoratus Capiomont, 1868a: 520 (*Hypera*)
janae Legalov, 1999c: 283 A: WS
juvencus Motschulsky, 1860e: 538 (*Phytonomus*) A: KI
knutelskyi Legalov, 2012a: 157 (*Asiodonus*) A: FE
kopalensis Suvorov, 1912b: 478 (*Hypera*) A: KZ
latifrons Petri, 1901: 41 (*Hypera*) A: ST TR
leonisi Pic, 1925a: 2 (*Hypera*) E: GR (Kýthira)
lepidus Capiomont, 1868c: 198 (*Phytonomus*) A: ES
lilliputianus Lucas, 1847b: 427 (*Phytonomus*) N: AG
longicollis Petri, 1901: 86 (*Hypera*) E: PT SP
lucasi Capiomont, 1868a: 554 (*Hypera*) N: MO
lydius Petri, 1901: 50 (*Hypera*) A: TR
maculosus Petri, 1901: 74 (*Hypera*) A: TR
medvedevi Legalov, 2011c: 185 (*Donus*) A: KI
minutus Petri, 1901: 66 (*Hypera*) E: RO
mniszewski Capiomont, 1868a: 516 (*Hypera*) A: WS XIN
altaicus Petri, 1901: 18 (*Macrotarsus*)
montivagus Capiomont, 1868b: 91 (*Hypera*) E: SP (Sierra Nevada)
korbi Petri, 1901: 82 (*Hypera*)
mutatorius Faust, 1887i: 182 (*Hypera*) A: UZ
nidensis Mazur & Petryszak, 1981: 35 E: PL SK UK
nivosus Petri, 1901: 56 (*Hypera*) E: BH
noscibilis Faust, 1890f: 460 (*Hypera*) A: GAN
noscidius Faust, 1889a: 84 (*Hypera*) E: GR
oblongus Boheman, 1842a: 369 (*Phytonomus*) E: IT SP
obscurus obscurus Capiomont, 1868a: 556 (*Hypera*) E: FR (Lozère)
obscurus pourtoyi A. Hoffmann, 1958: 1747 E: FR (Pyrénées)
obtusus cazorlae Roudier, 1959a: 62 E: SP (Sierra de Cazorla)
obtusus obtusus Rosenhauer, 1856: 252 (*Phytonomus*) E: SP
opanassenkoi Legalov, 1997a: 119 (*Glanis*) A: ES WS
ophthalmicus Desbrochers des Loges, 1898f: 13 (*Hypera*) N: MO
orientalis Capiomont, 1868a: 509 (*Hypera*) E: GR A: TR IN
osellai Winkelmann, 2001: 53 E: IT
ovalis Boheman, 1842a: 371 (*Phytonomus*) E: AU BE CR CZ FR GE HU IT LU NL PL RO SK SZ
UK
oxalis Herbst, 1795: 247 (*Curculio*) E: BH BU CR CZ GR HU IT PL RO SK UK

faucometi Pic, 1925b: 6 (*Phytonomus*)
monticola Bach, 1856: 244 (*Phytonomus*)
palumbarius Germar, 1821: 345 (*Hypera*) E: AU BH BU CR CZ GE HU IT PL RO SK SL SZ UK
coarcticollis Krauss, 1900: 194 (*Hypera*)
idriensis Sturm & Hagenbach, 1825: 488 (*Hypera*)
pantherinus Capiomont, 1868a: 534 (*Hypera*) A: IN
perrisi Capiomont, 1868b: 93 (*Hypera*) E: SP
petrii Desbrochers des Loges, 1908g: 68 (*Hypera*) N: MO
philanthus Olivier, 1807: 123 (*Rhynchaenus*) E: FR IT MA PT RO SP N: AG EG LB MO TU
carinirostris Chevrolat, 1860b: 133 (*Phytonomus*)
meridionalis A. Villa & G. B. Villa, 1835: 49 (*Hypera*)
piochardi Capiomont, 1868b: 85 (*Hypera*) E: FR (Alpes, Pyrénées)
grouvellei Hustache, 1929a: 44 (*Hypera*)
planicollis Smreczyński, 1970: 129 A: TR
polyphagus Zaslavskij, 1963: 53 (*Glanis*) A: KI
porcellus Capiomont, 1868b: 78 (*Hypera*) E: GR
potanini Legalov, 2012a: 160 (*Asiodonus*) A: GAN
przewalskii Suvorov, 1912b: 478 (*Hypera*) A: XIN
quadratocollis Petri, 1901: 85 (*Hypera*) E: SP (Sierra Nevada)
reductirostris Pic, 1925c: 9 (*Hypera*) N: AG
rubi Krauss, 1900: 189 (*Hypera*) E: AU HU PL RO SK UK
pusillus Petri, 1912a: 315 (*Hypera*)
rudicollis Capiomont, 1868b: 82 (*Hypera*) E: PT
rufimanus Zaslavskij, 1963: 49 (*Glanis*) A: KI
rugulosus Petri, 1901: 55 (*Hypera*) A: FE "E Siberia"
sajanicus Korotyaev, 1998c: 846 A: ES WS
telestianus Legalov, 1999d: 378 (*Glanis*)
salviae Schrank, 1789: 74 (*Curculio*) E: AU CR FR IT SP
abrutianus Desbrochers des Loges, 1904a: 63 (*Hypera*)
denticornis Fabricius, 1798: 173 (*Curculio*)
latipennis Boheman, 1834b: 397 (*Phytonomus*)
segnis Capiomont, 1868a: 537 (*Hypera*) E: AU CZ GE IT SZ
shokhrini Legalov, 2012a: 160 (*Asiodonus*) A: FE
sierranus Capiomont, 1868b: 83 (*Hypera*) E: SP (Sierra Nevada)
sikhotealinensis Legalov, 2018: 52 (*Asiodonus*) A: FE
solidus Petri, 1901: 70 (*Hypera*) A: IN KZ MG TD UZ
streltzevi Legalov, 2012a: 158 (*Asiodonus*) A: FE
sultus Faust, 1883b: 100 (*Hypera*) A: KZ
nigrescens Suvorov, 1912b: 478 (*Hypera*)
souvorovi Fleischer, 1909: 302 (*Hypera*) [NA]
suvorovi Fleischer, 1909: 302 (*Hypera*)
subuniformis Pic, 1914h: 66 (*Hypera*) A: SY
svaneticus Faust, 1887d: 70 (*Hypera*) A: GG
tessellatus Boheman, 1834b: 404 (*Phytonomus*) E: AU CZ FR GE HU NL PL RO SB SK SZ UK
maculatus W. Redtenbacher, 1842: 19 (*Phytonomus*)
transiliensis Zaslavskij, 1964: 176 (*Glanis*) A: KZ
tristis Capiomont, 1868a: 542 (*Hypera*) E: SP
tshernyshevi Legalov, 2012a: 161 (*Asiodonus*) A: KI
variegatus Brullé, 1832b: 241 (*Phytonomus*) E: GR
velutinus Boheman, 1842a: 353 (*Phytonomus*) E: AU HU PL RO SK UK
viennensis Herbst, 1795: 338 (*Curculio*) E: AU CR CZ GE HU PL SK UK
virescens Petri, 1901: 68 (*Hypera*) E: BU (Sliwen)

genus *Eremochorus* Zaslavskij, 1962: 260 type species *Macrotarsus perdix* Faust, 1883
subgenus *Eremochorus* Zaslavskij, 1962: 260 type species *Macrotarsus perdix* Faust, 1883
ambiguus Bajtenov, 1974b: 35 A: KZ
arazantauensis Legalov, 2012a: 164 A: KZ
aterrimus Korotyaev, 1995a: 83 A: ES
atrogriseus Zaslavskij, 1978: 62 A: KZ
chinensis Faust, 1890d: 258 A: BEI
concinus Boheman, 1842a: 363 (*Phytonomus*) A: IN KZ UZ "Siberia"

consinnus Boheman, 1842a: 363 (*Phytonomus*) [NA]
kuschakewitschi Faust, 1883c: 106 (*Macrotarsus*)
ovalis Petri, 1907b: 58 (*Macrotarsus*)
praeomatus Łomnicki, 1894: 87 (*Hypera*)
robustus Faust, 1883f: 109 (*Macrotarsus*)
setosus Petri, 1901: 12 (*Macrotarsus*)
varius Boheman, 1842a: 362 (*Phytonomus*)
contractus Zaslavskij, 1962: 264 A: KZ
crassus Zaslavskij, 1962: 264 A: KI
dudkoi Legalov, 2011a: 39 A: KZ
dzungaricus Zaslavskij, 1962: 264 A: KZ
elongatus Petri, 1901: 16 (*Macrotarsus*) A: NMO "Altai"
faldermanni Boheman, 1842a: 338 (*Macrotarsus*) A: MG WS XIN
asininus Faust, 1885b: 160 (*Macrotarsus*)
formaster Zaslavskij, 1962: 262 A: KZ
gebleri Gebler, 1833: 298 (*Phytonomus*) A: WS XIN
gebleri Boheman, 1834b: 399 (*Phytonomus*) [HN]
notatus Capiomont, 1868a: 483 (*Macrotarsus*)
gracilis Petri, 1901: 14 (*Macrotarsus*) A: XIN
hirtus Petri, 1901: 13 (*Macrotarsus*) A: MG NMO
iliensis Suvorov, 1912b: 475 (*Macrotarsus*) A: KI
impressiventris Zaslavskij, 1962: 265 A: KI
inflatus Petri, 1901: 23 (*Macrotarsus*) A: ES MG NMO WS
inops Zaslavskij, 1962: 265 A: KI
kolbei Petri, 1901: 19 (*Macrotarsus*) A: ES
kozlovi Suvorov, 1912b: 472 (*Macrotarsus*) A: KI
lebedevi Legalov, 2012a: 165 A: KZ
longirostris Zaslavskij, 1962: 265 A: KZ
michailovi Legalov, 2007a: 401 A: WS
morgei Bajtenov, 1982a: 33 A: KZ
motschoulskyi Boheman, 1842a: 340 (*Macrotarsus*) A: XIN
neglectus Bajtenov, 1974b: 36 A: KZ
zaisanensis Zaslavskij, 1978: 63
oppositus Zaslavskij, 1978: 64 A: TM
perdix Faust, 1883c: 103 (*Macrotarsus*) A: KI
petrii Zaslavskij, 1971: 9 A: KI
reitterorum Roubal, 1929b: 31 (*Macrotarsus*) A: KZ
shevnini Legalov, 2011a: 39 A: WS
similis Petri, 1903: 51 (*Macrotarsus*) A: KI
steppensis Motschulsky, 1860c: 313 (*Phytonomus*) A: KI
talassus Zaslavskij, 1978: 64 A: KI
viaticus Zaslavskij, 1978: 62 A: KZ
voruchensis Legalov, 2012a: 164 A: TD
subgenus *Proeremochorus* Legalov, 2010b: 121 type species *Phytonomus mongolicus* Motschulsky, 1860
calvus Zaslavskij, 1966: 108 A: KZ
mongolicus Motschulsky, 1860b: 164 (*Phytonomus*) A: ES FE MG NMO SHG
johanni Reitter, 1896b: 43 (*Hypera*)
mysticus Petri, 1901: 24 (*Macrotarsus*)
sinuaticollis Faust, 1890a: 73 (*Hypera*) A: ES MG WS
subater Zaslavskij, 1966: 108 A: MG
zaslavskii Korotyayev, 1995a: 85 A: ES

genus *Herpes* Bedel, 1874c: 212 type species *Brachycerus porcellus* Lacordaire, 1863
Pterothorax Weise, 1893a: 68 type species *Pterothorax korbi* Weise, 1893
porcellus Lacordaire, 1863: 285 (*Brachycerus*) E: BU HU RO ST TR UK A: IN TR
korbi Weise, 1893a: 68 (*Pterothorax*)

genus *Hypera* Germar, 1817c: 340 type species *Curculio nigrirostris* Fabricius, 1775
subgenus *Boreohypera* Korotyayev, 1999d: 655 type species *Curculio diversipunctatus* Schrank, 1798
basalis Voss, 1937c: 265 (*Phytonomus*) A: FUJ JA SC SCH
civica Voss, 1934a: 75 (*Phytonomus*) A: SCH

diversipunctata Schrank, 1798: 494 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT KZ LA LT LU MC MD ME NL NR NT PL RO SB SK SL ST SV UK A: ES FE FUJ GUA HUN JIA KI KZ MG SCH WS ZHE NAR
educata Tempère, 1972b: 154
elongata Paykull, 1792: 48 (*Curculio*) [HN]
mutabilis Germar, 1821: 341
seigneurici Tempère, 1984a: 4
seriata Mannerheim, 1853: 243 (*Phytonomus*)
graeseri Faust, 1887h: 169 (*Phytonomus*) A: FE JA KZ MG SC WS
kirejtshuki Legalov, 2011a: 35 (*Boreohypera*) A: WS
moczarskii Penecke, 1936: 212 E: GR SB
subcostata Capiomont, 1868c: 202 (*Phytonomus*) A: JA MG SHG
tuvensis Legalov, 2011a: 36 (*Boreohypera*) A: ES WS
subgenus *Dapalinus* Capiomont, 1868c: 164 type species *Phytonomus dapalis* Boheman, 1834
contaminata Herbst, 1795: 276 (*Curculio*) E: AU BH BU CR CT CZ FR GE GR HU IT LA MC MD ME PL RO SB SK SL ST TR UK A: IN TR
dapalis Boheman, 1834b: 375 (*Phytonomus*) E: PT SP N: AG MO
fornicata Penecke, 1928c: 135 (*Phytonomus*) E: AU BU CT CZ FI HU IT NR PL RO SB SK ST SV SZ UK A: AR
kayali Skuhrovec, 2006: 19 A: SY
maculipennis Fairmaire, 1859d: 279 (*Phytonomus*) E: FR IT NL PT SP N: AG TU A: IN
meles Fabricius, 1792: 466 (*Curculio*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG TU A: AB AR CY ES FE GG IN IQ IS KI KZ MG SY TR TM UZ WS NARi
edoughensis Pic, 1897a: 5
grisea O. F. Müller, 1776: 88 (*Curculio*) [HN]
pallida Capiomont, 1868c: 173 (*Phytonomus*)
poncyi Stierlin, 1901: 366 (*Pachytychius*)
roeselin Kleemann, 1768: xxiv (*Curculio*) [NO]
roeselii Goeze, 1777: 394 (*Curculio*) [UE, NO]
roeseli Gmelin, 1790: 1777 (*Curculio*) [UE, HN, NO]
straminea Marsham, 1802: 267 (*Curculio*)
trifolii Herbst, 1795: 266 (*Curculio*) [HN]
trivialis Herbst, 1784: 82 (*Curculio*) [NO]
pseudotenuirostris Skuhrovec & Winkelmann, 2008: 284 E: PT SP N: MO
striata Boheman, 1834b: 388 (*Phytonomus*) E: AU BE BH BU CR CZ GE GR HU FR IT MC ME NL RO SB SK SL SP ST SZ UK A: IN IS SY TR
karamani Stierlin, 1886b: 229 (*Phytonomus*)
siciliana Petri, 1901: 157 (*Phytonomus*)
subvittata Capiomont, 1868a: 559 (*Phytonomus*) A: IS JO SY TR
solymitana Faust, 1887e: 81 (*Phytonomus*)
tenuirostris Petri, 1901: 157 (*Phytonomus*) A: IS SY TR
subgenus *Eririnomorphus* Capiomont, 1868b: 149 type species *Curculio rumicis* Linnaeus, 1758
Zaslavskypera Legalov, 2011b: 149 type species *Curculio conmaculatus* Herbst, 1795
adpersiformis Reitter, 1915b: 72 (*Phytonomus*) A: FE WS
arundinis Paykull, 1792: 47 (*Curculio*) E: AU BE BY CT CZ DE EN FR GB GE HU LA LT NL NT PL RO SK SP ST SV SZ UK A: WS
hydrolapathi Weise, 1903: 413 (*Phytonomus*)
bohemanni Capiomont, 1868b: 158 (*Phytonomus*) N: AG MO
conmaculata Herbst, 1795: 230 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR CH ES FE FUJ GG JA KZ TR WS
adpersa Fabricius, 1792: 413 (*Curculio*) [HN]
alternans Stephens, 1831e: 95
alternata Boheman, 1842a: 382 (*Phytonomus*)
angusticollis Boheman, 1834b: 388 (*Phytonomus*)
histrio Boheman, 1842a: 374 (*Phytonomus*)
ignota Boheman, 1842a: 373 (*Phytonomus*)
interrupta Marsham, 1802: 269 (*Curculio*) [HN]
japanica Petri, 1901: 128 (*Phytonomus*)
julinii C. R. Sahlberg, 1835a: 42 (*Rhynchaenus*)
nigricollis Turton, 1800: 218 (*Curculio*)
palustris Stephens, 1831e: 96
parallelogramma Boheman, 1834b: 386 (*Phytonomus*)
pollux Fabricius, 1801: 457 (*Rhynchaenus*) [RN]

interruptovittata Desbrochers des Loges, 1875a: 15 (*Phytonomus*) E: BU ST TR UK A: KZ TR WS
eversmanni Faust, 1895c: 98 (*Phytonomus*)
interruptostriata Petri, 1901: 134 (*Phytonomus*)
kunzei Germar, 1822: 11 E: AU CR GE RO SL
knauthi C. Müller, 1899: 144
kunzii Germar, 1822: 11 [NA, IOS]
libanotidis Reitter, 1896d: 238 (*Phytonomus*) E: CZ HU
rogenhoferi Ferrari, 1866: 369 E: AU BU MD RO SB ST TR UK A: MG TR
caesia Petri, 1901: 132 (*Phytonomus*)
cretacea Petri, 1901: 132 (*Phytonomus*)
rumicis Linnaeus, 1758: 379 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
HU IR IT LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N:
MO A: AB AR ES FE GG IN JA KZ SC TR WS NARi
acetosae Panzer, 1796: 9 (*Curculio*)
compta Say, 1832: 12 (*Phytonomus*)
compta Gyllenhal, 1834b: 384 (*Phytonomus*) [HN]
diversa Gyllenhal, 1834b: 371 (*Phytonomus*)
zebra Reitter, 1896d: 239 (*Phytonomus*) E: ST
subgenus *Hypera* Germar, 1817c: 340 type species *Curculio nigristrostris* Fabricius, 1775
Phytonomidius Capiomont, 1868c: 214 type species *Curculio nigristrostris* Fabricius, 1775
Phytonomus Schoenherr, 1823: 1143 [URN]
aegyptiaca Capiomont, 1868c: 209 (*Phytonomus*) N: EG LB
brunnipennis Boheman, 1834b: 381 (*Phytonomus*) N: EG A: IN IS LE SA NARi
constans Boheman, 1834b: 394 (*Phytonomus*) E: FR IT MA PT SP N: AG LB MO TU A: IS
balteata Chevrolat, 1840: 16 (*Phytonomus*)
cretica Csiki, 1915: 396 (*Phytonomus*) E: GR (Kriti)
cumana Petri, 1901: 190 (*Phytonomus*) E: AU BU CZ HU MD RO SK TR UK A: IN TR
denominanda Capiomont, 1868c: 211 (*Phytonomus*) E: AU CT CZ DE FI FR GE HU LA MD NR
NT PL RO SB SK ST SV SZ UK A: AR KZ TR WS
depressidorsum Desbrochers des Loges, 1904a: 59 (*Phytonomus*) N: AG
egregia Capiomont, 1868c: 243 (*Phytonomus*) E: SP N: AG
farinosa Boheman, 1842a: 378 (*Phytonomus*) E: GR KZ ST TR A: AB AF AR GG IN IS KI KZ SY
TD TM TR UZ
dorsiger Faust, 1894b: 145 (*Phytonomus*)
hauseri Petri, 1907b: 59 (*Phytonomus*)
nigrosuturalis Petri, 1901: 185 (*Phytonomus*)
sinuata Capiomont, 1868c: 217 (*Phytonomus*)
fulvolineata Pic, 1918: 24 (*Phytonomus*) N: AG
fulvonotata Pic, 1918: 24 (*Phytonomus*) N: AG
gracilentata Capiomont, 1868c: 233 (*Phytonomus*) E: PT SP N: AG
arcuata Desbrochers des Loges, 1875a: 16 (*Phytonomus*)
poupillieri Capiomont, 1868c: 186 (*Phytonomus*)
immunda Petri, 1901: 188 (*Phytonomus*) A: IS LB SY TR
incompta Boheman, 1834b: 391 (*Phytonomus*) E: PT SP
jucunda Capiomont, 1868c: 231 (*Phytonomus*) E: GR IT (Sicilia) MA PT SP N: AG EG MO TU A:
CY IN IQ IS LB ST SY TR
propiequa Petri, 1901: 188 (*Phytonomus*) [NA]
propinqua Petri, 1901: 188 (*Phytonomus*)
semenovi Suvorov, 1915b: 340 (*Phytonomus*)
lethierryi Capiomont, 1868c: 242 (*Phytonomus*) E: SP N: AG EG
lindbergi A. Hoffmann, 1957c: 174 A: IS SY TR
melancholica Fabricius, 1792: 462 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB
GE GR HU IT KZ LA LS LT LU MA MC MD ME NL NT PL PT RO SB SK SL SP ST SV SZ
TR UK N: EG MR A: AB AF AR CY GG KZ SY TR
algorica Capiomont, 1868c: 201 (*Phytonomus*)
cordicollis Stierlin, 1894a: 100 (*Notaris*)
cordicollis Stierlin, 1894c: 118 (*Notaris*) [HN]
dalmatina Stierlin, 1892: 365 (*Notaris*)
fuscocinerea Marsham, 1802: 271 (*Curculio*)
insidiosa Boheman, 1834b: 382 (*Phytonomus*)
murina Fabricius, 1792: 463 (*Curculio*) [HN]
nebulosa Stephens, 1831e: 96
suturalis L. Redtenbacher, 1847: 436 (*Phytonomus*)
unicolor W. Kolbe, 1927: 11 (*Phytonomus*)
variabilis Wollaston, 1854b: 400 [HN]

melarynchus Olivier, 1807: 144 (*Rhynchaenus*) E: PT SP
auriflua Waltl, 1835: 78 (*Hypera*)
melarhyncha Germar, 1821: 339 [HN]

miles Paykull, 1792: 46 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL ST SV SZ TR UK N: MO TU A: AB AR ES FE GG KZ MG NMO TR XIN WS
bitaeniata Marsham, 1802: 268 (*Curculio*)
dorsata Gyllenhal, 1834b: 373 (*Phytonomus*)
longicollis Petri, 1901: 175 (*Phytonomus*)
pedestris Paykull, 1792: 46 (*Curculio*) [HN]
rumicis Dufour, 1843: 81 (*Phytonomus*) [HN]
suspiciosa Herbst, 1795: 265 (*Curculio*)

nigrirostris Fabricius, 1775: 132 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: CI MO A: AB AR CH CY ES FE GG JA KZ SY TR WS NARi
hirta Petri, 1901: 165 (*Phytonomus*)
pilifer Gredler, 1866: 345 (*Erirhinus*)
rufipes Stephens, 1831e: 100
stierlini Capiomont, 1868c: 223 (*Phytonomus*)
variabilis Fabricius, 1777: 224 (*Curculio*)
virescens Quensel, 1790: 16 (*Curculio*)
viridis Provancher, 1877: 518 (*Erirhinus*)
viridis Reitter, 1906c: 378 (*Phytonomus*) [HN]

normandi A. Hoffmann, 1957b: 81 N: AG

obediens Faust, 1890f: 461 A: GAN MG

ononidis Chevrolat, 1863: 105 (*Phytonomus*) E: AU BE CZ FR GB GE GR IT LU NL PT SP SZ N: CI MO
subcordicollis Desbrochers des Loges, 1900a: 3 (*Phytonomus*)

ornata Capiomont, 1868c: 210 (*Phytonomus*) E: EN FI NR NT SV A: ES FE MG NMO WS
obovata Csiki, 1934b: 46 (*Phytonomus*) [URN]

perraudini A. Hoffmann, 1933: 153 (*Phytonomus*) A: SY

plantaginis DeGeer, 1775: 237 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO A: AB AR GG IN TR
aurolineata Brullé, 1832b: 242 (*Phytonomus*)
naevia Gmelin, 1790: 1756 (*Curculio*) [URN]
spartii Hoppe, 1795: 60 (*Curculio*)

postica Gyllenhal, 1813: 113 (*Rhynchaenus*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI EG LB MO MR TU A: AB AF AR CY GG IN IQ IS JAi KI KZ MG SC SA SY TD TM TR UZ XIN NARi
austriaca Petri, 1901: 182 (*Phytonomus*) [HN]
bimaculata Marsham, 1802: 266 (*Curculio*) [HN]
brevipes Desbrochers des Loges, 1875a: 16 (*Phytonomus*)
decorata Petri, 1901: 182 (*Phytonomus*)
denigrata Gmelin, 1790 : 1771 (*Curculio*) [RN, NO]
fasciolata Geoffroy, 1785: 120 (*Curculio*) [NO]
haemhorroidalis Herbst, 1784: 78 (*Curculio*) [NA; IOS]
haemorrhoidalis Herbst, 1784: 78 (*Curculio*) [HN]
mariei A. Hoffmann, 1933: 152 (*Phytonomus*)
parca Gyllenhal, 1834b: 390 (*Phytonomus*)
phaeopa Stephens, 1831e: 100
picipes Stephens, 1831e: 97
pontica Capiomont, 1868c: 208 (*Phytonomus*)
sericea Capiomont, 1868c: 207 (*Phytonomus*)
sicula Capiomont, 1868c: 207 (*Phytonomus*)
sublineata Stephens, 1831e: 96
tibialis Hochhuth, 1851: 44 (*Phytonomus*)
variabilis Herbst, 1795: 263 (*Curculio*) [HN]
villosula Stephens, 1831e: 97

sagittaria Zaslavskij, 1966: 110 (*Phytonomus*) A: CH ES FE

scolymi Capiomont, 1868c: 234 (*Phytonomus*) E: IT (Sicilia) SP N: AG

signata Boheman, 1834b: 378 (*Phytonomus*) E: IT N: MO TU

stricta Desbrochers des Loges, 1904a: 60 (*Phytonomus*) E: "Caucasus"

taygetana Pic, 1907a: 106 (*Phytonomus*) E: GR

temperei A. Hoffmann, 1958: 1747 E: FR

transsilvanica Petri, 1901: 183 (*Phytonomus*) E: AU CT HU MD RO SK ST UK A: ES WS

tibetana Zaslavskij, 1966: 109 (*Phytonomus*) A: XIZ
triangularis Petri, 1901: 159 (*Phytonomus*) E: IT (Sicilia)
venusta Fabricius, 1781: 170 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT KZ LA LT LU MA MC ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK
N: AG LB MO TU A: AB AR CY GG IS SY TR
plagiata L. Redtenbacher, 1847: 437 (*Phytonomus*)
repanda Olivier, 1807: 139 (*Rhynchaenus*)
roussini A. Hoffmann, 1960b: 167
trilineata Marsham, 1802: 268 (*Curculio*) [HN]
viciae Gyllenhal, 1813: 101 (*Rhynchaenus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT LU MA MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK
N: EG A: AB AR ES FE GG IN JA KZ MG SA TR WS
laticollis Hochhuth, 1847: 493 (*Phytonomus*)
puncticauda Motschulsky, 1860b: 164 (*Phytonomus*)
subgenus *Kippenbergia* Alonso-Zarazaga, 2005: 92 type species *Curculio arator* Linnaeus, 1758
arator Linnaeus, 1758: 379 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK
N: MO TU A: AB AR FE GG KZ SY TR WS NAR
canescens Stephens, 1831d: 94
cinerea Olivier, 1791: 496 (*Curculio*) [RN, HN]
fasciata DeGeer, 1775: 234 (*Curculio*) [HN]
picicornis Stephens, 1831e: 95
polygoni Linnaeus, 1760: 177 (*Curculio*) [URN]
schusteri Petri, 1901: 166 (*Phytonomus*)
striata Herbst, 1784: 73[72] (*Curculio*) [HN]
wolffi Krausse, 1916: 109 (*Phytonomus*)
carinicolis bulgarica Kippenberg, 1986: 32 E: BU (Stara Planina)
carinicolis carinicolis Stierlin, 1888a: 17 (*Phytonomus*) E: RO
obscura Petri, 1901: 174 (*Phytonomus*)
carinicolis septentrionalis Kippenberg, 1986: 30 E: CZ PL UK
misella Faust, 1882a: 269 (*Phytonomus*) A: FE WS
bodoi Reitter, 1915b: 71 (*Phytonomus*)
gestroi Petri, 1901: 169 (*Phytonomus*)
pandellei dentata Petri, 1901: 167 (*Phytonomus*) E: RO SB UK
pandellei folwacznyi Dieckmann, 1975a: 15 E: GE (Rhön Gebirge)
pandellei intermedia Kippenberg, 1983: 147 E: SK
pandellei pandellei Capiomont, 1868c: 189 (*Phytonomus*) E: FR (Pyrénées) SP (Pirineos)
pustulata J. Frivaldszky, 1884b: 283 (*Phytonomus*) E: RO
frivaldszkyi Petri, 1901: 170 (*Phytonomus*)
petrii Csiki, 1915: 396 (*Phytonomus*)
subgenus *Tigrinellus* Capiomont, 1868c: 175 type species *Curculio pastinacae* Rossi, 1790
pastinacae Rossi, 1790: 116 (*Curculio*) E: BE FR GB GE GR HU IT NL MD PT SP N: AG LB EG
MO TU A: CY IN IQ IS JO LE SY TR
albicans Capiomont, 1868c: 183 (*Phytonomus*)
ambigena Chevrolat, 1861d: 268 (*Phytonomus*)
lubeculus Boheman, 1834b: 395 (*Phytonomus*)
olivieri Capiomont, 1868c: 181 (*Phytonomus*)
picta L. Redtenbacher, 1843: 988 (*Phytonomus*) [HN]
sejugata Boheman, 1842a: 376 (*Phytonomus*)
setosa Boheman, 1834b: 379 (*Phytonomus*)
tigrina Boheman, 1834b: 377 (*Phytonomus*)
zarudniana Suvorov, 1915b: 340 (*Phytonomus*)

genus *Hypera*, species incertae sedis
deserta Panzer, 1796: 8 (*Curculio*) E: GE

genus *Limobius* Schoenherr, 1843: 460 type species *Curculio dissimilis* Herbst, 1795 (= *Curculio borealis* Paykull, 1792)
Limonobius Gemminger, 1871c: 2388 [UE]
borealis arvernus Tempère, 1972b: 160 E: FR
borealis borealis Paykull, 1792: 57 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK
N: AG EG LB MO TU A: AB AR CY ES GG IN IS SY TR WS
dissimilis Herbst, 1795: 290 (*Curculio*)
fulvipes Stephens, 1831e: 98 (*Hypera*)

fumipes Curtis, 1840: 280 (*Hypera*)
globicollis Reiche & Saulcy, 1858a: 680
hampei Capiomont, 1868c: 250 (*Phytonomus*)
irregularis Boheman, 1842a: 384 (*Phytonomus*)
sus Herbst, 1795: 278 (*Curculio*)

dureti Tempère, 1957: 86 E: FR

mixtus Boheman, 1834b: 380 (*Phytonomus*) E: BE FR GB MA NL PT SP N: LB MO

winkelmanni Skuhrovec & Alonso-Zarazaga, 2017: 74 E: SP

genus *Macrotarrhus* Bedel, 1906b: 93 [RN] type species *Macrotarsus bartelsii* Boheman, 1842

subgenus *Alexiola* Suvorov, 1912b: 469 type species *Alexiola kaldzhirica* Suvorov, 1912

argenteomontanus Korotyaev, 1995a: 82 A: ES MG

cuprifer Petri, 1901: 21 (*Macrotarsus*) A: IN KZ XIN

hamianus hamianus Suvorov, 1912b: 474 (*Macrotarsus*) A: XIN

hamianus rectirostris Zaslavskij, 1958: 736 (*Alexiola*) A: XIN (Nan Shan)

kaldzhiricus Suvorov, 1912b: 469 (*Alexiola*) A: KZ

kiritschenkoi Zaslavskij, 1958: 736 (*Alexiola*) A: MG

latirostris Faust, 1883c: 106 (*Macrotarsus*) A: KZ

mongolicus Faust, 1890a: 72 (*Macrotarsus*) A: KZ MG NMO

squamipes Zaslavskij, 1958: 738 (*Alexiola*) A: MG

sugatensis Zaslavskij, 1964: 175 A: KZ

svetlanae Korotyaev, 1995a: 80 A: MG

validirostris Faust, 1890a: 72 A: ES MG NMO

zaisanicus Zaslavskij, 1958: 735 (*Alexiola*) A: KZ

subgenus *Ectomochila* Zaslavskij, 1958: 727 type species *Alexiola improcera* Zaslavskij, 1958

improcerus Zaslavskij, 1958: 728 (*Alexiola*) A: KZ

kabakovi Legalov, 2011a: 40 (*Ectomochila*) A: AF

subgenus *Macrotarrhus* Bedel, 1906b: 93 [RN] type species *Macrotarsus bartelsii* Boheman, 1842

Macrotarsus Schoenherr, 1842a: 337 [HN] type species *Macrotarsus bartelsii* Boheman, 1842

Zaisania Suvorov, 1912b: 468 type species *Zaisania arachnoidea* Suvorov, 1912

arachnoideus Suvorov, 1912b: 468 (*Zaisania*) A: KZ

bajtenovii Zaslavskij, 1980: 128 A: KZ

bartelsii Boheman, 1842a: 339 (*Macrotarsus*) E: ST A: KZ UZ

hirtipes Zaslavskij, 1958: 733 (*Alexiola*)

chantavicus Bajtenov, 1975c: 409 A: KZ

compositus Zaslavskij, 1978: 64 A: KI

conspersus Petri, 1901: 22 (*Macrotarsus*) A: KZ

fausti Reitter, 1896b: 43 (*Macrotarsus*) A: UZ

polylineatus Bajtenov, 1981c: 84 A: KZ

romadinae Zaslavskij, 1958: 732 (*Alexiola*) A: TM

uncipes Zaslavskij, 1958: 733 (*Alexiola*) A: KI

uzbecus Zaslavskij, 1958: 734 (*Alexiola*) A: UZ

subgenus *Proteromera* Zaslavskij, 1958: 727 type species *Alexiola aranea* Suvorov, 1912

alexandri Korotyaev, 1984b: 344 A: MG

aranea Suvorov, 1912b: 471 (*Alexiola*) A: KZ

baitenovii Zaslavskij, 1978: 66 A: KZ

baskariensis Faust, 1885b: 161 (*Macrotarsus*) A: KZ

brevirostris Faust, 1883c: 104 (*Macrotarsus*) A: "Turkestan"

medvedevi Zaslavskij, 1964: 172 A: KZ

virgulatus Zaslavskij, 1978: 66 A: KZ

genus *Macrotarrhus*, species incertae sedis

subdepressus Hochhuth, 1851: 42 (*Phytonomus*) [DA] A: AR TR

genus *Metadonus* Capiomont, 1868b: 133 type species *Phytonomus vuillefroyanus* Capiomont, 1868

anceps Boheman, 1842a: 348 (*Phytonomus*) E: CT MD RO ST UK A: AB ES KZ MG SY TR UZ

WS

depressicollis Faust, 1890a: 74 (*Phytonomus*)

bardeensis Ugarte San Vicente & Salgueira Cerezo, 2019: 5 E: SP

campestris Petri, 1901: 148 (*Phytonomus*) A: AF KZ TD UZ

carinaerostris Petri, 1901: 138 (*Phytonomus*) E: ST
consimilis Faust, 1883c: 101 (*Hypera*) A: KI KZ MG WS
curtus Boheman, 1842a: 365 (*Phytonomus*) E: ST UK A: ES KZ TM WS
brevicollis Capiomont, 1868b: 147 (*Phytonomus*)
turcomanus Petri, 1901: 143 (*Phytonomus*)
distinguendus Boheman, 1842a: 375 (*Phytonomus*) E: BU CT HU MD RO ST TR UK A: CH ES FE
GG KZ MG TR UZ WS
distinctus Faust, 1890a: 74 (*Phytonomus*)
imparilis Faust, 1890a: 75 (*Phytonomus*)
ottomanus Desbrochers des Loges, 1875a: 15 (*Macrotarsus*)
fernandoi Ugarte San Vicente, 2016: 3 E: SP
incitus Boheman, 1842a: 363 (*Phytonomus*) A: ES MG NMO WS
heydeni Capiomont, 1868b: 141 (*Phytonomus*)
tenuicornis Petri, 1901: 137 (*Phytonomus*) E: ST A: IN
validus Petri, 1901: 139 (*Phytonomus*) E: ST TR A: AR IN KZ TM TR
vuillefroyanus Capiomont, 1868b: 135 (*Phytonomus*) E: SP N: AG MO TU

genus *Oreochorus* Zaslavskij & Korotyaev, 1998: 849 type species *Eremochorus montanus* Zaslavskij, 1963

alexii Korotyaev, 1998c: 852 A: KZ
dervizi Korotyaev, 1998c: 850 A: ES MG
montanus Zaslavskij, 1963: 48 (*Eremochorus*) A: KI
piliventris Zaslavskij, 1962: 266 (*Eremochorus*) A: KZ

genus *Orthodonus* Zaslavskij, 1965: 179 type species *Orthodonus pilosus* Zaslavskij, 1965
pilosus Zaslavskij, 1965: 180 A: KI

genus *Pachypera* Capiomont, 1868a: 492 type species *Hypera arvernica* Capiomont, 1868

arvernica Capiomont, 1868a: 499 (*Hypera*) E: FR
pyrenaea Capiomont, 1868a: 502 (*Hypera*)
deportata Boheman, 1842a: 354 (*Phytonomus*) E: ST A: ES WS
punctellus Boheman, 1842a: 357 (*Phytonomus*)
sushkini Zaslavskij, 1979: 89 (*Hypera*)
kraatzi Capiomont, 1868a: 495 (*Hypera*) E: AU HU
spissa Boheman, 1842a: 355 (*Phytonomus*) E: ST UK

genus *Parahypera* Brancsik, 1914: 59 type species *Parahypera ussurica* Brancsik, 1914
ussurica Brancsik, 1914: 59 A: ES FE

genus *Phaeopholus* Roelofs, 1873: 180 type species *Phaeopholus ornatus* Roelofs, 1873

fuscocupreus Voss, 1958b: 38 A: FUJ
major Roelofs, 1879b: liii A: JA SC
ornatus Roelofs, 1873: 181 A: FUJ JA SC
proximus Voss, 1958b: 37 A: FUJ

subfamily Hyperinae, species incertae sedis

Curculio iberis Herbst, 1795: 168 E: GE
Hypera okeni Gistel, 1835: 150 E: SL
Hypera orobia Gistel, 1857: 526 E: AU
Hypera signata Grimmer, 1841: 43 E: AU

7.10. Subfamily **Lixinae** Schoenherr, 1823

7.10.1. Tribe Cleonini Schoenherr, 1826

genus *Adosomus* Faust, 1904: 188 type species *Curculio roridus* Pallas, 1781

subgenus *Adosomus* Faust, 1904: 188 type species *Curculio roridus* Pallas, 1781

karelini Fåhraeus, 1842: 38 (*Cleonus*) A: ES IN KI KZ WS XIN
sabulosus Motschulsky, 1845a: 102 (*Curculio*)
roridus Pallas, 1781: 28 (*Curculio*) E: AU CZ GE HU IT MD RO SB SK SL ST SV SZ UK A: AR
KZ

fabricii Gemminger, 1871b: 122 (*Cleonus*) [URN]
subgenus *Pseudoadosomus* Arzanov, 2005b: 144 type species *Cleonis granulosa* Mannerheim, 1825
granulosus Mannerheim, 1825: 35 (*Cleonis*) A: BEI ES FE HEI JA MG SC SHN SHX
mongolicus Faldermann, 1835: 423 (*Cleonus*)
koreanus Voss, 1937c: 260 A: HEI NC SC
melogrammus Motschulsky, 1854b: 64 (*Cleonus*) A: FE HEI JA SHA SHG QIN
parallelocollis Heller, 1923a: 76 A: ANH BEI HEB HEI JIL LIA NIN NMO SHN
subgenus *Xeradosomus* Arzanov, 2005b: 138 type species *Cleonus samsonowii* Gebler, 1844
albisquama Ter-Minasian, 1976b: 256 A: MG
grigorievi Suvorov, 1915b: 339 A: ES GAN MG NMO SCH SHA
grassator Csiki, 1934a: 62 (*Cleonus*) [URN]
samsonowii Gebler, 1844: 103 (*Cleonus*) A: IN KI KZ MG NIN NMO SCH TM WS XIN
samsonovii Boheman, 1845: 425 (*Cleonus*)

genus *Afghanocleonus* Ter-Minasian, 1976c: 646 type species *Afghanocleonus kabakovi* Ter-Minasian, 1976 (= *Aplesilus haarloevi* Voss, 1955)
haarloevi Voss, 1955b: 301 (*Aplesilus*) A: AF
kabakovi Ter-Minasian, 1976c: 646

genus *Ammocleonus* Bedel, 1907: 42 [RN] type species *Lixus hieroglyphicus* Olivier, 1807
Dicranotropis Faust, 1904: 186 [HN] type species *Lixus hieroglyphicus* Olivier, 1807
aschabadensis Faust, 1884c: 459 (*Isomerus*) A: AE AF BA IN IQ KU KZ OM PA SA TM ORR
brahminus Faust, 1884c: 460 (*Isomerus*)
ganglbaueri Faust, 1904: 203 (*Dicranotropis*) A: AF IN
hieroglyphicus Olivier, 1807: 258 (*Lixus*) E: GR (Kriti) N: AG EG LB MO TU A: AE AF BA IN IQ
IS JO KU OM PA PS QA SA SI SY YE AFR ORR
molitor Gyllenhal, 1834a: 174 (*Cleonus*)
raphilineus Sieber, 1820: 61 (*Cleonus*) [NA]
senegalensis Gyllenhal, 1834a: 181 (*Cleonus*)
quadrinaculatus Motschulsky, 1860e: 541 (*Isomerus*) A: IN KZ TM UZ
ramakrishnai G.A.K. Marshall, 1943: 111 A: AF IN IQ PA

genus *Aplesilus* Reitter, 1913a: 41 type species *Aplesilus ruginodis* Reitter, 1913
ruginodis Reitter, 1913a: 41 A: AF IN

genus *Asinocleonus* Faust, 1904: 224 type species *Pachycerus taciturnus* Faust, 1885
atrox Faust, 1885b: 167 (*Pachycerus*) A: KI KZ UZ
taciturnus Faust, 1885b: 166 (*Pachycerus*) A: KI KZ TD TM UZ

genus *Asproparthenis* Gozis, 1886a: 30 type species *Lixus punctiventris* Germar, 1823
albicans Gyllenhal, 1834a: 239 (*Bothynoderes*) E: AL AU BU CR GR HU IT MC RO TR N: AG LB
flavicans Fähræus, 1842: 90 (*Cleonus*)
mus Chevrolat, 1873a: 20 (*Bothynoderes*)
atrirostris Gebler, 1832: 60 (*Cleonus*) [DA] A: ES
bohemani Faust, 1891e: 395 (*Bothynoderes*) E: UK A: AF IN KZ UZ XIN
carinata Zoubkoff, 1829: 166 (*Cleonis*) E: MC ST UK A: AR ES IN IQ JO KI KZ SY TM TR UZ
WS
carinulata Schoenherr, 1834a: 225 (*Cleonus*) [URN]
fissirostris Chevrolat, 1873a: 14 (*Bothynoderes*)
halophila Gebler, 1829: 159 (*Cleonus*)
halophila Schoenherr, 1832: 218 (*Bothynoderes*)
halophila Gebler, 1834a: 234 (*Bothynoderes*) [HN]
ornata Krynicki, 1832: 166 (*Cleonis*)
carinicollis Gyllenhal, 1834a: 241 (*Bothynoderes*) E: RO ST UK A: AB AF AR IN KZ SY TR WS
angulicollis Chevrolat, 1873a: 20 (*Bothynoderes*)
cognata Fähræus, 1842: 91 (*Cleonus*)
crotchi Chevrolat, 1873a: 11 (*Bothynoderes*) E: FR IT SP
geni Chevrolat, 1873a: 18 (*Bothynoderes*)
hispana Chevrolat, 1873a: 12 (*Bothynoderes*)
meridionalis Chevrolat, 1873a: 13 (*Bothynoderes*)
napoleonis Reitter, 1905a: 201 (*Bothynoderes*)
peregrina Chevrolat, 1873a: 19 (*Bothynoderes*)
dissensa Reitter, 1905a: 205 (*Bothynoderes*) A: GAN MG

emgei Stierlin, 1891b: 272 (*Bothynoderes*) E: GR TR
foveocollis Gebler, 1834a: 234 (*Bothynoderes*) E: CT ST UK A: ES GAN IN KI KZ MG NMO PA
 QIN UZ WS XIN
communis Motschulsky, 1860e: 542 (*Bothynoderes*)
fatua Gyllenhal, 1834a: 243 (*Bothynoderes*)
musculus Fåhraeus, 1842: 96 (*Cleonus*)
podolica Chevrolat, 1873a: 23 (*Plagiographus*)
guyoti Hartmann, 1909: 122 (*Bothynoderes*) N: EG A: SI
kahirina Faust, 1904: 212 (*Bothynoderes*) N: EG A: SI SY
leucophaea Ménériés, 1849: 254 (*Cleonus*) A: KZ TM UZ WS XIN
libitinarina Faust, 1886e: 148 (*Bothynoderes*) A: AF GAN MG NMO QIN SHX XIN XIZ
lusca Chevrolat, 1869: 77 (*Bothynoderes*) E: FR IT SP
maculicollis Chevrolat, 1873a: 15 (*Bothynoderes*) E: IT MA A: CY
andreae Colonnelli, 1991: 90 (*Bothynoderes*)
obsoletefasciata Ménériés, 1849: 256 (*Cleonus*) A: AF IN IQ KI KZ TD TM UZ WS XIN
partita Faust, 1885b: 164 (*Bothynoderes*)
punctiventris Germar, 1823: 397 (*Lixus*) E: AU BU CR CZ FR GE GR HU IT MC MD ME PL RO
 SB SK SL SP ST SZ UK N: LB MO TU A: AB AF AR BEI ES GAN GG HEB HEI HEN IN
 IQ IS JIL LIA KI KZ MG NIN NMO PA QIN SHA SHN SHX ST SY TD TM TR UZ WS
 XIN
austriaca Reitter, 1905a: 200 (*Bothynoderes*)
betavora Chevrolat, 1873a: 9 (*Bothynoderes*)
carinifer Fåhraeus, 1842: 92 (*Cleonus*)
duplicarina Chevrolat, 1876: cxlvii (*Bothynoderes*)
farinosa Fåhraeus, 1842: 93 (*Cleonus*)
lineiventris Chevrolat, 1876: cxlvi (*Bothynoderes*)
lymphata Fåhraeus, 1842: 88 (*Cleonus*)
menetriési Chevrolat, 1873a: 9 (*Bothynoderes*)
nigrocincta Chevrolat, 1873a: 8 (*Bothynoderes*)
nubeculosa Boheman, 1829: 131 (*Cleonus*)
obliquivittis Chevrolat, 1884a: lxxviii (*Stephanocleonus*)
sareptensis Chevrolat, 1873a: 8 (*Bothynoderes*)
stigma Reitter, 1905a: 205 (*Bothynoderes*)
tenebrosa Boheman, 1829: 132 (*Cleonus*)
uniformis Chevrolat, 1873a: 12 (*Bothynoderes*)
remaudierei A. Hoffmann, 1962e: 654 (*Bothynoderes*) A: AF
rufotibialis Zumpt, 1938a: 13 (*Bothynoderes*) A: IQ
salebroscollis Boheman, 1842a: 90 (*Cleonus*) A: ES FE GAN KI KZ MG QIN TD WS XIN
sculpticollis Zumpt, 1938a: 14 (*Bothynoderes*) A: IN IQ KU SA SI SY N: EG
iranensis Ter-Minasian, 1988a: 216 (*Bothynoderes*)
secura Faust, 1890f: 462 (*Bothynoderes*) A: BEI ES FE GAN HEB HEI JIA JIL NIN NMO QIN
 SHX XIN
sparsa Zoubkoff, 1833: 334 (*Cleonis*) [DA] A: TM
pagana Fåhraeus, 1842: 117 (*Cleonus*) [URN]
steveni Faust, 1891e: 394 (*Bothynoderes*) A: AB AR IN KZ TM TR
vexata Gyllenhal, 1834a: 240 (*Bothynoderes*) E: BU GR ST UK A: AF AR BA ES GAN IN KI KZ
 MG SC TD TIA TM UZ WS XIN
ambigua Fåhraeus, 1842: 95 (*Cleonus*)
amicus Faust, 1891e: 393 (*Bothynoderes*)
impudens Reitter, 1905a: 202 (*Bothynoderes*)
pusio Reitter, 1905a: 203 (*Bothynoderes*)
soluta Reitter, 1905a: 203 (*Bothynoderes*) [NA]

genus *Atactogaster* Faust, 1904: 185 type species *Neocleonus orientalis* Chevrolat, 1873

Nemoxenus Faust, 1904: 188 type species *Neocleonus zebra* Chevrolat, 1873
chinensis Zumpt, 1937b: 24 (*Mecaspis*) A: SCH
inducens Walker, 1859a: 263 (*Cleonus*) A: ES FUJ GUA GUX HAI HEI HKG HUB HUN JA JIA
 JIX NMO NP SCH XIZ YUN ZHE **ORR**
bimaculata Chevrolat, 1873a: 72 (*Neocleonus*)
bisignata Roelofs, 1783: 181 (*Cleonus*)
vagesignata Fairmaire, 1888a: 31 (*Cleonus*)
orientalis Chevrolat, 1873a: 72 (*Neocleonus*) A: FUJ GUA GUX HAI HUN JA PA XIZ YUN **ORR**
fracta Faust, 1898c: 275 (*Leucosomus*)
inflata Faust, 1898c: 274 (*Leucosomus*)
paraleucosomus Desbrochers des Loges, 1891g: ccclvii (*Cleonus*) A: PA **ORR**
dejeani Faust, 1894f: 614 (*Leucosomus*)

zebra Chevrolat, 1873a: 73 (*Neocleonus*) A: BT GUA NP PA YUN **ORR**

genus *Bodemeyeria* Reitter, 1913a: 34 type species *Bodemeyeria plicata* Reitter, 1913
plicata Reitter, 1913a: 34 A: IN

genus *Bothynoderes* Schoenherr, 1823: 1142 type species *Curculio albidus* Fabricius, 1787 (= *Curculio affinis* Schrank, 1781)

Chromoderus Motschulsky, 1860e: 540 type species *Curculio albidus* Fabricius, 1787 (= *Curculio affinis* Schrank, 1781)
affinis Schrank, 1781: 121 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IT LA LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: AR IN KI KZ MG TD TM TR UZ WS XIN

albiceus: Schaitter, 1870: 35 [NA, ISS]
albidus Fabricius, 1787a: 114 (*Curculio*) [RN]
berolinensis Gmelin, 1790: 1799 (*Curculio*) [RN]
bonsdorffii Gmelin, 1790: 1795 (*Curculio*) [URN]
bonsdorffii Olivier, 1791: 535 (*Curculio*) [URN, HN]
candidus Herbst, 1784: 83 (*Curculio*) [HN]
fasciatus O. F. Müller, 1776: 86 (*Curculio*) [HN]
niveus Bonsdorff, 1785: 21 (*Curculio*)
roseus Contarini, 1847: 189 (*Lixus*)

declivis Olivier, 1807: 272 (*Lixus*) E: AU BU BY CZ GE HU RO SB SK ST UK A: AF AR BEI ES FE GAN HEB HEI HUN JA JIL KI KZ LIA MG NC NIN NMO QIN SC SHA SHN SHX TIA TD TM UZ WS XIN

declivis Germar, 1819: 136 (*Curculio*) [HN]
hamatus Gebler, 1829: 160 (*Cleonus*)
picipes Fähræus, 1842: 112 (*Cleonus*)
scalaris Fischer von Waldheim, 1835: 163 (*Cleonus*)

genus *Brachycleonus* Faust, 1904: 190 type species *Cleonus fronto* Fischer von Waldheim, 1835

fronto Fischer von Waldheim, 1835: 162 (*Cleonus*) A: IN KZ TM UZ
pudicus Ménétériés, 1849: 253 (*Cleonus*)

genus *Chromonotus* Motschulsky, 1860e: 540 type species *Cleonis vittata* Zoubkoff, 1829

subgenus *Chevrolatius* Arzanov, 2006a: 13 type species *Cleonis bipunctata* Zoubkoff, 1829
bipunctatus Zoubkoff, 1829: 164 (*Cleonis*) E: ST A: BEI ES GAN HEB HEI JIL KI KZ LIA MG NMO QIN SHX UZ WS XIN

delumbis Faust, 1883b: 100
humeralis Zoubkoff, 1829: 165 (*Cleonis*)
pygmaeus Gebler, 1848: 342 (*Cleonus*)
schoenherri Motschulsky, 1860e: 543 (*Bothynoderes*)

hirsutulus Faust, 1883b: 97 (*Chromonotus*) E: ST A: AR IN KZ TD TM TR UZ WS

eversmanni Faust, 1883b: 98
vehemens Faust, 1883b: 98

margelanicus Faust, 1883b: 97 A: GAN KI UZ XIN

pilosellus Fähræus, 1842: 97 (*Cleonus*) E: ST A: KZ MG NMO UZ WS XIN
proximus Faust, 1883b: 97

striolatus Gebler, 1829: 163 (*Cleonus*) A: KZ

subgenus *Chromonotus* Motschulsky, 1860e: 540 type species *Cleonis vittata* Zoubkoff, 1829

beicki Günther, 1937c: 134 A: KI KZ XIN

zaisanensis Legalov, 1999d: 375

pictus Pallas, 1771: 463 (*Curculio*) E: ST A: KZ MG TM XIN

vittatus Zoubkoff, 1829: 163 (*Cleonis*) E: ST UK A: AR ES IN KI KZ MG TM TR UZ WS XIN

costipennis Fähræus, 1842: 99 (*Cleonus*)
funestus Faust, 1904: 219
hemigrammus Chevrolat, 1876: cxlix (*Mecaspis*)
interruptus Zoubkoff, 1829: 162 (*Cleonis*)
leucographus Fähræus, 1842: 100 (*Cleonus*)
songaricus Chevrolat, 1873a: 103 [NA]
suturalis Gebler, 1829: 164 (*Cleonus*)
variegatus Motschulsky, 1860e: 542
virginalis Faust, 1883b: 95
zoubkoffi Faust, 1883b: 95

subgenus *Faustius* Arzanov, 2006a: 12 type species *Cleonus albolineatus* Ménétériés, 1849

albolineatus Ménétériés, 1849: 252 (*Cleonus*) A: IN KZ TM UZ
menetriési Faust, 1884c: 458 A: AF IN KI KZ PA TD TM UZ

karakumicus Bajtenov, 1981h: 246 (*Bothynoderes*)
karakumikus Bajtenov, 1981h: 246 (*Bothynoderes*) [NA]
richteri Voss, 1959d: 7 (*Bothynoderes*)
sellatus Faust, 1894a: 63
turcomanicus Csiki, 1934a: 12 (*Cleonus*) [URN]
staudingeri Faust, 1894a: 63 A: TD TM UZ

genus *Chromosomus* Motschulsky, 1860e: 540 type species *Cleonus fischeri* Fåhraeus, 1842
granulatus Fischer von Waldheim, 1821: 14 (*Brachyrhinus*) A: AF IN IQ KZ PA TD TM UZ XIN
fischeri Fåhraeus, 1842: 74 (*Cleonus*)
rugifer Motschulsky, 1845a: 103 (*Cleonus*)
persicus Fremuth, 1987: 341 A: IN TM
schach Faust, 1904: 208 A: AF IN

genus *Cleonis* Dejean, 1821: 96 type species *Curculio sulcirostris* Linnaeus, 1767 (= *Curculio piger* Scopoli, 1763)
Cleonus Schoenherr, 1826: 145 [URN]
Geomorus Schoenherr, 1823: 1141 type species *Curculio sulcirostris* Linnaeus, 1767
Xerobia Gistel, 1856a: 373 type species *Curculio sulcirostris* Linnaeus, 1767
freyi Zumpt, 1936a: 15 (*Cleonus*) A: BEI GAN GUA HEB HEI JIL NIN NMO SHA SHX TIA
japonica japonica Faust, 1904: 237 (*Cleonus*) A: BEI ES FE JA (Honshu) NC NP SC SCH YUN
japonica hasujizo Kôno, 1929c: 52 (*Cleonus*) A: FE (Kuril) JA (Hokkaido)
neglecta Ter-Minasian & Egorov, 1981a: 122 (*Cleonus*) A: FE
pigra Scopoli, 1763: 23 (*Curculio*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LS LT LU MA MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG LB MO TU A: AB AF AR BEI ES FE GAN GG HEB HEI HEN IN IQ KI KZ LIA MG NMO PA QIN SC SCH SHA SHX SY TD TIA TM TR UZ WS XIN NARi ORR
caucasica Chevrolat, 1873a: 10 (*Bothynoderes*)
centaureae Allioni, 1766: 187 (*Curculio*)
impexa Motschulsky, 1860e: 540 (*Cleonus*)
indica Fåhraeus, 1842: 55 (*Cleonus*)
iranensis Voss, 1971a: 3 (*Cleonus*)
nebulosa Geoffroy, 1785: 116 (*Curculio*) [HN]
scutellata Boheman, 1829: 130 (*Cleonus*)
sulcirostris Linnaeus, 1767: 617 (*Curculio*)
sardoa Chevrolat, 1869: 75 (*Cleonus*) E: IT (Sardegna)
raymondi Perris, 1869: 22 (*Cleonus*)

genus *Coniocleonus* Motschulsky, 1860e: 540 type species *Cleonus carinirostris* Gyllenhal, 1834 (= *Cleonus schoenherri* Gebler, 1829)

subgenus *Angarocleonus* Arzanov, 2006e: 115 type species *Cleonus cineritius* Gyllenhal, 1834
astragali Ter-Minasian & Korotyaev, 1977: 825 A: ES FE WS
cinerascens Hochhuth, 1851: 32 (*Cleonus*) A: ES FE MG WS
cineritius Gyllenhal, 1834a: 177 (*Cleonus*) A: ES FE IN MG NC
elisabethae Ter-Minasian & Korotyaev, 1977: 831 A: ES FE MG
ferrugineus Fåhraeus, 1842: 24 (*Cleonus*) A: ES FE GAN KZ MG WS
hexastichus Boheman, 1842a: 25 (*Cleonus*)
zherichini Ter-Minasian & Korotyaev, 1977: 829 A: ES FE WS NAR
stenothorax R.S. Anderson, 1988: 465 (*Stephanocleonus*)

subgenus *Augustecleonus* Arzanov, 2006e: 115 type species *Curculio nebulosus* Linnaeus, 1758
hollbergii Fåhraeus, 1842: 10 (*Cleonus*) E: AU BY CT CZ FR GE HU IT LA LT PL ST SV UK A: KZ WS

nebulosus Linnaeus, 1758: 385 (*Curculio*) E: BE BU BY CT CZ DE FI FR GB GE IT LA LT LU NL NT PL PT SK SL SP ST SV A: AR
carinatus DeGeer, 1775: 241 (*Curculio*) [HN]
ericeti Dufour, 1843: 80 (*Cleonis*)
guttulatus Gyllenhal, 1834a: 178 (*Cleonus*)
incanescens Panzer, 1795b: 322 (*Curculio*)
iners Scopoli, 1763: 24 (*Curculio*)
lethierryi Chevrolat, 1873a: 101 (*Plagiographus*)
turbatus Fåhraeus, 1842: 9 (*Cleonus*) E: AU BE BU CZ DE FI FR GB GE HU IT LA LU NL NR NT PL RO SK SL SP SV SZ UK
glaucus Fabricius, 1787a: 114 (*Curculio*) [HN]
hubenthalii Krausse, 1928: 24
nubilus Desbrochers des Loges, 1905h: 34 (*Cleonus*) [HN]
obesulus Desbrochers des Loges, 1893d: 6 (*Cleonus*)

quadriguttulus Desbrochers des Loges, 1891b: 29 (*Cleonus*)
sulcatus Goeze, 1777: 381 (*Curculio*) [HN]
sulcatus Geoffroy, 1785: 117 (*Curculio*) [HN]
sulcatus Gmelin, 1790: 1758 (*Curculio*) [HN]

subgenus *Borisocleonus* Arzanov, 2006c: 64 type species *Lixus mesopotamicus* Olivier, 1807
mesopotamicus Olivier, 1807: 264 (*Lixus*) A: AB AF AR CY IN IQ KZ PA SY TR
lederi Faust, 1891a: 398 (*Neocleonus*)

vittiger Fåhraeus, 1842: 11 (*Cleonus*) E: GR ST UK N: EG A: CY ES IN IQ IS SY TR
frenatus Reiche & Saulcy, 1854: 17 (*Cleonus*) [NA]

subgenus *Coniocleonus* Motschulsky, 1860e: 540 type species *Cleonus carinirostris* Gyllenhal, 1834 (= *Cleonus schoenherri* Gebler, 1829)
alpinus Gebler, 1833: 294 (*Cleonus*) A: KZ
schoenherri Gebler, 1829: 162 (*Cleonus*) E: ST A: ES FE MG NC WS
carinirostris Gyllenhal, 1834a: 176 (*Cleonus*)
vinokurovi Ter-Minasian & Korotyayev, 1977: 826 A: ES FE

subgenus *Plagiographus* Chevrolat, 1869: 76 type species *Stephanocleonus saintpierreorum* Chevrolat, 1869 (= *Cleonus variolosus* Wollaston, 1864)
amori Marseul, 1868a: 199 (*Stephanocleonus*) E: PT SP
gaditanus Chevrolat, 1869: 76 (*Stephanocleonus*)
cicatricosus Hoppe, 1795: 61 (*Curculio*) E: AL BH CR CZ FR GE GR HU IT LU MC PL RO SB SK SL SP SZ TR N: MO TU A: AR CY GG IN IQ TM TR
arciferus Chevrolat, 1874a: 158 (*Plagiographus*)
callosus Bach, 1854: 230 (*Cleonus*)
ericae Fåhraeus, 1842: 36 (*Cleonus*)
spinus Ponzani, 1805: 63 (*Curculio*) [HN]

crinipes Fåhraeus, 1842: 35 (*Cleonus*) E: SP ST N: AG EG LB MO TU A: AB AR CY GG IN IS JO KZ LE SY TR
signifer Chevrolat, 1876: cxlvii (*Plagiographus*)
uniformis Fuente, 1912a: 363

excoriatus Gyllenhal, 1834a: 194 (*Cleonus*) E: AU AZ BE BU CT CZ FR GE GR HU IT MA MC PT SK SP ST SV SZ UK N: CI EG LB MO TU A: CY IN IQ IS JO PA PS SI SY TR YE
albirostris Chevrolat, 1873a: 23 (*Plagiographus*)
lacunosus Gyllenhal, 1834a: 194 (*Cleonus*)
sulcicollis Fåhraeus, 1842: 34 (*Cleonus*)

fastigiatus Erichson, 1841: 187 (*Cleonus*) N: AG MO
graellsii Chevrolat, 1873a: 25 (*Plagiographus*) E: PT SP
megalographus Fåhraeus, 1842: 33 (*Cleonus*) E: FR GR IT MA SP N: CI MO TU
nigrosuturatus Goeze, 1777: 381 (*Curculio*) E: AL AU BU CR CZ FR GE GR HU IT (Sicilia) MD PT RO SB SK SL SP ST SZ TR UK N: AG EG LB MO TU A: AB AF AR CY GG IN IQ IS JO KI KZ LE PA PS SY TD TM TR UZ WS **ORR**
leucomelanus Fåhraeus, 1842: 32 (*Cleonus*)
obliquus Fabricius, 1792: 460 (*Curculio*)
paraplecticus Geoffroy, 1785: 117 (*Curculio*) [HN]

planidorsis Fairmaire, 1874: 388 (*Cleonus*) E: SP N: AG EG LB MO TU A: CY IS JO SA
pseudobliquus J. Müller, 1921: 75 (*Cleonus*) E: BH BU CR GR IT MA MC RO SB SL TR UK A: IQ TR

riffensis Fairmaire, 1884a: 446 (*Cleonus*) E: PT SP N: AG MO
fasciculosus Reitter, 1890c: 157 (*Plagiographus*)

sejunctus Faust, 1904: 253 (*Stephanocleonus*) E: SP
varquesi: Desbrochers des Loges, 1904f: 106 (*Cleonus*) [NA, IOS]
vasquezi Desbrochers des Loges, 1904f: 106 (*Cleonus*) [corrected p. 200]

tabidus Latreille, 1804: 122 (*Curculio*) E: FR GR IT PT SP N: AG CI MO
montalbicus A. Costa, 1885: 26 (*Cleonus*)
pelletii Fairmaire, 1859e: lii (*Cleonus*)

variolosus Wollaston, 1864: 323 (*Cleonus*) E: IT (Sicilia) SP N: AG CI EG LB MO TU A: IS
bonmairii Fairmaire, 1883b: xlvi (*Cleonus*)
saintpierreorum Chevrolat, 1869: 76 (*Plagiographus*)
scabrithorax Desbrochers des Loges, 1898f: 14 (*Gonocleonus*)

genus *Conorhynchus* Motschulsky, 1860e: 540 type species *Cleonus bartelsii* Fåhraeus, 1842 (= *Cleonus conirostris* Gebler, 1829)
arduus Faust, 1904: 214 A: CH KZ MG
argillaceus Motschulsky, 1860e: 543 (*Cleonus*) A: IN KZ
balassogloi Faust, 1883e: 122 (*Bothynoderes*) A: KZ TD TM UZ

candidulus Faust, 1890c: 113 **A:** AF IN KI KZ TD TM UZ XIN
conirostris Gebler, 1829: 156 (*Cleonus*) **E:** ST **A:** AF AR ES GAN IN IS KI KZ MG NIN NMO PA
 QIN SHA TD TM TR UZ WS XIN “India”
bartelsii Fähræus, 1842: 108 (*Cleonus*)
pulverulentus Zoubkoff, 1829: 167 (*Cleonis*)
subcylindricus Faust, 1886e: 149
dissimulatus Ménériés, 1849: 258 (*Cleonus*) **A:** IN KZ TD TM UZ
cretaceus L. Redtenbacher, 1850: 49 (*Cleonus*)
excavatus Zoubkoff, 1833: 332 (*Cleonis*) **A:** KZ TM UZ XIN
complanatus Zoubkoff, 1833: 332 (*Cleonis*)
parreyssi Fähræus, 1842: 109 (*Curculio*)
fahraei Chevrolat, 1873a: 49 **A:** KZ
fuldermanni Fähræus, 1842: 107 (*Cleonus*) **A:** AR IN KI KZ TD TM TR UZ XIN
gibbistrostris Chevrolat, 1873a: 47
heydeni Desbrochers des Loges, 1875a: 17 (*Cleonus*)
globifrons Faust, 1904: 214 **A:** KZ MG NMO XIN
kindermanni Faust, 1904: 214 **E:** ST TR **A:** AB AR ES IN TR
lacerta Chevrolat, 1873a: 46 **E:** ST **A:** AB AF AR IN KZ PA TM TR UZ WS XIN “India”
luigionii A. Solari & F. Solari, 1905a: 528 **E:** GR IT
nigrivittis Pallas, 1781: 31 (*Curculio*) **E:** BU CT GR ST UK **A:** AR ES IN KZ TM TR WS XIN
 “India”
plumbeicollis Chevrolat, 1873a: 46
palumbus Olivier, 1807: 268 (*Lixus*) **A:** AR IN IQ IS JO PS SY
pistor Chevrolat, 1873a: 47
relictus Meregalli, 2002: 109 **N:** MO **AFR**
schrenkii Gebler, 1844: 104 (*Cleonus*) **A:** ES KI KZ TM UZ
acentatus Faust, 1904: 215

genus *Cosmogaster* Faust, 1904: 185 type species *Cleonus lateralis* Gyllenhal, 1834

subgenus *Arabocleonus* Arzanov, 2009: 253 type species *Arabocleonus medvedevi* Arzanov, 2009 (= *Cleonus dealbatus* Germar, 1834)

dealbata Germar, 1834: 221 (*Cleonus*) **N:** AG EG **A:** AF IN PA SI SA YE **AFR ORR**

denticulata Csiki, 1934a: 45 (*Cleonus*) [URN]

medvedevi Arzanov, 2009: 255 (*Arabocleonus*)

venusta Walker, 1871: 17 (*Cleonus*)

virgo Chevrolat, 1884a: 1xix (*Neocleonus*)

subgenus *Cosmogaster* Faust, 1904: 185 type species *Cleonus lateralis* Gyllenhal, 1834

cordofana Fähræus, 1842: 72 (*Cleonus*) **N:** EG **A:** AE BEI KA PA SA XIZ “India” **AFR**

costulata Chevrolat, 1873a: 69 (*Neocleonus*)

nossibiana Fairmaire, 1896: 468 (*Cleonus*)

pudenda Chevrolat, 1873a: 70 (*Neocleonus*)

thibetana Chevrolat, 1873a: 71 (*Neocleonus*)

lateralis Gyllenhal, 1834a: 198 (*Cleonus*) **N:** EG **A:** PA SA YE “India” **AFR ORR**

impedita Faust, 1904: 230

genus *Cyphocleonus* Motschulsky, 1860e: 540 type species *Curculio cenchrus* Pallas, 1781

Neocyphocleonus Arzanov, 2005b: 148 type species *Curculio dealbatus* Gmelin, 1790

achates Fähræus, 1842: 5 (*Cleonus*) **E:** AU BU CT CZ GR HU IT RO SK ST UK **N:** MR **A:** AR
 IN KZ SY TM TR WS XIN **NARi**

achatesides Chevrolat, 1873a: 90

adumbratus Gebler, 1833: 294 (*Cleonus*) **E:** CT MD ST UK **A:** KI KZ WS

adumbratus Gebler, 1834a: 220 (*Cleonus*) [HN]

occultus Fähræus, 1842: 50 (*Cleonus*)

altaicus Gebler, 1829: 154 (*Cleonus*) **A:** KI KZ UZ WS

armitagei Wollaston, 1864: 321 (*Cleonus*) **N:** CI (Gomera, Tenerife) MR

armitagei Wollaston, 1864: 321 (*Cleonus*) [IOS, NA]

cenchrus Pallas, 1781: 29 (*Curculio*) **E:** CT ST UK **A:** AF AR IN KI KZ TM UZ XIN

dealbatus Gmelin, 1790: 1806 (*Curculio*) **E:** AU BE BU BY CR CT CZ DE FR GE GR HU IT LA
 LT LU MD NL PL RO SB ST SK SP ST SV SZ UK **A:** AB AR ES GG IN IS KI KZ TD TM
 TR UZ WS XIN

marmoratus Fabricius, 1792: 458 (*Curculio*) [HN]

marmoreus Schrank, 1798: 500 (*Curculio*)

tigrinus Panzer, 1789: 21 (*Curculio*) [HN]

immemoratus Ter-Minasian, 1962a: 258 **A:** FE HEI LIA SC

lejeunei exanthematicus Fairmaire, 1883e: 211 (*Cleonus*) N: AG TU
lejeunei lejeunei Fairmaire, 1866a: 65 (*Cleonus*) N: AG MO
lejeunii Fairmaire, 1866a: 65 (*Cleonus*) [NA, IOS]
samaritanus Reiche & Saulcy, 1858a: 671 (*Cleonus*) A: IS MG SY TR
sparsus Gyllenhal, 1834a: 205 (*Cleonus*) E: IT MC A: IN IQ KZ SY TR
interstinctus Gyllenhal, 1834a: 206 (*Cleonus*)
schoenherri Gemminger, 1871b: 122 (*Cleonus*) [HN]
sparsiformis Csiki, 1934a: 58 [URN]
sventeniusi Roudier, 1957a: 45 (*Cleonus*) N: CI (Gran Canaria)
testatus Gyllenhal, 1834a: 209 (*Cleonus*) E: AU BU FR GE GR IT PT SP N: AG EG LB MO TU
A: SI AFR
hedenborgi Fåhraeus, 1842: 6 (*Cleonus*)
ibex Boheman, 1845: 426 (*Cleonus*)
morbillosus Fabricius, 1792: 457 (*Curculio*) [HN]
verrucicollis Billberg, 1820: 45 (*Epimeces*) [NA]
trisulcatus Herbst, 1795: 89 (*Curculio*) E: AU BE BU BY CR CT CZ DE FI FR GE HU IT LA LT
LU MC MD NL NT PL PT RO SB SK SL SP ST SV SZ UK A: KI KZ WS
goutenoiri A. Hoffmann, 1958: 1745 (*Cleonus*)
hybridus Germar, 1819: 135 (*Curculio*)
quinquelineatus Herbst, 1795: 107 (*Curculio*)

genus *Entymetopus* Motschulsky, 1860e: 540 type species *Entymetopus lineolatus* Motschulsky, 1860
subgenus *Entymetopus* Motschulsky, 1860e: 540 type species *Entymetopus lineolatus* Motschulsky, 1860
Eurystemopsis Voss, 1959a: 105 type species *Eurystemus klapperichi* Voss, 1959
bletoni A. Hoffmann, 1938d: 129 (*Cleonus*) N: MO
discretus Voss, 1960d: 238 (*Eurystemus*) A: AF
klapperichi Voss, 1959a: 105 (*Eurystemus*) A: AF IN IQ SY
lineolatus Motschulsky, 1860e: 540 E: ST A: AR IN IS KZ TM TR UZ
perofskyi Faust, 1883e: 124 (*Chromonotus*)
subgenus *HemEURystemus* Voss, 1960d: 238 type species *Eurystemus bakvaensis* Voss, 1960
bakvaensis Voss, 1960d: 238 (*Eurystemus*) A: AF KZ TM UZ
subgenus *Sforzia* Alonso-Zarazaga & Lyal, 1999: 192 [RN] type species *Cleonus limis* Ménétrés, 1849
Eurystemus Faust, 1895e: 359 [HN] type species *Cleonus limis* Ménétrés, 1849
limis Ménétrés, 1849: 259 (*Cleonus*) E: ST A: AB AF AR KI KZ TM UZ XIN
indutus Faust, 1904: 221 (*Eurystemus*)
pilosus Chevrolat, 1873a: 42 (*Temnorhinus*) A: KI
vossi Fremuth, 1987: 338 (*Eurystemus*) A: IN

genus *Epexochus* Reitter, 1913a: 40 type species *Cleonus lehmanni* Ménétrés, 1849
consobrinus Ter-Minasian, 1972c: 543 (*Leucochromus*) A: KZ MG
consobrinus Faust, 1904: 191 (*Leucochromus*) [NA]
consobrinus Faust, 1904: 208 (*Epilectus*) [NA]
mongolicus Meregalli & Talamelli, 2009: 64
korotyaevi Meregalli & Talamelli, 2009: 58 A: TD
lehmanni Ménétrés, 1849: 251 (*Cleonus*) A: KZ WS XIN
latus Chevrolat, 1873a: 3 (*Exochus*)
voriseki Meregalli & Talamelli, 2009: 61 A: TM UZ

genus *Ephimeronotus* Faust, 1904: 187 type species *Cleonus miegii* Fairmaire, 1855
Margaritinus Korotyaev, 2003: 850 type species *Margaritinus ponticus* Korotyaev, 2003
Simocleonus Talamelli, 2001: 219 type species *Simocleonus samai* Talamelli, 2001
miegii Fairmaire, 1855: 108 (*Cleonus*) E: PT SP N: MO
alboguttatus Chevrolat, 1874a: 159 (*Porocleonus*)
korbi Stierlin, 1890b: 242 (*Cleonus*)
piochardi C. N. F. Brisout de Barneville, 1866b: 390 (*Cleonus*)
samai Talamelli, 2001: 220 (*Simocleonus*) A: IS TR
ponticus Korotyaev, 2003: 851 (*Margaritinus*)

genus *Eumecops* Hochhuth, 1851: 46 type species *Eumecops kittaryi* Hochhuth, 1851
fasciculifer Reitter, 1895g: 281 A: ES FE MG
kittaryi Hochhuth, 1851: 47 (*Cleonus*) E: ST UK A: KI KZ
spicatus Chevrolat, 1873a: 52 A: RU

tuberculatus Gebler, 1829: 165 (*Cleonus*) A: KZ WS
tuberculatus Gyllenhal, 1834a: 175 (*Cleonus*) [HN]

genus *Eurycleonus* Bedel, 1907: 43 [RN] type species *Leucochromus gigas* Marseul, 1868
Epilectus Faust, 1904: 183 [RN, HN] type species *Leucochromus gigas* Marseul, 1868
Exochus Chevrolat, 1872a: 16 [HN] type species *Leucochromus gigas* Marseul, 1868
amon Meregalli, 2001: 156 A: SI
gigas Marseul, 1868a: 197 (*Leucochromus*) N: AG LB TU
ellipticus Fairmaire, 1868: 495 (*Cleonus*)
talamellii Meregalli, 2005: 24 N: MO AFR

genus *Georginus* Jakobson, 1913: pl. 80 type species *Georginus bellus* Jakobson, 1913
bellus Jakobson, 1913: pl. 80 A: IN TM
caesimvirgatus Arnol'di, 1956: 689 (*Mecaspis*) A: TD TM UZ
medus Semenov & Lujanovitsh, 1925: 130 A: AF IN
pallasii Fåhraeus, 1842: 30 (*Cleonus*) A: AB AF IN IQ KZ TM XIN

genus *Glebius* Arzanov, 2006a: 15 type species *Cleonus confluens* Fåhraeus, 1842
claudiae Ter-Minasian, 1988a: 185 (*Chromonotus*) A: TM
confluens Fåhraeus, 1842: 82 (*Cleonus*) E: ST A: AB AF AR IN KI KZ PA TD TM TR UZ XIN

genus *Gonocleonus* Marseul, 1866: 101 type species *Cleonus helferi* Chevrolat, 1844
amenokal Peyerimhoff, 1931: 119 (*Cleonus*) N: AG AFR
angulatus Chevrolat, 1873a: 64 N: AG
furcifrons Marseul, 1876b: xc (*Cleonus*)
crisulatus Fairmaire, 1859c: 59 (*Cleonus*) N: AG MO
weisei Reitter, 1874: 11
ferdinandi Escalera, 1914: 449 N: MO
foveatus Faust, 1904: 206 N: AG
helferi Chevrolat, 1844: 144 (*Cleonus*) E: IT (Sicilia)
helferi Fairmaire, 1849a: 475 (*Cleonus*)
heros Chevrolat, 1873a: 66 (*Leucosomus*) N: AG MO TU
multicostatus Chevrolat, 1876: cxlviii
humberti Peyerimhoff, 1925b: 106 N: MO
insculpturatus Escalera, 1914: 450 (*Leucosomus*) N: MO
insignis Desbrochers des Loges, 1875d: cxxxviii (*Leucosomus*) N: AG LB MO TU
kocheri Hustache, 1932b: 50
margaritiferus Lucas, 1844: 267 (*Cleonis*) N: AG MO TU
munieri Bedel, 1875: cii (*Stephanocleonus*) N: AG MO
scalptus Faust, 1904: 206 N: AG MO TU
sculptissimus Escalera, 1925: 336 N: MO

genus *Isomerops* Reitter, 1913a: 40 type species *Isomerus fausti* Petri, 1908
baluchicus G.A.K. Marshall, 1913a: 225 (*Epilectus*) A: PA
fausti Petri, 1908b: 574 (*Isomerus*) A: IN
novus Ter-Minasian, 1988a: 45 A: IN
pfaundleri Zumpt, 1938b: 82 A: IN
subcoriaceus Voss, 1955b: 299 A: AF

genus *Koenigius* Heyden, 1900: 256 type species *Koenigius palaestinus* Heyden, 1900
Cleonogonus F. Solari, 1950b: 53 type species *Cleonogonus bucki* F. Solari, 1950
Vibertia Bedel, 1903b: 285 type species *Cleonus superciliosus* Bedel, 1903
mauritanicus Hustache, 1932b: 49 N: MO
palaestinus Heyden, 1900: 256 N: EG LB MO TU A: IS PS SI
bucki F. Solari, 1950b: 54 (*Cleonogonus*)
superciliosus Bedel, 1903b: 284 (*Cleonus*) [HN]

genus *Leucochromus* Motschulsky, 1860e: 540 type species *Cleonis imperialis* Zoubkoff, 1837
imperialis Zoubkoff, 1837: 71 (*Cleonis*) A: IN KI KZ TM UZ

genus *Leucomigus* Motschulsky, 1860e: 540 type species *Curculio candidatus* Pallas, 1771

candidatus albotessellatus Fairmaire, 1868: 497 (*Cleonus*) N: AG MO
lucasi Chevrolat, 1873a: 53
tessellatus P. H. Lucas, 1855: 292 (*Pachycerus*) [HN]
candidatus candidatus Pallas, 1771: 463 (*Curculio*) E: ST UK N: EG TU A: AB AF AR IN IS JO LE
KI KZ PA SI TD TM TR UZ WS XIN YE "India"
farinosus Olivier, 1807: 257 (*Lixus*)
quagga Herbst, 1797: 10 (*Curculio*) [HN]
tesselatus Fairmaire, 1849a: 474 (*Cleonus*) E: FR IT (Sardegna) SP
abeillei Chevrolat, 1873a: 82 (*Pachycerus*)
tessellatus Fairmaire, 1850a: 424 (*Cleonus*) [HN]

genus *Leucophyes* G.A.K. Marshall, 1946: 95 [RN] type species *Curculio ophthalmicus* Rossi, 1790 (= *Curculio pedestris* Poda, 1761)
Leucosomus Motschulsky, 1860e: 540 [HN] type species *Curculio ophthalmicus* Rossi, 1790 (= *Curculio pedestris* Poda, 1761)
martorellii Fairmaire, 1879: 244 (*Cleonus*) E: SP
motschulskyi Arzanov, 2008: 94 A: "Ind. or."
occidentalis Dieckmann, 1982a: 147 (*Leucosomus*) E: FR GE IT SP SZ NARi
pedestris Poda, 1761: 30 (*Curculio*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT MA MC
MD ME PL PT RO SB SK SL SP ST SV SZ UK N: AG TU A: AR TR
caecus Desbrochers des Loges, 1884: 156 (*Leucosomus*)
distinctus Fabricius, 1792: 459 (*Curculio*)
momus Scopoli, 1763: 33 (*Curculio*)
ocellatus Fähræus, 1842: 12 (*Cleonus*)
ophthalmicus Olivier, 1791: 534 (*Curculio*) [HN]
ophthalmicus Rossi, 1790: 128 (*Curculio*)
pasticus Germar, 1834: 184 (*Cleonus*) [DA]
pruinus Gyllenhal, 1834a: 183 (*Cleonus*)
quadripunctatus Schrank, 1789: 71 (*Curculio*) [HN]
quadratithorax Desbrochers des Loges, 1884: 155 (*Leucosomus*) E: SP

genus *Liocleonus* Motschulsky, 1860e: 540 type species *Lixus clathratus* Olivier, 1807
clathratus Olivier, 1807: 256 (*Lixus*) E: IT (Sicilia) ST N: AG EG MO TU A: AB AF AR GAN GG
IN IQ IS KI KZ LE MG NMO PA PS SHA SI SY TD TM TR UZ WP XIN XIZ ORR
amoenus Chevrolat, 1876: cxlviii
clatratus: Olivier, 1807: 256 (*Lixus*) [NA, IOS]
leucomelas Fähræus, 1842: 52 (*Cleonus*)
umbrosus Chevrolat, 1873a: 57 A: IN PA ORR

genus *Lixocleonus* G.A.K. Marshall, 1923: 286 type species *Lixocleonus incanus* G.A.K. Marshall, 1923
incanus G.A.K. Marshall, 1923: 287 A: PA ORR

genus *Lixoglyptus* Reitter, 1916a: 91 type species *Lixus spartii* Olivier, 1807
Resmecaspis A. Hoffmann, 1959a: 192 type species *Mecaspis pecoudi* A. Hoffmann, 1959 (= *Lixus spartii* Olivier, 1807)
mogadorus Heyden, 1887: 448 (*Lixus*) N: MO
uniformis Hustache, 1931d: 25 (*Lixus*)
spartii Olivier, 1807: 251 (*Lixus*) E: FR IT PT SP ST N: MO
devillei A. Hoffmann, 1955: 510 (*Lixus*)
fallax Boheman, 1842b: 446 (*Lixus*)
pecoudi A. Hoffmann, 1959a: 192 (*Mecaspis*)
schaeferi A. Hoffmann, 1950c: 194 (*Lixus*)

genus *Lixomorphus* Faust, 1904: 189 type species *Curculio ocularis* Fabricius, 1792 (= *Curculio algirus* Linnaeus, 1758)
algirus Linnaeus, 1758: 380 (*Curculio*) E: CR FR IT SP N: AG MO TU
barbarus Olivier, 1791: 534 (*Curculio*) [HN]
ocularis Fabricius, 1792: 400 (*Curculio*)
apfelbecki Zumpt, 1938b: 84 A: TR

genus *Lixopachys* Reitter, 1916a: 91 type species *Lixus cleoniformis* Petri, 1905 (= *Cylindropterus luxerii* Chevrolat, 1873)
Cylindropterus Chevrolat, 1873a: 57 [HN] type species *Cylindropterus luxerii* Chevrolat, 1873
luxerii Chevrolat, 1873a: 58 (*Cylindropterus*) N: AG EG LB MO TU A: IN IS JO LE SA SI SY
cleoniformis Petri, 1905a: 36 (*Lixus*)

genus *Maximus* Alonso-Zarazaga & Lyal, 2009: 241 [RN] type species *Cleonus verrucosus* Gebler, 1829

- Stephanophorus* Chevrolat, 1872a: 17 [HN] type species *Cleonus verrucosus* Gebler, 1829
absolutus Faust, 1904: 211 (*Bothynoderes*) A: AB AF IN SY
aemulus Faust, 1894a: 62 (*Bothynoderes*) A: KI KZ TD
armeniacus Faust, 1884c: 451 (*Bothynoderes*) A: AR IN
crispicollis Ballion, 1878: 364 (*Bothynoderes*) A: KI KZ UZ XIN
gebleri Fähræus, 1842: 77 (*Cleonus*) E: ST A: IN KZ TD TM
buteo Fähræus, 1842: 78 (*Cleonus*)
melancholicus Ménétré, 1849: 255 (*Cleonus*) A: AF IN KZ SY TD TM UZ
mimosæ Olivier, 1807: 256 (*Lixus*) A: IN IQ IS JO PA SI SY TR
persicus Chevrolat, 1873a: 4 (*Exochus*)
obnoxius Fähræus, 1842: 88 (*Cleonus*) A: ES IN IQ KZ TM UZ
tekkensis Faust, 1904: 211 (*Bothynoderes*)
ostentatus Faust, 1904: 208 (*Chromosomus*) A: IN KZ TM UZ
pilipes Fähræus, 1842: 81 (*Cleonus*) E: ST A: IN TM
strabus Gyllenhal, 1834a: 230 (*Bothynoderes*) E: CT MD RO ST UK A: AB AF AR IN KZ MG SY TD TM TR UZ WS XIN
sparsus Gyllenhal, 1834a: 240 (*Bothynoderes*)
volvulus Fähræus, 1842: 104 (*Cleonus*) [URN]
subfuscus Faust, 1883d: 99 (*Bothynoderes*) E: CT A: AF IN KI KZ TD TM UZ
ballionis Faust, 1883d: 100 (*Bothynoderes*)
innocuus Faust, 1883d: 100 (*Bothynoderes*)
vagus Bedel, 1909: 96 (*Stephanophorus*) N: AG EG MO TU A: SI
verrucosus Gebler, 1829: 166 (*Cleonus*) E: ST A: AF GAN IN KI KZ TM UZ WS XIN
aquila Fähræus, 1842: 75 (*Cleonus*)
austerus Ménétré, 1849: 254 (*Cleonus*)
verrucosus Gebler, 1834a: 229 (*Bothynoderes*) [HN]

genus *Mecaspis* Schoenherr, 1823: 1142 type species *Lixus palmatus* Olivier, 1807 (= *Curculio emarginatus* Fabricius, 1787)

- Aphaenicus* Desbrochers des Loges, 1905h: 35 type species *Curculio alternans* Herbst, 1795 (= *Curculio alternans* Hellwig, 1795)
albovirgata Chevrolat, 1873a: 87 N: AG MO
alternans Hellwig, 1795: 116 (*Curculio*) E: AL AU BE BH BU BY CR CZ FR GE GR HU IT LS MC MD ME PL PT RO SB SK SP ST SZ UK N: AG A: AR CY IN IS TR
alternans Herbst, 1795: 85 (*Curculio*) [HN]
bilineata: Rossi, 1790: 110 (*Curculio*) [NA]
caesa Gyllenhal, 1834a: 217 (*Cleonus*)
costata: Rossi, 1792: 41 (*Curculio*) [NA]
cuncta Gyllenhal, 1834a: 218 (*Cleonus*)
lurcans Herbst, 1797: 14 (*Curculio*)
barbata Faust, 1887c: 31 (*Cleonus*) A: IQ IS PS RU SY
baudii Faust, 1887d: 208 E: GR A: IS JO LE PS TR
bedeli Faust, 1904: 225 E: SP N: AG MO
costicollis Gyllenhal, 1834a: 172 (*Cleonus*) A: IN TR
darwinii Faust, 1883g: 199 A: AF IN KI KZ TD TM UZ
angustula Desbrochers des Loges, 1893d: 7
emarginata Fabricius, 1787a: 114 (*Curculio*) E: BU CR FR GE GR IT SP ST SV A: CY IN IS TR
florentina Herbst, 1795: 59 (*Curculio*)
palmata Olivier, 1807: 245 (*Lixus*)
incisurata Gyllenhal, 1834a: 215 (*Cleonus*) E: RO ST UK A: AR TR
moerens Fähræus, 1842: 40 (*Cleonus*)
reitteri Retowski, 1887: 130 (*Cleonus*)
kazakhstanica Ter-Minasian, 1988a: 92 A: KZ TM
lenta Faust, 1904: 227 A: "Turkestan"
nana Gyllenhal, 1834a: 216 (*Cleonus*) E: FR (Corse) IT PT SP ST TR N: TU A: IN TR
miscella Gyllenhal, 1834a: 217 (*Cleonus*)
obvia Faust, 1883g: 201 A: AF SY UZ
octosignata Gyllenhal, 1834a: 214 (*Cleonus*) A: AF AR GG IN IQ SY TM TR UZ
sexguttata Kollar & L. Redtenbacher, 1844: 546 (*Cleonus*) A: KA NP ORR
striatella Fabricius, 1792: 415 (*Curculio*) E: AU CZ FR GE GR HU IT PT RO SK SP ST SV UK N: AG MO TU A: IS SY TR
cenobita Olivier, 1807: 253 (*Lixus*)

genus *Meneleonus* Faust, 1904: 184 type species *Bothynoderes anxius* Gyllenhal, 1834 (= *Bothynoderes virgatus* Schoenherr, 1832)

basigranatus Fairmaire, 1868: 495 (*Cleonus*) N: AG MO TU AFR

emiliae Reitter, 1913a: 36 A: AB IN

kosswigi Voss, 1958a: 1 N: EG A: AF IN IQ IS JO KU LE SA SI SY

lagopus Fåhraeus, 1842: 98 (*Cleonus*) A: IN KZ TM UZ XIN

irroratus Ménériés, 1849: 257 (*Cleonus*)

obliquatus Ménériés, 1849: 257 (*Cleonus*)

signaticollis Gyllenhal, 1834a: 232 (*Bothynoderes*) A: AF IN KZ PA TM UZ XIN ORR

anxius Gyllenhal, 1834a: 227 (*Bothynoderes*)

simplicirostris Chevrolat, 1873a: 4 (*Exochus*)

virgatus Schoenherr, 1832: 219 (*Bothynoderes*) E: ST A: AB AR GG

virgatus Gyllenhal, 1834a: 242 (*Bothynoderes*) [HN]

wagae Chevrolat, 1876: cxlviii (*Isomerus*)

genus *Microcleonus* Faust, 1904: 183 type species *Cleonus panderi* Fischer von Waldheim, 1835

panderi Fischer von Waldheim, 1835: 162 (*Cleonus*) A: ES KZ MG NMO TD

sedakoffi Boheman, 1842a: 67 (*Cleonus*)

sedakovii Motschulsky, 1845a: 104 (*Cleonus*) [UE]

secundus Ter-Minasian, 1972c: 545 A: MG

genus *Mongolocleonus* Ter-Minasian, 1974a: 213 type species *Eumecops gobiensis* Voss, 1967

gobiensis Voss, 1967: 285 (*Eumecops*) A: MG NMO

genus *Monolophus* Faust, 1904: 182 type species *Mecaspis praedita* Faust, 1883

Cleonellus Voss, 1967: 282 type species *Cleonellus venosulus* Voss, 1967

praeditus Faust, 1883g: 202 (*Mecaspis*) A: IN KI KZ MG

venosulus Voss, 1967: 283 (*Cleonellus*)

genus *Neocleonus* Chevrolat, 1872b: 108 type species *Curculio mucidus* Germar, 1813 (= *Curculio*

sannio Herbst, 1795)

maculipes Gyllenhal, 1834a: 197 (*Curculio*) N: AG EG A: IN IS OM PA SA YE AFR ORR

arenarius Olivier, 1791: 558 (*Curculio*) [HN]

coquereli Chevrolat, 1873a: 69

frater Chevrolat, 1873a: 67

modestus Faust, 1904: 201

mucidus Germar, 1813: 132 (*Curculio*)

oculiventris Quedenfeldt, 1888: 293

sordidus Chevrolat, 1873a: 76

subsignatus Walker, 1871: 17 (*Cleonus*)

genus *Pachycerus* Schoenherr, 1823: 1137 type species *Lixus madidus* Olivier, 1807

Noctivius Desbrochers des Loges, 1906: 70 type species *Lixus segnis* Germar, 1823

costulatus Faust, 1890d: 258 A: BEI ES HEB JIL LIA NMO SHX XIN

costatulus Csiki, 1934a: 52 (*Cleonus*) [URN]

desertorum Faust, 1904: 223 A: IN KI KZ TM UZ

efflatouni Tewfik, 1942: 171 (*Cleonus*) A: YE

hippali Meregalli, 2009: 303 N: EG A: SA

latirostris Faust, 1891b: 117 A: KZ UZ

madidus Olivier, 1807: 253 (*Lixus*) E: BU CR FR GE GR HU IT PL PT RO SL SV SZ A: CY TR

albarius Gyllenhal, 1834a: 246

obliquatus Faust, 1883g: 199 A: KI KZ UZ

obliquans Csiki, 1934a: 53 (*Cleonus*) [URN]

opimus Gyllenhal, 1834a: 185 (*Cleonus*) N: MO AFR

planirostris Boheman, 1829: 129 (*Cleonus*) E: FR IT

segnis Germar, 1823: 398 (*Lixus*) [RN] E: AU BH BU CR CZ FR GE GR HU IT MA MD ME PT RO SB SK SL SP ST SZ TR UK N: AG MO A: AF AR CY IN IQ IS KZ SY TD TM TR UZ WS

borrae F. Solari, 1950a: 50

cordiger Germar, 1819: 135 (*Curculio*) [HN]

echii Chevrolat, 1873a: 81

maritimus Hustache, 1926c: 291

premudae Depoli, 1936: 141

scabrosus Brullé, 1832b: 243

scabrosus Gyllenhal, 1834a: 246 [HN]
sellatus Faust, 1904: 223 A: NP PA ORR
simonae Meregalli, 2009: 316 N: MO

genus *Pleurocleonus* Motschulsky, 1860e: 540 type species *Cleonis quadrivittata* Zoubkoff, 1829
bicarinatus Gebler, 1829: 154 (*Cleonus*) A: ES FE KZ MG QIN SHA WS
sexmaculatus Krynicki, 1832: 153 (*Cleonis*)
quadrivittatus Zoubkoff, 1829: 161 (*Cleonis*) E: BU CT MD RO ST UK A: KI KZ MG UZ WS XIN
bicarinatus Gyllenhal, 1834a: 212 (*Cleonus*) [HN]
exaratus Gebler, 1829: 158 (*Cleonus*)
sollicitus Gyllenhal, 1834a: 211 (*Cleonus*) E: BY MD ST UK A: BEI ES FE GAN HEB HEI JIL KZ
LIA MG NMO QIN SC SHA SHX UZ WS XIN YUN
obliteratus Fåhræus, 1842: 64 (*Cleonus*)
squalidus Gyllenhal, 1834a: 210 (*Cleonus*)
torpescus Chevrolat, 1873a: 39 [NA]
variegatus Chevrolat, 1873a: 39

genus *Porocleonus* Motschulsky, 1860e: 540 type species *Porocleonus scrobicollis* Motschulsky, 1860 (= *Lixus candidus* Olivier, 1807)
Cossinoderus Chevrolat, 1872a: 18 type species *Lixus candidus* Olivier, 1807
candidus Olivier, 1807: 266 (*Lixus*) N: AG EG LB MO TU A: IN IQ IS OM PS SA SI YE (Perim)
AFR
maresi Lucas, 1857: lvi (*Cleonus*)
scrobicollis Motschulsky, 1860e: 540

genus *Pseudisomerus* Ter-Minasian, 1988a: 97 type species *Isomerus mangystavicus* Ter-Minasian, 1976
mangystavicus Ter-Minasian, 1976d: 1571 (*Isomerus*) A: KZ

genus *Pseudocleonus* Chevrolat, 1872b: 109 [RN] type species *Curculio costatus* Fabricius, 1787 (= *Curculio cinereus* Schrank, 1781)

subgenus *Asiacleonus* Arzanov, 2005b: 135 type species *Cleonus dauricus* Gebler, 1829
dauricus Gebler, 1829: 157 (*Cleonus*) E: UK A: AF ES FE IQ KI KZ QIN TD UZ WS XIN XIZ
fatalis Chevrolat, 1884b: lxxv (*Porocleonus*) [URN]
obsoletus Gyllenhal, 1834a: 182 (*Cleonus*)
sinuatus Faust, 1885b: 165
superciliosus Chevrolat, 1884a: lxxviii (*Porocleonus*)
taciturnoides Arnol'di, 1956: 681 A: KI
subgenus *Neopseudocleonus* Arzanov, 2005b: 135 type species *Curculio grammicus* Panzer, 1789
ferghanensis Ter-Minasian, 1988a: 66 A: KZ TD
glabratus Faust, 1883g: 200 (*Mecaspis*) A: IN
grammicus Panzer, 1789: 21 (*Curculio*) E: AU BH BU CR CZ FI FR GE GR HU IT PL PT RO SB
SK SL SP ST SV SZ UK N: MO A: AR
adriaticus J. Müller, 1925: 31
alpigradus J. Müller, 1925: 30
atlasicus A. Hoffmann, 1950b: 89
bilineatus Laicharting, 1781: 235 (*Curculio*) [HN]
gundaficus Hustache, 1932b: 51
pyrenaicus F. Solari, 1954c: 136

havtagensis Ter-Minasian, 1976b: 255 A: MG
italicus F. Solari, 1950a: 40 E: IT
marginicollis Fåhræus, 1842: 41 (*Cleonus*) E: ST UK A: AB AR IS KZ
gotschii Hochhuth, 1847: 481 (*Cleonus*)

pustulosus Chevrolat, 1876: cxlix A: LE SY
subgenus *Phryganocleonus* Arnol'di, 1956: 682 type species *Pseudocleonus guldarensis* Arnol'di, 1956
guldarensis Arnol'di, 1956: 684 A: TD UZ
iskanderi Arnol'di, 1956: 686 A: TD UZ
kratkyi Meregalli & Talamelli, 2017: 84 A: AF
tadzhika Arnol'di, 1956: 687 A: TD UZ

subgenus *Pseudocleonus* Chevrolat, 1872b: 109 [RN] type species *Curculio costatus* Fabricius, 1787 (= *Curculio cinereus* Schrank, 1781)
Oosonus Motschulsky, 1860e: 540 [HN] type species *Curculio costatus* Fabricius, 1787 (= *Curculio cinereus* Schrank, 1781)
carinatus Gyllenhal, 1834a: 172 (*Cleonus*) E: FR IT SP N: AG MO TU

fimbriatus Chevrolat, 1860b: 132 (*Cleonus*)
senilis Rosenhauer, 1856: 250 (*Cleonus*)
cinereus Schrank, 1781: 122 (*Curculio*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT LT MA
MC MD PL PT RO SK SL SP ST SZ UK N: MO A: ES KZ TM TR UZ WS XIN
bicarinatus Fischer von Waldheim, 1830: 187 (*Cleonis*)
costatus Fabricius, 1787a: 115 (*Curculio*)
dieckmanni Fremuth & Bayer, 2008: 314 E: GR (Kriti)
libanicus Faust, 1904: 229 A: IS LE
novaki Penecke, 1928c: 129 E: BH CR GR IT ME SB
otini A. Hoffmann, 1957b: 80 (*Mecaspis*) N: MO
parallelus Escalera, 1914: 447 N: AG MO
theryi Hustache, 1931d: 24

genus *Pycnodactylopsis* Voss, 1963a: 2 type species *Pycnodactylus schaeuffelei* Voss, 1963 (= *Cleonus albogilvus* Gyllenhal, 1834)
Louwia Alonso-Zarazaga & Lyal, 1999: 192 type species *Cleonus tomentosus* Fåhraeus, 1842
Pajnisoodes Alonso-Zarazaga & Lyal, 2002: 34 type species *Dirodes flavomaculatus* Pajni & Sood, 1982 (= *Neocleonus hypocrita* Chevrolat, 1873)
albogilva Gyllenhal, 1834a: 196 (*Cleonus*) A: PA SA YE AFR ORR
ophinotus Fåhraeus, 1842: 104 (*Cleonus*)
schaeuffelei Voss, 1963a: 2 (*Pycnodactylus*)
hypocrita Chevrolat, 1873a: 75 (*Neocleonus*) A: KA PA ORR
chandigarhensis Pajni & Sood, 1982: 376 (*Dirodes*)
flavomaculatus Pajni & Sood, 1982: 372 (*Dirodes*)
mitis Gerstaecker, 1871: 73 (*Cleonus*) A: CY SA YE AFR
tomentosa ephippium Faust, 1904: 202 (*Pycnodactylus*) A: YE
tomentosa tomentosa Fåhraeus, 1842: 65 (*Cleonus*) N: AG CI EG LB MO TU A: IN IQ IS JO OM
PA SA SI AFR ORR
cretosa Fairmaire, 1868: 496 (*Cleonus*)
fuscoirrorata Chevrolat, 1873a: 51

genus *Rhabdorrhynchus* Motschulsky, 1860e: 540 type species *Pachycerus menetriesii* Gyllenhal, 1842
Pachycerus Schoenherr, 1826: 12 [HN] type species *Curculio varius* Herbst, 1795 (= *Curculio echii* Brahm, 1790)
anchusae Chevrolat, 1854: 480 (*Pachycerus*) A: AF CY IN IQ IS JO PS SY TR
armeniacus Penecke, 1936: 207 (*Pachycerus*) A: AR
crassicornis Faust, 1904: 224 (*Pachycerus*) E: GR (Thira) A: CY IN IS TR
crucifer Hochhuth, 1847: 485 (*Pachycerus*) A: AF AR IN TD TM TR UZ
grummi Faust, 1887f: 167 (*Pachycerus*)
curvirostris F. Solari, 1950a: 43 N: AG
cynoglossi G.A.K. Marshall, 1928c: 541 (*Pachycerus*) A: PA ORR
echii Brahm, 1790: 175 (*Curculio*) E: AU BH CR CZ FR GE GR HU IT MD SB SK SL SP ST SV
SZ TR UK A: TR
varius Herbst, 1795: 252 (*Curculio*) [HN]
emir Meregalli, 2008: 31 A: AE
karelinii Fåhraeus, 1842: 119 (*Pachycerus*) E: CT MD ST UK A: IN KI KZ RU TM UZ
junki Csiki, 1934a: 54 (*Cleonus*) [URN]
longicollis F. Solari, 1950a: 41 N: AG
menetriesii Gyllenhal, 1842a: 118 (*Pachycerus*) E: BU FR IT MD ST UK A: AR CY IN IQ IS JO KZ
TD TM TR UZ
atomarius Fåhraeus, 1842: 122 (*Pachycerus*)
sauditus Meregalli, 2008: 27 A: SA
seriegranosus Chevrolat, 1873a: 110 E: FR GR IT SP N: AG LB MO A: AR IN IS KZ PA TM TR
WS
vilhelmseni Gültekin, 2006c: 124 E: CR FR IT SP (Balears) ST UK N: AG LB MO TU A: AR CY
IS
mixtus Olivier, 1807: 250 (*Lixus*) [NA]

genus *Scaphomorphus* Motschulsky, 1860e: 541 type species *Curculio vibex* Pallas, 1781
Cleonidius Casey, 1891: 186 type species *Cleonis vittatus* Kirby, 1837 (= *Lixus poricollis* Mannerheim, 1843)
Lixestus Reitter, 1916a: 89 type species *Curculio vibex* Pallas, 1781
Scaphidomorphus Lacordaire, 1863: 439 [UE, HN]
acutipennis Roelofs, 1873: 182 (*Cleonus*) A: BEI FUJ GAN HEB HEI HUB HUN JA JIA JIL LIA
NC RU SC SCH SHA SHG SHN SHX ZHE

foveolaticollis Ter-Minasian, 1989: 399 (*Lixus*) A: ES KI MG TD
microlepis Ter-Minasian, 1972c: 542 (*Lixus*) A: MG
pallasi Faust, 1890f: 467 (*Lixus*) E: ST A: ES IN KZ MG NMO
nigrolineatus Voss, 1967: 299 (*Lixus*)
vibex Pallas, 1781: 32 (*Curculio*) E: ST UK A: ES FE IN KZ MG TM UZ WS
denudatus Zoubkoff, 1833: 336 (*Lixus*)
karelini Boheman, 1835: 22 (*Lixus*)
scutellaris Petri, 1905b: 103 (*Lixus*)
vittiger Guérin-Méneville, 1833b: pl. 37 (*Lixus*) E: UK (Krym)
vittiger Chevrolat, 1844: 144 (*Lixus*) [HN]

genus *Stephanocleonus* Motschulsky, 1860e: 540 type species *Curculio flaviceps* Pallas, 1781 (= *Curculio nassiformis* Goeze, 1777)

subgenus *Deracanthopsis* Voss, 1967: 286 type species *Stephanocleonus gemellus* Voss, 1967

bogdoensis Ter-Minasian, 1978c: 130 A: MG

gemellus approximatus Voss, 1967: 288 A: MG

gemellus gemellus Voss, 1967: 287 A: MG

subgenus *Eremocleonus* Ter-Minasian, 1974a: 214 type species *Cleonus bicostatus* Gebler, 1833 (= *Cleonus costatus* Gebler, 1832)

chankanus Suvorov, 1915a: 109 A: FE LIA

costatus Gebler, 1832: 60 (*Cleonus*) A: CH ES FE MG

bicostatus Gebler, 1833: 297 (*Cleonus*) [URN]

fascicularis Gebler, 1833: 295 (*Cleonus*) A: KI KZ TM WS

ferox Faust, 1883g: 195 A: ES MG

gobianus Suvorov, 1912a: 432 A: ES MG NMO

analis Voss, 1967: 293

hirtipes Faust, 1904: 250 A: ES MG

potanini Faust, 1890f: 465 A: GAN MG NMO

shansiensis Ter-Minasian, 1988c: 148 A: MG SHX

superciliosus Gebler, 1832: 62 (*Cleonus*) A: ES FE MG

lobatus Chevrolat, 1873a: 31

subgenus *Sanzia* Alonso-Zarazaga & Lyal, 1999: 193 [RN] type species *Curculio tetragrammus* Pallas, 1781

Eucleonus Faust, 1904: 188 [HN] type species *Curculio tetragrammus* Pallas, 1781

hexagraptus Petri, 1915: 343 A: MG NMO

macrogrammus Petri, 1914b: 102 A: KZ

microgrammus Gyllenhal, 1834a: 187 (*Cleonus*) E: HU MD RO ST UK A: BEI KZ LIA NMO

jouradiowi Reitter, 1907c: 258

tetragrammus Pallas, 1781: 29 (*Curculio*) E: MD ST SV UK A: AR KZ WS

concinus Gyllenhal, 1834a: 186 (*Cleonus*)

subgenus *Stephanocleonus* Motschulsky, 1860e: 540 type species *Curculio flaviceps* Pallas, 1781 (= *Curculio nassiformis* Goeze, 1777)

Eurymetopus Faust, 1904: 255 [HN] type species *Stephanocleonus colossus* Faust, 1904

Paraleucochromus Obst, 1908: 94 type species *Paraleucochromus pleurocleonides* Obst, 1908

Zaslavskia Alonso-Zarazaga & Lyal, 1999: 193 [RN] type species *Stephanocleonus colossus* Faust, 1904

albinae Reitter, 1895g: 285 A: KZ MG NMO

albithorax Ter-Minasian, 1972c: 546 A: MG

amurensis Ter-Minasian, 1976a: 41 A: ES FE MG

anceps Chevrolat, 1873a: 27 A: ES MG

vagabundus Faust, 1890a: 85

audax Faust, 1883g: 197 A: KI KZ MG

bifasciatus Ter-Minasian, 1979b: 268 A: ES

bonus Ter-Minasian, 1979b: 260 A: ES

brunnipes Faust, 1904: 251 A: MG NMO

canaliculatus Gebler, 1829: 155 (*Cleonus*) A: NMO WS

chevrolati Faust, 1883g: 194 A: TM

chinensis Faust, 1904: 253 A: CH MG

coelebs Faust, 1883g: 194 A: KZ WS

colossus Faust, 1904: 256 A: MG

comicus Faust, 1904: 251 A: MG

confessus Faust, 1904: 247 A: ES

corpulentus Voss, 1967: 297 A: MG
corrugans Faust, 1883e: 125 A: IN KZ
deportatus Chevrolat, 1873a: 29 A: ES FE KZ MG XIN
depressus Gebler, 1829: 157 (*Cleonus*) A: WS
divisiventris G.A.K. Marshall, 1934a: 16 A: MG NMO
kerzhneri Ter-Minasian, 1972c: 550
dubius Faust, 1904: 246 A: ES MG
edithae Reitter, 1895g: 283 A: ES MG
eduardi Ter-Minasian & Korotyaev, 1978: 154 A: ES MG WS
eous Ter-Minasian, 1976b: 248 A: MG
eruditus Faust, 1890a: 82 A: ES MG WS
exiguus Faust, 1904: 251 A: MG RU
favens Faust, 1884c: 464 A: ES MG
felicitanus Reitter, 1895g: 283 A: MG
fenestratus Pallas, 1781: 33 (*Curculio*) A: CH ES MG TD
foveolatus Fischer von Waldheim, 1823: pl. 44 (*Cleonis*)
fossulatus Fischer von Waldheim, 1823: pl. 44 (*Cleonis*) A: ES FE KZ MG WS XIN
connexus Faust, 1890c: 114
rubrifrons Fischer von Waldheim, 1835: 164 (*Cleonus*)
scriptus Fåhraeus, 1842: 19 (*Cleonus*)
foveifrons Chevrolat, 1873a: 34 A: ES KZ MG XIN
brevicollis Faust, 1904: 258
indutus Chevrolat, 1873a: 35
grigorievi Suvorov, 1915a: 111 A: ES MG WS
hammarstromi Faust, 1890a: 83 A: ES MG
henningii Fåhraeus, 1842: 22 (*Cleonus*) A: KZ RU
niveus Chevrolat, 1873a: 33
hexagrammus Fåhraeus, 1842: 26 (*Cleonus*) A: ES MG
feritus Faust, 1904: 247
margineguttatus Chevrolat, 1873a: 28
ignobilis Faust, 1883e: 126 E: CT ST A: KZ
illex Faust, 1904: 258 A: GAN KI MG WS XIN
impressicollis Fåhraeus, 1842: 27 (*Cleonus*) A: ES KI KZ MG
loquans Faust, 1904: 246
incertus Ter-Minasian, 1972b: 250 A: ES MG WS
incognitus Ter-Minasian, 1990b: 635 A: KZ
ingratus Ter-Minasian, 1979b: 262 A: ES
inopinatus Ter-Minasian, 1972b: 250 A: MG
isochromus Suvorov, 1912b: 483 A: MG WS
ithae Reitter, 1895g: 282 A: MG RU
melandarius Faust, 1904: 256
jakovlevi Faust, 1893b: 202 A: ES WS
jenisseicus Ter-Minasian, 1978c: 127 A: WS
johannis Reitter, 1895g: 284 A: MG
jucundus Faust, 1890a: 80 A: ES MG
arduus Ter-Minasian, 1979b: 276
kobdoamus Suvorov, 1915a: 110 A: ES MG
korinii Fåhraeus, 1842: 21 (*Cleonus*) A: ES MG WS XIN
kozlovi Suvorov, 1912a: 430 A: MG NMO
corpulentus Voss, 1967: 297
labilis Faust, 1895c: 99 A: GAN JIL MG QIN XIZ YUN
leucopterus Fischer von Waldheim, 1823: pl. 44 (*Cleonis*) A: KZ WS
leucostis Suvorov, 1912b: 489 A: MG
ljudmilae Ter-Minasian & Korotyaev, 1978: 156 A: ES MG WS
lukjanovitschi Ter-Minasian, 1975b: 114 A: ES
mannerheimi Chevrolat, 1873a: 32 A: ES MG WS
marginatus Fischer von Waldheim, 1823: pl. 44 (*Cleonis*) A: ES MG WS
axillaris Faldermann, 1835: 428 (*Cleonus*)
medvedevi Ter-Minasian, 1989: 406 A: ES MG
mirabilis Ter-Minasian, 1990b: 633 A: MG
montanus Ter-Minasian, 1990a: 242 A: MG

nassiformis Goeze, 1777: 399 (*Curculio*) A: ES MG
flaviceps Pallas, 1781: 34 (*Curculio*)
frontatus Fischer von Waldheim, 1823: pl. 44 (*Cleonis*)
pulchellus Faldermann, 1835: 426 (*Cleonus*)
nasutus Ballion, 1878: 362 A: XIN
novus Ter-Minasian, 1978c: 126 A: ES
nubilus Fähræus, 1842: 13 (*Cleonus*) A: ES MG
semicostatus Chevrolat, 1873a: 33
opportunos Faust, 1890a: 78 A: ES MG
optimus Ter-Minasian, 1978a: 59 A: KZ
paradoxus changajensis Voss, 1967: 291 A: MG
paradoxus paradoxus Fähræus, 1842: 28 (*Cleonus*) A: ES MG WS
pellax Ter-Minasian, 1979b: 259 A: ES
perscitus Faust, 1883e: 127 A: KI KZ TM XIN
persimilis Faust, 1904: 244 A: MG
planirostris Faust, 1883g: 198 A: MG
planimanus Csiki, 1934a: 29 [URN]
pleurocleonides Obst, 1908: 94 (*Paraleucochromus*) A: QIN
postfemoralis Ter-Minasian, 1970c: 840 A: XIN
posttibialis Voss, 1967: 295 A: MG
prasolovi Ter-Minasian, 1990b: 635 A: WS
przewalskyi Faust, 1887k: 265 A: GAN HEI MG QIN XIN
renardii Gebler, 1848: 344 (*Cleonus*) A: WS
roddi Suvorov, 1912b: 485 A: ES MG WS
sahlbergi Faust, 1890a: 86 A: ES MG
semenovi Faust, 1883g: 196 A: MG
setinasus Faust, 1890a: 76 A: ES MG WS
similis Ter-Minasian, 1978a: 60 A: KI UZ
simulans Faust, 1883g: 193 A: ES
sinitzyni Legalov, 1999b: 93 A: KZ
spissus Faust, 1904: 246 A: MG
sublaevigatus Ter-Minasian, 1972c: 553 A: MG
suffusus Faust, 1904: 257 A: ES MG XIZ
suspiciosus Faust, 1904: 257 A: GAN MG QIN XIZ
tardus Faust, 1904: 257 A: ES MG
tibetanus Suvorov, 1915a: 112 A: XIZ
tibeticus Csiki, 1934a: 30 [URN]
timidus Faust, 1887l: 320 A: KI KZ MG NMO XIN
tricarinatus Fischer von Waldheim, 1823: pl. 44 (*Cleonis*) A: CH ES MG WS
lineirostris Chevrolat, 1873a: 30
trifasciatus Faust, 1891e: 397 A: ES MG WS
tshuicus Suvorov, 1912b: 488 A: ES WS
tuvensis Ter-Minasian, 1978c: 129 A: ES
verestshagini Suvorov, 1912b: 486 A: WS
versutus Faust, 1904: 247 A: ES
subgenus *Taeniocleonus* Ter-Minasian, 1974a: 215 type species *Cleonus thoracicus* Fischer von Waldheim, 1835
albofasciatus Ter-Minasian, 1972b: 248 A: ES MG
altaicus Ter-Minasian & Korotyæev, 1978: 153 A: WS
argenteus Ter-Minasian, 1989: 402 A: MG
compressicollis Faldermann, 1835: 424 (*Cleonus*) A: MG
dutensis Ter-Minasian, 1989: 403 A: MG
ehnbergi Faust, 1890a: 87 A: ES MG
excisus Reitter, 1895g: 286 A: ES MG
giganteus Ter-Minasian, 1970c: 838 A: CH ES MG
glaucinus Suvorov, 1912b: 484 A: MG
grumi Suvorov, 1912a: 431 A: MG XIN
helenae Ter-Minasian, 1972c: 549 A: MG
improcerus Suvorov, 1912b: 489 A: MG XIN

jacobsoni Faust, 1904: 244 A: ES MG
koepfeni Faust, 1904: 245 A: MG
korotyaevi Ter-Minasian, 1979b: 213 A: ES MG WS
luctuosus Faust, 1895c: 99 A: WS
muchei Voss, 1967: 292 A: MG
parallelistriis Ter-Minasian, 1972b: 252 A: MG
ponomarenkoi Ter-Minasian, 1990b: 636 A: KZ
sibiricus Ter-Minasian, 1970c: 838 A: WS
suvorovi Legalov, 1999a: 22 [RN] A: MG WS
plumbeus Suvorov, 1912b: 485 [HN]
thoracicus Fischer von Waldheim, 1835: 161 (*Cleonus*) A: ES MG
leprosus Faust, 1895c: 101
puncticollis Boheman, 1842a: 15 (*Cleonus*)
waldheimi Faust, 1904: 245 A: ES FE MG

genus *Surchania* Lebedev, 1931: 340 type species *Surchania sijazovi* Lebedev, 1931
sijazovi Lebedev, 1931: 340 A: AF KZ TD TM UZ

genus *Temnorhinus* Chevrolat, 1872a: 17 type species *Bothynoderes brevis* Gyllenhal, 1834

subgenus *Fabiocleonus* Arzanov, 2006b: 61 type species *Bothynoderes mendicus* Gyllenhal, 1834
mendicus Gyllenhal, 1834a: 238 (*Bothynoderes*) E: FR IT MA SP N: AG MO TU AFR

bispinus Chevrolat, 1873a: 104 [NA]

orbitalis Fähræus, 1842: 111 (*Cleonus*)

subgenus *Massimocleonus* Arzanov, 2006b: 58 type species *Lixus arabs* Olivier, 1807

arabs Olivier, 1807: 257 (*Lixus*) A: IN IQ KI KZ TD TM UZ

dohrni Faust, 1883e: 121 (*Bothynoderes*)

betae Perrin, 1970: 360 A: IN

cylindricus Gebler, 1841b: 601 (*Bothynoderes*) A: KZ

discrepans Ter-Minasian, 1988b: 121 A: AF

elongatus Gebler, 1844: 104 (*Cleonus*) E: ST A: AB AR IN KI KZ MG TD TM UZ XIN

heros Suvorov, 1910a: 262 A: KZ XIN

heroicus Csiki, 1934a: 16 [URN]

nasutus Hochhuth, 1847: 483 (*Cleonus*) A: AB AR TR

oryx Reitter, 1897e: 223 (*Cleonus*) A: KZ MG QIN TM XIN XIZ

paludani Voss, 1955b: 298 (*Bothynoderes*) A: AF IN PA

perforatus Faust, 1904: 216 A: IQ PA

subgenus *Temnorhinus* Chevrolat, 1872a: 17 type species *Bothynoderes brevis* Gyllenhal, 1834

Pseudotemnorhinus Voss, 1960d: 239 type species *Temnorhinus inustulatus* Voss, 1960

Pycnodactylus Chevrolat, 1872a: 18 type species *Lixus pacificus* Olivier, 1807 (= *Curculio hololeucus* Pallas, 1781)

albofimbriatus Chevrolat, 1873a: 44 N: AG EG MO

serieguttulatus Desbrochers des Loges, 1875a: 16 (*Cleonus*)

brevirostris Gyllenhal, 1834a: 237 (*Bothynoderes*) E: FR IT MA SP N: AG CI EG LB MO TU A:

CY IN IQ IS JO KZ OM PA SA SI TR YE AFR ORR

aegyptius Chevrolat, 1873a: 45

rufulus Chevrolat, 1873a: 43

saucerrottei Chevrolat, 1873a: 44

desbrochersi Petri, 1914a: 47 N: AG

hololeucus Pallas, 1781: 35 (*Curculio*) E: LT ST UK A: AB AR GAN IN IS JO KZ MG PA RU TM

TR UZ XIN

pacificus Olivier, 1807: 268 (*Lixus*)

interpositus Voss, 1959d: 7 A: IN

inustulatus Voss, 1960d: 239 A: AF

kirguisicus Chevrolat, 1873a: 43 A: AF KI KZ TR UZ

limbifer Faust, 1904: 218 A: SHX

martini Faust, 1904: 218 E: SP N: MO

menozzii F. Solari, 1950a: 38 E: IT

mixtus Fabricius, 1792: 417 (*Curculio*) E: FR IT PT SP N: AG CI EG LB MO MR SG (Selvagem

Grande) TU A: AR CY IN IS PS SY TR AFR

conicirostris Olivier, 1807: 264 (*Lixus*)

jekelii Wollaston, 1862b: 441 (*Cleonus*)

semilunatus Petri, 1904b: 235 (*Lixus*)

rungsi A. Hoffmann, 1938a: 51 (*Cleonus*) N: MO

seductus Faust, 1904: 218 **A: SA YE AFR**
seurati Peyerimhoff, 1927a: 25 (*Conorhynchus*) **N: TU**
subcylindricus Petri, 1908a: 72 (*Lixus*) **N: AG**
turbيناتus Chevrolat, 1869: 75 (*Cleonus*) **N: AG**
verecundus Faust, 1883e: 123 (*Bothynoderes*) **E: ST A: AB AF AR IN KI KZ MG PA TM UZ XIN**

genus *Terminasiania* Alonso-Zarazaga & Lyal, 1999: 193 [RN] type species *Cleonis granosa* Zoubkoff, 1833
Isomerus Motschulsky, 1860e: 540 [HN] type species *Cleonis granosa* Zoubkoff, 1833
granosa Zoubkoff, 1833: 333 (*Cleonis*) **E: ST UK A: IN KI KZ TD TM UZ XIN**
caspica Fähræus, 1842: 29 (*Cleonus*)
torosa Fähræus, 1842: 42 (*Cleonus*)

genus *Tetragonothorax* Chevrolat, 1872b: 108 type species *Curculio retusus* Fabricius, 1801 (= *Tetragonothorax lyali* Alonso-Zarazaga, 1999)
gyllenhali Faust, 1894a: 617 [RN] **A: PA ORR**
herbsti Faust, 1904: 198
macilentus Gyllenhal, 1834: 243 (*Bothynoderes*) [HN]
lyali Alonso-Zarazaga, 1999: 193 [RN] **N: EG A: PA AFR ORR**
retusus Fabricius, 1801: 515 (*Curculio*) [HN]
senectus Fähræus, 1842: 85 (*Cleonus*) **N: EG AFR**
quadraticollis Fähræus, 1842: 86 (*Cleonus*)

genus *Trachydemus* Chevrolat, 1872b: 108 type species *Pachycerus rugosus* Lucas, 1846
orientalis Zumpt, 1938a: 15 **A: IQ**
parthicus Ter-Minasian & Egorov, 1986: 379 **A: IN**
rugosus Lucas, 1846a: pl. 36 (*Pachycerus*) **E: FR IT PT SP N: AG MO TU A: IS**
basalis Chevrolat, 1860a: 80 (*Larimus*)

genus *Trichocleonus* Motschulsky, 1860e: 540 type species *Brachyrhinus leucophyllus* Fischer von Waldheim, 1821
leucophyllus Fischer von Waldheim, 1821: 14 (*Brachyrhinus*) **A: AF IN KI KZ TD TM UZ XIN**
duodecimguttatus Motschulsky, 1845a: 104 (*Cleonus*)

genus *Trichotocleonus* Voss, 1959a: 103 type species *Trichotocleonus longipilis* Voss, 1959
longipilis Voss, 1959a: 104 **A: AF**

genus *Xanthochelus* Chevrolat, 1872b: 109 type species *Curculio nomas* Pallas, 1771
Trachylix Reitter, 1916a: 91 type species *Cleonus vulneratus* Boheman, 1834
Xanthochilus Bedel, 1909: 100 [UE, HN]
Xanthoprochilus Bedel, 1909: 100 [URN]
blumeae G.A.K. Marshall, 1938b: 159 **A: AF PA UP ORR**
cinctiventris Fähræus, 1842: 54 (*Cleonus*) **E: SP N: AG EG LB MO TU A: IN IS SA SI AFR**
marmottani C. N. F. Brisout de Barneville, 1866b: 391 (*Cleonus*)
faunus Olivier, 1807: 267 (*Lixus*) **A: PA ORR**
longus Chevrolat, 1873a: 96 **N: EG A: IN KU SA SI SY TR YE AFR**
postumus Faust, 1883g: 203
major Herbst, 1784: 81 (*Curculio*) **A: FUJ GUA GUI GUX HAI JA NP PA QIN SCH YUN ZHE**
ORR
mixtus Fähræus, 1842: 60 (*Cleonus*)
sculpticollis Fairmaire, 1888a: 31 (*Larimus*)
sulphurifer Chevrolat, 1873a: 95
superciliosus Gyllenhal, 1834a: 202 (*Cleonus*) [HN]
nomas Pallas, 1771: 463 (*Curculio*) **E: ST A: AB AF IN KI KZ PA SA TD TM TR UZ WS XIN**
firmus Schoenherr, 1832: 217 (*Cleonus*)
firmus Gyllenhal, 1834a: 203 (*Cleonus*) [HN]
montivagus Chevrolat, 1873a: 97
omogeron Herbst, 1797: 11 (*Curculio*) **E: ST A: IQ KI KZ TD TM UZ**
ewersmanni Fähræus, 1842: 58 (*Cleonus*)
perlatus Fabricius, 1787a: 114 (*Curculio*) **A: FUJ HAI HKG JA TAI ORR**
coelestis Chevrolat, 1873a: 97
permutatus Faust, 1904: 260 **A: CH PA ORR**
vulneratus Boheman, 1834a: 201 (*Cleonus*) **N: AG EG AFR**
canescens Chevrolat, 1873a: 95

niloticus Chevrolat, 1873a: 96

tribe Cleonini, species incertae sedis
Adosomus bugiensis Mulsant & Godart, 1876b: 256 N: AG
Cleonis coriaginosa Zoubkoff, 1833: 335 A: TM
Cleonis fasciata Fischer von Waldheim, 1830: 187 A: UZ
Cleonis furcata Zoubkoff, 1833: 334 A: TM
Cleonis guttata Goeze, 1777: 400 (*Curculio*) [HN] A: RU
guttata Gmelin, 1790: 1801 (*Curculio*) [HN]
Cleonis murina Faldermann, 1835: 425 (*Cleonus*) A: ES
Cleonis oculata Fischer von Waldheim, 1830: 188 A: UZ
Cleonis teretirostris Gebler, 1833: 296 (*Cleonus*) A: KZ

7.10.2. Tribe Lixini Schoenherr, 1823

genus *Bangasternus* Gozis, 1882b: 203 [RN] type species *Rhinocyllus planifrons* Brullé, 1832
Coelostethus Capiomont, 1873: 275 [HN] type species *Rhinocyllus planifrons* Brullé, 1832
fausti Reitter, 1890c: 159 (*Coelostethus*) E: GR IT A: AR IN TR
iranensis Talamelli, 2013: 233 A: IN
orientalis Capiomont, 1873: 283 (*Coelostethus*) E: AU BU CT GR HU IT KZ MC RO SK N: EG A:
AB AF AR CY GG IN IQ IS JO LE SY TD TR UZ **NARi**
smymensis Capiomont, 1873: 284 (*Coelostethus*)
planifrons Brullé, 1832b: 244 (*Rhinocyllus*) E: BH BU CR GR IT PT SP TR N: LB A: AB AF AR
CY IN IS LE SY TM TR
araxis Reitter, 1895f: 257
planifrons Gyllenhal, 1835a: 149 (*Rhinocyllus*) [HN]
syriacus Stierlin, 1888b: 59 (*Coelostethus*)
provincialis Fairmaire, 1863: 110 (*Rhinocylus*) E: FR IT
remaudierei A. Hoffmann, 1956d: 242 (*Rhinocyllus*) A: IN IQ
dummi Colonnelli, 1990: 199
siculus Capiomont, 1873: 282 (*Coelostethus*) E: IT SP N: AG MO TU
villosus Capiomont, 1873: 279 (*Coelostethus*) E: SP N: AG MO TU
dieckii Capiomont, 1873: 282 (*Coelostethus*)
hispanicus Capiomont, 1873: 280 (*Coelostethus*)

genus *Eugeniodecus* Arnol'di, 1955: 302 type species *Eugeniodecus pavlovskii* Arnol'di, 1955
pavlovskii Arnol'di, 1955: 302 A: MG TM
turkmenicus Ter-Minasian, 1977: 146 A: TM

genus *Eustenopus* Petri, 1907a: 53 type species *Larinus villosus* Boheman, 1843
abbreviatus Faust, 1891b: 117 (*Larinus*) A: TD UZ
lanuginosus Faust, 1885b: 168 (*Larinus*) A: IQ KI KZ NW TM UZ WS
perbellus Escalera, 1914: 454 (*Larinus*) N: LB MO
villosus Boheman, 1843: 23 (*Larinus*) E: BU GR MD ST UK A: IN SY TR **NARi**
hirtus Waltl, 1838: 468 (*Larinus*) [HN]

genus *Gasteroclisus* Desbrochers des Loges, 1904d: 103 type species *Lixus augurius* Boheman, 1835
subgenus *Eugasteroclisus* Voss, 1958b: 36 type species *Gasteroclisus klapperichi* Voss, 1956
kabulensis Voss, 1961c: 245 (*Lixus*) A: AF
klapperichi Voss, 1956b: 25 A: FUJ LIA
subgenus *Gasteroclisus* Desbrochers des Loges, 1904d: 103 type species *Lixus augurius* Boheman, 1835
Hypolixus Petri, 1904c: 188 [HN] type species *Lixus augurius* Boheman, 1835
Hypsocleonus Aurivillius, 1921: 93 type species *Hypsocleonus cardui* Aurivillius, 1921
Hypsocleonus Aurivillius, 1926: 28 type species *Hypsocleonus cardui* Aurivillius, 1921
aethiops Herbst, 1795: 48 (*Curculio*) A: PA **ORR**
arcurostris Petri, 1912c: 348 A: CH PA SD
augurius Boheman, 1835: 19 (*Lixus*) E: FR GR IT PT SP N: AG EG MO A: PA SY **ORR**
auriculatus C. R. Sahlberg, 1823b: 40 (*Lixus*) A: CH JA NC PA SC SD
binodulus Boheman, 1835: 52 (*Lixus*) A: FUJ JA LIA PA **ORR**
fukienensis Voss, 1958b: 36

denticollis Petri, 1904a: 65 (*Lixus*) Ai: SY NTR
rufitibialis Kôno, 1929c: 54 (*Lixus*) A: TAI
rufitibialis: Csiki, 1934a: 97 (*Lixus*) [ISS, NA]
scissifrons Petri, 1912c: 344 A: SD ORR
subdentatus Petri, 1904b: 233 (*Lixus*) A: SD ORR
sulcirostris Gerstaecker, 1871: 73 (*Lixus*) N: EG AFR
bifoveatus Chevrolat, 1881e: 89 (*Lixus*)
syriacus Petri, 1920: 36 N: EG A: LE SY

genus *Heterocleonus* Normand, 1953: 121 type species *Heterocleonus demoflysi* Normand, 1953
demoflysi Normand, 1953: 121 N: TU

genus *Hololixus* Voss, 1932b: 64 type species *Lixus cleonoides* Voss, 1932 (= *Hololixus szetschuanensis* Voss, 1937)

szetschuanensis Voss, 1937c: 261 [RN] A: SCH
cleonoides Voss, 1932b: 63 (*Lixus*) [HN]

genus *Hypolixus* Desbrochers des Loges, 1898j: 54 type species *Lixus nubilosus* Boheman, 1835 (=

Curculio pica Fabricius, 1798)
Microcleonus Desbrochers des Loges, 1904c: 95 [HN] type species *Lixus distinguendus* Desbrochers des Loges, 1894 (= *Lixus astrachanicus* Faust, 1883)
Paralixus Desbrochers des Loges, 1904d: 102 [RN] type species *Lixus nubilosus* Boheman, 1835 (= *Curculio pica* Fabricius, 1798)
Paralixus Csiki, 1904a: 85 [HN, URN] type species *Lixus distinguendus* Desbrochers des Loges, 1894 (= *Lixus astrachanicus* Faust, 1883)
Perilixus Csiki, 1904b: 267 [URN] type species *Lixus distinguendus* Desbrochers des Loges, 1894 (= *Lixus astrachanicus* Faust, 1883)

armirostris Voss, 1959d: 9 A: IN

astrachanicus Faust, 1883g: 207 (*Lixus*) E: ST N: EG A: AF GG IN IQ KZ TD TM TR UZ AFR

albinae Formánek, 1925: 25 (*Lixus*)
albomaculatus Pic, 1923a: 7
distinguendus Desbrochers des Loges, 1894d: 80 (*Lixus*)
nebulosus Fähræus, 1871: 210 (*Lixus*)
turkestanicus Desbrochers des Loges, 1898j: 59

bivirgatus Desbrochers des Loges, 1898j: 61 A: TM

sulphureovittis Brancsik, 1900: 102 (*Lixus*)

brachyrhinus Boheman, 1842b: 464 (*Lixus*) Ni: CI ORR

lecontei Faust, 1883g: 208 (*Lixus*) A: KZ

fasciatus Petri, 1906: 65 (*Lixus*)

paulonotatus Pic, 1904d: 36 N: AG

pica Fabricius, 1798: 167 (*Curculio*) E: FR GR N: EG A: AE CY IN IQ JO PA SY TR YE

(Suqutra) AFR ORR

dispar Fabricius, 1792: 460 (*Curculio*) [HN]
haerens Boheman, 1835: 49 (*Lixus*)
irroratus Boheman, 1835: 53 (*Lixus*)
nubilosus Boheman, 1835: 48 (*Lixus*)
ornatus Reiche & Saulcy, 1858a: 672 (*Cleonus*)
pulvisculosus Boheman, 1835: 56 (*Lixus*)
volvulus Fabricius, 1798: 168 (*Curculio*)

serripes Desbrochers des Loges, 1898j: 62 N: TU

theophili Capiomont, 1876a: 454 (*Lixus*) A: TR

zarazagai Gültekin, 2013b: 104 [RN] E: ST A: AB TD

tigrinus Reitter, 1890c: 160 (*Lixus*) [HN]

genus *Lachnaeus* Schoenherr, 1826: 59 type species *Lachnaeus crinitus* Schoenherr, 1826

Stolatus Mulsant & Godart, 1873a: 190 type species *Stolatus nicolasi* Mulsant & Godart, 1873 (= *Lachnaeus crinitus* Schoenherr, 1826)

Stolatus Mulsant & Godart, 1874a: 44 [HN] type species *Stolatus nicolasi* Mulsant & Godart, 1874 (= *Lachnaeus crinitus* Schoenherr, 1826)

bidentatus Pic, 1910b: 19 N: EG

clainpanaini Bedel, 1910: 14 (*Larimus*)

crinitus Schoenherr, 1826: 60 E: AU BU CT CZ FR GR HU IT MD ME PT RO SB SK SP ST UK

A: AB AR ES KI KZ MG NW SY TR

gibbosus Petri, 1907a: 132

nicolasi Mulsant & Godart, 1873a: 192 (*Stolatus*)

nicolasi Mulsant & Godart, 1874a: 46 (*Stolatus*) [HN]
horridus Reitter, 1890c: 159 (*Stolatus*) **E:** MD **A:** AB AR GG KI TM TR

genus *Larinus* Dejean, 1821: 97 type species *Curculio cynarae* Fabricius, 1787
subgenus *Cryphopus* Petri, 1907a: 53 type species *Larinus suborbicularis* Capiomont, 1874 (= *Larinus ferrugatus* Gyllenhal, 1835)
berti Gültekin & Alonso-Zarazaga, 2013: 22 **N:** MO
bombycinus Lucas, 1847b: 444 **N:** AG MO TU
subrotundatus Chevrolat, 1860a: 81
ferrugatus Gyllenhal, 1835a: 132 **E:** FR IT PT SP **N:** AG EG MO TU
brevis Capiomont, 1874a: 55 [NA]
gyllenhali Gemminger, 1871b: 122 [RN]
suborbicularis Capiomont, 1874b: 289
griseus Capiomont, 1874b: 288 **N:** AG
maroccanus Capiomont, 1874b: 290 **E:** PT SP **N:** MO
obesulus Desbrochers des Loges, 1896f: 64
reichei Capiomont, 1874b: 286 **E:** FR SP **N:** MO
subgenus *Larinomesius* Reitter, 1924: 62 type species *Larinus flavescens* Germar, 1823 (= *Lixus scolymii* Olivier, 1807)
atomarius Capiomont, 1874b: 283 **A:** AR TR
bardus Gyllenhal, 1835a: 114 **E:** UK **A:** AB AF AR IN SY TD TM TR UZ
bardus Gyllenhal, 1837a: 231 [HN]
persicus Stierlin, 1891c: 327
sulphuratus Gyllenhal, 1835a: 116
sulphuratus Gyllenhal, 1837a: 234 [HN]
tauricus Desbrochers des Loges, 1897e: 32
canescens Gyllenhal, 1835a: 126 **E:** AL AU BH BU CR FR GR HU MD ME SB SP ST UK **N:** AG
A: AB AR IN SY TM TR
canescens Gyllenhal, 1837a: 232 [HN]
cinerascens Capiomont, 1874b: 297
cribricollis Desbrochers des Loges, 1896f: 66
laujarensis Roudier, 1954i: 126
lederi Faust, 1889e: 203
marginicollis Petri, 1907a: 104 [HN]
pulvinatus Petri, 1907a: 107
carthami Olivier, 1807: 278 (*Lixus*) **E:** CR GR ST **N:** AG EG **A:** AB AR IN IS SY TM TR
crassus Capiomont, 1874b: 296
breviusculus Desbrochers des Loges, 1892e: 12
breviusculus Desbrochers des Loges, 1895d: 92 [HN]
friedmani Talamelli, 2010: 581
griseotessellatus Capiomont, 1874b: 305
curtus Hochhuth, 1851: 88 **E:** BU CR GR IT ME SB ST UK **A:** AB AR GG IN IS SY TR **NARi**
gyllenhali Gemminger, 1871c: 2408 [RN]
darsi Capiomont, 1874b: 308 **A:** AB AR GG IN TR
intoppai Talamelli, 2015: 33 **A:** SCH
kirschii Reitter, 1872: 184 **N:** AG MO TU
castaneus Capiomont, 1874b: 299
minutissimus Desbrochers des Loges, 1891c: 37 **E:** SP **N:** AG
adjectus Fuente, 1897: 241
minutus Gyllenhal, 1835a: 129 **E:** AL AU BH BU CR GR HU MC MD ME RO SB SK SL ST SV
TR UK A: AB AR GG IN IS JO LE KZ SY TR **NARi**
anceps Reitter, 1896b: 42
brevis Gyllenhal, 1835a: 150 (*Rhinocyllus*) [HN]
petrii Winkler, 1932a: 1507 [RN]
puncticollis Capiomont, 1874b: 287
puncticollis Petri, 1907a: 111 [HN]
nubeculosus Gyllenhal, 1835a: 117 **E:** CZ FR GR HU IT SK SP ST **A:** AB AR GG IN TR
depressirostris Reitter, 1890c: 158
fleischeri Reitter, 1924: 74
nubeculosus Gyllenhal, 1837a: 236 [HN]
rugulosus Petri, 1907a: 108
obtusus Gyllenhal, 1835a: 128 **E:** AU BE BU CR CZ FR GE GR HU IT MD ME PL PT RO SB SP
SK ST SZ TR UK A: AR GG IN IS TR **NARi**
australis Capiomont, 1874b: 303
brevis Gyllenhal, 1835a: 129 [HN]
brevis Gyllenhal, 1837a: 241 [HN]

dissimilis Capiomont, 1874a: 58
ochreateus Olivier, 1807: 276 (*Lixus*) E: AU BE CZ FR GR IT MA PT SP N: AG CI LB MO MR
 TU A: TR
palaestinus Talamelli, 1999: 57 A: IS JO
ruber Motschulsky, 1845a: 101 E: ST UK A: ES WS
ferrugineus Capiomont, 1874b: 305
scolymi Olivier, 1807: 275 (*Lixus*) E: BE BH CR CZ FR GE GR IT MA ME PT SB SP UK N: AG
 LB MO TU A: IN JO TR
carinifer Boheman, 1843: 16
flavescens Germar, 1823: 386
lynx Küster, 1847a: 92
ochratus Gravenhorst, 1807: 203 (*Rhynchaenus*)
teres Hellwig, 1795: 118 (*Curculio*) [HN]
teres Herbst, 1795: 128 (*Curculio*) [HN]
serratulae Becker, 1864: 481 E: CT ST UK A: IN KI NW TM TR UZ XIN
serratulae Capiomont, 1874b: 306 [HN]
syriacus Gyllenhal, 1835a: 136 E: AL BU CR GR HU MC ME SB ST UK A: AB AR CY GG IN
 IS JO KZ PA SY TD TR UZ
sericatus Boheman, 1843: 14
undulatus Kocher, 1961: 100 N: MO
vitellinus Gyllenhal, 1835a: 117 E: UK A: AR IN LE SY TR
crassiusculus Desbrochers des Loges, 1895d: 93
khnzoriani Ter-Minasian, 1962a: 259
vitellinus Gyllenhal, 1837a: 238 [HN]
wilkinsi Faust, 1887f: 171 A: TD
subgenus *Larinus* Dejean, 1821: 97 type species *Curculio cynarae* Fabricius, 1787
Rungsonymus A. Hoffmann, 1950b: 89 type species *Rungsonymus ambiguus* A. Hoffmann, 1950 (= *Larinus subverrucosus*
 Petri, 1907)
affinis Fremuth, 1987: 328 A: IN
albolineatus Capiomont, 1874a: 64 N: EG A: IS
arabicus Capiomont, 1874b: 294 A: IN "Arabia"
crassus Dohrn, 1873: 74 [HN]
boroveci Gültekin & Perrin, 2018: 8 N: MO
buccinator Olivier, 1807: 274 (*Lixus*) E: GR MC IT PT SP N: AG MO A: TR
tubicenus Boheman, 1843: 6
capsulatus Gültekin, 2008: 5 A: TR
cardopatii Lucas, 1847b: 446 N: AG MO A: IN
densicollis Desbrochers des Loges, 1897e: 29
carinirostris Gyllenhal, 1835a: 121 E: AL AU BH BU CR CT GR IT ME SB A: TR
bilineatus Petri, 1914b: 105 [NA]
cleoniformis Bedel, 1891: xxxviii N: AG MO
staudingeri Petri, 1914b: 100
cleonoides Arnol'di, 1956: 690 A: UZ
cuniculus Olivier, 1807: 282 (*Lixus*) A: IQ SA TM UZ
marki Ter-Minasian, 1982: 42
cynarae Fabricius, 1787a: 98 (*Curculio*) [NP] E: CT CZ FR GE GR IT MA PT RO SP ST UK N:
 AG LB MO TU A: IN IS JO SY TR
desbrochersi Fuente, 1897: 240
glabrirostris Gyllenhal, 1835a: 109
hispanicus Motschulsky, 1849: 137
timidus Gyllenhal, 1835a: 115
triangularis Petagna, 1786: 14 (*Curculio*) [NO]
elegans Desbrochers des Loges, 1897e: 29 N: AG EG LB MO TU A: IN SA
discoideus Petri, 1907a: 70
kirschii Capiomont, 1874a: 75 [HN]
mutabilis Bedel, 1887e: 201 [RN]
oudjensis Hustache, 1938b: 35
fuscatus Faust, 1891e: 399 E: ST A: AB AR IN IQ SY TR
carthami A. Hoffmann, 1957b: 80 [HN]
persicus Petri, 1907a: 76
sacer Desbrochers des Loges, 1896f: 65
terminasiana Fremuth, 1987: 325
hedenborgi Boheman, 1845: 442 E: GR (Ródos) N: EG LB A: CY IN IQ JO SY TR
humeralis Petri, 1907a: 75 A: IN
idoneus Gyllenhal, 1835a: 137 E: ST UK A: GG KI TR UZ

bicolor Boheman, 1843: 20
hololeucus Motschulsky, 1845a: 101
schmidti Faust, 1894b: 145
inaequalicollis Capiomont, 1874a: 65 E: MD ST UK A: AB AR GG IN IS KZ SY TD TR UZ
iranicus Gültekin & Podlussány, 2012: 246 A: IN
jacobsoni Petri, 1907a: 68 N: AG MO
jelineki Fremuth, 1987: 322 A: IN
latus Herbst, 1783: 71 (*Curculio*) E: AL AU BH BU CR FR GE GR HU IT MD ME RO SB SK SL
ST TR UK A: AB AR CY ES GG IN IS SY TR WS AURi
cardui Rossi, 1790: 111 (*Curculio*) [HN]
cirsii Gyllenhal, 1835a: 107
cirsii Gyllenhal, 1837a: 227 [HN]
costirostris Gyllenhal, 1835a: 105
mutabilis Host, 1790: 293 (*Curculio*)
subcostatus Brullé, 1832b: 244
teretirostris Gyllenhal, 1835a: 108
maurus Olivier, 1807: 281 (*Lixus*) E: BU FR GR IT N: AG MO
guttifer Boheman, 1843: 13
numidicus Desbrochers des Loges, 1892j: 89
mellificus Jekel, 1859: 181 A: IN
reitterianus Iablokoff-Khznorian, 1990b: 180
modestus Gyllenhal, 1835a: 119 A: IN IS SY
biggsi G.A.K. Marshall, 1944b: 139
chaldaeus Petri, 1914b: 101
iranensis Voss, 1937c: 260
modestus Gyllenhal, 1837a: 235 [HN]
nidificans Guibourt, 1858: 276 A: AB AF AR IN IQ JO SY TM
multiguttatus Reitter, 1901b: 80
onopordi Fabricius, 1787a: 98 (*Curculio*) E: BH BU FR GR IT ME PT SB ST UK N: AG EG LB
MO TU A: AB AR CY GG IN IS JO KZ LE SA SY TD TM TR UZ WS AFR
aegyptiacus Capiomont, 1874a: 63
guttiger Csiki, 1934a: 74 [RN]
maculatus Gyllenhal, 1835a: 112
maculatus Gyllenhal, 1837a: 228 [HN]
mirei A. Hoffmann, 1962d: 408
numidicus Capiomont, 1874a: 56
uniformis Petri, 1907a: 59
paradoxus Ter-Minasian & Egorov, 1981b: 348 A: KZ
taukumicus Bajtenov, 1981h: 247
pollinis Laicharting, 1781: 229 (*Curculio*) E: AL AU BE BH BU CR CZ FR GE GR HU IT MC ME
NL PL PT RO SB SK SL SP ST SZ UK N: MO A: ES IN JA JO NC SC TR WS
brevis Herbst, 1795: 127 (*Curculio*) [HN]
granicollis Boheman, 1843: 11
lineatocollis Gyllenhal, 1835a: 121
morio Gyllenhal, 1835a: 132
sanctaeabmae Abeille de Perrin, 1872a: 38
sanctaeabmae Abeille de Perrin, 1872b: xliii [HN]
senilis Fabricius, 1801: 515 (*Curculio*) [HN]
rudicollis Petri, 1907a: 62 E: RO ST N: AG LB A: IN IS JO LE SY TR WS
orientalis Petri, 1912a: 310
orientis Csiki, 1934a: 75 [RN]
rufipes Desbrochers des Loges, 1870c: 191 A: "Orient."
sibiricus Gyllenhal, 1835a: 131 E: BU GR MC MD ST UK YU A: AR GG IN KI SY TR WS
aeruginosus Hochhuth, 1851: 90
bulgaricus Voss, 1943c: 221
distinguentus Desbrochers des Loges, 1892j: 92
siculus Boheman, 1843: 21 E: GR IT (Sicilia) PT SP N: AG LB MO A: CY IN IS AFR
chevolatii Boheman, 1843: 22
interruptus Desbrochers des Loges, 1884: 158
subverrucosus Petri, 1907a: 72 N: MO TU
ambiguus A. Hoffmann, 1950b: 89 (*Rungsonymus*)
simplex Petri, 1907a: 72
synthesys Gültekin & Perrin, 2018: 5 N: AG
trehalanus Gültekin & Shahreyary-Nejad, 2015: 247 A: IN
ursus Fabricius, 1792: 399 (*Curculio*) [RN, NP] E: FR GR IT MA ME PT SB SP ST N: AG EG LB
MO TU A: CY IN IS LE SY TR WS
albarius Boheman, 1843: 7

albicans Lucas, 1847a: pl. 37
bilineatus Reitter, 1924: 67
canaliculatus Olivier, 1791: 477 (*Curculio*) [RN]
corsicus Petri, 1907a: 78
cuniculus Walker, 1871: 17 [HN]
geni Boheman, 1843: 17
intermedius Hustache, 1939b: 197
lineola Dufour, 1843: 82
pseudovittatus A. Hoffmann, 1955: 531
rubripes Desbrochers des Loges, 1892j: 93
rugicollis Boheman, 1843: 18
stolatus Gmelin, 1790: 1746 (*Curculio*) [RN, NO]
vittatus Fabricius, 1781: 164 (*Curculio*) [HN]
vittatus Capiomont, 1874a: 72 [HN]

vulpes Olivier, 1807: 277 (*Lixus*) **E:** BU CR FR GR IT MC MD PT SB SK SP ST UK **N:** AG LB
TU A: ES KI KZ NW SY TD TM TR UZ
maculosus Schoenherr, 1832: 222
reconditus Boheman, 1843: 19
turanicus Petri, 1907a: 62

subgenus *Phyllonomeus* Gistel, 1856a: 372 type species *Curculio iaceae* Fabricius, 1775
Larinorhynchus Reitter, 1924: 62 type species *Larimus afer* Gyllenhal, 1835
Larimus Germar, 1823: 379 [HN] type species *Curculio sturnus* Schaller, 1783
Rhinobatus Germar, 1817c: 341 [HN] type species *Curculio planus* Fabricius, 1792

adspersus Hochhuth, 1847: 538 **E:** BU GR IT (Sicilia) MD PT SP ST TR UK **A:** AR GG IN IS LE
SY TM TR
akbesianus Desbrochers des Loges, 1897e: 30
brenskoi Faust, 1890e: 324
villosiventris Desbrochers des Loges, 1892j: 90

afer Gyllenhal, 1835a: 110 **E:** PT SP **N:** AG MO
acanthiae Gyllenhal, 1835a: 135
saintpierrei Allard, 1869c: 473

albobocinctus Chevrolat, 1866b: 106 **E:** IT (Sicilia) PT SP
albomarginatus Capiomont, 1874b: 323

araxicola Gültekin, 2006b: 45 **A:** AR TR

barclayi Gültekin & Lya1, 2016: 2 **A:** SCH

carlinae Olivier, 1807: 280 (*Lixus*) [NP] **E:** AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IT
LA LT LU MD ME NL NR NT PL PT SB SK SP ST SV SZ UK N: AG MO TU **A:** AB AR
CY GG KI KZ TR WS XIN NARi
ebeneus Marsham, 1802: 270 (*Curculio*) [NO]
heydeni Capiomont, 1874b: 314
planus: Stephens, 1831h: 160 (*Rhinobatus*) [NA]
soricinus Petri, 1907a: 118
sulphurifer Boheman, 1843: 10

centaurii Olivier, 1807: 278 (*Lixus*) **E:** BE CZ FR GE GR HU IT LU NT RO SK SP ST UK **A:** IN
KZ WS
beckeri Petri, 1907a: 123 [RN]
ungulatus Gyllenhal, 1835a: 133
ungulatus Gyllenhal, 1837a: 237 [HN]

filiformis Petri, 1907a: 122 **E:** BU GR UK **A:** AB AR GG TR

gigas Petri, 1907a: 127 **A:** IN IQ SY TR

gravidus Olivier, 1807: 275 (*Lixus*) **E:** GR PT SP **N:** AG
schoenherri Capiomont, 1874b: 320

grisescens Gyllenhal, 1835a: 134 **E:** AL BU GR IT MC MD ME SB ST TR **A:** CY GG IN IQ IS LE
SY TR
brunneus Petri, 1907a: 127 [NA]
grisescens Gyllenhal, 1837a: 239 [HN]
hierosolymae: Desbrochers des Loges, 1896f: 66 [IOS, NA]
hierosolymae Desbrochers des Loges, 1896f: 66
orientalis Capiomont, 1874b: 325
tournieri Stierlin, 1861b: 223

griseopilosus Roelofs, 1873: 182 **A:** AP FE JA NE NO **ORR**
assamensis G.A.K. Marshall, 1924: 289
formosus Petri, 1907a: 86
kishidai Kôno, 1935a: 4
niasanus Petri, 1914a: 48
potanini Faust, 1890f: 467

iaceae Fabricius, 1775: 129 (*Curculio*) **E:** AL AU BE BH BU CR CT CZ EN FR GE GR HU IT LA
 LS LU MC MD ME NL NT PL PT SB SK SL SP ST SZ UK **N:** AG **A:** AB AR ES GG IN IS
 KI KZ SCH SW TD TM TR UZ WS
carduelis Goeze, 1777: 381 (*Curculio*)
carduelis Gmelin, 1790: 1758 (*Curculio*) [HN]
cardui Geoffroy, 1785: 118 (*Curculio*) [HN]
contractus Faust, 1885b: 170
foveicollis Gyllenhal, 1835a: 130
immitis Gyllenhal, 1835a: 124
jacea Fabricius, 1792: 400 (*Curculio*)
planus Herbst, 1795: 123 (*Curculio*) [NA]
stricticollis Desbrochers des Loges, 1875a: 17
volgensis Becker, 1864: 483
zancleanus Vitale, 1904c: 128
impressus Gebler, 1829: 173 **A:** ES FE WS
variolosus Petri, 1907a: 83
latissimus Roelofs, 1873: 193 **A:** ES FE JA NC NO SC
katoi Kôno, 1929c: 62
kuroiwai Kôno, 1929c: 62
latissimus Roelofs, 1873: 183 [NA]
ovalis Roelofs, 1873: 183
rivalis Faust, 1890f: 469
subvariolosus Petri, 1907a: 112
lejeunei Capiomont, 1874b: 321 **N:** AG MO TU
lethierryi C. N. F. Brisout de Barneville, 1866b: 402 **E:** SP
punctiger Petri, 1907a: 87
leuzeae Fabre, 1870: 109 **E:** FR SP
immitis Capiomont, 1874: 327 [NA]
staelinae Bedel, 1908: 261
longirostris Gyllenhal, 1835a: 124 **E:** FR IT PT SP **N:** AG **A:** CY IS
confinis Jacquelin du Val, 1855b: [223]
consimilis Capiomont, 1874a: 61
filirostris Rosenhauer, 1856: 269
meleagrís Petri, 1907a: 85 **A:** FE JA NC SC SCH SW
kurilanus Kôno, 1928: 168
microlonchi Peyerimhoff, 1911: 302 **N:** AG MO
nanus Lucas, 1847a: pl. 37 **E:** SP **N:** AG MO TU
escorialensis C. N. F. Brisout de Barneville, 1866b: 401
meridionalis Rosenhauer, 1856: 268
ovaliformis Capiomont, 1874b: 315 **E:** ST **N:** LB **A:** CY IN IS JO LE SY TR
sanctus Faust, 1887c: 32
perrinae Gültekin, 2006a: 22 **A:** SY TR
planus Fabricius, 1792: 400 (*Curculio*) **E:** AL BU CR FR GR IT MD ME PT SB SP ST UK **N:** AG
 MO **A:** AR IN TR
longirostris Stierlin, 1864a: 150 [HN]
rusticanus Gyllenhal, 1835a: 123
stierlini Faust, 1887c: 32 [RN]
virescens Boheman, 1843: 9
pruinosis Petri, 1907a: 88 **E:** UK **A:** KZ WS
rectinasus Petri, 1907a: 113 **E:** GR ST UK **A:** AB ES IN SY TM
remissus Faust, 1889e: 204 **A:** AB AR IN
saussureae G.A.K. Marshall, 1924: 288 **A:** UP
scabrostris Faldermann, 1835: 429 **A:** CH ES FE MG NC NO SC
pumilio Petri, 1907a: 130
scrobicollis Gyllenhal, 1835a: 127
scolopax Petri, 1907a: 121 **A:** AB AR IN TR
puncticeps Ter-Minasian, 1962b: 872
sturnus Schaller, 1783: 280 (*Curculio*) **E:** AU BE BH BU CR CT CZ EN FI FR GE GR HU IT LA
 LS LT LU MC MD ME NL NT PL PT RO SB SK SL SP ST SV SZ UK **N:** AG EG MO TU
A: AB AR GG IN TR WS
conspersus Boheman, 1843: 12
fringilla Gyllenhal, 1827: 570 (*Rhynchaenus*)
hispanicus Petri, 1907a: 115
lucidirostris Penecke, 1936: 209
proboscideus Petri, 1907a: 115
rugithorax Desbrochers des Loges, 1897e: 31
stellaris Gyllenhal, 1835a: 120

striatopunctatus Petri, 1907a: 115
tenuicarpus Ter-Minasian, 1962b: 873 A: AR TR
turbيناتus Gyllenhal, 1835a: 125 E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT LT
LU MC MD ME NL NT PL PT SB SK SL SP ST SZ UK N: MR A: AB AR ES GG IN IS JO
KI KZ NW TR WS NARi
variegatus Kôno, 1929c: 61 A: JA TAI
villosicollis Desbrochers des Loges, 1892j: 91 N: AG MO
westringii Capiomont, 1874b: 326 N: AG MO
zagros Gültekin & Podlussány, 2012: 251 A: IN
zanoni A. Solari & F. Solari, 1922d: 86 E: GR (Kriti) N: LB

genus *Larinus*, species incertae sedis
inquinatus Olivier, 1807: 266 (*Lixus*) N: “côte de Barbarie”
marginicollis Gistel, 1857: 543 E: UK

genus *Lixus* Fabricius, 1801: 498 type species *Curculio paraplecticus* Linnaeus, 1758

subgenus *Broconius* Desbrochers des Loges, 1904c: 92 type species *Lixus rectirostris* Desbrochers des Loges, 1904 (= *Lixus rectirostris* Faust, 1890)

Hapalixus Reitter, 1916a: 91 type species *Lixus noctuinus* Petri, 1904
kazakhstanicus Ter-Minasian, 1970a: 791 A: KZ
korotyaevi Ter-Minasian, 1989: 396 A: ES MG SC
lukjanovitschi Ter-Minasian, 1966a: 104 A: KZ TD
margaritae Davidian, 1993b: 851 E: ST A: AB AR TM
noctuinus Petri, 1904a: 74 A: AB AR TM
rectirostris Faust, 1890e: 333 N: AG MO
helenae Alonso-Zarazaga & Lyal, 1999: 189 (*Broconius*) [URN]
infrequens A. Hoffmann, 1954a: 53
rectirostris Desbrochers des Loges, 1904b: 74 (*Broconius*) [HN]
rubicundus Zoubkoff, 1833: 335 E: AU BU CZ FR GE HU IT MD PL RO SK SP ST UK N: MO
A: AB AR GG IN IS KZ MG TD TM TR WS
aberratus Boheman, 1835: 85
aberratus Boheman, 1837a: 223 [HN]
atriplicis Becker, 1864: 483
fariniferus Desbrochers des Loges, 1898j: 60 (*Hypolixus*)
favens Boheman, 1835: 87
favens Boheman, 1837a: 225 [HN]
flavescens Boheman, 1835: 74
impar Desbrochers des Loges, 1900a: 11
marqueti Desbrochers des Loges, 1870c: 190
virens Boheman, 1835: 85
zoubkoffi Boheman, 1835: 86

tibiellus Desbrochers des Loges, 1904c: 94 (*Broconius*) N: AG CI

vachshensis Ter-Minasian, 1966a: 103 A: TD

subgenus *Callistolixus* Reitter, 1916a: 90 type species *Curculio cylindricus* Fabricius, 1787 (= *Curculio cylindrus* Fabricius, 1781)

bifasciatus Petri, 1904a: 71 A: KZ TD UZ

cylindrus Fabricius, 1781: 172 (*Curculio*) E: AU BU CT CZ FR GE HU IT LA PL RO PT SK SP ST
SZ UK A: AB AR GG IN TR WS

acupictus A. Villa & G. B. Villa, 1833: 36
albopictus Reitter, 1892a: 64
cylindricus Fabricius, 1787a: 103 (*Curculio*) [NA]

farinifer Reitter, 1892a: 64 E: ST A: AB AR IN SY TR

furcatus Olivier, 1807: 237 E: BH IT ME SP ST N: AG MO A: AB AR GG IN LE SY TR

eversmanni Hochhuth, 1847: 530
ferulaginis Apfelbeck, 1898a: 291
inops Schoenherr, 1832: 222
longicollis Petri, 1905a: 48
olivieri Faust, 1891e: 402
parallelus Boheman, 1842b: 429
sitta C. R. Sahlberg, 1823b: 37

hypocrita Chevrolat, 1866a: 27 E: SP

kulzeri Zumpt, 1932b: 93 A: AR IN SY TR

motacilla Schoenherr, 1832: 222 A: AB AR IN
fascifarius Reitter, 1895a: 28

obesus Petri, 1904a: 70 E: IT (Calabria) ME ST A: AB AR GG IN LE TR
petiolicola Gültekin & Korotyaev, 2011: 105 A: TR
prangi Becker, 1873: 258 E: ST
tschemkenticus Faust, 1883g: 206 A: KI KZ TD UZ
subgenus *Compsolixus* Reitter, 1916a: 93 type species *Lixus juncii* Boheman, 1835
albomarginatus Boheman, 1842b: 435 E: AU BH BU CR CT CZ FR GE GR HU IT LT MD PL PT
RO SK SP ST SZ UK N: AG EG MO TU A: AB AR CY IN IQ IS KI KZ TD TM TR UZ WS
apfelbecki Petri, 1904a: 72
dubitabilis Fairmaire, 1875: 498
wagneri Lucas, 1847a: pl. 37
anguinus Linnaeus, 1767: 610 (*Curculio*) E: FR GE GR IT MA PT SP SZ N: AG EG MO TU A:
IN IS SY TR
anguiculus Boheman, 1835: 11
bufo: Herbst, 1795: pl. 73 (*Curculio*) [NA]
lineatus Boheman, 1835: 12
mucronatus Fabricius, 1792: 415 (*Curculio*) [HN]
ascanii Linnaeus, 1767: 610 (*Curculio*) E: AU BU CZ FR GE IT MD PT RO SB SK SP UK N: AG
MO A: CY IN KZ NW SY TR
circumdatatus Schoenherr, 1835: 66
lateralis C. N. F. Brisout de Barneville, 1866b: 406 [HN]
laufferi Petri, 1905b: 109 [RN]
sicanus Capiomont, 1875b: 53
brevipennis Ruter, 1939: 20 E: FR
castellanus Chevrolat, 1866a: 28 E: SP N: AG MO
lugens Petri, 1912b: 280
cheiranthi Wollaston, 1854b: 349 N: MR
circumcinctus Boheman, 1835: 61 A: AB AR IN TR
circumcinctus Boheman, 1837a: 226 [HN]
cruciferae A. Hoffmann, 1956a: 46 E: SP
deserticola A. Hoffmann, 1957b: 80 N: MO
erysimi Stüben & Behne, 2013: 2 N: CI (Gran Canaria)
excelsus Faust, 1891b: 119 N: EG A: AR IN JO SY TM TR UZ
fairmairei Faust, 1890d: 260 A: BEI ES FE HEB JIA MG NIN NMO SHX TIA WS
juncii Boheman, 1835: 65 E: BH BU CZ FR GE GR IT MA ME PT SB SK SP SZ TR N: AG CI
EG MR A: CY IQ IS JO SY TR
ascanoides Comolli, 1837: 34
chawneri Wollaston, 1854b: 350
conicollis Boheman, 1835: 90
linnei Faust, 1888c: 159 E: KZ ST UK A: AF IN TD TM
meles Boheman, 1835: 23 A: AB KZ
lycophoeus Boheman, 1835: 63
morettiae Voss, 1964a: 586 N: EG AFR
nubianus Capiomont, 1875d: 278 E: GR N: EG MO A: IN IS JO
schach Faust, 1887f: 170
ochraceus Boheman, 1842b: 436 E: AL AU BH BU CR CZ FR GE GR HU IT MD PL PT RO SK
SL SP ST SZ TR UK N: AG MO A: AR BEI IN IS JIX JO KZ LIA NC NMO SHX TR
amoenus Faust, 1888c: 160
pinkeri Voss, 1965a: 73 N: CI
repletus Smreczyński, 1968: 295 N: EG
reymondi A. Hoffmann, 1954a: 53 N: MO
smirnoffi A. Hoffmann, 1962c: 121 (*Dilixellus*) N: MO
talamellii Colonnelli, 2009: 252 A: AE
tenuipes Petri, 1914a: 47 N: AG
turkestanicus Faust, 1883g: 204 A: TM UZ
vaulogeri Hustache, 1938b: 36 N: AG
vectiformis Wollaston, 1854b: 351 N: MR
zaitzevi Petri, 1906: 64 A: TM UZ
subgenus *Dilixellus* Reitter, 1916a: 91 type species *Curculio algirus* Linnaeus, 1758 *sensu* Reitter, 1916
(= *Curculio pulverulentus* Scopoli, 1763)
abdominalis Boheman, 1835: 67 E: AU BE CR CT CZ GE FR GR HU IT LU MA PL PT RO SK
SP ST SZ UK N: AG MO TU A: AR GG IS SY TM TR
angusticollis Boheman, 1835: 83

bimaculatus Lucas, 1847a: pl. 37
laticollis Petri, 1905c: 160
punctiventris Boheman, 1835: 45 [HN]
arnoldiorum Ter-Minasian, 1966a: 102 **A:** KI UZ
bardanae Fabricius, 1787a: 104 (*Curculio*) [NP] **E:** AU BE BH BU CT CZ EN FR GR HU IT LA
 LU MD NR PL SK ST SV SZ UK **N:** MO **A:** AB GG IN IS TD TR WS
cylindricus Herbst, 1783: 71 (*Curculio*) [NO]
irresectus Boheman, 1842b: 474
paulmeyer Petri, 1905c: 166
rufescens Boheman, 1835: 82
scutulatus Petri, 1905c: 166
torquatus Townson, 1797: 474 (*Curculio*)
tristis Boheman, 1835: 82
depressipennis Roelofs, 1873: 184 **A:** ANH FE GUA GUX HEI JA JIA NC NMO SC SHG ZHE
desbrochersi A. Hoffmann, 1957b: 80 [RN] **N:** AG MO
impressiventris Desbrochers des Loges, 1904d: 98
distortus Csiki, 1934a: 115 [RN] **A:** YUN
obliquus Petri, 1907b: 59 [HN]
duplicatus Fremuth, 1983: 118 **A:** KZ UZ
euphorbiae Capiomont, 1875c: 260 **E:** HU UK
fasciculatus Boheman, 1835: 80 [EA] **E:** AU CT CZ FR GE HU IT MD PL SK ST SZ UK **A:** AF
 FE IN MG NC SC TR WS
elongatus Germar, 1823: 395 [HN]
globicollis Petri, 1905c: 161
oblongus Petri, 1905c: 161
formaneki Reitter, 1895a: 30 **A:** CH ES FE MG
gibbirostris Petri, 1904a: 75 **E:** GR
gurjevae Ter-Minasian, 1967: 124 [RN] **A:** KZ UZ
helenae Ter-Minasian, 1966: 152
hauseri Voss, 1932d: 293 **A:** SCH
hissaricus Ter-Minasian, 1966b: 151 **A:** TD UZ
impressiventris Roelofs, 1873: 185 **A:** CH FE JA MG NC SC
linearis Olivier, 1807: 248 **E:** AU CZ FR GE GR HU IT MA PT SK SP SZ UK **N:** AG CI MO MR
 TU **A:** IN IS TR **AURi**
affinis Boheman, 1842b: 469
cribricollis Boheman, 1835: 44
guttiventris Boheman, 1842b: 469
miniatocinctus Desbrochers des Loges, 1866: 77
maculatus Roelofs, 1873: 185 **A:** CH ES FE JA MG NC SC
impressiventris Matsumura, 1915: 212
maicopicus Ter-Minasian, 1966b: 150 **E:** ST
mergallii Fremuth, 1983: 117 **E:** IT (Calabria)
neglectus Fremuth, 1983: 115 **E:** AU CZ SK
obliquus Faust, 1884c: 467 **A:** ES MG
emeljanovi Ter-Minasian, 1972c: 540
probus Faust, 1887f: 168 **E:** UK **A:** IN KI KZ TD TM UZ
pulverulentus Scopoli, 1763: 25 (*Curculio*) **E:** AU BE BU CR CT CZ FR GB GE GR HU IT LU MA
 MD ME NL PL PT RO SB SK SP ST SZ TR UK **N:** AG CI MO MR TU **A:** AB AF AR CY
 GG IN IS SY TD TM TR UZ WS
algirus Fabricius, 1801: 503 [HN]
amphora Fabricius, 1801: 502
angustatus Fabricius, 1775: 135 (*Curculio*)
ferrugatus Fabricius, 1792: 416 (*Curculio*)
foveiventris Desbrochers des Loges, 1904b: 78
hungarus Petri, 1905b: 115
kolenatii Hochhuth, 1847: 533
lefebvrei Boheman, 1835: 17
pallens Boheman, 1842b: 458
pulvereus Olivier, 1791: 564 (*Curculio*) [RN]
subangustatus Motschulsky, 1849: 138
suetus Boheman, 1842b: 444
varicolor Boheman, 1835: 65
versicolor: Desbrochers des Loges, 1894d: 76 [~~NA~~, ISS]
rumicis A. Hoffmann, 1956a: 46 **E:** SP
salicorniae Faust, 1888c: 158 **E:** ST **A:** "Turkestan"
speciosus Miller, 1861: 208 **E:** ST **A:** AR CY GG IN IS JO LE SY TR

giganteus Leoni, 1907: 183
heydeni Faust, 1891e: 401
talyshensis Ter-Minasian, 1966b: 152 A: AB
ventriculus Petri, 1912b: 277 A: KZ
yunnanensis Voss, 1932d: 294 A: YUN
subgenus *Epimeces* Billberg, 1820: 45 type species *Curculio filiformis* Fabricius, 1781
Lixochelus Reitter, 1916a: 91 type species *Lixus cardui* Olivier, 1807
cardui Olivier, 1807: 250 E: AL AU BH BU CR CZ FR GE GR HU IT MD PL PT RO SB SK SP
ST TR UK N: AG MO TU A: AB AR CY GG IN IS JO KI KZ LE SY TR UZ WS AURi
pollinosus Germar, 1817a: 230 (*Curculio*) [HN]
pollinosus Germar, 1819: 134 [HN]
tigrinus Boheman, 1835: 76
filiformis Fabricius, 1781: 172 (*Curculio*) E: AL AU BE BH BU CR CZ GE GR HU FR IT LU MC
MD ME NL PL PT RO SB SK SP ST SZ TR UK N: AG CI MO MR TU A: AB AF AR CY
GG IN IS JO KZ LE SY TM TR
constrictus Boheman, 1835: 78
elongatus Goeze, 1777: 379 (*Curculio*) [HN]
elongatus Geoffroy, 1785: 113 (*Rhinomacer*) [HN]
haematocerus Germar, 1817a: 231 (*Curculio*)
haematocerus Germar, 1819: 134 [HN]
longus Gmelin, 1790: 1758 (*Curculio*)
rufipes Desbrochers des Loges, 1904c: 93
rufitarsis Boheman, 1835: 78
scrobrostris Capiomont, 1875c: 268
flaveolus Motschulsky, 1849: 138 E: SP
nigricornis Desbrochers des Loges, 1893d: 8 E: IT (Sicilia)
petrii Csiki, 1904a: 85 [RN] N: AG
macer Petri, 1904a: 67 [HN]
scolopax Boheman, 1835: 79 E: BH BU CR FR GR IT ME PT SB SK SP ST SZ TR UK N: AG
MO TU A: AB AR CY IN IS LE SY TR
affinis Lucas, 1847a: pl. 37 [HN]
barbarus Boheman, 1842b: 432
cynarae Graells, 1858: 86
ewaldi Alziar, 1978: 235
guttulatus Desbrochers des Loges, 1900a: 10
lutescens Capiomont, 1875d: 277
operculifer Petri, 1904a: 73
sardiniensis Boheman, 1842b: 470
sulphuratus Boheman, 1835: 74
sulphuratus Boheman, 1837a: 219 [HN]
spartiiformis A. Hoffmann, 1956d: 243 A: IN
strangulatus Faust, 1883g: 207 A: IN KI KZ TD TM UZ
ulcerosus Petri, 1904a: 77 E: FR IT (Sicilia) SP N: AG MO TU
cynarophilus Capiomont, 1875d: 281
subgenus *Eulixus* Reitter, 1916a: 90 type species *Lixus iridis* Olivier, 1807
Promecaspis A. Hoffmann, 1958: 1743 type species *Promecaspis veyreti* A. Hoffmann, 1958 (= *Lixus myagri* Olivier, 1807)
acutipennis Roelofs, 1873: 182 (*Cleonus*) [DA] A: BEI FE HEI HUB JA JIL LIA NC SC SHG SHX
ZHE
amurensis Faust, 1887f: 170 A: ANH BEI ES FE HEB HEI HUB JIA JIL JIX LIA NC SC SHG
SHX ZHE
bidens Capiomont, 1875a: 488 E: BU FR GR IT
canescens Steven, 1829: 285 E: CT MD RO ST UK
capiomonti Faust, 1883g: 205 A: KZ UZ
desertorum Petri, 1904c: 198 [HN]
christophi Faust, 1892c: 63 E: ST A: AR IN SY
coloratus Petri, 1904b: 235 A: AF ES KI KZ UZ WS
coloratus Petri, 1904c: 194 [HN]
dauidiani Gültekin & Korotyaev, 2012: 488 A: AB TR
desertorum Gebler, 1829: 171 A: IN KI KZ TD TM UZ WS
desertorum Boheman, 1835: 29 [HN]
diutinus Faust, 1883g: 204
hirticollis Ménétriés, 1849: 262
divaricatus Motschulsky, 1861: 20 A: ANH ES FE HEI JA JIL LIA NC SC
posticus Faust, 1884c: 466
dolus Faust, 1887l: 318 A: KI

faustinus Gültekin, 2017: 449 **A:** UZ
filum Faust, 1884c: 468 [HN]
fecundus Faust, 1892c: 61 **A:** IN KI KZ TM UZ
ferulae Ter-Minasian, 1985: 386 **A:** AB TD TM UZ
imitator Faust, 1892c: 62 **A:** KI KZ TD TM UZ
eylandti Petri, 1904c: 195
iridis Olivier, 1807: 239 [NP] **E:** AU BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IT LA
 LT LU MD ME NR PL PT RO SB SK SP ST SV SZ UK **N:** AG MO **A:** AB AR CY ES IN IQ
 IS KZ MG SY TR WS
appendiculatus Gravenhorst, 1807: 208 [NO]
asiaticus Petri, 1904c: 193
balcanicus Petri, 1904c: 193
beckeri Desbrochers des Loges, 1904c: 84
brevicaudis Petri, 1904c: 192
caucasicus Petri, 1904c: 192
conformis Capiomont, 1874c: 475
connivens Gyllenhal, 1835a: 5
gemellatus Gyllenhal, 1835a: 6
geminatus Boheman, 1842b: 419
gracilicornis Capiomont, 1875a: 481
incarnatus Gyllenhal, 1835a: 7
pulverulentus Fabricius, 1801: 499 [HN]
sibiricus Ballion, 1878: 367
tauricus Petri, 1904c: 192
turbatus Gyllenhal, 1827: 553
isfahanensis Gültekin, 2010: 8 [RN] **A:** IN
cylindrus A. Hoffmann, 1963a: 88 (*Larinus*) [HN]
kiritshenkoi Ter-Minasian, 1985: 383 **A:** TD
kraatzi Capiomont, 1875d: 287 **E:** ST UK **A:** AB AR IN KI KZ MG TD TM TR UZ
confinis Petri, 1904c: 187
lateralis Panzer, 1789: 20 (*Curculio*) **E:** BU CR FR GE GR HU IT SK
arctii Panzer, 1795b: 309 (*Curculio*)
tabidus Olivier, 1791: 534 (*Curculio*) [URN]
morosus Faust, 1887j: 209 **N:** EG
myagri Olivier, 1807: 249 **E:** AU BU CZ DE FI FR GE GR HU IT KZ MD PL RO SK ST SZ UK
N: EG MO **A:** AB AR ES IN SY TM TR WS
diloris Germar, 1819: 134
eschschoitzii Boheman, 1835: 30
irroratus Reitter, 1895a: 30 [HN]
labronicus Lopez, 1889: 217 (*Cleonus*)
lepidii Motschulsky, 1860e: 541 (*Scaphomorphus*)
marginemaculatus Bach, 1854: 284
peregrinus Boheman, 1835: 31
pistrinarius Boheman, 1835: 64
punctirostris: Capiomont, 1875: 62 [NA]
rugifer Petri, 1905a: 35 [NA]
veyreti A. Hoffmann, 1958: 1744 (*Promecaspis*)
obliquivittis Voss, 1937c: 262 **A:** FUJ GUX LIA SCH SHG YUN ZHE
professus Faust, 1885b: 239 **E:** SP **N:** AG EG
pubirostris Petri, 1904a: 65 **A:** IN TD TM UZ
puncticollis C. N. F. Brisout de Barneville, 1866b: 403 **E:** PT SP
punctirostris Boheman, 1842b: 445 **E:** BH BU CR CZ HU ME RO SB SK ST UK
pyrrhocnemis Boheman, 1842b: 473 **A:** "Siberia"
recurvus Olivier, 1807: 237 **E:** ST **A:** AB AR GG IN TR
levantinus Petri, 1904c: 192
nordmanni Hochhuth, 1847: 529
rectodorsalis Petri, 1904a: 66 **A:** TR
reichei Capiomont, 1874c: 479 **N:** AG MO
cottyi Desbrochers des Loges, 1904c: 86
siculus Boheman, 1835: 9 **E:** IT (Sicilia) **N:** EG **A:** TR
tenuirostris Boheman, 1842b: 421
sinuatus Motschulsky, 1849: 139 **E:** ST UK "Balkans" **A:** TR
trichromus Alonso-Zarazaga, 2016: 18 [RN] **A:** KZ WS
tricolor Capiomont, 1876a: 449 [HN]
turanicus Reitter, 1889d: 124 **A:** TD TM
umbellatarum Fabricius, 1787a: 103 (*Curculio*) **E:** FR GR IT PT SP **N:** AG MO

brevicaudatus Lucas, 1847a: pl. 37
brevicaudis Küster, 1849b: 79
pardalis Boheman, 1835: 77
submaculatus Boheman, 1842b: 440

subgenus *Eutulomatus* Desbrochers des Loges, 1893f: 12 type species *Cleonus bigibbosus* Desbrochers des Loges, 1893 (= *Lixus lateripictus* Fairmaire, 1883)
lateripictus Fairmaire, 1883e: 213 N: AG
bigibbosus Desbrochers des Loges, 1893f: 12 (*Cleonus*)

subgenus *Lixus* Fabricius, 1801 type species *Curculio paraplecticus* Linnaeus, 1758
paraplecticus Linnaeus, 1758: 380 (*Curculio*) E: BE BU CT CZ DE EN FI FR GB GE HU IT LA MD PL RO SB SK SL SP ST SV SZ UK N: AG A: ES FE IN SY TR WS
biimpressus Gyllenhal, 1835a: 4
nemoreus Scopoli, 1763: 32 (*Curculio*) [DA]
phellandrii Linnaeus, 1764: 357 (*Curculio*)
phellandrii DeGeer, 1775: 224 (*Curculio*) [HN]
productus Stephens, 1831h: 158

subgenus *Ortholixus* Reitter, 1916a: 90 type species *Curculio sanguineus* Rossi, 1792 (= *Curculio angustus* Herbst, 1795)
acicularis Germar, 1823: 396 E: BU FR IT PT RU SP N: AG MO TU A: SY
acutus Boheman, 1842b: 439 [HN]
confusus Desbrochers des Loges, 1904a: 61
insularis Capiomont, 1875b: 55
palpebratus Boheman, 1835: 25
ruficornis Boheman, 1835: 28
striatopunctatus Desbrochers des Loges, 1904b: 72
superciliosus Boheman, 1835: 27
trinarius Petri, 1905a: 42
validirostris Capiomont, 1875a: 497
angustus Herbst, 1795: 45 (*Curculio*) E: AU BH BU CT CZ FR GE GR HU IT MD PL SK ST SZ UK A: IN TR
bicolor Panzer, 1794a: 4 (*Curculio*) [HN]
rufulus Boheman, 1835: 92
sanguineus Rossi, 1792: 36 (*Curculio*) [HN]
seniculus Boheman, 1835: 91
seniculus Boheman, 1837a: 221 [HN]

bituberculatus Smreczyński, 1968: 285 E: BU GR HU A: AR CY
causticus Faust, 1887f: 169 A: TD "Turkestan"
cinerascens Schoenherr, 1832: 221 E: AU BH BU CR CZ FR GE GR HU IT MD ME PT RO SB SK SP ST TR UK A: AB AR GG IN IS SY TR
amplirostris Petri, 1904a: 68
colchicus Petri, 1904a: 69
convexicollis Petri, 1904a: 67
elegantulus Boheman, 1842b: 441
inermipennis Desbrochers des Loges, 1904a: 62
scapularis Faust, 1887c: 82

contractus Gemminger, 1871c: 2413 [RN] N: AG MO
coarctatus Lucas, 1847a: pl. 37 [HN]

curtirostris Tournier, 1878a: 290 A: AB IQ
curvirostris Capiomont, 1875b: 47 E: FR GR IT PT SP N: AG MO A: IN IS SY TR
aeruginosus Capiomont, 1875b: 52
curvinasus Desbrochers des Loges, 1894d: 79
saintpierrei Capiomont, 1875b: 48

fukienensis Voss, 1958b: 35 [DA] A: BEI FUJ GUX HEB HEI HUN JA JIL JIX LIA SCH SHA ~~SHA~~-ZHE

ibis Petri, 1904a: 69 A: SY TR
madaranus Kôno, 1929c: 54 [DA] A: JA TAI
mucronatus Olivier, 1791: 492 (*Curculio*) E: FR IT PT SP N: AG MO A: SY
chevolati Boheman, 1842b: 420
minutus Escalera, 1914: 451
mucropherus Herbst, 1795: 63 (*Curculio*)
venustus Boheman, 1835: 20

rosenschoeldi Boheman, 1842b: 437 E: IT PT SP N: AG MO TU A: IS LE SY
subcuspidatus Voss, 1932d: 292 A: HEN HUB SCH SHA
tibialis Boheman, 1842b: 476 E: BH HU IT ME PL SB SK N: AG A: IN
trivittatus Capiomont, 1875b: 49 E: FR PT SP N: AG
villosulus Desbrochers des Loges, 1904c: 86

vilis Rossi, 1790: 120 (*Curculio*) **E:** AU BE BU CR CZ FR GB GE GR HU IT MA MD PT SK SP ST TR UK **N:** AG MO **A:** AF AR CY GG IN IQ IS SY TM TR
cinnabarinus Waltl, 1835: 80
consenescens Boheman, 1835: 88
fumidus Boheman, 1842b: 469
lateralis Stephens, 1831h: 159 [HN]
longithorax Desbrochers des Loges, 1904c: 90
malatianus Faust, 1890e: 327
nigritarsis Boheman, 1835: 68
orbitalis Boheman, 1835: 68
quadraticollis Desbrochers des Loges, 1904c: 90
subquadrithorax Desbrochers des Loges, 1895d: 93

subgenus *Parileomus* Voss, 1939e: 60 type species *Ileomus humerosus* Voss, 1939
humerosus Voss, 1939e: 59 (*Ileomus*) **A:** NE HUB ZHE
kuatunensis Voss, 1958b: 33 **A:** FUJ
lautus Voss, 1958b: 32 **A:** FUJ JIX GUA GUX YUN
muongus Heller, 1922a: 4 **A:** YUN **ORR**

subgenus *Phillixus* Petri, 1904c: 186 type species *Lixus biskrensis* Capiomont, 1876
biskrensis Capiomont, 1876a: 456 **N:** AG EG TU **A:** AE QA TD
rubripes Desbrochers des Loges, 1904b: 73
rubripes Desbrochers des Loges, 1904c: 94 (*Broconius*) [HN]
brevipes C. N. F. Brisout de Barneville, 1866b: 404 **E:** AU BH BU CR CT CZ FR GE GR HU IT MD ME PT RO SB SK SP ST SZ UK **A:** AF AR ES FE MG KZ SY TR
costirostris Seidlitz, 1891b: 664
difficilis Capiomont, 1875b: 42
irkutensis Faust, 1895c: 101
remaudieri A. Hoffmann, 1948: 102
brevirostris Boheman, 1835: 21 **E:** FR IT MA PT SP **N:** AG CI MO TU
cretaceus Chevrolat, 1866a: 28
namus Boheman, 1835: 22
incanescens Boheman, 1835: 90 **E:** CT FR MD RO ST UK **A:** AB AF AR CH GG IN IQ KI KZ MG RU TD TM TR UZ
baculiformis Petri, 1904a: 71
karakumicus Bajtenov & Sojunov, 1990: 70
salsolae Becker, 1867: 113
salsolae Faust, 1884c: 468 [HN]
korbi Petri, 1904a: 76 **A:** TR
scabricollis Boheman, 1842b: 438 **E:** BU FR GB GR HU IT ME PT SB SP **N:** AG CI MO TU **A:** CY IN IS SY TR
atticus Desbrochers des Loges, 1894d: 79
perparvulus Desbrochers des Loges, 1870c: 190
tunisiensis Desbrochers des Loges, 1904a: 60
subfarinosus Desbrochers des Loges, 1893d: 8 **N:** EG TU **A:** AE IN IQ SA YE
pallipes Zumpt, 1938a: 12
subtilis Boheman, 1835: 73 **E:** AU BH BU BY CT CZ GE GR HU IT MD ME PL RO SB SK ST TR UK **A:** AB AF ANH AR BEI ES FE GAN GG HEB HEI HUB IN JA JIA JIL JIX KI KZ LIA MG NC NMO SC SCH SHA SHG SHX SY TD TIA TM TR UZ WS XIN ZHE
antennatus Motschulsky, 1854a: 49
inquinatus Boheman, 1835: 72 [HN]
italicus Desbrochers des Loges, 1904c: 87
subulatus Faust, 1891e: 401 **E:** ST UK **A:** AB AR IN TD TM TR
rubrolateralis Reitter, 1909e: 168

subgenus *Prionolixus* Desbrochers des Loges, 1904b: 80 type species *Bothynoderes soricinus* Marseul, 1868
beauprei Pic, 1905h: 162 (*Prionolixus*) **N:** AG EG **A:** AE IS SA
albovittatus Pic, 1919d: 14 (*Prionolixus*)
seriemaculatus Petri, 1913: 289
soricinus Marseul, 1868a: 200 (*Bothynoderes*) **N:** AG LB **A:** AE
sycophanta Fairmaire, 1883e: 212 (*Cleonus*)
subornatus A. Hoffmann, 1962d: 416 **A:** IS **AFR**

genus *Lixus*, species incertae sedis
akonis Kôno, 1929c: 54 **A:** JA TAI
arundinis Thunberg, 1815: 113 distr. unknown
boehmi Hartmann, 1909: 123 **N:** EG

crassipes Fabricius, 1775: 136 (*Curculio*) [EA] E: FR
impexus Voss, 1960d: 243 A: AF
invarius Walker, 1871: 18 A: SI
moiwanus Kôno, 1928: 167 A: CH JA NC SC
noctis Gistel, 1857: 527 E: IT (Sicilia)
nocturnus Gistel, 1857: 553 E: IT (Sicilia)
perplexus Faust, 1888c: 157 (*Lixus*) E: UK (Krym)
pierrei Roudier, 1954c: 55 N: AG
popularis Gistel, 1857: 528 E: IT (Sicilia)
punctatus Fischer von Waldheim, 1842: 24 A: "Siberia"
reitteri Faust, 1891e: 403 A: AB AR TM TR
polylineatus Petri, 1904a: 74
salentinus G. O. Costa, 1839a: 18 E: IT
snae Merceron, 1996: 156 E: FR
subrectinasus Desbrochers des Loges, 1898f: 16 N: AG
sanguinipes Desbrochers des Loges, 1898f: 16
subulipennis Boheman, 1835: 33 [DA] Ei: UK
tricolor Scopoli, 1772: 91 (*Curculio*) distr. unknown

genus *Microlarinus* Hochhuth, 1847: 540 type species *Microlarinus rhinocylloides* Hochhuth, 1847
eliasenae G.A.K. Marshall, 1928a: 114 N: CI
irregularis Colonnelli, 2009: 254 A: AE
lypriformis Wollaston, 1861a: 102 (*Rhinocyllus*) E: FR GR IT SP N: AG EG MO A: AE CY IN IQ
TR AFR AURi NARi NTRi ORR
angustulus G.A.K. Marshall, 1921a: 156
decorsei Hustache, 1923d: 17
erythreanus Hustache, 1938c: 74
isselii Gestro, 1889: 64 (*Lixus*)
peloritanus Vitale, 1903b: 43
minimus Colonnelli, 2009: 256 A: AE OM
rhinocylloides Hochhuth, 1847: 541 E: FR GR IT PT SP ST N: EG LB MO TU A: AB AR GG IN
IQ IS PA TM TR UZ AFR AURi NARi ORR
diecki Faust, 1890c: 111
humeralis Tournier, 1873a: 174
lareynii Jacquelin du Val, 1853: 714 (*Rhinocyllus*)
punjabensis Gandhi & Pajni, 1984b: 64 (*Meotiorhynchus*)

genus *Nefis* Gültekin, 2013a: 3 Type species *Larinus brevirostris* Hochhuth, 1851
afghanicus Ter-Minasian, 1988b: 119 (*Larinus*) A: AF
attilai Gültekin, 2013a: 24 A: TR
brevirostris Hochhuth, 1851: 86 (*Larinus*) A: AB AR IN TR
reitteri Faust, 1889e: 205 (*Larinus*)
capiomonti Faust, 1885b: 169 (*Larinus*) A: KI KZ RU TD TM UZ
kabakovi Gültekin, 2013a: 10 A: AF
korotyaevi Gültekin, 2013a: 11 A: IN TR
liliputanus Faust, 1890d: 259 (*Larinus*) A: CH IN KI TM UZ
exclusus Faust, 1891b: 118 (*Larinus*)
ochroleucus Capiomont, 1874a: 75 (*Larinus*) A: AB AR IN KI NW TD TM TR UZ
pachyrrhinus Petri, 1907a: 79 (*Larinus*) A: TM
badghysensis Ter-Minasian, 1982: 43 (*Larinus*)
turcmenus Iablokoff-Khnzorian, 1990a: 131 (*Larinus*)

genus *Rhinocyllus* Germar, 1817c: 341 type species *Curculio thaumatargus* Rossi, 1794 (= *Curculio conicus* Froelich, 1792) ^{#10}
subgenus *Rhinocyllus* Germar, 1817c: 341 type species *Curculio thaumatargus* Rossi, 1794 (= *Curculio conicus* Froelich, 1792)
conicus Froelich, 1792: 132 (*Curculio*) E: AU BE BU CR CT CZ EN **FI** FR GB GE GR HU IR IT
 LA LT LU NL MA MC MD ME PL PT SB SK SP ST SV SZ TR UK N: AG **CIi** EG LB MO
 A: AB AR FE GG IN IS KI KZ NW TD TR WS **AFR NARi**
antiodontalgicus Gerbi, 1793: 261 (*Curculio*)
cardui Donovan, 1811: 15 [pl. 512] (*Curculio*)
carinirostris Ballion, 1878: 366

depressirostris Boheman, 1843: 25

inquilinus Gyllenhal, 1827: 608 (*Curculio*)

latirostris Latreille, 1804: 125 (*Lixus*)

morosus Olivier, 1807: 283 (*Lixus*)

odontalgicus Olivier, 1807: 282 (*Lixus*)

punctatus Fabricius, 1798: 158 (*Bruchus*)

olivieri Gyllenhal, 1835a: 148

schoenherri Capiomont, 1873: 288

thaumaturgus Rossi, 1794: 94 (*Curculio*)

~~*inquilinus* Gyllenhal, 1827: 608 (*Curculio*) E: FI~~

oblongus Capiomont, 1873: 290 E: GR IT PT SP N: AG MO A: IS TR

nanus Petri, 1907a: 143

subgenus *Rhinolarinus* Gültekin, Diotti & Caldara, 2019 type species *Rhinocyllus alpinus* Gültekin, Diotti & Caldara, 2019

alpinus Gültekin, Diotti & Caldara, 2019: 16 E: IT

genus *Rhinocyllus* *incertae sedis*

turkestanicus Desbrochers des Loges, 1900a: 4 A: "Turkestan"

7.11. Subfamily **Mesoptiliinae** Lacordaire, 1863

7.11.1. Tribe Carciliini Pierce, 1916

genus *Carcilia* Roelofs, 1875a: 152 type species *Carcilia strigicollis* Roelofs, 1875

Laemosaccodes Voss, 1937c: 274 type species *Laemosaccodes nitidirostris* Voss, 1937

Paramagdalis Ter-Minasian, 1956a: 394 type species *Paramagdalis fortipes* Ter-Minasian, 1956 (= *Carcilia tenuistriata* Heller, 1941)

marshalli Zumpt, 1937c: 23 A: YUN

mesosternalis Heller, 1931: 99 A: FUJ NC TAI

similaris Voss, 1953b: 71 (*Laemosaccodes*)

nitidirostris Voss, 1937c: 274 (*Laemosaccodes*) A: JA YUN

strigicollis Roelofs, 1875a: 153 A: FUJ JA NE SC

freyi Zumpt, 1932c: 126 (*Tenguzo*)

tenuistriata Heller, 1941a: 82 A: FE JA SC

fortipes Ter-Minasian, 1956a: 394 (*Paramagdalis*)

7.11.2. Tribe Magdalidini Pascoe, 1870

genus *Magdalis* Germar, 1817c: 340 type species *Curculio violaceus* Linnaeus, 1758

subgenus *Aika* Barrios, 1984a: 382 type species *Magdalis margaritae* Barrios, 1984

margaritae Barrios, 1984a: 382 A: CH ES FE MG

subgenus *Dagmalis* Kôno & Morimoto, 1960: 86 type species *Magdalis thoracica* Kôno & Morimoto, 1960

Amagdalonychus Ter-Minasian, 1972b: 255 type species *Magdalis kaszabi* Ter-Minasian, 1972

kaszabi Ter-Minasian, 1972b: 255 A: MG

thoracica Kôno & Morimoto, 1960: 86 A: MG SHX

subgenus *Edo* Germar, 1819: 130 type species *Curculio pruni* Linnaeus, 1767 (= *Curculio ruficornis* Linnaeus, 1758)

Rhinodes Dejean, 1821: 98 type species *Curculio pruni* Linnaeus, 1767 (= *Curculio ruficornis* Linnaeus, 1758)

Rhynodes: Latreille, 1828: 600 [NA]

Rhynodus: Grimmer, 1841: 24 [NA]

angulicollis Boheman, 1843: 102 A: ES KZ MG WS

ribesii Bandozkina, 1957: 22

kerzhneri Barrios, 1984a: 379 A: MG

mutata Voss, 1960a: 114 A: AF

myochroa Reichardt, 1928: 625 A: KI KZ TD UZ

nigricornis Petri, 1926: 204 E: RO

nitidipennis Boheman, 1843: 145 E: AU BE BY CT CZ FR GE GR HU IT LT MD NL PL RO SK ST SZ TR UK A: AB AR GG IN IS TR

ruficornis Linnaeus, 1758: 385 (*Curculio*) E: AU BE BU CR CT CZ DE EN FI FR GB GE HU IT

LA LT LU NL NR NT PL RO SB SK SP ST SV SZ UK A: ES FE IN JA MG TR WS

chibi Kôno, 1930f: 6

erythroceros Herbst, 1795: 73 (*Curculio*)

incognita Herbst, 1795: 97 (*Curculio*)
plebeia Geoffroy, 1785: 131 (*Curculio*)
pruni Linnaeus, 1767: 607 (*Curculio*) [HN]
serricollis Reitter, 1895h: 298 A: AB AR KZ
subgenus *Laemosaccidius* Smreczyński, 1972a: 158 type species *Magdalis exarata* C. N. F. Brisout de Barneville, 1862
Laemosaccidius: Voss, 1941b: 112 [NA]
alini Voss, 1941b: 112 (*Laemosaccidius*) A: BEI FE HEI
dorsalis Lu & Zhang, 2005: 375
exarata C. N. F. Brisout de Barneville, 1862a: 24 E: AU BE BU BY CR CT CZ DE FR GE GR HU IT MD PL RO SK SP ST SZ UK A: IS SY TR
kraatzii Weise, 1872: 149 (*Magdalinus*)
scutellaris K. Daniel, 1903a: 231 E: CR GR A: CY TR
subgenus *Magdalis* Germar, 1817c: 340 type species *Curculio violaceus* Linnaeus, 1758
Amblyodontomagdalis Lu & Legalov, 2005: 373 type species *Magdalis flatus* Lu & Zhang, 2005 (= *Magdalis aenea* Ter-Minasian, 1961)
Magdalinus: Germar, 1843: 135 [NA, URN]
Scardamyctes Gistel, 1848a: xi [URN]
Tamnophilus: Germar, 1829: 357 [NA]
Thamnophilus Schoenherr, 1823: 1136 [HN, URN]
aenea Ter-Minasian, 1961: 392 A: KI KZ UZ XIN
flatus Lu & Zhang, 2005: 373
angustata Stierlin, 1899a: 203 (*Magdalinus*) E: RO
distinguenda Desbrochers des Loges, 1893d: 4 (*Magdalinus*) A: TR
duplicata Germar, 1819: 131 E: AU BE CT CZ DE EN FI FR GB GE GR HU IT LA LS LT LU NL NR NT PL RO SB SK SL SP ST SV SZ UK A: ES FE JA KZ MG TR WS
formaneki Reitter, 1895h: 302
parallelocollis Desbrochers des Loges, 1870a: 31 (*Magdalinus*)
punctipennis Küster, 1851: 84 (*Magdalinus*)
weisei Schreiner, 1882: 159
frontalis Gyllenhal, 1827: 558 (*Thamnophilus*) [NP] E: AU BE BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU NL NR NT PL RO SB SK SP ST SV SZ UK N: AG A: ES FE GG JA KZ TR WS
alliariae Linnaeus, 1758: 378 (*Curculio*) [NO]
altaiensis Reitter, 1916a: 125
ambigua Desbrochers des Loges, 1905a: 11
commixta Rey, 1895a: 2
cyanella Desbrochers des Loges, 1905a: 11
interstitialis Desbrochers des Loges, 1905a: 12
rotundicollis Desbrochers des Loges, 1905a: 10
rugipennis Reitter, 1895h: 302
transbaicalica Voss, 1936a: 40
himalayana G.A.K. Marshall, 1925a: 340 A: KA
leucopleura Fairmaire, 1883d: clviii (*Magdalinus*) N: AG MO
linearis Gyllenhal, 1827: 560 (*Thamnophilus*) E: AU BE BU BY CT CZ DE EN FI FR GE HU IT LA LT LU NL NR NT PL RO SK SV SZ UK A: ES FE IS JA MG NC TR WS
lodosi Barrios, 1995: 648 A: TR
memnonia Gyllenhal, 1837a: 165 (*Tamnophilus*) E: AU BE BU BY CR CT CZ DE EN FR GB GE GR HU IT LA LT LU MC PL PT RO SK SP SZ UK N: AG MO A: ES GG JA TR WS
ebenina Bach, 1854: 292
heros Küster, 1851: 82 (*Magdalinus*)
nitida Gyllenhal, 1827: 561 (*Thamnophilus*) E: AU BE BH BY CR CT CZ EN FI FR GE HU IT LA LS LT LU NL NR NT PL RO SB SK SL SV SZ UK
nohirai Morimoto, 1982b: 156 A: JA
opaca Reitter, 1895h: 301 E: BU GR HU RO
phlegmatica Herbst, 1797: 567 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LT LU NL NR NT PL RO SB SK SP ST SV SZ UK A: ES FE GG JA MG SC WS
macrophthalmia Reitter, 1895h: 302
takizawai Kôno, 1930f: 8
virescens Germar, 1823: 195
plicatula Desbrochers des Loges, 1905a: 12 A: "Syria"
punctirostris Gyllenhal, 1836: 265 (*Thamnophilus*) E: GR UK (Krym) A: CY GG SY TR
caenuleipennis Desbrochers des Loges, 1870a: 24 (*Magdalinus*)
sparsicollis Reitter, 1898d: 356
syriaca Desbrochers des Loges, 1905a: 10
violaceipennis Desbrochers des Loges, 1883: 166

punctulata Mulsant & Rey, 1859a: 288 (*Magdalinus*) E: AU CZ FR GE GR IT PL RO SK SP ST SZ
alpina Letzner, 1883b: 295 (*Magdalinus*)
austriaca K. Daniel, 1903a: 243
funebria Reitter, 1895h: 300
punctulata Mulsant & Rey, 1859b: 30 (*Magdalinus*) [HN]

rufa Germar, 1823: 193 E: AU BE BU CR CZ FR GB GE GR HU IT LA LU NL PT RO SK SP SZ
UK N: AG MO A: CY GG TR
russata Fairmaire, 1884b: lxviii

semicyanea Desbrochers des Loges, 1895d: 95 (*Magdalinus*) A: TR

violacea Linnaeus, 1758: 378 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GE HU IT LA
LT LU NL NR NT PL RO SB SK SP ST SV UK A: ES FE WS
affinis Gmelin, 1790: 1771 (*Curculio*) [HN, RN]
assimilis Herbst, 1784: 77 (*Curculio*) [SNNNA]
cyanea Seidlitz, 1875: 430
heydeni Desbrochers des Loges, 1870a: 21 (*Magdalinus*)
ilicis Gistel, 1857: 532 (*Thamnophilus*)
poncyi Desbrochers des Loges, 1905a: 10

subgenus *Odontomagdalis* Barrios, 1984a: 385 type species *Curculio carbonarius* Linnaeus, 1758
Magdalinus: K. Daniel, 1903a: 238 [NA]

armigera Geoffroy, 1785: 130 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR
HU IR IT KZ NR LA LT LU MD NL PL PT RO SB SK SP ST SV SZ UK A: AB FE GG IN
TM TR WS
atramentaria Marsham, 1802: 293 (*Curculio*)
cerasi Gmelin, 1790: 1744 (*Curculio*) [HN]
nigra Grimmer, 1841: 43 (*Rhinodes*)

carbonaria Linnaeus, 1758: 382 (*Curculio*) E: AU BE BY CT CZ DE EN FI FR GE GR HU IR IT
LA LT NL NR NT PL RO SK SP SV SZ UK A: ES FE GG JA MG TR WS "Korea"
asphaltina Germar, 1823: 193 (*Thamnophilus*)
atrata Gyllenhal, 1813: 187 (*Rhynchaenus*)
atrocyanea Boheman, 1843: 140 (*Magdalinus*)
stygia Marsham, 1802: 294 (*Curculio*)
tridentata Gradl, 1881: 302

caucasica Tournier, 1872: 255 (*Magdalinus*) E: AU CT CZ FR GE GR HU IT LA PL RO SK ST SZ
UK (Krym) A: AB GG TR
stierlini K. Daniel, 1903a: 247

dieckmanni Barrios & Egorov, 1987: 39 A: FE NE "Korea"

egregia Faust, 1885b: 180 A: KI KZ NW TD

fallax Kirsch, 1878: 295 E: ST UK (Krym) A: GG
caucasica Stierlin, 1894c: 124 (*Magdalinus*) [HN]
crenatocollis Desbrochers des Loges, 1893d: 3 (*Magdalinus*)
fallax Kirsch, 1879: 39 [HN]

gurjevae Barrios, 1984a: 391 A: FE MG

jezoensis Kôno, 1930f: 6 A: JA (Hokkaido)

kabakovi Barrios, 1984b: 768 A: AF (Nurestan)

koltzei Stierlin, 1884: 297 A: FE JA NE SC
galloisi Kôno, 1930f: 6

korotyaevi Barrios & Egorov, 1987: 37 A: FE NE

leni Barrios & Egorov, 1987: 33 A: FE

longicornis Kiesenwetter, 1864: 276 (*Magdalinus*) E: GR A: TR
kiesenwetteri Desbrochers des Loges, 1893d: 5 (*Magdalinus*)

mesasiatica Barrios, 1987: 113 A: KI KZ TD UZ

subgenus *Panopsis* K. Daniel, 1903a: 237 type species *Thamnophilus flavicornis* Gyllenhal, 1836

flavicornis Gyllenhal, 1836: 275 (*Thamnophilus*) E: AU BE BY CR CZ DE FR GE HU IT LT LU
MD NL PL RO SK SL SP ST (Kavkaz) SV SZ UK A: AB GG FE JA SC

fuscicornis Desbrochers des Loges, 1870a: 55 E: AU BE CT CZ FR GE HU IT LT PL RO SK SP SZ
UK A: GG
quercicola Weise, 1872: 150 (*Magdalinus*)

subgenus *Panus* Schoenherr, 1823: 1136 type species *Rhynchaenus rhina* Gyllenhal, 1819 var. b (= *Rhina barbicornis* Latreille, 1804)
Rhina: Latreille, 1802: 198 [HN, NA]

barbicornis Latreille, 1804: 103 (*Rhina*) E: AL AU BE BY CR CT CZ DE EN FI FR GB GE GR
HU IT LA LU MD NL NR NT PL PT RO SB SK SP ST SV SZ TR UK N: AG MR A: GG
TR NARi
clavigera Küster, 1851: 89 (*Magdalinus*)

mixta Desbrochers des Loges, 1870a: 51 (*Magdalinus*)
trifoveolata Gyllenhal, 1827: 564 (*Thamnophilus*)
turcica Desbrochers des Loges, 1870a: 52 (*Magdalinus*)
ulmi Schrank, 1798: 488 (*Curculio*) [HN]

subgenus Porrothus Dejean, 1821: 98 type species *Curculio cerasi* Linnaeus, 1758

Anabola: Dejean, 1821: 98 [NA]
Neopanus Reitter, 1916a: 123 type species *Curculio cerasi* Linnaeus, 1758
Porrothus Agassiz, 1846: 306 [UE]

cerasi Linnaeus, 1758: 376 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FR GB GE GR HU IT
LT LU MD NL NR PL PT SK SL SP ST SV SZ UK N: AG A: AB FE GG IN NC NE TD TM
TR WS

armeniaca Fabricius, 1792: 405 (*Curculio*)
meridionalis Desbrochers des Loges, 1897e: 27 (*Magdalinus*)
nassata Germar, 1819: 130
rhina Gyllenhal, 1813: 83 (*Rhynchaenus*)
striatula Desbrochers des Loges, 1870a: 32 (*Magdalinus*) [HN]
striatula Gmelin, 1790: 1759 (*Curculio*) [HN]
stricta Desbrochers des Loges, 1905a: 8
villicrus Desbrochers des Loges, 1905a: 8

delagrangei Desbrochers des Loges, 1905b: 46 A: "Syria"

genus *Magdalis*, nomina dubia

languida Boheman, 1843: 143 (*Magdalinus*) E: "Saxonia"

tristaria Gistel, 1857: 532 (*Thamnophilus*) E: AU

7.11.3. Tribe Mesoptiliini Lacordaire, 1863

genus Eumagdalis K. Daniel, 1903a: 238 type species *Magdalis grilati* Bedel, 1885
grilati Bedel, 1885e: cii (*Magdalis*) N: AG

7.12. Subfamily **Molytinae** Schoenherr, 1823

7.12.1. Tribe Aedemonini Faust, 1898

genus Deiradocranus G.A.K. Marshall, 1953: 112 type species *Deiradocranus latebris* G.A.K.
Marshall, 1953

Deiradocranoides Morimoto, 1962c: 401 type species *Deiradocranoides setosus* Morimoto, 1962
setosus Morimoto, 1962c: 402 (*Deiradocranoides*) A: JA SC

genus Mechistocerus Fauvel, 1862a: 42 type species *Coelosternus impressus* Montrouzier, 1861

Berosiris Pascoe, 1874: 43 type species *Cyamobolus marci* Boheman, 1844
Isotocerus Faust, 1898b: 145 type species *Isotocerus petax* Faust, 1898
Mechistocerus Fauvel, 1862b: 159 [HN] type species *Coelosternus impressus* Montrouzier, 1861
Metriophiloides Champion, 1910: 205 type species *Metriophiloides barbicornis* Champion, 1910

dehradunensis Arya, Singh & Pajni, 1989: 102 A: UP

fluctiger Faust, 1894c: 265 A: SD **ORR**

fossatifrons G.A.K. Marshall, 1936: 207 A: SD

fukienensis Voss, 1958b: 52 A: FUJ

fumosus G.A.K. Marshall, 1921b: 168 A: HP UP

inornatus Colonnelli, 2014: 333 A: YE (Suqutra)

iriei Morimoto, 1987a: 334 A: JA (Ryūkyū)

japonicus Morimoto & Miyakawa, 1985: 51 A: JA

monubumensis Arya & Pajni, 1987b: 181 A: AP

morimotoi Alonso-Zarazaga, 2013b: 60 [RN] A: JA (Ryūkyū)

similis Morimoto, 1987a: 339 [HN]

nigroscutellaris Arya, Singh & Pajni, 1989: 99 A: UP

nipponicus Kōno, 1932: 180 A: JA

ochraceus Morimoto, 1987a: 330 A: JA (Ryūkyū) TAI

okumai Morimoto, 1987a: 327 A: JA (Ryūkyū)

parcimakulatus Morimoto & Miyakawa, 1985: 53 A: JA

patruelis Faust, 1891d: 286 A: SD

ricini G.A.K. Marshall, 1933b: 577 A: UP

ruficornis Voss, 1958b: 52 A: FUJ
rufocestus Arya, Singh & Pajni, 1989: 103 A: HP UP
rufocostus Arya, Singh & Pajni, 1989: 104 [NA]
subfumosus Voss, 1958b: 53 A: FUJ
thaiwanus Heller, 1931: 104 A: TAI
yaeyamensis Morimoto, 1987a: 338 A: JA (Ryūkyū)
yakushmanus Morimoto, 1987a: 332 A: JA (Yakushima)

genus *Monaulax* Roelofs, 1875b: 162 type species *Monaulax rugicollis* Roelofs, 1875
rugicollis Roelofs, 1875b: 163 A: FE JA SC TAI

genus *Parendymia* Kirsch, 1877: 154 type species *Parendymia pilipes* Kirsch, 1877
pilipes Kirsch, 1877: 154 A: JA (Ryūkyū) AUR ORR
atomosparsa Fairmaire, 1878c: 282 (*Cyamobolus*)
languida Lea, 1907: 413 (*Mechistocerus*)

genus *Rhadinomerus* Faust, 1892b: 46 type species *Mechistocerus mastersi* Pascoe, 1870
Rhadinomerus Faust, 1892d: 215 [HN] type species *Mechistocerus mastersi* Pascoe, 1870

acrocarpi G.A.K. Marshall, 1936: 208 A: SD
annulipes Roelofs, 1879b: liv (*Cryptorhynchus*) A: JA SC (Jeju)
babai Morimoto, 1987b: 352 A: FE JA SC
bombacis G.A.K. Marshall, 1921b: 170 A: UP ORR
conciliatus Faust, 1894c: 281 A: FUJ ORR
contemptus Faust, 1894c: 279 A: YUN ORR
diversipes G.A.K. Marshall, 1921b: 172 A: UP
elaeocarpi G.A.K. Marshall, 1931a: 265 A: SD
granulicollis Faust, 1894c: 280 A: FUJ ORR
ishigakianus Morimoto, 1987b: 357 A: JA (Ryūkyū)
lenis G.A.K. Marshall, 1938b: 168 A: UP
levifrons G.A.K. Marshall, 1931a: 267 A: SD
machili G.A.K. Marshall, 1936: 209 A: SD
maebarai Voss & Chūjō, 1960a: 6 A: JA SC
maesae G.A.K. Marshall, 1936: 210 A: SD ORR
malloti G.A.K. Marshall, 1921b: 175 A: UP
rugirostris G.A.K. Marshall, 1938b: 168 A: UP
seticollis G.A.K. Marshall, 1931a: 268 A: SD
squamicollis G.A.K. Marshall, 1936: 212 A: SD
subfasciatus G.A.K. Marshall, 1921b: 176 A: UP
subovatus Morimoto, 1987b: 354 A: JA
unmon ryukyuensis Morimoto, 1987b: 351 A: JA (Ryūkyū)
unmon unmon Nakane, 1963b: 38 A: JA SC (Jeju)

7.12.2. Tribe Amalactini Lacordaire, 1863

genus *Aorus* Schoenherr, 1835: 251 type species *Aorus spadiceus* Gyllenhal, 1835
Bastaphorus Fairmaire, 1898b: 490 type species *Bastaphorus perrieri* Fairmaire, 1898 (= *Aorus anthracinus* Brancsik, 1898)
Exarcus Pascoe, 1887a: 372 type species *Exarcus hearseyi* Pascoe, 1887
Leptobaris Gerstaecker, 1855b: 639 type species *Leptobaris castanea* Gerstaecker, 1855
Stenodema Faust, 1885a: 91 [HN] type species *Stenodema ferruginea* Faust, 1885 (= *Leptobaris castanea* Gerstaecker, 1855)
anthracinus Brancsik, 1898: 124 (*Leptobaris*) A: IS AFR
perrieri Fairmaire, 1898b: 490 (*Bastaphorus*)

7.12.3. Tribe Anchonini Imhoff, 1856

genus *Himalanchonus* Zherikhin, 1987: 23 type species *Himalanchonus thoracicus* Zherikhin, 1987
erirrhinoides Zherikhin, 1987: 24 A: NP
thoracicus Zherikhin, 1987: 23 A: NP

genus *Leptanchonus* Morimoto, 1982a: 108 type species *Leptanchonus minatoi* Morimoto, 1982
amamianus Morimoto, 2009b: 144 A: JA (Amami-Oshima)

hisamatsui Morimoto, 2009b: 140 A: JA (Shikoku)
kumei Morimoto, 2009b: 145 A: JA (Okinawa)
kyushuanus Morimoto, 2009b: 142 A: JA (Kyushu)
minatoi Morimoto, 1982a: 108 A: JA (Honshu)
yakushimanus Morimoto, 2009b: 144 A: JA (Yakushima)
yamamotoi Morimoto, 2009b: 142 A: JA (Shikoku)
yoshidai Morimoto, 2009b: 140 A: JA (Shikoku)

genus *Nepalanchonus* Zherikhin, 1987: 24 type species *Nepalanchonus aurosquamosus* Zherikhin, 1987
aurosquamosus Zherikhin, 1987: 26 A: NP

genus *Otibazo* Morimoto, 1961: 25 type species *Otibazo nagasakiensis* Morimoto, 1961
morimotoi Nakane, 1963b: 36 A: JA
nagasakiensis Morimoto, 1961: 26 A: JA
oshimaensis Morimoto & Miyakawa, 1985: 46 A: JA (Izu Is.)

7.12.4. Tribe Cleogonini Gistel, 1848

genus *Catagmatus* Roelofs, 1875b: 157 type species *Catagmatus japonicus* Roelofs, 1875
japonicus Roelofs, 1875b: 158 A: FUJ JA SC SCH TAI YUN

7.12.5. Tribe Cryptorhynchini Schoenherr, 1825

7.12.5.1. Subtribe Cryptorhynchina Schoenherr, 1825

genus *Achopera* Pascoe, 1870d: 473 type species *Achopera lachrymosa* Pascoe, 1870
alternata Lea, 1910b: 614 Ei: GB

genus *Anaechmura* Morimoto & Miyakawa, 1985: 75 type species *Anaechmura yurikoeae* Morimoto &
Miyakawa, 1985
yurikoeae Morimoto & Miyakawa, 1985: 76 A: JA

genus *Caenocryptorrhynchus* Morimoto, 1962c: 395 type species *Caenocryptorrhynchus frontalis*
Morimoto, 1962
frontalis Morimoto, 1962c: 396 A: JA SC

genus *Cechania* Pascoe, 1874: 38 type species *Cechania eremita* Pascoe, 1874
eremita Pascoe, 1874: 39 A: JA

genus *Coelosternulum* Heller, 1937: 73 type species *Coelosternulum femorale* Heller, 1937
tibiofulcatum Arya & Pajni, 1987a: 2 A: HP ORR
tibiofuleatum Arya & Pajni, 1987a: 3 [NA]

genus *Coelosternus* C. R. Sahlberg, 1823c: 50 type species *Coelosternus balteatus* Sahlberg, 1823
tesserulatus Gemminger, 1871b: 123 (*Coelosternus*) [RN] [EA] A: "India"
tessellatus Motschulsky, 1858: 77 (*Coelosternus*) [HN]
unicolor Motschulsky, 1858: 74 (*Coelosternus*) [EA] A: "India"

genus *Cryptorhynchus* Illiger, 1808b: 330 type species *Curculio lapathi* Linnaeus, 1758
subgenus *Cryptorhynchus* Illiger, 1808b: 330 type species *Curculio lapathi* Linnaeus, 1758
Arachnipes A. Villa & G. B. Villa, 1833: 22 type species *Curculio lapathi* Linnaeus, 1758
Cryptorhynchidius Pierce, 1919: 25 type species *Curculio lapathi* Linnaeus, 1758
Cryptorhynchobius Voss, 1965b: 90 type species *Curculio lapathi* Linnaeus, 1758
bengaliae Alonso-Zarazaga, 2013b: 60 [RN] A: "Bengalia"
humeralis Gyllenhal, 1837b: 90 [HN]
electus Roelofs, 1875b: 170 (*Coelosternus*) A: FE JA SC
fasciculatus Roelofs, 1875b: 169 (*Coelosternus*) A: FE JA NC
lapathi Linnaeus, 1758: 379 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU
IR IT LA LT LU NL NR NT PL PT RO SK SP ST SV SZ UK A: AB AR ES FE GAN GG
HEB HEI JA JIL KZ LIA NC NMO SC SCH SHA TAI WS XIN NAR

albicans Goeze, 1777: 387 (*Curculio*)
albicans Gmelin, 1790: 1771 (*Curculio*) [HN]
albicaudis DeGeer, 1775: 223 (*Curculio*)
alpinus Fügner, 1891: 201 [HN]
alpinus Stierlin, 1894c: 121 [HN]
carbonarius Scopoli, 1763: 27 (*Curculio*) [NA]
lapadi Goeze, 1777: 345 (*Curculio*) [URN]
obsoletus Reitter, 1916: 136 [NA]
trimaculatus Panzer, 1798b: 67 (*Curculio*) [HN]
verticalis Faust, 1887h: 174

nigrovariegatus Roelofs, 1875b: 171 (*Coelosternus*) A: FE (Kuril Is.) JA
quercus G.A.K. Marshall, 1936: 215 A: JA (Ryūkyū) **ORR**
raja Stebbing, 1914: 437 [EA] A: UP
spondias G.A.K. Marshall, 1936: 213 A: UP **ORR**

genus *Cyamobolus* Schoenherr, 1837b: 177 type species *Cyamobolus dehaani* Mannerheim, 1837
sturmii Boheman, 1837b: 181 A: JA (Ryūkyū) **ORR**

genus *Eucryptorrhynchus* Heller, 1937: 71 [NP] type species *Cryptorrhynchus scrobiculatus* Motschulsky, 1854

Cryptorrhynchus Motschulsky, 1854a: 48 [NO] type species *Cryptorrhynchus scrobiculatus* Motschulsky, 1854
brandti Harold, 1880: 165 (*Cryptorrhynchus*) A: ANH BEI FE GAN HEB HEI HEN HUB JA JIA LIA NC SC SCH SHA SHG SHN SHX **ORR**
scrobiculatus Motschulsky, 1854a: 48 (*Cryptorrhynchus*) A: ANH BEI FUJ GAN GUI HEB HEN HUB HUN JIA LIA NC NIN QIN SC SCH SHA SHG SHN SHX TIA XIN ZHE
chinensis Olivier, 1791: 507 (*Curculio*) [HN]

genus *Euscepes* Schoenherr, 1844: 429 type species *Euscepes porcellus* Boheman, 1844

Batatarhynchus Hustache, 1933d: 378 type species *Batatarhynchus destructor* Hustache, 1933 (= *Cryptorrhynchus batatae* G.R. Waterhouse, 1849)
Hyperomorpha Blackburn, 1885: 182 type species *Hyperomorpha squamosa* Blackburn, 1885 (= *Cryptorrhynchus batatae* G.R. Waterhouse, 1849)
batatae G. R. Waterhouse, 1849: lxi (*Cryptorrhynchus*) A: JAi **AURi NAR NTR**
destructor Hustache, 1933d: 379 (*Batatarhynchus*)
postfasciatus Fairmaire, 1849b: 513 (*Cryptorrhynchus*)
squamosus Blackburn, 1885: 183 (*Hyperomorpha*)

genus *Paracryptorrhynchus* Morimoto, 1962c: 397 type species *Cryptorrhynchus navicularis* Roelofs, 1875

navicularis Roelofs, 1875b: 165 (*Cryptorrhynchus*) A: JA SC (Jeju)

genus *Rhadinopus* Faust, 1894c: 288 type species *Rhadinopus centriformis* Faust, 1894

Sculptosternellum Morimoto, 1962c: 398 type species *Coelosternus sulcatostriatus* Roelofs, 1875
buteae G.A.K. Marshall, 1921b: 177 A: UP
centriformis Faust, 1894c: 289 A: GUA YUN **ORR**
confinis Voss, 1958b: 58 A: FUJ GUI GUX HUB HUN JA SC (Jeju) YUN
contristatus Voss, 1958b: 57 A: FUJ
rhyssomatoides Voss, 1958b: 58 A: FUJ
separandus Voss, 1958b: 56 A: FUJ
simplicifrons Voss, 1960c: 9 [EA] A: NP PA
subornatus Voss, 1958b: 58 A: FUJ HUN SCH YUN
sulcatostriatus Roelofs, 1875b: 168 (*Coelosternus*) A: JA SC

genus *Sclerolips* Faust, 1895d: 220 type species *Sclerolips sticticus* Faust, 1895

Heterocryptorrhynchus Morimoto, 1962c: 391 type species *Heterocryptorrhynchus maculicollis* Morimoto, 1962
horridus Heller, 1931: 105 A: JA TAI
indicus Arya & Pajni, 1985: 109 A: SD **ORR**
maculicollis Morimoto, 1962c: 392 (*Heterocryptorrhynchus*) A: JA

genus *Shirahoshizo* Morimoto, 1962b: 36 type species *Cryptorrhynchus rufescens* Roelofs, 1875

Coniferocryptus Zherikhin, 1991b: 100 type species *Coelosternus tamanukii* Kōno, 1938
coniferae Chao, 1980a: 155 A: JA SCH SHA
corni G.A.K. Marshall, 1938b: 170 (*Cryptorrhynchus*) A: UP

egorovi Zherikhin, 1991b: 104 **A:** FE SC
erectus Y-Q. Chen, 1991a: 212 **A:** HUN ZHE
flavonotatus Voss, 1937c: 267 (*Cryptorhynchidius*) **A:** FUJ GUA GUI GUX HUB HUN JA JIA JIX
 NC SCH SHA SHG TAI YUN ZHE
patruelis Voss, 1937c: 268 (*Cryptorhynchidius*)
hiurai Morimoto, 1962b: 38 **A:** JA NC SC
insidiosus Roelofs, 1875b: 167 (*Cryptorhynchus*) **A:** JA SC
obscurus Roelofs, 1879b: liv (*Cryptorhynchus*)
juglandis Zherikhin, 1991b: 106 **A:** FE
lineatus Y-Q. Chen, 1991a: 213 **A:** JIX
lineatus: Y-Q. Chen, 1991a: 212 [NA, IOS]
lineonus: Y-Q. Chen, 1991a: 215 [NA, IOS]
opacus Zherikhin, 1991b: 101 (*Coniferocryptus*) **A:** FE (Kuril Is.)
pini Morimoto, 1962b: 42 **A:** FUJ HUB JA JIX
rufescens Roelofs, 1875b: 166 (*Cryptorhynchus*) **A:** FE HKG HP JA NC SC UP
brandisi Stebbing, 1911: 73 (*Cryptorhynchus*)
rugipennis Morimoto, 1962b: 39 **A:** JA SC
sculpturatus Zherikhin, 1991b: 109 **A:** FE
squamesus Y-Q. Chen, 1991a: 214 **A:** YUN
tamanukii Kōno, 1938b: 144 (*Coelosternus*) **A:** FE JA SC
tuberosus Y-Q. Chen, 1991a: 214 **A:** SHA

genus *Sternochetus* Pierce, 1917: 143 type species *Curculio mangiferae* Fabricius, 1775
Acryptorrhynchus Heller, 1937: 70 type species *Curculio frigidus* Fabricius, 1787 (= *Curculio gravis* Fabricius, 1775)
gravis Fabricius, 1775: 140 (*Curculio*) **A:** PA YUN **AUR ORR**
frigidus Fabricius, 1787b: 381 (*Curculio*)
mangiferae Fabricius, 1775: 139 (*Curculio*) **A:** AEi BT CYi HKGi NP PA SCi UP YEi **AFRi AUR**
NARi NTRi ORR
ineffectus Walker, 1859a: 264 (*Cryptorhynchus*)
monachus Boisduval, 1835: 430 (*Cryptorhynchus*)
olivieri Faust, 1893d: 518 (*Cryptorhynchus*) **A:** GUX SCH YUN **ORR**

genus *Sybulus* Pascoe, 1871a: 202 type species *Sybulus peccuarius* Pascoe, 1871
Coelosteriidius Morimoto, 1962c: 399 type species *Cryptorhynchus nigricollis* Roelofs, 1875
nigricollis Roelofs, 1879a: 298 (*Cryptorhynchus*) **A:** JA

7.12.5.2. Subtribe Tylodina Lacordaire, 1865

genus *Acalles* Schoenherr, 1825: 586 type species *Curculio camelus* Fabricius, 1792
subgenus *Acalles* Schoenherr, 1825: 586 type species *Curculio camelus* Fabricius, 1792
Microdalotes Gistel, 1856a: 370 type species *Curculio camelus* Fabricius, 1792
Trachodius Weise, 1891b: 122 type species *Trachodius tibialis* Weise, 1891
Ulosomus Schoenherr, 1825: 585 type species *Curculio ptinoides* Marsham, 1802
alcarazensis Stüben, 2009: 103 **E:** SP
almeriaensis Stüben, 2001d: 184 **E:** SP
asniensis Stüben, 2003b: 208 **N:** MO
biokovoensis Stüben, 2008a: 82 **E:** CR
breiti A. Solari & F. Solari, 1909: 270 **E:** SP (Mallorca)
camelus Fabricius, 1792: 406 (*Curculio*) **E:** AU BE BH BU CR CT CZ DE EN FR GE HU IT LA LT
 LU ME PL PT RO SB SK SL SP SV SZ UK **A:** GG
nodulosus Piller & Mitterpacher, 1783: 84 (*Curculio*) [HN]
quercus Boheman, 1844: 420
sophiae Tschapeck, 1873: 245
sterleri Gistel, 1857: 523 (*Cryptorhynchus*)
variolosus Stierlin, 1887: 399
cazorlaensis Stüben, 2004c: 95 **E:** SP
cytisi Stüben, 2004c: 90 **E:** SP
dieckmanni Péricart, 1989: 316 **E:** FR (Corse) IT (Elba)
dubius A. Solari & F. Solari, 1907c: 532 **E:** AU BE FR GE IT LS SL SZ
echinatus Germar, 1823: 278 (*Cryptorhynchus*) **E:** AL AU BE BH BU CR CZ FI FR GE HU IT LS
 ME PL RO SB SK SL ST SV SZ UK
squamosus A. Solari & F. Solari, 1907c: 535

fallax Boheman, 1844: 426 E: BE BH CR CZ FR GE GR HU IT LU MC ME PL RO SB SK SL SP SV SZ UK
commutatus Dieckmann, 1982c: 198
gadorensis Stüben, 2001d: 187 E: SP
gracilipes F. Solari, 1938a: 28 N: AG
guadarramaensis Stüben, 2004c: 93 E: SP
haraforus Faust, 1887b: 39 [EA] A: HAI
iblanensis Stüben, 2015a: 22 N: MO
kippenbergi Dieckmann, 1982c: 208 E: IT SZ
lemur cisalpinus Stüben, 2003b: 211 E: IT
lemur lemur Germar, 1823: 278 (*Cryptorhynchus*) E: AU BE CR FR GE IT LU NL SZ UK
rhizobius Gistel, 1857: 515
sulcatus Boheman, 1844: 425
maraoensis Stüben, 2001d: 190 E: PT SP
micros Dieckmann, 1982c: 205 E: BE FR GE IT SZ
milleri Reitter, 1883a: 117 E: ST A: GG
misellus Boheman, 1844: 424 E: BE DE FR GB GE IR LU NL PL SP SV
variegatus Stephens, 1831c: 45 [HN, NO]
monasterialis Stüben, 2004c: 88 E: SP
ossetiensis Stüben, 2018a: 55 E: ST A: GG
papei A. Solari & F. Solari, 1905b: 97 E: BH CR GR HU IT ME RO SB
balcanicus A. Solari & F. Solari, 1905b: 97
vicarius K. Daniel, 1906c: 185
parasierrae Stüben, 2002b: 199 N: MO
parvulus parvulus Boheman, 1837b: 349 E: AU BE CR CT FR GE HU IT LU SL SZ
nudiusculus Foerster, 1849: 443
turbatus Boheman, 1844: 423
parvulus temperei Péricart, 1987: 194 E: FR IT SZ
petryszaki Dieckmann, 1982c: 207 E: BU HU PL SK
ptinoides Marsham, 1802: 258 (*Curculio*) E: BE DE FR GB GE HU NL PT SP SV A: GG
nocturnus Boheman, 1837b: 352
reitteri P. Meyer, 1896a: 13 E: UK A: GG
sardiniaensis Stüben, 2001d: 191 E: IT (Sardegna)
sarothamni Stüben, 2003b: 204 E: SP
setulipennis Desbrochers des Loges, 1871: 350 E: FR (Corse) [IT \(Sardegna\)](#)
sierrae H. Brisout de Barneville, 1866: 625 E: SP
bazaensis Stüben, 2001d: 193
sintraniensis Stüben, 1999c: 77 E: PT
testensis Stüben, 2003b: 207 N: MO
tibialis Weise, 1891b: 122 (*Trachodius*) E: FR IT SZ
vorsti Stüben, 2015a: 24 E: SP (Mallorca)
subgenus *Origoacalles* Stüben & Astrin, 2010a: 75 type species *Acalles globulipennis* Wollaston, 1854
globulipennis Wollaston, 1854b: 339 E: PT N: CI MR
seminulum Wollaston, 1864: 292
granulimaculosus Stüben, 2015a: 26 N: CI (Gomera)
pilula Wollaston, 1864: 292 N: CI

genus *Acallocrates* Reitter, 1913a: 63 type species *Cryptorhynchus denticollis* Germar, 1823
colonnellii Bahr, 2003: 105 E: AU BH GR HU ME PL RO SB SK SL ST A: GG TR
denticollis Germar, 1823: 276 (*Cryptorhynchus*) E: AL BU CR GR HU IT ME SL TR UK A: IS TR
grimmeri Grimmer, 1841: 44 (*Arachnipes*)
fasciatus Colonnelli, 1980: 9 E: AL BH ME
minutesquamosus Reiche, 1861a: 733 (*Acalles*) E: FR IT SP
discors A. Hoffmann, 1958: 1374

genus *Acallorneuma* Mainardi, 1906: 151 type species *Acallorneuma reitteri* Mainardi, 1906
abbazzii Magrini & Paladini, 2017: 200 E: IT (Sardegna)
doderoi A. Solari & F. Solari, 1909: 275 E: IT (Sicilia)
sabellai G. Osella & Zuppa, 2002: 448
ibericum Stüben, 2005b: 87 E: SP
ingoii G. Osella & Zuppa, 2002: 445 E: IT

mainardii A. Solari & F. Solari, 1909: 275 E: IT (Sardegna)
montisalbi G. Osella & Zuppa, 2002: 452 E: IT (Sardegna)
onnisi Magrini & Paladini, 2017: 186 E: IT (Sardegna)
peyerimhoffi F. Solari, 1938a: 29 N: AG
reitteri Mainardi, 1906: 151 E: IT
sardiniense osellai Magrini & Paladini, 2017: 193 E: IT (Sardegna)
sardiniense sardiniense G. Osella & Zuppa, 2002: 454 E: IT (Sardegna)
gasparoi G. Osella & Zuppa, 2002: 455
poggii G. Osella & Zuppa, 2002: 453

genus *Aeoniacalles* Stüben & Astrin, 2010a: 59 type species *Acalles aeonii* Wollaston, 1864
aeonii aeonii Wollaston, 1864: 285 (*Acalles*) N: CI (Tenerife)
aeonii bodegensis Stüben, 2000a: 38 (*Acalles*) N: CI (Tenerife)
aeonissimilis Stüben, 2000a: 39 (*Acalles*) N: CI (La Gomera)
argillosus Boheman, 1837b: 327 (*Acalles*) N: CI
scaber Brullé, 1839: 72 (*Tylodes*)
grancanariensis Stüben, 2000a: 40 (*Acalles*) N: CI (Gran Canaria)
neptunus Wollaston, 1854b: 330 (*Acalles*) N: SG (Selvagem Pequena)
tabladoensis Stüben & Astrin, 2011a: 1 N: CI (La Palma)

genus *Ampagia* Pascoe, 1870a: 208 type species *Ampagia erinacea* Pascoe, 1870
Acallopais Pascoe, 1877: 147 type species *Acallopais rudis* Pascoe, 1877
Amydala Pascoe, 1871a: 213 [HN] type species *Amydala abdominalis* Pascoe, 1871
Amydanus G.A.K. Marshall, 1952: 268 [RN] type species *Amydala abdominalis* Pascoe, 1871
Coptomerus Chevrolat, 1881c: lxxix type species *Coptomerus nigrinasus* Chevrolat, 1881
luzonae Zimmerman, 1945: 453 A: JA (Ryūkyū) TAI **ORR**

genus *Buninus* Morimoto, 1981c: 193 type species *Buninus niger* Morimoto, 1981
chichijimaensis Morimoto, 1981c: 198 A: JA (Ogasawara Is.)
hahajimaensis Morimoto, 1981c: 198 A: JA (Ogasawara Is.)
iriei Morimoto, 1981c: 197 A: JA (Ogasawara Is.)
niger Morimoto, 1981c: 195 A: JA (Ogasawara Is.)
seinoi Morimoto, 1981c: 196 A: JA (Ogasawara Is.)

genus *Calacalles* Peyerimhoff, 1925d: 153 type species *Acalles theryi* Peyerimhoff, 1925
subgenus *Calacalles* Peyerimhoff, 1925d: 153 type species *Acalles theryi* Peyerimhoff, 1925
Saetiocalles Bahr, 2000: 117 type species *Acalles theryi* Peyerimhoff, 1925
kabylianus Desbrochers des Loges, 1897e: 32 (*Acalles*) N: AG
moraguesi Desbrochers des Loges, 1898b: 45 (*Acalles*) E: SP (Balears)
theryi Peyerimhoff, 1925d: 153 (*Acalles*) E: PT SP N: MO
subgenus *Crateracalles* Stüben, 2004a: 39 type species *Acalles droueti* Crotch, 1867
droueti azoricus Stüben, 2004a: 46 E: AZ (Faial)
droueti droueti Crotch, 1867: 387 (*Acalles*) E: AZ
subcarinatus Israelson, 1984: 154 (*Acalles*) E: AZ
subgenus *Nanoacalles* Astrin & Stüben, 2009: 60 type species *Acalles wollastoni* Chevrolat, 1852
affinis Bahr, 2000: 125 N: CI (Tenerife)
atomarius Bahr, 2000: 128 N: CI (Tenerife)
bandamaensis Stüben, 2012: 2 N: CI (Gran Canaria)
citvator Stüben, 2015b: 2 N: CI (La Palma)
exiguus Bahr, 2000: 126 N: CI (Tenerife)
fuerteventurensis Bahr, 2000: 123 N: CI (Fuerteventura)
hermigua Stüben & Astrin, 2009: 63 N: CI (La Gomera)
lepis Stüben, 2013a: 2 N: CI (Gomera) (La Gomera)
manriquei Stüben, 2018a: 381 N: CI (Lanzarote)
minutus Bahr, 2000: 131 N: CI (La Gomera)
montelumatus Stüben, 2015b: 5 N: CI (La Palma)
mulagua Stüben, 2010e: 1 N: CI (La Gomera)
nataliae Astrin & Stüben, 2009: 64 N: CI (La Gomera)
palmensis Roudier, 1954a: 10 N: CI (La Palma)
pumilio Bahr, 2000: 132 N: CI

agana Stüben, 2010f: 1
pusillus Bahr, 2000: 129 N: CI (Tenerife)
seticollis Wollaston, 1864: 291 (*Acalles*) N: CI (El Hierro)
wollastoni Chevrolat, 1852: 579 (*Acalles*) N: MR
cylindricollis Wollaston, 1854b: 341 (*Acalles*)
zumpti Uyttenboogaart, 1939: 209 (*Acalles*) N: CI (Tenerife)

genus *Canariacalles* Stüben & Astrin, 2010a: 69 type species *Acalles alluaudi* Uyttenboogaart, 1940
alluaudi Uyttenboogaart, 1940a: 66 (*Acalles*) N: CI
haraldi Roudier, 1954a: 6 (*Acalles*)
lanzarotensis Stüben, 2000a: 33 (*Acalles*) N: CI (Lanzarote)

genus *Caucasusacalles* Stüben, 2018a: 24 type species *Acalles lederi* Meyer, 1869
lederi P. Meyer, 1896a: 14 (*Acalles*) E: ST A: GG

genus *Coloracalles* Astrin & Stüben, 2008: 512 type species *Acalles humerosus* Fairmaire, 1862
edoughensis Desbrochers des Loges, 1892k: 97 (*Acalles*) E: SP N: AG TU
hederae González, 1965b: 100 (*Acalles*)
humerosus Fairmaire, 1862c: 557 (*Acalles*) E: FR IT SP N: AG TU

genus *Dendroacalles* Stüben, 2005a: 39 type species *Acalles ornatus* Wollaston, 1854
subgenus *Dendroacalles* Stüben, 2005a: 39 type species *Acalles ornatus* Wollaston, 1854
fortunatus Wollaston, 1864: 286 (*Acalles*) N: CI
garajonay Stüben, 2011: 63 [NA]
ornatus Wollaston, 1854b: 336 (*Acalles*) N: MR (Madeira)
ruteri Roudier, 1954a: 14 (*Acalles*) N: CI (Tenerife)
sigma Wollaston, 1864: 288 (*Acalles*) N: CI (La Palma)
subgenus *Euphorbioacalles* Stüben, 2005a: 43 type species *Acalles brevitarsis* Wollaston, 1864
brevitarsis Wollaston, 1864: 289 (*Acalles*) N: CI (Gran Canaria)
euphorbiacus Stüben, 2000a: 78 (*Acalles*) N: CI (La Palma)
indiscretus Stüben & Behne, 2015: 29 [NA]
poneli Stüben, 2000a: 77 (*Acalles*) N: CI (Tenerife)

genus *Dichromacalles* Stüben, 1998b: 12 type species *Rhynchaenus diocletianus* Germar, 1817
subgenus *Balcanacalles* Stüben & Behne, 1998: 15 type species *Acalles krueperi* Faust, 1890
boroveci Stüben, 1998b: 26 E: GR (Ródos, Samos)
creticus Reitter, 1916a: 139 (*Acalles*) E: GR (Gávdos, Kríti)
krueperi Faust, 1890e: 324 (*Acalles*) E: GR
lentisci Chevrolat, 1861a: 124 (*Acalles*) E: SP N: AG MO
raffrayi Desbrochers des Loges, 1871: 355 (*Acalles*)
nitens Stüben, 1998b: 27 A: TR
rolletii Germar, 1839: 14 (*Acalles*) E: FR GR IT
cynarae Vitale, 1903b: 44
subgenus *Dichromacalles* Stüben, 1998b: 12 type species *Rhynchaenus diocletianus* Germar, 1817
albopictus Jacquet, 1888b: clxxviii (*Acalles*) E: FR IT
algecirasensis Stüben, 2013b: 111 E: SP
andalusiensis Stüben, 2014a: 2 E: SP
diocletianus Germar, 1817a: 227 (*Rhynchaenus*) E: AL CR FR GR IT MA SP N: AL EG MO TU
affinis P. Meyer, 1896a: 15 (*Acalles*)
aptus P. Meyer, 1896a: 15 (*Acalles*)
carinicollis Tournier, 1873a: 185 (*Acalles*)
uncatus Desbrochers des Loges, 1896e: 47 (*Acalles*)
dromedarius Boheman, 1844: 412 (*Acalles*) E: AZ FR IT PT SP N: CI MO MR
fasciculatus Boheman, 1844: 412 (*Acalles*)
impressicollis Lucas, 1846b: pl. 38 (*Acalles*)
plagiatofasciatus A. Costa, 1847: 157 (*Acalles*)
querilhaci H. Brisout de Barneville, 1865a: 465 (*Acalles*) E: FR
tuberculatus Rosenhauer, 1856: 288 (*Acalles*) E: FR IT PT SP N: MO
brevis Tournier, 1873a: 187 (*Acalles*)
giraudi Mulsant & Godart, 1874c: 265 (*Acalles*)
giraudi Mulsant & Godart, 1876a: 65 (*Acalles*) [HN]
lusitanicus A. Solari & F. Solari, 1905a: 530 (*Acalles*)

septemcostatus Desbrochers des Loges, 1892k: 98 (*Acalles*)

genus *Echinoacalles* Stüben, 2008b: 321 type species *Echinoacalles franzi* Stüben, 2008
franzi Stüben, 2008b: 322 N: CI [probably false labelling]

genus *Echinodera* Wollaston, 1863: 219 type species *Echinodera crenata* Wollaston, 1863
subgenus *Echinodera* Wollaston, 1863: 219 type species *Echinodera crenata* Wollaston, 1863
Dieckmannia Stüben, 1998c: 422 type species *Acalles brisouti* Reitter, 1885

adriatica Stüben, 2008a: 84 E: CR
alexeevi Savitsky, 1999: 829 A: TD
altaica Savitsky, 1999: 826 A: KZ
andalusiensis Stüben, 2003b: 189 E: SP
angulipennis Wollaston, 1864: 296 N: CI (Tenerife)
ariadnae Bahr & Bayer, 2005: 90 E: GR (Kriti)
aspromontensis Stüben, 2008a: 89 E: IT
athosensis Behne, 2005: 91 E: GR
atlasensis Stüben, 2001c: 167 N: MO
bargouensis Stüben & Astrin, 2011b: 439 N: TU
bayeri Stüben, 1999b: 83 A: IS SY TR
behnei Stüben, 1998c: 426 E: BU GR
brachati Wolf, 2002: 235 E: GR
brisouti brisouti Reitter, 1885b: 388 E: GR
brisouti peneckeii Stüben, 1998c: 432 E: BH CR ME
bulbosa Stüben & Astrin, 2008a: 92 E: SP
capbonensis capbonensis Stüben, 2004d: 109 N: TU
capbonensis diottii Stüben, 2010b: 1 E: IT (Pantelleria)
capiomonti H. Brisout de Barneville, 1865a: 459 (*Acalles*) E: BH CR IT
casablancaensis Stüben, 2001c: 164 N: MO
ceutaensis Stüben, 2002b: 213 E: PT N: MO
compacta Wollaston, 1864: 297 N: CI (Gran Canaria)
corcyrensis Stüben, 2008a: 86 E: CR GR
costata Chevrolat, 1861a: 123 (*Acalles*) N: AG
algerica Pic, 1905a: 99 (*Acalles*)
subglobata Desbrochers des Loges, 1892k: 97 (*Acalles*)
crenata Wollaston, 1863: 219 N: CI (Tenerife)
dauidiani Savitsky, 1999: 823 E: ST
fusca Chevrolat, 1861c: 205 (*Acalles*) N: AG
germanni Stüben, 2003b: 200 N: MO
globulus P. Meyer, 1896a: 14 (*Acalles*) E: SP N: MO
globula: Stüben, Behne & Bahr, 2001: 110 [NA, ISS]
guacimara Stüben & Germann, 2005: 65 N: CI (Tenerife)
hoceimaensis Stüben, 2018a: 338 N: MO
horridula Reitter, 1888c: 268 (*Acalles*) E: ST A: GG
hystrix benahorita Stüben, 2000b: 146 N: CI (La Palma)
hystrix hystrix Wollaston, 1864: 294 N: CI
pseudopersonata Franz, 1996: 124 [NA]
iblei Stüben, 2003b: 191 E: IT (Sicilia)
ifranensis Stüben, 2002b: 211 N: MO
ingowolffi Stüben, 1998c: 430 E: GR
jandiaensis Stüben, 2018a: 261 N: CI
kesraensis Stüben, 2004d: 105 N: TU
ketamaensis Stüben, 2002b: 210 N: MO
ketmenica Savitsky, 1999: 825 A: KZ
kirgizica Savitsky, 1999: 826 A: KI
kostenbaderi Stüben, 2002c: 233 E: IT
kratkyi Stüben, 2018a: 274 N: CI (Gran Canaria)
kroumiriensis Stüben, 2004d: 102 N: TU
maltensis Stüben, 2018a: 330 E: MA
merkli P. Meyer, 1896a: 13 (*Acalles*) E: BU GR TR A: TR

montana Stüben & Astrin, 2011b: 444 N: CI (Fuerteventura)
nebrodiensis Stüben, 2003b: 197 E: IT (Sicilia)
nuraghia Stüben, 2009: 101 E: IT (Sardegna)
ochsi F. Solari, 1952b: 48 (*Acalles*) E: FR
orbiculata Wollaston, 1864: 297 N: CI (Tenerife)
orientalis A. Solari & F. Solari, 1907c: 542 (*Acalles*) A: AB AR GG
pallida Israelson, 1985a: 1 N: SG (Selvagens)
palmaensis Stüben, 2000b: 150 N: CI (La Palma)
paulmeyeri Reitter, 1902b: 183 (*Acalles*) A: KI KZ TD UZ
peragalloi Chevrolat, 1863: 111 (*Acalles*) E: FR IT SP
renata Rey, 1895d: 37 (*Acalles*) [HN]
schaeferi A. Hoffmann, 1958: 1403
personata Colonnelli, 1985a: 58 N: CI (Tenerife)
picta Wollaston, 1864: 298 N: CI (Fuerteventura)
pseudohystrix Stüben, 2000b: 151 N: CI (Gomera)
gomerensis Stüben, 2000b: 148
praedicta Germann & Stüben, 2006: 165
pseudovariegata Stüben, 1998c: 424 E: GR (Kíti, Ródos) A: TR
rifensis Stüben, 2001c: 169 N: MO
romanboroveci Stüben, 1998c: 428 E: CR ME
roudieri Stüben, 1998c: 436 E: SP
samosa Germann, 2012: 81 E: GR (Sámos)
schawalleri Stüben, 1998a: 2 A: KI UZ
setosagracilis Stüben, 2004d: 104 N: TU
settefratelliensis Stüben, 2005b: 95 E: IT (Sardegna)
siciliensis Stüben, 2003b: 193 E: IT
spinosa Stüben, 2006b: 242 E: SP
suber Stüben, 2001c: 171 N: MO
tazzekeensis Stüben, 2002b: 215 N: MO
tellatlasensis Stüben, 2002b: 216 N: MO
tenoensis Stüben, 2000b: 143 N: CI (Tenerife)
tianschanica Savitsky, 1999: 828 A: UZ
valida Hampe, 1864: 192 (*Acalles*) E: BH BU HU ME RO SB SK UK
variegata Boheman, 1837b: 353 (*Acalles*) [NP] E: IT (Sicilia)
varroi Stüben, 2018a: 306 E: IT
vitoensis Stüben, 2006b: 238 E: IT (Sicilia)
zaghouanensis Stüben, 2004d: 107 N: TU
subgenus *Ruteria* Roudier, 1954a: 5 type species *Acalles hypocrita* Boheman, 1837
anatolica Caldara, 1978b: 268 A: TR
bellieri Reiche, 1861a: 733 (*Acalles*) E: GR IT
epirica Wolf, 2001a: 97 (*Ruteria*)
tyrrhenica Caldara, 1978b: 267
berkanensis Stüben, 2002b: 209 N: MO
cognita Stüben, 2006b: 240 E: SP
graeca Caldara, 1973: 397 E: BH BU CR GR ME SB
hetthei Stüben, 2018a: 362 A: TR
hypocrita Boheman, 1837b: 346 (*Acalles*) E: AL AU BE BH BU CR CZ DE FR GE GR HU IT LU
MC ME NL PL RO SB SK SL SZ UK A: GG TR
hyrcanica Savitsky, 1997: 794 (*Ruteria*) E: ST A: AB GG IN
kakhetica Savitsky, 1997: 792 (*Ruteria*)
incognita A. Hoffmann, 1956c: 170 (*Acalles*) E: FR SP
lusitanica Stüben, 2014b: 2 E: PT SP
major A. Solari & F. Solari, 1907c: 547 (*Acalles*) E: BH CR HU ME
meskhetica Savitsky, 1997: 793 (*Ruteria*) E: ST A: GG
minos Bahr & Bayer, 2005: 93 E: GR (Kíti)
montissacris Behne, 2002: 228 (*Ruteria*) E: GR
normandi A. Solari & F. Solari, 1907c: 540 (*Acalles*) N: AG
paganettii F. Solari, 1952b: 50 (*Acalles*) E: PT SP
pelionis Frieser, 1955b: 455 (*Acalles*) E: GR

soumasi Germann, Wolf & Schütte, 2015: 287 E: GR
teplovi Savitsky, 1997: 794 (*Ruteria*) E: ST
troodosi Wolf, 2010: 16 A: CY
 cyprica Stüben, 2010c: 1
zerchei Behne, 2002: 226 (*Ruteria*) E: GR

genus *Echinodera*, species incertae sedis
grossa Frieser, 1955b: 454 (*Acalles*) [NA] E: BH CR MC ME
pici A. Solari & F. Solari, 1907c: 548 (*Acalles*) A: LE

genus *Echiumacalles* Stüben & Astrin, 2010a: 66 type species *Acalles anagaensis* Stüben, 2000
anagaensis Stüben, 2000a: 80 (*Acalles*) N: CI

genus *Elliptacalles* Astrin & Stüben, 2008: 514 type species *Acalles longus* Desbrochers des Loges, 1892

baeticus Stüben, 2008a: 94 (*Acalles*) E: SP
longus Desbrochers des Loges, 1892k: 99 (*Acalles*) E: GR (Ándros I.) IT N: AG MO

genus *Ficusacalles* Stüben & Astrin, 2010a: 68 type species *Acalles senilis* Wollaston, 1864
ficvorator Stüben, 2007b: 216 (*Acalles*) N: CI (La Palma)
oceanicus Stüben, 2002a: 130 (*Acalles*) N: SG (Selvagem Pequena)
senilis Wollaston, 1864: 288 (*Acalles*) N: CI (El Hierro)

genus *Hyotanzo* Morimoto, 1962c: 399 type species *Hyotanzo uenoi* Morimoto, 1962
uenoi Morimoto, 1962c: 400 A: JA SC (Jeju)

genus *Kyklioacalles* Stüben, 1999d: 5 type species *Acalles solarii* Fiori, 1903

subgenus *Glaberacalles* Stüben & Astrin 2010b: 37 type species *Acalles punctaticollis* Lucas, 1846

armeniacus Stüben, 2006a: 226 A: TR
berberi Stüben, 2005b: 85 (*Acalles*) N: MO
editorum Peyerimhoff, 1913a: 254 (*Acalles*) N: AG
erinaceus Stüben, 2003a: 138 E: SP
oblongus Stüben, 2018a: 102 E: SP
olcesei Tournier, 1873a: 186 (*Acalles*) E: SP N: MO
 korbi Stierlin, 1890b: 243 (*Acalles*)
punctaticollis meteoricus P. Meyer, 1909: 401 (*Acalles*) E: FR IT PT SP
 peninsularis Hustache, 1932d: 201 (*Acalles*)
punctaticollis punctaticollis Lucas, 1846b: pl. 38 (*Acalles*) E: IT SP N: AG
 italicus A. Solari & F. Solari, 1905a: 529 (*Acalles*)
syriacus Pic, 1900d: 79 (*Acalles*) A: CY IS LE

subgenus *Kyklioacalles* Stüben, 1999d: 5 type species *Acalles solarii* Fiori, 1903

alcornocalensis Stüben, Torres & Astrin, 2011: 1 E: SP
almadophilus Stüben, 2004b: 63 E: SP
anthyllis Stüben, 2004b: 65 E: SP
apogeus Peyerimhoff, 1925f: 281 (*Acalles*) N: MO
astragali Stüben, 2003a: 128 E: SP
atlasicus Stüben & Astrin, 2010b: 44 N: MO
aubei Boheman, 1837b: 345 (*Acalles*) E: AL AU CZ FR GE HU IT RO SK SL ST SZ A: GG TR
barbarus Lucas, 1846b: pl. 38 (*Acalles*) E: GRi N: AG MO
 africanus A. Solari & F. Solari, 1907c: 501 (*Acalles*)
 mauritanicus A. Solari & F. Solari, 1907c: 500 (*Acalles*)
bupleuri Stüben, 2004b: 73 E: SP N: TU
 almadensis Stüben, 2004b: 79
characivorus Stüben, 2005b: 97 E: IT (Sardegna)
chaudoirii Hochhuth, 1847: 571 (*Acalles*) E: ST A: GG TR
euphorbiophilus Stüben, 2003a: 134 N: MO
fausti P. Meyer, 1896b: 214 (*Acalles*) E: BU IT RO N: AG
 monstruosus Frieser, 1955b: 454 (*Acalles*)
 nodipennis Pic, 1906d: 34 (*Acalles*)
fissicollis Penecke, 1926c: 16 (*Acalles*) E: GR

flavomaculatus Stüben, 2012a: 1 N: MO
granulicollis Tournier, 1875a: 475 (*Acalles*) N: MO
igualeja Stüben, 2012b: 1 E: SP
interpositus Frieser, 1955b: 453 (*Acalles*) E: FR (Corse)
maroccensis Stüben, 2001d: 182 (*Acalles*) N: MO
oukaimedensis Stüben, 2010a: 1 N: MO
plantapilosus Stüben & Astrin, 2010b: 40 E: SP
provincialis A. Hoffmann, 1960a: 21 (*Acalles*) E: FR IT
pseudobarbarus Stüben, 2004b: 71 N: AG
pulchellus H. Brisout de Barneville, 1865a: 455 (*Acalles*) E: FR IT SP N: TU
pyrenaeus Boheman, 1844: 413 (*Acalles*) E: AU CZ FR GE HU IT LS PL SK SL UK
boehmei Košťál & Holecová, 2001: 75
germanicus Letzner, 1883a: 292 (*Acalles*)
rufirostris Boheman, 1844: 421 (*Acalles*)
reginae Stüben, 2003a: 123 E: SP
reinosae H. Brisout de Barneville, 1867: 62 (*Acalles*) E: PT SP
graellsii Martínez y Sáez, 1873: 416 (*Acalles*)
saccoi Colonnelli, 1973: 25 (*Acalles*) E: IT
snassensis Stüben, 2002b: 202 N: MO
solarii Fiori, 1903: 163 (*Acalles*) E: IT
suturatus Dieckmann, 1983: 67 (*Acalles*) E: BH BU CR CZ HU ME PL RO RU SB SL UK
teter Boheman, 1844: 416 (*Acalles*) E: IT (Sicilia)
tidiquinensis Stüben, 2002b: 204 N: MO
yestensis Stüben, 2003a: 131 E: SP
subgenus *Palaeoacalles* Stüben 2003a: 143 type species *Acalles roboris* Curtis, 1834
abstersus Boheman, 1837b: 350 (*Acalles*) E: AU CR GE SL
clermonti A. Solari & F. Solari, 1905b: 98 (*Acalles*) N: AG
navieresi Boheman, 1837b: 351 (*Acalles*) E: AU CZ FR GE IT LU PL SP SV SZ
roboris Curtis, 1834: 550 (*Acalles*) E: AU BE BH CR CZ DE FR GB GE HU IT LS LU NL RO SL
 SP SV SZ UK
velebitensis Stüben, 2005b: 101 E: CR

genus *Kyklioacalles*, nomen dubium
subglaber Rosenhauer, 1856: 286 (*Acalles*) E: SP

genus *Lauriacalles* Stüben & Astrin, 2010a: 63 type species *Acalles acutus* Wollaston, 1864
acutus Wollaston, 1864: 289 (*Acalles*) N: CI

genus *Madeiracalles* Stüben & Astrin, 2010a: 72 type species *Acalles dispar* Wollaston, 1854
achadagrandensis Stüben, 2002a: 106 N: MR (Madeira)
albolineatus Wollaston, 1854b: 338 (*Acalles*) N: MR (Madeira)
beelzebubi Stüben, 2018a: 487 N: MR (Madeira)
cinereus Wollaston, 1860c: 453 (*Acalles*) N: MR (Madeira)
coarctatus Wollaston, 1857: 108 (*Acalles*) N: MR (Madeira)
dispar Wollaston, 1854b: 337 (*Acalles*) N: MR (Madeira)
festivus Wollaston, 1857: 109 (*Acalles*) N: MR
histrionicus Wollaston, 1857: 106 (*Acalles*) N: MR
machadoi Stüben, 2006b: 236 (*Acalles*) N: MR (Madeira)
nodiferus Wollaston, 1854b: 334 (*Acalles*) N: MR (Madeira)
oblitus Wollaston, 1854b: 333 (*Acalles*) N: MR (Madeira)
pulverosus Gemminger, 1871b: 123 [URN] (*Acalles*)
pulverulentus Wollaston, 1854b: 333 (*Acalles*) [HN]
portosantoensis Stüben, 2002a: 122 (*Acalles*) N: MR

saxicola Wollaston, 1854b: 332 (*Acalles*) N: MR
succulentus Stüben, 2018a: 478 N: MR (Madeira)
terminalis terminalis Wollaston, 1854b: 335 (*Acalles*) N: MR (Madeira)
terminalis tolpis Stüben, 2002a: 136 (*Acalles*) N: MR (Madeira)
tristaensis Stüben, 2002a: 140 (*Acalles*) N: MR (Madeira)

vau Wollaston, 1854b: 335 (*Acalles*) N: MR (Madeira)

genus *Microcryptorhynchus* Lea, 1908: 194 type species *Microcryptorhynchus pygmaeus* Lea, 1908
subgenus *Microcryptorhynchus* Lea, 1908: 194 type species *Microcryptorhynchus pygmaeus* Lea, 1908
nipponicus Morimoto & Miyakawa, 1985: 71 A: JA TAI

genus *Montanacalles* Astrin & Stüben, 2008: 515 type species *Kyklioacalles nevadaensis* Stüben, 2001
nevadaensis Stüben, 2001b: 157 (*Kyklioacalles*) E: SP

genus *Onyxacalles* Stüben, 1999a: 177 type species *Acalles luigionii* A. Solari & F. Solari, 1907
subgenus *Araneacalles* Stüben & Astrin, 2010: 78 type species *Acalles verrucosus* Wollaston, 1863
neglectus Kulbe, 1999: 193 N: CI

ringeli Kulbe, 1999: 196 N: CI (La Palma)

verrucosus Wollaston, 1863: 219 (*Acalles*) N: CI

subgenus *Onyxacalles* Stüben, 1999a: 177 type species *Acalles luigionii* A. Solari & F. Solari, 1907
balearicus Stüben, 2005c: 115 E: SP (Mallorca)

bermejaensis Stüben, 2001a: 145 E: SP N: MO

caucasicus Reitter, 1891d: 240 (*Acalles*) E: ST A: AR GG TR

croaticus croaticus H. Brisout de Barneville, 1867: 62 (*Acalles*) E: AU CR CZ GE HU PL SK SL

croaticus stoeckleini Frieser, 1959: 67 (*Acalles*) E: GE

denominandus A. Solari & F. Solari, 1907c: 523 (*Acalles*) A: TR

amasyaensis Wolf, 2001b: 150

ganglbaueri A. Solari & F. Solari, 1907c: 525 (*Acalles*) E: BU GR RO TR A: GG TR

ovalipennis Petri, 1912a: 322 (*Acalles*)

georgius Stüben, 2018a: 181 A: GG

gibaltarensis Stüben, 2002b: 206 E: GBi SP N: MO

hannibali Germann, 2004a: 118 N: TU

henoni Bedel, 1888b: xxxvi (*Acalles*) E: FR (Corse) IT (Sardegna) N: AG

luigionii A. Solari & F. Solari, 1907c: 521 (*Acalles*) E: AU CR FR HU IT SL SP

maginaensis Stüben, 2004e: 120 E: SP

porcheti A. Hoffmann, 1935b: 162 (*Acalles*) E: FR

portusveneris Mayet, 1903: 74 (*Acalles*) E: FR SP N: MO

seguraensis Stüben, 2003b: 201 E: SP

valencianus Germann, 2005: 104 E: SP

genus *Poggionymus* Colonnelli, 1983a: 1 type species *Poggionymus crassus* Colonnelli, 1983
crassus Colonnelli, 1983a: 2 E: IT (Sardegna, probably introduced)

genus *Pseudodichromacalles* Stüben & Astrin, 2010a: 64 type species *Acalles fernandezi* Roudier, 1954
fernandezi Roudier, 1954a: 7 (*Acalles*) N: CI

pericallis Stüben, 2018a: 410 N: CI

xerampelimus Wollaston, 1864: 287 (*Acalles*) N: CI (Tenerife)

genus *Silvacalles* Stüben & Astrin, 2010a: 60 type species *Acalles instabilis* Wollaston, 1864

subgenus *Silvacalles* Stüben & Astrin, 2010a: 60 type species *Acalles instabilis* Wollaston, 1864

carlinavorus Stüben & Schütte, 2014a: 3 N: CI

cedroensis Kulbe, 2000: 60 (*Acalles*) N: CI (La Gomera)

instabilis Wollaston, 1864: 290 (*Acalles*) N: CI

lepidus Kulbe, 2000: 62 (*Acalles*) N: CI (La Palma)

lumulatus Wollaston, 1854b: 340 (*Acalles*) N: MR (Madeira)

mundus Wollaston, 1864: 290 N: CI (La Palma)

nubilosus Wollaston, 1864: 287 (*Acalles*) N: CI (Tenerife)

spinosus Stüben, 2018a: 449 N: CI

subgenus *Tagasastacalles* Stüben & Astrin, 2010a: 61 type species *Acalles hakani* Roudier, 1954

hakani hakani Roudier, 1954a: 8 (*Acalles*) N: CI (Tenerife)

hakani tagasaste Stüben, 2000a: 29 (*Acalles*) N: CI (La Palma)

pedestris Stüben, 2000a: 25 (*Acalles*) N: CI

subgenus *Tolpiacalles* Stüben & Astrin, 2010a: 61 type species *Acalles tolpiworus* Germann & Stüben, 2006
tolpiworus Germann & Stüben, 2006: 162 (*Acalles*) N: CI (La Gomera)

genus *Simulatacalles* Morimoto, 1978a: 123 type species *Acalles simulator* Roelofs, 1875
oshimaensis Morimoto & Miyakawa, 1985: 68 A: JA
pustulosus Morimoto & Lee, 1992: 14 A: JA SC
simulator Roelofs, 1875b: 160 (*Acalles*) A: JA SC TAI
watanabei Morimoto & Miyakawa, 1985: 70 A: JA

genus *Sonchiacalles* Stüben & Astrin, 2010a: 65 type species *Acalles sonchi* Stüben, 2000
muelleri Stüben, 2000a: 50 (*Acalles*) N: CI
silosensis Stüben, 2000a: 49 (*Acalles*) N: CI
sonchi Stüben, 2000a: 46 (*Acalles*) N: CI

genus *Watanabezo* Morimoto, 2002: 447 type species *Watanabezo unguiculatus* Morimoto, 2002
unguiculatus Morimoto, 2002: 451 A: JA (Ogasawara Is.)

tribe Cryptorhynchini, incertae sedis
Cryptorhynchus alpinus Gistel, 1831: 306 E: GE
Acalles alpinus Gistel, 1857: 523

7.12.6. Tribe Cycloterini Lacordaire, 1863

7.12.6.1. Subtribe Cycloterina Lacordaire, 1863

genus *Echinosomidia* Schenkling, 1932a: 87 [RN] type species *Echinosoma porcellus* Wollaston, 1854
Echinosoma Wollaston, 1854b: 395 [HN] type species *Echinosoma porcellus* Wollaston, 1854
porcellus Wollaston, 1854b: 396 (*Echinosoma*) N: MR

genus *Hyperomorphus* Perris, 1869: 26 type species *Hyperomorphus asperatus* Perris, 1869
Acrisius Desbrochers des Loges, 1869c: 395 [HN] type species *Acrisius koziorowiczi* Desbrochers des Loges, 1869 (= *Hyperomorphus asperatus* Perris, 1869)
asperatus Perris, 1869: 27 E: FR (Corse)
koziorowiczi Desbrochers des Loges, 1869c: 396 (*Acrisius*)

genus *Pseudechinosoma* Hustache, 1936c: 229 type species *Pseudechinosoma nodosum* Hustache, 1936
nodosum Hustache, 1936c: 230 E: AZ

7.12.7. Tribe Emphyastini Lacordaire, 1863

genus *Emphyastes* Mannerheim, 1852: 353 type species *Emphyastes fucicola* Mannerheim, 1852
mannerheimi Egorov & Korotyaev, 1977: 52 A: FE JA

genus *Thalasselephas* Egorov & Korotyaev, 1977: 47 type species *Thalasselephas major* Egorov & Korotyaev, 1977
Neophycocoetes O'Brien & Wibmer, 1982: 92 [URN]
Phycocoetes LeConte, 1876: 189 [HN] type species *Phycocoetes testaceus* LeConte, 1876
major Egorov & Korotyaev, 1977: 49 E: FE (Kuril Is.) JA
maximus Zherikhin, 1991b: 41 A: FE JA
minor Egorov & Korotyaev, 1977: 51 E: FE JA

7.12.8. Tribe Euderini Lacordaire, 1865

genus *Falsanichonus* Zherikhin, 1987: 28 type species *Falsanichonus ausobskyi* Zherikhin, 1987
ausobskyi Zherikhin, 1987: 29 A: NP SD
bhaktai Meregalli, 2003: 327 A: NP SD
emeishanicus Meregalli, 2003: 326 A: SCH
leptus Meregalli, 2003: 328 A: NP

phoenicopterus Meregalli, 2003: 325 A: SCH
roggeroi Meregalli, 2003: 328 A: SD
schawalleri Meregalli, 2003: 330 A: NP

genus *Microniphades* Zherikhin, 1987: 5 type species *Microniphades schawalleri* Zherikhin, 1987
schawalleri Zherikhin, 1987: 5 A: NP

genus *Microplinthus* Zherikhin, 1987: 37 type species *Microplinthus morimotoi* Zherikhin, 1987
kaligandaki Meregalli, 2004: 611 A: NP
laurae Meregalli, 2004: 621 A: SD
major Zherikhin, 1987: 20 (*Leptanchonus*) A: NP
minimus Zherikhin, 1987: 40 A: NP
minor Zherikhin, 1987: 22 (*Leptanchonus*) A: NP
morimotoi Zherikhin, 1987: 38 A: NP
parbatensis Meregalli, 2004: 611 A: NP
setulosus Zherikhin, 1987: 40 A: NP
shiva Meregalli, 2004: 620 A: SD

genus *Niphades* Pascoe, 1871a: 174 type species *Niphades pardalotus* Pascoe, 1871

subgenus *Niphades* Pascoe, 1871a: 174 type species *Niphades pardalotus* Pascoe, 1871

alni G.A.K. Marshall, 1931b: 264 A: SD
castanea Chao, 1980a: 141 A: GAN HEN HUN JIX SHA
multituberculatus Pajni, Sood & Tewari, 1990b: 159 A: HP

subgenus *Scaphostethus* Roelofs, 1873: 191 type species *Scaphostethus variegatus* Roelofs, 1873

Pseudoconotrachelus Voss, 1932b: 65 type species *Pseudoconotrachelus verrucosus* Voss, 1932 (= *Niphades tuberculatus* Faust, 1890)

tuberculatus Faust, 1890f: 469 A: FE FUJ GAN GUI HUN JIA JIX NC SC SCH SHG ZHE
verrucosus Voss, 1932b: 65 (*Pseudoconotrachelus*)

variegatus Roelofs, 1873: 192 (*Scaphostethus*) A: FE FUJ HEN JA
gibbosus Matsumura, 1911a: 130 (*Hyllobius*)

genus *Niphadonyx* Schenkling, 1932a: 59 [RN] type species *Heteronyx ferus* Faust, 1887

Aminyops Voss, 1956b: 29 type species *Aminyops castaneus* Voss, 1956
Cryptoceroides Schenkling, 1932a: 59 [RN] type species *Cryptocerus przewalskyi* Faust, 1887
Cryptocerus Faust, 1887k: 261 [HN] type species *Cryptocerus przewalskyi* Faust, 1887
Heteronyx Faust, 1887f: 172 [HN] type species *Heteronyx ferus* Faust, 1887

affinis Meregalli, 2013: 20 A: QIN
alternans Meregalli, 2013: 33 A: SCH
amplithorax Meregalli, 2013: 59 A: SCH
bufo Meregalli, 2013: 81 A: XIZ
canaliculatus Meregalli, 2013: 76 A: BT SD
castaneus Voss, 1956b: 30 (*Aminyops*) A: XIZ YUN
costipennis Meregalli, 2013: 61 A: SCH
daxuensis Meregalli, 2013: 35 A: SCH
dentipes Meregalli, 2013: 104 A: NP
dequenensis Meregalli, 2013: 31 A: YUN
fabbrii Meregalli, 2013: 43 A: SCH
fausti Meregalli, 2013: 83 A: XIZ
ferus Faust, 1887f: 173 (*Heteronyx*) A: TD
foveatus Pajni & Sood, 1983: 364 A: KA PA
gracilis Meregalli, 2013: 86 A: YUN
granulipennis Meregalli, 2013: 39 A: SCH
herzogianus Meregalli, 2013: 106 A: NP
himachalensis Meregalli, 2013: 72 A: HP
himalayanus Meregalli, 2013: 74 A: UP
inconspicuus Meregalli, 2013: 84 A: AP XIZ
iuliae Meregalli, 2013: 37 A: YUN
kalabi Meregalli, 2013: 54 A: GAN
karnaliensis Meregalli, 2013: 99 A: NP
kashmirensis Formánek, 1922: 82 (*Plinthus*) A: KA PA

khamensis Meregalli, 2013: 45 A: SCH
kozlovi Meregalli, 2013: 23 A: QIN SCH
laevisculptus Meregalli, 2013: 27 A: SCH XIZ
laurae Meregalli, 2013: 90 A: NP
limnophilus Meregalli, 2013: 21 A: XIZ
lingshanicus Meregalli, 2013: 47 A: SCH
liubeii Meregalli, 2013: 30 A: YUN
loevior Hustache, 1928a: 16 (*Heteronyx*) A: HP UP
laevior Zherikhin, 1987: 9 [NA]
martensi Zherikhin, 1987: 10 A: NP SD
nepalensis Voss, 1970: 455 (*Aminyops*) A: NP SD
parallelus Meregalli, 2013: 68 A: AP
przewalskyi Faust, 1887k: 262 (*Cryptocerus*) A: QIN
pustulifer Meregalli, 2013: 42 A: SCH
reticollis Meregalli, 2013: 78 A: BT
rugosus Meregalli, 2013: 66 A: NP
schawalleri Meregalli, 2013: 89 A: NP
schmidti Meregalli, 2013: 79 A: NP
shaluensis Meregalli, 2013: 25 A: SCH
shimlae Meregalli, 2013: 96 A: HP
shuicus Meregalli, 2013: 51 A: SCH
sichuanus Meregalli, 2013: 40 A: SCH
sympatricus Meregalli, 2013: 75 A: AP
tara Meregalli, 2013: 87 A: XIZ
tryznai Meregalli, 2013: 52 A: SCH
tuberculosis Meregalli, 2013: 49 A: SCH
xinuluo Meregalli, 2013: 57 A: YUN
yunnanensis Meregalli, 2013: 55 A: YUN

7.12.9. Tribe Gasterocercini Zherikhin, 1991

genus *Aechmura* Pascoe, 1874: 39 type species *Aechmura emys* Pascoe, 1874
subtuberculata Voss, 1941e: 891 A: FUJ ZHE

genus *Eutyrrhinus* Dejean, 1835: 292 type species *Curculio mediatubundus* Fabricius, 1775
Eutyrrhinus Schoenherr, 1837b: 271 type species *Curculio mediatubundus* Fabricius, 1775
kojimai Morimoto, 1981c: 192 (*Eutyrrhinus*) A: JA (Ogasawara Is.)
yakushimanus Nakane, 1963b: 38 (*Syrotelus*) A: JA (Yakushima I.)
yayeyamanus Chûjô, 1971: 39 (*Syrotelus*) A: JA (Ryûkyû) TAI

genus *Gasterocercus* Laporte & Brullé, 1828: 198 type species *Gasterocercus dumerilii* Laporte & Brullé, 1828 (= *Curculio depressirostris* Fabricius, 1792)
depressirostris depressirostris Fabricius, 1792: 477 (*Curculio*) E: AL AU BU CR CZ FR GE GR HU IT MD PL RO SB SK SL ST UK A: AB AR GG
dumerilii Laporte & Brullé, 1828: 200
plicatus Herbst, 1795: 169 (*Curculio*) [HN]
depressirostris hispanicus Alonso-Zarazaga, Jover & Micó, 2009: 29 E: SP
longipes Kôno, 1932: 173 A: FUJ GUA JA JIA SHG SHN YUN "Korea"
enokivorus Kôno, 1932: 174
ogasawaranus Morimoto, 1981c: 189 A: JA (Ogasawara Is.)
onizo Kôno, 1932: 174 A: FUJ HUN JA (Ryûkyû) TAI YUN
tamanukii Kôno, 1932: 175 A: FE JA SC (Jeju)

genus *Menectetorus* Faust, 1894c: 284 type species *Menectetorus luctuosus* Faust, 1894
nikitskyi Zherikhin, 1991b: 93 A: FE

genus *Odosyllis* Pascoe, 1874: 40 type species *Odosyllis congesta* Pascoe, 1874
subcostata Nakane, 1963b: 38 (*Syrotelus*) A: JA (Ryûkyû)

genus *Orochlesis* Pascoe, 1871a: 194 type species *Orochlesis annularis* Pascoe, 1871
Acacallis Pascoe, 1883c: 96 [HN] type species *Acacallis personata* Pascoe, 1883
Apocallus G.A.K. Marshall, 1939: 583 [RN] type species *Acacallis personata* Pascoe, 1883
Queenslandica Lea, 1903: 664 type species *Queenslandica posticalis* Lea, 1903 (= *Orochlesis annularis* Pascoe, 1871)
ampliocollis Morimoto & Miyakawa, 1985: 62 A: JA
anteplagiata Heller, 1931: 104 A: TAI
meshimensis Kôno, 1937d: 129 A: JA
takaosana Kôno, 1932: 178 A: JA SC

genus *Platygasterocercus* Zherikhin, 1991b: 95 type species *Platygasterocercus anufrievi* Zherikhin, 1991
anufrievi Zherikhin, 1991b: 97 A: FE

genus *Rhyssematoides* Morimoto, 1962c: 393 type species *Rhyssematoides flavomaculatus* Morimoto, 1962
flavomaculatus Morimoto, 1962c: 394 A: JA

genus *Syrotelus* Pascoe, 1874: 38 type species *Cyamobolus falleni* Boheman, 1837
Catarrhinus Roelofs, 1875b: 163 type species *Catarrhinus umbrosus* Roelofs, 1875
arcifer G.A.K. Marshall, 1941a: 192 A: SD
carinatus Voss, 1971d: 54 A: JA (Amami Is.)
septentrionalis Roelofs, 1876: cxxxii (*Catarrhinus*) A: FE JA SC
sikkimensis sikkimensis Heller, 1938: 318 A: SD
umbrosus Roelofs, 1875b: 164 (*Catarrhinus*) A: FE JA TAI
japonicus Zumpt, 1932c: 134 (*Cryptorhynchus*)

7.12.10. Tribe Ithyporini Lacordaire, 1865

genus *Camptorhinus* Schoenherr, 1825: 585 type species *Curculio statua* Fabricius, 1792 (= *Curculio statua* Rossi, 1790)
dorsalis Boisduval, 1835: 434 A: HKG JA TAI AUR ORR
artensis Montrouzier, 1861a: 895
dorsomaculatus Morimoto, 1986b: 327 A: JA
erectisquamis G.A.K. Marshall, 1928b: 410 A: IS SPi AFR
kurosawai Morimoto, 1986b: 328 A: JA
mangiferae G.A.K. Marshall, 1925a: 341 A: JA SC (Jeju) ORR
rotundicollis Nakane, 1963b: 37
notabilis Walker, 1859a: 264 (*Cryptorhynchus*) A: FE JA NC SC TAI UP ORR
albizziae G.A.K. Marshall, 1933b: 572
minoensis Nakane, 1963b: 38
pumilio Heller, 1937: 65
simplex Seidlitz, 1867a: 189 E: AL BH CR FR GR HU IT ME PT SK SP UK N: MO A: GG
fasciatus L.W. Schaufuss, 1872: 275
squamosohirtus Fairmaire, 1897: 70 A: JA (Ryūkyū)
statua Rossi, 1790: 122 (*Curculio*) E: AU CZ FR GE GR HU IT PT SK SP ST SZ UK N: MO A: GG IN TR
statua Fabricius, 1792: 430 (*Curculio*) [HN]

genus *Ectatorhinus* Lacordaire, 1865: 53 type species *Ectatorhinus wallacei* Lacordaire, 1865
Marmarochelus Desbrochers des Loges, 1890a: 217 type species *Marmarochelus atkinsoni* Desbrochers des Loges, 1890 (= *Sipalus porosus* Walker, 1859)
adamsii Pascoe, 1872b: 478 A: ANH FUJ GUI GUX HEN HUB HUN JA JIA JIX SC SCH SHA SHN TAI XIZ YUN ZHE ORR
humerosus Fairmaire, 1889b: 53 (*Mecocorynus*)
kawamurai Kôno, 1932: 178
tuberosus Fairmaire, 1900: 634 (*Mecocorynus*)

genus *Endeochetus* H.J. Kolbe, 1898: 273 type species *Endeochetus jucundus* H.J. Kolbe, 1898 (= *Haplocorynus elegans* Fairmaire, 1897)
canui Perrin, 2000: 423 A: YE (Suqutra)
crassirostris Colonnelli, 2014: 394 A: YE (Suqutra)
helenae Colonnelli, 2014: 395 A: YE (Suqutra)

maculifer Colonnelli, 2014: 399 A: YE (Suqutra)
minimus Colonnelli, 2014: 410 A: YE (Suqutra)
parvus Colonnelli, 2014: 409 A: YE (Suqutra)
pressicornis Colonnelli, 2014: 398 A: YE (Suqutra)
rugulithorax Colonnelli, 2014: 401 A: YE (Suqutra)
saccofrancisci Colonnelli, 2014: 396 A: YE (Suqutra)
simillimus Colonnelli, 2014: 407 A: YE (Suqutra)
simplex Colonnelli, 2014: 408 A: YE (Suqutra)

genus *Mecocorynus* Schoenherr, 1825: 585 type species *Cryptorhynchus varipes* Wiedemann, 1819
Synthliborhynchus Schoenherr, 1847: 79 type species *Synthliborhynchus fahraei* Schoenherr, 1847 (= *Tretus loripes* Chevrolat, 1833)
Tretus Chevrolat, 1833: 63 type species *Tretus loripes* Chevrolat, 1833
varipes Wiedemann, 1819: 178 (*Cryptorhynchus*) A: SD **ORR**

genus *Pasurius* Fairmaire, 1889b: 54 type species *Pasurius dorsatus* Fairmaire, 1889
dorsatus Fairmaire, 1889b: 54 A: SCH

genus *Protacallodes* Morimoto, 2011: 329 type species *Protacallodes masumotoi* Morimoto, 2011
masumotoi Morimoto, 2011: 332 A: JA
ryukyensis Morimoto, 2011: 333 A: JA (Ryūkyū)

7.12.11. Tribe Lepyrini W. Kirby, 1837

genus *Lepyrus* Germar, 1817c: 340 type species *Curculio colon* Fabricius, 1771 (= *Curculio palustris* Scopoli, 1763)
Dirus Dejean, 1821: 88 type species *Liparus bimaculatus* Olivier, 1807 (= *Curculio capucinus* Schaller, 1783)
arctoalpinus Korotyaev, 1998c: 844 A: ES MG WS
armatus Weise, 1893b: 270 E: AU CR CZ GE HU IT SK SL SZ
cinereus Weise, 1893b: 270
bermani Korotyaev, 2008b: 439 A: FE
canadensis Casey, 1896: 824 A: FE **NAR**
capucinus Schaller, 1783: 283 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT KZ LA LS LT LU MD NL PL RO SB SK SP ST SV SZ UK **NAR**
binotatus Paykull, 1792: 35 (*Curculio*)
binotatus Rossi, 1792: 39 (*Curculio*) [HN]
binotatus Fabricius, 1792: 484 (*Curculio*) [HN]
coloniformis Schrank, 1789: 73 (*Curculio*)
derasus Panzer, 1798a: 10 (*Curculio*)
nigricans Gmelin, 1790: 1747 (*Curculio*) [URN]
semicolon Herbst, 1783: 69 (*Curculio*)
terrestris Motschulsky, 1860b: 166
caucasicus Korotyaev, 1995b: 874 E: ST A: GG
chinganensis Zumpt, 1936f: 273 A: HEI
christophi Faust, 1882a: 272 A: FE HEI JIL NMO
costulatus Faust, 1882a: 271 A: ES FE HEI MG
sibiricus Zumpt, 1936f: 269
elongatus Zumpt, 1936f: 271 A: HEI WS
flavipunctatus Zumpt, 1936e: 146 A: JA WS
gemellus gemellus Kirby, 1837: 198 A: FE **NAR**
albosparsus Boheman, 1845: 429 (*Hyllobius*)
gibber Faust, 1882a: 271 A: ES
griseus Melichar, 1912: 35 A: KZ XIN
japonicus Roelofs, 1873: 186 A: ANH BEI FE FUJ GAN GUI HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO SC SCH SHA SHN SHX TIA YUN ZHE
kabaki Korotyaev, 1995b: 882 A: KZ WS
kanoi Zumpt, 1936f: 281 A: SC
kozlovi Korotyaev, 1995b: 882 A: MG WS
merkli Korotyaev, 1995b: 879 A: NC
nebulosus Motschulsky, 1860b: 165 A: FE HEI HKG JA JIL LIA NC SC SCH SHA SHN
nordenskioldi nordenskioldi Faust, 1887a: 34 A: ES FE HEI JA SC (Jeju) WS
frigidus Lomnicki, 1894: 86

palustris asperatus L.W. Schaufuss, 1882b: 554 **E**: BU CR GR HU LA MD PL RO SB SK
dorsalis Reitter, 1890f: 395
rugicollis Desbrochers des Loges, 1896d: 37
palustris flavidulus Zumpt, 1936f: 286 **E**: CT ST UK **A**: AR GG KZ WS
flavidulus Reitter, 1908d: 23 [NA]
palustris palustris Scopoli, 1763: 33 (*Curculio*) **E**: AL AU BE BH BY CR CZ DE EN FR GE HU IT
LA LS LT LU NL SK SL SP SZ **A**: AB ES WS **NAR**
bipunctatus Geoffroy, 1785: 118 (*Curculio*) [HN]
brevis O. Schneider, 1898: 74
canus Gyllenhal, 1834b: 331
colon Linnaeus, 1771: 531 (*Curculio*)
geminatus Say, 1832: 12
quadrinotatus Boheman, 1842a: 295 **E**: FI NR NT SV **A**: CH ES FE JA KZ MG NC WS **NAR**
arcticus Paykull, 1792: 30 (*Curculio*) [HN]
sokolovi Korotyaev, 1998c: 841 **A**: ES WS
staudingeri Zumpt, 1936f: 281 **A**: ES
tsherenkovi Korotyaev, 1995b: 875 **A**: ES
variegatus J. Schmidt, 1856: 18 (*Hyllobius*) **E**: AU CR CT IT SL ST
ganglbaueri Faust, 1888c: 155
ventricosus Faust, 1882a: 271 **A**: ES FE
volgensis Faust, 1882a: 272 **E**: CT PL ST **A**: ES WS

7.12.12. Tribe Lithinini Lacordaire, 1863

7.12.12.1. Subtribe Lithinina Lacordaire, 1863

genus *Nipponiphades* Kôno, 1934a: 244 type species *Scaphostethus foveolatus* Hustache, 1920
foveolatus Hustache, 1920e: 495 (*Scaphostethus*) **A**: JA

genus *Seleuca* Pascoe, 1871a: 173 type species *Seleuca amicta* Pascoe, 1871
Coptorhamphus Wollaston, 1873b: 463 type species *Coptorhamphus strangulatus* Wollaston, 1873
Ergias Pascoe, 1885: 219 type species *Ergias turbatus* Pascoe, 1885
chujoi chujoi Voss, 1957b: 34 **A**: JA SC (Jeju)
chujoi rugulosa Morimoto, 1982a: 113 **A**: JA (Izu Is.)
horridula Voss, 1953b: 69 **A**: FUJ
impressicollis Morimoto, 1982a: 115 **A**: JA (Ryūkyū)
niphadoides Voss, 1958b: 48 **A**: FUJ
satana Morimoto, 1982a: 117 **A**: JA
simillima Voss, 1953b: 68 **A**: FUJ
simillama: Voss, 1953b: 69 [NA, IOS]
tienmuschanica Voss, 1941e: 887 **A**: FUJ ZHE

7.12.13. Tribe Mecysolobini Reitter, 1913

genus *Alcidodes* G.A.K. Marshall, 1939: 582 [RN] type species *Lixus trilobus* Fabricius, 1801
Alcides Sahlberg, 1823b: 47 [HN] type species *Alcides senex* Sahlberg, 1823
Alcides Schoenherr, 1825: 584 [HN] type species *Lixus trilobus* Fabricius, 1801
collaris Pascoe, 1887c: 358 (*Alcides*) **A**: PA **ORR**
tricolor Heller, 1940: 96 (*Alcides*)
dipteroearpi G.A.K. Marshall, 1921b: 166 (*Alcides*) **A**: UP **ORR**
fabricii fabricii Fabricius, 1798: 169 (*Curculio*) **A**: PA UP **ORR**
fabricii fenestratus Olivier, 1807: 204 (*Rhynchaenus*) **A**: "Bengala"
funestus Faust, 1894c: 247 (*Alcides*) **A**: SD **ORR**
haemopterus haemopterus Boheman, 1836: 624 (*Alcides*) **A**: IN **AFR**
hospitus Haaf, 1964: 192 **A**: GUA YUN **ORR**
karelinii Boheman, 1844: 65 (*Alcides*) **E**: ST UK **A**: AF AR GG IN KI KZ PA TD TM UZ XIN WS
chaudoiri Chevrolat, 1844: 154 (*Alcides*)
pictus Fabricius, 1798: 168 (*Curculio*) **A**: PA **ORR**
siamodelta G.A.K. Marshall, 1918b: 155 (*Alcides*) **A**: GUA YUN **ORR**
signatus Boheman, 1836: 617 (*Alcides*) **A**: KA NP PA SD UP **ORR**
trilineatus Faust, 1891d: 284 (*Alcides*)
willcocksii Pic, 1913c: 106 (*Alcides*) **N**: EG

testaceipes Pic, 1913c: 106 (*Alcides*)
willcocksii Pic, 1914e: 49 (*Alcides*) [HN]

genus *Brahmalcidodes* Pajni & Dhir, 1987: 29 type species *Alcides micronychus* Pascoe, 1871
micronychus Pascoe, 1871a: 183 (*Alcides*) A: UP **ORR**

genus *Cylindralcides* Heller, 1918: 211 type species *Alcides longirostris* Heller, 1918
subgenus *Cylindralcides* Heller, 1918: 211 type species *Alcides longirostris* Heller, 1918

Cylindralcides Pajni & Dhir, 1987: 31 [UE]
Indomecyslobus Pajni & Dhir, 1987: 30 type species *Alcidodes montanus* Haaf, 1964
aemulus Faust, 1894c: 251 (*Alcides*) A: HAI JIX SD **ORR**
affaber Aurivillius, 1892: 218 (*Alcides*) A: KA PA UP **ORR**
bubo Fabricius, 1801: 474 (*Rhynchaenus*) A: PA SD UP **AUR ORR**
ferox Olivier, 1807: 189 (*Rhynchaenus*)
terraereginae Blackburn, 1900b: 141 (*Alcides*)
corniculus Faust, 1894c: 250 (*Alcides*) A: HP SD **ORR**
frenatus Faust, 1894c: 249 (*Alcides*) A: PA **ORR**
clathratus Aurivillius, 1892: 219 (*Alcides*) [HN]
ludificator Faust, 1894c: 254 (*Alcides*) A: UP **ORR**
gmelinae G.A.K. Marshall, 1922: 406 (*Alcides*)
major Haaf, 1964: 167 (*Alcidodes*) A: SD **ORR**
mali G.A.K. Marshall, 1919: 276 (*Alcides*) A: PA **ORR**
montanus Haaf, 1964: 160 (*Alcidodes*) A: SD
mysticus Faust, 1894c: 246 (*Alcides*) A: PA **ORR**
obesus Faust, 1894c: 248 (*Alcides*) A: BT SD **ORR**
robustus Hustache, 1933a: 83 (*Alcides*)
saundersii Pascoe, 1870c: 459 (*Alcides*) A: HKG TAI **ORR**
carbonarius Pascoe, 1888: 412 (*Alcides*)
lichen Faust, 1894c: 245 (*Alcides*)
luxuriosus Faust, 1894c: 245 (*Alcides*)
umanoi Kôno, 1937a: 15 (*Alcides*)
sauteri Heller, 1922a: 18 (*Alcides*) A: FUJ GUA HUN JIX SCH TAI YUN ZHE **ORR**
siccus Haaf, 1964: 163 (*Alcidodes*) A: SD **ORR**
takahashii Kôno, 1930b: 140 (*Alcides*) A: CH JA TAI
tutus Faust, 1894c: 252 (*Alcides*) A: UP **ORR**

genus *Merus* Gistel, 1857: 606 type species *Lixus fasciatus* Kollar & L. Redtenbacher, 1844
subgenus *Merus* Gistel, 1857: 606 type species *Lixus fasciatus* Kollar & L. Redtenbacher, 1844
Alcides Wiedemann, 1823b: 164 [HN] type species *Lixus alboguttatus* Wiedemann, 1821 (= *Rhynchaenus leopardus* Olivier, 1807)
Mecysolobus Reitter, 1905b: 248 type species *Mecysolobus lixoides* Reitter, 1905 (= *Alcides flavosignatus* Roelofs, 1875)
dentirostris Voss, 1932d: 296 (*Alcides*) A: YUN
erro Pascoe, 1871a: 182 (*Alcides*) A: ANH FUJ GUA GUX HUB HUN JA JIX SC SCH TAI YUN ZHE
fasciatus Kollar & L. Redtenbacher, 1844: 548 (*Lixus*) A: KA NP SD UP **ORR**
flavosignatus Roelofs, 1875b: 151 (*Alcides*) A: FE JA NC PA SC SD **ORR**
lixoides Reitter, 1905b: 248 (*Mecysolobus*)
scenicus Faust, 1894c: 256 (*Alcides*)
***freidbergi* Friedman, 2019: 355 A: IS**
kanoi Voss, 1932d: 296 (*Alcides*) A: TAI
leopardus Olivier, 1807: 190 (*Rhynchaenus*) A: PA "Bengalia" **ORR**
alboguttatus Wiedemann, 1821: 158 (*Lixus*)
lobipennis Fairmaire, 1900: 634 (*Alcides*) A: FUJ
mellitus Faust, 1898c: 308 (*Alcides*) A: "Himalaya" **ORR**
nepalensis A. Hoffmann, 1964a: 42 (*Alcidodes*) A: NP
nipponicus Kôno, 1930b: 139 (*Alcides*) A: FUJ GUA GUI HUB HUN JA SC SCH ZHE
kuatunensis Voss, 1958b: 41 (*Mecysolobus*)
piceus Roelofs, 1875b: 152 (*Alcides*) A: FUJ HUB JA SC TAI ZHE
scheneri Haaf, 1964: 210 (*Alcidodes*) A: UP
tristis Haaf, 1974: 177 (*Alcidodes*) A: FUJ GUI HUB SCH TAI YUN ZHE
unifasciatus Morimoto & Kojima, 2007b: 232 A: JA (Ryūkyū) TAI
westermanni Boheman, 1844: 51 (*Alcides*) A: PA SD UP **ORR**

yoshidai Kôno, 1930b: 138 (*Alcides*) A: TAI
ashinagazo Kôno, 1930: 142 (*Alcides*) [NA]

genus *Neomecyslobus* Pajni & Dhir, 1987: 31 type species *Alcides loratus* G.A.K. Marshall, 1922
subgenus *Neomecyslobus* Pajni & Dhir, 1987: 31 type species *Alcides loratus* G.A.K. Marshall, 1922
gardneri Dhir & Pajni, 1990a: 106 A: UP
octoguttatus Kollar & L. Redtenbacher, 1844: 547 (*Lixus*) A: KA
squamosus Dhir & Pajni, 1990a: 103 A: SD
subgenus *Nipponomerus* Morimoto & Kojima, 2007b: 229 type species *Neomecyslobus masatakai*
Morimoto & Kojima, 2007
masatakai Morimoto & Kojima, 2007b: 230 A: JA (Ryūkyū)
nigrofasciatus Kôno, 1928: 175 (*Alcides*) A: FE JA SC
korotyaevi Egorov, 1977: 39 (*Alcidodes*)

genus *Sternuchopsis* Heller, 1918: 212 type species *Alcides pectoralis* Boheman, 1836
subgenus *Mesalcidodes* Voss, 1958b: 41 type species *Alcides trifidus* Pascoe, 1870
contempta Voss, 1937c: 266 (*Alcides*) A: YUN
saitoi Kôno, 1937c: 49 (*Alcides*) A: SC
trifida Pascoe, 1870c: 460 (*Alcides*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JA JIA
JIX NC SC SCH SHA SHN TAI YUN ZHE
taiwana Kôno, 1930b: 139 (*Alcides*)
subgenus *Sternuchopsis* Heller, 1918: 212 type species *Alcides pectoralis* Boheman, 1836
Pseudmesalcidodes Pajni & Dhir, 1987: 33 type species *Alcides waltoni* Boheman, 1844
hypocrita Boheman, 1844: 47 (*Alcides*) A: SD UP **ORR**
juglans Chao, 1980a: 168 (*Alcidodes*) A: GAN GUI GUX SCH SHA YUN
nepalensis Faust, 1894c: 253 (*Alcides*) A: NP **ORR**
porrectirostris G.A.K. Marshall, 1913b: 188 (*Alcides*) A: HP PA
subhumerosa G.A.K. Marshall, 1922: 410 (*Alcides*) A: SD **ORR**
vitalisi G.A.K. Marshall, 1922: 409 (*Alcides*) A: GUX YUN **ORR**
waltoni waltoni Boheman, 1844: 58 (*Alcides*) A: FUJ GAN GUA GUX HKG HUB HUN IN JA JIX
SCH SHA TAI YUN ZHE **ORR**
albolineata Roelofs, 1875b: 152 (*Alcides*) [HN]
roelofsi Lewis, 1879a: 23 (*Alcides*) [RN]
sexvittata Faust, 1894c: 258 (*Alcides*)

genus *Sternuchopsis*, species incertae sedis
albomaculata Kôno, 1930b: 140 (*Alcides*) A: TAI
trinotata Fischer von Waldheim, 1821: 14 (*Cionus*) E: ST A: AF KZ UZ

7.12.14. Tribe Metatygini Pascoe, 1888

genus *Omophorus* Schoenherr, 1835: 479 type species *Omophorus stomachosus* Boheman, 1835
subgenus *Sinomophorus* Wang, Alonso-Zarazaga, Ren & Zhang, 2011: 43 type species *Omophorus*
rongshu Wang, Alonso-Zarazaga, Ren & Zhang, 2011
rongshu Wang, Alonso-Zarazaga, Ren & Zhang, 2011: 44 A: YUN

genus *Physarchus* Pascoe, 1865: 425 type species *Physarchus pyramidalis* Pascoe, 1865
castaneipennis Faust, 1891d: 285 A: SD

genus *Sternechosomus* Voss, 1958b: 46 type species *Sternechosomus octotuberculatus* Voss, 1958
octotuberculatus Voss, 1958b: 46 A: FUJ

7.12.15. Tribe Molytini Schoenherr, 1823

7.12.15.1. Subtribe Hylobiina W. Kirby, 1837

genus *Aclees* Schoenherr, 1835: 238 type species *Aclees cribratus* Gyllenhal, 1835
subgenus *Aclees* Schoenherr, 1835: 238 type species *Aclees cribratus* Gyllenhal, 1835
conicollis Desbrochers des Loges, 1891g: cccli A: SD

cribratus Gyllenhal, 1835a: 239 E: ITi A: FUJ GUI GUX HUB HUN JIX SCH XIZ YUN ZHE
ORR

dauidis Fairmaire, 1878a: 125 A: CE
dauidi Dalla Torre, Schenkling & G.A.K. Marshall, 1932: 24 [UE]
foveatus Voss, 1932d: 295 A: YUN
hirayamai Kôno, 1933: 183 A: FUJ JA TAI
pseudocribratus G. Osella, 1989b: 317 A: PA
taiwanensis Kôno, 1933: 182 A: FUJ TAI

genus *Dysceroides* Kôno, 1933: 187 type species *Dysceroides bipustulatus* Kôno, 1933

Pagiophloeus Faust, 1892d: 195 [HN] type species *Rhynchaenus pacca* Fabricius, 1801
aphya Pascoe, 1871a: 170 (*Hylobius*) A: "India"
bipustulatus Kôno, 1933: 187 A: TAI
bispinulus Desbrochers des Loges, 1891g: ccclviii (*Aclees*) A: SD **ORR**
clathratus Pascoe, 1887c: 352 (*Hylobius*) A: "India"
consimilis Faust, 1891d: 277 (*Hylobius*) A: SD
levipectus G.A.K. Marshall, 1936: 205 (*Pagiophloeus*) A: SD
longiclavis G.A.K. Marshall, 1924: 291 (*Dyscerus*) A: GUA GUX HEN HUN SD SHA UP YUN
ORR

pacca Fabricius, 1801: 473 (*Rhynchaenus*) A: SD **ORR**
horsfieldii Lacordaire, 1863: 456 (*Paramecops*)
tsushimaensis Morimoto, 1982a: 87 (*Pagiophloeus*) A: JA (Tsushima I.) SHG
tuberosus G.A.K. Marshall, 1942a: 370 (*Pagiophloeus*) A: "Himalaya" **ORR**

genus *Hesychobius* Marschall, 1931b: 263 type species *Hesychobius nebulosus* G.A.K. Marshall, 1931

Hybolius Chûjô & Voss, 1960: 1 type species *Hylobius vossi* Chûjô, 1959
vossi Chûjô, 1959a: 1 (*Hylobius*) A: JA TAI **ORR**

genus *Hylobius* Germar, 1817c: 340 type species *Curculio pineti* Fabricius, 1792 (= *Curculio excavatus* Laicharting, 1781)

subgenus *Callirus* Dejean, 1821: 88 type species *Curculio abietis* Linnaeus, 1758

Hylobitelus Reitter, 1923a: 24 type species *Hylobius verrucipennis* Boheman, 1834
Poiaunbus Kôno, 1934a: 241 type species *Hylobius gebleri* Boheman, 1834
abietis Linnaeus, 1758: 383 (*Curculio*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU
IR IT LA LS LT LU MC ME NL NR NT PL PT RO SK SP ST SV SZ UK A: ANH AR ES FE
FUJ GAN GG GUI HEB HEI HEN HUB HUN JA JIA JIL KZ LIA QIN SCH SHA WS XIN
YUN

albonotatus Pic, 1924a: 26
juniperi Strøm, 1783: 56 (*Curculio*)
rugulosus Boheman, 1834b: 336
semirufescens Pic, 1924a: 26
tigrinus Geoffroy, 1785: 126 (*Curculio*)
tigris Goeze, 1777: 395 (*Curculio*)
tigris Gmelin, 1790: 1778 (*Curculio*) [HN]
zaslavskii Kostin, 1963: 149
albosetosus Fairmaire, 1889b: 52 A: SCH
alpheus Reiche & Saulcy, 1858a: 675 E: GR
fulvopictus Reitter, 1884c: 96
angustior Schenkling, 1932a: 15 [RN] N: TU
angustus Reitter, 1923a: 22 [HN]
angustus Faust, 1891d: 278 A: HP PA
chenkupidorjii G. Osella, 1989b: 318 (*Hylobitelus*) A: BT
elongatoides Voss, 1956b: 28 A: FUJ SCH SHA YUN ZHE
futabae Morimoto, 1982a: 62 (*Hylobitelus*) A: FE (Kuril Is.) JA
gebleri Boheman, 1834b: 338 A: ES FE JA NC SC WS
japonicus Harold, 1878: 83 (*Curculio*)
picatus Faust, 1882a: 275 [HN]
signatipennis Roelofs, 1873: 187
haroldi Faust, 1882a: 273 A: ES FE FUJ HEB HEI HUB JA JIL LIA NC SC SCH SHA SHX YUN
kuatunensis Voss, 1958b: 45 A: FUJ
lobbichleri Voss, 1960c: 8 A: NP
longicollis Tournier, 1873a: 176 N: MO

longulus Faust, 1882a: 274 **A:** ES FE WS
litigiosus Faust, 1887f: 170 (*Curculio*)
longus Schenkling, 1932a: 16 [RN] **A:** FUJ
longulus Fairmaire, 1900: 633 [HN]
montanus Kôno, 1934a: 231 **A:** FE JA NC SC
niitakensis fukienensis Voss, 1958b: 44 **A:** FUJ YUN ZHE
niitakensis niitakensis Kôno, 1933: 184 **A:** TAI
pinastri Gyllenhal, 1813: 168 (*Rhynchaenus*) **E:** BE BY CR CT CZ DE EN FI FR GE HU IT LA LT
LU NR NT PL RO SP SV SZ UK **A:** CH ES FE GG JA KZ MG NC SC WS
karafutonis Kôno, 1934a: 231
montivagus Nakane, 1964: 37
robustus Pic, 1924a: 26
sublaevis Motschulsky, 1860b: 165
scrobicollis Voss, 1956b: 27 **A:** FUJ
shiroumaensis Morimoto, 1982a: 65 (*Hylobitelus*) **A:** JA
sparsutus Tournier, 1873a: 175 **N:** MO
subtilis Voss, 1932d: 295 **A:** TAI YUN
transversovittatus Goeze, 1777: 396 (*Curculio*) **E:** AU BE BY CR CT CZ DE EN FI FR GB GE GR
HU IT LA LS LT LU MD NL NR NT PL PT RO SB SK SP ST SV SZ UK **A:** AB GG IN KI
KZ WS **NARi**
brunonianus Ponzani, 1805: 61 (*Curculio*)
fascialis Gmelin, 1790: 1778 (*Curculio*)
fatuus Rossi, 1790: 122 (*Curculio*)
rugicollis Mannerheim, 1825: 33
stellifer Geoffroy, 1785: 128 (*Curculio*)
verrucipennis Boheman, 1834b: 337 **E:** ST **A:** AB AR GG IN
xiaoi Zhang, 1997: 541 (*Hylobitelus*) **A:** FUJ GUA GUI GUX HUB HUN JIX YUN
subgenus *Hylobius* Germar, 1817c: 340 type species *Curculio pineti* Fabricius, 1792 (= *Curculio*
excavatus Laicharting, 1781)
Hypomolyx LeConte, 1876: 139 type species *Hylobius pinicola* Couper, 1864
adachii Kôno, 1934a: 229 **A:** FE JA
albopunctatus Boheman, 1834b: 343 **A:** GG
albopunctatus Boheman, 1839a: 18 [HN]
excavatus Laicharting, 1781: 212 (*Curculio*) **E:** AU BY CR CT CZ EN FI FR GE HU IT LA LS LT
NR NT PL RO SK SV SZ UK **A:** ES FE HEI JA JIL KZ MG NC SC WS
confusus Paykull, 1792: 35 (*Curculio*)
inaccessus Schrank, 1789: 70 (*Curculio*)
picatus Gmelin, 1790: 1756 (*Curculio*) [URN]
picatus Olivier, 1791: 480 (*Curculio*) [HN]
piceus DeGeer, 1775: 221 (*Curculio*) [HN]
pineti Fabricius, 1792: 399 (*Curculio*) [HN]
sedakowii Hochhuth, 1851: 37
sibiricus Egorov, 1996c: 443
ezoensis Morimoto, 1982a: 69 **A:** FE HEI JA JIL
quadrinodosus Voss, 1939f: 263 **A:** YUN

genus Kobuzo Kôno, 1933: 188 type species *Hylobius rectirostris* Roelofs, 1873
crassus G.A.K. Marshall, 1936: 206 **A:** SD
kikuchii Kôno, 1933: 188 **A:** TAI
multituberculatus Pajni & Sood, 1981b: 106 **A:** SD
rectirostris Roelofs, 1873: 188 (*Hylobius*) **A:** JA

genus Paramecops Schoenherr, 1825: 582 type species *Curculio farinosus* Wiedemann, 1821
Asclepiadorrhynchus Peyerimhoff, 1930a: 202 type species *Asclepiadorrhynchus solenostemmatis* Peyerimhoff, 1930
Asclepiadorrhynchus Peyerimhoff, 1931: 121 [HN] type species *Asclepiadorrhynchus solenostemmatis* Peyerimhoff, 1930
Chitonopterus Fairmaire, 1882b: 91 type species *Chitonopterus cryptorhynchinus* Fairmaire, 1882
Perihylobius Nasreddinov, 1978b: 109 type species *Perihylobius sogdianus* Nasreddinov, 1978
farinosus Wiedemann, 1821: 157 (*Curculio*) **A:** PA **ORR**
granulatus Morimoto, 1982a: 89 **A:** JA
mesopotamicus Pic, 1902b: 35["25"] (*Hylobius*) **A:** "Mésopotamie"
sinaitus Pic, 1930a: 1 (*Hylobius*) **N:** AG **A:** IS SI YE
solenostemmatis Peyerimhoff, 1930a: 203 (*Asclepiadorrhynchus*)
solenostemmatis Peyerimhoff, 1931: 122 (*Asclepiadorrhynchus*) [HN]
sogdianus Nasreddinov, 1978b: 109 (*Perihylobius*) **A:** TD

genus *Pimelocerus* Lacordaire, 1863: 455 type species *Hylobius macilentus* Boheman, 1834

Dyscerus Faust, 1892d: 198 type species *Hylobius macilentus* Boheman, 1834

Hypohylobius Voss, 1934a: 78 type species *Hylobius subinflatus* Voss, 1934

Okikuruminus Kôno, 1934a: 241 type species *Curculio roelofsi* Harold, 1878 (= *Heilipus orientalis* Motschulsky, 1866)

Pagiophloeus Faust, 1892b: 50 type species *Aclees roelofsi* Desbrochers des Loges, 1891 (= *Hylobius perforatus perforatus* Roelofs, 1873)

bituberculatus Pajni, Sood & Tewari, 1989: 150 (*Dyscerus*) A: UP

cribratus Roelofs, 1873: 190 (*Hylobius*) A: JA SC YUN ZHE

darjeelingensis Pajni, Sood & Tewari, 1989: 153 (*Dyscerus*) A: SD

elongatus Roelofs, 1873: 190 (*Hylobius*) A: JA SC

exsculptus Roelofs, 1876: cxxx (*Hylobius*) A: JA SC YUN

freyi Zumpt, 1932c: 128 (*Hylobius*)

matsumurai Zumpt, 1938b: 82 (*Hylobius*) [URN]

fletcheri G.A.K. Marshall, 1919: 274 (*Dyscerus*) A: PA UP **ORR**

furcatus G.A.K. Marshall, 1924: 292 (*Dyscerus*) A: NP UP

galloisi Kôno, 1934a: 235 (*Hylobius*) A: JA

gigas Kôno, 1934a: 236 (*Hylobius*) A: JA

holzschuhi G. Osella, 1989b: 325 (*Dyscerus*) A: NP

hylobioides Desbrochers des Loges, 1891g: cccli (*Aclees*) A: CH JA NC SC **ORR**

okinawanus Kôno, 1934a: 237 (*Hylobius*)

insularis Kôno, 1928: 168 (*Dyscerus*) A: JA

juglans Chao, 1980a: 137 (*Dyscerus*) A: FUJ GAN HEN HUB SCH SHA YUN

kanoi Kôno, 1933: 184 (*Hylobius*) A: TAI

koreanus Kôno, 1934a: 233 (*Hylobius*) A: NC SC

laeiventris Hustache, 1920e: 497 (*Hylobius*) A: JA

macilentus Boheman, 1834b: 338 (*Hylobius*) A: "Bengalia" **ORR**

malignus G.A.K. Marshall, 1919: 275 (*Dyscerus*) A: PA **ORR**

minowai Kôno, 1933: 185 (*Hylobius*) A: TAI

orientalis formosanus Zumpt, 1932c: 134 (*Hylobius*) A: TAI

orientalis orientalis Motschulsky, 1866a: 180 (*Heilipus*) A: FE GUA JA

oblongus Hustache, 1920e: 496 (*Hylobius*)

roelofsi Harold, 1878: 84 (*Curculio*)

sachalinensis Kôno, 1934a: 243 (*Okikuruminus*)

paljordorjii G. Osella, 1989b: 321 (*Dyscerus*) A: BT

parcemaclatus Voss, 1939f: 263 (*Hylobius*) A: YUN

perforatus alternans Voss, 1937c: 263 (*Hylobius*) A: SCH

perforatus perforatus Roelofs, 1873: 188 (*Hylobius*) A: FE FUJ GUA GUX HUB JA JIA NC SC SCH SHN SHX TAI YUN

cribripennis Matsumura & Kôno, 1928: 168 (*Dyscerus*)

desbrochersi Zumpt, 1932c: 130 (*Hylobius*) [RN]

roelofsi Desbrochers des Loges, 1891g: cccli (*Aclees*) [HN]

pustulatus Kôno, 1933: 186 (*Hylobius*) A: FUJ GUA JA JIA SCH TAI

scrobistrostris Voss, 1953b: 70 (*Dyscerus*) A: FUJ

shikokuensis Kôno, 1934a: 234 (*Hylobius*) A: FUJ JA

yakui Kôno, 1934a: 234 (*Hylobius*)

subinflatus Voss, 1934a: 77 (*Hylobius*) A: SCH

genus *Pseudopagiophloeus* Pajni, Sood & Tewari, 1990a: 109 type species *Pseudopagiophloeus divergus*

Pajni, Sood & Tewari, 1990

divergus Pajni, Sood & Tewari, 1990a: 109 A: AP

7.12.15.2 Subtribe Molytina Schoenherr, 1823

genus *Anisorhynchus* Schoenherr, 1842a: 308 type species *Liparus bajulus* Olivier, 1807 (= *Curculio*

scabrosus Geoffroy, 1785)

Epicthonius Schoenherr, 1826: 173 [HN] type species *Liparus bajulus* Olivier, 1807 (= *Curculio scabrosus* Geoffroy, 1785)

aratus Boheman, 1842a: 314 E: PT

barbarus Boheman, 1834b: 358 (*Molytes*) E: IT SP N: AG MO TU

carinicollis Fairmaire, 1868: 497

elongatus Desbrochers des Loges, 1875c: 177

sturmii Boheman, 1842a: 310

costatus Boheman, 1842a: 311 E: FR (Corse) IT (Sardegna) SP
fallax Desbrochers des Loges, 1875c: 173 E: PT SP
ferus Erichson, 1841: 187 (*Molytes*) E: SP N: AG MO
freyi Zumpt, 1932b: 88 A: TR
hespericus Desbrochers des Loges, 1875c: 174 E: PT SP N: AG CI
arduus Desbrochers des Loges, 1875c: 176
elongatus Desbrochers des Loges, 1875c: 177
erosus Desbrochers des Loges, 1875c: 176
occidentalis Desbrochers des Loges, 1875c: 176
scabratus Desbrochers des Loges, 1875c: 176
sculptilis Desbrochers des Loges, 1875c: 176
scalcatulus Desbrochers des Loges, 1875c: 177
laufferi Desbrochers des Loges, 1909f: 1 E: SP
maroccanus Desbrochers des Loges, 1875c: 184 N: MO
monachus monachus Germar, 1817a: 234 (*Curculio*) E: CR IT SL
alternans Desbrochers des Loges, 1875c: 188
siculus Boheman, 1842a: 312
monachus spoliatus J. Müller, 1921: 76 E: BH CR
procerus Chevrolat, 1861a: 119 N: AG MO
punctatosulcatus Desbrochers des Loges, 1875c: 170 E: PT SP
scabrosus Geoffroy, 1785: 126 (*Curculio*) E: CR FR GR IT PT SP
bajulus Olivier, 1807: 287 (*Liparus*)
barbatus Rossi, 1794: 93 (*Curculio*)
cornutus Pérez Arcas, 1874: 143
curtus Perris, 1858: 137
gallicus Desbrochers des Loges, 1874a: 193
gallicus Desbrochers des Loges, 1875c: 177 [HN]
multistriolatus Desbrochers des Loges, 1871: 373

genus *Euthycus* Pascoe, 1885: 220 type species *Euthycus macilentus* Pascoe, 1885

Stenanchonus Voss, 1937c: 263 type species *Stenanchonus angustus* Voss, 1937
angustus Voss, 1937c: 263 (*Stenanchonus*) A: SCH SHA
costalis G.A.K. Marshall, 1943: 112 A: SD ORR
excisus Heller, 1931: 100 A: TAI
inaequalicollis Morimoto, 1982a: 98 A: JA (Ryūkyū) TAI
incisus Pascoe, 1887c: 353 A: "India"
japonicus Heller, 1922a: 11 A: JA (Ryūkyū)

genus *Kyliparus* Morimoto, 1982a: 100 type species *Molytes lewisii* Roelofs, 1873

lewisii Roelofs, 1873: 178 (*Molytes*) A: JA

genus *Leiosoma* Stephens, 1829a: 14 type species *Curculio punctatus* Marsham, 1802 (= *Curculio deflexus* Panzer, 1795)

subgenus *Leiosoma* Stephens, 1829a: 14 type species *Curculio punctatus* Marsham, 1802 (= *Curculio deflexus* Panzer, 1795)

Leiosomus Schoenherr, 1842a: 315 [UE]
Liosoma Agassiz, 1846: 204 [HN] [UE]
Liosoma Gemminger, 1871c: 2365 [HN] [UE]
Liosomus Agassiz, 1846: 204 [UE]
Liosomus Gistel, 1856b: 152 [HN] [UE]
Xenomicrocrus Wollaston, 1864: 331 type species *Xenomicrocrus apionides* Wollaston, 1864
alpinum Pedroni, 2012a: 78 E: IT
angelinii Pedroni, 2012a: 85 E: IT
apenninicola A. Hoffmann, 1961b: 35 E: IT
apenninicola A. Hoffmann, 1961b: 35 [NA]
apionides Wollaston, 1864: 331 (*Xenomicrocrus*) N: CI
apioides Bedel, 1884d: 141 [UE]
baudii Bedel, 1884d: 139 E: CR HU IT SZ
bedeli K. Daniel, 1906b: 128 E: IT
bosnicum K. Daniel, 1906b: 132 E: BH PL RO SK UK
colonnellii Pedroni, 2012a: 87 E: IT
concinnum Boheman, 1842a: 318 E: AU BH HU IT RO SL SZ UK
isabellae Tschapeck, 1874: 207

cribrum Gyllenhal, 1834b: 357 (*Molytes*) E: AU BE BH BU CR CZ FR GE HU IT PL RO SK SL SZ UK
carpathicum Brancsik, 1899: 194
cyanopterum L. Redtenbacher, 1847: 440 E: AU SL
dardagnense Pedroni, 2012a: 80 E: IT
deflexum Panzer, 1795b: 310 (*Curculio*) E: AU BE CR CZ DE FR GB GE GR HU IR IT LU NL NR PL RO SK SP SV SZ UK
banghaasi Lokay, 1908b: 114
collare Rye, 1873b: 242
discontignyi C. N. F. Brisout de Barneville, 1867: 189
impressum Boheman, 1842a: 317
neglectum Bremi-Wolf, 1855: 200 (*Omius*)
ovatum [Clairville], 1798: 82 (*Curculio*)
punctatum Marsham, 1802: 291 (*Curculio*) [HN]
devillei Bedel, 1912a: 149 E: FR (Corse)
diottii Pedroni, 2018: 26 E: IT
fiscellense Pedroni, 2012a: 83 E: IT
formaneki Lokay, 1908b: 130 E: SL
foveolatum Chevrolat, 1859a: 299 N: AG
hernicum Pedroni, 2012a: 81 E: IT
hipponense Desbrochers des Loges, 1875a: 13 N: AG TU
ampliatum Desbrochers des Loges, 1875a: 14
kirschii Gredler, 1866: 321 E: AU GE IT SZ
komovicum Pedroni, 2018: 27 E: ME
kostali Pedroni, 2018: 29 E: RO
lethierryi C. N. F. Brisout de Barneville, 1863a: 100 E: FR
matesiense Diotti & Caldara, 2017: 647 E: IT
muscorum C. N. F. Brisout de Barneville, 1863a: 101 E: AN FR SP
geniculatum C. N. F. Brisout de Barneville, 1863a: 103
nicolasi Tempère, 1979: 282 E: FR
oblongulum Boheman, 1842a: 316 E: AL BE BH CR FR GB GE HU IR IT LU ME PL RO SK SL SP SZ UK
hopffgarteni Stierlin, 1888a: 19
subaeneum K. Daniel, 1906b: 134
pandellei C. N. F. Brisout de Barneville, 1867: 191 E: FR
pseudopyrenaicum Tempère, 1979: 282 E: FR
pyrenaicum C. N. F. Brisout de Barneville, 1867: 190 E: FR SP
reitteri Bedel, 1884d: 138 E: ST A: GG TR
reynosae C. N. F. Brisout de Barneville, 1866b: 393 E: SP
robustum Seidlitz, 1867a: 187 E: SP
rosti Stierlin, 1894c: 117 E: ST
rufipes galiberti Tempère, 1979: 285 E: FR
rufipes rufipes C. N. F. Brisout de Barneville, 1863a: 104 E: FR
scrobifer Rottenberg, 1872: 232 E: IT (Sicilia) N: AG
seriefoveatum Desbrochers des Loges, 1875a: 15
senex Pedroni, 2018: 30 E: RO
stierlini Tournier, 1860a: 318 E: IT (Sicilia)
subcoriaceum K. Daniel, 1906b: 130 E: FR IT SZ
substriatum Chevrolat, 1859a: 298 N: AG TU
oblongum Desbrochers des Loges, 1875a: 14
talamellii Pedroni, 2010: 205 E: IT
troglydytes Rye, 1873c: 136 E: FR GB IR

genus *Liparus* Olivier, 1807: 283 type species *Curculio germanus* Linnaeus, 1758
subgenus *Liparus* Olivier, 1807: 283 type species *Curculio germanus* Linnaeus, 1758
Molytes Schoenherr, 1823: 1143 type species *Curculio germanus* Linnaeus, 1758
baldensis baldensis Reitter, 1897a: 322 E: IT
baldensis ruffoi Magnano, 1948: 161 E: IT
coronatus Goeze, 1777: 395 (*Curculio*) E: AN AU BE BU CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU NL PL RO SK SL SP ST SV SZ UK A: GG
anglicanus Marsham, 1802: 290 (*Curculio*)
caucasicola Semenov, 1898: 101

coronatus Geoffroy, 1785: 126 (*Curculio*) [HN]
coronatus Gmelin, 1790: 1778 (*Curculio*) [HN]
fallax Baudi di Selve, 1889: 163
fallax Baudi di Selve, 1890: 211 [HN]
paulopunctatus Pic, 1933: 15
sulcistrostris Desbrochers des Loges, 1871: 372 (*Molytes*) [HN]
teutonus Illiger, 1808a: 310 (*Rhynchaenus*)
danieli danieli Apfelbeck, 1928b: 81 E: IT
grappensis Grandi, 1907: 7 [NA]
grappensis Porta, 1932: 162
danieli pedemontanus F. Solari, 1933a: 163 E: IT
dirus Herbst, 1795: 331 (*Curculio*) E: AU CR CZ FR GE HU IT LS RO SK ST SZ
glabratus Fabricius, 1801: 523 (*Curculio*) [URN]
punctatostratus Bertolini, 1893: 242
engadinensis Reitter, 1897f: 239 E: AU FR IT SL SZ
germanus Linnaeus, 1758: 383 (*Curculio*) E: AU BE BH CR CZ FR GB GE GR HU IT LS LU NL
 PL RO SL SZ
carinaerostris Gyllenhal, 1834b: 352 (*Molytes*)
carnicus Schweiger, 1949: 9
fuscomaculatus Fabricius, 1787a: 122 (*Curculio*)
laevirostris Gyllenhal, 1834b: 352 (*Molytes*)
magnanoi Schweiger, 1949: 8
occidentalis Schweiger, 1949: 9
glabrirostris Küster, 1849b: 82 (*Molytes*) E: AU BH CR CT CZ DEi FR GE HU IT LS LT PL RO SK
 SL SP SZ UK
rugipennis Kraatz, 1897: 324
illyricus Gyllenhal, 1834b: 353 (*Molytes*) E: AU BH CR IT RO SL
interruptus Magnano, 1955: 175 E: IT
laevigatus Gyllenhal, 1834b: 355 (*Molytes*) E: CT ST UK
excellens Petri, 1895: 45
mariai Grandi, 1906: 247 E: IT
petrii Reitter, 1897a: 323 E: CR IT
solarii Magnano, 1948: 158 E: BH IT SL
transsilvanicus Petri, 1895: 40 E: BH CR HU MD PL RO SB SK UK
dinaricus J. Müller, 1946: 120
integer J. Lomnicki, 1924: 2
subgenus *Liparorhynchus* Reitter, 1923b: 43 type species *Liparus seriatopunctatus* Heyden, 1886
Liparorhynchus Reitter, 1923b: 47 [NA]
seriatopunctatus Heyden, 1886a: 192 A: AF IN KI TD UZ
turkestanicus Reitter, 1897a: 320
striatopunctatus Petri, 1910: 561 A: AF TD UZ
subgenus *Trysibius* Schoenherr, 1842a: 304 type species *Curculio tenebriodes* Pallas, 1781
tenebriodes Pallas, 1781: 36 (*Curculio*) E: AL BH BU GR MC MD RO UK ST TR UK A: AR GG
 TR
besseri Boheman, 1834b: 359 (*Molytes*)
graecus Brullé, 1832b: 241[240]
intermedius Waltl, 1838: 468
intermedius Boheman, 1842a: 305 (*Trysibius*) [HN]
olivieri Boheman, 1842a: 306 (*Trysibius*)
punctipennis Brullé, 1832a: 240
punctipennis Boheman, 1842a: 307 (*Trysibius*) [HN]
sulcifrons Petri, 1910: 566
tenebrioides Olivier, 1807: 287 [HN]
zoufali Reitter, 1923b: 48

genus *Morimotodes* Grebennikov, 2014b: 125 type species *Morimotodes ismene* Grebennikov, 2014

igori Davidian, 2019: 959 A: SCH

ilyai Davidian, 2019: 957 A: SCH

ismene Grebennikov, 2014b: 127 A: SCH YUN

magnificus Davidian, 2019: 955 A: SCH

medvedevi Davidian, 2019: 961 A: SCH

politus Davidian, 2019: 958 A: SCH

polynices Grebennikov, 2014b: 131 A: TAI

striatus Davidian, 2019: 956 A: YUN

7.12.15.3. Subtribe Plinthina Lacordaire, 1863

genus *Adexius* Schoenherr, 1834b: 366 type species *Adexius scrobipennis* Gyllenhal, 1834
scrobipennis Gyllenhal, 1834b: 367 E: AU BE BH CR CT CZ FR GE HU IT LU PL RO SK SL SP
ST SZ UK

genus *Alloplinthus* F. Solari, 1941: 43 type species *Plinthus musicus* Wollaston, 1860
musicus Wollaston, 1860d: 18 (*Plinthus*) N: CI (Tenerife)
velutinus Wollaston, 1860d: 19 (*Plinthus*) N: CI (Gran Canaria, Tenerife)
cucullus Wollaston, 1864: 330 (*Plinthus*)

genus *Caulomorphus* Faust, 1886a: 28 type species *Styphlus lederi* Chevrolat, 1880
amaseianus G. Osella, 1970: 380 A: TR
besucheti G. Osella, 1970: 366 A: GG TR
bithynicus G. Osella, 1970: 369 A: TR
giocoae G. Osella, 1970: 375 A: TR
hittita G. Osella, Di Marco & Zuppa, 2003: 686 A: TR
inopinatus G. Osella, 1970: 383 A: TR
lederi Chevrolat, 1880e: 192 (*Styphlus*) A: GG
muelleri Reitter, 1911b: 159 A: GG
setosulus G. Osella, 1977c: 146 A: IN
talyschensis Reitter, 1897c: 126 A: AB
wittmeri G. Osella, 1976b: 92 A: IN

genus *Freyianus* Zumpt, 1932b: 90 type species *Freyianus liparoides* Zumpt, 1932
liparoides Zumpt, 1932b: 92 A: TR

genus *Hoplopteridius* K. Daniel, 1908: 353 type species *Meleus lutosus* I. Frivaldszky, 1835
angulatus K. Daniel, 1908: 370 (*Minyops*) A: IS
chaudoirii Hochhuth, 1847: 488 (*Minyops*) A: AR GG TR
depressicollis Reiche, 1879: 240 (*Minyops*) E: GR (Ródos)
lutosus anatolicus G. Osella & Lodos, 1979b: 164 A: TR UK
lutosus bertolinii Stierlin, 1892: 364 (*Minyops*) E: IT
lutosus calaber G. Osella & Lodos, 1979b: 165 E: IT
lutosus lutosus I. Frivaldszky, 1835: 266 (*Meleus*) E: BU RO
planicollis Stierlin, 1888b: 57 (*Minyops*) E: BH GR

genus *Iberoplinthus* Meregalli, 1986b: 506 type species *Plinthus imbricatus* Dufour, 1852
casalei Meregalli, 1988: 51 E: SP
curvirostris Meregalli, 1986b: 517 E: SP
imbricatus Dufour, 1852: 343 (*Plinthus*) E: AN FR SP
nivalis Jacquelin du Val, 1854a: 27 (*Plinthus*)
kricheldorffi Reitter, 1910a: 56 (*Epipolaeus*) E: SP
perezii C. N. F. Brisout de Barneville, 1866b: 408 (*Plinthus*) E: SP
holdhausi F. Solari, 1938b: 77 (*Plinthus*)
vidanoi Meregalli, 1990: 250 E: SP

genus *Kurilio* Zherikhin & Egorov, 1991: 53 type species *Kurilio monachus* Zherikhin & Egorov,
1991
monachus Zherikhin & Egorov, 1991: 54 A: FE (Kuril Is.) JA

genus *Metahylobius* Nakane, 1964: 37 type species *Metahylobius jonensis* Nakane, 1964
jonensis Nakane, 1964: 37 A: JA
autumnalis Nakane, 1964: 37 [NA]
rubiginosus Morimoto, 1982a: 102 A: JA

genus *Minyops* Schoenherr, 1823: 1143 type species *Curculio carinatus* Linnaeus, 1767
Microps Fischer von Waldheim, 1829: 93 [HN] type species *Curculio variolosus* Fabricius, 1775
acheus acheus G. Osella & Bellò, 2010: 87 E: GR

acheus chelmosensis G. Osella & Bellò, 2010: 89 E: GR
apollineus G. Osella & Bellò, 2010: 92 E: GR
argolicus G. Osella & Bellò, 2010: 91 E: GR
behnei G. Osella & Bellò, 2010: 74 A: TR
carinatus Linnaeus, 1767: 1066 (*Curculio*) E: BE FR GE IT NL PT SP SZ
 rugosus Goeze, 1777: 380 (*Curculio*)
 rugosus Geoffroy, 1785: 117 (*Curculio*) [HN]
 rugosus Gmelin, 1790: 1758 (*Curculio*) [HN]
 senex Rossi, 1790: 131 (*Curculio*)
confusus G. Osella & Bellò, 2010: 71 E: GR
consobrinus G. Osella & Bellò, 2010: 64 E: GR
corinthiacus G. Osella & Bellò, 2010: 90 E: GR
costalis Gyllenhal, 1834a: 320 E: AU CR GE HU PL RO UK
costatus Boheman, 1842a: 288 E: BU GR MC TR
epaminondai G. Osella & Bellò, 2010: 94 E: GR
euritanicus G. Osella & Bellò, 2010: 67 E: GR
frater G. Osella & Bellò, 2010: 68 E: GR
germanus G. Osella & Bellò, 2010: 70 E: GR
insularis G. Osella & Bellò, 2010: 61 E: GR
iranicus G. Osella & Bellò, 2010: 84 A: IN
jovis G. Osella & Bellò, 2010: 63 E: GR
klapperichi G. Osella & Bellò, 2010: 85 A: TR
lodosi G. Osella & Bellò, 2010: 77 A: TR
margheritae G. Osella & Bellò, 2010: 69 E: GR
minutus minutus Boheman, 1842a: 289 E: UK
minutus rudis Ménétrés, 1849: 259 E: CT KZ ST A: KZ
occidentalis G. Osella & Bellò, 2010: 60 E: AL GR ME SB
phrygius G. Osella & Bellò, 2010: 78 A: TR
pindicus G. Osella & Bellò, 2010: 62 E: GR
scrobiculatus Gyllenhal, 1834a: 320 E: IT
 sinuatus Boheman, 1842a: 287
senaci Desbrochers des Loges, 1895k: 159 E: BU RO
setulosus G. Osella & Bellò, 2010: 76 A: TR
subaequalis Reitter, 1899e: 219 A: TR
variolosus Fabricius, 1775: 150 (*Curculio*) E: AU BH CR CZ FR GE HU IT ME PL RO SB SK SL
 SZ
 funereus Herbst, 1795: 341 (*Curculio*) [HN]

genus *Mitoplinthus* Reitter, 1897g: 241 [RN] type species *Plinthus pubescens* Petri, 1896

Epipolaeus Weise, 1907: 13 type species *Curculio caliginosus* Fabricius, 1775
Paraplinthus Reitter, 1897b: 67 [HN] type species *Plinthus pubescens* Petri, 1896
caliginosus caliginosus Fabricius, 1775: 137 (*Curculio*) E: BE FR GB GE IT LU NL SP SZ UK
 didymus Donovan, 1813: 77 (*Curculio*) [HN]
caliginosus meridionalis Meregalli, 1986b: 502 E: FR SP
pubescens Petri, 1896: 577 (*Plinthus*) E: IT SZ

genus *Neoplinthus* Bedel, 1884a: 91 type species *Curculio tigratus* Rossi, 1792

caprae F. Solari, 1941: 66 E: IT SZ
dentimanus F. Solari, 1941: 67 E: IT
mancinii F. Solari, 1941: 69 E: IT
mucronatus Rosenhauer, 1847: 41 (*Plinthus*) E: IT
tigratus granulatus Boheman, 1842a: 331 (*Plinthus*) E: FR IT SZ
tigratus porculus Fabricius, 1801: 467 (*Rhynchaenus*) [RN] E: AU BH CR CZ GE HU IT PL RO SK
 SL UK
 porcatus Panzer, 1798a: 16 (*Curculio*) [HN]
 schalleri Germar, 1823: 331 (*Plinthus*)
 porculus Latreille, 1804: 142 (*Curculio*) [RN, HN]
 tridentinus F. Solari, 1941: 84 [NA]
tigratus tigratus Rossi, 1792: 39 (*Curculio*) E: IT
 abbreviatus F. Solari, 1941: 84

genus *Paraminyops* G. Osella & Bellò, 2010a: 96 type species *Minyops escherichi* Reitter, 1899
basileus G. Osella & Bellò, 2010a: 106 E: BU
drusus G. Osella & Bellò, 2010a: 114 A: LE
epiroticus G. Osella & Bellò, 2010a: 107 E: GR
escherichi Reitter, 1899e: 220 (*Minyops*) A: TR
frontalis K. Daniel, 1908: 364 (*Minyops*) A: TR
lacunosus lacunosus J. R. Sahlberg, 1903: 39 (*Minyops*) E: AL GR (Kerkyra)
lacunosus muelleri G. Osella & Bellò, 2010a: 110 E: CR IT
opulentus isauricus G. Osella & Bellò, 2010a: 113 A: TR
opulentus opulentus Reiche, 1879: 240 A: LE SY TR
syriacus Stierlin, 1888b: 58 (*Meleus*)
ponticus K. Daniel, 1908a: 366 A: TR
pseudoescherichi G. Osella & Bellò, 2010a: 105 A: TR

genus *Plinthus* Germar, 1817c: 340 type species *Curculio megerlei* Panzer, 1802
subgenus *Caucasoplinthus* Davidian, 1995b: 211 type species *Plinthus illotus* Gyllenhal, 1834
abdullaevi Davidian, 1995a: 108 A: GG
abdurakhmanovi Davidian, 1995a: 114 A: GG
alternans Reitter, 1888c: 265 (*Meleus*) E: ST
amplicollis Meregalli, 1985: 54 A: GG
angustus Reitter, 1906d: 450 E: ST
argonauta Meregalli, 1985: 96 A: GG
scabrior Meregalli, 1985: 96
attilai Davidian & Savitsky, 2018b: 680 A: TR
belousovi Davidian, 1992b: 843 A: GG
casalei Meregalli, 1985: 76 A: TR
caucasicus Desbrochers des Loges, 1875a: 1 (*Barynotus*) E: ST A: AB GG
grusinus Reitter, 1884b: 13 (*Meleus*)
causticus Faust, 1888c: 163 (*Meleus*) A: GG
colchicus Meregalli, 1985: 97 A: GG
confusus abkhasicus Meregalli, 1985: 61 A: GG
confusus avtandili Davidian, 1993a: 113 A: GG
confusus confusus Meregalli, 1985: 58 E: ST A: GG
confusus gagrensis Meregalli, 1985: 63 A: GG
confusus gusarovi Davidian, 1993a: 113 A: GG
confusus ochraceus Meregalli, 1985: 63 A: GG
diversesculptus Meregalli, 1985: 51 A: GG TR
edisoni Davidian, 1995a: 102 E: ST
fallax Gyllenhal, 1839b: 20 A: GG IN
chaudoiri Faust, 1884b: 220 (*Meleus*)
oblongus Meregalli, 1985: 89
fausti Reitter, 1884b: 14 (*Meleus*) E: ST A: GG
gebiensis Reitter, 1909f: 307
fremuthi Meregalli, 1985: 75 A: GG
frivaldszkyi Davidian & Savitsky, 2018a: 540 E or A: “Caucasus”
granulosus Reitter, 1884b: 14 (*Meleus*) A: GG TR
heinziannus Meregalli, 1985: 91 A: TR
helenae Davidian, 1992b: 839 A: GG
iasonis Meregalli, 1985: 73 E: ST A: GG TR
illotus Gyllenhal, 1834b: 364 E: ST A: AB AR GG IN
dolosus Faust, 1884b: 222 (*Meleus*)
incertus Faust, 1884b: 222 (*Meleus*)
immunis Faust, 1888c: 162 (*Meleus*) E: ST A: GG
intermedius Meregalli, 1985: 42 A: GG
kataevi Davidian, 1992b: 835 A: GG
khnzoriani Meregalli, 1985: 79 E: ST
kippenbergi Meregalli, 1985: 81 E: ST A: TR
kodorensis Meregalli, 1985: 33 E: ST A: GG
korotyaevi Davidian, 1993a: 113 E: ST A: GG

kovali Davidian, 1992b: 835 A: GG
kubanicus Meregalli, 1985: 65 E: ST A: GG
kurdistanicus Meregalli, 1985: 55 A: TR
kurnakovi Meregalli, 1985: 71 A: GG
lederi Meregalli, 1985: 74 E: ST A: GG
ljudae Davidian & Savitsky, 2018b: 684 A: GG
mananauricus Davidian & Savitsky, 2018a: 543 A: GG
meregallii Davidian, 1992b: 841 A: GG
müngrellicus Reitter, 1884b: 15 (*Meleus*) E: ST A: GG
 depressicollis Reitter, 1884b: 15 (*Meleus*)
 reticulatus Meregalli, 1985: 106
orientalis Davidian, 1991: 143 A: AB GG
osellai Meregalli, 1985: 102 A: TR
pawlowskii Mazur, 1981: 527 A: TR
persicus Meregalli & Davidian, 2007: 371 A: IN
polymorphus minor Meregalli, 1985: 70 E: ST
polymorphus polymorphus Meregalli, 1985: 69 E: ST A: GG
prasolovi Davidian, 1995a: 105 A: GG
pseudocolchicus Davidian, 1995a: 106 A: GG
pseudostarcki Meregalli, 1985: 85 E: ST A: GG
richterai Davidian, 1995a: 108 A: GG TR
rosti Reitter, 1895i: 304 A: GG
savitskyi Davidian, 1995a: 103 E: ST
schneideri Tournier, 1878a: 292 (*Meleus*) E: ST A: AB GG
 schneideri Tournier, 1879d: 36 (*Meleus*) [HN]
silphoides Herbst, 1795: 279 (*Curculio*) E: ST A: AB GG
 geometra Olivier, 1807: 289 (*Liparus*)
 steveni Germar, 1823: 332
 vittatus Reitter, 1884b: 14 (*Meleus*) [HN]
squamosus Reitter, 1889e: 103 (*Meleus*) A: GG
starcki medeae Meregalli, 1985: 94 A: GG
starcki starcki Faust, 1888c: 161 (*Meleus*) E: ST A: GG
swaneticus strejceki Meregalli, 1985: 101 E: ST A: GG
swaneticus swaneticus Reitter, 1884b: 14 (*Meleus*) A: GG
tinae Davidian, 1993a: 114 A: GG
vittatus Motchulsky, 1839: 50 (*Molytes*) E: ST A: GG
 difficilis Faust, 1884b: 220 (*Meleus*)
 fäldermanni Faust, 1884b: 218 (*Meleus*)
 irroratus Reitter, 1884b: 13 (*Meleus*)
voriseki Meregalli, 1985: 94 E: ST A: GG
zamotailovi Davidian, 1995a: 107 A: GG
subgenus *Plinthomeleus* Reitter, 1913a: 52 type species *Plinthus merkliai* J. Frivaldszky, 1894
cavazzuti Meregalli, 1985: 108 A: TR
dardanicus Meregalli, 1985: 113 E: AL ME
gjorgjevici gjorgjevici Apfelbeck, 1928b: 82 (*Plinthomeleus*) E: AL ME SB
gjorgjevici problematicus Meregalli, 1985: 111 E: AL GR
latipennis Meregalli, 1985: 107 E: ST A: AR GG
merkliai J. Frivaldszky, 1894: 86 A: TR
navarsati Davidian & Savitsky, 2017: 905 A: TR
setosus Reitter, 1890a: 96 (*Meleus*) E: AL BH CR MC ME SB
squalidus elekesi Ormay, 1888: 167 (*Meleus*) E: HU RO
 elekeschii Petri, 1896: 567 [UE]
squalidus gerlii Boheman, 1842a: 319 E: BH CR
squalidus granulipennis Fairmaire, 1852: 89 E: FR IT SZ
 brevipennis Reitter, 1890a: 94 (*Meleus*)
 parthenius A. Costa, 1858: 16
squalidus parreyssii Boheman, 1842a: 328 E: AU BH CR PL RO SK SL
 granulifer Boheman, 1842a: 327
squalidus purkynei Kippenberg, 1981: 91 E: GR MC ME TR
squalidus squalidus Gyllenhal, 1834b: 363 E: ST A: TR
sturmii bulgaricus Meregalli, 1985: 116 E: BU

sturmii sturmii Germar, 1819: 138 E: AU BH BU CR CZ GE HU PL RO SB SK SZ UK
subgenus *Plinthus* Germar, 1817c: 340 type species *Curculio megerlei* Panzer, 1802
Meleus Dejean, 1821: 88 type species *Curculio megerlei* Panzer, 1802
findelii Boheman, 1842a: 320 E: AN AU BH BU CR CZ FR GE HU IT ME RO SB SL SP SZ TR
germanicus Reitter, 1890a: 95 (*Meleus*)
septemcarinatus Dufour, 1852: 344
styrianus Boheman, 1842a: 324
griseus Reitter, 1890a: 95 (*Meleus*) E: AU IT
ronchetti Reitter, 1900f: 87
vicentinus J. Müller, 1924: 79
illigeri colonnellii Meregalli, 1985: 118 E: IT
illigeri illigeri Germar, 1823: 329 E: AU RO SL
megerlei Panzer, 1802: 7 (*Curculio*) E: AU BH CR HU IT RO SL SZ
tischeri Germar, 1823: 328 E: CZ GE HU PL RO SK UK
anceps Boheman, 1842a: 323
mihoki Penecke, 1936a: 210
negoianus Reitter, 1890a: 96 (*Meleus*)
transsylvanicus Reitter, 1890a: 95 (*Meleus*)

7.12.16. Tribe Paipalesomini G.A.K. Marshall, 1932

genus *Peribleptus* Schoenherr, 1843: 192 type species *Peribleptus scalptus* Boheman, 1843
Paipalesomus Schoenherr, 1847: 69 type species *Paipalesomus pistriarius* Schoenherr, 1847 (= *Alcides dealbatus* Boisduval, 1835)
Tenguzo Kôno, 1929c: 52 type species *Tenguzo bipustulatus* Kôno, 1929
bardus G.A.K. Marshall, 1944d: 657 A: SD **ORR**
bipustulatus Kôno, 1929c: 53 (*Tenguzo*) A: TAI
bisulcatus Faust, 1894c: 228 (*Paipalesomus*) A: FUJ YUN **ORR**
dealbatus Boisduval, 1835: 425 (*Alcides*) A: UP **AUR ORR**
decemmaculatus Chevrolat, 1871b: 94
niveomucosus Jekel, 1873: 442 (*Paipalesomus*)
notatus Hombrohn & Jacquinet, 1847: pl. 14, fig. 17 (*Alcides*)
pistriarius Schoenherr, 1847: 70 (*Paipalesomus*)
zonatus Pascoe, 1871a: 168
forcatus Voss, 1934a: 76 (*Paipalesomus*) A: HUB SCH
foveatus Voss, 1937c: 262 (*Paipalesomus* [NA])
foveatus G.A.K. Marshall, 1944d: 660 [UE]
foveostriatus Voss, 1939e: 61 (*Paipalesomus*) A: FUJ GUA GUX HEN HUB HUN SCH XIZ YUN
ZHE
himalayanus Voss, 1939e: 62 (*Paipalesomus*) A: SD
minutus Pajni, Sood & Kohli, 1982: 2 A: SD
parallelus Hartmann, 1903: 29 A: NP **ORR**
scalptus Boheman, 1843: 193 A: NP PA SD XIZ YUN **ORR**
similaris Voss, 1939e: 62 A: JA ZHE

7.12.17. Tribe Phrynixini Kuschel, 1964

genus *Syagrius* Pascoe, 1875b: 56 type species *Syagrius fulvitaris* Pascoe, 1875
intrudens C. O. Waterhouse, 1903: 230 E: IRi **AUR**

7.12.18. Tribe Pissodini Gistel, 1848

7.12.18.1. Subtribe Cotasteromimina Morimoto, 1962

genus *Cotasteromimus* Chûjô & Voss, 1960: 10 type species *Cotasteromimus morimotoi* Chûjô & Voss, 1960
morimotoi Chûjô & Voss, 1960: 11 A: JA
squamiger Morimoto & Miyakawa, 1985: 48 A: JA SC (Jeju) TAI

genus *Pseudohylobius* Morimoto, 1962c: 407 type species *Pseudohylobius setosus* Morimoto, 1962
setosus Morimoto, 1962c: 408 A: JA

7.12.18.2. Subtribe Pissodina Gistel, 1848

genus *Pissodes* Germar, 1817c: 340 type species *Curculio pini* Linnaeus, 1758
subgenus *Pissodes* Germar, 1817c: 340 type species *Curculio pini* Linnaeus, 1758
piniphilus Dejean, 1821: 87 type species *Curculio piniphilus* Herbst, 1797
castaneus DeGeer, 1775: 231 (*Curculio*) E: AZi BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD NL NR NT PL PT RO SB SK SP ST SV SZ UK N: AG C*i* MR*i* A: ES FE GG KI KZ WS NAR*i* NTR*i*
brunneus Panzer, 1795b: 308 (*Curculio*) [HN]
fabricii Stephens, 1831d: 88
notatus Fabricius, 1787a: 103 (*Curculio*) [HN]
palme Herbst, 1795: 169 (*Curculio*)
chena Lu, Zhang & Langor, 2007: 181 A: HEI JIL
galloisi Kôno, 1928: 169 A: FE JA
gyllenhali C. R. Sahlberg, 1834: 26 (*Rhynchaenus*) E: DE EN FI NR NT SL SV UK A: ES FE JA KZ WS
gyllenhali Gyllenhal, 1835a: 260 [HN]
laricinus Motschulsky, 1860b: 159 [DA]
harcyniae Herbst, 1795: 294 (*Curculio*) E: AU BY CR CT CZ EN FI FR GE HU IT LA LT LU NR NT PL RO SK SV SZ UK A: ES FE GG HEI WS
interruptus Pic, 1936: 26
interstitiosus C. R. Sahlberg, 1834: 26 (*Rhynchaenus*)
quadrinotatus Panzer, 1798a: 12 (*Curculio*)
insignatus Boheman, 1843: 133 A: ES FE WS
irroratus Reitter, 1899d: 208 E: FR IT SZ A: ES FE
nitidus Roelofs, 1873: 121 A: FE GAN HEB HEI HEN HUB JA JIL LIA NC SC SHA
obscurus Roelofs, 1873: 122 A: FE JA SC
piceae Illiger, 1808a: 309 (*Rhynchaenus*) E: AU BE BU BY CR CZ FR GE GR HU IT LA LT MD PL RO SK SP ST SZ UK N: AG A: ES GG KZ
piceae Gyllenhal, 1835a: 256 [HN]
pini Panzer, 1796: 1 (*Curculio*) [NA]
pilatsquamosus Lu, Zhang & Langor, 2007: 183 A: NMO SHX
pini caucasicus Ter-Minasian, 1946: 113 E: ST A: AR GG
caucasicus Roubal, 1919: 39 [NA]
pini pini Linnaeus, 1758: 379 (*Curculio*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU NL NR NT PL RO SK SP ST SV SZ UK A: ES FE HEI JA KI KZ LIA SC WS
cembrae Motschulsky, 1860b: 158
ferrugineus Rey, 1895a: 2
japonicus Niishima, 1915a: 10
piniphilus Herbst, 1797: 24 (*Curculio*) E: BE BU BY CT CZ DEi EN FI FR GBi GE HU IT LA LT LU NL NR NT PL RO SK SP SV SZ UK A: ES FE GG WS
punctatus Langor & Zhang, 1999: 595 A: YUN
rotundicollis Desbrochers des Loges, 1870c: 191 E or A: "Russie"
scabricollis Miller, 1859: 364 E: AU CZ GE HU IT PL RO SK SZ UK
validirostris C. R. Sahlberg, 1834: 28 (*Rhynchaenus*) E: BE BH BY CT CZ DE EN FI FR GB GE HU IT LA LT NL NR NT PL PT RO SK SP SV SZ UK A: ES FE GG HEI HUB NMO WS
strobyli L. Redtenbacher, 1847: 417
validirostris Gyllenhal, 1835a: 259 [HN]
yunnanensis Langor & Zhang, 1999: 601 A: SCH YUN

7.12.19. Tribe Psepholacini Lacordaire, 1865

genus *Metempleurus* Morimoto, 1981c: 182 type species *Metempleurus ogasawarensis* Morimoto, 1981
hachijoensis Morimoto & Miyakawa, 1985: 65 A: JA
nigritus Morimoto, 1981c: 185 A: JA (Ogasawara Is.)
ogasawarensis Morimoto, 1981c: 183 A: JA (Ogasawara Is.)

genus *Pempleurus* Heller, 1931: 101 type species *Pempleurus dentirostris* Heller, 1931
Agasterocercus Kôno, 1932: 177 type species *Agasterocercus sakaguchii* Kôno, 1932
dentirostris Heller, 1931: 102 A: JA (Ryūkyū) TAI
sakaguchii Kôno, 1932: 177 (*Agasterocercus*)
femoratus Morimoto & Miyakawa, 1985: 67 A: JA

nigronotatus Morimoto, 1981c: 188 A: JA (Ogasawara Is.)
nigrovariegatus Morimoto, 1981c: 186 A: JA (Ogasawara Is.)
tschungseni Voss, 1958b: 54 (*Agasterocercus*) A: FUJ

genus *Therebus* Pascoe, 1872b: 480 type species *Therebus cepuroides* Pascoe, 1872
orthocnemis Heller, 1931: 103 A: TAI

7.12.20. Tribe Sophrorhinini Lacordaire, 1865

genus *Acallinus* Morimoto, 1962c: 387 type species *Acallinus tuberculatus* Morimoto, 1962
insularis Morimoto & Miyakawa, 1985: 58 A: JA (Izu Is.)
tuberculatus Morimoto, 1962c: 388 A: FE JA NC SC

genus *Catabonops* Roelofs, 1875b: 161 type species *Catabonops monachus* Roelofs, 1875
monachus Roelofs, 1875b: 162 A: JA SC

genus *Colobodellus* Heller, 1922b: 567 type species *Colobodellus alboscuteatus* Heller, 1922
postfasciatus Morimoto & Miyakawa, 1985: 55 A: JA TAI

genus *Colobodes* Schoenherr, 1837b: 465 type species *Colobodes billbergii* Boheman, 1837
Aryptaerus Pascoe, 1882b: 451 type species *Aryptaerus suturalis* Pascoe, 1882
alboguttatus Morimoto, 1988: 51 A: JA (Ryūkyū)
endai Morimoto, 1988: 45 A: JA
formosanus Kōno, 1932: 180 A: JA (Ryūkyū) TAI
kono Nakane, 1963b: 37 A: JA
kuniyoshii Morimoto, 1988: 56 A: JA (Ryūkyū)
matsumurai Kōno, 1932: 179 A: FE JA SC
ornatoideus Morimoto, 1988: 49 A: JA (Izu Is., Ryūkyū)
ornatus Roelofs, 1875b: 156 A: FE FUJ JA SC
ovipennis Morimoto, 1988: 43 A: JA
rotundicollis Morimoto, 1988: 46 A: JA (Ryūkyū) TAI
spinisquamosus Arya, Singh & Pajni, 1987: 201 A: SD
v-album Roelofs, 1875b: 155 A: FE FUJ JA SCH

genus *Deretiosopsis* Morimoto, 1988: 66 type species *Deretiosopsis nigrisetis* Morimoto, 1988
nigrisetis Morimoto, 1988: 68 A: JA

genus *Deretiosus* Pascoe, 1871a: 184 type species *Deretiosus aridus* Pascoe, 1871
Deretiosomimus Heller, 1922b: 561 type species *Deretiosomimus angulicollis* Heller, 1922
Lobocodes Heller, 1922b: 569 type species *Colobodes turbatus* Faust, 1892
Microbothrus Fairmaire, 1881: 301 type species *Microbothrus squamituber* Fairmaire, 1881
albicaudatus Morimoto, 1988: 64 A: JA (Ryūkyū) TAI
angulicollis Heller, 1922b: 561 (*Deretiosomimus*) A: JA (Ryūkyū) TAI ORR
grisescens Voss, 1958b: 51 A: FUJ
ishigakianus Morimoto, 1988: 63 A: JA (Ryūkyū)
sellatus Heller, 1940: 100 A: JA TAI

genus *Systaltopezus* Faust, 1887h: 174 type species *Systaltopezus nodosus* Faust, 1887
nodosus Faust, 1887h: 175 A: FE

7.12.21. Tribe Sthereini Hatch, 1971

genus *Darumazo* Morimoto & Miyakawa, 1985: 59 type species *Darumazo distinctus* Morimoto & Miyakawa, 1985
distinctus Morimoto & Miyakawa, 1985: 60 A: JA TAI

genus *Lobosoma* Zimmerman, 1964: 27 type species *Trachodes horridus* Mannerheim, 1852
kurilense Zherikhin, 1991b: 47 A: FE (Kuril Is.)
rausense Nakane, 1963b: 36 (*Metrachodes*) A: FE JA

genus *Protacalles* Voss, 1957b: 37 type species *Protacalles monticola* Voss, 1937
monticola Voss, 1957b: 38 A: JA

genus *Protacallinus* Morimoto, 1962c: 389 type species *Protacallinus uenoi* Morimoto, 1962
uenoi Morimoto, 1962c: 390 A: JA

genus *Sthereus* Motschulsky, 1845c: 373 type species *Sthereus quadrituberculatus* Motschulsky, 1845
Philostratus Zimmerman, 1964: 29 type species *Trachodes ptinoides* Germar, 1823
Stereus Mannerheim, 1846: 250 [UE]
ptinoides Germar, 1823: 327 (*Trachodes*) E: FE JA NAR
borealis Motschulsky, 1845c: 374
fasciculatus Motschulsky, 1845c: 374

7.12.22. Tribe Styanacini Chûjô & Voss, 1960

genus *Styanax* Pascoe, 1871a: 164 type species *Styanax carbonarius* Pascoe, 1871
Neoniphades Hartmann, 1903: 27 type species *Neoniphades granicollis* Hartmann, 1903
Scaphosternus Roelofs, 1879b: liii type species *Scaphosternus rugosus* Roelofs, 1879
apicatus Heller, 1920: 84 A: GUI GUX HUB HUN JIX YUN ORR
kuwanoi Chûjô & Voss, 1960: 4 A: JA
rugosus Roelofs, 1879b: liii (*Scaphosternus*) A: JA
scrobiculatus Roelofs, 1879b: liii (*Scaphosternus*) A: JA

7.12.23. Tribe Torneumatini Bedel, 1884

genus *Pseudotorneuma* F. Solari, 1937b: 16 type species *Torneuma subplanum* Desbrochers des Loges, 1890
crassirostre F. Solari, 1937b: 18 N: AG
humerosum F. Solari, 1937b: 18 N: AG
vaulgeri Normand, 1937: 257
subplanum Desbrochers des Loges, 1890b: clviii (*Torneuma*) N: AG
subplanatum: Stüben, 2018a: 222 [NA]
zariquieyi Roudier, 1954e: 101 E: SP (Balears)

genus *Subtorneuma* A. Hoffmann, 1961b: 36 type species *Torneuma normandi* A. Hoffmann, 1961
Tornatum G. Osella, 1986a: 7 type species *Torneuma syriacum* Reitter 1889
besucheti G. Osella, 1986a: 13 (*Torneuma*) A: TR
loebli G. Osella, 1986a: 11 (*Torneuma*) A: TR
normandi A. Hoffmann, 1961b: 36 (*Torneuma*) N: AG
syriacum galilaeum G. Osella, 1986a: 11 (*Torneuma*) A: IS
syriacum simoni P. Meyer, 1895: 295 (*Torneuma*) A: IS
diversum G. Osella, 1986a: 11 (*Torneuma*)
syriacum syriacum Reitter, 1889a: 39 (*Torneuma*) A: LE

genus *Torneuma* Wollaston, 1860c: 453 type species *Torneuma caecum* Wollaston, 1860
subgenus *Paratorneuma* Roudier, 1956: 132 type species *Torneuma orbatum* Wollaston, 1865
alexi Stüben, 2018a: 250 N: CI (Gran Canaria)
aphroditae Germann & Stüben, 2006: 167 (*Paratorneuma*) N: CI (Gomera)
canariense G. Osella & M. Osella, 1986: 57 N: CI (Gran Canaria)
feloii Stüben, 2007a: 102 (*Paratyphloporus*) N: CI (Tenerife)
franzi González, 1971b: 7 (*Paratorneuma*) N: CI (Tenerife)
lindrothi Franz, 1981: 331 (*Paratorneuma*) N: CI (La Palma)
meseguerei lineaeense Stüben, 2009: 99 E: SP
meseguerei meseguerei González, 1971b: 11 E: SP
orbatum Wollaston, 1865: 48 (*Torneuma*) N: CI (Gomera)
solarii G. Osella & M. Osella, 1986: 59 N: CI (Gran Canaria)
viti G. Osella & M. Osella, 1986: 54 N: CI (Gran Canaria)
subgenus *Paratyphloporus* F. Solari, 1937b: 16 type species *Torneuma karamani* Formánek, 1912
besucheti González, 1966: 104 (*Pseudotorneuma*) E: SP (Mallorca)
mallorcense Stüben, 2005c: 118 (*Paratorneuma*)

ericeense Stüben, 2007a: 97 (*Paratyphloporus*) E: IT
karamani Formánek, 1912b: 232 (*Torneuma*) E: CR
zoufali Reitter, 1913c: 66 (*Torneuma*) E: BH **subgenus** *Somodytes* González, 1970a: 47 type species
Somodytes escolai González, 1970
escolai González, 1970a: 49 (*Somodytes*) E: SP
subgenus *Torneuma* Wollaston, 1860c: 453 type species *Torneuma caecum* Wollaston, 1860
Coelotyphloporus F. Solari 1937: 16 type species *Torneuma curtulum* F. Solari, 1937
Pseudotyphloporus F. Solari 1937: 17 type species *Torneuma grouvellei* Desbrochers des Loges, 1890
alhaurinense Stüben, 2008a: 100 E: SP
angelae Magrini & Paladini, 2015: 63 E: IT (Sicilia)
baeticum Stüben, 2007a: 44 E: SP
bensusani Stüben, 2010g: 1 E: SP
boiteli Normand, 1937: 260 N: AG TU
cadizense Stüben, 2016c: 185 E: SP
caecum Wollaston, 1860c: 455 N: MR
brincki Roudier, 1965: 45
clandestinum Magnano & Mifsud, 2001: 458 E: IT (Lampedusa)
convexiusculum Fairmaire, 1873a: 347 (*Crypharis*) N: AG
curtulum curtulum F. Solari, 1937b: 19 E: IT (Sardegna)
curtulum vastum Stüben, 2007a: 75 E: IT (Sardegna)
damryi Perris, 1874: 10 (*Crypharis*) E: FR (Corse) IT (Sardegna)
desilvai G. Osella & Zuppa, 1998: 4 N: MR
extinguendum Magnano & Mifsud, 2001: 455 E: IT (Lampedusa)
ficuzzense Stüben, 2007a: 57 E: IT (Sicilia)
grouvellei ~~*grouvellei*~~ Desbrochers des Loges, 1890b: clviii E: FR IT
~~*grouvellei liguricum* Stüben, 2007a: 60 E: IT~~
isamberto Stüben, 2016c: 181 N: MR
istanense Stüben, 2008a: 98 E: SP
korwitz Stüben & Schütte, 2015: 2 N: MR
~~*liguricum* Stüben, 2007a: 60 E: IT~~
longicolle Tournier, 1875e: ccx (*Crypharis*) N: AG
longipenne Pic, 1910d: 89 E: PT
maderense Stüben, 2002a: 151 N: MR
maltense Magnano & Mifsud, 2001: 453 E: IT (Sardegna) MA
mateui Roudier, 1954e: 100 E: SP
minutum P. Meyer, 1895: 293 E: IT (Sardegna)
morandae A. Hoffmann, 1959a: 194 E: SP
penaense Germann & Braunert, 2014: 562 E: PT
picocasteloense Stüben, 2002a: 152 N: MR
robustum Dieck, 1869: 7 (*Crypharis*) N: AG MO
robustum Dieck, 1870: 355 (*Crypharis*) [HN]
strigirostre Fairmaire, 1873a: 346 (*Crypharis*)
subterraneum Fairmaire, 1873a: 347 (*Crypharis*)
tingitanum Dieck, 1869: 8 (*Crypharis*)
tingitanum Dieck, 1870: 356 (*Crypharis*) [HN]
siculum Ragusa, 1881: 43 E: IT (Sicilia) N: AG
elegantulum Normand, 1937: 261
stanviti Stüben, 2008a: 97 E: SP
strictum Magnano & Mifsud, 2001: 452 E: MA
theryi Desbrochers des Loges, 1890b: clviii E: FR N: AL TU
incallidum Normand, 1937: 260
rectirostre A. Hoffmann, 1956b: 70
torresi Stüben, 2009: 97 E: SP
tuniseum F. Solari, 1937b: 19 N: TU
attenuatum Normand, 1937: 260
rugosum Normand, 1937: 259
subgenus *Typhloporus* Hampe 1864: 191 type species *Typhloporus deplanatus* Hampe, 1864
Crypharis Fairmaire 1868: 498 type species *Crypharis planidorsis* Fairmaire, 1868 (= *Typhloporus deplanatus* Hampe, 1864)
abbazzii Stüben, 2007a: 51 E: IT (Sardegna)
deplanatum deplanatum Hampe, 1864: 192 (*Typhloporus*) E: GR (Kefaloniá, Kérkyra, Zákynthos) IT
N: AG

andreinii A. Solari & F. Solari, 1909: 277
championi A. Solari & F. Solari, 1909: 278
hipponense Normand, 1937: 259
planidorse Fairmaire, 1868: 498 (*Crypharis*)
rosaliae Rottenberg, 1872: 240 (*Crypharis*)
setiferum H. Brisout de Barneville, 1870: 40 (*Baridius*)
deplanatum oberthueri Fairmaire, 1876a: 38 (*Crypharis*) N: AG
deplanatum raymondi Perris, 1869: 28 (*Crypharis*) E: IT (Sardegna)
sardoum Desbrochers des Loges, 1890b: clix
teuladense Stüben, 2007a: 55 E: IT (Sardegna)

genus *Torneuma*, incertae sedis
lagaudei F. Solari, 1955c: 158 E: FR
serpentinum Stüben, 2007a: 78 E: PT
troglydytis Stüben, 2009: 95 N: MO

7.12.24. Tribe Trachodini Gistel, 1848

genus *Acicnemis* Fairmaire, 1849b: 511 type species *Acicnemis variegata* Fairmaire, 1849

Berethia Pascoe, 1872b: 463 type species *Berethia medinotata* Pascoe, 1872
albofasciata Ter-Minasian, 1953b: 317 (*Trachodes*) A: FE JA
nigra Nakane, 1963b: 37
azumai Morimoto & Miyakawa, 1995: 40 A: JA (Ryūkyū) SC
bauhiniae G.A.K. Marshall, 1941a: 191 A: SD UP
biarcuata Hubenthal, 1919b: 95 A: TAI
bickhardti Hubenthal, 1919a: 126 A: TAI
cordata Hubenthal, 1919a: 104 A: FUJ
fukienensis Voss, 1958b: 49 [NA]
costulifera Hubenthal, 1919b: 131 A: JA TAI
cruciata Kleine, 1924: 107 A: TAI
dividicincta dividicincta Morimoto & Miyakawa, 1995: 33 A: JA
dividicincta okinawana Morimoto & Miyakawa, 1995: 34 A: JA (Ryūkyū)
dorsonigrita Voss, 1941e: 889 A: FE (Kuril Is.) JA ZHE
elongata Reitter, 1888c: 266 (*Trachodes*) A: AB GG IN
exilis Morimoto & Miyakawa, 1995: 43 A: JA (Ryūkyū)
kiotoensis Nakane, 1963b: 37 A: JA TAI
laeta Hubenthal, 1919b: 133 A: CH FE (Kuril Is.) JA TAI
luteomaculata Morimoto & Miyakawa, 1995: 39 A: JA SC (Jeju)
maculaalba Roelofs, 1875b: 153 A: CH JA TAI
nohirai Morimoto & Miyakawa, 1995: 32 A: JA
oblonga Reitter, 1888c: 266 (*Trachodes*) E: ST A: GG
palliata Pascoe, 1872b: 462 A: FE (Kuril Is.) JA SC SHN
nobilis Hubenthal, 1919b: 94 A: TAI
postica Hubenthal, 1919b: 73 A: JA TAI
sauteri Hubenthal, 1919b: 106 A: JA (Ryūkyū) SC TAI
shibatai Voss, 1971d: 52 A: JA SC TAI
shigematsui Morimoto & Miyakawa, 1995: 36 A: JA (Ryūkyū)
suturalis Roelofs, 1875b: 154 A: FE (Kuril Is.) JA SC (Jeju) TAI
yakushimana Morimoto & Miyakawa, 1995: 34 A: JA (Yakushima I.)

genus *Karekizo* Morimoto, 1962c: 403 type species *Karekizo impressicollis* Morimoto, 1962
impressicollis Morimoto, 1962c: 404 A: JA

genus *Ochodontus* Desbrochers des Loges, 1897a: 18 type species *Ochodontus rubrirostris* Desbrochers
 des Loges, 1897
rubrirostris Desbrochers des Loges, 1897a: 19 A: GG

genus *Trachodes* Germar, 1823: 325 type species *Curculio squamifer* Paykull, 1800 (= *Curculio hispidus* Linnaeus, 1758)

subgenus *Atrachodes* Morimoto, 1962c: 405 type species *Atrachodes murakamii* Morimoto, 1962
kannohi Morimoto, 2001b: 287 **A:** JA

monticola Morimoto & Miyakawa, 1995: 25 **A:** JA

murakamii Morimoto, 1962c: 406 (*Atrachodes*) **A:** JA

ovipennis Morimoto & Miyakawa, 1995: 22 **A:** JA SC (Jeju)

sasajii Morimoto & Miyakawa, 1995: 24 **A:** JA

simulator Morimoto & Miyakawa, 1995: 26 **A:** JA

subfasciatus Voss, 1957b: 36 **A:** FE (Kuril Is.) JA SC

subgenus *Trachodes* Germar, 1823: 325 type species *Curculio squamifer* Paykull, 1800 (= *Curculio hispidus* Linnaeus, 1758)

Blastophila Gistel, 1856a: 370 type species *Curculio hispidus* Linnaeus, 1758

Metrachodes G.A.K. Marshall, 1948a: 427 type species *Curculio hispidus* Linnaeus, 1758

aegyptiacus Tournier, 1873a: 173 [EA] **N:** EG

asiaticus Desbrochers des Loges, 1895e: 98 **A:** TR

heydeni Stierlin, 1882a: 254 **E:** CR IT RO UK

hispidus Linnaeus, 1758: 383 (*Curculio*) **E:** AU BE BH BY CR CT CZ DE EN FI FR GB GE HU IT

LA LS LT LU NL NR NT PL RO SK SV SZ UK **NARI**

acanthion Beck, 1817: 22 (*Rhynchaenus*)

squamifer Paykull, 1800: 206 (*Curculio*) [HN]

hystrix Gyllenhal, 1836a: 513 **E:** ST UK **A:** AB GG IN TM

ovatus Weise, 1880: 482 **E:** ST **A:** AR GG

wittmeri Pesarini, 1973: 82 **A:** IN

7.12.25. Tribe Trigonocolini Lacordaire, 1863

genus *Trigonocolus* Lacordaire, 1863: 593 [RN] type species *Megarhinus firmus* Gyllenhal, 1835

Lystrus Pascoe, 1874: 64 type species *Lystrus sculptipennis* Pascoe, 1874

Megarhinus Schoenherr, 1835: 397 [HN] type species *Megarhinus firmus* Gyllenhal, 1835

Nosorhinus Fairmaire, 1901: 235 type species *Nosorhinus cuneatus* Fairmaire, 1901

alternans Heller, 1915b: 228 (*Megarhinus*) **A:** TAI

carinatus Voss, 1958b: 42 **A:** FUJ

niger Voss, 1937a: 266 **A:** YUN

sulcatus Roelofs, 1875b: 168 **A:** FE FUJ JA NE SC

elegans Kôno, 1928: 174 (*Lystrus*)

tibialis Kôno, 1928: 175 (*Lystrus*) **A:** FE JA SC TAI

7.12.26. Tribe Typoderini Voss, 1965

genus *Anchonidium* Bedel, 1884a: 92 type species *Styphlus unguicularis* Aubé, 1850

subgenus *Anchonidium* Bedel, 1884a: 92 type species *Styphlus unguicularis* Aubé, 1850

caucasicum Motschulsky, 1845a: 100 (*Orthochaetes*) **E:** BU RO ST TR UK **A:** GG TR

corticeum Faust, 1886b: 32

ulcerosum Aubé, 1850: 341 (*Styphlus*)

perpensum Faust, 1886b: 32 **A:** GG

unguiculare Aubé, 1850: 340 (*Styphlus*) **E:** FR GB PT SP **N:** MO

rotundicolle Fairmaire, 1883e: 216 (*Styphlus*)

genus *Aparopion* Hampe, 1861: 68 type species *Aparopion costatum* Hampe, 1861 (= *Trachodes costatus* Fåhraeus, 1843)

Acrodrya Tournier, 1874a: 71 type species *Acrodrya brucki* Tournier, 1874 (= *Trachodes chevrolati* Jacquelin du Val, 1855)

chevrolati Jacquelin du Val, 1855a: 74 (*Plinthus*) **E:** FR IT

brucki Tournier, 1874a: 72 (*Acrodrya*)

corsicum Perris, 1874: 9

costatum Fåhraeus, 1843: 409 (*Trachodes*) **E:** AL BH BU CR GE GR HU MC MD RO SB ST UK

A: AB GG TR

costatum Hampe, 1861: 68 [HN]

numidicum Zuppa & G. Osella, 1999: 39 **N:** AG

suturidens Reitter, 1891e: 248 **E:** FR (Corse) IT

genus *Baezia* Alonso-Zarazaga & García, 1999: 49 type species *Baezia litoralis* Alonso-Zarazaga & García, 1999

bimbache García, López & Oromí, 2007: 48 N: CI (El Hierro)

litoralis Alonso-Zarazaga & García, 1999: 49 N: CI (Tenerife)

martini García, 2003: 248 N: CI (La Palma)

vulcania Alonso-Zarazaga & García, 2002: 1 N: CI (La Palma)

genus *Niphadomimus* Zherikhin, 1987: 15 type species *Niphadomimus nigriventris* Zherikhin, 1987

alcyone Grebennikov, 2014a: 156 A: SCH

celaeno Grebennikov, 2014a: 157 A: SCH

electra Grebennikov, 2014a: 158 A: YUN

maia Grebennikov, 2014a: 160 A: YUN

merope Grebennikov, 2014a: 160 A: SHA

niger Zherikhin, 1987: 18 A: NP

nigriventris Zherikhin, 1987: 17 A: NP

sterope Grebennikov, 2014a: 162 A: YUN

genus *Oromia* Alonso-Zarazaga, 1987b: 106 type species *Oromia hephaestos* Alonso-Zarazaga, 1987

aguiari Alonso-Zarazaga, 1990a: 267 N: CI (Tenerife)

hephaestos Alonso-Zarazaga, 1987b: 108 N: CI (Tenerife)

thoracica Machado & López, 2015: 118 N: CI (Gran Canaria)

genus *Pentaparopion* Morimoto, 1982a: 104 type species *Pentaparopion costatum* Morimoto, 1982
costatum Morimoto, 1982a: 105 A: JA (Izu Is.)

genus *Pseudaparopion* Borovec, G. Osella & Zuppa, 2002: 870 type species *Aparopion aequale*
Reitter, 1883

aequale Reitter, 1884a: 9 (*Aparopion*) A: AB

kadleci Borovec, G. Osella & Zuppa, 2002: 873 A: IN

genus *Pseudoanthonidium* G. Osella, 1979a: 340 type species *Pseudoanthonidium tauricum* G. Osella,
1979

galilaeum G. Osella, 1985: 89 A: IS

pamphylicum G. Osella, 1979a: 344 A: TR

phoeniceum G. Osella, 1979a: 344 A: LE

tauricum G. Osella, 1979a: 342 A: TR

genus *Styphloderes* Wollaston, 1873b: 457 type species *Trachodes exsculptus* Boheman, 1843

subgenus *Parastyphloderes* Roudier, 1963b: 143 type species *Styphloderes lindbergi* Roudier, 1963

lindbergi Roudier, 1963b: 143 N: CI MR

subgenus *Styphloderes* Wollaston, 1873b: 457 type species *Trachodes exsculptus* Boheman, 1843

exsculptus Boheman, 1843: 410 (*Trachodes*) E: CR FR GR IT MA SP N: TU

littoralis Motschulsky, 1851a: 426 (*Cotaster*)

paulinoi Stierlin, 1886b: 229 (*Cotaster*) E: PT

subfamily Molytinae, nomen dubium

Plinthus iugifer L.W. Schaufuss, 1882b: 555 A: NP

subfamily Molytinae, incertae sedis

genus *Siraton* Hustache, 1934: 250 type species *Siraton devillei* Hustache, 1934 (= *Tranes internatus*
Pascoe, 1870)

Melanotrane Zimmerman, 1994a: 696 type species *Tranes internatus* Pascoe, 1870

internatus Pascoe, 1870a: 199 (*Tranes*) Ei: IT (I. Elba) AUR

devillei Hustache, 1934: 250

7.13. Subfamily **Platypodinae** Shuckard, 1840

7.13.1. Tribe **Platypodini** Shuckard, 1840

genus *Baiocis* Browne, 1962c: 651 type species *Crossotarsus pernanulus* Schedl, 1935
pernanulus Schedl, 1935e: 482 (*Crossotarsus*) A: SD **AUR ORR**
annularis Schedl, 1975b: 379 (*Platypus*)
solomonicus Browne, 1986b: 335

genus *Carchesiopygus* Schedl, 1939c: 402 type species *Crossotarsus wollastoni* Chapuis, 1865
assamensis Beeson, 1937: 59 (*Crossotarsus*) A: YUN **ORR**
impariporus Beeson, 1937: 62 (*Crossotarsus*) A: HAI SD XIZ YUN **ORR**
oculatus Beeson, 1937: 62 (*Crossotarsus*) A: AP UP

genus *Crossotarsus* Chapuis, 1865: 23, 44 type species *Platypus wallacei* J. Thomson, 1857
Crossotarsinulus Schedl, 1972a: 84, 85 type species *Crossotarsus sauteri* Strohmeyer, 1913

adustipennis Motschulsky, 1861: 19 (*Genyocerus*) A: JA
bonvouloiri Chapuis, 1865: 55 A: SD **ORR**
cinnamomi Beeson, 1937: 97 A: SD UP **ORR**
concinus Blandford, 1894c: 578 [RN] A: JA
chapuisi Blandford, 1894a: 129 [HN]
coniferae Stebbing, 1906: 411 A: HP KA UP YUN **ORR**
emancipatus Murayama, 1934c: 138 A: JA TAI
externedentatus Fairmaire, 1850b: 51 (*Platypus*) A: JA SD TAI UP **AFR AUR ORR**
formosanus Strohmeyer, 1912a: 41
heritiera Stebbing, 1906: 420 (*Diapus*)
nilgiricus Beeson, 1937: 73
posticus Broun, 1910: 301 (*Platypus*)
saundersi Chapuis, 1865: 80
submontanus Beeson, 1937: 72
usambariensis Strohmeyer, 1911b: 182
fairmairei Chapuis, 1865: 79 A: JA UP **ORR**
flavomaculatus Strohmeyer, 1912a: 40 A: JA TAI **ORR**
machili Beeson, 1937: 76 A: SD
mussooriensis Beeson, 1937: 84 A: UP
nepalensis Schedl, 1973c: 212 A: BT NP
niponicus Blandford, 1894a: 130 A: JA TAI
piceae Stebbing, 1906: 413 A: UP
piceus Chapuis, 1865: 56 A: TAI **AUR ORR**
saltatorinus Schedl, 1954c: 157 (*Platypus*) A: FUJ **ORR**
sauteri Strohmeyer, 1913: 164 A: TAI
rengetensis Niisima & Murayama, 1925: 208
simplex Murayama, 1925: 231 A: JA SC TAI
siva Beeson, 1937: 85 A: SD
squamulatus Chapuis, 1865: 87 A: PA SD YUN **ORR**
fragmentus Sampson, 1912: 249
minor Sampson, 1928: 2
squamuloides Beeson, 1937: 79
sundri Beeson, 1937: 79
terminatus Chapuis, 1865: 83 A: TAI UP **AUR ORR**
nicobaricus Beeson, 1937: 86
sedulus Schedl, 1972c: 66
venustus Chapuis, 1865: 88
venustus Beeson, 1937: 85
ursus Schedl, 1935f: 640 A: SD **ORR**
wallacei J. Thomson, 1857b: 343 (*Platypus*) A: TAI YUN **AUR ORR**
wilmoti Stebbing, 1911: 105 (*Platypus*) A: KA UP

genus *Dinoplatypus* Wood, 1993: 273 type species *Platypus cupulatus* Chapuis, 1865
anthocephali Schedl, 1969b: 60 (*Platypus*) A: SD
biuncus Blandford, 1896b: 194 (*Platypus*) A: UP **ORR**
calamus Blandford, 1894a: 137 (*Platypus*) A: GUA FUJ JA SC
cavus Strohmeyer, 1913: 162 (*Platypus*) A: BT PA **ORR**
cupulifer Wichmann, 1914b: 413 (*Platypus*)
cupulatus Chapuis, 1865: 278 (*Platypus*) A: BT HAI SD **AUR ORR**
blumi Schedl, 1979a: 158 (*Platypus*)
decens Sampson, 1922: 147 (*Platypus*) A: FUJ NP **ORR**

falcatus Strohmeier, 1908b: 73 (*Platypus*) A: NP UP **ORR**
flectus Niisima & Murayama, 1931: 197 (*Platypus*) A: FUJ GUA JA TAI
formosanus Niisima & Murayama, 1925: 214 (*Platypus*) [HN]
kusukusensis Murayama, 1956b: 13 (*Platypus*)
murayamaensis Schedl, 1941a: 43 (*Platypus*)
hamatus Blandford, 1894a: 138 (*Platypus*) A: JA
lepidus Chapuis, 1865: 282 (*Platypus*) A: TAI **AFR AUR ORR**
luniger Motschulsky, 1863: 510 (*Platypus*) A: JA TAI YUN **AFR AUR ORR**
caliculus Chapuis, 1865: 280 (*Platypus*)
schultzei Strohmeier, 1911a: 26 (*Platypus*)
pseudocupulatus Schedl, 1935f: 635 (*Platypus*) A:CH **AUR ORR**
artecavus Schedl, 1941d: 422 (*Platypus*)
sundaensis Schedl, 1941d: 421 (*Platypus*)
tenuis Murayama, 1925: 233 A: JA **ORR**

genus *Doliopygus* Browne, 1962c: 648 type species *Crossotarsus bohemani* Chapuis, 1865
Doliopygus Schedl, 1972a: 143 [HN] type species *Crossotarsus bohemani* Chapuis, 1865
crinitus Chapuis, 1865: 90 (*Crossotarsus*) N: EG **AFR**

genus *Megaplatypus* Wood, 1993: 275 type species *Platypus dentatus* Dalman, 1823
mutatus Chapuis, 1865: 136 (*Platypus*) Ei: IT **NTR**
plicatus Brèthes, 1909: 225 (*Platypus*)
sulcatus Chapuis, 1865: 137 (*Platypus*)

genus *Peroplatypus* Wood, 1993: 272 type species *Platypus truncatipennis* Schedl, 1964
abruptus Sampson, 1923: 285 (*Platypus*) A: UP

genus *Platypus* Herbst, 1793: 128 type species *Bostrichus cylindrus* Fabricius, 1792
Cylindra Illiger, 1802: 303 [URN] type species *Bostrichus cylindrus* Fabricius, 1792
Platypinus Schedl, 1939c: 397 [NA]
Stenoplatypus Strohmeier, 1914a: 35 type species *Crossotarsus spinulosus* Strohmeier, 1912
arisannensis Murayama, 1934c: 135 A: TAI
biformis Chapuis, 1865: 255 A: SD PA UP **ORR**
contaminatus Blandford, 1894a: 131 (*Crossotarsus*) A: FUJ JA TAI "Himalaya"
curtatus Sampson, 1923: 286 A: SD **ORR**
curtus Chapuis, 1865: 261 A: FUJ TAI **AUR ORR**
artecurtus Schedl, 1960a: 50
cylindrus Fabricius, 1792: 364 (*Bostrichus*) E: AU BE BU BY CR CT CZ DE FR GB GE GR HU IT
LA MC NL NR PL PT RO SK SL SP ST SV SZ UK YU N: AG EG LB MO TU A: IN TR
bimaculatus Duftschmid, 1825: 88 (*Cylindra*)
cylindriiformis Reitter, 1895n: 94
flavicornis Kugelann, 1792: 496 (*Bostrichus*) [NA]
platypus Duftschmid, 1825: 87 (*Cylindra*)
darjeelingensis Schedl, 1969b: 61 A: SD
dasycauda Browne, 1980a: 376 A: TAI
errans Sampson, 1922: 145 (*Crossotarsus*) A: UP SD **ORR**
eugeniae Schedl, 1971b: 390 A: UP
formosanus Niisima & Murayama, 1925: 215 A: JA TAI
taiwansis Schedl, 1960b: 111
horishensis Murayama, 1928: 284 A: TAI
hybridus Schedl, 1935b: 395 A: PA **AUR ORR**
indicus Strohmeier, 1910: 131 A: SD TAI UP **ORR**
jansoni Chapuis, 1865: 244 A: TAI **AFR AUR ORR**
kiushuensis Murayama, 1936: 145 A: GUI JA TAI
klapperichi Schedl, 1941a: 44 (*Stenoplatypus*) A: FUJ GUA
koryoensis Murayama, 1930: 24 (*Crossotarsus*) A: FE JA SC TAI
levannongi Schedl, 1974b: 265 A: TAI **ORR**
beaveri Browne, 1975: 306
formosanus Niisima & Murayama, 1925: 217 (*Diapus*) [HN]
keelungensis Browne, 1985: 294
lewisi Blandford, 1894a: 134 A: BT FUJ GUI JA SC SD TAI **ORR**
lobacanthus Schedl, 1969b: 59 (*Carchesiopygus*) A: UP **ORR**
lopchuensis Schedl, 1969b: 68 A: SD

lunatulus Browne, 1980d: 497 **A:** TAI
modestus Blandford, 1894a: 133 **A:** JA TAI
nijimai Murayama, 1931b: 197 **A:** TAI
obtusipennis Schedl, 1940a: 2 **A:** TAI **ORR**
octodentatus Browne, 1985: 294 **A:** TAI
psilacanthurus Beeson, 1937: 60 (*Crossotarsus*) **A:** SD **ORR**
quadriporus Beeson, 1937: 96 (*Crossotarsus*) **A:** BT SD **ORR**
querci Browne, 1980c: 488 **A:** TAI
quercivorus Murayama, 1925: 229 (*Crossotarsus*) **A:** FE JA SD TAI AUR **ORR**
sexfenestratus Beeson, 1937: 94 (*Crossotarsus*)
secretus Sampson, 1921: 25 **A:** BT SD **ORR**
eruditus Schedl, 1942c: 212
sexualis Beeson, 1937: 95 (*Crossotarsus*) **A:** UP
simulans Schedl, 1941c: 413 **A:** SY TR
sinensis Schedl, 1941a: 43 **A:** FUJ GUA
stenoplicatus Schedl, 1940a: 3 **A:** FUJ **ORR**
suffodiens Sampson, 1913: 447 **A:** SD **ORR**
taiheizanensis Murayama, 1932: 485 (*Crossotarsus*) **A:** TAI

genus *Platypus*, nomen dubium

Platypus linearis Stephens, 1835: 419 **E:** GB

genus *Treptoplatypus* Schedl, 1972a: 243 type species *Crossotarsus trepanatus* Chapuis, 1865
oxyurus Dufour, 1843: 92 (*Platypus*) **E:** FR GE GR HU IT SK SP **A:** IN TR
quadriporus Schedl, 1971b: 397 **A:** FUJ
severini Blandford, 1894a: 136 (*Platypus*) **A:** FE JA SC SE TAI
solidus Walker, 1859a: 261 (*Platypus*) **A:** IS JA NP PA SC SD TAI UP YUN **AUR ORR**
caudatus Motschulsky, 1863: 509 (*Platypus*)
cordatus Motschulsky, 1863: 510 (*Platypus*)
exilis Chapuis, 1865: 268 (*Platypus*)
obtusus Chapuis, 1865: 268 (*Platypus*)
pilifrons Chapuis, 1865: 265 (*Platypus*)
rudis Chapuis, 1865: 268 (*Platypus*)
xylographus Schedl, 1969a: 216 (*Platypus*) **A:** TAI

7.13.2. Tribe Tesserocerini Blandford, 1896

7.13.2.1. Subtribe Diapodina Strohmeier, 1914

genus *Diapus* Chapuis, 1865: 43, 329 type species *Diapus quadrispinatus* Chapuis, 1865
aculeatus Blandford, 1894a: 139 **A:** BT JA TAI UP **ORR**
aulacus Beaver & L.-Y. Liu, 2008: 112 **A:** TAI
minor Schedl, 1954c: 158 **A:** SD **ORR**
molossus Chapuis, 1865: 333 **A:** UP **ORR**
capillatus Sampson, 1913: 449
impressus O.E. Janson, 1893: 74
orientalis Knížek, Beaver & L.-Y. Liu, 2015: 297 **A:** SCH YUN **ORR**
quadrispinatus Chapuis, 1865: 332 **A:** BT NP UP YUN **ORR**
quinquespinatus Chapuis, 1865: 334 **A:** BT JA TAI UP XIZ YUN **AFR AUR ORR**
tonkinensis Schedl, 1972d: 201
truncatus Niisima & Murayama, 1934: 143 **A:** SD TAI UP **ORR**
spatulifer Browne, 1977: 101

genus *Genyocerus* Motschulsky, 1858: 68 type species *Genyocerus albipennis* Motschulsky, 1858

Diacavus Schedl, 1939b: 363 type species *Diapus frontalis* Strohmeier, 1914

albipennis Motschulsky, 1858: 68 **A:** JA **ORR**

irregularis Browne, 1970: 582 (*Diacavus*)

diaphanus Schedl, 1939b: 364 (*Diacavus*) **A:** JAi UP **ORR**

abdominalis Schedl, 1942c: 218 (*Diacavus*)

assamensis Browne, 1964: 760 (*Diacavus*)

philippinensis Schedl, 1942c: 216 (*Diacavus*)

sexporus Schedl, 1942c: 217 (*Diacavus*)

talurae Stebbing, 1906: 418 (*Diapus*) A: PA UP **ORR**

dipteroearpi Browne, 1977: 98

furtivus Sampson, 1913: 450 (*Diapus*)

mirus Sampson, 1913: 452 (*Diapus*)

7.14. Subfamily **Scolytinae** Latreille, 1804

7.14.1. Tribe Corthylini LeConte, 1876

7.14.1.1. Subtribe Corthylina LeConte, 1876

genus *Gnatharus* Wood & Yin, 1986: 463 type species *Gnatharus tibetensis* Wood & Yin, 1986
tibetensis Wood & Yin, 1986: 463 A: XIZ **ORR**

genus *Gnathotrichus* Eichhoff, 1869b: 275 type species *Gnathotrichus corthylodes* Eichhoff, 1869 (= *Tomicus materiarius* Fitch, 1858)

Ancyloderes Blackman, 1938: 205 type species *Cryphalus pilosulus* LeConte, 1868

Paraxyleborus A. Hoffmann, 1942b: 72 type species *Xyleborus duprezi* A. Hoffmann, 1936 (= *Tomicus materiarius* Fitch, 1858)

Prognathotrichus Bright, 1972b: 1678 type species *Prognathotrichus primus* Bright, 1972

materiaris Fitch, 1858: 726 (*Tomicus*) Ei: AU BE CZ FI FR GE IT NL PL SP SV SZ **NAR**

corthylodes Eichhoff, 1869b: 275

duprezi A. Hoffmann, 1936d: 43 (*Xyleborus*)

genus *Monarthrum* Kirsch, 1866: 213 type species *Monarthrum chapuisi* Kirsch, 1866

Corthylomimus Ferrari, 1867: 48 type species *Bostrichus fasciatus* Say, 1826

Cosmocorynus Ferrari, 1867: 62 type species *Cosmocorynus cristatus* Ferrari, 1867

Pterocyclon Eichhoff, 1869b: 276 type species *Pterocyclon laterale* Eichhoff, 1869

Anchonomeris Eichhoff, 1878b: 67, 431 type species *Anchonomeris rufipes* Eichhoff, 1878 (= *Pterocyclon ingens* Eichhoff, 1869)

Phthorinus Eichhoff, 1878b: 67, 433 type species *Pterocyclon ingens* Eichhoff, 1869

Trypocranus Eichhoff, 1878b: 67, 435 type species *Trypocranus cinctatus* Eichhoff, 1878

Eupteroxylon Eggers, 1936b: 392 type species *Eupteroxylon comatum* Eggers, 1936 (= *Pterocyclon scrobiceps* Eichhoff, 1878)

Xyleboripis Reitter, 1913h: 111 type species *Xyleborus meuseli* Reitter, 1905

mali Fitch, 1856: 326 (*Tomicus*) Ei: IT **NAR**

longulum Eichhoff, 1869b: 278 (*Pterocyclon*)

omissum Schedl, 1952c: 347 (*Pterocyclon*)

opacifrons Schedl, 1950e: 167 (*Pterocyclon*)

praeustum Eggers, 1941a: 100 (*Pterocyclon*)

meuseli Reitter, 1905b: 249 (*Xyleborus*) A: ES

genus *Urocorthylus* Petrov, Mandelshtam & Beaver, 2007 type species *Urocorthylus hirtellus* Petrov, Mandelshtam & Beaver, 2007

fanii J-L. Wang, Beaver & Hulcr, 2017: 54 A: TAI

7.14.1.2. Subtribe Pityophthorina Eichhoff, 1878

genus *Araptus* Eichhoff, 1872a: 136 type species *Araptus rufopalliatius* Eichhoff, 1872

Brachydendrus Schedl, 1951b: 114 type species *Brachydendrus eggersi* Schedl, 1951

Breviophthorus Schedl, 1938c: 176 type species *Breviophthorus brasiliensis* Schedl, 1938 (= *Neodryocoetes gracilentus* Schedl, 1972)

Gnathoborus Schedl, 1970a: 93 type species *Breviophthorus argentinae* Schedl, 1958

Gnathocranus Schedl, 1951b: 116 type species *Gnathocranus novateutonicus* Schedl, 1951

Neodryocoetes Eggers, 1933b: 9 type species *Neodryocoetes hymenaeae* Eggers, 1933

— ~~*Sphenoceros* Schedl, 1939e: 565 type species *Sphenoceros limax* Schedl, 1939~~

Thammophthorus Blackman, 1942: 178 type species *Thammophthorus volastos* Schedl, 1938

micrographus Schedl, 1972b: 60 (*Breviophthorus*) Ei: LA **NTR**

micrograptinus Wood, 1989: 179 [URN] (*Pityophthorus*)

genus *Mimiocurus* Schedl, 1957: 72 type species *Mimiocurus acuminatus* Schedl, 1957

Micracidendron Schedl, 1957: 71 type species *Micracidendron montanum* Schedl, 1957

Mimiophthorus Schedl, 1957: 77 type species *Brachydendrus congonus* Schedl, 1952 [as *montanus*, lapsus, corrected in Schedl 1963 and 1964]

oleanderi Schedl, 1961a: 187 (*Neodryocoetes*) Ei: TR

genus *Pityophthorus* Eichhoff, 1864: 39 type species *Bostrichus lichtensteinii* Ratzeburg, 1837

Cladoborus Sawamoto, 1942: 165 type species *Cladoborus arakii* Sawamoto, 1942

Conophthocranulus Schedl, 1935d: 343 type species *Conophthocranulus blackmani* Schedl, 1935
Ctenyophthorus Schedl, 1955b: 26 type species *Ctenyophthorus glabratus* Schedl, 1955
Gnathophorus Schedl, 1935d: 342 [HN] type species *Gnathophorus sparsepilosus* Schedl, 1935
Gnathophorus Wood, 1962: 76 [RN] type species *Gnathophorus sparsepilosus* Schedl, 1935
Hagedornus R. Lucas, 1920: 683 [RN] type species *Trigonogenius fallax* Hagedorn, 1912
Hypopityophthorus Bright, 1981: 14 type species *Pityophthorus inops* Wood, 1976
Myeloborus Blackman, 1928: 16 type species *Pityophthorus ramiperda* Swaine, 1917
Neomips Schedl, 1954a: 37 type species *Neomips brasiliensis* Schedl, 1954 (= *Pityophthorus dimorphus* Schedl, 1959)
~~*Pityophthoroides* Blackman, 1942: 199 type species *Pityophthoroides pudens* Blackman, 1942~~
Trigonogenius Hagedorn, 1912c: 354 [HN] type species *Trigonogenius fallax* Hagedorn, 1912
abietinus Wood, 1989: 179 [RN] A: FE
abietis Kurentsov, 1941: 179 [HN]
kuwentzovi Krivolutskaya, 1996: 370 [RN]
sibiricus Nunberg, 1956: 208 [HN]
arakii Sawamoto, 1942: 167 (*Cladoborus*) A: JA
balcanicus Pfeffer, 1940b: 123 E: AL BH BU CZ MC RO SK YU
buyssoni angerei Pfeffer, 1927: 111 E: FR (Corse)
buyssoni buyssoni Reitter, 1901d: 101 E: BU FR GR IT SP SZ "Yugoslavia"
carniolicus Wichmann, 1910: 145 E: AU CR CZ FR GE HU IT PL SK SL SZ
cedri Wood, 1989: 182 A: HP KA
cephalonicae Pfeffer, 1940b: 119 E: GR PL
polonicus Karpiński, 1949: 125
chilgoza Wood, 1989: 183 A: HP
deodara Stebbing, 1903: 274 (*Cryphalus*) A: HP KA UP
himalayensis Stebbing, 1914: 540 (*Cryphalus*)
sampsoni Stebbing, 1914: 551
exsculptus Ratzeburg, 1837: 162 (*Bostrichus*) E: AU BH BU CT CZ FR GE HU IT PL SK SZ
macrographus Eichhoff, 1881: 200
flavimaculatus Murayama, 1963b: 392 A: "Tairei in North Manchuria"
glabratus Eichhoff, 1878b: 179 E: AU BU BY CR CT CZ DE EN FI FR GE GR IT LT LU NR NT
PL SK SP ST SV SZ UK YU N: EG A: NO WS
henscheli Seitner, 1887: 44 E: AU BH BU FR GE GR IT ME RO SZ UK
senex Wichmann, 1913b: 143
jucundus Blandford, 1894a: 87 A: FE (Sakhalin) JA NC NE SC
juglandis Blackman, 1928: 42 Ei: IT **NAR**
kirgisicus Pyatnitskiy, 1931: 167 A: KI KZ
lapponicus Kurentsov, 1941: 177 E: NT A: FE
lapponicus Stark, 1952: 356
lichtensteini Ratzeburg, 1837: 162 (*Bostrichus*) E: AU BE BH BU CT CZ DE EN FI FR GB GE GR
HU IT LA LT LU MC ME NL NR NT PL SK SL SP ST SV SZ UK A: ES FE (Kuril Is.) FUJ
KZ MG NE NO YUN
knoteki Reitter, 1898d: 356
robustus Pfeffer, 1940b: 118
rossicus Eggers, 1915a: 13
mauretanicus Peyerimhoff, 1930b: 259 E: FR N: AG EG LB MO TU
micrographus micrographus Linnaeus, 1758: 355 (*Dermestes*) E: AU BU BY CR CT CZ DE EN FI FR
GE GR HU IT LA LT LU NR NT LU PL RO SP SV SZ UK YU "Caucasus" A: IN KZ TR
WS
curtulus Sokanovskiy, 1954: 19
~~*fabricii* Billberg, 1820: 46 (*Tomicus*) [URN]~~
fennicus Eggers, 1914b: 183
longulus Sokanovskiy, 1954: 19
micrographus sibiricus Stark, 1952: 344 A: ES FE MG NO
morosovi Spessivtsev, 1926a: 48 E: AU CT CZ EN FI LA NT PL SV A: ES HEI LIA QIN WS
parfentievi Pyatnitskiy, 1931: 169 A: KI KZ
schrenkianae Pyatnitskiy, 1931: 171
pini Kurentsov, 1941: 176 A: ES FE HEI NC QIN WS
pinsapo Pfeffer, 1982: 154 E: SP
pityographus cribratus Pfeffer, 1940b: 116 E: GR ST A: TR
maritimus Stark, 1952: 344
pityographus pityographus Ratzeburg, 1837: 162 (*Bostrichus*) E: AU BE BH BU CR CT CZ DE EN FR
GE GR HU IT MC ME PL RO SK SL SP SV SZ UK
bibractensis Balachowsky, 1949a: 236

ramulorum Perris, 1856: 191 (*Tomicus*) E: AU BE CR CZ DE FR GB GE GR HU IR IT NL NR PL
SK SL SP SV SZ N: AG EG LB MO TU A: CY IS TR
pubescens Marsham, 1802:58 (*Ips*) [NA]
sachalinensis Krivolutskaya, 1956: 838 A: FE (Sakhalin)
seiryuensis Murayama, 1963b: 393 A: "Seiryu in South Manchuria"
sichotensis Kurentsov, 1941: 175 A: ES FE
solus Blackman, 1928: 64 Ei: SP NAR
cribratus Blackman, 1942: 216
traegardhi Spessivtsev, 1921: 219 E: AU CT EN FI NR NT PL SV A: ES FE MG WS

genus *Pityotrichus* Wood, 1962: 76 [RN] type species *Pityophilus barbatus* Blackman, 1928
Pityophilus Blackman, 1928: 147 [HN] type species *Pityophilus barbatus* Blackman, 1928
turkmenicus Mandelshtam & Petrov, 2006: 214 A: TM

genus *Pseudopityophthorus* Swaine, 1918: 93 type species *Crypturgus minutissimus* Zimmermann, 1868
Xenophthorus Wood & Yin, 1986: 462 type species *Pseudopityophthorus peregrinus* Wood & Yin, 1986
peregrinus Wood & Yin, 1986: 462 A: XIZ

7.14.2. Tribe Cryphalini Lindemann, 1877

genus *Allernoporus* Kurentsov, 1941: 159 type species *Allernoporus euonymi* Kurentsov, 1941
euonymi Kurentsov, 1941: 159 A: FE NC SC

genus *Coriacephilus* Schedl, 1939b: 339 type species *Stephanoderes coriaceus* Eichhoff, 1878
coriaceus Eichhoff, 1878b: 494 (*Stephanoderes*) A: TAI ORR
birmanus Eggers, 1925: 156 (*Cryphalus*)

genus *Cosmoderes* Eichhoff, 1878a: 387 type species *Cosmoderes monilicollis* Eichhoff, 1878a
Cosmoderes Eichhoff, 1878b: 495 [HN] type species *Cosmoderes monilicollis* Eichhoff, 1878b (= *Cosmoderes monilicollis* Eichhoff, 1878a)
Dendriops Schedl, 1953c: 125 type species *Dendriops granulicollis* Schedl, 1953 (= *Cosmoderes monilicollis* Eichhoff, 1878)
Erioschidias Wood, 1960a: 21 type species *Cryphalus setistriatus* Lea, 1910
Pseudocosmoderes Nobuchi, 1981a: 16 type species *Pseudocosmoderes attenuatus* Nobuchi, 1981
attenuatus Nobuchi, 1981a: 17 (*Pseudocosmoderes*) A: TAI ORR
consobrinus Blandford, 1894a: 86 A: JA TAI
monilicollis Eichhoff, 1878a: 387 A: GUI SD TAI ORR
coriaceus Schedl, 1959d: 474 (*Erioschidias*)
granulicollis Schedl, 1953c: 125 (*Dendriops*)
monilicollis Eichhoff, 1878b: 496 [HN]

genus *Cryphalus* Erichson, 1836: 61 type species *Bostrichus asperatus* Gyllenhal, 1813
Allarthrum Hagedorn, 1912c: 355 type species *Allarthrum kolbei* Hagedorn, 1912
Cryptarthrum Blandford, 1896b: 200 type species *Cryptarthrum walkeri* Blandford, 1896
Ericryphalus Hopkins, 1915a: 38 type species *Ericryphalus henschawi* Hopkins, 1915 (= *Hypothenemus sylvicola* Perkins, 1900)
Ernocryphalus Murayama, 1958: 934 type species *Ernocryphalus birosimensis* Murayama, 1958
Piperius Hopkins, 1915a: 39 type species *Piperius pini* Hopkins, 1915 (= *Hypothenemus sylvicola* Perkins, 1900)
Pseudocryphalus Ferrari, 1869: 252 type species *Bostrichus sidneyanus* Nördlinger, 1856
Taenioglyptes Bedel, 1888a: 398 type species *Bostrichus piceae* Ratzeburg, 1837
abbreviatus Schedl, 1943: 35 A: JA
aquiloni Nobuchi, 1975: 52 (*Taenioglyptes*) A: JA
asperatus Gyllenhal, 1813: 368 (*Bostrichus*) E: AU BE BH BU BY CT CZ CR DE EN FI FR GB GE
GR HU IR IT LA LT LU MC ME NL NR NT PL RO SK SL SP ST SV SZ UK N: AG MO
A: ES FE JA NC TR
abietis Ratzeburg, 1837: 163 (*Bostrichus*)
babai Murayama, 1961: 29 A: JA
bicarinatus Nobuchi, 1975: 53 (*Taenioglyptes*) A: JA
birosimensis Murayama, 1958: 935 (*Ernocryphalus*) A: JA
capucinus Schedl, 1938e: 425 A: CH
carpini Berger, 1917: 234 A: FE JA SC
carpinivorus Murayama, 1930: 14 A: SC
chamaecipariae Niisima, 1910: 10 A: JA
chinlingensis Tsai & C-L. Li, 1963: 612, 623 A: SCH SHA SHX

coryli Stark, 1936b: 144 A: FE NC
cryptomeriae Niisima, 1908: 91 A: JA
dissimilis Nobuchi, 1975: 57 (*Taenioglyptes*) A: JA
dorsalis Motschulsky, 1866b: 403 (*Hypoborus*) A: HAI **ORR**
indicus Eichhoff, 1878a: 384
indicus Eichhoff, 1878b: 489 [HN]
nebulosus Motschulsky, 1866b: 403 (*Hypoborus*)
sericeus Motschulsky, 1866b: 402 (*Hylesinus*)
eriotryae Johnson, 2019: 3 A: JIA
exiguus Blandford, 1894a: 82 A: ANH BEI FE (Kuril Is.) GUI HEB JA JIA NC SC SCH SHA SHN
TAI ZHE
pilosus Sasaki, 1899: 238
felis Wood, 1989: 180 A: UP
ficivorus Murayama, 1958: 933 A: JA
formosanus Schedl, 1942c: 175 A: TAI
fulmineus Wood, 1989: 180 A: HP SCH UP
fulvus Niisima, 1908: 92 A: JA LIA NC NE NO SC SHN TAI
pini Eggers, 1921: 39
garciniae Nobuchi, 1959b: 24 A: JA (Ryukus)
hirsutus Nobuchi, 1975: 52 (*Taenioglyptes*) A: JA
intermedius Ferrari, 1867: 79 E: AU CZ FR GE HU IT LS PL RO SK SL SZ
jeholensis Murayama, 1939: 143 A: HEB JA SC "Manchuria"
jezoensis Inouye & Nobuchi, 1957: 49 A: JA
jugransi Niisima, 1913: 3 A: JA
kagoshimensis Nobuchi, 1975: 56 (*Taenioglyptes*) A: JA
kurenzovi Stark, 1936b: 150 A: FE NC
punctulatus Eggers, 1942: 29
ussuriensis Eggers, 1942: 29
kyotoensis Nobuchi, 1966: 53 A: JA
laricis Niisima, 1909: 142 A: FE (Sakhalin) JA SC
latus Eggers, 1929a: 10 A: ES FE HEI JIL NC WS
premayaensis Murayama, 1943: 97
lepocrinus Tsai & C-L Li, 1963: 619, 624 A: SCH SHA YUN
lipingensis Tsai & C-L Li, 1959: 90 A: GUI HAI SCH SHA SHX YUN
longisetosus Nobuchi, 1975: 57 (*Taenioglyptes*) A: JA
longus Eggers, 1926a: 136 (*Ernoporus*) A: FE JA
alni Krivolutskaya, 1958: 145
major Stebbing, 1903: 270 A: HP UP **ORR**
morinda Stebbing, 1903: 265
malus Niisima, 1909: 144 A: FE HEI JA LIA NC SC
padi Krivolutskaya, 1958: 144
mandschuricus Eggers, 1929a: 10 A: FE HEI NC
markangensis Tsai & C-L Li, 1963: 618, 624 A: HUB JIA SCH YUN
massonianus Tsai & C-L Li, 1963: 613, 623 A: HEN HUN JIA SCH YUN
meridionalis Nobuchi, 1975: 55 (*Taenioglyptes*) A: GUI HUN JA
miyalopiceus Tsai & C-L Li, 1963: 608, 622 A: QIN SCH XIZ YUN
montanus Nobuchi, 1964: 129 A: JA
niponensis Inouye & Nobuchi, 1957: 51 A: JA
numidicus Eichhoff, 1878a: 385 E: BU FR GR IT SP SZ N: AG EG LB MO TU A: TR
numidicus Eichhoff, 1878b: 487 [HN]
parvulus Niisima, 1910: 8 A: JA
piceae Ratzeburg, 1837: 163 (*Bostrichus*) E: AU BE BH BU BY CR CT CZ FR GE GR HU IT LA
LT MC ME PL RO SK SL SP ST SZ UK N: AG A: FE JA NC NE SC TR "Manchuria"
hattorii Kôno, 1938a: 67
orientalis Eggers, 1911b: 122
subdepressus Eggers, 1940f: 37
piceus Eggers, 1926a: 136 A: FE HEI JA NE "Korea"
pilosus Tsai & C-L Li, 1963: 617, 624 A: SCH YUN
pruni Eggers, 1929a: 11 A: FE NC YUN
pseudochinlingensis Tsai & C-L Li, 1963: 610, 623 A: SHA SHX
pseudotabulaeformis Tsai & C-L Li, 1963: 613, 624 A: BEI HEB SHA SCH

pulchellus Nobuchi, 1975: 54 (*Taenioglyptes*) A: JA
redikorzevi Berger, 1917: 232 A: FE HUB NC SC SCH YUN
rhusii Niisima, 1909: 145 A: FE (Kuril Is.) JA NC
kurilensis Krivolutskaya, 1968: 53
saltuarius Weise, 1891a: 336 [RN, NP] E: AU BU BY CT CZ DE EN FI FR GE HU IT LS ME NR
 NT PL SK SV SZ "Caucasus" A: ES FE GUX SCH WS YUN
scriba Gozis, 1886a: 31 [RN, NO]
asperatus Ratzeburg, 1837: 163 ~~[HN]~~ (*Bostrichus*) [NA]
samoensis Beeson, 1929: 224 A: HAI **ORR**
sawadai Nobuchi & Takahashi, 1965: 3 A: JA
scopiger Berger, 1917: 228 A: FE HEI JA NC SC
sichotensis Kurentsov, 1941: 152 A: FE JA
sinoabietis Tsai & C-L. Li, 1963: 606, 622 A: CHQ GAN SCH YUN
opienensis Tsai & C-L. Li, 1963: 607, 622
sordidus Nobuchi, 1975: 51 (*Taenioglyptes*) A: JA
strohmeiyeri Stebbing, 1914: 538 A: KA SCH SD UP XIZ YUN
indicus Stebbing, 1906: 403
substriatus Schedl, 1942c: 174 A: YUN **ORR**
szechuanensis Tsai & C-L. Li, 1963: 614, 624 A: SCH
tehchangensis Tsai & C-L. Li, 1963: 615, 624
tabulaeformis Tsai & C-L. Li, 1963: 609, 623 A: GUI HEB LIA SCH SHA SHX YUN ZHE
chienzhuangensis Tsai & C-L. Li, 1963: 610, 623
taiwanus Schedl, 1970c: 359 A: TAI
viburni Stark, 1936b: 151 A: FE SHA SHX
viburni Eggers, 1942: 30
yamaguchii Inouye & Nobuchi, 1957: 55 A: JA

genus *Eidophelus* Eichhoff, 1876: 200 type species *Eidophelus imitans* Eichhoff, 1876
Phellodendrophagus Krivolutskaya, 1958: 107, 150 type species *Phellodendrophagus elegans* Krivolutskaya, 1958 (= *Eidophelus imitans* Eichhoff, 1876)
Idophelus Rye, 1877: 362 [UE]
imitans Eichhoff, 1876: 201 A: FE JA SC TAI **ORR**
elegans Krivolutskaya, 1958: 150 (*Phellodendrophagus*)
nitidus Schedl, 1959d: 475 (*Ptilopodius*)
minutus Blandford, 1894a: 88 A: JA

genus *Ernocladius* Wood, 1980: 93 type species *Cryphalus corpulentus* Sampson, 1919
corpulentus Sampson, 1919: 113 (*Cryphalus*) A: JA **ORR**
sundri Schedl, 1969b: 48 (*Margadillius*)

genus *Ernoporicus* Berger, 1917: 242 type species *Ernoporicus spessivtzevi* Berger, 1917
Eocryphalus Kurentsov, 1941: 161 type species *Eocryphalus semenovi* Kurentsov, 1941
Ernopocerus Wood, 1954: 986 type species *Ernoporus caucasicus* Lindemann, 1877
alniphagus Nobuchi, 1975: 43 A: JA
ater Nobuchi, 1975: 42 A: JA
caucasicus Lindemann, 1877: 373 (*Ernoporus*) E: AU BE CZ DE FI FR GB GE GR HU IT NR PL
 RO SB SK SL SP ST SV SZ UK A: AB IN TR
schreineri Eichhoff, 1881: 185 (*Cryphalus*)
corni Kurentsov, 1941: 162 (*Hypothenemus*) A: FE NC
fagi Fabricius, 1798: 157 (*Apate*) E: AL AU BE BU CR CT CZ DE FR GB GE GR HU IT MC ME
 NL PL RO SB SK SP ST SV SZ UK A: TR
serratus Panzer, 1795: 288 (*Bostrichus*)
thomsoni Ferrari, 1867: 14 (*Cryphalus*)
insularum Krivolutskaya, 1968: 56 (*Hypothenemus*) A: FE (Kuril Is.) JA
elongatus Nobuchi, 1975: 42 (*Ericryphalus*)
krivolutskayae Wood, 1992: 79 (*Hypothenemus*) [URN]
semenovi Kurentsov, 1941: 161 (*Eocryphalus*) A: FE
spessivtzevi Berger, 1917: 243 A: FE
takahashii Nobuchi, 1975: 43 A: JA
zachvatkini Krivolutskaya, 1958: 149 A: FE

genus *Ernoporus* C.G. Thomson, 1859: 147 type species *Apate tiliae* Panzer, 1793
Cryphalops Reitter, 1889c: 94 type species *Cryphalus lederi* Reitter, 1889 (= *Apate tiliae* Panzer, 1793)

Euptilius Schedl, 1940e: 589 type species *Ernoporus centralis* Eggers, 1936
Stephanorhopalus Hopkins, 1915a: 35 type species *Stephanorhopalus nulodori* Hopkins, 1915 (= *Stephanorhopalus melodori* Hopkins, 1915)

acanthopanaxi Niisima, 1913: 4 (*Cryphalus*) A: JA

formosanus Browne, 1981a: 129 (*Ptilopodius*) A: TAI

japonicus Nobuchi, 1966: 52 A: JA

shimanensis Murayama, 1953a: 36 A: JA

tiliae Panzer, 1793: 14 (*Apate*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA

NR NT PL RO SB SK SL SP ST SV SZ UK A: FE NC SC TR

eggersi Kurentsov, 1941: 155

lederi Reitter, 1889c: 93 (*Cryphalus*)

ratzeburgi Ferrari, 1867: 11 (*Cryphalus*)

starki Eggers, 1942: 31

genus *Hypocryphalus* Hopkins, 1915a: 41 type species *Hypocryphalus rotundus* Hopkins, 1915

Dacryphalus Hopkins, 1915a: 42 type species *Dacryphalus obesus* Hopkins, 1915

constrictus Schedl, 1942a: 174 (*Cryphalus*) A: JA (Ryūkyū)

constrictus Schedl, 1942b: 22 [HN]

froggatti Nunberg, 1961: 611

perminimus Schedl, 1942b: 13 (*Cryphalus*)

dilutus Eichhoff, 1878a: 384 (*Cryphalus*) Ei: IT (Sicilia) MA Ni: TU A: AE HAI IS OM PA UP

YUN NARi ORR

dilutus Eichhoff, 1878b: 490 (*Cryphalus*) [HN]

ficus Beeson, 1941: 373 (*Ericryphalus*) [NA]

formosanus Schedl, 1952b: 62 A: TAI

mangiferae Stebbing, 1914: 542 (*Cryphalus*) A: CH TAI UP AFRi AURi NARi NTRi ORR

griseus Blackburn, 1885: 194 (*Hypothenemus*) [SN]

inops Eichhoff, 1872a: 131 (*Cryphalus*) [SN]

mangiferae Eggers, 1928a: 85 [HN]

mimicus Schedl, 1942b: 17 (*Cryphalus*)

opacus Schedl, 1942b: 20

subcylindricus Schedl, 1942b: 16 (*Cryphalus*)

genus *Hypothenemus* Westwood, 1834: 35 type species *Tomicus eruditus* Westwood, 1834

Adiaeretus Hagedorn, 1909: 744 type species *Adiaeretus spinosus* Hagedorn, 1909 (= *Stephanoderes elephas* Eichhoff, 1872)

Archeophalus Schedl, 1941c: 392 type species *Archeophalus natalensis* Schedl, 1941

Chondronoderes Schedl, 1940e: 589 type species *Stephanoderes magnus* Eggers, 1924

Ernophloeus Nunberg, 1958: 484 type species *Ernophloeus costalimai* Nunberg, 1958 (= *Stephanoderes fuscicollis* Eichhoff, 1878)

Homoeocryphalus Lindemann, 1877: 168 type species *Homoeocryphalus ehlersi* Lindemann, 1877 (= *Tomicus eruditus* Westwood, 1834)

Lepiceroides Schedl, 1957: 59 type species *Lepiceroides aterrimus* Schedl, 1957 (= *Hypothenemus aterrimulus* Wood, 1989)

Macrocryphalus Nobuchi, 1981a: 14 type species *Macrocryphalus oblongus* Nobuchi, 1981

Pachynoderes Schedl, 1941c: 393 type species *Pachynoderes deprecator* Schedl, 1941

Stephanoderes Eichhoff, 1872a: 132 type species *Stephanoderes chapuisii* Eichhoff, 1872 (= *Crypturgus dissimilis* Zimmermann, 1868)

Stylotentus Schedl, 1963: 448 type species *Hypothenemus concolor* Hagedorn, 1909

Triarmocerus Eichhoff, 1878a: 383 type species *Triarmocerus cryphaloides* Eichhoff, 1878a

Triarmocerus Eichhoff, 1878b: 119 [HN] type species *Triarmocerus cryphaloides* Eichhoff, 1878b (= *Triarmocerus cryphaloides* Eichhoff, 1878a)

Trischidias Hopkins, 1915a: 12 type species *Trischidias georgiae* Hopkins, 1915

amakusanus Murayama, 1934b: 287 (*Stephanoderes*) A: JA

areccae Hornung, 1842: 117 (*Bostrichus*) A: TAI UP YUN AFR AUR NAR NTR ORR

bambesanus Eggers, 1940c: 232 (*Stephanoderes*)

bauhaniae Schedl, 1950a: 19

capitalis Beeson, 1935b: 102

depressus Eichhoff, 1878b: 155 [RN] (*Stephanoderes*)

eupolyphagus Beeson, 1940: 193

fungicola Eggers, 1908d: 216 (*Stephanoderes*)

heterolepis Costa Lima, 1928: 117

hispidus Eggers, 1925: 156 (*Stephanoderes*)

martiniquensis Eggers, 1941a: 99 (*Stephanoderes*)

oahuensis Schedl, 1941b: 110

obscurus Eichhoff, 1872a: 133 [HN] (*Stephanoderes*)

occidentalis Schedl, 1954b: 76 (*Stephanoderes*)

polyphagus Eggers, 1924: 104 (*Stephanoderes*)

subglabratus Schedl, 1942a: 174

subvestitus Eggers, 1940c: 232 (*Stephanoderes*)

vafer Blandford, 1896c: 241

arundinis Eichhoff, 1878a: 386 (*Stephanoderes*) E: IT

arundinis Eichhoff, 1878b: 157 (*Stephanoderes*) [HN]

atomus Hopkins, 1915a: 15 Ai: TAI NAR NTR

impressifrons Hopkins, 1915a: 15 (*Trischidias*)

marylandicae Hopkins, 1915a: 15 (*Trischidias*)

nigrinus Schedl, 1967d: 7 (*Ernoporius*)

robiniae Hopkins, 1915a: 15 (*Trischidias*)

toxicodendri Hopkins, 1915a: 15 (*Trischidias*)

bezaziani Peyerimhoff, 1935: 192 N: AG

birmanus Eichhoff, 1878a: 384 (*Triarmocerus*) A: GUI GUX HKG HUN JA PA SCH TAI UP YUN

AUR NAR NTR ORR

alter Eggers, 1923a: 219 (*Stephanoderes*)

ampliatius Eggers, 1936c: 627 (*Stephanoderes*)

birmanus Eichhoff, 1878b: 486 (*Triarmocerus*) [HN]

castaneus Wood, 1954: 1027 (*Stephanoderes*)

dubius Schedl, 1971b: 372 (*Stylotenus*)

farinosus Blandford, 1896c: 241

maculicollis Sharp, 1879: 101

nibarani Beeson, 1933: 10 (*Stephanoderes*)

pacificus Beeson, 1940: 197 (*Stephanoderes*)

peritus Blandford, 1894a: 84

perkinsi Hopkins, 1915a: 31 (*Stephanoderes*)

psidii Hopkins, 1915a: 32 (*Stephanoderes*)

sterculiae Hopkins, 1915a: 32 (*Stephanoderes*)

uter Eggers, 1923a: 219 (*Stephanoderes*)

valens Sampson, 1914: 385

californicus Hopkins, 1915a: 19 A: IS SC AFR NAR NTR

thoracicus Hopkins, 1916: 598

tritici Hopkins, 1915a: 19

zeae Schedl, 1973b: 169 (*Stephanoderes*)

crudiae Panzer, 1791: 37 (*Bostrichus*) E: AZ A: FUJ GUI IN SCH SD TAI YUN AFR NAR NTR

ORR

brasiliensis Hopkins, 1915a: 26 (*Stephanoderes*)

differens Hopkins, 1915a: 25 (*Stephanoderes*)

fallax Costa Lima, 1924: 316 (*Stephanoderes*)

guatemalensis Hopkins, 1915a: 26 (*Stephanoderes*)

hispidulus LeConte, 1868: 156 (*Cryphalus*)

hivaoea Beeson, 1935b: 105 (*Stephanoderes*)

largipennis Toledo Piza, 1924: 354 (*Stephanoderes*)

lebronneci Beeson, 1935b: 104 (*Stephanoderes*)

lecontei Hopkins, 1915a: 27 (*Stephanoderes*)

mucronifer Wollaston, 1868: 116 (*Cryphalus*)

nanus Hagedorn, 1909: 744

paraguayensis Hopkins, 1915a: 26 (*Stephanoderes*)

polyphagus Costa Lima, 1924: 316 (*Stephanoderes*)

trinitatis Hopkins, 1915a: 28 (*Stephanoderes*)

uniseriatus Eggers, 1924: 103 (*Stephanoderes*)

dolichocola Hopkins, 1915a: 19 A: GUA

erectus LeConte, 1876: 356 A: ANH GAN GUI HEB HEN HUB JIA LIA SCH SHA SHN SHX

TR YUN AFR NAR

brumeicollis Hopkins, 1915a: 33 (*Stephanoderes*)

cubensis Hopkins, 1915a: 32 (*Stephanoderes*)

discedens Schedl, 1950a: 23 (*Stephanoderes*)

puncticollis Hopkins, 1915a: 32 (*Stephanoderes*)

validus Blandford, 1904: 228

eruditus Westwood, 1834: 34 (*Tomicus*) E: AZ CR FR IT MA SP ST TR UK N: AG CI EG MO

MR A: AB FUJ GUA GUI GUX HEB HUN IN IS JA SC SCH SD SHN TAI TR UP YUN

AFR AUS NAR NTR ORR

argentinensis Schedl, 1939d: 408

asaroriensis Beeson, 1940: 195

asiminae Hopkins, 1915a: 16

aspericollis Wollaston, 1860b: 365 (*Cryphalus*)

basjoo Niisima, 1910: 9 (*Cryphalus*)

bicolor Eggers, 1920a: 241

bicolor Schedl, 1939a: 32 [HN]

boieldieui Perroud, 1864: 188 (*Bostrichus*)

bradfordi Hopkins, 1915a: 15

citri Ebeling, 1935: 21

communis C.F.C. Schaufuss, 1891: 11 (*Stephanoderes*)

cylindricus Schedl, 1939d: 409

cylindripennis Schedl, 1957: 51
dubiosus Schedl, 1940b: 207
ealaensis Eggers, 1944b: 94 (*Archeophalus*)
ehlersi Lindemann, 1877: 168 (*Homoeocryphalus*)
elongatus Hopkins, 1915a: 25 (*Stephanoderes*)
erythrinae Eggers, 1936c: 628 (*Stephanoderes*)
evonymi Hopkins, 1915a: 26 (*Stephanoderes*)
ferrugineus Hopkins, 1915a: 20
flavicollis Hopkins, 1915a: 24 (*Stephanoderes*)
flavipes Hopkins, 1915a: 18
flavosquamosus Hopkins, 1915a: 15
germari Eichhoff, 1878a: 386 (*Stephanoderes*)
germari Eichhoff, 1878b: 159 (*Stephanoderes*) [HN]
glabratellus Schedl, 1953d: 292
glabratus Schedl, 1942c: 175
gracilis Eggers, 1929b: 51 [RN] (*Stephanoderes*)
guadeloupensis Schedl, 1951b: 98
hamamelidis Hopkins, 1915a: 16
heathi Hopkins, 1915a: 20
hirtipennis Schedl, 1952e: 450
insularis Perkins, 1900: 181
intersestosus Eggers, 1928a: 85 (*Stephanoderes*)
juglandis Blackman, 1922: 88
koebelei Hopkins, 1915a: 17
lezhavai Pyatnitskiy, 1929: 8
lineatifrons Hopkins, 1915a: 17
longipilis Schedl, 1952e: 451
mali Hopkins, 1915a: 17
mauiensis Schedl, 1941b: 110
mesoleius Schedl, 1959d: 480
minutulus Schedl, 1972e: 225
minutus Schedl, 1978b: 299 (*Cryphalus*)
myristicae Hopkins, 1915a: 16
myrmedon Eichhoff, 1878b: 160 (*Stephanoderes*)
myrmidon Eichhoff, 1878a: 386 (*Stephanoderes*)
namulus Schedl, 1949b: 263 (*Stephanoderes*)
nigricollis Hopkins, 1915a: 16
nigripennis Hopkins, 1915a: 19
obscuriceps Schedl, 1952e: 449
obscurus Ferrari, 1867: 17 [HN] (*Cryphalus*)
parcior Schedl, 1957: 49
parilis Schedl, 1951b: 100
parvus Hopkins, 1915a: 17
plumeriae Nördlinger, 1856: 74 (*Bostrichus*)
pruni Hopkins, 1915a: 16
punctifrons Hopkins, 1915a: 18
punctipennis Hopkins, 1915a: 20
pusillus Eggers, 1927c: 173
pygmaeus Hopkins, 1915a: 24 (*Stephanoderes*)
rotroi Peyerimhoff, 1919c: 255
rumseyi Hopkins, 1915a: 16
sacchari Hopkins, 1915a: 17
schwarzi Hopkins, 1915a: 11 (*Cosmoderes*)
striatopunctatus Lea, 1910a: 142 (*Cryphalus*)
subconcentralis Hopkins, 1915a: 25 (*Stephanoderes*)
subcylindricus Schedl, 1940c: 233 (*Stephanoderes*)
tantillus Lea, 1910a: 142 (*Cryphalus*)
tectonae Stebbing, 1903: 263 (*Cryphalus*)
tenuis Hopkins, 1915a: 16
tigrensensis Schedl, 1952e: 452 (*Stephanoderes*)
transatlanticus Eggers, 1941a: 99 (*Stephanoderes*)
tuberculosis Hagedorn, 1912b: 339
unicolor Hopkins, 1915a: 25 (*Stephanoderes*)
vianai Schedl, 1958b: 42
webbi Hopkins, 1915a: 17
furukawai Murayama, 1934a: 59 (*Cryphalus*) **A: JA SC**
fusicollis Eichhoff, 1878a: 386 (*Stephanoderes*) **A: JA TAI AFR NAR NTR ORR**
aequaliclavatus Schedl, 1939a: 33
comosus Bright, 1972a: 50
costalimai Nunberg, 1958: 486 (*Ernophloeus*)
fusicollis Eichhoff, 1878b: 148 (*Stephanoderes*) [HN]
ghanaensis Schedl, 1962a: 67
sundaensis Eggers, 1927d: 396 (*Stephanoderes*)

glabripennis Hopkins, 1915a: 32 (*Stephanoderes*) **A: GUX ORR**
hampei Ferrari, 1867: 11, 12 (*Cryphalus*) **Ei: UK Ai: IN TAI AFR AURi NARi NTRi ORRi**
cofeicola Novaes, 1922: 67 (*Xyleborus*)
coffaeae Hagedorn, 1910b: 1 (*Stephanoderes*)
coffeivorus Weele, 1910: 308 (*Xyleborus*)
cooki Hopkins, 1915a: 27 (*Stephanoderes*)
glabellus Schedl, 1952e: 452 (*Stephanoderes*)
punctatus Eggers, 1924: 101 (*Stephanoderes*)
ingens Schedl, 1942b: 18 (*Stephanoderes*) **A: GUA GUI GUX YUN ORR**
grandis Schedl, 1969b: 49 (*Cryphalomorphus*)
japonicus Niisima, 1910: 10 (*Cryphalus*) **A: JA**
javanus Eggers, 1908d: 216 (*Stephanoderes*) **A: GUI GUX HAI HUB HUN JA SCH TAI YUN AFR**
NAR NTR ORR
bananensis Eggers, 1922c: 167 (*Stephanoderes*)
bituberculatus Eggers, 1940a: 126 (*Stephanoderes*)
brunneus Hopkins, 1915a: 31 (*Stephanoderes*)
cryphalomorphus Schedl, 1939f: 14 (*Stephanoderes*)
frontalis Hopkins, 1915a: 31 (*Stephanoderes*)
kalshoveni Schedl, 1939a: 35 (*Stephanoderes*)
obesus Hopkins, 1915a: 30 (*Stephanoderes*)
philippinensis Hopkins, 1915a: 31 (*Stephanoderes*)
pistor Schedl, 1951b: 102 (*Stephanoderes*)
prosper Schedl, 1951b: 103 (*Stephanoderes*)
subagnatus Eggers, 1940b: 101 (*Stephanoderes*)
kraunhiaie Murayama, 1950a: 50 (*Cryphalus*) **A: JA**
leprieurii Perris, 1866b: 194 (*Dryocoetes*) **E: IT MA N: AG A: CY IS SY TR**
albipilis Reitter, 1887b: 195 (*Stephanoderes*)
krausei Wichmann, 1911b: 210
mateui Schedl, 1965a: 198 (*Stephanoderes*) **A: IS**
nobuchii Knížek, 2011: 86 [RN] **A: JA**
oblongus Nobuchi, 1981a: 14 (*Macrocryphalus*) [HN]
oblongus Niisima, 1910: 9 (*Cryphalus*) **A: JA**
sapporoensis Niisima, 1910: 3 (*Cryphalus*) **A: JA**
schedli Browne, 1963: 54 [RN] **A: TAI**
pubescens Schedl, 1942b: 18 [HN] (*Stephanoderes*)
seoulensis Choo & Woo, 1989: 58 **A: SC**
seriatus Eichhoff, 1872a: 133 (*Stephanoderes*) **N: EG A: TAI TR AFR AUR NAR NTR ORR**
andersoni Wood, 1954: 1045 (*Stephanoderes*)
asperatus Schedl, 1967b: 226 (*Stephanoderes*)
cassavaensis Schedl, 1938d: 453
darwinensis Schedl, 1942a: 178 (*Stephanoderes*)
ficus Hopkins, 1915a: 28 (*Stephanoderes*)
fiebrigi Hopkins, 1915a: 27 (*Stephanoderes*)
floridensis Hopkins, 1915a: 27 (*Stephanoderes*)
georgiae Hopkins, 1915a: 26 (*Stephanoderes*)
hawaiiensis Schedl, 1941b: 112 (*Stephanoderes*)
liquidambarae Wood, 1954: 1046 (*Stephanoderes*)
lucasi Hopkins, 1915a: 28 (*Stephanoderes*)
marovoayi Schedl, 1953b: 81
minutus Hopkins, 1915a: 26 (*Stephanoderes*)
niger Hopkins, 1915a: 31 (*Stephanoderes*)
nitidipennis Hopkins, 1915a: 29 (*Stephanoderes*)
nitidulus Hopkins, 1915a: 29 (*Stephanoderes*)
pecanis Hopkins, 1915a: 29 (*Stephanoderes*)
pini Hopkins, 1915a: 27 (*Stephanoderes*)
pulverulentus Eichhoff, 1872a: 133 (*Stephanoderes*)
robustus Blackman, 1922: 88
salicis Hopkins, 1915a: 27 (*Stephanoderes*)
soltaui Hopkins, 1915a: 28 (*Stephanoderes*)
striatulus Schedl, 1942b: 12
subopacicollis Hopkins, 1915a: 30 (*Stephanoderes*)
tamarindi Hopkins, 1915a: 27 (*Stephanoderes*)
texanus Hopkins, 1915a: 26 (*Stephanoderes*)
virentis Hopkins, 1915a: 28 (*Stephanoderes*)
vulgaris C.F.C. Schaufuss, 1898b: 209 (*Stephanoderes*)
setosus Eichhoff, 1868b: 391 (*Hypoborus*) **A: TAI AFR NAR NTR ORR**
congonus Hagedorn, 1912b: 337 (*Stephanoderes*)
simoni Reitter, 1887b: 194 (*Stephanoderes*) **A: IS SY**
tredli Reitter, 1908b: 55 (*Cryphalus*) **N: EG**

tristis Eichhoff, 1876: 200 (*Stephanoderes*) **A:** JA TAI
cosmoderoides Murayama, 1961: 30
taihokuensis Schedl, 1952b: 63 (*Stephanoderes*)

genus *Procryphalus* Hopkins, 1915a: 33 type species *Procryphalus populi* Hopkins, 1915 (= *Cryphalus mucronatus* LeConte, 1879)
fraxini Berger, 1917: 238 (*Ernoporus*) **A:** FE HEI JIL NC SC

genus *Scolytogenes* Eichhoff, 1878a: 387 type species *Scolytogenes darwini* Eichhoff, 1878
Cryphalomorphus C.F.C. Schaufuss, 1891: 12 type species *Cryphalomorphus communis* C.F.C. Schaufuss, 1891
Cryphalophilus Schedl, 1970c: 358 type species *Cryphalophilus afer* Schedl, 1970
Ernoporides Hopkins, 1915a: 34 type species *Ernoporides floridensis* Hopkins, 1915 (= *Bostrichus jalappae* Letzner, 1849)
Hypothenoides Hopkins, 1915a: 11 type species *Hypothenoides parvus* Hopkins, 1915
Lepicerinus Hinton, 1936: 473 [RN] type species *Lepicerus aspericollis* Eichhoff, 1878
Lepicerus Eichhoff, 1878a: 388 [HN] type species *Lepicerus aspericollis* Eichhoff, 1878a
Lepicerus Eichhoff, 1878b: 501 [HN] type species *Lepicerus aspericollis* Eichhoff, 1878b (= *Lepicerus aspericollis* Eichhoff, 1878a)
Lepidocerus Rye, 1880: 103 type species *Lepicerus aspericollis* Eichhoff, 1878
Letznerella Reitter, 1913h: 68 type species *Bostrichus jalappae* Letzner, 1849
Negritus Eggers, 1923a: 141 type species *Negritus ater* Eggers, 1923
Neocryphalus Eggers, 1922c: 169 type species *Neocryphalus usagaricus* Eggers, 1922
Scolytogenes Eichhoff, 1878b: 497 [HN] type species *Scolytogenes darwini* Eichhoff, 1878b (= *Scolytogenes darwini* Eichhoff, 1878)
Xylocryptus Schedl, 1975b: 352 type species *Xylocryptus papuanus* Schedl, 1975 (= *Scolytogenes papuensis* Wood, 1989)
aspericollis Eichhoff, 1878a: 388 (*Lepicerus*) **A:** SD **AFR ORR**
aspericollis Eichhoff, 1878b: 501 (*Lepicerus*) [HN]
stierlini Eggers, 1911b: 121 (*Cryphalus*)
badius Nobuchi, 1975: 44 (*Cryphalomorphus*) **A:** JA
camelliae Nobuchi, 1975: 45 (*Cryphalomorphus*) **A:** JA
candidus Nobuchi, 1975: 47 (*Cryphalomorphus*) **A:** JA
darwini Eichhoff, 1878a: 387 **A:** UP YUN **AUR ORR**
darwini Eichhoff, 1878a: 387 [NA]
darwini Eichhoff, 1878b: 497 [HN]
cryptolepis Schedl, 1951a: 55
major Eggers, 1927e: 69 (*Negritus*)
similis Eggers, 1923a: 142 (*Negritus*)
exilis Yin, 2001: 327 **A:** GUA
expers Blandford, 1894a: 85 (*Hypothenemus*) **A:** JA
fujisanus Nobuchi, 1975: 46 (*Cryphalomorphus*) **A:** JA
fulvipennis Nobuchi, 1975: 47 (*Cryphalomorphus*) **A:** JA TAI
glabratus Yin, 2001: 330 **A:** HUB YUN
incultus Yin, 2001: 325 **A:** JIA
indicus Wood, 1989: 184 **A:** KA UP **ORR**
insularis Nobuchi, 1975: 48 (*Cryphalomorphus*) **A:** JA (Mikura Is.)
jalappae Letzner, 1849: 99 (*Bostrichus*) **Ai:** JA **NAR NTR**
knabi Hopkins, 1915a: 34 (*Ernoporides*)
alienus Schedl, 1976: 65 (*Cryphalomorphus*)
caraibicus Schedl, 1951b: 96 (*Cryphalomorphus*)
floridensis Hopkins, 1915a: 34 (*Ernoporides*)
minutissimus Schedl, 1951b: 97 (*Cryphalomorphus*)
ritchiei Sampson, 1918: 295 (*Hypothenemus*)
subtriatus Schedl, 1952c: 360 (*Cryphalomorphus*)
magnocularis Yin, 2001: 326 **A:** YUN
polisquamosus Yin, 2001: 329 **A:** FUJ
puerariae Choo & Woo, 1989: 58 **A:** SC
punctatulus Nobuchi, 1976: 72 [RN] **A:** JA
nobuchii Schedl, 1980a: 118 [RN] (*Cryphalomorphus*)
punctatus Nobuchi, 1975: 49 [HN] (*Cryphalomorphus*)
punctatus Schedl, 1951a: 55 (*Cryphalomorphus*) **A:** SD
scolytomimoides Nobuchi, 1975: 50 (*Cryphalomorphus*) **A:** JA
venustus Yin, 2001: 328 **A:** GUA
yunnanensis Yin, 2001: 324 **A:** YUN

genus *Trischidias* Hopkins, 1915a: 12 type species *Trischidias georgiae* Hopkins, 1915
atomus Hopkins, 1915a: 15 (*Hypothenemus*) **Ai:** TAI **NAR NTR**

- *impressifrons* Hopkins, 1915a: 15
- *marylandicae* Hopkins, 1915a: 15
- *nigrinus* Schedl, 1967d: 7 (*Ernoporus*)
- *robiniae* Hopkins, 1915a: 15
- *toxicodendri* Hopkins, 1915a: 15

genus *Trypophloeus* Fairmaire, 1864: 105 type species *Bostrichus binodulus* Ratzeburg, 1837

Glyptoderes Eichhoff, 1878b: 34 type species *Bostrichus binodulus* Ratzeburg, 1837

alni Lindemann, 1875a: 136 (*Cryphalus*) E: AU BY CT EN FI GE IT NR NT PL SZ A: SCH WS
XIN YUN

holdhausi Wichmann, 1912: 186

binodulus Ratzeburg, 1837: 163 (*Bostrichus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE
HU IR IT LA MC NL NR NT PL RO SK SL SP SV SZ UK YU N: AG MO A: FE JA NC
WS

berezinae Stark, 1952: 285

grothii Hagedorn, 1904b: 232 (*Cryphalus*)

kurenzovi Nunberg, 1956: 208 [RN]

kurenzovi Schedl, 1959b: 42

populi Kurentsov, 1941: 164 [HN]

spiculatus Eggers, 1927b: 122

bispinulus Eggers, 1927b: 121 E: CT EN FI LA NR NT SV A: ES FE MG WS

dejevi Stark, 1936b: 152 E: FI NR SV A: ES FE MG WS

dejevi Eggers, 1942: 31 [HN]

discedens Palm, 1950: 142 E: EN FI LA NT ST SV

palmi Hansen, 1956: 183 [URN]

grandis Schedl, 1964a: 99 N: AG MO

granulatus Ratzeburg, 1837: 164 (*Bostrichus*) E: BE BU CR CT CZ DE EN FI FR GE GR HU IT LA
LT ME NR PL SK SP ST SV SZ UK N: EG A: IN

tredlii Hagedorn, 1904b: 232 [NA]

klimeschi Eggers, 1915c: 188 A: KI TD TM UZ XIN

niger Stark, 1936b: 152 A: FE

rybinskii corsicus Eggers, 1912b: 113 E: FR (Corse)

rybinskii rybinskii Reitter, 1895n: 72 E: AU CZ FR GE HU IT PL SK SP ST UK

salicis Stark, 1952: 283 [HN]

striatulus Mannerheim, 1853: 235 (*Cryphalus*) E: HUi NAR

nitidus Swaine, 1912: 349

punctipennis Hopkins, 1915a: 37

tremulae Stark, 1952: 287 E: BU SK ST UK A: GG

7.14.3. Tribe Crypturgini LeConte, 1876

genus *Aphanarthrum* Wollaston, 1854b: 292 type species *Aphanarthrum euphorbiae* Wollaston, 1854

Coleobothrus Enderlein, 1929: 144 type species *Coleobothrus jandiacus* Enderlein, 1929 (= *Aphanarthrum alluaudi* Peyerimhoff, 1923)

aeonii Lindberg, 1953: 18 N: CI

affine Wollaston, 1860a: 166 N: CI MO

alluaudi Peyerimhoff, 1923a: 52 E: SP N: CI MO AFR

jandiacus Enderlein, 1929: 144 (*Coleobothrus*)

armatum Wollaston, 1862a: 167 N: CI

monodi Paulian & Villiers, 1941: 102

bicinctum bicinctum Wollaston, 1860a: 165 N: CI MO

bicinctum obsitum Wollaston, 1865: 43 N: CI

bicinctum vestitum Wollaston, 1865: 43 N: CI

bicolor Wollaston, 1860a: 165 N: CI MR

canariense canariense Wollaston, 1860a: 164 N: CI MR

canariense neglectum Schedl, 1964a: 99 N: CI

longipes Israelson, 1972b: 256

canescens canescens Wollaston, 1865: 41 N: CI

canescens polyspiniger Israelson, 1972b: 256 N: CI

canescens simplex Wollaston, 1865: 41 N: CI

euphorbiae Wollaston, 1854b: 293 N: MR

glabrum glabrum Wollaston, 1860a: 167 N: CI

glabrum nudum Israelson, 1972b: 251 N: CI

jubae jubae Wollaston, 1860a: 164 N: CI
jubae tuberculatum Wollaston, 1865: 40 N: CI
luridus Wollaston, 1860a: 163 N: CI
amulicollis Enderlein, 1929: 146 (*Coleobothrus*)
flavicollis Enderlein, 1929: 146 (*Coleobothrus*)
mairi Peyerimhoff, 1923a: 53 N: CI MO AFR
duongi Villiers, 1946: 140
goniomma Enderlein, 1929: 142
saturatum Peyerimhoff, 1925c: 12
piscatorium Wollaston, 1860a: 166 N: CI MR
pygmaeum Wollaston, 1865: 42 N: CI
laticollis Wollaston, 1865: 42
reticulatum Wood, 1988b: 191 A: UP ORR
royaleanum Wood, 1988b: 191 A: UP ORR
subglabrum Israelson, 1972b: 251 N: CI
wollastoni Israelson, 1972b: 251 N: CI

genus *Cisurgus* Reitter, 1895n: 65 type species *Crypturgus filum* Reitter, 1889
ferulae Pfeffer, 1983: 294 A: UZ
filum Reitter, 1889d: 126 (*Crypturgus*) A: TM
hystrix Abeille de Perrin, 1894: 94 (*Crypturgus*) E: CR IT N: TU
ragusae Reitter, 1906f: 241
maurus Eggers, 1910b: 559 E: CR N: AG TU A: IS
karamani Reitter, 1913h: 64
occidentalis Peyerimhoff, 1923a: 53 N: AG MO TU
resiniferae Peyerimhoff, 1925c: 13
seselii Coffin & Téocchi, 1991: 157 E: FR
pusillus Wollaston, 1860: 167 (*Aphanarthrum*) N: AG CI
wollastonii Eichhoff, 1878b: 77 [URN] (*Crypturgus*)

genus *Crypturgus* Erichson, 1836: 60 type species *Bostrichus cinereus* Herbst, 1794
beesoni Eggers, 1936c: 627 A: KA UP
cedri Eichhoff, 1868d: 403 N: AG
cinereus Herbst, 1793: 116 (*Bostrichus*) E: AU BE BU BY CR CT CZ DE EN FI FR GE GR HU IT
LA LS LT LU MC ME NR NT PL RO SK SL SP ST SV SZ UK A: ES FE HEI IN JIL MG
NC QIN TR WS
apfelbecki Eggers, 1940f: 36
atticus Eggers, 1911b: 120
corsicus Eggers, 1923b: 135
tenerrimus C.R. Sahlberg, 1836a: 140 (*Hylesinus*)
concolor Wollaston, 1864: 263 (*Aphanarthrum*) N: CI
cribrellus Reitter, 1895n: 64 E: BU CR FR IT MC ME PT SL SP UK A: IN
cylindricollis Eggers, 1940f: 37 E: BH BU CR GR MA A: TR
dubius Eichhoff, 1872b: 139 E: "Pyreneien" A: IN TR
hispidulus C.G. Thomson, 1870b: 338 E: AU BU BY CT CZ DE EN FI GE HU IT LA LT NR NT
PL SK SV SZ UK A: ES FE HEI LIA NC TR WS
maulei Roubal, 1910: 203
mediterraneus Eichhoff, 1869a: 41 E: CR FR GR IT PT SP ST UK N: AG MO TU A: CY IS TR
mediterraneus Eichhoff, 1872b: 139 [HN]
numidicus Ferrari, 1867: 6 E: BH BU CR FR GR IT MA ME SP ST N: AG TU A: IN TR
abbreviatus Eggers, 1911b: 123
barbeyi Strohmeyer, 1929: 182
brevipennis Reitter, 1913h: 63
parallelocollis Eichhoff, 1878b: 73 E: GR A: TR
gaumersdorferi Reitter, 1885b: 389
pusillus Gyllenhal, 1813: 371 (*Bostrichus*) E: AU BE BH BY CR CT CZ DE EN FI FR GE GR HU
IT LA LT LU MC ME NL NR NT PL PT RO SK SL SP ST SV SZ UK N: AG EG LB MO TU
A: ES FE HEI HP JA JIL KA NC NP PA SC SCH TAI TR UP WS XIZ YUN "NW Himalaya"
NARi
aphodioides Villa, 1833: 36 (*Bostrichus*)
atomus LeConte, 1868: 152
danicus Eggers, 1932b: 80
minimus Stebbing, 1903: 252 (*Polygraphus*)

subcribrosus Eggers, 1933a: 5 E: AU CT CZ DE EN FI GE GB BH BY FI LA LT NR NT PL SK SL
SV SZ UK A: ES FE WS
tuberosus Niisima, 1909: 139 A: FE JA TAI

genus *Deropria* Enderlein, 1929: 143 type species *Aphanarthrum elongatum* Eggers, 1927
elongata Eggers, 1927a: 39 (*Aphanarthrum*) N: CI

7.14.4. Tribe Diamerini Hagedorn, 1909

genus *Diamerus* Erichson, 1836: 57 type species *Hylesinus hispidus* Klug, 1833
Acanthurus Eichhoff, 1886: 24 type species *Acanthurus spinipennis* Eichhoff, 1886 (= *Hylesinus curvifer* Walker, 1859)
Lissoclastus C.F.C. Schaufuss, 1905b: 71 type species *Lissoclastus pimelioides* C.F.C. Schaufuss, 1905

ater Hagedorn, 1909: 735 A: YUN **ORR**

curvifer Walker, 1859a: 261 (*Hylesinus*) A: HAI YUN HP SD UP **AUR ORR**

dissimilis Hagedorn, 1909: 735

spinipennis Eichhoff, 1886: 24 (*Acanthurus*)

fici Blandford, 1898: 426 A: SD XIZ YUN **ORR**

matangi Sampson, 1919: 108 A: XIZ **ORR**

nigrisetosus Eggers, 1936a: 79 A: SD **ORR**

striatus Eggers, 1927e: 67 A: SD YUN **ORR**

variegatus Beeson, 1941: 373 A: UP **ORR**

genus *Sphaerotrypes* Blandford, 1894a: 61 type species *Sphaerotrypes pila* Blandford, 1894

bengalensis Wood, 1988a: 35 A: SD

coimbatorensis Stebbing, 1906: 395 A: ANH BEI HEB HEI HEN HUN SCH SHA SHX **ORR**

globulus Blandford, 1894a: 63 A: UP **ORR**

juglansi Tsai & Yin, 1966: 236, 239 A: ANH SCH SHA SHX

juglansis Krivolutskaya, 1970: 210 A: FE

magnus Tsai & Yin, 1966: 234, 239 A: SCH YUN

pila Blandford, 1894a: 62 A: HEB JA LIA SC SCH TAI XIZ YUN

carpini Eggers, 1926a: 134

imitans Eggers, 1926a: 134

pyri Tsai & Yin, 1966: 237, 240 A: HAI SCH SHX YUN

querci Stebbing, 1908: 5 A: ANH HEB SCH SHX UP YUN **ORR**

tectus Beeson, 1921: 516 [RN]

siwalikensis Stebbing, 1906: 389 A: NP PA SD UP **ORR**

assamensis Stebbing, 1907: 23

tsugae Tsai & Yin, 1966: 236, 240 A: SCH SHA YUN

ulmi Tsai & Yin, 1966: 237, 240 A: SCH SHA SHX

yunnanensis Tsai & Yin, 1966: 238, 240 A: YUN

7.14.5. Tribe Dryocoetini Lindemann, 1877

genus *Coccotrypes* Eichhoff, 1878a: 391 type species *Bostrichus dactyliperda* Fabricius, 1801

Coccotrypes Eichhoff, 1878b: 308 [HN] type species *Bostrichus dactyliperda* Fabricius, 1801

Cryphaloides Formáněk, 1908c: 91 type species *Cryphaloides donisthorpei* Formáněk, 1908 (= *Bostrichus carpophagus* Hornung, 1842)

Dendrugus Eggers, 1923a: 144 type species *Dendrugus sundaensis* Eggers, 1923 (= *Thamnurgides myristicae* Roepke, 1919)

Poecilips C.F.C. Schaufuss, 1898a: 110 type species *Poecilips sannio* C.F.C. Schaufuss, 1898

Spermatoplex Hopkins, 1915a: 48 type species *Spermatoplex rhizophorae* Hopkins, 1915

Thamnurgides Hopkins, 1915a: 45 type species *Thamnurgides persicae* Hopkins, 1915 (= *Coccotrypes advena* Blandford, 1894)

advena Blandford, 1894a: 100 A: JA SD UP **AUR NARi NTR ORR**

cubanus Eggers, 1934b: 79 (*Thamnurgides*)

minor Eggers, 1923a: 150 (*Dendrugus*)

niger Schedl, 1939b: 345 (*Poecilips*)

nuciferus Schedl, 1938a: 10 (*Poecilips*)

persicae Hopkins, 1915a: 45 (*Thamnurgides*)

philippinensis Eggers, 1923a: 145 (*Dendrugus*)

philippinensis Schedl, 1933a: 104 [HN]

setosus Beeson, 1929: 228 (*Thamnurgides*)

subnitidus Schedl, 1954c: 147 (*Poecilips*)

termatensis Eggers, 1923a: 146 (*Dendrugus*)

vicarius Beeson, 1939: 285 (*Thamnurgides*)

babai Murayama, 1961: 29 (*Thamnurgus*) A: JA

barbatus Schedl, 1934: 90 (*Thamnurgides*) **A: AP ORR**

ater Eggers, 1936a: 84 (*Thamnurgides*)

bambusae Beeson, 1939: 289 (*Thamnurgides*)

dipteroearpi Beeson, 1939: 288 (*Thamnurgides*)

cardamomi C.F.C. Schaufuss, 1905a: 8 **A: JA NP SE TAI**

carpophagus Hornung, 1842: 116 (*Bostrichus*) **E: AZ FR N: CI MR A: JA SC SD TAI UP AFR**

AUR NAR NTR ORR

anona Hopkins, 1915a: 46

bakeri Hopkins, 1915a: 46

canariensis Eggers, 1928b: 117

ceylonicus Schedl, 1949a: 119

donisthorpei Formánek, 1908c: 91 (*Cryphaloides*)

exasperatus Schedl, 1975a: 455

grisseopuberulus Schedl, 1972b: 59

hubbardi Hopkins, 1915a: 46

integer Eichhoff, 1878a: 391

integer Eichhoff, 1878b: 311 [HN]

liberiensis Hopkins, 1915a: 47

nanus Eggers, 1920b: 33

phoenicola Beeson, 1939: 281

pilosulus Schedl, 1949a: 118

pubescens Schedl, 1949a: 119

punctulatus Eggers, 1951: 151

pygmaeus Eichhoff, 1878a: 391

pygmaeus Eichhoff, 1878b: 310 [HN]

rollinae Hopkins, 1915a: 47

thrinacis Hopkins, 1915a: 46

trevori Beeson, 1939: 282

cyperi Beeson, 1929: 230 (*Thamnurgides*) **A: FUJ SD TAI XIZ YUN AUR NAR NTR ORR**

carabicus Schedl, 1952c: 345 (*Poecilips*)

conspiciens Schedl, 1936d: 110 (*Xyleborus*)

eggersi Schedl, 1952c: 347 (*Poecilips*)

indicus Eggers, 1936c: 631 (*Thamnurgides*)

insularis Eggers, 1940a: 127 (*Dryocoetes*)

insularis Eggers, 1940a: 129

pilifrons Browne, 1970: 568 (*Poecilips*)

subaplanatus Schedl, 1942b: 23 (*Poecilips*)

subimpressus Eggers, 1940a: 127 (*Dryocoetes*)

dactyliperda Fabricius, 1801: 387 (*Bostrichus*) **Ei: AZ FR GR HU IT MA ME PT SP SZ N: AG Cii**

EG LB MO MRi TU A: CYi HEBi IN IQ IS JAi JO LE OM PS SA SDi SI SY TRi UPi AFR

AURi NARi NTRi ORRi

bassiaeovorus Hopkins, 1915a: 47

borassi Beeson, 1939: 283

eggersii Hagedorn, 1904d: 449

elaocarpi Beeson, 1939: 284

laboulbenei Decaux, 1890: 953

moreirai Eggers, 1928a: 86

obscurus Rey, 1892: 30

palmicola Hornung, 1842: 116 (*Bostrichus*)

tanganus Eggers, 1935b: 307

tropicus Eichhoff, 1878a: 391

tropicus Eichhoff, 1878b: 312 [HN]

fagi Nobuchi, 1959a: 12 (*Poecilips*) **A: JA**

graniceps Eichhoff, 1877b: 120 (*Dryocoetes*) **A: JA SW TAI**

graniceps Eichhoff, 1878b: 314 [HN]

japonicus Eggers, 1926b: 145 (*Poecilips*) **A: JA**

klapperichi Schedl, 1953a: 26 (*Poecilips*) **A: JA FUJ**

longior Eggers, 1927e: 83 (*Poecilips*) **A: FUJ JA SD TAI UP XIZ YUN ORR**

apicatus Schedl, 1971b: 372 (*Poecilips*)

linearis Eggers, 1941c: 222 (*Poecilips*)

naidaijinensis Murayama, 1957b: 605 (*Dryocoetes*)

nitidipennis Schedl, 1950d: 896 (*Poecilips*)

oblongus Eggers, 1927e: 83 (*Poecilips*)

monoceros Beeson, 1939: 291 (*Thamnurgides*) **A: AP ORR**

norimasanus Murayama, 1954: 192 (*Dryocoetes*) **A: JA**

nubilus Blandford, 1894a: 95 (*Dryocoetes*) **A: JA SC SCH SD UP XIZ ORR**

brevipilosus Beeson, 1939: 298 (*Thamnurgides*)

corticis Beeson, 1939: 298 (*Thamnurgides*)

himalayensis Beeson, 1939: 299 (*Thamnurgides*)

mauritanus Browne, 1970: 569 (*Poecilips*)

parvus Beeson, 1939: 297 (*Thamnurgides*) [HN]
papuanus Eggers, 1923a: 148 (*Dendrugus*) A: SD TAI UP **ORR**
decipiens Browne, 1972: 21 (*Poecilips*)
glandis Beeson, 1939: 287 (*Thamnurgides*)
rubidus Beeson, 1939: 290 (*Thamnurgides*)
perditor Blandford, 1894a: 99 A: CH JA
rugicollis Eggers, 1925: 157 (*Thamnurgides*) A: FUJ **ORR**
salakensis Schedl, 1939a: 38 (*Poecilips*) A: CH SD **ORR**
acuminatus Schedl, 1966a: 34 (*Poecilips*)
opacifrons Beeson, 1939: 294 (*Thamnurgides*)
punctatus Eggers, 1927e: 85 (*Poecilips*)
vulgaris Eggers, 1923a: 151 (*Dendrugus*) A: SD TAI UP **NARi ORR**
brevior Eggers, 1927e: 84 (*Poecilips*)

genus *Cynanchophagus* Aksent'ev, 1987: 150 type species *Cynanchophagus cornutus* Aksent'ev, 1987
cornutus Aksent'ev, 1987: 151 A: TD

genus *Cyrtogenius* Strohmeier, 1910: 127 type species *Cyrtogenius bicolor* Strohmeier, 1910
Arteptyophthorus Schedl, 1969c: 157 type species *Arteptyophthorus aries* Schedl, 1969
Carpophloeus Schedl, 1958d: 143 type species *Carpophloeus rugipennis* Schedl, 1958
Carposinus Hopkins, 1915a: 9, 47 type species *Carposinus pini* Hopkins, 1815 (= *Dryocoetes luteus* Blandford, 1894)
Dendrographus Schedl, 1964e: 310 type species *Pelicerus pygmaeus* Eggers, 1923
Eulepiops Schedl, 1939b: 344 type species *Eulepiops glaber* Schedl, 1939
Metahylastes Eggers, 1922c: 165 type species *Metahylastes africanus* Eggers, 1922 (= *Cyrtogenius africanus* Wood, 1988)
Mimidendrus Schedl, 1957: 68 type species *Mimidendrus movoliae* Schedl, 1957
Orosiotes Niisima, 1917: 1 type species *Orosiotes kumamotoensis* Niisima, 1917
Ozodendron Schedl, 1957: 13 type species *Pelicerus grandis* Beeson, 1929
Ozodendron Schedl, 1964c: 243 [HN] type species *Pelicerus grandis* Beeson, 1929
Pelicerus Eggers, 1923a: 216 type species *Pelicerus nitidus* Hagedorn, 1910
Protopityophthorus Schedl, 1973d: 73 type species *Protopityophthorus durus* Schedl, 1973 (= *Pelicerus pygmaeus* Eggers, 1923)
Taphroborus Nunberg, 1961: 617 type species *Taphroborus vaticae* Nunberg, 1961
brevior Eggers, 1927e: 86 (*Pelicerus*) A: JA SC **ORR**
kumamotoensis Niisima, 1917: 2 (*Orosiotes*) A: JA
kabei Murayama, 1955: 87 (*Lymantor*)
luteus Blandford, 1894a: 94 (*Dryocoetes*) Ei: IT A: ANH FUJ GUA GUI GUX HAI HEN HUB
HUN JA JIA JIX SC SCH SHA SHX TAI YUN ZHE **ORR**
formosanus Schedl, 1952b: 63 (*Orosiotes*)
pini Hopkins, 1915a: 47 (*Carposinus*)
nitidus Hagedorn, 1910a: 1 (*Pelicerus*) A: FUJ **AUR ORR**
orientalis Eggers, 1923a: 217 (*Pelicerus*)
perakensis Schedl, 1936b: 9 (*Dryocoetes*) A: HKG **ORR**
philippinensis Eggers, 1927e: 87 (*Pelicerus*) A: JA (Ryūkyū) **ORR**

genus *Dactylotrypes* Eggers, 1927a: 37 type species *Dactylotrypes uyttenboogaarti* Eggers, 1927 (= *Xyloterus longicollis* Wollaston, 1864)
longicollis Wollaston, 1864: 256 (*Xyloterus*) Ei: CR FR IT MA SKi SP SZ N: CI Mri **NTRi**
draconis Enderlein, 1929: 148
uyttenboogaarti Eggers, 1927a: 38

genus *Dryocoetes* Eichhoff, 1864: 38 type species *Bostrichus autographus* Ratzeburg, 1837
Anodius Motschulsky, 1860b: 155 type species *Bostrichus autographus* Ratzeburg, 1837
Dryocoetinus Balachowsky, 1949a: 180 type species *Bostrichus villosus* Fabricius, 1792
aceris Krivolutskaya, 1968: 58 A: FE "Kuril Is."
affinis Blandford, 1894a: 93 A: JA
alni Georg, 1856: 59 (*Bostrichus*) E: AU BE BU BY CT CZ DE EN FI FR GB GE GR IT LA LS
MD NR NT PL RO SK SL SP ST SV SZ UK "Caucasus" A: ES IN TR WS
leonhardi Eggers, 1912a: 49
marshami Rye, 1868: 188 (*Tomicus*)
similis Eggers, 1911b: 121
autographus Ratzeburg, 1837: 160 (*Bostrichus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IR IT LA LS LT MD ME NL NR NT PL RO SK SL SP ST SV SZ UK "Caucasus"
N: AG MR A: ES FE GAN HAI HEI JA LIA MG NC SC SHA SHX TAI WS "Manchuria"
NAR NTRi
alternans Eggers, 1931: 30
americanus Hopkins, 1915a: 51
artepunctatus Eggers, 1941b: 122

brasiliensis Schedl, 1940b: 207
longicollis Eggers, 1941b: 121
pseudotsugae Swaine, 1915: 360
sachalinensis Sokanovskiy, 1960: 675
semicastaneus Mannerheim, 1852: 358 (*Bostrichus*)
septentrionis Mannerheim, 1843: 298 (*Bostrichus*)
suecicus Eggers, 1923b: 136
victoris Mulsant & Rey, 1853a: 205 (*Bostrichus*)
victoris Mulsant & Rey, 1853b: 91 (*Bostrichus*) [HN]
villosus Herbst, 1793: 121 (*Bostrichus*) [HN]
baikalicus Reitter, 1900b: 286 E: CT NT A: ES FE HEI HUB JA KZ MG NC NMO WS
ursus Sokanovskiy, 1960: 675
brevipilosus Murayama, 1957b: 604 A: JA
brownei Mandelshtam & Petrov, 2010b: 180 A: AF KA
carpinivorus Choo & Woo, 1989: 58 A: SC
cerasi Eggers, 1942: 32 A: FE
cerasi Stark, 1950: 229
cornivorus Murayama, 1950b: 63 (*Xyleborus*) A: JA
cristatus Inouye & Nobuchi, 1959: 122 A: JA
hectographus Reitter, 1913h: 76 E: BE BU BY CT CZ EN FI FR GE HU IT LA LT ME NR NT PL
SK SL SV SZ UK A: ES FE GAN HEI JA JIL KZ LIA MG NC QIN SCH SHA SHX TAI WS
XIZ YUN
ater Eggers, 1933e: 101 (*Ozopemon*)
formosanus Nobuchi, 1967: 18
himalayensis Strohmeier, 1908c: 161 Ei: CZ FR SZ A: KA UP
indicus Stebbing, 1914: 549 A: HP KA NP UP
infuscatus Murayama, 1937: 370 A: ES FE JA MG NC NE SC
orientalis Kurentsov, 1941: 169
pilosiusculus Kurentsov, 1948: 51
italus Eggers, 1940e: 44 E: IT
karamatsu Sawamoto, 1940: 102 A: JA
krivolutzkajae Mandelshtam, 2001: 11 A: FE
nijimai Nobuchi, 1959a: 11 A: JA
padi Kurentsov, 1941: 170 A: FE
padi Stark, 1952: 335 [HN]
pilosus Blandford, 1894a: 92 A: JA
pini Niisima, 1909: 152 A:FE (Sakhalin) JA LIA SC
quadrisulcatus Strohmeier, 1908b: 72 A: KA UP
rugicollis Eggers, 1926a: 137 A: FE JA JIL NC NE SHX
striatus Eggers, 1933a: 8 A: FE HEI HUB JA
abietinus Kôno & Tamanuki, 1939: 90
uniseriatus Eggers, 1926b: 145 A: FE (Sakhalin) JA SHA SHX
ussuriensis Eggers, 1933a: 8 A: FE WS
rugulosus Eggers, 1933a: 9
villosus minor Eggers, 1908a: 122 E: CR FR (Corse) GR IT SL N: CI A: TR
sardus Strohmeier, 1912b: 57
villosus villosus Fabricius, 1792: 367 (*Bostrichus*) E: AU BE BU BY CR CT CZ DE EN FR GB GE
GR HU IR IT (Sardegna, Sicilia) LA LT MC ME NR PL PT SK SL SP ST SV SZ UK N: AG
MR TU A: IN TR
eichhoffi Ferrari, 1867: 29
histerinus Dufour, 1843: 91 (*Bostrichus*)
~~*micrographus* Billberg, 1820: 46 (*Tomicus*) [URN]~~
starhoni Reitter, 1913h: 77

genus *Dryocoetiops* Schedl, 1957: 13 type species *Ozopemon laevis* Strohmeier, 1911

apatoides Eichhoff, 1876: 201 (*Dryocoetes*) A: JA TAI YUN ORR

~~*striatus* Nobuchi, 1966: 52 (*Taphrorychus*)~~

~~*coffae* Eggers, 1923a: 161 (*Dryocoetes*) A: CH JA SD TAI ORR~~

~~*javanus* Eggers, 1936a: 87 (*Dryocoetes*)~~

~~*dinoderoides* Blandford, 1894a: 97 (*Dryocoetes*) A: JA~~

~~*kepongi* Schedl, 1953d: 296 (*Dryocoetes*) A: TAI ORR~~

~~*taradakensis* Murayama, 1957b: 618 (*Pseudopocilips*)~~

moestus Blandford, 1894a: 96 (*Dryocoetes*) A: CHQ JA NP SD TAI AUR ORR

~~*australis* Schedl, 1942c: 181 (*Dryocoetes*)~~

coffae Eggers, 1923a: 161 (*Dryocoetes*)
dinoderoides Blandford, 1894a: 97 (*Dryocoetes*)
eugeniae Schedl, 1942c: 180 (*Dryocoetes*)
hirsutus Schedl, 1939b: 34 (*Dryocoetes*)
javanus Eggers, 1936a: 87 (*Dryocoetes*)
malaccensis Schedl, 1942c: 180 (*Dryocoetes*)
taradakensis Murayama, 1957b: 618 (*Pseudopoecilips*)
tonkinensis Schedl, 1942c: 179 (*Dryocoetes*)
nitidus Schedl, 1942c: 179 (*Dryocoetes*) **A: YUN AUR ORR**

genus *Lymanator* Løvendal, 1889: 25 type species *Lymanator sepicola* Løvendal, 1889 (= *Tomicus coryli* Perris, 1855)

aceris aceris Lindemann, 1875a: 140 (*Dryocoetes*) **E: AU CZ EN FR GE LA LT PL SK ST SZ UK YU A: AB ES MG**

aceris schabliovskii Stark, 1936b: 153 **A: ES FE MG**
schabliovskij : Stark, 1936b: 153 [NA, IOS]

coryli Perris, 1855a: lxviii (*Tomicus*) **E: AU BE BU CR CT CZ DE EN FI FR GB GE GR HU IT LA LT NR NT PL RO SK SL SP ST SV SZ UK YU "Caucasus" A: ES FE TR WS**
sepicola Løvendal, 1889: 25

genus *Pseudothamnurgus* Eggers, 1912b: 115 type species *Dryocoetes mediterraneus* Eggers, 1910
mediterraneus Eggers, 1910b: 560 (*Dryocoetes*) **E: FR IT N: AG**

nitidicollis Reitter, 1887b: 197 (*Dryocoetes*) **N: MO**

normandi Eggers, 1910a: 37 (*Thamnurgus*) **E: FR N: AG TU AFR**
elegans Wichmann, 1913a: 118

orientalis Schedl, 1978a: 38 (*Thamnurgus*) **A: IS**

scrutator Pandellé, 1883: 136 (*Thamnurgus*) **E: BE FR SP A: PS**

genus *Taphronurgus* Reitter, 1913h: 84, 90 type species *Thamnurgus exul* Reitter, 1891
exul Reitter, 1891b: 199 (*Thamnurgus*) **A: KI KZ**

genus *Taphrorychus* Eichhoff, 1878b: 204 type species *Bostrichus bicolor* Herbst, 1793

Pseudopoecilips Murayama, 1957b: 614 type species *Pseudopoecilips mikuniyamensis* Murayama, 1957

Saliciphilus Sokanovskiy, 1954: 20 type species *Hypothenemus machnovskii* Sokanovskiy, 1952

Taphrocoetes Pfeffer, 1987: 22 type species *Taphrorychus hirtellus* Eichhoff, 1878

Taphroterus Schedl, 1965b: 341 type species *Taphroterus primitus* Schedl, 1965

alni Pfeffer, 1940a: 53 **E: FR**

betulae Schedl, 1974a: 87 **A: PA**

bicolor Herbst, 1793: 116 (*Bostrichus*) **E: AU BE BH BU CR CT CZ DE FR GB GE HU IT LS LT MC ME NL NR PL PT RO SB SK SP SV SZ UK A: NC SC TR**

fuscus Marsham, 1802: 53 (*Ips*)

carpini Kurentsov, 1941: 167 (*Dryocoetes*) **A: FE**

carpini Eggers, 1942: 32 (*Dryocoetes*) [HN]

carpini Stark, 1952: 329 (*Dryocoetes*) [HN]

ceratoniae Peyerimhoff, 1926: 388 **N: AG MO**

cribripennis Eggers, 1944c: 142

hewetti Stebbing, 1908: 11 (*Dryocoetes*) **A: HP UP**

hirtellus Eichhoff, 1878b: 208 **E: BH BU CR CZ HU MC ME RO SK N: AG A: TR**

meceadanus Reitter, 1913h: 95

lenkoranus Reitter, 1913h: 96 **E: ST A: AB AR GG IN**

machnovskii Sokanovskiy, 1952: 113 (*Hypothenemus*) **A: KI**

mikuniyamensis Murayama, 1957b: 616 (*Pseudopoecilips*) **A: JA**

minor Eggers, 1923b: 137 **E: IT N: AG**

picipennis Eggers, 1926a: 138 (*Dryocoetes*) **A: HUB JA SCH YUN**

pilosus Murayama, 1957b: 619 (*Pseudopoecilips*) **A: JA**

brevipilosus Murayama, 1957b: 621 (*Pseudopoecilips*)

ramicola Reitter, 1895n: 94 **E: BU ST A: IN SY TR**

pusillus Eggers, 1933a: 7

siculus Eggers, 1908a: 121 **E: BH IT (Sicilia) SZ**

~~*striatus* Nobuchi, 1966: 52 **A: JA**~~

villifrons Dufour, 1843: 91 (*Bostrichus*) **E: AU BE BU CR CT CZ FR GB GE HU IT MC NT PT SB SK SP ST SZ UK N: AG EG LB MO TU A: AR IN TR**

bulmerincqii Kolenati, 1846: 39 (*Bostrichus*)

capronatus Perris, 1866b: 193 (*Dryocoetes*)
coronatus Eggers, 1944c: 141
roubali Pfeffer, 1940a: 53
schimitscheki Eggers, 1940f: 38
splendens Sokanovskiy, 1958: 39

genus *Thammurgus* Eichhoff, 1864: 40 type species *Bostrichus euphorbiae* Handschuch, 1845
subgenus *Macrothammurgus* Mandelshtam, Petrov & Korotyaev, 2011: 604 type species *Thammurgus delphini* Rosenhauer, 1856
delphini Rosenhauer, 1856: 302 (*Bostrychus*) E: FR GR IT MC SP ST N: AG MO TU A: IN TM TR
holtzi Strohmeier, 1907: 6
robustus Eggers, 1908a: 122
semirufus Reitter, 1906e: 36
petzi Reitter, 1901g: 182 E: AU MD A: ST
rossicus Alekseev, 1957: 161
subgenus *Parathammurgus* Mandelshtam, Petrov & Korotyaev, 2011: 609 type species *Thammurgus caucasicus* Reitter, 1887
armeniacus Reitter, 1897j: 244 A: AB AR
posticipunctatus Eggers, 1937: 334
brylinskyi Reitter, 1889a: 40 E: FR A: AR TM TR
caucasicus Reitter, 1887b: 195 E: BU CT ST UK A: AR IN TM
kaltenbachii Bach, 1849: 199 (*Bostrichus*) E: AU BE BH CR FR GE HU IT PL SP SZ N: AG
csikii Endrödi, 1957: 307
declivis Reitter, 1897j: 244
pegani Eggers, 1933a: 6 A: AB AR TM TR
subgenus *Thammurgus* Eichhoff, 1864: 40 type species *Bostrichus euphorbiae* Handschuch, 1845
characiae Rosenhauer, 1878: 162 E: FR GR IT MA SP N: AG TU
sardus Eggers, 1912b: 114
euphorbiae Handschuch, 1845: 39 (*Bostrichus*) E: BH CR FR GE GR IT ME SP N: AG A: SY
siculus Eggers, 1912b: 115
mairei Peyerimhoff, 1949: 302 N: AG MO
varipes Eichhoff, 1878a: 390 E: AU BH BU CZ FR GE GR HU ME PL RO SK SP ST UK A: IN TR
varipes Eichhoff, 1878b: 212 [HN]

genus *Triotemnus* Wollaston, 1864: 264 type species *Triotemnus subretusus* Wollaston, 1864
Cladoctoporcus Schedl, 1975a: 454 type species *Cladoctoporcus scrofa* Schedl, 1975
antoinei Peyerimhoff, 1949: 299 N: MO
batelkai Knížek, 2010: 197 N: MO
grangeri Peyerimhoff, 1919c: 253 (*Lymantor*) N: AG
kabateki Knížek, 2010: 201 A: YE (Suqutra)
lepineyi Balachowsky, 1949b: 98 N: MO
longicollis Peyerimhoff, 1925c: 11 N: MO
pseudolepineyi Knížek, 2010: 194 N: MO
scrofa Schedl, 1975a: 454 (*Cladoctoporcus*) A: UP
socotraensis Knížek, 2010: 199 A: YE (Suqutra)
subretusus Wollaston, 1864: 265 E: SP N: CI
ulianai Gatti & Pennacchio, 2004: 104 E: IT
yemenensis Knížek, 2010: 203 A: YE

genus *Xylocleptes* Ferrari, 1867: 37 type species *Bostrichus bispinus* Duftschmid, 1825
Hylonius Nunberg, 1973: 16 type species *Hylonius brunneus* Nunberg, 1973
Xestips Hagedorn, 1912c: 353 type species *Xestips marginatus* Hagedorn, 1912
bicuspis Reitter, 1887b: 196 A: SY
bispinus Duftschmid, 1825: 92 (*Bostrichus*) E: AU BE BU CR CZ DE FR GB GE GR HU IT MC ME NL PL RO SB SK SL SP ST SZ UK N: AG EG LB MO TU A: TR
retusus Olivier, 1800: 78: 10 (*Scolytus*)
biuncus Reitter, 1894a: 45 E: CR IT FR SL SP N: AG MO A: TR
jemeniae Schedl, 1975c: 353 (*Thammurgus*) A: YE

7.14.6. Tribe Hylastini LeConte, 1876

genus *Hylastes* Erichson, 1836: 47 type species *Bostrichus ater* sensu Paykull, 1800 (= *Tomicus pinicola* Bedel, 1888)

Ipsocossomus Oke, 1934: 250 type species *Ipsocossomus anomalus* Oke, 1934 (= *Tomicus pinicola* Bedel, 1888)

ambiguus Blandford, 1894a: 57 **A:** JA

angustatus Herbst, 1793: 111 (*Bostrichus*) **E:** AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT MC MD NR NT PL PT SK SL SP ST SV SZ TR UK YU **A:** IN TR **AFRi**
scandinavicus Lekander, 1965: 199

attenuatus Erichson, 1836: 50 **E:** AU AZ BE BH BY CR CT CZ EN FI FR GB GE GR HU IT LA LT MC NR NT PL PT SK SL SP ST SV SZ UK YU **N:** MR **A:** HEI IN JA LIA SC TAI TR

batnensis anatolicus Knížek & Pfeffer, 1995: 74 **A:** TR

batnensis batnensis C.N.F. Brisout de Barneville, 1883d: 146 **E:** IT **N:** AG MO

brunneus Erichson, 1836: 48 (*Hylesinus*) **E:** AU AZ BE BU CT CZ DE EN FI FR GB GE GR HU IR IT LA MC NR NT PL SK SL ST SV SZ UK **A:** ES FE HP IN MG NC NE SC TR UP WS
"Manchuria"

aterrimus Eggers, 1933a: 3

rotundicollis Reitter, 1895n: 60

cunicularius Erichson, 1836: 49 **E:** AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC ME NR NT PL PT SK SL SP SV ST SZ UK **N:** AG **A:** JA ES FE HUB LIA NC QIN SHA SCH SY TR WS XIN YUN

acutus Endrödi, 1957: 308 [NA]

starki Eggers, 1933a: 1 (*Hylurgops*)

fallax Wichmann, 1911a: 100 **E:** AU CZ IT RO SK

gergeri Eggers, 1911b: 119

linearis Erichson, 1836: 49 **E:** BE CR CT CZ FR GB GE GR HU IT MC ME PL PT RO SK SL SP SZ UK **N:** AG CI MO MR TU **A:** CY IS SY TR **AFRi** **NTRi**

clavus Wollaston, 1854b: 305

corticiperda Erichson, 1836: 50

flavicornis Lindberg, 1950: 19

variolosus Perris, 1852: 181

lowei Paiva, 1861: 211 **N:** CI

opacus Erichson, 1836: 51 **E:** AU BE BU BY CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC ME NR NT PL SK SL ST SV SZ UK **A:** ES FE JA KZ MG NC SC TR WS

"Manchuria" **NARi**

angustatus Gyllenhal, 1813: 342 (*Hylesinus*) [HN]

ater Marsham, 1802: 59 (*Ips*) [UN]

simplex Rey, 1892: 30

parallelus Chapuis, 1875: 196 **A:** ES FE GAN HEI JA JIL LIA QIN SC SCH SHA TAI

pinicola Bedel, 1888a: 390 (*Tomicus*) **E:** AU AZ BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IT LA LT MC ME NL PL PT SK SL SP ST SV SZ UK **A:** ES FE FUJ JA KZ SC TR WS

"Manchuria" **AURi** **NTRi**

angusticollis Eggers, 1929a: 9

anomalus Oke, 1934: 251 (*Ipsocossomus*)

ater Paykull, 1800: 153 (*Bostrichus*) [NA]

chloropus Duftschmid, 1825: 102 (*Hylesinus*) [NA]

niger Marsham, 1802: 59 (*Ips*) [UN]

plumbeus Blandford, 1894a: 57 **E:** CT FI NT SV **A:** ES FE HEI JA JIL LIA NC SC SCH SHA SHN TAI WS

fushunensis Murayama, 1940: 235 (*Hylurgops*)

obscurus Chapuis, 1876: 197 [HN]

septentrionalis Eggers, 1923b: 135

substriatus Strohmeier, 1914b: 7 **A:** CH KI KZ TD TR

techangensis Tsai & Hwang, 1964a: 232, 233 **A:** SCH XIZ YUN

genus *Hylurgops* LeConte, 1876: 389 type species *Hylastes pinifex* Fitch, 1858

bonvouloiri Chapuis, 1869: 22 (*Hylastes*) **N:** AG

eusulcatus Tsai & Hwang, 1964b: 239, 241 **A:** SCH SHA YUN

glabratus Zetterstedt, 1828: 343 (*Hylurgus*) [NP] **E:** AU BG BH BY CT CZ DE EN FI FR GE GR HU IT LA NR NT PL SK SL SP SV SZ UK **A:** ES FE HEI IN JA JIL KZ MG NC SC TAI TR WS

decumanus Erichson, 1836: 51 (*Hylastes*)

paykullii Duftschmid, 1825: 99 (*Hylesinus*) [NO]

tenebrosus C.R. Sahlberg, 1836a: 139 (*Hylesinus*)

inouyei Nobuchi, 1959a: 10 **A:** JA

interstitialis Chapuis, 1876: 197[/196] (*Hylastes*) A: FE GAN HEI JA JIL NC LIA SC TAI
niponicus Murayama, 1936: 142
junnanicus Sokanovskiy, 1959a: 93 A: YUN
longipillus Reitter, 1895n: 63 A: FE GAN GUX HEI JA NC LIA SCH SHA SHX TAI YUN
imitator Reitter, 1900d: 59 (*Hylastes*)
likiangensis Tsai & Hwang, 1964b: 237, 240
transbaicalicus Eggers, 1941b: 119
major Eggers, 1944a: 67 A: FUJ HUN XIZ YUN
palliatius Gyllenhal, 1813: 340 (*Hylesinus*) [NP] E: AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE HU IN IR IT LA LS LT MC ME NL NR NT PL SK SL SP SV ST SZ UK N: AG A: ES
FE HEI IN JA KZ NC SC SHA TR WS NARi
abietiperda Bechstein, 1818: 74 (*Bostrichus*)
fuscus Duftschmid, 1825: 105 (*Hylesinus*)
helferi A. Villa & G.B. Villa, 1835: 49 (*Hylurgus*)
marginatus Duftschmid, 1825: 104 (*Hylesinus*)
micrographus: Bechstein & Scharfenberg, 1804: 99 (*Dermestes*) [NA]
parvus Eggers, 1933a: 2
piceus Marsham, 1802: 58 (*Ips*) [NO]
rufescens Stephens, 1830: 364 (*Hylurgus*)
rufus Marsham, 1802: 57 (*Ips*) [NO]
spessiweffi Eggers, 1914b: 187 A: ES FE JA NC NE SC TAI
modestus Murayama, 1937: 367
squamosus Murayama, 1942: 56
sulcatus Eggers, 1933e: 97 A: SCH YUN
tuberculatus Eggers, 1933e: 98 A: SCH

7.14.7. Tribe Hylesinini Erichson, 1836

genus *Alniphagus* Swaine, 1918: 73 type species *Hylesinus aspericollis* LeConte, 1876
Hylastimoides Spessivtsev, 1919: 249 type species *Hylastes alni* Niisima, 1909 (= *Hylesinus costatus* Blandford, 1894)
costatus Blandford, 1894a: 63 (*Hylesinus*) A: FE JA JIL NC SC TAI
alni Niisima, 1909: 137 (*Hylastes*)
imitator Sokanovskiy, 1958: 38

genus *Dactylipalpus* Chapuis, 1869: 12 type species *Dactylipalpus transversus* Chapuis, 1869
Dactylopselaphus Gemminger & Harold, 1872: 2678 [RN] type species *Dactylipalpus transversus* Chapuis, 1869
Ethadopselaphus Blandford, 1896d: 321 type species *Ethadopselaphus cicatricosus* Blandford, 1896
transversus Chapuis, 1869: 12 A: TAI AUR ORR
quadratocollis Chapuis, 1869: 12

genus *Ficicis* Lea, 1910a: 147 type species *Ficicis varians* Lea, 1910
Ficiphagus Murayama, 1958: 930 type species *Phloeosinus goliathoides* Murayama, 1955 (= *Hylesinus porcatus* Chapuis, 1869)

porcatus Chapuis, 1869: 31 (*Hylesinus*) A: HAI JA SD TAI UP YUN AUR ORR
crassus Beeson, 1929: 220 (*Hylesinus*)
goliathoides Murayama, 1955: 94 (*Phloeosinus*)
insularum Beeson, 1940: 192 (*Hylesinus*)
koebelei Lea, 1910a: 147
philippinensis Eggers, 1923a: 137 (*Hylesinus*)
subcostatus Eggers, 1923a: 137 (*Hylesinus*)
subopacus Eggers, 1930a: 10 (*Hylesinus*)
javanus Eggers, 1923a: 135 (*Hylesinus*) A: UP ORR

genus *Hylastinus* Bedel, 1888a: 388 type species *Ips obscurus* Marsham, 1802
achillei Reitter, 1895n: 54 N: AG A: SY
fankhauseri Reitter, 1895n: 54 E: AU CR FR IT SL SZ
kroaticus A. G. Fuchs, 1912: 49 E: BG CR GR
obscurus Marsham, 1802: 57 (*Ips*) E: AU BE CR CT CZ DE FR GB GE GR HU IR IT LA NL PL
PT SK SL ST SV SP SZ UK YU N: AG CI MO MR NARi NTRi
crenatulus Duftschmid, 1825: 104 (*Hylesinus*)
crenatus Olivier, 1800 78: 12 (*Scolytus*) [NA]
fuscescens Stephens, 1830: 365 (*Hylurgus*)
piceus Stephens, 1830: 365 (*Hylurgus*) [NA]
pilosus Eggers, 1944c: 140
trifolii P.W.J. Müller, 1807: 47 (*Bostrichus*)
tiliae Semenov, 1902: 271 E: ST A: GG

genus *Hylesinopsis* Eggers, 1920b: 40 type species *Hylesinopsis dubia* Eggers, 1920

Chilodendron Schedl, 1953b: 74 type species *Chilodendron planicolle* Schedl, 1953

Trypographus Schedl, 1950c: 213 type species *Trypographus joveri* Schedl, 1950

arabiae Schedl, 1975c: 353 **A:** YE

saudiarabiae Schedl, 1971c: 434 (*Chilodendron*) **A:** SA

genus *Hylesinus* Fabricius, 1801: 390 type species *Bostrichus crenatus* Fabricius, 1787

Leperisinus Reitter, 1913h: 40 type species *Bostrichus fraxini* Panzer, 1799 (= *Bostrichus varius* Fabricius, 1775)

aesculi Kugelann, 1794: 525 (*Bostrichus*) **E:** "Preussen"

botscharnikovi Stark, 1931: 81, 83 **E:** ST **A:** AB AF IN

choldkovskiyi Berger, 1917: 246 **A:** FE HEI

cingulatus Blandford, 1894a: 67 **A:** FE HEI JA JIL NC SC

crenatus Fabricius, 1787a: 37 (*Bostrichus*) **E:** AU BE BY CR CT CZ DE EN FI FR GB GE GR HU

IR IT LA LT LU MC NR NT PL RO SK SL SP SV ST SZ UK YU **N:** AG MO **A:** IN KI TR

crenatus Gravenhorst, 1807: 196 (*Anthribus*) [HN]

prutenskiyi Sokanovskiy, 1959b: 276

sulcatus Marsham, 1802: 59 (*Ips*)

eos Spessivtsev, 1919: 248 **A:** FE HEI JA NC NE "Central China"

laticollis Blandford, 1894a: 65 **A:** FE HEI JA NC SC

lubarskii Stark, 1936a: 153

striatus Eggers, 1933a: 4

macmahoni Stebbing, 1909: 16 (*Sphaerotrypes*) **A:** KA PA **ORR**

alternans Schedl, 1959c: 172

fraxinoides Schedl, 1959a: 39 (*Leperisinus*)

mandshuricus Eggers, 1922a: 15 **A:** "Manchuria"

nobilis Blandford, 1894a: 64 **A:** FE HEI JA

shablionskiyi Kurentsov, 1941: 113

pravdini Stark, 1936a: 153 **A:** FE NC

taranio Danthoine, 1788: 270 ("70") (*Byrrhus*) **E:** AU BE BU CR CZ DE FR GB GE GR HU IT LA

MC MD ME NR PL SB SK SL SP SV ST SZ UK **N:** AG LB MO **A:** IN IS JAi LE TR **NTRi**

antipodus Schedl, 1952a: 17

bicolor Brullé, 1832b: 250 (*Hylesinus*)

esau Gredler, 1863: 370

oleiperda Fabricius, 1792: 366 (*Bostrichus*)

scaber Marsham, 1802: 56 (*Ips*)

suturalis W. Redtenbacher, 1842: 21

toranio: Reitter, 1916a: 278 [ISS, NA]

tristis Blandford, 1894a: 66 **A:** JA

tupolevi Stark, 1936a: 151 **A:** AB KI TD YUN

denticulosus Sokanovskiy, 1956: 44

tupolevi Eggers, 1942: 28 (*Leperisinus*)

varius Fabricius, 1775: 60 (*Bostrichus*) **E:** AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU

IR IT LA LS LT LU MA MC ME NR NT PL PT RO SB SK SL SP SV ST SZ UK **N:** AG MO

TU **A:** HEI IN JIL LIA SHA TR

griseus Marsham, 1802: 55 (*Ips*)

fraxini Panzer, 1799b: 13 (*Bostrichus*)

fraxini Bechstein, 1804: 107 (*Bostrichus*) [HN]

haemorrhoidalis Marsham, 1802: 56 (*Ips*)

henscheli Knotek, 1892: 234

melanocephalus Fabricius, 1792: 368 (*Bostrichus*)

minutus Fabricius, 1777: 211 (*Bostrichus*)

picipennis Stephens, 1830: 359

pubescens Fabricius, 1798: 161 (*Anthribus*)

rufescens Marsham, 1802: 55 (*Ips*)

varius Olivier, 1800: 78: 11 (*Scolytus*) [HN]

varius Fabricius, 1801: 391 [HN]

verae Petrov, 2002: 121 **A:** IN TM

wachtlii orni A. G. Fuchs, 1906: 51 **E:** AU BE BU CR CZ DE FI FR GB GE GR HU IT MC NL NR

PL RO SK SL SP SV SZ UK

uniformis Endrödi, 1957: 308 [NA]

wachtlii wachtlii Reitter, 1887b: 193 **E:** FR

genus *Kissophagus* Chapuis, 1869: 34 type species *Hylesinus hederæ* Schmitt, 1843 (= *Hylesinus vicinus*

Comolli, 1837)

erinacellus Wichmann, 1916: 18 E: CR GR
novaki Reitter, 1894a: 45 E: AU CR CZ FR GE GR IT ME SK ST SZ N: AG
binodus Reitter, 1913h: 45
vicinus Comolli, 1837: 36 (*Hylesinus*) E: AU BE CR FR GB GE GR HU IT MA PL SB SP ST SZ
UK N: AG A: IN TR
hederae Schmitt, 1843: 108 (*Hylesinus*)
muesslini Reitter, 1913h: 44

genus *Longulus* Krivolutskaya, 1968: 50 type species *Hylesinus elatus* Niisima, 1913
elatus Niisima, 1913: 2 (*Hylesinus*) A: FE (Kuril Is.) JA

genus *Neopteleobius* Nobuchi, 1971a: 125 type species *Hylesinus scutulatus* Blandford, 1894
scutulatus Blandford, 1894a: 67 (*Hylesinus*) A: JA LIA NC SC
trepanatus Wichmann, 1914a: 137 (*Pteleobius*)

genus *Pteleobius* Bedel, 1888a: 392, 393 type species *Bostrichus vittatus* Fabricius, 1792
kraatzii Eichhoff, 1864: 30 (*Hylesinus*) E: AU BE BU BY CR CT CZ FR GE GR HU IT MC NL PL
SK SP ST SZ UK YU N: AG CI A: IN TR
putonii Eichhoff, 1868d: 403 (*Hylesinus*)
vittatus Fabricius, 1787a: 38 (*Bostrichus*) E: AU BE BU BY CR CT CZ FR GB GE GR HU IR IT
LA LT MC NL PL RO SB SK SP ST SZ UK A: IN IS TR
coadunatus Marsham, 1802: 58 (*Ips*)
furcatus Marsham, 1802: 55 (*Ips*)
sericeus Marsham, 1802: 55 (*Ips*)

7.14.8. Tribe Hylurgini Gistel, 1848

genus *Chaetoptelius* A. G. Fuchs, 1913b: 43 [RN] type species *Hylesinus vestitus* Mulsant & Rey,
1861
Acrantus Broun, 1882: 409 [RN] type species *Homarus mundulus* Broun, 1881
Chaetophorus A. G. Fuchs, 1912: 46 [UN] type species *Hylesinus vestitus* Mulsant & Rey, 1861
Homarus Broun, 1881: 740 [HN] type species *Homarus mundulus* Broun, 1881
vestitus Mulsant & Rey, 1861: 340 (*Hylesinus*) E: BU CR FR GR IT MC SP ST UK N: AG CI MO
TU A: IN IQ IS SA SY TD TR UP NTR ORR
indigenus Wollaston, 1864: 267 (*Hylesinus*)
vestitus Mulsant & Rey, 1862: 87 (*Hylesinus*) [HN]

genus *Dendroctonus* Erichson, 1836: 52 type species *Bostrichus micans* Kugelann, 1794
armandi Tsai & C-L. Li, 1959: 80 A: GAN GUI HEI HEN HUB HUN SCH SHA SHX YUN
prosorovi Kurentsov & Kononov, 1966: 29
micans Kugelann, 1794: 523 (*Bostrichus*) E: AU BE BU BY CR CT CZ DE EN FI FR GBi GE GR
HU IT LA LT LU ME NL NR NT PL SK SL SP SV SZ UK A: ES FE GAN HEI JA JIL KZ
LIA MG NMO QIN SCH TR WS XIN XIZ
abietinus Fabricius, 1792: 367 (*Bostrichus*) #¹¹
valens LeConte, 1857: 59 Ai: HEB HEN SHA SHX NAR
beckeri Thatcher, 1954: 4

genus *Hylurgus* Latreille, 1806: 274 type species *Bostrichus ligniperda* Fabricius, 1787
indicus Wood, 1985: 273 A: UP
ligniperda Fabricius, 1787a: 37 (*Bostrichus*) E: AU AZ BE BH BU BY CR CT CZ DE EN FI FR GE
GR HU IT LA LT MC MD NL NT PL PT RO SK SL SP ST SV SZ UK YU N: AG CI MO
MR TU A: CY HEI JA TR WS AFRi AURi NARi NTRi
elongatus Herbst, 1793: 117 (*Bostrichus*) [HN]
flavipes Panzer, 1799a: 9 (*Bostrichus*)
longulus Kolenati, 1846: 38
micklitzii Wachtl, 1881: 227 E: CR FR GE GR HU IT MA SP ST N: AG EG LB MO TU A: IS TR

genus *Hylurgus*, nomen dubium
rufipes Stephens, 1835: 419 E: GB

genus *Pseudohylesinus* Swaine, 1917: 11 type species *Pseudohylesinus grandis* Swaine, 1917 (= *Hylurgus sericeus* Mannerheim, 1843)

nebulosus nebulosus LeConte, 1860: 285 (*Hylesinus*) Ai: TR NAR
sericeus Mannerheim, 1843: 296 (*Hylurgus*) Ai: JA NAR
grandis Swaine, 1917: 13
yasumatsui Nobuchi, 1971b: 160

genus *Pseudoxylechinus* Wood & F.-S. Huang, 1986: 465 type species *Pseudoxylechinus uniformis*

Wood & F.-S. Huang, 1986
indicus Wood, 1986: 468 A: SD
piceae Z.-L. Chen & Yin, 2001: 336, 338 A: YUN
rugatus Wood & F.-S. Huang, 1986: 467 A: YUN
sinensis Wood & F.-S. Huang, 1986: 467 A: YUN
tibetensis Wood & F.-S. Huang, 1986: 466 A: XIZ
tiliae Niisima, 1910: 2 (*Kissophagus*) A: JA
uniformis Wood & F.-S. Huang, 1986: 465 A: SCH SHA
variegatus Wood & F.-S. Huang, 1986: 466 A: SHX

genus *Tomicus* Latreille, 1802: 203 type species *Dermestes piniperda* Linnaeus, 1758

Blastophagus Eichhoff, 1864: 25 [SN] type species *Dermestes piniperda* Linnaeus, 1758 [SN]
Myelophilus Eichhoff, 1878c: 400 [URN, SN]
armandii Li & Z. Zhang, 2010: 60 A: YUN
brevipilosus Eggers, 1929c: 103 (*Blastophagus*) A: FUJ JA SC YUN
khasianus Murayama, 1959: 75 (*Blastophagus*)
multisetosus Murayama, 1963a: 37 (*Blastophagus*)
destruens Wollaston, 1865: 45 (*Hylurgus*) E: CR FR GR IT PT SP ST UK N: AG MR A: CY IN IS TR
minor Hartig, 1834: 413 (*Hylesinus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MC ME NL NR NT PL PT RO SK SL SP ST SV SZ TR UK A: ANH ES FE CY FUJ GAN GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX KZ LIA MG NC NMO QIN SC SCH SHA SHX TAI TR WS YUN ZHE NARi
corsicus Eggers, 1911a: 75 (*Myelophilus*)
pilifer Spessivtsev, 1919: 250 (*Myelophilus*) A: BEI FE HEB HEI HUB JIL NC NMO QIN SCH SHA SHX XIZ YUN
piniperda Linnaeus, 1758: 355 (*Dermestes*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC ME NL NR NT PL PT RO SK SL SP ST SV SZ UK N: AG MO MR TU A: ANH CHQ CY ES FE FUJ GAN GUI HEB HEI HEN HUB HUN IS JA JIA JIL JIX KZ LIA MG NC NMO QIN SC SCH SHA SHN SHX TAI TR WS YUN ZHE NARi
ORR
analogus LeConte, 1868: 172 (*Hylurgus*)
major Eggers, 1943a: 50 (*Blastophagus*)
testaceus Fabricius, 1787a: 37 (*Bostrichus*)
puellus Reitter, 1895n: 53 (*Myelophilus*) A: FE JA NC
orientalis Krivolutskaya, 1956: 828 (*Blastophagus*)
starki Eggers, 1929c: 104 (*Blastophagus*)
yunnanensis Kirkendall & Faccoli, 2008: 32 A: YUN

genus *Xylechinus* Chapuis, 1869: 36 type species *Hylesinus pilosus* Ratzeburg, 1837

Pruniphagus Murayama, 1958: 930 type species *Pruniphagus gummensis* Murayama, 1958
Squamosinus Nunberg, 1964: 431 type species *Squamosinus chiliensis* Nunberg, 1964
Xylechinops Browne, 1973: 283 type species *Xylechinus australis* Schedl, 1957
arisanus Eggers, 1939b: 114 A: TAI
bergeri Spessivtsev, 1919: 249 A: FE HEI NC
darjeelingensis Schedl, 1971b: 371 A: NP SD
gummensis Murayama, 1958: 931 (*Pruniphagus*) A: JA
obscurus Eggers, 1941c: 222 A: FUJ
ougeinia Wood, 1988a: 37 A: UP
padus Wood, 1988a: 38 A: HP KA UP YUN
pilosus Ratzeburg, 1837: 178 (*Hylesinus*) E: AU BE CT CZ DE EN FI FR GB GE GR IT LA ME NR NT PL RO SK SL SV ST SZ UK A: ES FE HEI JA JIL KZ MG NC SHA WS XIN

7.14.9. Tribe Hyorrhynchini Hopkins, 1915

genus *Hyorrhynchus* Blandford, 1894a: 58 type species *Hyorrhynchus lewisi* Blandford, 1894

ebianensis F.-S. Huang & Yin, 1983: 339 A: SCH
kalimpongensis Maiti & Saha, 1989: 41 A: SD
lewisi Blandford, 1894a: 60 A: FE (Kuril Is.) JA TAI **ORR**
sensarmai Maiti & Saha, 1989: 44 A: SD
shiva Maiti & Saha, 1989: 46 A: SD **ORR**
tuberopectus F.-S. Huang & Yin, 1983: 340 A: SCH
unicornis Nobuchi, 1966: 51 A: JA TAI

genus *Pseudohyorrhynchus* Murayama, 1950b: 61 type species *Pseudohyorrhynchus wadai* Murayama, 1950

blandfordi Sampson, 1913: 446 (*Hyorrhynchus*) A: SD XIZ YUN **ORR**
flavopannus F.-S. Huang & Yin, 1983: 338 (*Hyorrhynchus*) A: SCH
wadai kurilensis Krivolutskaya, 1996: 331 A: FE (Kuril Is.)
wadai wadai Murayama, 1950b: 61 A: JA TAI

genus *Sueus* Murayama, 1951: 1 type species *Sueus sphaerotrypoides* Murayama, 1951 (=

Hyorrhynchus niisimai Eggers, 1926)
Parasphaerotrypes Murayama, 1958: 933 type species *Sphaerotrypes controversae* Murayama, 1950 (= *Hyorrhynchus niisimai* Eggers, 1926)
niisimai Eggers, 1926a: 133 (*Hyorrhynchus*) A: HAI JA SD TAI **AUR ORR**
controversae Murayama, 1950b: 62 (*Sphaerotrypes*)
pilosus Eggers, 1936a: 81 (*Hyorrhynchus*)
sphaerotrypoides Murayama, 1951: 2

7.14.10. Tribe Hypoborini Nüsslin, 1911

genus *Hypoborus* Erichson, 1836: 62 type species *Hypoborus ficus* Erichson, 1836

ficus Erichson, 1836: 62 E: AU AZ BH BU CR FR GE GR HU IT MA MC ME PL PT SL SP ST
SZ UK N: AG CI EG MO MR TU A: AB CY IN IQ IS JO TR
siculus Ferrari, 1867: 18

genus *Liparthrum* Wollaston, 1854b: 294 type species *Liparthrum bituberculatum* Wollaston, 1854

Dacryophthorus Schedl, 1971a: 281 type species *Dacryophthorus brincki* Schedl, 1971
Erineosinus Blackman, 1920: 53 type species *Erineosinus squamosus* Blackman, 1920
Phloeochilus Schedl, 1953d: 292 type species *Phloeochilus palaquius* Schedl, 1953
Phloeotrypetus Wood, 1960a: 16 type species *Phloeotrypetus palauensis* Wood, 1960
~~*Trypanophellos* Bright, 1982: 166 type species *Trypanophellos necopinus* Bright, 1982~~

arnoldi Semenov, 1902: 272 E: BU CR RO ST A: AB GG TR

abadjanidis Eggers, 1910b: 558

artemisiae Wollaston, 1854b: 299 N: CI MR

bartschti Mühl, 1891: 202 E: AU HU SK ST A: IN TR

bicaudatum Wollaston, 1865: 44 N: CI

bituberculatum Wollaston, 1854b: 297 N: CI MR

canum Israelson, 1990: 6 N: CI

colchicum Semenov, 1903: 79 E: CR SP ST N: AG

corsicum Eichhoff, 1878a: 383 E: FR (Corse)

corsicum Eichhoff, 1878b: 110 [HN]

curtum Wollaston, 1854b: 298 E: AZ N: CI MR

ciliatum Eggers, 1928c: 283

genistae genistae Aubé, 1862b: 388 (*Hypoborus*) E: FR IT SP N: AG MO TU A: IS TR

peyrimhoffi Pfeffer, 1941a: 26

genistae georgi Knotek, 1895: 89 E: BH CR GR ME ST "Caucasus" A: CY

albidum Wichmann, 1916: 21

cytisi Eggers, 1927b: 121

inarmatum Wollaston, 1860b: 364 N: CI MO MR

laurivorum Schedl, 1968: 23 A: TR

longifolia Stebbing, 1903: 267 (*Cryphalus*) A: HP UP **ORR**

lowei Wollaston, 1862a: 174 N: AZ CI

mandibulare Wollaston, 1854b: 295 E: AZ FR GB (Guernsey) SP N: CI MR

mori Aubé, 1862b: 387 (*Hypoborus*) E: CR FR GR IT MA SP N: AG MO TU

dalmatinum Eggers, 1944c: 140

nigrescens Wollaston, 1865: 44 N: CI MO A: TR

degener Lindberg, 1953: 18
semidegener Israelson, 1990: 7 N: MR

7.14.11. Tribe Ipini Bedel, 1888

genus *Acanthotomicus* Blandford, 1894a: 89 type species *Acanthotomicus spinosus* Blandford, 1894

Mimips Eggers, 1932a: 33 type species *Ips pilosus* Eggers, 1924
perexiguus Blandford, 1896b: 201 (*Tomicus*) A: SD YUN ORR
denticulus Eggers, 1923a: 163 (*Ips*)
philippinensis Eggers, 1927e: 78 (*Ips*)
spinosus Blandford, 1894a: 90 A: JA TAI YUN
suncei Cognato, 2018: 596 A: JIA SHG

genus *Ips* DeGeer, 1775: 190 type species *Dermestes typographus* Linnaeus, 1758

Bonips Cognato, 2001: 779 type species *Tomicus bonanseai* Hopkins, 1906
Bostrichus Fabricius, 1775: 59 [HN] type species *Dermestes typographus* Linnaeus, 1758
Tomicus: Latreille, 1806: 276 [NA]
Cumatotomicus Ferrari, 1867: 44 type species *Bostrichus stenographus* Duftschmid, 1825 (= *Dermestes sexdentatus* Boerner, 1776)
Cyrtotomicus Ferrari, 1867: 44 type species *Bostrichus acuminatus* Gyllenhal, 1827
Emarips Cognato, 2001: 779 type species *Tomicus emarginatus* LeConte, 1876
Granips Cognato, 2001: 780 type species *Tomicus grandicollis* Eichhoff, 1868
acuminatus Gyllenhal, 1827: 620 (*Bostrichus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD ME NL NR NT PL RO SK SL SP ST SV SZ UK "Caucasus" A: ES FE FUJ GAN HEB HEI HEN HEI HUN IN JA JIL KZ LIA MG NC NMO QIN SC SCH SHA SHN SHX SY TAI TR WS XIN YUN ORR
geminatus Zetterstedt, 1828: 345 (*Bostrichus*)
heydeni Eichhoff, 1884: 298 (*Tomicus*)
amitinus Eichhoff, 1872b: 138 (*Tomicus*) E: AU BE BH BU CR CT CZ DE EN FI FR GE GR HU IT LA LT MC ME NL NT PL RO SK SV SZ UK A: TR
montanus A. G. Fuchs, 1913a: 80
cembrae Heer, 1836: 28 (*Bostrichus*) E: AU BE CT CZ DE FR GB GE GR HU IT LS NL NT PL SK SL SZ UK A: ES FE HEI JA JIL KZ MG SC TAI WS
engadinensis A. G. Fuchs, 1913a: 82
fallax Eggers, 1915b: 96
shinanoensis Yano, 1924: 2
chinensis Kurentsov & Kononov, 1966: 31 A: YUN
duplicatus C.R. Sahlberg, 1836a: 144 (*Bostrichus*) E: AU BY CT CZ EN FI FR GE HU LA LT NR NT PL SK SV UK A: ES FE HEI JA JIL KZ LIA MG NC NMO SCH WS XIN
infucatus Eichhoff, 1877a: 392 (*Tomicus*)
infucatus Eichhoff, 1878b: 247 [HN] (*Tomicus*)
judeichii Kirsch, 1871a: 388 (*Bostrichus*)
rectangulus Eichhoff, 1867: 83 (*Tomicus*)
hauseri Reitter, 1895n: 81 A: ES FE JIL KI KZ TD TR WS XIN
ussuriensis Reitter, 1913h: 107
longifolia Stebbing, 1909: 26 (*Tomicus*) A: BT HP NP PA UP XIZ "W Himalaya"
nitidus Eggers, 1933e: 101 A: GAN GUI HEI NMO QIN SCH XIN XIZ YUN
schmutzenhoferi Holzschuh, 1988: 482 A: BT
sexdentatus Boerner, 1776: 78 (*Dermestes*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MC MD ME NL NR NT PL PT RO SK SL SP ST SV SZ UK "Caucasus" A: ES FE GAN HEB HEI HEN HUB JA JIL KZ LIA MG NC NMO SC SCH SHA SHX TR WS YUN ORR
junmanicus Sokanovskiy, 1959a: 94
pinastri Bechstein, 1804: 93 (*Bostrichus*)
stenographus Duftschmid, 1825: 88 (*Bostrichus*)
shangrila Cognato & Sun, 2007: 8 A: GAN QIN SCH SHA XIZ YUN
stebbingi Strohmeyer, 1908a: 69 A: AF BT HP KA NP PA UP XIZ
blandfordi Stebbing, 1909: 27 (*Tomicus*)
ribbentropi Stebbing, 1909: 25 (*Tomicus*)
subelongatus Motschulsky, 1860b: 155 (*Tomicus*) Ei: NT UK A: ES FE HEI HEN JA JIL LIA MG NC NMO SHA SHN SHX WS XIN
typographus Linnaeus, 1758: 355 (*Dermestes*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU ICi IR IT LA LS LT LU MD ME NR NT PL PT RO SK SL SP ST SV SZ UK N:

AG A: ES FE GAN HEI HEN IN JA JIL KZ MG NC NMO QIN SC SCH SHA TD TR WS
XIN

japonicus Niisima, 1909: 147

octodentatus Paykull, 1800: 146 (*Bostrichus*)

genus *Orthotomicus* Ferrari, 1867: 44 type species *Bostrichus laricis* Fabricius, 1792

Neotomicus A. G. Fuchs, 1911: 33 type species *Bostrichus laricis* Fabricius, 1792

angulatus Eichhoff, 1876: 200 (*Tomicus*) A: CE FE FUJ JA JIA NC NO SC TAI YUN AURi ORR

erosus Wollaston, 1857: 95 (*Tomicus*) E: AZ AU BU CR CT FR GB GR HU IT MA MC ME PT SL

SP ST SZ UK N: AG EG LB MO MR TU A: AF ANH FUJ GUA GUI GUX HEN HUB

HUN IN IS JIA JIX JO LIA SCH SHA SHN SHX SY TR UZ YUN ZHE "Korea" AFRi

NARi

rectangulus Ferrari, 1867: 83 (*Tomicus*)

golovjankoi Pyatnitskiy, 1930: 179 A: ES FE HEI JA JIL NC NE SC

kuniyoshii Nobuchi, 1959b: 23 (*Ips*) A: JA (Ryūkyū) TAI

laricis Fabricius, 1792: 365 (*Bostrichus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR

HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SK SL SP ST SV SZ UK

"Caucasus" N: AG MO A: ES FE HEB HEI IN JA KZ MG NC SC SHA SHX TR WS NTRi

chalcographus Olivier, 1800: 78: 7 (*Scolytus*) [NA]

longicollis Gyllenhal, 1827: 621 (*Bostrichus*) E: BH BU BY CT CZ DE EN FI FR GE GR HU IT LA

MC NR NT PL SB SK SL SP ST SV SZ UK A: SY TR

oblitus Perris, 1862: 218 (*Tomicus*)

mannsfeldi Wachtl, 1880: 51 (*Tomicus*) E: AU BH BU CR FR GR HU IT MC ME RO SP A: IN TR

multidentatus Murayama, 1953a: 34 (*Ips*) A: JA

nankinensis Kurentsov & Kononov, 1966: 32 A: JIA

nobilis Wollaston, 1862b: 441 (*Tomicus*) N: CI

pinivorus Schedl, 1961a: 187 A: TR

proximus Eichhoff, 1868d: 403 (*Tomicus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR

HU IT LA LT MD NL NR NT PL PT SK SL SP ST SV SZ UK YU "Caucasus" N: AG A: ES

FE FUJ IN IQ JA KZ MG NC NO SC TR WS "Manchuria" AFRi ORR

fejferi Keler, 1925: 191 (*Ips*)

omissus Eichhoff, 1872b: 138 (*Tomicus*)

robustus Knotek, 1899: 296 (*Tomicus*) E: AU BH BU CZ GR HU SK N: AG A: SY TR

melanurus Reitter, 1913h: 109

starki Spessivtsev, 1926b: 217 E: BY CT LT NT PL ST A: ES FE HEI JIL QIN SCH SHA SHX

WS XIN YUN

suturalis Gyllenhal, 1827: 622 (*Bostrichus*) E: AU BE BH BU BY CT CZ DE EN FI FR GB GE GR

HU ICi IT LA LT MC MD ME NL NR NT PL PT RO SC SK SL SP ST SV SZ UK A: AB ES

FE IN JA JIL KZ LIA MG NC QIN SC SCH SHA SHX YUN TR WS

nigritus Gyllenhal, 1827: 623 (*Bostrichus*)

tosaensis Murayama, 1950a: 52 (*Ips*) A: JA "Korea"

tridentatus Eggers, 1921: 41 E: AU A: TR

genus *Pityogenes* Bedel, 1888a: 397 type species *Dermestes chalcographus* Linnaeus, 1760

Eggersia Lebedev, 1926: 121 type species *Bostrichus bidentatus* Herbst, 1783

Pityocera Balachowsky, 1947: 44 type species *Bostrichus quadridens* Hartig, 1834

bidentatus Herbst, 1783: 24 (*Bostrichus*) E: AU BE BG BH BY CR CT CZ DE EN FI FR GB GE GR

HU IR IT LA LT LU MC MD ME NL NR NT PL PT RO SK SL SP ST SV SZ UK "Caucasus"

A: ES FE IN IS JA KZ MG TR WS AFRi NARi

ater Fabricius, 1792: 368 (*Bostrichus*) [HN]

bidens Fabricius, 1792: 368 (*Bostrichus*)

bispinus Guyon, 1855: 4815 (*Bostrichus*)

carniolicus A. G. Fuchs, 1911: 35

obtusus Eggers, 1932b: 81

*bi*tridentatus Eichhoff, 1878b: 282 (*Tomicus*) E: AL AU BH BU CR CZ FR GE GR HU IT MC ME

PL RO SK SL SP ST SZ UK A: CY JA NE TR

albanticus Eggers, 1911b: 122

pilidens Reitter, 1895n: 79

calcaratus Eichhoff, 1878b: 281 (*Tomicus*) E: CR FR GR IT MA ME PT SP ST UK N: AG MO TU

A: IN IS SY TR

herbellae Strohmeyer, 1929: 181

lipperti Henschel, 1885: 242 (*Tomicus*)

opacifrons Reitter, 1913h: 99

chalcographus Linnaeus, 1760: 143 (*Dermestes*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU ICi IRi IT LA LS LT MC MD ME NR NT PL PT SK SL SP ST SV SZ UK A: ES FE HEI IN JA JIL LIA MG NC NMO QIN SC SCH SHA TR WS XIN YUN NTRi
sexdentatus Olivier, 1800: 78: 11 (*Scolytus*)
spinus DeGeer, 1775: 197 (*Ips*)
xylographus C.R. Sahlberg, 1836b: 148 (*Bostrichus*)
conjunctus Reitter, 1887b: 196 E: AU BU CZ FR GE HU IT RO SK SL SZ UK A: ES FE HEB JA LIA MG TR WS "Mandschurei"
baicalicus Eggers, 1933c: 49
foveolatus Eggers, 1926a: 137 A: ES FE JA NC
irkutensis irkutensis Eggers, 1910a: 38 E: CT FI NR NT SV A: ES FE IN MG TR WS
irkutensis monacensis A. G. Fuchs, 1911: 3 E: AU BU CZ GE LT PL RO SZ UK YU "Caucasus"
bialowiezensis Karpiński, 1931: 34
japonicus Nobuchi, 1974: 39 A: GUI JA SCH SHA SHX XIZ YUN
pennidens Reitter, 1889g: 374 (*Tomicus*) E: GR ST A: CY IS SY TR
porifrons Eggers, 1933c: 50 E: GR A: CY
quadridens Hartig, 1834: 109 (*Bostrichus*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC MD ME NR NT PL PT SK SL SP ST SV SZ UK A: ES FE IN KZ TR WS
rudnevi Sokanovskiy, 1959b: 278 A: FE
saalasi Eggers, 1914b: 188 E: FI NT PL SV A: ES GAN LIA MG QIN WS XIN
niger Sokanovskiy, 1960: 676
scitus Blandford, 1893a: 63 A: BEI HP KA NP PA TAI UP XIZ YUN ORR
coniferae Stebbing, 1909: 30
seirindensis Murayama, 1929: 26 A: CHQ FE HEI JA LIA NC SC SCH SHA YUN
aizawai Kôno, 1938a: 69
nitidus Eggers, 1941b: 121
spessivtsevi Lebedev, 1926: 120 A: HP KA KI KZ TD UP XIN
trepanatus Nördlinger, 1848: 239 (*Bostrichus*) E: AU BE BH BU BY CT CZ DE EN FI FR GB GE HU IT LA ME NR NT PL PT RO SK SP ST SV SZ UK A: TD
austriacus Wachtl, 1887: 320 (*Tomicus*)
elongatus Løvendal, 1889: 23 (*Tomicus*)

genus *Pityokteines* A. G. Fuchs, 1911: 33 type species *Ips curvidens* Germar, 1823

Orthotomides Wood, 1951: 32 type species *Orthotomicus lasiocarpi* Swaine, 1916
Pityoctines C.F.C. Schaufuss, 1916: 1246 type species *Ips curvidens* Germar, 1823
curvidens Germar, 1823: 462 (*Tomicus*) E: AU BE BH BU BY CR CT CZ FR GE GR HU IT LA LT LU MC NT PL PT RO SK SL SP ST SZ UK YU A: ES IN JA TR AFRi NTRi
calligraphus Duftschmid, 1825: 91 (*Bostrichus*)
orthographus Duftschmid, 1825: 91 (*Bostrichus*)
psilonotus Germar, 1823: 463 (*Tomicus*)
marketae Knížek, 1998: 189 A: TR
spinidens Reitter, 1895n: 85 (*Ips*) E: AU BH BU CR CT CZ FR GE GR IT LS NT PL RO SK SP ST SZ UK YU A: SC TR
heterodon Wachtl, 1895: 15 (*Tomicus*)
vorontzowi Jakobson, 1895: 521 (*Tomicus*) E: AU BE BH BU CR CZ FR GE GR HU IT MC ME PL RO SK SL SP ST SZ UK A: TR

genus *Premnobius* Eichhoff, 1878b: 65, 404 type species *Premnobius cavipennis* Eichhoff, 1878

ambitiosus C.F.C. Schaufuss, 1898a7: 109 (*Xylocleptes*) N: CI AFR NTR
brasiliensis Nunberg, 1958: 490
spinus Hagedorn, 1908: 376

genus *Pseudips* Cognato, 2000: 365 type species *Bostrichus concinnus* Mannerheim, 1852

orientalis Wood & Yin, 1986: 461 (*Ips*) A: QIN SCH XIZ YUN

7.14.12. Tribe Micracidini LeConte, 1876

genus *Pseudothysanoes* Blackman, 1920: 46 type species *Pseudothysanoes drakei* Blackman, 1920 (=

Cryphalus rigidus LeConte, 1876)
Aphanocleptus Wood, 1960b: 63 type species *Aphanocleptus coniferae* Wood, 1960
Bostrichips Schedl, 1952a: 21 type species *Bostrichips spinatus* Schedl, 1952
Chalcohyus Blackman, 1943b: 363 type species *Chalcohyus securigenus* Blackman, 1943

Cryptocleptes Blackman, 1920: 51 [HN] type species *Cryptocleptes dislocatus* Blackman, 1920
Cryptocleptes Wood, 1962: 76 [RN] type species *Cryptocleptes dislocatus* Blackman, 1920
Gretschkinia Sokanovskiy, 1959b: 276 type species *Gretschkinia mongolica* Sokanovskiy, 1959 (= *Cryphalus modestus* Murayama, 1940)
Neoglostatus Schedl, 1978b: 300 type species *Neoglostatus squamosus* Schedl, 1978 (= *Cryptocleptes abbreviatus* Schedl, 1954)
modestus Murayama, 1940: 236 (*Cryphalus*) A: ES GAN HEB HEI JA LIA MG NC NE SHX
mongolicus Sokanovskiy, 1959b: 277 (*Gretschkinia*)

7.14.13. Tribe Phloeosinini Nüsslin, 1912

genus *Hyledius* Sampson, 1921: 35 type species *Hyledius asper* Sampson, 1921 (= *Olonthogaster nitidicollis* Motschulsky, 1866)

Holonthogaster Gemminger & Harold, 1872: 2676 [UE] type species *Olonthogaster nitidicollis* Motschulsky, 1866
Hylurgulus Eggers, 1927d: 392 type species *Hylurgulus sumatranus* Eggers, 1927 (= *Phloeosinus hylurgulus* Eggers, 1940)
Olonthogaster Motschulsky, 1866b: 401 [NA] type species *Olonthogaster nitidicollis* Motschulsky, 1866
Phloeosinopsis Schedl, 1936c: 23 type species *Phloeosinopsis armata* Schedl, 1936

ceylonicus Schedl, 1959d: 473 (*Phloeosinus*) A: YUN **ORR**

cribratus Blandford, 1896b: 198 (*Phloeosinus*) A: HAI SCH YUN **AUR ORR**

australis Schedl, 1938b: 36 (*Phloeosinus*)
malayensis Schedl, 1936c: 22 (*Phloeosinus*)
tuberculosis Browne, 1970: 544 (*Phloeosinus*)

genus *Phloeocranus* Schedl, 1942b: 7 type species *Phloeocranus bruchoides* Schedl, 1942

Diamerides Browne, 1949: 893 type species *Diamerides litseae* Browne, 1949 (= *Phloeocranus bruchoides* Schedl, 1942)

bruchoides Schedl, 1942b: 8 A: SD **ORR**

litseae Browne, 1949: 894 (*Diamerides*)

genus *Phloeosinopsioides* Schedl, 1964e: 317 [RN] type species *Phloeosinopsis triseriata* Schedl, 1964 (=

Xylechinus formosanus Schedl, 1935)
Phloeosinopsis Schedl, 1964b: 297 [HN] type species *Phloeosinopsis triseriata* Schedl, 1964 (= *Xylechinus formosanus* Schedl, 1935)

formosanus Schedl, 1935e: 479 (*Xylechinus*) A: TAI **ORR**

triseriatus Schedl, 1964: 297 (*Phloeosinopsis*)

genus *Phloeosinus* Chapuis, 1869: 37 type species *Hylesinus thujae* Perris, 1855

abietis Tsai & Yin, 1964: 92, 95 A: HUB YUN

acatayi Schedl, 1958a: 33 A: SY TR

libani Balachowsky, 1969: 649

arisanus Niisima, 1942: 73 A: TAI

armatus Reitter, 1887b: 192 E: GR IT N: LB A: CY IN IS JO LE PS SY TR **NARi**

andresi Eggers, 1927b: 120

aubei Perris, 1855a: lxviii (*Hylesinus*) E: AL AU BE BH BU CR CZ FR GB GE GR HU IT MC ME NL PL PT RO SK SP ST SZ UK N: AG CI EG LB MO TU A: ANH AR BEI CY GAN GUI HEB HEN HUN IN IS JIA NC QIN SA SHA SHN SCH SHX SY TAI TM TR YUN

hercegovinensis Eggers, 1922b: 120

praenotatus Gredler, 1866: 370 (*Phloeophthorus*)

schumensis Eggers, 1922c: 166

transcaspicus Semenov, 1903: 79

camphoratus Tsai & Yin, 1964: 93, 96 A: YUN **ORR**

cedri C.N.F. Brisout de Barneville, 1883d: 146 E: SP N: AG MO A: IN TR

maurus Balachowsky, 1969: 649

gifuensis Murayama, 1954: 190 A: JA

gifensis: Murayama, 1954: 190 [IOS, NA]

gillerforsi Bright, 1987: 3 E: AZ N: CI

henschi Reitter, 1901h: 201 E: BH BU CR GR MC UK A: LE SY

inermis Nunberg, 1948: 14

krimaeus Eggers, 1937: 334

stoeckleini Schedl, 1935a: 241

hopehi Schedl, 1953a: 23 A: BEI HEB HUN NIN SC SCH SHA SHX

jubatus Sampson, 1919: 112 A: UP

kiushuensis Murayama, 1955: 93 A: JA

dubius Blandford, 1894a: 70

izuensis Nobuchi, 1959a: 9

kumamotoensis Murayama, 1955: 91 A: JA

laricionis Faccoli & Sidoti, 2013: 98 E: IT (Sicilia)

lewisi Chapuis, 1876: 198 A: GUI JA JIL TAI
minutus Blandford, 1894a: 71
machilus Schedl, 1959c: 173 (*Hylesinus*) A: FUJ HUN UP
cinnamomi Tsai & Yin, 1964: 94, 96
osumiensis Murayama, 1955: 90 A: JA
perlatus Chapuis, 1876: 198 A: FUJ GUI HEN HUN JA NC SC SCH SHX TAI YUN
pertuberculatus Eggers, 1939b: 115 A: TAI
pfefferi Knížek, 1994: 124 A: CY
phoebe Wood, 1988c: 199 A: UP
pulchellus Blandford, 1894a: 69 A: JA
rudis Blandford, 1894a: 73 Ei: FR NL A: JA SC
shotoensis Murayama, 1955: 88
sannohensis Murayama, 1954: 190 A: GUI JA
seriatus Blandford, 1894a: 72 A: JA
shensi Tsai & Yin, 1964: 90, 95 A: SHA SHX YUN
sinensis Schedl, 1953a: 23 A: ANH FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA
SHX YUN ZHE
squamulatus Chapuis, 1869: 39 A: UP "Himalaya"
thujae Perris, 1855a: lxxvii (*Hylesinus*) E: AL AU BE BH BU CR CZ FR GB GE GR HU IT MA MC
ME NL PL PT RO SK SL SP ST SZ UK N: AG CI EG LB MO TU A: TR
impressus Olivier, 1800: 78: 12 (*Scolytus*) #¹²
juniperi Döbner, 1860: 261 (*Dendroctonus*)
prostratus Peyerimhoff, 1919a: 259
serrifer Wichmann, 1916: 17
thuyae Perris, 1855a: lxxvii (*Hylesinus*) [NA]
turkestanicus Semenov, 1902: 269 A: KI KZ TD UZ

7.14.14. Tribe Phloeotribini Chapuis, 1869

genus *Phloeotribus* Latreille, 1797: 50 type species *Bostrichus oleae* Fabricius, 1792 (= *Scolytus*
scaraboeoides Bernard, 1788)
Comesiella Del Guercio, 1925b: 213 type species *Comesiella sicula* Del Guercio, 1925 (= *Phloeophthorus pubifrons* Guillebeau,
1893)
Elzearius Guillebeau, 1893: 64 type species *Elzearius crenatus* Guillebeau, 1893 (= *Phloeophthorus spinulosus* Rey, 1883)
Eulytocerus Blandford, 1897: 161 type species *Eulytocerus champi* Blandford, 1897
Phloeophthorus Wollaston, 1854b: 299 type species *Phloeophthorus perfoliatus* Wollaston, 1854
Phthorophloeus Rey, 1883: 128 type species *Phloeophthorus spinulosus* Rey, 1883
brevicollis Kolenati, 1846: 38 (*Hylesinus*) E: CR FR (Corse) SB ST UK N: MO A: IN TR
caucasicus Reitter, 1891a: 32 E: AU CZ FR GE ST UK YU A: AB CY IN KI TM
cristatus Fauvel, 1889: 71 (*Phloeophthorus*) E: BH CR FR IT SP SZ N: AG CI MR A: TR
geschwindi Seitner, 1920: 283 (*Phloeophthorus*)
helveticus Guillebeau, 1893: 60 (*Phloeophthorus*)
latus Wichmann, 1916: 14 (*Phloeophthorus*)
ovalis Eggers, 1941b: 120 (*Phloeophthorus*)
pectinicornis Balachowsky, 1949a: 116 (*Phloeophthorus*)
fraxini Eggers, 1913: 239 (*Phloeophthorus*) N: AG
hercegovinensis Seitner, 1920: 284 (*Phloeophthorus*) E: BH BU CR GR MC SP
liminaris Harris, 1852: 78 (*Tomicus*) Ei: FR IT NAR
mississippiensis Blackman, 1921: 4 (*Phthorophloeus*)
maroccanus Guillebeau, 1896: 152 (*Phloeophthorus*) E: FR N: AG MO
mayeti Guillebeau, 1893: 62 (*Phloeophthorus*) N: AG A: TR
muricatus Eggers, 1929a: 9 (*Phloeophthorus*) E: BU HU RO ST UK A: TR
perfoliatus Wollaston, 1854b: 301 (*Phloeophthorus*) E: FR IT SP N: MR
abeillei Guillebeau, 1893: 58 (*Phloeophthorus*)
peyerimhoffi Eggers, 1913: 239 (*Phloeophthorus*) E: GR SP N: AG MO
pseudocristatus Pfeffer, 1972: 40 (*Phloeophthorus*) E: GR A: TR
pubifrons Guillebeau, 1893: 59 (*Phloeophthorus*) E: AL CR FR GR IT SP N: AG A: CY TR
corsicus Guillebeau, 1893: 60 (*Phloeophthorus*)
guillebeaui Reitter, 1913h: 35 (*Phloeophthorus*)
lineiger Guillebeau, 1893: 60 (*Phloeophthorus*)
siculus Del Guercio, 1925b: 210 (*Comesiella*)
rhododactylus Marsham, 1802: 58 (*Ips*) E: AU BE CR CT CZ DE FI FR GB GE GR HU IR IT LA
MC NL PL PT RO SK SP SV SZ UK N: AG EG LB MO MR TU A: IN TR
austriacus Guillebeau, 1893: 58 (*Phloeophthorus*)

retamae Perris, 1864: 300 (*Hylesinus*)
spartii Nördlinger, 1847: 217 (*Hylesinus*)
tarsalis Förster, 1849: 35 (*Polygraphus*)
scarabaeoides Bernard, 1788: 271 (*Scolytus*) **E:** BU CR FR GR HU IT MA PT SP SZ UK **N:** AG CI
 EG LB MO TU **A:** CY IN IQ IS JO LE SY TR
occidentalis Sainte-Claire Deville, 1924: 148
oleae Fabricius, 1792: 366 (*Bostrichus*)
oleiphilus Del Guercio, 1925a: 196
scaraboeoides Bernard, 1788: 271 (*Scolytus*) [NA, IOS]
sharpi Guillebeau, 1893: 62 (*Phloeophthorus*) **E:** FR **N:** AG
spinulosus Rey, 1883: 127 (*Phloeophthorus*) **E:** AU BE BY CT CZ DE EN FI FR GE IT LA LS NL
 NR NT PL RO SK SP SV SZ UK YU **A:** ES FE JA KZ MG WS
chapuisii Blandford, 1891: 213 (*Phloeophthorus*)
crenatus Guillebeau, 1893: 64 (*Elzearius*)
perrisi Guillebeau, 1893: 62 (*Phloeophthorus*)
vinogradowi Semenov, 1902: 269 (*Phloeophthorus*) **E:** BG GR ST

7.14.15. Tribe Polygraphini Chapuis, 1869

genus *Carphoborus* Eichhoff, 1864: 27 type species *Bostrichus minimus* Fabricius, 1798
Estenoborus Reitter, 1913h: 58 type species *Hylesinus perrisi* Chapuis, 1869
bonnairi C.N.F. Brisout de Barneville, 1884b: lii **N:** AG MO TU **A:** CY
cholodkovskiyi Spessivtsev, 1916: 64 **E:** CT EN FI NR NT SV **A:** ES FE KZ MG WS
borealis Karpiński, 1933: 28
costatus Wichmann, 1915a: 106 **A:** HP KA UP "NW Himalayas"
henscheli Reitter, 1887b: 192 **A:** CY GG IS SY TR
jurinskii Eggers, 1910a: 36 **A:** ES MG
marani Pfeffer, 1941b: 177 **E:** GR HU ST
minimus Fabricius, 1798: 158 (*Bostrichus*) **E:** AL AU BH BU BY CR CT CZ EN FI FR GE GR HU
 IT MC ME NL NT PL RO SK SL SP ST SZ UK **N:** AG EG LB MO TU **A:** GG IN IS NE TR
 "SW Siberia"
balgensis Murayama, 1943: 99
squamulatus L. Redtenbacher, 1873: 370
perrisi Chapuis, 1869: 31 (*Hylesinus*) **E:** BH BU CR FR GR IT RO SP ST UK YU **N:** AG TU **A:**
 CY IN IQ IS SY TD TM TR UP
abachidsei Stark, 1952: 232
kushkensis Sokanovskiy, 1954: 16
pini Eichhoff, 1881: 131 **E:** BH CR FR GR IT SP **N:** AG TU **A:** CY IN TR
attritus Peyerimhoff, 1932a: 274
rossicus Semenov, 1902: 272 **E:** AU CT FI NT SV **A:** ES FE WS
taireiensis Murayama, 1943: 98 **A:** NE
teplouchovi Spessivtsev, 1916: 65 **E:** CT FI NT SV **A:** ES FE GAN HEI LIA MG WS
zhobi Stebbing, 1909: 18 (*Phloeosinus*) **A:** HP PA

genus *Halystus* Schedl, 1982: 283 type species *Halystus namibiae* Schedl, 1982
Phloeographus Wood, 1984: 229 type species *Phloeographus mamibiae* Wood, 1984 (= *Halystus namibiae* Schedl, 1982)
bimaculatus Křížek, 2012b: 512 **A:** YE (Suqutra)

genus *Polygraphus* Erichson, 1836: 57 type species *Bostrichus pubescens* Fabricius, 1792 (= *Dermestes*
poligraphus Linnaeus, 1758)
Lepisomus Kirby, 1837: 193 type species *Apate rufipennis* Kirby, 1837
Nipponopolygraphus Nobuchi, 1981a: 12 type species *Nipponopolygraphus kaimochii* Nobuchi, 1981
Ozophagus Eggers, 1920a: 234 type species *Ozophagus camerunus* Eggers, 1920 (= *Polygraphus primus* Wichman, 1915)
Pseudopolygraphus Seitner, 1911: 105 type species *Polygraphus grandiclava* C.G. Thomson, 1886
Spongotarsus Hagedorn, 1908: 372 type species *Spongotarsus quadrioculatus* Hagedorn, 1908
abietis Kurentsov, 1941: 131 **A:** FE NE NC
amplifolius Yin & F.-S. Huang, 1996: 347, 353 **A:** HUN
angustus Tsai & Yin, 1965: 329, 335 **A:** SCH YUN
aterrimus Strohmeyer, 1908a: 69 **A:** HP UP **ORR**
difficilis Wood, 1988b: 194 **A:** HP PA UP **ORR**
formosanus Nobuchi, 1967: 16 **A:** TAI
fulvipennis Niisima, 1941: 131 **A:** JA
gracilis Niisima, 1909: 136 **A:** FE JA JIL

grandiclava C.G. Thomson, 1886b: lxxii **E**: AU BE BH BU CR CT CZ FR GE HU IT MD PL RO
SK SL ST SZ UK YU
cembrae Seitner, 1911: 109

horyurensis Murayama, 1937: 368 **A**: FE JA NC NE SC TAI

japonicus Nunberg, 1956: 208 [RN] **A**: JA
granulatus Niisima, 1941: 125 [HN]
uchimappensis Murayama, 1956a: 282

jezoensis Niisima, 1909: 135 **A**: FE JA NC

junnanicus Sokanovskiy, 1959a: 93 **A**: HAI SCH XIZ YUN **ORR**

kaimochii Nobuchi, 1981a: 13 (*Nipponopolygraphus*) **A**: JA **ORR**
querci Wood, 1988b: 195

kisoensis Niisima, 1941: 131 **A**: FE (Sakhalin) JA

longifolia Stebbing, 1903: 255 **A**: HP UP
himalayensis Stebbing, 1908: 8

major Stebbing, 1903: 234 **A**: BT HP KA NP PA UP XIZ **ORR**

meakanensis Niisima, 1935: 2 **A**: JA

nigrielytris Niisima, 1913: 2 **A**: FE (Kamchatka, Kuril Is., Sakhalin) JA

nobuchii Choo & Woo, 1989: 57 **A**: SC

parvulus Murayama, 1956a: 279, 283, 291 **A**: JA

pini Stebbing, 1914: 522 **A**: HP KA PA UP
minor Stebbing, 1903: 239 [HN]

poligraphus Linnaeus, 1758: 355 (*Dermestes*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GB
GE GR HU IT LA LS LT LU MD ME NR NT PL RO SK SP ST SV SZ UK **A**: ES FE GAN
JA KZ MG NMO QIN SCH SHA SHX TR WS XIZ YUN **AFRi**
griseus Eggers, 1923b: 136
pubescens Fabricius, 1792: 368 (*Bostrichus*)

proximus Blandford, 1894a: 75 **Ei**: CT NT **A**: ESi FE HEI JA JIL NC SC WSi
laticollis Eggers, 1926a: 135
magnus Murayama, 1956a: 279, 282, 290
miser Blandford, 1894a: 76
nigricans Kurentsov, 1948: 50
oblongus Blandford, 1894a: 75

pterocaryi Yin & F.-S. Huang, 1996: 345, 352 **A**: ANH FUJ SHN

punctifrons C.G. Thomson, 1886a: xi **E**: CT CZ EN FI LA NR NT PL SK SV UK **A**: ES FE MG
WS
bicolor Sokanovskiy, 1960: 675
krivolutzkianus Stark, 1956: 830
seriatus Reitter, 1913h: 56

rudis hexiensis Yin & F.-S. Huang, 1996: 348 **A**: GAN NIN QIN SHA

rudis rudis Eggers, 1933e: 99 **A**: LIA GAN GUI QIN SCH XIZ YUN
likiangensis Tsai & Yin, 1965: 328, 334
retiventriculus Tsai & Yin, 1965: 329, 334
squameus Yin & F.-S. Huang, 1981: 558, 570
zhungdianensis Tsai & Yin, 1965: 327, 334

setosus Schedl, 1979b: 128 **A**: HP UP

shariensis Niisima, 1941: 127 **A**: FE (Kuril Is., Sakhalin) JA

sinensis Eggers, 1933e: 100 **A**: CHQ SCH SHA SHX

squamosus Schedl, 1975d: 384 (*Blastophagus*) **A**: BT

squamulatus Niisima, 1941: 129 **A**: FE (Sakhalin) JA

ssiori Niisima, 1909: 132 **A**: FE (Kuril Is., Sakhalin) JA LIA

subopacus C.G. Thomson, 1871: 393 **E**: AU BU CT CZ EN FI FR GE HU LA ME NR NT PL SK
SV SZ UK **A**: ES FE HEI JA JIL MG NC SC WS
fontinalis Kurentsov, 1941: 136
minor Lindemann, 1875b: 242
nanus Schedl, 1955a: 22
sachalinensis Eggers, 1926a: 135

szemaoensis Tsai & Yin, 1965: 330, 335 **A**: GUI SCH YUN **ORR**

taiwanensis Schedl, 1967a: 128 **A**: TAI

trenchi Stebbing, 1905: 6 **A**: PA

verrucifrons Tsai & Yin, 1965: 331, 335 **A**: SCH XIZ YUN

yunnanensis Bright, 2002: 44 [RN] **A**: YUN
querci Yin & F.-S. Huang, 1996: 346, 353 [HN]

7.14.16. Tribe Scolytini Latreille, 1804

genus *Cnemonyx* Eichhoff, 1868a: 150 type species *Cnemonyx galeritus* Eichhoff, 1868

Ceratolepis Chapuis, 1869: 52 type species *Ceratolepis jucunda* Chapuis, 1869

Loganius Chapuis, 1869: 52 type species *Loganius flavicornis* Chapuis, 1869

Minulus Eggers, 1912c: 206 type species *Minulus barbatus* Eggers, 1912 (= *Cnemonyx galeritus* Eichhoff, 1868)

Coptodryas Schedl, 1949b: 262 [HN] type species *Coptodryas hylurgoides* Schedl, 1949

Coptosomus Schedl, 1952d: 363 [RN] type species *Coptodryas hylurgoides* Schedl, 1949

galeritus Eichhoff, 1868a: 150 Ei: GR **NTR**

barbatus Eggers, 1912c: 207 (*Minulus*)

genus *Scolytus* Geoffroy, 1762: 309 type species *Bostrichus scolytus* Fabricius, 1775

Archaeoscolytus Butovitsch, 1929: 23 type species *Scolytus claviger* Blandford, 1894

Confusoscolytus Tsai & Hwang, 1962: 3 type species *Eccoptogaster confusus* Eggers, 1922 (= *Scolytus japonicus* Chapuis, 1876)

Coptogaster Illiger, 1804: 108 type species *Bostrichus scolytus* Fabricius, 1775

Eccoptogaster Gyllenhal, 1813: 346 type species *Bostrichus scolytus* Fabricius, 1775

Ekkoptogaster Herbst, 1793: 124 type species *Bostrichus scolytus* Fabricius, 1775

Pinetoscolytus Butovitsch, 1929: 48 type species *Scolytus morawitzi* Semenov, 1902

Pygmaeoscolytus Butovitsch, 1929: 28 type species *Bostrichus pygmaeus* Fabricius, 1787

Ruguloscolytus Butovitsch, 1929: 47 type species *Bostrichus rugulosus* P.W.J. Müller, 1818

Scolytochelus Reitter, 1913h: 23 type species *Ips multistriatus* Marsham, 1802

Spinuloscolytus Butovitsch, 1929: 24 type species *Ips multistriatus* Marsham, 1802

Tubuloscolytus Butovitsch, 1929: 33 type species *Eccoptogaster intricatus* Ratzeburg, 1837

abaensis Tsai & Yin, 1962: 10, 16 A: NIN SCH SHA SHX YUN

amygdali Guérin-Méneville, 1847: xlvii E: AU BU CR FR GR IT MA MC PT SP ST UK N: CI

EG MO TU A: CY GG IN IS JO PA SY TR **ORR**

aegyptiacus Pic, 1920e: 55

anatolicus Eggers, 1911a: 74 (*Eccoptogaster*)

mailleri Eggers, 1912a: 49

rufipennis Brancsik, 1874a: 135

aomoriensis Nobuchi, 1973: 16 A: JA

aratus Blandford, 1894a: 79 A: FE HEI JA JIL NC SC

aequipunctatus Niisima, 1905: 71

brevipennis Kurentsov, 1941: 100

intermedius Kurentsov, 1941: 82

betulae Niisima, 1943: 141 A: JA

butovitschi Stark, 1936b: 153 A: BEI ES FE HEB HEI MG NMO SHA

butovitschi Eggers, 1942: 35 [HN]

carpini Ratzeburg, 1837: 187 (*Eccoptogaster*) E: AU BE BH BU CR CT CZ DE EN FR GE GR HU

IT LA LU ME NL PL RO SB SK SL SP ST SV SZ UK "Kaukasus" A: TR

balcanicus Eggers, 1911a: 75 (*Eccoptogaster*)

peregrinus Eggers, 1908d: 215 (*Eccoptogaster*)

chelogaster Schedl, 1958e: 168 A: AP **ORR**

chikisani Niisima, 1905: 69 A: FE HEN JA NC NE SHX

curviventralis Niisima, 1905: 70

mandschuricus Schedl, 1941a: 72

claviger Blandford, 1894a: 80 A: CH FE JA NC SC

platystylus Wichmann, 1915b: 213 (*Eccoptogaster*)

dahuricus Chapuis, 1869: 60 A: FE ES HEI JA JIL NC

agnatus Blandford, 1894a: 78

possyeti Stark, 1938: 129

ecksteini Butovitsch, 1929: 26 E: KZ ST A: AB IN TM

eichhoffi Reitter, 1895n: 40 E: BU A: AB IN

iranicus Eggers, 1941b: 123

ellipticus Murayama, 1958: 929 A: JA

ensifer Eichhoff, 1881: 163 E: AU AZ BH BU CT CZ FR GE GR HU IT MA PL RO SB SK ST SZ

UK A: AB IN TR

esuriens Blandford, 1894a: 77 A: FE HEB HEI JA JIL SHA

sachalinensis Michalski, 1964: 666

frontalis Blandford, 1894a: 79 A: JA NE SC TAI

formosanus Eggers, 1939b: 115

gretschkini Sokanovskiy, 1956: 43 A: TD

intricatus Ratzeburg, 1837: 186 (*Eccoctogaster*) **E:** AN AU BE BH BU BY CT CR CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **N:** AG MO TU **A:** AB IN KZ NC TR
lenkoranus Eggers, 1942: 34
penicillatus Reitter, 1913h: 21
picicolor Stephens, 1830: 362
simmeli Eggers, 1923b: 133 (*Eccoctogaster*)

jacobsoni Spessivtsev, 1919: 246 (*Eccoctogaster*) **A:** FE HEI JA LIA NC
montanus Kurentsov, 1935: 22
rinskii Kurentsov, 1941: 103

japonicus Chapuis, 1876: 199 **A:** BEI CHQ ES FE HEB HEI JA JIA JIL LIA MG NC NMO SC
SCH SHA SHG SHX TAI
confusus Eggers, 1922a: 13 (*Eccoctogaster*)
mandli Eggers, 1922a: 13 (*Eccoctogaster*)
starki Kurentsov, 1941: 101
subconfusus Eggers, 1941b: 123
ussuriensis Kurentsov, 1941: 102

jaroschewskii Schevyrew, 1893a: 31 **E:** ST UK **A:** AB AF AR GG IN KZ TD TM UZ
granulifer Reitter, 1913h: 19
jaroschewskii Schevyrew, 1893b: 90 [HN]
kostini Sokanovskiy, 1954: 15
rufostriatus Sokanovskiy, 1956: 44
tauricus Eggers, 1914b: 185 (*Eccoctogaster*)
unispinosus Schevyrew, 1890: 470 [HN]

kashmirensis Schedl, 1958e: 168 **A:** KA

kirschii fasciatus Reitter, 1890f: 395 **E:** FR IT (Sicilia) SP ST **N:** AG **A:** IN TM TR UZ
demaioni Eggers, 1912a: 47 (*Eccoctogaster*)

kirschii kirschii Skalitzky, 1876: 110 **E:** AU BU CR CZ FR GE HU IT MC PL PT SB SK SP ST SZ
UK "Caucasus" **N:** AG **A:** IN IQ IS TD TR WS **AFRi NTRi**
ruguloides Sokanovskiy, 1954: 14

koenigi Schevyrew, 1890: 471 **E:** AU BH BU CR CZ FR HU IT MD RO ST UK "Caucasus" **N:**
AG MO **A:** AB ES IN IQ TM TR
aceris Knotek, 1892: 235
belokanicus Stark, 1941: 302
siculus Eggers, 1908c: 193 (*Eccoctogaster*)

koltzei Reitter, 1894d: 128 **A:** FE HEI JIL LIA NC
shanhaiensis Yin & F.-S. Huang, 1980: 50, 53
vexator Reitter, 1913h: 23
yablonianus Murayama, 1943: 96

kononovi Kurentsov, 1941: 98 **A:** FE

laevis Chapuis, 1869: 54 **E:** AU BU BY CR CT CZ DE EN FR GB GE GR HU IT LA LS NR NT
PL SK SL SP ST SV SZ UK YU **A:** AB GG
azerbaidzhanicus Michalski, 1964: 662
pomacearum Butovitsch, 1929: 44
loevendali Eggers, 1912c: 203 (*Eccoctogaster*)

major Stebbing, 1903: 203 **A:** AF HP KA PA UP
deodara Stebbing, 1903: 220
minor Stebbing, 1903: 207

mali Bechstein, 1805: 882 (*Bostrichus*) **E:** AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LT LU MA MC ME NL NT PL RO SB SK SL SP ST SV SZ UK "Caucasus" **N:**
AG EG MO **A:** ES FE IN JIL LIA TR WS **NARi**
bicallosus Eggers, 1933d: 75
castaneus Illiger, 1808a: 304 (*Bostrichus*)
castaneus Ratzeburg, 1837: 187 (*Eccoctogaster*) [HN]
nitidulus Chapuis, 1869: 59
pruni Ratzeburg, 1837: 186 (*Eccoctogaster*)
pyri Ratzeburg, 1837: 186 (*Eccoctogaster*)
strigilatus Reitter, 1908d: 23
sulcatus LeConte, 1868: 167

morawitzi Semenov, 1902: 267 **E:** CT NT **A:** ES FE HEI LIA MG NC WS
pini Eggers, 1942: 33

multistriatus Marsham, 1802: 54 (*Ips*) **E:** AL AU BE BU BY CR CT CZ DE EN FR GB GE GR HU
IR IT LA LT LU MC ME NL NT PL PT RO SB SK SL SP ST SV SZ UK **N:** AG EG MO TU
A: IN LE TR UZ **AURi NARi NTRi**
abhorrens Wichmann, 1913c: 210 (*Eccoctogaster*)
flavicornis Chevrolat, 1835: pl. 40
javanus Chapuis, 1869: 56

kozikowskii Michalski, 1964: 663
nodifer Reitter, 1913h: 24
papuanus Schedl, 1936b: 8
therondi A. Hoffmann, 1939c: 36
triornatus Eichhoff, 1881: 160
ulmi L. Redtenbacher, 1849: 361
nakanei Nobuchi, 1967: 16 **A:** TAI
nitidus Schedl, 1936b: 8 **A:** HP KA PA UP XIZ
numidicus C.N.F. Brisout de Barneville, 1883d: 147 **N:** AG MO
nunbergi Michalski, 1964: 665 **A:** FE
orientalis Eggers, 1910b: 557 (*Eccoctogaster*) **E:** BU RO ST UK **A:** IN TM
affinis Eggers, 1914a: 108 (*Eccoctogaster*)
parviclaviger Yin & F.-S. Huang, 1980: 49, 52 **A:** JIL SHX
pilosus Yin & F.-S. Huang, 1980: 49, 52 **A:** SCH
pomi Yin & F.-S. Huang, 1980: 50, 53 **A:** XIZ YUN
pubescens Stark, 1936b: 154 **A:** FE NC SC
pubescens Eggers, 1942: 34 [HN]
pygmaeus Fabricius, 1787a: 37 (*Bostrichus*) **E:** AU BE BU CR CT CZ FI FR GB GE GR HU IT LT
MC NL NT PL PT RO SB SK SL SP ST SV SZ UK **A:** AB GG IN TR
armatus Comolli, 1837: 37
noxius Ratzeburg, 1837: 187 (*Eccoctogaster*)
querci Yin & F.-S. Huang, 1980: 50, 53 **A:** SCH YUN
ratzeburgii E.W. Janson, 1856: 86 **E:** AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IT
LA LT LU NL NR NT PL RO SB SK SL SP ST SV SZ UK **A:** ES FE HEI IN JA JIL KZ MG
NC SC TR WS
amurensis Eggers, 1908b: 144 (*Eccoctogaster*)
bituberculatus Puzyr, 1951: 46
lineatus Kurentsov, 1941: 104
sahlbergi Eggers, 1912c: 204 (*Eccoctogaster*)
sibiricus Eggers, 1922a: 14 (*Eccoctogaster*)
rugulosus P.W.J. Müller, 1818: 247 (*Bostrichus*) **E:** AL AN AU AZ BE BH BU BY CR CT CZ DE
EN FI FR GB GE GR HU IR IT LA LT LU MA MC ME NL NR NT PL PT RO SB SK SL SP
ST SV SZ UK "Caucasus" **N:** AG EG MO TU **A:** AB CY ES GAN IN IQ IS KZ LE MG PA
SA SY TR WS XIN **NARi NTRi ORR**
assimilis Boheman, 1858: 88 (*Eccoctogaster*)
baluchistani Schedl, 1958e: 165
caucasicus Butovitsch, 1929: 54
fauveli Reitter, 1895n: 43
haemorrhous Schmidberger, 1837: 270
intermedius Sokanovskiy, 1960: 675
manglissiensis Lezhava, 1940: 71
mediterraneus Eggers, 1922b: 121 (*Eccoctogaster*)
punctatus Ratzeburg, 1837: 187 (*Eccoctogaster*)
samarkandicus Butovitsch, 1929: 56
sanctaeluciae A. Hoffmann, 1935c: 87
similis Butovitsch, 1929: 52
taxicola Lezhava, 1943: 193
schevyrewi Semenov, 1902: 265 **E:** ST **A:** BEI ES FE GAN GUI HEB HEI HEN JIA JIL KI KZ
LIA MG NC NE NIN NMO QIN SC SCH SHA SHN SHX TD TM UZ XIN YUN **NARi**
emarginatus Wichmann, 1915b: 215 (*Eccoctogaster*)
frankei Wichmann, 1915b: 214 (*Eccoctogaster*)
seulensis Murayama, 1930: 5
sinensis Eggers, 1910a: 35 (*Eccoctogaster*)
scolytus Fabricius, 1775: 59 (*Bostrichus*) **E:** AU BE BU BY CR CT CZ DE EN FI FR GB GE GR
HU IR IT LA LT LU NL NT PL PT RO SB SL SK SP ST SV SZ UK "Caucasus" **A:** ES IN KZ
TR UZ WS
bostrichus Tigny, 1801: 79
californicus LeConte, 1868: 166
ciliaris Rey, 1892: 30
destructor Olivier, 1800: 78: 5
fuchsi Reitter, 1913h: 15
niger Geoffroy, 1785: 139
punctatus O.F. Müller, 1776: 57
scolythus Sulzer, 1776: 21 (*Dermestes*)
variabilis Sokanovskiy, 1958: 37
semenovi Spessivtsev, 1919: 247 (*Eccoctogaster*) **A:** BEI ES FE HEB HEI JIL MG NC SC SHA SHX
sinopiceus Tsai, 1962: 9, 14 **A:** GAN HEB HEI NIN NMO QIN SCH XIZ YUN

squamosus Yin & F.-S. Huang, 1980: 49, 52 A: YUN
stepheni Mandelshtam & Petrov, 2010a: 172 A: KA
sulcifrons Rey, 1892: 30 E: BU CR CT FR GR IT KZ MA MC ST UK A: IN
leonii Eggers, 1908c: 194 (*Eccoctogaster*)
tadzhikistanicus Stark, 1941: 302 A: TD
transcaspicus Eggers, 1922b: 116 (*Eccoctogaster*) E: ST A: IN KZ TM
transcaspicus Eggers, 1922b: 116 (*Eccoctogaster*) [NA]
triarmatus Eggers, 1912c: 205 (*Eccoctogaster*) E: AU CZ DE EN FR IT NR SK ST SV SZ YU
varshalovitchi Michalski, 1973: 55 A: AB IN
ventrosus Schevyrew, 1890: 470 A: FE HEI JA NC SC
grandis Kurentsov, 1941: 104
trispinosus Strohmeier, 1908a: 69
zaitzevi Butovitsch, 1929: 31 E: ST UK A: GG

7.14.17. Tribe Scolytoplatypodini Blandford, 1893

genus *Scolytoplatypus* C.F.C. Schaufuss, 1891: 31 type species *Scolytoplatypus permirus* C.F.C.

Schaufuss, 1891
Spongocerus Blandford, 1893b: 431 type species *Scolytoplatypus tycon* Blandford, 1893
Strophionocerus Sampson, 1921: 36 [RN] type species *Scolytoplatypus mikado* Blandford, 1893
Taenioecerus Blandford, 1893b: 437 [HN] type species *Scolytoplatypus mikado* Blandford, 1893
blandfordi Gebhardt, 2006: 162 A: NP TAI **ORR**
brahma Blandford, 1898: 425 A: SD **ORR**
hamatus Hagedorn, 1904c: 260
hirsutus Blackman, 1943a: 124
paucegranulatus Eggers, 1935a: 242
calvus Beaver & L.-Y. Liu, 2007: 227 A: TAI
daimio Blandford, 1893b: 433 A: BT FE HP JA NC NP SC UP
muticus Hagedorn, 1904a: 124
sioimio Blandford, 1893b: 436
darjeelingi Stebbing, 1914: 607 A: HP HUN NP SCH SD UP XIZ YUN **ORR**
gardneri Maiti & Saha, 2009: 87 A: SD
kunala Strohmeier, 1908c: 161 A: AF KA
lopchuensis Maiti & Saha, 2009: 90 A: SD
mikado Blandford, 1893b: 437 A: FUJ GUX HAI JA NC SC SCH SHA TAI **ORR**
sinensis Tsai & Hwang, 1965: 121, 123
minimus Hagedorn, 1904a: 125 A: SD TAI UP **ORR**
nitidicollis Eggers, 1935a: 241 A: SD **ORR**
pubescens Hagedorn, 1904a: 123 A: NP SD TAI UP **ORR**
kabakovi Aksent'ev, 1992: 192
raja Blandford, 1893b: 440 A: HP HUN KA NP PA SCH SD SHA TAI UP XIZ YUN **ORR**
himalayensis Stebbing, 1914: 604
ruficauda Eggers, 1939a: 9 A: NP **ORR**
samsinghensis Maiti & Saha, 2009: 101 A: SD
shogun Blandford, 1894a: 126 A: JA TAI
supercilliosus Tsai & Hwang, 1965: 121, 124 A: SCH XIZ
tycon Blandford, 1893b: 432 A: FE HEI JA NC SC TAI
ussuriensis Berger & Kholodkovskiy, 1916: 4
zahravniki Knížek, 2008: 120 A: BEI SCH SHA

7.14.18. Tribe Xyleborini LeConte, 1876

genus *Amasa* Lea, 1894: 322 type species *Amasa thoracica* Lea, 1894 (= *Tomicus truncatus* Erichson, 1842)

Anaxyleborus Wood, 1980: 90 type species *Tomicus truncatus* Erichson, 1842
Pseudoxyleborus Eggers, 1930b: 206 type species *Pseudoxyleborus beelsoni* Eggers, 1930
concitata Schedl, 1969a: 214 (*Xyleborus*) A: TAI
eugeniae Eggers, 1930b: 183 (*Xyleborus*) A: SD UP **ORR**
geminata Hagedorn, 1904a: 126 (*Xyleborus*) A: SD
resecta Eggers, 1927d: 391 (*Xyleborus*) [RN] Ei: SP **AUR ORR**
abrupta Eggers, 1923a: 169 (*Xyleborus*) [HN]
fulgens Schedl, 1975b: 365 (*Xyleborus*)
opacicauda Eggers, 1940d: 136 (*Xyleborus*)

schlichii Stebbing, 1914: 592 (*Xyleborus*) A: SD ORR

brevipennis Schedl, 1971b: 378 (*Xyleborus*)
glabra Eggers, 1930b: 185 (*Xyleborus*)
striatotruncata Schedl, 1936c: 29
truncata Stebbing, 1907: 40 (*Acanthotomicus*) [HN]
umbratula Schedl, 1975f: 221
uniseriata Eggers, 1936a: 89 (*Xyleborus*)
verax Schedl, 1939a: 43 (*Xyleborus*)

genus *Ambrosiodmus* Hopkins, 1915a: 55 type species *Xyleborus tachygraphus* Zimmermann, 1868

Brownia Nunberg, 1963: 37 type species *Xyleborus illepidus* Schedl, 1941 (= *Pityophthorus obliquus* LeConte, 1878)
Phloeotrogus Motschulsky, 1863: 512 type species *Phloeotrogus obliquecauda* Motschulsky, 1863

asperatus Blandford, 1895: 321 (*Xyleborus*) A: GUI HAI JA SD TAI XIZ ORR

citri Beeson, 1930: 215 (*Xyleborus*)
cristatulooides Schedl, 1971a: 284 (*Xyleborus*)
nepotulomorphus Eggers, 1936a: 88 (*Xyleborus*)
nepotulus Eggers, 1923a: 179 (*Xyleborus*)

lewisi Blandford, 1894a: 104 (*Xyleborus*) A: GUA GUI GUX HAI JA SC SD SCH TAI XIZ YUN
NARi ORR

lewekianus Eggers, 1923a: 181 (*Xyleborus*)
tegalensis Eggers, 1923a: 181 (*Xyleborus*)
tuberculatus Strohmeyer, 1912a: 38 (*Ozopemon*)

minor Stebbing, 1909: 20 (*Phloeosinus*) A: BT NP TAI UP ORR

crassus Hagedorn, 1910a: 8 (*Xyleborus*)

nodulosus Eggers, 1941c: 223 (*Xyleborus*) A: FUJ

pernodulus Schedl, 1957: 86

obliquecauda Motschulsky, 1863: 513 (*Phloeotrogus*) A: JA TAI ORR

carinipennis Eichhoff, 1868a: 152 (*Xyleborus*)
semirufus Schedl, 1959d: 499 (*Xyleborus*)

rubricollis Eichhoff, 1876: 202 (*Xyleborus*) Ei: IT A: ANH BEI FUJ GUI HEB HEI HUN JA NC SC
SCH SHA SHN SHX TAI XIZ YUN ZHE AURi NARi ORR

strohmeyeri Schedl, 1975a: 457 (*Xyleborus*)
taboensis Schedl, 1952b: 65 (*Xyleborus*)

genus *Ambrosiophilus* Hulcr & Cognato, 2009: 21 type species *Xyleborus restrictus* Schedl, 1939

atratus Eichhoff, 1876: 201 (*Xyleborus*) Ei: IT A: FUJ JA NC SC SHX TAI NARi

collis Niisima, 1910: 12 (*Xyleborus*)

cristatulus Schedl, 1953d: 300 (*Xyleborus*) A: FUJ ORR

osumiensis Murayama, 1934b: 292 (*Xyleborus*) A: GUI HUN JA TAI YUN ORR

humanensis Browne, 1983a: 33 (*Xyleborus*)
metanepotulus Eggers, 1939b: 119 (*Xyleborus*)

satoi Schedl, 1966b: 39 (*Xyleborus*) A: BT TAI

subnepotulus Eggers, 1930b: 178 (*Xyleborus*) A: TAI ORR

genus *Ancipitis* Hulcr & Cognato, 2013: 41 type species *Xyleborus puer* Eggers, 1923

machili Niisima, 1910: 14 (*Xyleborus*) A: JA

depressus Eggers, 1923a: 190 (*Xyleborus*)
kojimai Murayama, 1936: 143 (*Xyleborus*)
sejugatus Schedl, 1942c: 188 (*Xyleborus*)

genus *Anisandrus* Ferrari, 1867: 24 type species *Apate dispar* Fabricius, 1792

apicalis Blandford, 1894a: 105 (*Xyleborus*) A: ANH BT FE GUI GUX HAI JA NC SD SC SCH

SHX TAI XIZ YUN ORR

cristatus Hagedorn, 1908: 377 [HN] (*Xyleborus*)

fabricii Schedl, 1964d: 217 [RN] (*Xyleborus*)

dispar Fabricius, 1792: 363 (*Apate*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU IT LA LT MC MD ME NL NR NT PL PT SB SK SL SP ST SV SZ UK "Caucasus" A: AB
ES FE HEI IN JA KZ MG NC SC SHA TR WS NARi ORR

aequalis Reitter, 1913h: 81
brevis Panzer, 1795: 288 (*Bostrichus*)
cerasi Eggers, 1937: 335 (*Xyleborus*)
dispar Herbst, 1793: 113 (*Bostrichus*) [HN]
ishidai Niisima, 1909: 156 (*Xyleborus*)
khinganensis Murayama, 1943: 100 (*Xyleborus*)
pyri Peck, 1817: 207 (*Scolytus*)
ratzeburgii Kolenati, 1846: 39 (*Bostrichus*)

rufipes Olivier, 1800: 77:17 (*Bostrichus*)
rugulosus Eggers, 1922a: 17 (*Xyleborus*)
swainei Drake, 1921: 203
tachygraphus C.R. Sahlberg, 1836b: 152 (*Bostrichus*)
thoracicus Panzer, 1795: 288 (*Bostrichus*)
***hirtus* Hagedorn, 1904a: 126 (*Xyleborus*) A: FUJ SD TAI ORR**
hirtuosus Beeson, 1930: 217 (*Xyleborus*)
taiwanensis Browne, 1980b: 386
***maiche* Kurentsov, 1941: 192 (*Xyleborus*) Ei: CT UK A: ES FE HEI NC NARi**
eggersi Kurentsov, 1935: 38 ["8"] [NA]
maiche Stark, 1936b: 142 (*Xyleborus*) [RN, NA]
maiche Eggers, 1942: 36 (*Xyleborus*) [HN]
***ursinus* Hagedorn, 1908: 381 (*Xyleborus*) A: SD ORR**
***ursulus* Eggers, 1923a: 173 (*Xyleborus*) A: FUJ SD ORR**

genus *Arixyleborus* Hopkins, 1915a: 59 type species *Arixyleborus rugosipes* Hopkins, 1915
Xyleboricus Eggers, 1923a: 212 type species *Xyleboricus canaliculatus* Eggers, 1923
***moestus* Eggers, 1930b: 189 (*Xyleborus*) A: SD ORR**
***rugosipes* Hopkins, 1915a: 59 A: TAI ORR**
medius Eggers, 1927e: 104 (*Webbia*)
camphorae Eggers, 1936c: 634 (*Webbia*)
***yakushimanus* Murayama, 1955: 83 (*Xyleborus*) A: FUJ JA SD SCH XIZ YUN ORR**

genus *Beaverium* Hulcr & Cognato, 2009: 25 type species *Xyleborus insulindicus* Eggers, 1923
~~*chujoi* Schedl, 1951a: 73 A: TAI~~
~~*dihingensis* Eggers, 1930b: 189 (*Xyleborus*) A: SD ORR~~
***lantanae* Eggers, 1930b: 180 (*Xyleborus*) A: SD ORR**
***magnus* Niisima, 1910: 11 (*Xyleborus*) A: JA SD TAI ORR**
~~*dihingensis* Eggers, 1930b: 189 (*Xyleborus*)~~
~~*chujoi* Schedl, 1951a: 73 (*Xyleborus*) A: TAI~~

genus *Cnestus* Sampson, 1911: 383 type species *Cnestus magnus* Sampson, 1911
Tosaxyleborus Murayama, 1950a: 49 type species *Tosaxyleborus pallidipennis* Murayama, 1950 (= *Cnestus aterrimus* Eggers, 1927)
***ater* Eggers, 1923a: 210 (*Xyleborus*) A: FUJ ORR**
retusiformis Schedl, 1936c: 31 (*Xyleborus*)
***aterrimus* Eggers, 1927d: 400 (*Xyleborus*) A: HAI HUB HUN JA SC SCH TAI XIZ YUN**
glabripennis Schedl, 1942c: 189 (*Xyleborus*)
maculatus Browne, 1983a: 33
murayamai Schedl, 1962c: 207
murayamai Browne, 1963: 54 [RN, HN]
nitens Browne, 1955: 358 (*Xyleborus*)
pallidipennis Murayama, 1950a: 49 (*Tosaxyleborus*) [HN]
pseudosuturalis Schedl, 1964d: 315 (*Xyleborus*)
***bicornioides* Schedl, 1952d: 368 (*Xyleborus*) A: SD YUN ORR**
***gravidus* Balndford, 1898: 427 (*Xyleborus*) A: HAI SD XIZ ORR**
***klapperichi* Schedl, 1955c: 46 (*Xyleborus*) A: FUJ**
***mutilatus* Blandford, 1894a: 103 (*Xyleborus*) A: ANH FUJ GUI HAI JA SC SCH SHA TAI YUN**
ZHE AUR NARi ORR
banjoewangi Schedl, 1939a: 41 (*Xyleborus*)
sampsoni Eggers, 1930b: 184 (*Xyleborus*)
taitonus Eggers, 1939b: 118 (*Xyleborus*)
***nitidipennis* Schedl, 1951a: 88 (*Xyleborus*) A: SD TAI ORR**
***testudo* Eggers, 1939b: 116 (*Xyleborus*) A: TAI ORR**

genus *Coptodryas* Hopkins, 1915a: 54 type species *Coptodryas confusa* Hopkins, 1915
***chrysophylli* Eggers, 1930b: 205 (*Xyleborus*) A: SD ORR**
***cruralis* Schedl, 1975a: 456 (*Xyleborus*) A: SD XIZ ORR**
***mus* Eggers, 1930b: 203 (*Xyleborus*) A: GUI SD ORR**
***recidens* Sampson, 1923: 287 (*Xyleborus*) A: GUI ORR**
crassitarsus Schedl, 1936c: 28 (*Xyleborus*)
minuscule Eggers, 1923a: 212 (*Xyleborus*)
minutissima Eggers, 1930b: 204 (*Xyleborus*)
tuberculosa Browne, 1981b: 602 (*Xyleborus*)

genus *Cyclorhipidion* Hagedorn, 1912c: 355 type species *Cyclorhipidion pelliculosum* Hagedorn, 1912 (= *Xyleborus perlaetus* Schedl, 1960)

Kelantanius Nunberg, 1961: 621 type species *Xyleborus punctatopilosus* Schedl, 1936 (= *Xyleborus perpilosellus* Schedl, 1935)

Terminalinus Hopkins, 1915a: 57 type species *Terminalinus terminaliae* Hopkins, 1915

armipenne Schedl, 1953a: 27 (*Xyleborus*) **A: FUJ YUN**

bodoanum Reitter, 1913h: 82 (*Xyleborus*) **Ei: AU BE CR DE FR GB GE IT NL NR SV SZ A: FE**

HEI NC NARi

californicum Wood, 1975: 399 (*Xyleborus*)

punctulatum Kurentsov, 1948: 52 (*Xyleborus*)

corrugatum Schedl, 1951a: 93 (*Xyleborus*) **Ai: JA ORR**

distinguendum Eggers, 1930b: 205 (*Xyleborus*) **A: UP ORR**

eggersi Beeson, 1930: 215 (*Xyleborus*) **A: SD**

formosae Wood, 1992: 80 (*Xyleborus*) [RN] **A: TAI**

formosanum Browne, 1981a: 131 (*Xyleborus*) [HN]

fukiense Eggers, 1941c: 225 (*Xyleborus*) **A: FUJ NP TAI UP NARi**

ganshoense Murayama, 1952: 16 (*Xyleborus*)

tenuigraphum Schedl, 1953a: 29 (*Xyleborus*)

improbum Sampson, 1913: 444 (*Xyleborus*) **A: SD XIZ ORR**

inarmatum Eggers, 1923a: 209 (*Xyleborus*) **A: CHQ HP SD ORR**

japonicum Nobuchi, 1981b: 150 (*Xyleborus*) **A: JA**

kumanoense Nobuchi, 1985: 25 (*Xyleborus*) [RN] **A: JA**

bispinum Nobuchi, 1981b: 147 (*Xyleborus*) [HN]

laetum Niisima, 1909: 159 (*Xyleborus*) **A: JA**

lineatum Eggers, 1930b: 177 (*Xyleborus*) **A: SD UP ORR**

melancranis Beeson, 1930: 218 (*Xyleborus*)

misatoense Nobuchi, 1981b: 146 (*Xyleborus*) **A: JA**

miyazakiense Murayama, 1936: 144 (*Xyleborus*) **A: JA**

armipenne Schedl, 1953a: 27 (*Xyleborus*)

wakayamense Nobuchi, 1981b: 144 (*Xyleborus*)

mussooriense Eggers, 1930b: 179 (*Xyleborus*) **A: UP**

ohnoi Browne, 1980a: 375 (*Xyleborus*) **A: TAI**

okinosenense Murayama, 1961: 31 (*Xyleborus*) **A: JA**

pelliculosum Eichhoff, 1878a: 392 (*Xyleborus*) **Ei: GE A: FE JA NC SC SCH SHX NARi**

pelliculosum Eichhoff, 1878b: 336 (*Xyleborus*) [HN]

quercus Kurentsov, 1948: 51 [HN] (*Xyleborus*)

seiryorensis Murayama, 1930: 21 (*Xyleborus*)

starki Nunberg, 1956: 209 [RN] (*Xyleborus*)

perpilosellum Schedl, 1935b: 402 (*Xyleborus*) **A: HAI AUR ORR**

punctatopilosum Schedl, 1936a: 532 (*Xyleborus*)

sulcatum Eggers, 1930b: 180 (*Xyleborus*) **A: FUJ**

takinoyense Murayama, 1953b: 109 (*Xyleborus*) **A: JA**

umbratum Eggers, 1941c: 223 (*Xyleborus*) **A: FUJ**

xyloteroides Eggers, 1939b: 120 (*Xyleborus*) **A: TAI**

genus *Debus* Hulcr & Cognato, 2010: 13 type species *Xyleborus emarginatus* Eichhoff, 1878

defensus Blandford, 1894a: 118 (*Xyleborus*) **A: JA SC**

emarginatus Eichhoff, 1878a: 392 (*Xyleborus*) **A: FUJ GUI HUB HUN JA SCH SHA SHX TAI XIZ**

YUN ORR

cinchonae Veen, 1897: 135 (*Tomicus*)

cordatus Hagedorn, 1910a: 12 (*Xyleborus*)

exesus Blandford, 1894a: 119 (*Xyleborus*)

emarginatus Eichhoff, 1878b: 510 (*Xyleborus*) [HN]

palmeri Hopkins, 1915a: 54 (*Coptoborus*)

semicircularis Schedl, 1973a: 92 (*Xyleborus*)

terminaliae Hopkins, 1915a: 54 (*Coptoborus*)

fallax Eichhoff, 1878a: 392 (*Xyleborus*) **A: NP SD UP AUR ORR**

amphicranulus Eggers, 1923a: 204 (*Xyleborus*)

assamensis Stebbing, 1909: 29 (*Tomicus*)

fallax Eichhoff, 1878b: 508 (*Xyleborus*) [HN]

fallax Stebbing, 1914: 582 (*Xyleborus*) [HN]

fastigatus Schedl, 1935b: 402 (*Xyleborus*)

shoreae Stebbing, 1909: 28 (*Tomicus*)

pumilus Eggers, 1923a: 209 (*Xyleborus*) **A: SD XIZ ORR**

cylindricus Eggers, 1927e: 94 (*Xyleborus*)

ipidia Schedl, 1972c: 63 (*Xyleborus*)
neocylindricus Schedl, 1942c: 196 (*Xyleborus*)
planodeclivis Browne, 1974: 70 (*Xyleborus*)

genus *Diuncus* Hulcr & Cognato, 2009: 28 type species *Xyleborus papatrae* Schedl, 1972
ciliatoformis Schedl, 1953f: 81 (*Xyleborus*) A: TAI **ORR**
corpulentus Eggers, 1930b: 198 (*Xyleborus*) A: NP SD TAI XIZ **ORR**
haberkorni Eggers, 1920b: 43 (*Xyleborus*) A: HAI JA (Ryūkyū) SD TAI UP **AFRi AUR ORR**
approximatus Schedl, 1951a: 77 (*Xyleborus*)
taichuensis Schedl, 1952b: 64 (*Xyleborus*)
justus Schedl, 1931: 339 (*Xyleborus*) A: FUJ **AUR ORR**
apiculatus Schedl, 1942c: 190 (*Xyleborus*)
ciliatoformis Schedl, 1953e: 81 (*Xyleborus*)
ciliatus Eggers, 1940d: 141 (*Xyleborus*)
marginicollis Schedl, 1936a: 64 (*Xyleborus*)
mucronatulus Eggers, 1930b: 199 (*Xyleborus*) A: SD
mucronatus Eggers, 1923a: 191 (*Xyleborus*) A: JA **ORR**

genus *Dryoxylon* Bright & Rabaglia, 1999: 333 type species *Xyleborus onoharaensis* Murayama, 1934
onoharaense Murayama, 1934b: 293 (*Xyleborus*) A: JA **NARi**

genus *Eccoptopterus* Motschulsky, 1863: 515 type species *Eccoptopterus sexspinosus* Motschulsky, 1863
(= *Scolytus spinosus* Olivier, 1800)
Eurydactylus Hagedorn, 1909: 733 [RN] type species *Platydactylus gracilipes* Eichhoff, 1886 (= *Scolytus spinosus* Olivier, 1800)
Platydactylus Eichhoff, 1886: 25 [HN] type species *Platydactylus gracilipes* Eichhoff, 1886 (= *Scolytus spinosus* Olivier, 1800)
spinosus Olivier, 1800: 78: 9 (*Scolytus*) Ni: CI A: JA SD TAI **AFR AUR ORR**
abnormis Eichhoff, 1869c: 282 (*Xyleborus*)
eccoptopterus Schedl, 1951c: 154 (*Xyleborus*)
gracilipes Eichhoff, 1886: 25 (*Platydactylus*)
sagittarius Schedl, 1939a: 41
sexspinosus Motschulsky, 1863: 515

genus *Euwallacea* Hopkins, 1915a: 54 type species *Xyleborus wallacei* Blandford, 1896

Wallacellus Hulcr & Cognato, 2010: 27 type species *Anodius piceus* Motschulsky, 1863
andamanensis Blandford, 1896b: 222 (*Xyleborus*) A: SD UP **AUR ORR**
burmanicus Beeson, 1930: 210 (*Xyleborus*)
granulipennis Eggers, 1930b: 194 (*Xyleborus*)
intextus Beeson, 1930: 211 (*Xyleborus*)
noxius Sampson, 1913: 445 (*Xyleborus*)
senchalensis Beeson, 1930: 212 (*Xyleborus*)
siobanus Eggers, 1923a: 186 (*Xyleborus*)
talumalai Browne, 1966: 248 (*Xyleborus*)
destruens Blandford, 1896b: 221 (*Xyleborus*) A: TAI YUN **AUR ORR**
barbatulus Schedl, 1934: 86 (*Xyleborus*)
barbatus Hagedorn, 1910a: 11 (*Xyleborus*)
nandarivatus Schedl, 1950b: 52 (*Xyleborus*)
procerrimus Schedl, 1970b: 214 (*Xyleborus*)
pseudobarbatus Schedl, 1942c: 193 (*Xyleborus*)

fornicator Eggers, 1923a: 184 (*Xyleborus*) A: SCH SD TAI **AUR ORR**

schultzei Schedl, 1951a: 68 (*Xyleborus*)

fornicatus Eichhoff, 1868a: 151 (*Xyleborus*) A: CHO GUI HKG ISi JA (Bonin, Ryūkyū) TAI UP SD YUN **AFRi AUR NARi ORR**

~~GUA GUI GUX HAI JA (Bonin, Ryūkyū) SCH SD UP TAI XIZ YUN **AFRi NARi ORR**~~

~~*fornicator* Eggers, 1923a: 184 (*Xyleborus*)~~

~~*perbrevis* Schedl, 1951a: 59 (*Xyleborus*)~~

~~*schultzei* Schedl, 1951a: 68 (*Xyleborus*)~~

~~*tapatapaensis* Schedl, 1951c: 152 (*Xyleborus*)~~

~~*whitfordiodendrus* Schedl, 1942c: 189 (*Xyleborus*)~~

fulvus Murayama, 1936: 142 (*Xyleborus*) A: JA

fumereus Lea, 1910a: 139 (*Xyleborus*) A: TAI **AUR ORR**

galeatus Blandford, 1894a: 123 (*Xyleborus*) A: JA

interjectus Blandford, 1894c: 576 (*Xyleborus*) A: ANH FUJ GAN GUA GUI HAI HUB HUN JA NP SCH SD TAI UP XIZ YUN **ORR**

pseudovalidus Eggers, 1925: 159 (*Xyleborus*)

kuroshio Gomez & Hulcr, 2018: 9 A: JA (Ryūkyū) TAI **NARi ORR**

malloti Eggers, 1930b: 192 (*Xyleborus*) A: SD UP **ORR**

minutus Blandford, 1894a: 116 (*Xyleborus*) A: JA SC TAI **ORR**

breviusculus Schedl, 1942c: 196 (*Xyleborus*)

pernitidus Schedl, 1954c: 152 (*Xyleborus*)

perbrevis Schedl, 1951a: 59 (*Xyleborus*) A: HAI JA (Ryūkyū) TAI AFRi AUR NARi NTRi **ORR**

piceus Motschulsky, 1863: 512 (*Anodius*) A: SD TAI AFR AUR **ORR**

imitans Eggers, 1927d: 404 (*Xyleborus*)

indicus Eichhoff, 1878a: 392 (*Xyleborus*)

indicus Eichhoff, 1878b: 354 (*Xyleborus*) [HN]

samoensis Beeson, 1929: 237 (*Xyleborus*)

subcoriaceus Eggers, 1927e: 92 (*Xyleborus*)

sibsagaricus Eggers, 1930b: 196 (*Xyleborus*) A: SD **ORR**

dalbergiae Eggers, 1930b: 196 (*Xyleborus*)

similis Ferrari, 1867: 23 (*Xyleborus*) A: GUA JA (Bonin) JO NP PA SD TAI UP YUN AFR AUR **NARi ORR**

bucco C.F.C. Schaufuss, 1898b: 212 (*Xyleborus*)

capito C.F.C. Schaufuss, 1898b: 215 (*Xyleborus*)

dilatatus Schedl, 1953c: 127 (*Xyleborus*)

dilatatus Eichhoff, 1878b: 393 (*Xyleborus*)

ferrugineus Boheman, 1858: 88 (*Bostrichus*) [HN]

novaguineanus Schedl, 1936a: 530

parvulus Eichhoff, 1868a: 152 (*Xyleborus*)

submarginatus Blandford, 1896b: 223 (*Xyleborus*)

tristis Eggers, 1930d: 194 (*Xyleborus*) A: SD **ORR**

validus Eichhoff, 1876: 202 (*Xyleborus*) A: ANH FUJ HUN JA SC TAI YUN NARi **ORR**

velatus Sampson, 1913: 443 (*Xyleborus*) A: SD UP XIZ **ORR**

asperipennis Eggers, 1934a: 27 (*Xyleborus*)

assamensis Eggers, 1930b: 195 (*Xyleborus*)

wallacei Blandford, 1896b: 220 (*Xyleborus*) A: SD TAI **ORR**

barbatomorphus Schedl, 1951a: 72 (*Xyleborus*)

confinis Eggers, 1923a: 200 (*Xyleborus*)

gravelyi Wichmann, 1914b: 411 (*Xyleborus*)

indocorus Schedl, 1979c: 162 (*Xyleborus*)

ovalicollis Eggers, 1930b: 193 (*Xyleborus*)

perakensis Schedl, 1942c: 194 (*Xyleborus*)

siporanus Hagedorn, 1910a: 11 (*Xyleborus*)

genus *Fraudatrix* Cognato, Smith & Beaver, 2020: 544 type species *Xyleborus melas* Eggers, 1927

cuneiformis Schedl, 1958c: 104 (*Xyleborus*) A: TAI **ORR**

melas Eggers, 1927: 93 (*Xyleborus*) A: HKG **ORR**

genus *Hadrodemius* Wood, 1980: 94 type species *Xyleborus globus* Blandford, 1896

comans Sampson, 1919: 109 (*Xyleborus*) A: FUJ GUX HAI HUN JA JIX SCH SD TAI XIZ ZHE **ORR**

amorphus Eggers, 1926b: 147 (*Xyleborus*)

metacomans Eggers, 1930b: 188 (*Xyleborus*)

globus Blandford, 1896b: 208 (*Xyleborus*) A: TAI AUR **ORR**

fuscus Eggers, 1923a: 174 (*Xyleborus*)

tomentosus Eggers, 1939a: 10 (*Xyleborus*)

ursus Eggers, 1923a: 173 (*Xyleborus*)

pseudocomans Eggers, 1930b: 187 (*Xyleborus*) A: FUJ GUI HAI HUN SD XIZ **ORR**

artecomans Schedl, 1953a: 24 (*Xyleborus*)

genus *Heteroborips* Reitter, 1913h: 79, 82 type species *Bostrichus cryptographus* Ratzeburg, 1837

cryptographus Ratzeburg, 1837: 160 (*Bostrichus*) E: AU BE BY CR CT CZ DE EN FI FR GE GR

HU IT LA MC MD NR NT PL SK SL SP ST SV SZ UK YU "Caucasus" A: ES FE KZ WS

villosus Ratzeburg, 1837: 160 (*Bostrichus*)

seriatus Blandford, 1894a: 111 (*Xyleborus*) A: FE JA NC SC SCH SHA SHX **NARi**

aceris Kurentsov, 1941: 188 (*Xyleborus*)

kalopanacis Kurentsov, 1941: 187 (*Xyleborus*)

orientalis Eggers, 1933c: 54 (*Xyleborus*)

perorientalis Schedl, 1957: 85 (*Xyleborus*)

todo Kōno, 1938a: 71 (*Xyleborus*)

genus *Immanus* Hulcr & Cognato, 2013: 100 type species *Xyleborus colossus* Blandford, 1896

permarginatus Schedl, 1933b: 200 (*Xyleborus*) A: JA (Ryukyu) **ORR**

genus *Leptoxyleborus* Wood, 1980: 94 type species *Phloeotrogus sordicauda* Motschulsky, 1863
sordicauda Motschulsky, 1863: 514 (*Phloeotrogus*) A: JA SD TAI AUR ORR
concisus Blandford, 1894a: 107 (*Xyleborus*)
incurvus Eggers, 1930b: 197 (*Xyleborus*)
marginatus Eggers, 1927e: 91 (*Xyleborus*)
peguensis Eggers, 1930b: 198 (*Xyleborus*)
sordicaudulus Eggers, 1927e: 91 (*Xyleborus*)

genus *Microperus* Wood, 1980: 94 type species *Xyleborus theae* Eggers, 1940 (= *Xyleborus diversicolor* Eggers, 1923)
alpha Beeson, 1929: 239 (*Xyleborus*) A: GUI TAI ORR
calamoides Murayama, 1934b: 291 (*Xyleborus*) A: JA
corporaali Eggers, 1923a: 210 (*Xyleborus*) A: BT ORR
fulvulus Schedl, 1942b: 35 (*Xyleborus*) [RN]
fulvus Schedl, 1939a: 48 (*Xyleborus*) [HN]
kadoyamaensis Murayama, 1934b: 290 (*Xyleborus*) A: FUJ HUN JA SC TAI
huangi Browne, 1983a: 34 (*Xyleborus*)
nameranus Murayama, 1954: 194 (*Xyleborus*)
kirishimanus Murayama, 1955: 85 (*Xyleborus*) A: JA TAI
perparvus Sampson, 1922: 151 (*Xyleborus*) A: FUJ GUI HUN JA SD TAI XIZ ORR
tsukubanus Murayama, 1954: 195 (*Xyleborus*)
quercicola Eggers, 1926b: 146 (*Xyleborus*) A: JA
izuensis Murayama, 1952: 16 (*Xyleborus*)

genus *Planiculus* Hulcr & Cognato, 2010: 21 type species *Xyleborus bicolor* Blandford, 1894
bicolor Blandford, 1894a: 113 (*Xyleborus*) A: JA SD TAI UP YUN ORR
artelaevius Schedl, 1942c: 196 (*Xyleborus*)
ashuensis Murayama, 1954: 193 (*Xyleborus*)
filiformis Schedl, 1975b: 364 (*Xyleborus*)
glabratulus Browne, 1983b: 560 (*Xyleborus*)
laevis Eggers, 1923a: 201 (*Xyleborus*)
privatus Beeson, 1930: 213 (*Xyleborus*)
rameus Schedl, 1940d: 441 (*Xyleborus*)
rodgeri Beeson, 1930: 213 (*Xyleborus*)
unimodus Beeson, 1929: 238 (*Xyleborus*)
tumidus Schedl, 1975b: 371 (*Xyleborus*)

genus *Tricosa* Cognato, Smith & Beaver, 2020: 547 type species *Xyleborus metacuneolus* Eggers, 1940
cattienensis Cognato, Smith & Beaver, 2020: 548 A: HKG JA (Ryūkyū) ORR
indochinensis Cognato, Smith & Beaver, 2020: 549 A: SD YUN ORR
jacula Cognato, Smith & Beaver, 2020: 549 A: GUI
metacuneolus Eggers, 1940d: 150 (*Xyleborus*) A: JA TAI AUR ORR
kaimochii Nobuchi, 1981b: 143 (*Xyleborus*)

genus *Truncaudum* Hulcr & Cognato, 2010: 24 type species *Xyleborus impexus* Schedl, 1942
longius Eggers, 1923: 171 (*Xyleborus*) A: JAi AUR ORR
canarivorus Browne, 1986a: 96 (*Xyleborus*)
protii Browne, 1984: 101 (*Xyleborus*)
viaticus Schedl, 1974c: 464 (*Xyleborus*)

genus *Webbia* Hopkins, 1915b: 222 type species *Webbia dipterocarpi* Hopkins, 1915
Prowebbia Browne, 1962b: 208 type species *Prowebbia subuculae* Browne, 1962
Xelyborus Schedl, 1939b: 349 type species *Xelyborus bicornis* Schedl, 1939
pabo Sampson, 1922: 150 A: UP XIZ YUN ORR
quadricinctus Schedl, 1972c: 62

genus *Xyleborinus* Reitter, 1913h: 79, 83 type species *Bostrichus saxesenii* Ratzeburg, 1837
andrewesi Blandford, 1896b: 227 (*Xyleborus*) A: JA NP SD TAI UP YUN AFR AUR NARi ORR
gracilior Browne, 1984: 101 (*Cryptoxyleborus*)
insolitus Bright, 1972a: 77 (*Xyleborus*)
persphenos Schedl, 1970b: 219 (*Xyleborus*)
artestriatus Eichhoff, 1878b: 507 (*Xyleborus*) A: CHQ FUJ GUX HAI HKG SD SHG TAI UP YUN
AUR ORR
beaveri Browne, 1978: 603 (*Xyleborus*)

laticollis Blandford, 1896b: 226 (*Xyleborus*)
rugipennis Schedl, 1953d: 303 (*Xyleborus*)
attenuatus Blandford, 1894a: 114 (*Xyleborus*) **Ei:** AU CT CZ DE GE HU NL NT PL SK SP SV SZ
UK A: FE JA SC TAI NARi
alni Niisima, 1909: 160 (*Xyleborus*)
canus Niisima, 1909: 161 (*Xyleborus*)
exiguus Walker, 1859a: 260 (*Bostrichus*) **A: NP AUR NARi ORR**
ankius Schedl, 1975b: 361 (*Xyleborus*)
muriceus Eichhoff, 1878a: 392 (*Xyleborus*)
muriceus Eichhoff, 1878b: 506 (*Xyleborus*) [HN]
perexiguus Schedl, 1971b: 381 (*Xyleborus*)
gracilis Eichhoff, 1868a: 145 (*Xyleborus*) **Ei:** AZ **NAR NTR**
aspericauda Eggers, 1941a: 106 (*Xyleborus*)
neogracilis Schedl, 1954b: 46 (*Xyleborus*)
schoenherri Schedl, 1981: 5 (*Xyleborus*)
octiesdentatus Murayama, 1931a: 46 (*Xyleborus*) **A: JA SC SCH NARi**
saxesenii Ratzeburg, 1837: 167 (*Bostrichus*) **E:** AL AU AZ BE BU BY CR CT CZ DE EN FR GB GE
GR HU IT LA LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK
N: AG CI EG LB MO MR TU A: AB ANH ES FE FUJ GUI GUX HEB HEI HUN IN IS JA
JIA JIL JIX KA KI KZ MG NC NE NIN SC SCH SD SHA SHX SY TAI TD TM TR UP WS
XIZ YUN ZHE AFRi AURi NARi NTRi ORR
aesculi Ferrari, 1867: 22 (*Xyleborus*)
arbuti Hopkins, 1915a: 64 (*Xyleborus*)
cinctipennis Schedl, 1980b: 186 (*Xyleborus*)
decolor Boieldieu, 1859: 473 (*Tomicus*)
dohrnii Wollaston, 1854b: 290 (*Tomicus*)
floridensis Hopkins, 1915a: 63 (*Xyleborus*)
frigidus Blackburn, 1885: 193 (*Xyleborus*)
librocedri Swaine, 1934: 205
opimulus Schedl, 1976: 77 (*Xyleborus*)
paraguayensis Schedl, 1949b: 276 (*Xyleborus*)
pecanis Hopkins, 1915a: 63 (*Xyleborus*)
peregrinus Eggers, 1944c: 142 (*Xyleborus*)
pseudoangustatus Schedl, 1949c: 28 (*Xyleborus*)
pseudogracilis Schedl, 1937: 169 (*Xyleborus*)
quercus Hopkins, 1915a: 63 (*Xyleborus*)
retrusus Schedl, 1940b: 208 (*Xyleborus*)
sobrinus Eichhoff, 1876: 202 (*Xyleborus*)
subdepressus Rey, 1883: 142 (*Xyleborus*)
subspinatus Eggers, 1930b: 203 (*Xyleborus*)
tsugae Swaine, 1934: 204
schaufussi Blandford, 1894a: 117 (*Xyleborus*) **A: JA TAI**
kraunhiae Niisima, 1910: 14 (*Xyleborus*)
speciosus Schedl, 1975a: 457 (*Xyleborus*) **A: SD**
subgramulatus Eggers, 1930b: 202 (*Xyleborus*) **A: SD ORR**

genus *Xyleborus* Eichhoff, 1864: 37 type species *Bostrichus monographus* Fabricius, 1792
Anaeretus Dugès, 1887: 141 type species *Xyleborus guanajuatensis* Dugès, 1887 (= *Bostrichus volvulus* Fabricius, 1794)
Boroxylon Hopkins, 1915a: 58 type species *Boroxylon stephegynis* Hopkins, 1915 (= *Phloeotrogus bidentatus* Motschulsky, 1863)
~~— *Heteroborrips* Reitter, 1913h: 79, 82 type species *Bostrichus cryptographus* Ratzeburg, 1837~~
Mesoscolytus Broun, 1904: 125 type species *Apate inurbana* Broun, 1880
Notoxyleborus Schedl, 1934: 84 type species *Notoxyleborus kalshoveni* Schedl, 1934
Progenius Blandford, 1896a: 20 type species *Progenius fleutiauxi* Blandford, 1896 (= *Xyleborus subcostatus* Eichhoff, 1869)
affinis Eichhoff, 1868c: 401 **Ei:** AU HU **A: IS JA (Ryūkyū) TAI AFR AUR NAR NTR ORR**
fuscobrunneus Eichhoff, 1878b: 372
mascarensis Eichhoff, 1878b: 372
parvus Eichhoff, 1878b: 372
proximus Eggers, 1943b: 66
sacchari Hopkins, 1915a: 64
societatis Beeson, 1935a: 120
subaffinis Eggers, 1933b: 36
aquilus Blandford, 1894a: 109 **A: FUJ HUN JA SC SCH TAI**
armiger Schedl, 1953a: 28 **A: FUJ SCH YUN**
bispinatus Eichhoff, 1868a: 146 **Ei:** IT (Sicilia) **AFR AURi NAR NTR**
conditus Schedl, 1971b: 379 **A: NP UP**
~~*cryptographus* Ratzeburg, 1837: 160 (*Bostrichus*) **E:** AU BE BY CR CT CZ DE EN FI FR GE GR
HU IT LA MC MD NR NT PL SK SL SP ST SV SZ UK YU "Caucasus" **A: ES FE KZ WS**~~

~~villosus~~ Ratzeburg, 1837: 160 (*Bostrichus*)
~~euneiformis~~ Schedl, 1958c: 104 A: TAI **ORR**
denseriatus Eggers, 1941c: 225 A: FUJ
diversepilosus Eggers, 1941c: 224 A: FUJ TAI
dryographus Ratzeburg, 1837: 167 (*Bostrichus*) E: AN AU BE BH BU CR CZ FR GB GE GR HU IT
LU MC ME PL PT SB SK SL SP ST SZ UK N: AG EG LB MO TU A: AB IN IQ JA TR
donisthorpi Schedl, 1951a: 51
flavus Stephens, 1830: 356 (*Tomicus*) [HN]
linearis Schedl, 1949b: 273
sampsoni Donisthorpe, 1940: 6
EURYGRAPHUS Ratzeburg, 1837: 168 (*Bostrichus*) E: AU BH BU CR CT CZ FR GE GR HU IT LU MC
MD NL PL PT SK SP ST SZ UK YU N: AG EG LB MO TU A: IN TR
ferrugineus Fabricius, 1801: 388 (*Bostrichus*) A: TAI YE **AFR AUR NAR NTR**
ampliocollis Eichhoff, 1869c: 280
argentinensis Schedl, 1931: 345
confusus Eichhoff, 1868c: 401
fuscatus Eichhoff, 1868c: 400
hopkinsi Beeson, 1929: 246
insularis Sharp, 1885: 193
nesiamus Beeson, 1940: 200
notatus Eggers, 1941a: 107
nyssae Hopkins, 1915a: 66
retusicollis Zimmermann, 1868: 146
rufopiceus Eggers, 1932c: 303
schedli Eggers, 1934b: 83
soltaui Hopkins, 1915a: 66
subitus Schedl, 1949b: 280
tanganus Hagedorn, 1910a: 8
trypanaeoides Wollaston, 1868: 114 (*Tomicus*)
festivus Eichhoff, 1876: 202 A: JA TAI **ORR**
detectus Schedl, 1975e: 458
pinicola Eggers, 1930b: 206
pinivorus Browne, 1980a: 374
ganshoensis Murayama, 1952: 16 A: JA
glabratus Eichhoff, 1877b: 127 A: **FUJ GUA GUX HKG HUN JA JIX SCH** SD TAI **NARi ORR**
kumamotoensis Murayama, 1934b: 288 ~~A: JA~~
insidiosus Cognato & S.M. Smith, 2019: 1280 A: **SCH ORR**
lignographus Schedl, 1953a: 28 A: FUJ
longipilus Eggers, 1926b: 146 A: JA "Korea"
~~magnus~~ Niisima, 1910: 11 A: JA
~~metacuneolus~~ Eggers, 1940d: 150 A: JA TAI **AUR ORR**
~~kaimochii~~ Nobuchi, 1981b: 143
MONOGRAPHUS Fabricius, 1792: 365 (*Bostrichus*) E: AL AU BE BU BY CR CT CZ DE EN FR GB GE
GR HU IT LA LU MC ME NL NR NT PL PT RO SK SL SP ST SV SZ UK N: AG MO A:
AB IN IQ SC TR
nitidipennis Roubal, 1937a: 67
tuberculosis Herbst, 1793: 113 (*Bostrichus*)
muticus Blandford, 1894a: 112 A: JA
mysticulus Cognato & S.M. Smith, 2019: 1281 A: TAI **ORR**
nagaoensis Murayama, 1934b: 294 A: JA
ohtoensis Nobuchi, 1981b: 149 A: JA
percristatus Eggers, 1939a: 12 A: SCH YUN
perforans Wollaston, 1857: 96 (*Tomicus*) Ei: AZ Ni: CI MR Ai: IS JA GUX SA SD SHX TAI UP
YUN **AFRi AURi NAR NTR ORRi**
apertus Schedl, 1939b: 355
cognatus Blandford, 1896a: 19
criticus Schedl, 1950d: 899
cylindrus Schedl, 1951a: 94
denticulus Motschulsky, 1863: 512 (*Anodius*)
duponti Montrouzier, 1861b: 265 (*Bostrichus*)
hirsutus Lea, 1894: 321 (*Xylopertha*)
immaturus Blackburn, 1885: 193
kraatzii Eichhoff, 1868a: 152
minimus Schedl, 1955d: 305 *philippinensis* Eichhoff, 1878b: 374
shionomisakiensis Murayama, 1951: 3
testaceus Walker, 1859a: 260 (*Bostrichus*)
tuberculatus Motschulsky, 1863: 511 (*Anodius*)

whitteni Beeson, 1935b: 113
pfeilii Ratzeburg, 1837: 168 (*Bostrichus*) **E:** AU BE BU CR CT CZ FR GE GR HU IT PL RO SK SL
 SP ST SZ UK YU **N:** AG MO **A:** FUJ HUN JA SC SCH TR YUN **NARi**
adumbratus Blandford, 1894a: 115
alni Mulsant & Rey, 1857a: 111 (*Bostrichus*)
alni Mulsant & Rey, 1857b: 111 (*Bostrichus*) [HN]
septentrionalis Niisima, 1909: 162
vicarius Eichhoff, 1876: 203
praeivius Blandford, 1894a: 110 **A:** JA SC
~~*seriatus* Blandford, 1894a: 111 **A:** FE JA NC SC SCH SHA SHX **NARi**~~
~~— *aceris* Kurentsov, 1941: 188~~
~~— *kalopanax* Kurentsov, 1941: 187~~
~~— *orientalis* Eggers, 1933c: 54~~
~~— *perorientalis* Schedl, 1957: 85~~
~~*todo* Kôno, 1938a: 71~~
sinensis Eggers, 1941c: 224 **A:** FUJ
volvulus Fabricius, 1794: 454 (*Bostrichus*) **Ai:** JA SC TAI **AFRi AURi NAR NTR ORRi**
altermans Eichhoff, 1869c: 280
badius Eichhoff, 1869c: 280
continentalis Eggers, 1920a: 42
granularis Schedl, 1950d: 898
grenadensis Hopkins, 1915a: 65
guanajuatensis Dugès, 1887: 140
hubbardi Hopkins, 1915a: 65
interstitialis Eichhoff, 1878b: 375
rileyi Hopkins, 1915a: 65
schwarzi Hopkins, 1915a: 65
silvestris Beeson, 1929: 241
torquatus Eichhoff, 1868a: 146
vagabundus Schedl, 1949b: 277
xylographus Say, 1826: 256 (*Bostrichus*) **Ni:** CI **Ai:** TR **NAR**
canadensis Swaine, 1917: 24
inermis Eichhoff, 1868c: 401

genus *Xylosandrus* Reitter, 1913h: 80, 83 type species *Xyleborus morigerus* Blandford, 1894
Apoxyborus Wood, 1980: 90 type species *Xyleborus mancus* Blandford, 1898
amputatus Blandford, 1894c: 575 (*Xyleborus*) **A:** FUJ HUN JA SC SCH TAI
melli Schedl, 1938f: 463 (*Xyleborus*)
beesoni Saha, Maiti & Chakraborti, 1993: 11 **A:** SD
borealis Nobuchi, 1981c: 34 **A:** JA SC
brevis Eichhoff, 1877b: 121 (*Xyleborus*) **A:** JA NP SC TAI XIZ YUN **ORR**
cucullatus Blandford, 1894a: 121 (*Xyleborus*)
montanus Niisima, 1910a: 13
compactus Eichhoff, 1876: 201 (*Xyleborus*) **Ei:** IT **A:** FUJ GUA GUI GUX HAI HUB HUN JA
 SCH SHG TAI YUN ZHE **AFR AUR NAR NTR ORR**
morstatti Hagedorn, 1912a: 37 (*Xyleborus*)
crassiusculus Motschulsky, 1866b: 403 (*Phloeotrogus*) **Ei:** FR IT SL SP **A:** ANH BT FUJ GUA GUI
 HKG HAI HEB HUB HUN HP JA NC NP SC SCH SD SHA SHN TAI UP XIZ YUN ZHE
AFR AUR NARi ORR
bengalensis Stebbing, 1908: 12 (*Dryocoetes*)
declivigranulatus Schedl, 1936c: 30 (*Xyleborus*)
ebriosus Niisima, 1909: 154 (*Xyleborus*)
mascarenius Hagedorn, 1908: 379 (*Xyleborus*)
okoumeensis Schedl, 1935c: 271 (*Xyleborus*)
semigranosus Blandford, 1896b: 211 (*Xyleborus*)
semiopacus Eichhoff, 1878b: 334 (*Xyleborus*)
discolor Blandford, 1898: 429 (*Xyleborus*) **A:** FUJ GUA HAI JA (Ryūkyū) SCH SD TAI UP YUN
AUR ORR
posticestriatus Eggers, 1939b: 119 (*Xyleborus*)
diversepilosus Eggers, 1941c: 224 (*Xyleborus*) **A:** FUJ TAI
germanus Blandford, 1894a: 106 (*Xyleborus*) **Ei:** AU BE CR CZ FR GB GE HU IT NL PL RO SP
 ST SZ **A:** ANH FE FUJ GG GUA GUI GUX HAI HEN HUB HUN JA NC SC SCH SHA
 SHX TAI TR XIZ YUN ZHE **NARi ORR**
orbatus Blandford, 1894a: 123 (*Xyleborus*)
jaintianus Schedl, 1967c: 161 (*Xyleborus*) **A:** NP **ORR**
mancus Blandford, 1898: 428 (*Xyleborus*) **A:** GAN HAI JA TAI XIZ **AFR ORR**
abruptus Sampson, 1914: 388 (*Xyleborus*)

formosanus Eggers, 1930b: 186 (*Xyleborus*)
mesuae Eggers, 1930b: 182 (*Xyleborus*) **A: SD UP ORR**
morigerus Blandford, 1894b: 264 (*Xyleborus*) **Ei: AU FR IT A: JO LE SD TAI ORR AFR AUR**
NARi NTRi
abruptoides Schedl, 1955d: 298 (*Xyleborus*)
coffae Würth, 1908a: 64 (*Xyleborus*)
coffae Würth, 1908b: 4 (*Xyleborus*) [HN]
difficilis Eggers, 1923a: 174 (*Xyleborus*)
luzonicus Eggers, 1923a: 174 (*Xyleborus*)
subsimplis Eggers, 1930b: 186 (*Xyleborus*) **A: HAI SD ORR**

7.14.19. Tribe Xyloctonini Eichhoff, 1878

genus *Scolytomimus* Blandford, 1895: 319 type species *Scolytomimus dilutus* Blandford, 1895

Neoxyloctonus Eggers, 1923a: 143 type species *Neoxyloctonus philippinensis* Eggers, 1923
Scolytoleptes Schedl, 1962d: 490 type species *Scolytomimus maculatus* Beeson, 1929
dilutus Blandford, 1895: 320 **A: UP**

7.14.20. Tribe Xyloterini LeConte, 1876

genus *Indocryphalus* Eggers, 1939a: 6 type species *Indocryphalus malaisei* Eggers, 1939 (= *Xyloterus intermedius* Sampson, 1913)

aceris Niisima, 1910: 4 (*Xyloterus*) **A: FE JA NC SC**
dainichiensis Murayama, 1954: 191 (*Xyloterus*)
intermedius Sampson, 1913: 445 (*Xyloterus*) **A: BT HP NP SD XIZ YUN ORR**

malaisei Eggers, 1939a: 7
machili Wood, 1988c: 197 **A: UP ORR**
major Eggers, 1926b: 148 (*Trypodendron*) **A: JA**
ashuensis Murayama, 1950a: 51 (*Xyloterus*)
pubipennis Blandford, 1894a: 125 (*Trypodendron*) **A: FE JA JIL NC SC TAI**
sordidus Blandford, 1894c: 577 (*Trypodendron*) **A: FUJ JA**
sinensis Eggers, 1941c: 225 (*Trypodendron*) ~~A: FUJ~~

genus *Trypodendron* Stephens, 1830: 353 type species *Dermestes domesticus* Linnaeus, 1758

Xyloterus Erichson, 1836: 60 type species *Bostrichus lineatus* Olivier, 1800
Trypodendrum Agassiz, 1846: 380 type species *Dermestes domesticus* Linnaeus, 1758
Xylotrophus Gistel, 1848b: [4] type species *Dermestes domesticus* Linnaeus, 1758
Trypodendrum Gistel, 1856a: 368 [HN] type species *Dermestes domesticus* Linnaeus, 1758

domesticum Linnaeus, 1758: 356 (*Dermestes*) **E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC ME NL NR NT PL RO SK SL SP ST SV SZ UK A: TR**
NARi

apicale Endrödi, 1957: 309 [NA]
limbatum Herbst, 1783: 24 (*Bostrichus*)
limbatum Fabricius, 1787a: 33 (*Apate*) [HN]
toracale Endrödi, 1957: 309 [NA]
dorjitenzingi Schmutzenhofer, 1988: 487 **A: BT**
gaimaense Murayama, 1937: 369 (*Xyloterus*) **A: JA NC SC**
laeve Eggers, 1939b: 122 **E: AU CT CZ EN FI GE LA NR NT PL RO SK SV SZ A: CH JA**
piceum A. Strand, 1946: 172
lineatum Olivier, 1800: 77: 18 (*Bostrichus*) **E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC ME NL NR NT PL RO SK SL SP ST SV SZ UK N: AG EG LB MO TU A: ES FE GAN HEI IN IS JA JIL KZ MG NC NE NMO QIN SC SCH SHA SHN TR WS XIN "Central Asia" NARi**
bivittatum Kirby, 1837: 192 (*Apate*)
boreale Swaine, 1917: 21
cavifrons Mannerheim, 1843: 297 (*Bostrichus*)
granulatum Eggers, 1933c: 51
lineellum Endrödi, 1957: 309 [NA]
meridionale Eggers, 1940f: 38
pauper Endrödi, 1957: 309 [NA]
vittiger Eichhoff, 1881: 298
niponicum Blandford, 1894a: 124 **A: ES FE JA MG NC NE SC**
proximum Niisima, 1909: 165 (*Xyloterus*) **A: FE HEI JA JIL NC NE SC SCH YUN**
pulchellum Murayama, 1957a: 585 (*Xyloterus*) **A: JA**

signatum Fabricius, 1792: 363 (*Apate*) E: AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU
IT LA LT MC ME NR NT PL SB SK SL SP ST SV SZ UK "Caucasus" A: AB ES FE GAN
HEI IN JA MG NC SC SCH TR WS YUN
obtusum Eggers, 1939b: 121
quercus Eichhoff, 1865: 381 (*Xyloterus*)
quinquelineatum M. Adams, 1817: 312 (*Bostrichus*)
suturale Eggers, 1933c: 52
waringii Curtis, 1840: 279 (*Bostrichus*)

subfamily Scolytinae, nomina dubia

Bostrichus ater Rossi, 1792: 19 E: IT
Bostrichus carinatus Walzl, 1839: 223 E: GE
Bostrychus eudromius Gistel, 1857: 545 E: GE
Bostrichus fagi Nördlinger, 1848: 242 E: GE
Bostrichus fuscus Gmelin, 1790: 1603 E: "Europa"
Bostrichus monoceros Gravenhorst, 1807: 193 E: GE
Bostrychus parenchymatis Gistel, 1857: 553 E: GE
Bostrichus pilosus Gmelin, 1790: 1603 E: "Europa"
Bostrichus pilosus Gistel, 1831: 306 [HN] E: GE
Bostrychus pinetarius Gistel, 1857: 517 E: AU
Bostrichus pumilio Gravenhorst, 1807: 193 "Patria ignota"
Bostrichus ruficornis Schrank, 1798: 437 E: GE
Bostrychus westerhauseri Gistel, 1857: 585 E: GE
Dermestes flavescens Schrank, 1782: 140 E: GE
Ips inermis Marsham, 1802: 54 E: GB
Ips niger Marsham, 1802: 59 E: GB
Scolytus pusillus Olivier, 1800: 78: 14 E: FR
Scolytus varius Olivier, 1800: 78: 11 E: FR

family Curculionidae, taxa incertae sedis

genus *Aralkumia* Bajtenov, 1974a: 234 type species *Aralkumia deserti* Bajtenov, 1974
deserti Bajtenov, 1974a: 234 A: KZ

genus *Absoloniella* Formánek, 1913b: 135 type species *Absoloniella cylindrica* Formánek, 1913
Ruffodytes G. Osella, 1973d: 491 type species *Ruffodytes hellenicus* G. Osella, 1973
cylindrica Formánek, 1913b: 135 E: BH
hellenica G. Osella, 1973d: 492 (*Ruffodytes*) E: GR
italica G. Osella, 1976a: 200 (*Ruffodytes*) E: IT
nitidipennis G. Osella, 1989a: 451 (*Ruffodytes*) E: GR
pacei G. Osella, 1976a: 197 (*Ruffodytes*) E: IT
reitteri J. Müller, 1912: 303 (*Caulomorphus*) E: IT
servadeii G. Osella, 1982: 273 (*Ruffodytes*) E: IT

genus *Hypoglyptus* Gerstaecker, 1855a: 172 type species *Hypoglyptus pictus* Gerstaecker, 1855
Acentroides Leonhard, 1912: 341 type species *Acentroides conspersus* Leonhard, 1912
conspersus Leonhard, 1912: 341 (*Acentroides*) E: GR
elegans Brullé, 1832b: 245 (*Tychius*) E: GR
gracilis Kiesenwetter, 1864: 274 E: GR
graecus Pic, 1902f: 67["57"] (*Hylobius*) E: AL GR
heydeni Faust, 1889g: 226 E: MC A: AR TR
pictus Gerstaecker, 1855a: 173 E: GR

superfamily Curculionoidea, nomina dubia

Curculio acutus Gmelin, 1790: 1773 E: "Europa"
Curculio aelothorax Herbst, 1797: 25 "Patria ignota"
Curculio perspicax Olivier, 1807: 342

Curculio aneti Anonymus, 1826: 338 E: NL
Curculio apterus Schrank, 1781: 117 [HN] E: AU
Curculio arvensis O. F. Müller, 1776: 88 E: DE
Curculio atomarius Gmelin, 1790: 1759 [HN] E: "Europa"
Curculio aurifer Villers, 1789a: 216 [HN] E: FR
Curculio badensis Linnaeus, 1767: 607 E: GE
Curculio betuli Schrank, 1796: 117 E: GE
Curculio bipunctatus Goeze, 1777: 400 [HN] E: "Siberia"
Curculio bipunctatus Gmelin, 1790: 1801 [HN]
Curculio bohemicus Gmelin, 1790: 1805 E: CZ
Curculio bohemus Mayer, 1779: 183 E: CZ
Curculio brachycellus Illiger, 1808a: 313 E: PT
Curculio brevirostris Rossi, 1792: 42 E: IT
Curculio brunnipes Panzer, 1795b: 329 ("239") E: GE
~~*Curculio brunonianus* Ponza, 1805: 61 E: IT~~
Curculio caeruleus Villers, 1789b: 288 [HN] E: FR
Curculio c-album Scopoli, 1763: 32 E: SL
Curculio carinatus Marsham, 1802: 299 [HN] E: GB
Curculio cariosus Scopoli, 1763: 27 E: SL
Curculio carpini Schrank, 1796: 117 [HN] E: GE
Curculio centaureae Scopoli, 1763: 26 E: SL
Curculio centaureae Allioni, 1766: 187 [HN] E: IT
Curculio chrysostictos Gmelin, 1790: 1779 E: "Europa"
Curculio cinereus Gmelin, 1790: 1773 [HN] E: "Europa"
Curculio clavatus Panzer, 1795b: 313 E: GE
Curculio clavipes Gmelin, 1790: 1807 [HN] E: "Europa"
Curculio conspersus Thunberg, 1798: 112 [HN] E: SV
Curculio coracinus Gmelin, 1790: 1807 E: "Europa"
Curculio corticinus Giorna, 1792: 438 E: IT
Curculio corvinus Panzer, 1795b: 335 E: GE
Curculio crassus Allioni, 1766: 187 E: IT
Curculio crenulatus Gmelin, 1790: 1759 [HN] "Patria ignota"
Curculio crinitus Gmelin, 1790: 1760 E: "Europa"
Curculio cypri Linnaeus, 1766: 229 A: CY
Curculio cypri Gmelin, 1790: 1801 [HN]
Curculio danicus Gmelin, 1790: 1778 [RN] E: DE
Curculio punctatus O. F. Müller, 1776: 87 [HN]
Curculio dentatus Gmelin, 1790: 1773 E: "Europa"
Curculio dentirostris O. F. Müller, 1776: 85 E: DE
Curculio depressus Gravenhorst, 1807: 214 [HN] "Patria ignota"
Curculio diodon Schrank, 1798: 503 E: GE
Curculio eremita Herbst, 1784: 85 E: GE
Curculio erraticus Scopoli, 1763: 24 E: SL
Curculio exoletus Gmelin, 1790: 1807 E: "Europa"
Curculio faber Rossi, 1790: 120 [HN] E: IT
Curculio farinosus Panzer, 1798b: 49 E: NL
Curculio fasciatus Scopoli, 1763: 34 E: SL
Curculio villosulus Gmelin, 1790: 1802 [URN]
Curculio filirostris Quensel, 1790: 15 E: SV
Curculio foveolatus Gmelin, 1790: 1759 E: "Europa"
Curculio fuscipes Geoffroy, 1785: 127 E: FR
Curculio glabratus Gmelin, 1790: 1759 E: "Europa"
Curculio glaucinus O. F. Müller, 1776: 89 E: DE
Curculio granulatus Gmelin, 1790: 1779 E: "Europa"
Curculio griseolus Gravenhorst, 1807: 216 "Patria ignota"
Curculio guttatus Goeze, 1777: 400 A: "Siberia"
Curculio guttatus Gmelin, 1790: 1801 [HN]
Curculio haematopus Gmelin, 1790: 1760 E: "Europa"
Curculio haeruatopus Gmelin, 1790: 1760 [NA]

Curculio haemorrhous Gmelin, 1790: 1779 E: "Europa"
Curculio herbstii Gmelin, 1790: 1800 [RN] E: GE
Curculio ocellatus Herbst, 1784: 84 [HN]
Curculio hispidus Brahm, 1790: 20 [HN] E: GE
Curculio hornus Herbst, 1795: 296 E: "Europa"
Curculio hostilis Herbst, 1797: 44 E: "Europa"
Curculio inaequalis Villers, 1789a: 216 [HN] E: FR
Curculio incineratus Gmelin, 1790: 1806 E: "Europa"
Curculio incisus Geoffroy, 1785: 119 E: FR
Curculio exaratus Gmelin, 1790: 1804
Curculio sulcatus Goeze, 1777: 410 [HN]
Curculio infidus Scopoli, 1763: 31 E: SL
Curculio infidus Rossi, 1792: 38 [HN] E: IT
Curculio infuscatus Gmelin, 1790: 1807 E: "Europa"
Curculio irus Gravenhorst, 1807: 216 "Patria ignota"
Curculio latirostris O. F. Müller, 1776: 86 [HN] E: DE
Curculio bicolor Gmelin, 1790: 1803 [HN]
Curculio latirostris Herbst, 1795: 251 [HN] E: GE
Curculio piniperda Olivier, 1807: 384 [RN, HN]
Curculio leprosus Gmelin, 1790: 1799 E: "Europa"
Curculio leskii Turton, 1800: 277 [RN] E: "Europa"
Curculio sulcatus Gmelin, 1790: 1779 [HN]
Curculio linariae Schrank, 1798: 505 [HN] E: GE
Curculio longicornis O. F. Müller, 1776: 86 E: DE
Curculio longicornis F.A.A. Meyer & Florencourt, 1795: 223 [HN] E: GE
Curculio longitudinalis Strøm, 1768: 322 E: NR
Curculio loniceræ Razoumowsky, 1789: 147 E: SZ
Curculio luteicornis Panzer, 1798b: 70 "Patria ignota"
Curculio lutosus Gmelin, 1790: 1807 E: "Europa"
Curculio macellarius Herbst, 1795: 297 E: GE
Curculio maculosus O. F. Müller, 1776: 86 E: DE
Curculio muricatus Goeze, 1777: 412 [HN] E: FR
Curculio murinus Geoffroy, 1785: 124 [HN]
Curculio muricatus Gmelin, 1790: 1773 [HN] E: "Europa"
Curculio naevius Gmelin, 1790: 1806 [HN] E: "Europa"
Curculio nigrifrons Reich, 1797: 12 E: GE
Curculio nigrostriatus Goeze, 1777: 380 E: FR
Curculio nubilis Gmelin, 1790: 1807 [HN] E: "Europa"
Curculio oliviensis Herbst, 1795: 229 "Patria ignota"
Curculio opacus O. F. Müller, 1776: 86 E: DE
Curculio papillosus Piller & Mitterpacher, 1783: 34 E: CR
Curculio pedestris Herbst, 1795: 298 [HN] E: GE
Curculio pedicularius Herbst, 1795: 236 [HN] E: GE
Curculio piceus Wulfen, 1763: 24 [NO] E: SL
Curculio picatus Gmelin, 1790: 1801 [URN] [HN]
Curculio piceus Schrank, 1798: 501 [HN] E: GE
Curculio pilicornis Thunberg, 1798: 112 E: SV
Curculio pilifer Olivier, 1791: 562 [RN] E: "Europa"
Curculio atomarius Gmelin, 1790: 1741 [HN]
Curculio pilistrius Schrank, 1798: 507 E: GE
Curculio piricola Herbst, 1784: 84 E: "Pommern"
Curculio praecox Scopoli, 1763: 34 E: SL
Curculio prismatifer Schrank, 1796: 118 E: GE
Curculio pulverulentus Villers, 1789a: 216 [HN] E: FR
Curculio punctatus Scopoli, 1763: 34 E: SL
Curculio camilolicus Gmelin, 1790: 1802 [URN] [HN]
Curculio punctulatus Geoffroy, 1785: 132 E: FR
Curculio quadratus Goeze, 1777: 411 E: FR
Curculio quadrilis Geoffroy, 1785: 122
Curculio quadripunctatus Goeze, 1777: 374 E: "Russia australi"

Curculio quadripunctatus Gmelin, 1790: 1755 [HN]
Curculio quadripustulatus Marsham, 1802: 297 [HN] E: GB
Curculio quercinus Gmelin, 1790: 1802 [RN] E: SL SZ
Curculio quercus Scopoli, 1763: 34 [HN]
Curculio reticularis Turton, 1800: 241 E: "Europa"
Curculio reticulatus Gmelin, 1790: 1772 [HN]
Curculio rhei Herbst, 1784: 78 E: GE
Curculio roboris Fabricius, 1787a: 100 E: GE
Curculio rosarum Herbst, 1786: 167 E: GE
Curculio rugatus Gmelin, 1790: 1807 E: "Europa"
Curculio rugosus Gmelin, 1790: 1759 [HN] E: "Europa"
Curculio segetis Panzer, 1795b: 316 [HN] E: GE
Curculio semilunaris Froelich, 1792: 131 E: GE
Curculio sericeus Goeze, 1777: 396 E: FR
Curculio sericeus Gmelin, 1790: 1778 [HN]
Curculio villosus Geoffroy, 1785: 131 [HN]
Curculio sexstriatus Marsham, 1802: 305 E: GB
Curculio spinulosus Turton, 1800: 275 E: GE
Curculio splendens Turton, 1800: 213 E: FR [HN]
Curculio squamifer O. F. Müller, 1776: 87 E: DE
Curculio striatus Strøm, 1783: 56 [HN] E: NR
Curculio strigosus Marsham, 1802: 287 E: GB
Curculio subclavatus Marsham, 1802: 314 E: GB
Curculio subfasciatus Gmelin, 1790: 1773 E: "Europa"
Curculio subglobosus Marsham, 1802: 313 [HN] E: GB
Curculio syngenesiae Scopoli, 1763: 27 E: SL
Curculio tardus O. F. Müller, 1776: 86 E: DE
Curculio tenebricosus Gmelin, 1790: 1807 [HN] E: "Europa"
Curculio tessellatus Geoffroy, 1785: 129 [HN] E: FR
Curculio transversofasciatus Goeze, 1777: 409 E: FR
Curculio fasciatus Geoffroy, 1785: 118 [HN]
Curculio fuscatus Gmelin, 1790: 1804
Curculio trilineatus Turton, 1800: 251 E: GE
Curculio tuberculatus O. F. Müller, 1776: 88 E: DE
Curculio umbratilis Panzer, 1798b: 67 E: NL
Curculio undatus Gmelin, 1790: 1741 [HN] E: "Europa"
Curculio undulatus Olivier, 1791: 562 [RN, HN]
Curculio vanellus Herbst, 1784: 79 E: GE
Curculio varians Olivier, 1791: 563 [RN] E: "Russia australi"
Curculio variegatus Goeze, 1777: 374 [HN]
Curculio varius Gmelin, 1790: 1756 [HN]
Curculio variegatus Scopoli, 1772: 91 E: HU
Curculio varius Gmelin, 1790: 1806 [HN] E: "Europa"
Curculio verruca Fabricius, 1798: 172 E: "Europa"
Curculio versicolor Gmelin, 1790: 1755 E: PL
Curculio bicolor Herbst, 1784: 75 [HN]
Curculio viator Rossi, 1792: 41 E: IT
Curculio vilis Gravenhorst, 1807: 216 [HN] "Patria ignota"
Curculio vitis Bayle-Barelle, 1809: 279 E: IT
Curculio virgo Goeze, 1777: 396 E: FR
Curculio virgo Geoffroy, 1785: 132 [HN]
Curculio virgo Gmelin, 1790: 1778 [HN]
Curculio viridipennis Panzer, 1789: 24 E: GE
Curculio visus Rossi, 1792: 42 E: IT
Gymnetron consuetum Ménétré, 1849: 264 A: UZ
Rhynchaenus bilineatus Fabricius, 1781: 164 (*Curculio*) E: GE
Rhynchaenus confinis Gravenhorst, 1807: 200 "Patria ignota"
Rhynchaenus erythropus Gmelin, 1790: 1759 (*Curculio*) E: "Europa"
Rhynchaenus lunula Gravenhorst, 1807: 204 "Patria ignota"
Rhynchaenus ornatus Gravenhorst, 1807: 203 "Patria ignota"
Rhynchaenus tessellatus Fabricius, 1781: 165 (*Curculio*) E: GE

Appendix I

The use of the countries or regions between square brackets has been avoided as far as possible. The authors have used instead their divisions if it has been possible.

E	Europe	LA	Latvia
AL	Albania	LS	Liechstentein
AN	Andorra	LT	Lithuania
AU	Austria	LU	Luxembourg
AZ	Azores	MA	Malta
BE	Belgium	MC	Macedonia (North)
BH	Bosnia-Herzegovina	MD	Moldavia
BU	Bulgaria	ME	Montenegro
BY	Belarus	NL	The Netherlands
CR	Croatia	NR	Norway
CT	Russia: Central European Territory # ¹³	NT	Russia: Nort European Territory # ¹⁴
CZ	Czech Republic	PL	Poland
DE	Denmark	PT	Portugal
EN	Estonia	RO	Romania
FA	Faeroe Islands	[RU]	[Russia] (cf. CT, NT, ST)
FI	Finland	SB	Serbia
FR	France (incl. Corse, Monaco)	SK	Slovakia
GB	Great Britain (incl. Channel Is.)	SL	Slovenia
GE	Germany	SP	Spain (incl. Gibraltar)
GR	Greece (incl. Kriti)	SR	Svaldbard
HU	Hungary	ST	Russia: South European Territory # ¹⁵
IC	Iceland	SV	Sweden
IR	Ireland	SZ	Switzerland
IT	Italy (incl. Sardegna, Sicilia, San Marino)	TR	Turkey
KZ	Kazakhstan (west of Ural River)	UK	Ukraine
		[YU]	[Serbia and Montenegro]
N	North Africa	MO	Morocco (incl. Western Sahara)
AG	Algeria	MR	Madeira Archipelago
CI	Canary Islands	SG	Selvagens Archipelago
EG	Egypt	TU	Tunisia
LB	Libya		
A	Asia	CY	Cyprus
AB	Azerbaijan	ES	Russia: East Siberia # ¹⁶
AE	Arab Emirates	FE	Russia: Far East # ¹⁷
AF	Afghanistan	GG	Georgia
AP	India: Arunachal Pradesh	HP	India: Himachal Pradesh
AR	Armenia	IN	Iran
BA	Bahrain	IQ	Iraq
BT	Bhutan	IS	Israel
[CE]	[China: Central Territory]	JA	Japan
[CH]	[China] (cf. list of territorial subdivisions)	JO	Jordan
		KA	India: Kashmir

KI	Kyrgyzstan	SC	South Korea
KU	Kuwait	SD	India: Sikkim and Darjeeling District
KZ	Kazakhstan (east of Ural River)	[SE]	[China: Southeastern Territory (incl. Macao, Hongkong)]
LE	Lebanon	SI	Egypt: Sinai
MG	Mongolia	[SW]	[China: Southwestern Territory]
[NE]	[China: Northeast Territory]	SY	Syria
NC	North Korea	TD	Tajikistan
[NO]	[China: Northern Territory]	TM	Turkmenistan
NP	Nepal	TR	Turkey
[NW]	[China: Northwest Territory]	UP	India: Uttarakhand (= Uttaranchal)
OM	Oman	UZ	Uzbekistan
PA	Pakistan	[WP]	[China: Western Plateau]
PS	State of Palestine	WS	Russia: Western Siberia # ¹⁸
QA	Qatar	YE	Yemen
[RU]	[Russia] (cf. ES, FE, WS)		
SA	Saudi Arabia		

China: territorial subdivisions

ANH	Anhui (Anhui)	JIX	Jiangxi (Kiansi)
BEI	Beijing (Peking, Peiping)	LIA	Liaoning
CHQ	Chongqing	MAC	Macao (Aomen)
FUJ	Fujian (Fukien)	NIN	Ningxia (Ningsia)
GAN	Gansu (Kansu)	NMO	Neimenggu (Inner Mongolia)
GUA	Guandong (Kwantung)	QIN	Qinghai (Tsinghai)
GUI	Guizhou (Kweichow)	SCH	Sichuan (Szechwan)
GUX	Guangxi (Kwangsi)	SHA	Shaanxi (Shensi)
HAI	Hainan	SHG	Shanghai
HEB	Hebei (Hopeh)	SHN	Shandong (Shantung)
HEI	Heilongjiang (Heilungkiang)	SHX	Shanxi (Shansi)
HEN	Henan (Honana)	TAI	Taiwan (Formosa)
HKG	Hongkong (Xianggang)	TIA	Tianjin (Tientsin)
HUB	Hubei (Hupeh)	XIN	Xinjiang (Sinkiang)
HUN	Hunan	XIZ	Xizang (Tibet)
JIA	Jiangsu (Kiangsu)	YUN	Yunnan
JIL	Jilin (Kirin)	ZHE	Zhejiang (Chekiang)

World zoogeographical Regions

AFR	Afrotropical Region
AUR	Australian Region
COS	Cosmopolitan
NAR	Nearctic Region
NTR	Neotropical Region
ORR	Oriental Region

NOTES

1 Hlaváč.

2 All changes in genus *Cionus*, except where indicated otherwise, to be credited to Caldara.

3 The locality Tschintschan Tau is in the old province of East Bukhara, now Tajikistan.

4 The type locality (Wadi el Kelt) was in Jordan in 1965. The 1994 Treaty Line has left this river (a tributary of the Jordan) in the territories of the State of Palestine, traversing Jericho from West to East.

5 An action of First Revisor will be necessary here.

6 Borovec, Alonso-Zarazaga.

7 Korotyaev.

8 Korotyaev.

9 All changes in this genus by Borovec and Alonso-Zarazaga.

10 All changes in this genus by Gültekin.

11 See comment in CCPCC version 1.

12 See comment in CCPCC version 1.

13 The Central European Territory includes: the Oblasts of Bryansk, Ivanovo, Kaliningrad, Kaluga, Kirov, Kostroma, Lipetsk, Moscow, Nizhni Novgorod, Novgorod, Oryol, Penza, Pskov, Ryazan, Samara, Smolensk, Tambov, Tula, Tver, Ulyanov, Vladmi and Yaroslavl, the city of Moscow, the Kraj of Perm, and the Republics of Bashkortostan, Chuvashia, Mari El, Mordovia, Tatarstan and Udmurtia.

14 The Northern European Territory includes: the Oblasts of Arkhangelsk, Leningrad, Murmansk and Vologda, the city of St. Petersburg, the Republics of Karelia and Komi, and the Nenets Autonomous Okrug.

15 The Southern European Territory includes: the Oblasts of Astrakhan, Belgorad, Kursk, Orenburg, Rostov, Saratov, Volgograd and Voronezh, the Krajs of Krasnodar and Stavropol, and the Republics of Adygeya, Chechnya, Dagestan, Ingushetia, Kabardino-Balkaria, Kalmykia, Karachay-Cherkessia and North Ossetia-Alania.

16 Eastern Siberia includes: the Oblast of Irkutsk, the Krajs of Krasnoyarsk and Zabaykalsk, and the Republics of Buryatia, Sakha (Yakutia) and Tuva.

17 The Far East includes: the Oblasts of Amur, Magadan and Sakhalin, the Krajs of Kamchatka, Khabarovsk and Primorskiy, the Chukotka Autonomous Okrug and the Jewish Autonomous Oblast.

18 Western Siberia includes: the Oblasts of Chelyabinsk, Kemerovo, Kurgan, Novosibirsk, Omsk, Sverdlovsk, Tomsk, Tyumen, the Kraj of Altai, the Republics of Altai and Khakassia, and Autonomous Okrugs of Yamalo-Nenets and Khanty-Mansy Yugra.